Garlock Sealing Technologies®

# KLOZURE® Oil Seals & Bearing Isolators

*Seal in your profits™*

## MASTER CATALOG

**The Rotating Equipment Authority™**



Garlock

SEALING TECHNOLOGIES®

# Foreword

We believe in the principle that you can't be all things to all people. Garlock has chosen to be the leading *manufacturer* of radial lip seals and bearing protection devices servicing the industrial marketplace. We believe the best method to get our products to the industrial customer is through strategic alliances with our distribution partners. Our commitment to our distributors, and the ultimate user, is to constantly introduce new and innovative products at higher levels of quality with an emphasis on compressed lead times - products that will last longer and reduce overall maintenance costs. All of our employees have a "can do" attitude and take pride in helping customers. You have a problem? We have a solution. All we ask is the chance to prove ourselves; you won't be disappointed!

# Garlock Warranty

All merchandise ordered shall be sold subject to SELLER'S standard warranty, viz: SELLER warrants that any product of its manufacture, which upon examination is found by a SELLER'S representative to be defective either in workmanship or material whereby it is not suitable under proper usage and service for the purpose for which designed, will be, at SELLER'S option, repaired or replaced free of charge including transportation charges but not cost of installation providing that SELLER receives written claim specifying the defect within one year after SELLER ships the product. ALL OTHER WARRANTIES EXPRESSED OR IMPLIED INCLUDING ANY WARRANTY OF MERCHANTABILITY ARE HEREBY DISCLAIMED. The foregoing expresses all of SELLER'S obligations and liabilities with respect to the quality of items furnished by it and it shall under no circumstances be liable for consequential damages.

# General Seal Selection

**Single Lip Seals** are ideal for the majority of sealing applications. These general purpose seals are available in a wide range of stock sizes.

**Split KLOZURE® Oil Seals and Bearing Isolators** are designed for easy installation on large shafts without costly teardown for seal replacement.

**Dual Lip Oil Seals** are recommended for those applications involving the separation of two fluids, the exclusion of abrasive or foreign materials, and difficult or unusual sealing problems.

**Bonded Oil Seals** are used in applications where low cost and minimum performance are the primary considerations.

**Special Purpose Oil Seals** are recommended for high speed applications, reciprocating service, spherical bearings, tapered roller bearings and similar applications.

**ISO-GARD® and EQUALIZER® Bearing Isolator Seals** provide superior bearing protection where outstanding contaminant exclusion and ultra long life are desired.

**MICRO-TEC® Bearing Protector Seals** combine a unique design and microcellular technology, for rotating or stationary shaft sealing and bearing protection in highly contaminated environments.

The Garlock line of KLOZURE® Oil Seals and Bearing Isolators is asbestos-free.

We are pleased to present this Garlock KLOZURE® Oil Seals and Bearing Isolators catalog. It contains the most concise, current sealing information to make seal selection easy and accurate, providing reference to applications, shaft speeds, operating temperatures and shaft size. This information permits you to select a Garlock KLOZURE® Oil Seal for long-lasting, trouble-free service.

For online selection, visit the Garlock network at **www.garlock.net**

For non-standard applications, contact Garlock to complete a detailed application data sheet.

# How to use the KLOZURE® Oil Seal Master Catalog

Our family of Garlock KLOZURE® Oil Seal and Bearing Isolators catalogs is designed to make ordering Garlock KLOZURE® Oil Seals as easy as possible and to give you the most complete information on oil seals you will find anywhere.

This catalog is organized by the type of seal you need with sections for Single Lip, Dual Lip and Special Purpose seals. Pertinent information on each model is summarized in these sections so that you may choose an oil seal directly from the information shown here.

The general engineering secion is designed to offer guidance concerning shaft finish, misalignment, pressure data, tolerance charts and technical specifications... all the information that will help you seal effectively. The selection chart for seal elements lets you compare temperature, fluid compatibility, relative cost, service life... everything that you need to choose the right seal for your application.

Installation instructions with diagrams have also been included, along with a troubleshooting tips section, to help you solve possible problems.

# Index


Page

**Single Lip KLOZURE® Oil Seals**
Spring Loaded: Models 26, 53, 59, 63, 64, 66, 67, 76, 87, 88, 92 . . . . . 2, 3
No Spring: Models 58, 71, 91 . . . . . .4

**Dual Lip KLOZURE® Oil Seals**
Dual Opposed (both lips with spring): Models 53R2, 63R2 . . . . . .5
Dual Opposed (one lip with spring): Models 3, 26R1, 53R1, 53F1, 57, 94 . . . . . .6
Dual Tandem (front lip, no spring): Models 53TB, 63TB . . . . . .7
Dual Tandem (both lips with spring): Models 53T2, 63T2 . . . . . .7

**Single Lip Split KLOZURE® Oil Seals**
Models 21, 23, 24, 25, 26 . . . . . .8

**External Lip Seals**
Models 111, 113, 123 . . . . . .9

**Special Purpose KLOZURE® Oil Seals**
Model 54: Seals for Spherical Bearings . . . . . .10, 11
Model 61, 62: PTFE Seal . . . . . .10
Model 142: Steel Mill Water Seals . . . . . .10, 11
Model 145A-1, 145A-2: Face-Type Excluder Seals . . . . . .10, 11
MICRO-TEC® Bearing Protector Seals . . . . . .12
EQUALIZER® Bearing Protector Seals . . . . . .12
ISOGARD® Bearing Isolator Seals . . . . . .13

**Engineering and Installation Information**
General Engineering Data . . . . . .14
General Engineering Data Tables . . . . . .14 - 17
Nomenclature . . . . . .18
Selection Charts for Seal Elements . . . . . .19
Assembled and Bonded Seals
Installation Instructions . . . . . .20 - 22
Split KLOZURE® Oil Seals, Models 21, 23, 24, 25, 26
Application Information and Size Guide . . . . . .23
Conversion Instructions . . . . . .24
Installation Instructions . . . . . .25
Troubleshooting . . . . . .26
Typical KLOZURE® Oil Seal Configurations . . . . . .27
Model number to Part number Conversion . . . . . .28

**Oil Seals and Bearing Isolators by Model Number** . . . . . .M-1 – M-133

**Oil Seals and Bearing Isolators by Shaft Size** . . . . . .S-1 – S-129

**Oil Seals and Bearing Isolators by Metric Sizes** . . . . . .Metric 1 – Metric 16

**Model 79 Rod Scrapers** . . . . . .R-1 – R-4

**Relationship Between RPM, FPM and Shaft Diameters** . . . . . .Inside Back Cover

**How to Order** . . . . . .Back Cover

# Single Lip - Spring Loaded
# General Purpose Lubricant Retention Seals

| | Features | Shaft Diameters In. (MM) | Surface Speed FPM (MPS) | Misalignment & Runout In. @ FPM (MM @ MPS) | Spring | O.D. Construction |
|---|---|---|---|---|---|---|
| **MODEL 26** | • General purpose, non-metallic seal<br>• Molded one-piece construction | 3/4 thru 60 (19.4 thru 1524) | 5000 (25.4) | 0.015 @ 1000 (0.38 @ 5.1)<br>0.010 @ 2000 (0.25 @ 10.2)<br>0.008 @ 5000 (0.20 @ 25.4) | Stainless Steel Finger | Rubber with reinforced heel |
| **MODEL 53** | • Heavy duty case<br>• General purpose standard seal<br>• Assembled design | 3 thru 90 (76.2 thru 2286) | 3000 (15.2) | 0.015 @ 1000 (0.38 @ 5.1)<br>0.10 @ 2000 (0.25 @ 10.2)<br>0.005 @ 3000 (0.13 @ 15.2) | Stainless Steel Finger | Steel Case** |
| **MODEL 59** | • Moderate to severe operating conditions<br>• Heavy duty metal case<br>• Assembled design | 6 thru 90 (152.4 thru 2286) | 5000 (25.4) | 0.093 Max. (2.36) | Stainless Steel Finger | Steel Case** |
| **MODEL 63**  | • Equivalent to Model 53<br>• Assembled design | 1/4 thru 3 (6.4 thru 76.2) | 3000 (15.2) | 0.015 @ 1000 (0.38 @ 5.1)<br>0.010 @ 2000 (0.25 @ 10.2)<br>0.005 @ 3000 (0.13 @ 15.2) | Stainless Steel Finger | Steel Case** |
| **MODEL 64®** | • Severe service seal in steel mills, heavy equipment industry<br>• Assembled design | 8 thru 90 (203.2 thru 2286) | 7000 (35.6) | 0.125 @ 5000 (3.18 @ 25.4)<br>0.093 @ 7000 (2.36 @ 35.6) | Combination Carbon Steel* Garter and Stainless Steel Finger | Steel Outer Case** with Steel Inner Case† |

FPM = feet per minute MPS = meters per second

Standard sealing element is nitrile.
MILL-RIGHT®, silicone and fluoroelastomer available.
*Stainless steel available on special order.
**Plated cases available on special order. Special tooling may be required for stainless steel cases.
Alummum and brass cases thru 19.999 inches (507.97 mm) O.D. on special order.
†Plated steel available on special order.

**WARNING:**
Properties/applications shown throughout this brochure are typical. Your specific application should not be undertaken without independent study and evaluation ror suitability. For specific application recommendations consult Garlock. Failure to select the proper sealing products could result in property damage and/or serious personal injury.

Performance data published in this brochure has been developed from field testing, customer field reports and/or in house testing.

While the utmost care has been used in compiling this brochure, we assume no responsibility for errors. Specificatlons subject to change without notlce. Thls edition cancels all prevlous issues. Subject to change without notice.

# Single Lip - Spring Loaded
# General Purpose Lubricant Retention Seals

| | Features | Shaft Diameters In. (MM) | Surface Speed FPM (MPS) | Misalignment & Runout In. @ FPM (MM @ MPS) | Spring | O.D. Construction |
|---|---|---|---|---|---|---|
| **MODEL 66** | • Equivalent to Model 76 with heavy duty case<br>• Assembled design | 3/8 thru 7-7/8 (9.5 thru 200) | 3000 (15. 2) | 0.015 @ 1000 (0.38 @ 5.1)<br>0.010 @ 2000 (0.25 @ 10.2)<br>0.005 @ 3000 (0.13 @ 15.2) | Carbon Steel* Garter | Steel Case** |
| **MODEL 67** | • General purpose<br>• Strong sealing element<br>• Assembled design | 1/2 thru 3-1/4 (12.7 thru 82.5) | 1000 (5.1) | 0.010 @ 500 (0.25 @ 2.5)<br>0.005 @ 1000 (0.13 @ 5.1) | Carbon Steel* Garter | Steel Case** |
| **MODEL 76** | • General purpose<br>• Fits minimum space<br>• Bonded design | 1/4 thru 8 (6.4 thru 203.2) limited sizes available | 3000 (15.2) | 0.015 @ 1000 (0.38 @ 5.1)<br>0.010 @ 2000 (0.25 @ 10.2)<br>0.005 @ 3000 (0.13 @ 15.2) | Carbon Steel* Garter | Steel Case |
| **MODEL 87** | • Moderately severe service seal with rubber O.D. to ease installation<br>• Molded design<br>• Reverse bevel lip eliminates roll-over | 6 thru 48 (152.4 thru 1219.2) | 5000 (25.4) | 0.100 @ 2500 (2.54 @ 12.7)<br>0.050 @ 5000 (1.27 @ 25.4) | Carbon Steel Garter Encapsulated | Rubber Covered Steel Ring |
| **MODEL 88** | • Moderately severe service seal with rubber O.D. to ease installation<br>• Molded design<br>• Reverse bevel lip eliminates roll-over | 6 thru 48 (152.4 thru 1219.2) | 5000 (25.4) | 0.050 @ 2500 (1.27 @ 12.7)<br>0.025 @ 5000 (0.64 @ 25.4) | Carbon Steel Garter Encapsulated | Rubber Covered Steel Ring |
| **MODEL 92** | • Equivalent to Model 76 with rubber O.D. for non-ferrous housings<br>• Bonded design | 1/4 thru 12-1/2 (6.4 thru 317.5) limited sizes available | 3000 (15.2) | 0.015 @ 1000 (0.38 @ 5.1)<br>0.010 @ 2000 (0.25 @ 10.2)<br>0.005 @ 3000 (0.13 @ 15.2) | Carbon Steel* Garter | Rubber Covered Steel Case |

# Single Lip - No Spring - Retains Heavy Lubricants, Excludes Contaminants with Reverse Installation

| | Features | Shaft Diameters In. (MM) | Surface Speed FPM (MPS) | Misalignment & Runout In. @ FPM (MM @ MPS) | Spring | O.D. Construction |
|---|---|---|---|---|---|---|
| **MODEL 58**  | • THERMO-CERAM™ sealing element withstands high temperatures, abrasive applic-tions<br>• For reciprocating and rotating equipment<br>• Ideal for steel industry | 2 thru 12 (50.8 thru 305) | 500 (2.5) | 0.015 @ 500 (0.38 @ 2.5) | None | Steel Case |
| **MODEL 71** | • General purpose standard seal<br>• Bonded design | 1/4 thru 7-1/4 (6.4 thru 184.2) limited sizes available | 1000 (5.1) | 0.005 @ 1000 (0.13 @ 5.1) | None | Steel Case |
| **MODEL 91** | • Equivalent to Model 71 with rubber O.D. for non-ferrous housings<br>• Bonded design | 9/32 thru 5 (7.1 thru 127) limited sizes available | 1000 (5.1) | 0.005 @ 1000 (0.13 @ 5.1) | None | Rubber Covered Steel Case |

FPM = feet per minute MPS = meters per second

Standard sealing element is nitrile.
Model 57 available in nitrile, silicone MILL-RIGHT® and fluoroelastomer.
*Stainless steel available on special order.
**Plated cases available on special order. Special tooling may be required for stainless steel cases.

**WARNING:**
Properties/applications shown throughout this brochure are typical. Your specific application should not be undertaken without independent study and evaluation ror suitability. For specific application recommendations consult Garlock. Failure to select the proper sealing products could result in property damage and/or serious personal injury.

Performance data published in this brochure has been developed from field testing, customer field reports and/or in house testing.

While the utmost care has been used in compiling this brochure, we assume no responsibility for errors. Specificatlons subject to change without notlce. Thls edition cancels all prevlous issues. Subject to change without notice.

# Dual Opposed Lips - Both Lips with Spring, Separates Lubricant from a Dissimilar Fluid

| | Features | Shaft Diameters In. (MM) | Surface Speed FPM (MPS) | Misalignment & Runout In. @ FPM (MM @ MPS) | Spring | O.D. Construction |
|---|---|---|---|---|---|---|
| **MODEL 53R2** | • Heavy duty case<br>• Assembled design | 3 thru 15 (76.4 thru 381) | 1000 (5.1) | 0.010 @ 500 (0.25 @ 2.5)<br><br>0.005 @ 1000 (0.13 @ 5.1) | Stainless Steel Finger | Steel Case** |
| **MODEL 63R2** | • Equivalent to Model 53R2<br>• Assembled design | 1/4 thru 3 (6.4 thru 76.2) | 1000 (5.1) | 0.010 @ 500 (0.25 @ 2.5)<br><br>0.005 @ 1000 (0.13 @ 5.1) | Stainless Steel Finger | Steel Case** |

Standard sealing element is nitrile.
**Plated cases available on special order. Special tooling may be required for stainless steel cases.

FPM = feet per minute

MPS = meters per second

# Dual Opposed Lips - One Lip with Spring, Sprung Lip Retains Lubricants, Un-Sprung Lip Excludes Contaminants

| | Features | Shaft Diameters In. (MM) | Surface Speed FPM (MPS) | Misalignment & Runout In. @ FPM (MM @ MPS) | Spring | O.D. Construction |
|---|---|---|---|---|---|---|
| **MODEL 3** | • General purpose standard design<br>• Bonded design | 1/2 thru 7-1/4 (12.7 thru 184.2) | 4000 (20.3) | 0.015 @ 1000 (0.38 @ 5.1)<br>0.010 @ 2000 (0.25 @ 10.2)<br>0.005 @ 4000 (0.13 @ 20.3) | Carbon Steel* Garter | Steel Case |
| **MODEL 26R1** | • General purpose, non-metallic seal<br>• Molded one-piece construction | 3/4 thru 60 (19.4 thru 1524) | 5000 (25.4) | 0.015 @ 1000 (0.38 @ 5.1)<br>0.010 @ 2000 (0.25 @ 10.2)<br>0.008 @ 5000 (0.20 @ 25.4) | Stainless Steel Finger | Rubber with reinforced heel |
| **MODEL 53R1** | • Heavy duty case<br>• Assembled design<br>• Equivalent to Model 63R1<br>• Assembled design | 53R1: 3 thru 15 (76.2 thru 381)<br>63R1: 1/4 thru 3 (6.4 thru 76.2) | 2000 (10.2) | 0.015 @ 1000 (0.38 @ 5.1)<br>0.10 @ 2000 (0.25 @ 10.2) | Stainless Steel Finger | Steel Case** |
| **MODEL 53F1** | • Felt element excludes contaminants<br>• Equivalent to Model 63F1<br>• Assembled design | 53F1: 3 thru 15 (76.2 thru 381)<br>63F1: 1/4 thru 3 (6.4 thru 76.2) | 1000 (5.1) | 0.010 @ 1000 (0.25 @ 5.1) | Stainless Steel Finger | Steel Case** |
| **MODEL 57** | • Slow speed applications<br>• Caster applications<br>• Available with single and dual lips | 2 thru 12 (50.8 thru 304.8) | 500 (2.5) | 0.015 @ 500 (0.38 @ 2.5) | Stainless Steel Finger | Rubber Covered Steel Case |
| **MODEL 94** | • Equivalent to Model 3 with rubber O.D. for non-ferrous housings<br>• Bonded design | 7/16 thru 7-3/8 (11.1 thru 187.3) | 3000 (15.2) | 0.015 @ 1000 (0.38 @ 5.1)<br>0.10 @ 2000 (0.25 @ 10.2)<br>0.005 @ 3000 (0.13 @ 15.2) | Carbon Steel* Garter | Rubber Covered Steel Case |

# Dual Tandem Lips
# Retains Lubricants

| | Features | Shaft Diameters In. (MM) | Surface Speed FPM (MPS) | Misalignment & Runout In. @ FPM (MM @ MPS) | Spring | O.D. Construction |
|---|---|---|---|---|---|---|
| **MODEL 53TB** | • Non-sprung front lip serves as a baffle<br>• Sprung back lip for effective sealing<br>• Assembled design | 3 thru 15 (762 thru 381) | 1000 (5.1) | 0.010 @ 500 (0.25 @ 2.5)<br><br>0.005 @ 1000 (0.13 @ 5.1) | Stainless Steel Finger | Steel Case** |
| **MODEL 63TB** | • Non-sprung front lip serves as a baffle<br>• Sprung back lip for effective sealing<br>• Assembled deslgn | 1/4 thru 3 (6.4 thru 76.2) | 1000 (5.1) | 0.010 @ 500 (0.25 @ 2.5)<br><br>0.005 @ 1000 (0.13 @ 5.1) | Stainless Steel Finger | Steel Case** |
| **MODEL 53T2** | • Both lips have spring for effective sealing<br>• Assembled design | 3 thru 15 (76.2 thru 381) | 1000 (5.1) | 0.010 @ 500 (0.25 @ 2.5)<br><br>0.005 @ 1000 (0.13 @ 5.1) | Stainless Steel Finger | Steel Case* |
| **MODEL 63T2** | • Both lips have spring for effective sealing<br>• Assembled design | 1/4 thru 3 (6.4 thru 76.2) | 1000 (5.1) | 0.010 @ 500 (0.25 @ 2.5)<br><br>0.005 @ 1000 (0.13 @ 5.1) | Stainless Steel Finger | Steel Case* |

FPM = feet per minute  MPS = meters per second

Standard sealing element is nitrile.
*Stainless steel available on special order.
**Plated cases available on special order. Special tooling may be required for stainless steel cases.

**WARNING:**
Properties/applications shown throughout this brochure are typical. Your specific application should not be undertaken without independent study and evaluation ror suitability. For specific application recommendations consult Garlock. Failure to select the proper sealing products could result in property damage and/or serious personal injury.

Performance data published in this brochure has been developed from field testing, customer field reports and/or in house testing.

While the utmost care has been used in compiling this brochure, we assume no responsibility for errors. Specificatlons subject to change without notlce. Thls edition cancels all prevlous issues. Subject to change without notice.

# Single Lip Split - Retains Lubricants†
# Eliminates Costly Equipment Teardown

| | Features | Shaft Diameters In. (MM) | Surface Speed FPM (MPS) | Misalignment & Runout In. @ FPM (MM @ MPS) | Spring | O.D. Construction |
|---|---|---|---|---|---|---|
| **MODEL 21** | • Low speed service seal<br>• Cover plate required for sealing installation | 3 thru 42 (76.2 thru 1066.8) | 1000 (5.1) | 0.010 @ 500 (0.25 @ 2.5)<br>0.005 @ 1000 (0.13 @ 5.1) | Molded in Stainless Steel Finger | Molded Rubber |
| **MODEL 23**  | • General purpose service seal<br>• Cover plate required for sealing installation | 3 and up (76.2 and up) | 2000 (10.2) | 0.010 @ 1000 (0.25 @ 5.1)<br>0.005 @ 2000 (0.13 @ 10.2) | Molded in Stainless Steel Finger | Molded Rubber |
| **MODEL 24** | • Low speed service seal<br>• Tapered O.D. fits in tapered groove in housing<br>• Improved replacement for felt rings | 3 thru 21-1/2 (76.2 thru 546.1) | 1000 (5.1) | 0.010 @ 500 (0.25 @ 2.5)<br>0.005 @ 1000 (0.13 @ 5.1) | Molded in Stainless Steel Finger | Molded Rubber |
| **MODEL 25** | • PTFE element for extremely severe chemicals<br>• Cover plate required for sealing | 3 thru 20 max. O.D. (76.2 thru 508) | 1000 (5.1) | 0.010 @ 500 (0.25 @ 2.5)<br>0.005 @ 1000 (0.13 @ 5.1) | Carbon Steel** Garter | PTFE |
| **MODEL 26** | • General purpose non-metallic seal<br>• Molded one piece construction<br>• No cover plate required<br>• Reinforced heel | 1/4 thru 60 (19.4 thru 1524) | 5000 (25.4) | 0.015 @ 1000 (0.37 @ 5.1)<br>0.010 @ 2000 (0.25 @ 10.2)<br>0.008 @ 5000 (0.20 @ 25.4) | Stainless Steel Finger | Rubber with reinforced heel |

Standard sealing element for Models 21, 23 and 24 is nitrile. FPM = feet per minute MPS = meters per second
MILL-RIGHT®, silicone and fluoroelastomer available.
Bonded spring in Models 21, 23 and 24 allows for simplified installation.
*Stainless steel available on special order.
†Preferred applications on grease lubricated or liquid level below shaft centerline.

# External Lip Seals

| | Features | Shaft Diameters In. (MM) | Surface Speed FPM (MPS) | Misalignment & Runout In. @ FPM (MM @ MPS) | Spring | O.D. Construction |
|---|---|---|---|---|---|---|
| **MODEL 111**  | • External lip seal<br>• Low speed service<br>• Assembled design | 3 thru 50 (76.2 thru 1270) limited sizes available | 1000 (5.1) | 0.010 @ 500 (0.25 @ 2.5)<br><br>0.005 @ 1000 (0.13 @ 5.1) | Stainless Steel Finger | Steel Case* |
| **MODEL 113** | • External lip seal<br>• Moderate speed service<br>• Assembled design | 3 thru 50 (76.2 thru 1270) limited sizes available | 3000 (15.2) | 0.020 @ 1000 (0.50 @ 5.1)<br><br>0.10 @ 2000 (0.25 @ 10.2)<br><br>0.005 @ 3000 (0.13 @ 15.2) | Stainless Steel Finger | Steel Case* |
| **MODEL 123**  | • External lip seal<br>• Moderate speed service<br>• Assembled design | 1-5/32 thru 50 (29.4 thru 1270) limited sizes available | 3000 (15.2) | 0.020 @ 1000 (0.50 @ 5.1)<br><br>0.10 @ 2000 (0.25 @ 10.2)<br><br>0.005 @ 3000 (0.13@ 15.2) | Stainless Steel Finger | Steel Case* |

FPM = feet per minute  MPS = meters per second

Standard sealing element for Models 21, 23 and 24 is nitrile. MILL-RIGHT®, silicone and fluoroelastomer available.
Bonded spring in Models 21, 23 and 24 allows for simplified installation.
*Stainless steel available on special order.
†Preferred applications on grease lubricated or liquid level below shaft centerline.

**WARNING:**
Properties/applications shown throughout this brochure are typical. Your specific application should not be undertaken without independent study and evaluation ror suitability. For specific application recommendations consult Garlock. Failure to select the proper sealing products could result in property damage and/or serious personal injury.

Performance data published in this brochure has been developed from field testing, customer field reports and/or in house testing.

While the utmost care has been used in compiling this brochure, we assume no responsibility for errors. Specificatlons subject to change without notlce. Thls edition cancels all prevlous issues. Subject to change without notice.

# Miscellaneous Seals

| | Features | Shaft Diameters In. (MM) | Surface Speed FPM (MPS) | Misalignment & Runout In. @ FPM (MM @ MPS) | Spring | O.D. Construction |
|---|---|---|---|---|---|---|
| **MODEL 54** | • Seals spherical surface on self-aligning or spherical bearing<br>• Excludes contaminants or fluids from bearing<br>• Assembled design | For spherical radii consult size listing on page 11 | 1000 (5.1) | Does not apply | Stainless Steel Finger | Steel Case** |
| **MODEL 61** | • PTFE element<br>• Excellent chemical resistance<br>• Recommended for small quantity requirements<br>• Assembled design<br>• Pressure to 150 psi | 7/16 thru 20 max seal O.D. (11.1 thru 508 max seal O.D. ) | 2000 (10.2) | 0.005 @ 2000 (0.13 @ 10.2) | None | Steel Case** |
| **MODEL 62** | • PTFE element<br>• Excellent chemical resistance<br>• Recommended for small quantity requirements<br>• Assembled design | 7/16 thru 20 max seal O.D (11.1 thru 508 max seal O.D. ) | 2000 (10.2) | 0.005 @ 2000 (0.13 @ 10.2) | Carbon Steel* Garter | Steel Case**. |
| **MODEL 142** | • Seals on plane surface perpendicular to axis or shaft<br>• Developed for steel mill service to shield bearing oil seals from contaminants<br>• Assembled design | 7-1/2 min. (190.5 min ) Consult size listing on page 11 | 5000 (25.4) | Does not apply | Stainless Steel Finger | Steel Case** |
| **MODEL 145** | • Face type seal<br>• High speed service<br>• See page 11 | 7 thru 80 (177.8 thru 2032) | 5000 (25.4) | Does not apply | Stainless Steel Garter | Does not apply |

FPM = feet per minute MPS = meters per second

Model 54 standard sealing element is nitrile. silicone and fluoroelastomer available.
Model 142 available with nitrile sealing element only.
Model 145 available in nitrile, MILL-RIGHT® and fluoroelastomer.
*Stainless steel available on special order.
**Plated cases available on special order. Special tooling may be required for stainless steel cases.

**WARNING:**
Properties/applications shown throughout this brochure are typical. Your specific application should not be undertaken without independent study and evaluation ror suitability. For specific application recommendations consult Garlock. Failure to select the proper sealing products could result in property damage and/or serious personal injury.

Performance data published in this brochure has been developed from field testing, customer field reports and/or in house testing.

While the utmost care has been used in compiling this brochure, we assume no responsibility for errors. Specificatlons subject to change without notlce. Thls edition cancels all prevlous issues. Subject to change without notice.

## MODEL 54
## Seal for Spherical Bearings

L - Distance from bearing center to back of KLOZURE®
R - Radius of spherical surface*
B - Housing bore*
C - KLOZURE® width*




*In the final layout these Model 54 tangential KLOZURE® dimensions as supplied may have to be altered, but dimensions will be used as a guide in designing the KLOZURE®. In addition to the foregoing dimensions, a data sheet giving pertinent operating information should be supplied.

Available sizes, Model 54 tangential KLOZURES®
Information on other sizes on request

| "R" radius | | "B" bore | | "C" width | | "L" | | KLOZURE® |
|---|---|---|---|---|---|---|---|---|
| in. | mm | in. | mm | +1/64" | 0.4 mm | in. | mm | Part No. |
| 2-3/8 | 60.33 | 5.125 | 130.18 | 5/8 | 15.88 | 1-7/32 | 30.96 | 54x6003 |
| 2-3/4 | 69.85 | 6.000 | 152.40 | 5/8 | 15.88 | 1-17/64 | 32.15 | 54x6005 |
| 3-3/8 | 85.73 | 6.500 | 165.10 | 5/8 | 15.88 | 2-1/16 | 52.39 | 54x9733 |
| 3-9/16 | 90.49 | 7.250 | 184.15 | 9/16 | 14.29 | 1-45/64 | 43.26 | 54x6008 |
| 4 | 101.6 | 8.000 | 203.20 | 5/8 | 15.88 | 2-1/4 | 57.15 | 54x6010 |
| 4-1/4 | 107.95 | 8.250 | 209.55 | 5/8 | 15.88 | 2-1/2 | 63.50 | 54x7351 |
| 4-3/8 | 111.13 | 9.125 | 231.78 | 5/8 | 15.88 | 2 | 50.80 | 54x6014 |
| 4-3/4 | 120.65 | 9.250 | 234.95 | 5/8 | 15.88 | 2-5/8 | 66.68 | 54x9986 |
| 5 | 127.00 | 9.750 | 247.65 | 5/8 | 15.88 | 2-3/4 | 69.85 | 54x6018 |
| 5-l/4 | 133.35 | 10.750 | 273.05 | 11/16 | 17.46 | 2-1/2 | 63.50 | 54x6020 |
| 5-5/8 | 142.88 | 11.375 | 288.93 | 1 | 25.40 | 2-11/16 | 68.26 | 54x6021 |
| 6-5/8 | 168.28 | 12.500 | 317.50 | 5/8 | 15.88 | 3-3/8 | 85.73 | 54x6023 |
| 7 | 177.80 | 13.500 | 342.90 | 3/4 | 19.05 | 3-5/16 | 84.14 | 54x6024 |
| 8 | 203.20 | 14.750 | 374.65 | 5/8 | 15.88 | 4-1/8 | 104.78 | 54x9750 |

## MODEL 142
## Steel Mill Water Seal

Radial height x 2 + shaft dia. = O.D. (excluding clamp)
Axial width is overall width.

All elements are nitrile only. All steel parts including clamps are carbon steel. Spring is stainless steel. These are the only materials available for this model.




| Cross Section | | | | Shaft Diameter or | | | |
|---|---|---|---|---|---|---|---|
| Radial Height | | Axial Width | | Minimum I.D. to which assembly can be formed | | Clamp dimension | |
| in. | mm | in. | mm | in. | mm | in. | mm |
| 1/2 | 12.7 | 3/4 | 19.05 | 7-1/2 | 190.50 | 1-1/4 | 31.75 |
| 9/16 | 14.29 | 1-1/4 | 31.75 | 12 | 304.80 | 1-5/16 | 33.34 |
| 9/16 | 14.29 | 1-5/16 | 33.34 | 12 | 304.80 | 1-5/16 | 33.34 |
| 9/16 | 14.29 | 1-3/8 | 34.93 | 12 | 304.80 | 1-5/16 | 33.34 |
| 3/4 | 19.05 | 1 | 25.40 | 18 | 457.20 | 1-1/8 | 28.58 |
| 1 | 25.40 | 1-1/4 | 31.75 | 30 | 762.00 | 1-11/32 | 34.13 |
| 1 | 25.40 | 1-3/8 | 34.93 | 30 | 762.00 | 1-11/32 | 34.13 |
| 1 | 25.40 | 1-1/2 | 38.10 | 30 | 762.00 | 1-11/32 | 34.13 |

## MODEL 145A-1 21700
## Face Type Excluder Seal

ASSEMBLED DIMENSIONS




1. Height of cross section = 1” (25.4 mm)
2. Shaft contact width = 1-11/32” (34.1 mm)
3. Overall free width = 2-19/32” (65.9 mm)
4. Assembled width = 2 ± 1/2” (50.8 ± 12.7 mm)
5. Shaft diameter
6. Maximum face bore = shaft +1” (shaft + 25.4 mm)
7. Minimum face dia. = shaft + 4-1/2” (shaft + 114.3 mm)

## MODEL 145A-2 21750
## Face Type Excluder Seal

CROSS SECTION DIMENSIONS




1. Height of cross section = 1/2” (12.7 mm)
2. Shaft contact width = 9/16” (14.3 mm)
3. Overall free width = 31/32” (24.6 mm)
4. Assembled width = 25/32” ± 5/32” (19.8 mm ± 4.0 mm)
5. Shaft diameter
6. Maximum face bore = shaft + 25/64” (shaft + 9.9 mm)
7. Minimum face dia. = shaft + 1-3/4” (shaft + 44.5 mm)

## MICRO-TEC®
## Bearing Protector Seal




***Utilizing Microcellular Technology***

Unique, engineered microcellular materials interact with the sealing media to create a barrier to lubricant leakage and contamination ingestion. An application data sheet must be completed to order these seals. Contact your local Garlock representative or authorized Garlock distributor for details.

### Operating Specifications

| Parameters | Standard | Optional |
|---|---|---|
| Speed | 0 - 3,600 RPM | 10,000 = RPM |
| Misalignment and Runout | 0.060" TIR† (1.52mm TIR) | >0.060" TIR (1.52 mm) TIR |
| Axial Misalignment | 0.010" (0.254 mm) | >0.010" (0.254 mm) |
| Pressure | Ambient | 7.5 psi (0.5 bar) |
| Temperature | -40°F to 400°F (-40°C to 205°C) | >400°F (205°C) |

†TIR = Total Indicator Reading

### Available Materials

| Component | Standard | Optional |
|---|---|---|
| Rotor and Stator | Aluminum, black anodized coating | Stainless Steel Carbon Steel PTFE |
| O-Rings | Fluoroelastomer for chemical and temperature resistance | silicone PTFE Buna-N Nitrile |
| Micro-cellular Materials | **Low Density,** seals out viscous materials, **Medium Density,** seals out less viscous materials **High Density**, seals out airborne contaminants | Specialized cellular materials available for extreme applications |

**WARNING:**

Properties/applications shown throughout this brochure are typical. Your specific application should not be undertaken without independent study and evaluation ror suitability. For specific application recommendations consult Garlock. Failure to select the proper sealing products could result in property damage and/or serious personal injury.

Performance data published in this brochure has been developed from field testing, customer field reports and/or in house testing.

While the utmost care has been used in compiling this brochure, we assume no responsibility for errors. Specificatlons subject to change without notice. This edition cancels all previous issues. Subject to change without notice.

## EQUALIZER®

***The Ultimate Bearing Protector***

| Features | Benefits |
|---|---|
| Graphite-filled PTFE construction standard | Handles high temperatures Resists most chemicals Alternate materials available |
| One-piece assembled design | Cannot come apart during installation or operation |
| Highest misalignment and runout allowed | Standard design accepts 0.015" (0.38 mm) total misalignment and runout |
| Sixteen expulsion ports | Seal installs in any rotational position eliminating installation errors |
| Narrow cross-section design available | 3/16" (4.76 mm) minimum cross-section eliminates the need to rebore housings |




STANDARD FLANGED DESIGN



NO FLANGE DESIGN
Available for application where flush mounting is required



SPLIT PILLOW BLOCK DESIGN
All pillow block EQUALIZERS are custom designed and manufactured ensuring a precision fit



BUILT-IN DEFLECTOR DESIGN
Expulsion ports are shrouded to accommodate direct spray or washdown situations

## ISO-GARD® Bearing Isolators

### Standard ISO-GARD®

- The most aggressive labyrinth in the industry, for superior contaminant exclusion
- Two-piece unitized construction won't come apart during installation
- Supports predictive maintenance programs and reduces unscheduled downtime
- PTFE material provides excellent chemical resistance and wide temperature capability
- Non-contact design eliminates shaft scoring, drag and frictional heat—no lubrication required
- Press-fit design means easy installation—no tools required
- Performs in accordance with NEMA MGI as required by IEEE Std. 841
- Constructed of FDA-compliant, glass-filled PTFE material†

† Available with FDA-compliant O-rings.

### Specifications

| | |
|---|---|
| Material: | Blue, glass-filled PTFE |
| Temperature: | -40°F to +400°F<br>(-40°C to +204°C) |
| Surface speed: | To 4,500 fpm (22.9 m/s) |
| Axial motion: | ±0.015" (0.38 mm) |
| Misalignment and runout: | ±0.020" (0.50 mm) |
| Pressure: | Ambient* |

* 5 psi for Grease-Purgeable ISO-GARD®

- Also available in grease purgeable, flangeless and vertical designs
- Also available in graphite-filled PTFE, stainless steel filled PTFE, bronze and stainless steel material




**WARNING:**
Properties/applications shown throughout this brochure are typical. Your specific application should not be undertaken without independent study and evaluation ror suitability. For specific application recommendations consult Garlock. Failure to select the proper sealing products could result in property damage and/or serious personal injury.

Performance data published in this brochure has been developed from field testing, customer field reports and/or in house testing.

While the utmost care has been used in compiling this brochure, we assume no responsibility for errors. Specificatlons subject to change without notlce. Thls edition cancels all prevlous issues. Subject to change without notice.

Garlock precision-made KLOZURE® Oil Seals are designed and engineered to give long and effective service on any job for which an oil seal is required.

Satisfactory sealing service cannot be achieved unless the shaft and surrounding machine parts are in proper mechanical condition. Shaft speeds, temperatures and other operating factors also have an important bearing upon all seal performance. Recommended practices and limitations affecting oil seal applications are set forth in the following paragraphs and tables.

## Shaft finish

The degree of sealing efficiency of an oil seal is almost in direct proportion to the condition of the shaft surface in contact with the sealing member. Rough, poorly finished shafts, or shafts with turning or grinding spirals or "threads", cannot be effectively sealed. New sealing surfaces are required for the replacement oil seal. See Table 1 for speclfic recommendations.

## Shaft-to-bore misalignment and dynamic runout

Shaft-to-bore misalignment is defined as the distance by which the shaft is off-center with respect to the bore.

Dynamic runout is defined as the amount by which the shaft (at the sealing surface) does not rotate around the true center. It is measured by the total movement of a dial indicator held against the shaft surface while the shaft is slowly rotated (see Figure A, Page 16). This is read as total indicator reading, or TIR.

Perfect concentricity of the shaft and housing is rarely possible or necessary, but the faster the shaft turns, the more nearly concentric the two should be. Excessive misalignment causes uneven wear and can shorten seal life. Good practice dictates that the shaft-to-bore misalignment not exceed 0.010" (0.25 mm).

Similarly, dynamic runout affects sealing efficiency and should be kept below 0.010" (0.25 mm) TIR.

## Pressure data

Standard oil seals should not be used when the operating pressure exceeds the limits shown in Table 2, Page 15.

When variable surge pressures exceeding the above limits are present, a special condition exists and full details should be submitted for engineering recommendation.

Higher operating pressures may be feasible if a custom seal is considered. However, when a pressure seal is used, features such as the ability to take greater eccentricities are sacrificed. Whenever possible, the equipment design should be such that the system is vented. This will allow the seal to function more efficiently.

### Tolerance

Close tolerances in the finished dimenions of the shaft, in the bore of the housing, and in the oil seal itself are essential to satisfactory seal performance. See Tables 3, 4 and 5, Page 15 and 16.

The bore tolerances apply only to ferrous materials. When non-ferrous materials such as aluminum are used, full details should be submitted for recommendation. Seal width tolerance is ±1/64" (0.4 mm).

## Standard seal torque

Torque readings for oil seals can be as varied as the number of different oil seal applications. Factors that vitally affect the dependability and uniformity of a torque reading include (1) rate and uniformity of shaft rotation, (2) amount of lubrication, (3) type of lubrication, (4) ambient temperatures, (5) shaft finish, (6) seal alignment, and (7) sealing element material. Due to these factors, oil seal torque figures, to be of value, must be developed for each application.

## Important note

The recommendations in this catalog as to shaft finishes, misalignment, runout, speeds, temperatures and tolerances are those generally applicable, but they are not to be interpreted as applying, without reservation or exception, to each and every application. The model and type of seal selected for a given application, and other conditions surrounding that application, may modify these average limitations one way or the other. Therefore, it is desirable in most cases to provide full information to Garlock and let our experienced staff of engineers submit a recommendation.

### Table 1
### Shaft Data

| | |
|---|---|
| Hardness | Rockwell C 30 to 40<br>(Rockwell C 45 minimum will provide extra protection against damage during handling or assembly) |
| Finish<br>(Plunge grind is recommended as most satisfactory) | 10-20 mu in. AA (0.25-0.50 micrometers) with no machine lead, scratches, dents, corrosion, pits or other surface defects |
| Surface speed* | Formula:<br>Feet-Per-Min. = Shaft Dia. (in)<br>x RPM x 0.262<br>Meters-Per-Sec. = Shaft Dia. (mm)<br>x RPM x 0.0000524 |
| Safe speed depends on** | 1. Shaft finish<br>2. Misalignment and runout<br>3. Amount and kind of lubricant<br>4. Seal design<br>5. Pressure |

* Pages 1 thru 10 show recommended KLOZURE® Oil Seals for various speeds and operating conditions.

** As shaft speed increases, the factors become more critical.

## Table 2
## Operating Pressure Limits

| Shaft Speed | | Maximum* Pressure | |
|---|---|---|---|
| Feet per Minute | Meters per Second | Pounds per Square Inch | Kilo-Pascals |
| 0 - 1000 | 0 - 5.1 | 7 | 48 |
| 1001 - 2000 | 5.2 - 10.2 | 5 | 35 |
| 2001 & Up | 10.3 & Up | 3 | 21 |

*Split KLOZURE® Oil Seals are not recommended for applications involving fluid pressure

## Table 3
## Shaft Diameter Tolerances

| Shaft Diameter | | Recommended Tolerance | |
|---|---|---|---|
| Inch | Millimeter | Inch | Millimeter |
| Up thru 4.000 | Up thru 101.60 | ±0.003 | ±0.08 |
| 4.001 - 6.000 | 101.61 - 152.40 | ±0.004 | ±0.10 |
| 6.001 - 10.000 | 152.41 - 254.00 | ±0.005 | ±0.13 |
| 10.001 & Up | 254.01 & Up | ±0.006 | ±0.15 |

## Table 4
## Bore Tolerance and Seal Press Fits for Metal O.D. Seals

| Housing Bore Diameter (Nominal) | | Recommended Bore Diameter Tolerance† | | Press Fit* Range | |
|---|---|---|---|---|---|
| Inch | Millimeter | Inch | Millimeter | Inch | Millimeter |
| Thru 1.000 | Thru 25.40 | ±0.001 | ±0.03 | 0.002 to 0.006 | 0.05 to 0.15 |
| 1.001 - 3.000 | 25.41 - 76.20 | ±0.001 | ±0.03 | 0.002 to 0.007 | 0.05 to 0.18 |
| 3.001 - 4.000 | 76.21 - 101.60 | ±0.0015 | ±0.04 | 0.003 to 0.007 | 0.08 to 0.18 |
| 4.001 - 4.375 | 101.61 - 111.13 | ±0.0015 | ±0.04 | 0.003 to 0.008 | 0.08 to 0.20 |
| 4.376 - 6.000 | 111.14 - 152.40 | ±0.0015 | ±0.04 | 0.003 to 0.010 | 0.08 to 0.25 |
| 6.001 - 7.000 | 152.41 - 177.80 | ±0.002 | ±0.05 | 0.004 to 0.011 | 0.10 to 0.28 |
| 7.001 - 8.000 | 177.81 - 203.20 | ±0.002 | ±0.05 | 0.004 to 0.013 | 0.10 to 0.33 |
| 8.001 - 9.000 | 203.21 - 228.60 | ±0.002 | ±0.05 | 0.005 to 0.014 | 0.13 to 0.36 |
| 9.001 - 10.000 | 228.61 - 254.00 | ±0.002 | ±0.05 | 0.006 to 0.016 | 0.15 to 0.41 |
| 10.001 - 20.000 | 254.01 - 508.00 | +0.002<br>-0.004 | +0.05<br>-0.10 | 0.006 to 0.020 | 0.15 to 0.51 |
| 20.001 - 30.000 | 508.01 - 762.00 | +0.002<br>-0.006 | +0.05<br>-0.15 | 0.006 to 0.024 | 0.15 to 0.61 |
| 30.001 - 40.000 | 762.01 - 1016.00 | +0.002<br>-0.006 | +0.05<br>-0.15 | 0.006 to 0.026 | 0.15 to 0.66 |
| 40.001 - 60.000 | 1016.01 - 1524.00 | +0.002<br>-0.010 | +0.05<br>-0.25 | 0.006 to 0.03 | 0.15 to 0.81 |

† Recommended Bore Finish = 100 microinches AA (2.54 micrometers) or smoother.
* Press Fit = Seal O.D. minus nominal bore diameter (Seal O.D. is the average of a minimum of three measurements taken at equally spaced positions).

**WARNING:**
Properties/applications shown throughout this brochure are typical. Your specific application should not be undertaken without independent study and evaluation ror suitability. For specific application recommendations consult Garlock. Failure to select the proper sealing products could result in property damage and/or serious personal injury.

Performance data published in this brochure has been developed from field testing, customer field reports and/or in house testing.

While the utmost care has been used in compiling this brochure, we assume no responsibility for errors. Specificatlons subject to change without notlce. Thls edition cancels all prevlous issues. Subject to change without notice.

## Table 5
## Bonded Lip Type Seals

| Bore Diameter | | Press Fit Allowance | | | | Tolerance | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | Metal Case | | Rubber Covered Case | | Metal Case | | Rubber Covered Case | |
| Inch | mm | Inch | mm | Inch | mm | Inch | mm | Inch | mm |
| Up to 1.000 | Up to 25.40 | +0.004 | +0.10 | +0.006 | +0.15 | ±0.002 | ±0.05 | ±0.003 | ±0.08 |
| 1.001 - 2.000 | 25.43 - 50.8 | +0.004 | +0.10 | +0.007 | +0.18 | ±0.002 | ±0.05 | ±0.003 | ±0.08 |
| 2.001 - 3.000 | 50.83 - 76.2 | +0.004 | +0.10 | +0.010 | +0.25 | ±0.002 | ±0.05 | ±0.003 | ±0.08 |
| 3.001 - 4.000 | 76.23 - 101.6 | +0.005 | +0.13 | +0.010 | +0.25 | ±0.002 | ±0.05 | ±0.004 | ±0.10 |
| 4.001 - 6.000 | 101.63 - 152.4 | +0.005 | +0.13 | +0.012 | +0.30 | +0.003 -0.002 | +0.08 -0.05 | ±0.004 | ±0.10 |
| 6.001 - 8.000 | 152.43 - 203.2 | +0.006 | +0.15 | +0.012 | +0.30 | +0.003 -0.002 | +0.08 -0.05 | ±0.004 | ±0.10 |
| 8.001 - 10.000 | 203.23 - 254.0 | +0.008 | +0.20 | +0.012 | +0.30 | +0.004 -0.002 | +0.10 -0.10 | ±0.004 | ±0.10 |
| 10.001 - 20.000 | 254.03 - 508.0 | +0.008 | +0.20 | +0.015 | +0.38 | +0.006 -0.002 | +0.15 -0.05 | ±0.005 | ±0.13 |

## Rubber O.D. Seals
## Model 57

| Bore Diameter | | Press Fit | | Tolerance | |
|---|---|---|---|---|---|
| Inch | mm | Inch | mm | Inch | mm |
| 3.000 | 76.2 | 0.009 | 0.23 | ±0.004 | ±0.10 |
| 3.001 - 5.000 | 76.23 - 127.0 | 0.010 | 0.25 | ±0.004 | ±0.10 |
| 5.001 - 6.000 | 127.03 - 152.4 | 0.012 | 0.30 | ±0.005 | ±0.13 |
| 6.001 - 10.000 | 152.43 - 254.0 | 0.012 | 0.30 | ±0.005 | ±0.13 |
| 10.001 - 20.000 | 254.03 - 508.0 | 0.015 | 0.38 | ±0.005 | ±0.13 |

## Model 87/88

| Bore Diameter | | Press Fit | | Tolerance | |
|---|---|---|---|---|---|
| Inch | mm | Inch | mm | Inch | mm |
| 6.000 - 8.000 | 152.4 - 203.2 | 0.018 | 0.46 | ±0.006 | ±0.15 |
| 8.001 - 12.000 | 203.23 - 304.8 | 0.020 | 0.51 | ±0.008 | ±0.20 |
| 12.001 - 23.749 | 304.83 - 603.2 | 0.025 | 0.64 | ±0.008 | ±0.20 |
| 23.750 - 48.000 | 603.25 - 1219.2 | 0.030 | 0.76 | ±0.010 | ±0.25 |

## Figure A
## Shaft to Bore Misalignment




## Figure B
## Dynamic Runout



## Model 26

| Bore Diameter | | Press Fit Allowance | | Tolerance | |
|---|---|---|---|---|---|
| Inch | mm | Inch | mm | Inch | mm |
| 1.000 - 2.999 | 25.40 - 76.2 | 0.025 | 0.64 | ±0.005 | ±0.13 |
| 3.000 - 5.999 | 76.2 - 152.4 | 0.028 | 0.71 | +0.010<br>-0.005 | +0.25<br>-0.13 |
| 6.000 - 7.999 | 152.4 - 203.2 | 0.030 | 0.76 | +0.010<br>-0.005 | +0.25<br>-0.13 |
| 8.000 - 9.999 | 203.2 - 254.0 | 0.035 | 0.89 | +0.010<br>-0.005 | +0.25<br>-0.13 |
| 10.000 - 10.999 | 254.0 - 279.4 | 0.040 | 1.02 | +0.010<br>-0.005 | +0.25<br>-0.13 |
| 11.000 - 11.999 | 279.4 - 304.8 | 0.045 | 1.14 | +0.010<br>-0.005 | +0.25<br>-0.13 |
| 12.000 - 12.999 | 304.8 - 330.2 | 0.048 | 1.22 | ±0.010 | ±0.25 |
| 13.000 - 13.999 | 330.2 - 355.6 | 0.050 | 1.27 | ±0.010 | ±0.25 |
| 14.000 - 15.999 | 355.6 - 406.4 | 0.055 | 1.40 | ±0.010 | ±0.25 |
| 16.000 - 16.999 | 406.4 - 431.8 | 0.060 | 1.52 | ±0.010 | ±0.25 |
| 17.000 - 17.999 | 431.8 - 457.2 | 0.065 | 1.65 | ±0.010 | ±0.25 |
| 18.000 - 18.999 | 457.2 - 482.6 | 0.070 | 1.78 | ±0.010 | ±0.25 |
| 19.000 - 20.999 | 482.6 - 533.4 | 0.075 | 1.91 | ±0.010 | ±0.25 |
| 21.000 - 21.999 | 533.4 - 558.8 | 0.080 | 2.03 | ±0.015 | ±0.38 |
| 22.000 - 22.999 | 558.8 - 584.2 | 0.085 | 2.16 | ±0.015 | ±0.38 |
| 23.000 - 23.999 | 584.2 - 609.6 | 0.090 | 2.29 | ±0.015 | ±0.38 |
| 24.000 - 24.999 | 609.6 - 635.0 | 0.093 | 2.36 | ±0.015 | ±0.38 |
| 25.000 - 25.999 | 635.0 - 660.4 | 0.095 | 2.41 | ±0.015 | ±0.38 |
| 26.000 and Up | 660.4 and Up | 0.100 | 2.54 | ±0.015 | ±0.38 |

**WARNING:**
Properties/applications shown throughout this brochure are typical. Your specific application should not be undertaken without independent study and evaluation ror suitability. For specific application recommendations consult Garlock. Failure to select the proper sealing products could result in property damage and/or serious personal injury.

Performance data published in this brochure has been developed from field testing, customer field reports and/or in house testing.

While the utmost care has been used in compiling this brochure, we assume no responsibility for errors. Specificatlons subject to change without notlce. Thls edition cancels all prevlous issues. Subject to change without notice.

# Nomenclature

## Figure C
## Assembled Design




## Figure D
## Bonded Design




1. Case Width
2. Outer Case
3. Inner Case
4. Inside Face
5. Outside Face
6. Seal Outer Diameter
7. Garter Spring
8. Spring Retaining Clip
9. Flex Section
10. Secondary Lip
11. Control Line
12. Lip Diameter
13. Finger Spring

## Figure E
## Shaft & Housing

1. Shaft Diameter
2. Bore Diameter
3. Bore Depth
4. Shaft Lead Corner
5. Bore Lead in Chamfer
6. Corner Radius




**WARNING:**
Properties/applications shown throughout this brochure are typical. Your specific application should not be undertaken without independent study and evaluation ror suitability. For specific application recommendations consult Garlock. Failure to select the proper sealing products could result in property damage and/or serious personal injury.

Performance data published in this brochure has been developed from field testing, customer field reports and/or in house testing.

While the utmost care has been used in compiling this brochure, we assume no responsibility for errors. Specificatlons subject to change without notlce. Thls edition cancels all prevlous issues. Subject to change without notice.

# Selection Charts for Seal Elements

| | Nitriles | MILL-RIGHT®†† | Silicones | Fluoroelastomers Viton* Fluorel† | TFE fluoro-carbon Teflon** |
|---|---|---|---|---|---|
| **Advantages** | Low cost<br>Good oil and abrasion resistance<br>Good low temperature and swell characteristics | Good oil resistance<br>Excellent abrasion resistance<br>Good heat resistance<br>Good low temperature and swell characteristics | Good heat resistance<br>Excellent low temperature properties | Resistant to wide variety of additives and fluids<br>Exceptional heat resistance<br>Low swell characteristics | Offers practically universal resistance to fluid media<br>Low friction material<br>Good heat resistance |
| **Disadvantages** | Lacks exceptional heat resistance<br>Tendency to harden during high temperature usage | Can be difficult to split due to the toughness of the material<br>Chemical resistance similar to nitrile | High swell characteristics in some lubricants<br>Poor chemical resistance to oxidized oils and some EP additives<br>Poor dry running characteristics<br>Easily damaged by handling | High cost<br>Special tooling may be required | Poor seal performance with high runout or misalignment<br>Special tooling usually required<br>High cost<br>Susceptible to installation damage |

**Mechanical, Temperature Compatibility**

| | | | | | |
|---|---|---|---|---|---|
| Durometer | 70-90 | 75 | 80 | 70-80 | – |
| Compression | Good | Good | Good | Good | – |
| Dry Running | Good | Good | Poor | Fair | Good |
| Abrasion Resistance | Good | Excellent | Poor | Fair | Good |
| Minimum Operating | -40°F (-40°C) | -40°F (-40°C) | -75°F (-60°C) | -22°F (-30°C) | -120°F (-85°C) |
| Maximum Operating | 240°F (120°C) | 350°F (175°C) | 350°F (175°C) | 400°F (205°C) | 400°F (205°C) |
| Ozone Resistance | Fair | Good | Good | Good | Good |
| ATF | Good | Good | Good | Good | Good |
| Brake Fluid | Poor | Poor | Poor | Fair | Good |
| Butane | Good | Good | Fair | Good | Good |
| Engine Oil | Good | Good | Good | Good | Good |
| EP Lube | Fair | Fair | Poor | Good | Good |
| Freon | Good | Good | Poor | Fair | Good |
| Fuel Oil | Good | Good | Poor | Good | Good |
| Gasoline | Good | Good | Poor | Good | Good |
| Grease | Good | Good | Fair | Good | Good |
| Hydraulic Oil (pet. base) | Good | Good | Good | Good | Good |
| Ketones | Poor | Poor | Poor | Poor | Good |
| MIL-L-2105B | Fair | Fair | Poor | Fair | Good |
| MIL-L-5606B | Good | Good | Poor | Good | Good |
| MIL-L-6082C | Good | Good | Good | Good | Good |
| MIL-L-7808F | Fair | Fair | Good | Good | Good |
| MIL-L-10924B | Good | Good | Poor | Good | Good |
| Perchloroethylene | Fair | Fair | Poor | Good | Good |
| Phosphate Ester | Poor | Poor | Good | Good | Good |
| SAE 90 | Good | Good | Poor | Good | Good |
| Skydrol 500*** | Poor | Poor | Good | Poor | Good |
| Water (Fresh) | Good | Good | Good | Good | Good |
| Water (Salt) | Good | Good | Good | Good | Good |

The above ratings are general with respect to different polymers. Specific ratings depend on the specific compound, specific fluid, temperature and degree of exposure of immersion.

* DuPont Dow Elastomers Trademark
** DuPont Trademark
*** Monsanto Company Trademark
† 3M Company Trademark
†† Proprietary Garlock material

Like any precision-made machine part, a Garlock KLOZURE® Oil Seal should be handled with reasonable care when being installed in your equipment. Although a KLOZURE® Oil Seal is compactly built and is not fragile, rough handling may mar or damage the flexible lip of the sealing member, resulting in an imperfect sealing job.

## Assembled and Bonded Seals

### Check sizes

Before proceeding with the installation, make sure that the seal of the correct size has been selected and that the surrounding equipment parts are in proper condition. It is suggested, therefore, that the following checks should be made.

1. Is the seal of correct size to fit the shaft? If the shaft is undersize, leakage may follow. If the shaft is oversize, excessive frictional drag may result.
2. Is the bore that is to receive the seal of the proper diameter so that a leakless press fit will be obtained?

### Preparation of oil seal

An oil seal does not require any special treatment or conditioning prior to its assembly in the equipment. However, a film or coating of a suitable lubricant makes it easier to apply the seal over the shaft or mounting tool. We recommend lubricating either the shaft or seal lip before mounting seal.

### Preparation of shaft

The shaft surface over which the seal will slide must be smooth and free from burrs, nicks or scratches which may damage the sealing lip. Recommended shaft finishes are shown on Table 1, page 14. The free, inside diameter of the lip of a seal is smaller than the diameter of the shaft on which it is used. The end of the shaft should be chamfered or rounded to prevent lip damage and to ease installation of the seal. See Figure 1.

If for any reason the shaft cannot be chamfered or rounded, then a suitable mounting tool should be used for applying the seal. Typical tools for this purpose are shown in Figure 2.

### Preparation of housing bore

The bore should be chamfered to permit easy entry of the seal and should have smooth, machined surfaces. Rough surfaces may score the metal case of the seal and permit seepage. See Figure 3, page 21.
When a lubricant head is present, if the bore is 100 microinches AA (2.54 micrometers) or better, bore leakage problems should not be encountered if no tool removal defects are present.

### Recommended Shaft Lead Corner

**Figure 1**




| A - Shaft Diameter | | B - Minimum* | |
|---|---|---|---|
| Inch | mm | Inch | mm |
| Thru 0.394 | Thru 10.00 | 0.030 | 0.75 |
| 0.395 - 0.787 | 10.01 - 20.00 | 0.040 | 1.00 |
| 0.788 - 1.181 | 20.01 - 30.00 | 0.050 | 1.25 |
| 1.182 - 1.575 | 30.01 - 40.00 | 0.060 | 1.50 |
| 1.576 - 1.969 | 40.01 - 50.00 | 0.070 | 1.75 |
| 1.970 - 2.756 | 50.01 - 70.00 | 0.080 | 2.00 |
| 2.757 - 3.740 | 70.01 - 95.00 | 0.090 | 2.25 |
| 3.741 - 5.118 | 95.01 - 130.00 | 0.110 | 2.75 |
| 5.119 - 9.449 | 130.01 - 240.00 | 0.140 | 3.50 |
| 9.450 & Up | 240.01 & Up | 0.220 | 5.50 |

*If a shaft lead-in radius is used, maintain the diametral difference to no less than indicated value

**Figure 2**



Remove all burrs, break or chamfer all sharp edges. Surfaces over which seal slides must be smooth and free from nicks or rough spots.

## Figure 3
**Housing Bore Dimensions**




| Nominal Seal Width | | Chamfer Length | | Max. Housing Corner Radius | |
|---|---|---|---|---|---|
| Inch | mm | Inch | mm | Inch | mm |
| Thru 0.394 | Thru 10.00 | 0.03-0.04 | 0.7-1.0 | 0.020 | 0.50 |
| Over 0.394 | Over 10 | 0.05-0.06 | 1.2-1.5 | 0.030 | 0.75 |

If the surface is rougher than 100 microinches AA (2.54 micrometers) a bore sealer should be used to insure that no outside diameter leakage occurs. If oil seals are purchased without O.D. sealant, a thin coating of shellac or gasket cement may be applied to the inside of the bore recess or outside of the seal case.

If such materials are used, however, care must be taken to make certain that none is spilled on the shaft or on the sealing element.

On grease applications, no bore sealer is required.

## Mounting the seal

The preceding recommendations apply to plain shafts. Take additional precautions to prevent sharp edges from damaging the sealing lip when mounting a seal on a shaft having keyways or holes. On these shafts, we recommend a mounting thimble, as shown in Figure 4, page 22. The thimble wall should be as thin as possible to avoid undue distortion of the sealing lip during the mounting operation. On very large shafts, where the use of a thimble may be impractical, brass shim stock with smooth edges may be wrapped around the shaft.

An alternate and less desirable method is to fill the keyway or hole with a smooth wooden plug shaped to protrude slightly above the surface of the shaft. In an emergency, and if no other means is available, the shaft may be wrapped with a heavy, well-lubricated kraft paper to protect the sealing lip from the shaft irregularities.

## Seating the seal

A suitable press is recommended for pressing an oil seal into the bore. The press ram or driving tool should not be more than 0.010” (0.25 mm) smaller in O.D. than the bore diameter and should have a flat face to contact the back of the metal case on the seal. If installing the seal in a reverse position, be sure that the ram pressure is applied only to the rollover bead around the outer diameter of the seal and not to the inside face or filler ring inside the metal outer case.

If a press is unavailable or the use of a press is not feasible, the seal may be seated with a driving plug or tool (see Figure 5, page 22). This tool is placed into position and tapped with a mallet. When large seals are being seated, or in an emergency, a block of wood resting squarely on the seal may be used instead of a driving tool. When seating a seal 20” (508 mm) in diameter or larger the best practice is to drive it simultaneously at opposite points on its circumference. NEVER HIT THE SEAL DIRECTLY!

A factor in the functioning of a lip seal is the installed squareness of the seal with respect to the normal shaft centerline. Good general practice is to keep this within 0.010” (0.25 mm) TIR. The proper squareness can be obtained by pressing the seal flush with the front of the bore or bottoming it against a shoulder. The surface a seal is aligned with should always be a machined one. Unfinished surfaces should never be used for alignment purposes because of the danger of cocking the seal. Typical installation tools are shown in Figure 6, page 22.

Some applications require the seal to be pressed into a separate cover plate or bearing retaining ring, with the assembly subsequently mounted over the shaft. On this type of installation, care must be exercised to prevent undue distortion of the sealing member by permitting this heavy assembly to hang on the shaft, supported only by the seal. Designing the cover plate or retaining ring with close tolerances over the shaft helps to relieve the weight on the seal.

If the seal is pressed into a bore or housing before the bearing is installed, it is essential to support the heavy shaft to prevent its weight from damaging the sealing element.

**WARNING:**
Properties/applications shown throughout this brochure are typical. Your specific application should not be undertaken without independent study and evaluation ror suitability. For specific application recommendations consult Garlock. Failure to select the proper sealing products could result in property damage and/or serious personal injury.

Performance data published in this brochure has been developed from field testing, customer field reports and/or in house testing.

While the utmost care has been used in compiling this brochure, we assume no responsibility for errors. Specificatlons subject to change without notlce. Thls edition cancels all prevlous issues. Subject to change without notice.

## Figure 4
**A - Ram seated on back of seal**




## Figure 5
**B - Driver seated on roll-over bead of seal**







Note: shoulder provides stop and insures mounting seal at right angle to the shaft

## Figure 6
**A - Through bore: installation tool bottoms on machined bore face**




**B - Bottom bore: seal bottoms on machine bore shoulder**




**C - Through bore: installation tool bottoms on shaft**




**WARNING:**
Properties/applications shown throughout this brochure are typical. Your specific application should not be undertaken without independent study and evaluation ror suitability. For specific application recommendations consult Garlock. Failure to select the proper sealing products could result in property damage and/or serious personal injury.

Performance data published in this brochure has been developed from field testing, customer field reports and/or in house testing.

While the utmost care has been used in compiling this brochure, we assume no responsibility for errors. Specificatlons subject to change without notlce. Thls edition cancels all prevlous issues. Subject to change without notice.

# Garlock Split KLOZURE® Oil Seals
# Models 21, 23, 24, 25 and 26

The Garlock Split KLOZURE® Oil Seal can be split or cut open on the diameter. The seal is installed by placing it around the shaft instead of sliding the seal over the shaft as is necessary with solid seals of the conventional type.

Split KLOZURE® Oil Seals are used on original equipment applications or maintenance applications to replace a conventional oil seal installation when for any reason the renewal of the original seal becomes necessary.

For applications to bearings mounted on shafts carrying couplings, gear, sprockets or flywheels as found on heavy equipment in steel mills, pulp and paper mills and other industries, Split KLOZURE® Oil Seals are particularly suitable as they can be applied without removing or otherwise disturbing those parts.

Contractors' equipment and machines of other types frequently are operated in isolated localities remote from repair and service facilities. On such equipment, the renewal of a conventional oil seal may be an exceedingly difficult, expensive and time-consuming job. A Split KLOZURE® Oil Seal, however, can be installed on the spot easily and quickly by a mechanic or machine operator.

The Split KLOZURE® Oil Seal, because it is not suitable for pressure service, will not work as universally on all applications as the conventional Garlock KLOZURE® Oil Seal. If in doubt as to whether a split or conventional oil seal is more suitable for a specific application, supply your Garlock representative with full details and Garlock will make a recommendation.

## Table 6
**Model 23 Split KLOZURE® Size Capability**

inch/(mm)



# Conversion Instructions - Split Seals

When converting equipment from conventional oil seals to Split KLOZURE® Oil Seals, the following instructions should be followed.

1. Obtain shaft diameters, bore diameter and recess depth dimensions of existing seal or equipment (Figure 12, page 25).

2. Check size listing section (Table 6, page 23) to determine availability of a Split KLOZURE® Oil Seal for the equipment dimension.

## Non-stock Split KLOZURE® Oil Seal sizes

Sizes other than those shown in the stock listing can be produced, provided the radial and axial dimensions fall within the limits shown in Table 6, page 23.

To determine the radial and axial dimensions of your application, use the following formula:

$$\text{A. } \frac{\text{Bore Diameter - Shaft Diameter}}{2} = \text{Radial (Packing) Space}$$

B. Bore Housing Recess Depth = Axial Space

Example:
Bore Diameter = 11.875” (301.63 mm)
Shaft Diameter = 10.250” (260.35 mm)
Recess (Packing) Depth = 0.750” (19.05 mm)

(Bore Diameter - Shaft Diameter)

$$\frac{11.875\text{”} \ (301.63\text{ mm}) - 10.250\text{”} \ (260.35\text{ mm})}{2} = 0.812\text{”} \ (20.62\text{ mm}) \text{ Radial Space}$$

(Recess Depth) 0.750” (19.05 mm) = Axial space

Using Table 6, locate 0.812” (20.62 mm) Radial Space. Move up until the Axial Space of 0.750” (19.05 mm) has been located. Note that this point falls in a box showing shaft size 8-1/2” (215 mm) to 20” (508 mm). Our shaft size in the example is 10.250” (260.35 mm), which falls within the shaft sizes of 8-1/2” (215 mm) to 20” (508 mm), therefore this seal can be produced.

NOTE: In some cases, the radial and axial dimensions fall on lines separating segments of the table. When this occurs, shaft size parameters on either side of the line will apply.

## Metric Sizes:

Split KLOZURE® Oil Seals are also available in standard metric dimensions. Price and delivery available on request.

3. Check the equipment operating conditions for shaft speed, runout, temperatures, etc. to verify that they are compatible with a Split KLOZURE® Oil Seal.

4. Proceed with the equipment alterations if necessary to provide space for the Split KLOZURE® Oil Seal selected. The cover plate should also be fabricated.

5. Purchase the Split KLOZURE® Oil Seal required and install as outlined.

Manufacturers of original quipment can supply equipment incorporating a conventional seal but with the ability to convert to a split seal in the field. The following suggestions are of assistance.

a. Design into the equipment a conventional oil seal with the same shaft, bore and width dimensions as a stock Split KLOZURE® Oil Seal.

b. Supply the equipment with the cover plate required for the Split KLOZURE® Oil Seal. The end user then can make the conversion from a conventional oil seal to a split seal without any modifications to the equipment.

c. Maintenance manuals should include information covering the replacement of the conventional seal with a Split KLOZURE® Oil Seal and should list the Split KLOZURE® Oil Seal model number and show installation instructions.

The retaining cover plate, which is made in either a solid ring, two halves, or segments to fit around shafts and bolts or screws, is supplied by the customer and only through special arrangements by Garlock. Such metal parts must be made to meet the requirements of each individual installation.

The shaft, bore and recess depth tolerances shown in Tables 3, 4 (page 15) and 7 (this page) are for the guidance of the designer. When designing equipment on which these seals are to be used, these tolerances should be adhered to. When molding Split KLOZURE® Oil Seals, proper allowance in the radial width of the element is made to insure an interference fit with the shaft. The seal is also made slightly thicker than the recess depth so that when the cover plate is applied, the seal is compressed, preventing leakage and clamping the seal so it cannot rotate with the shaft.

### Table 7
### Split KLOZURE® Oil Seal Recess Depth Tolerance

| Recess Depth | | Recommended Tolerance* | |
|---|---|---|---|
| Inch | mm | Inch | mm |
| Up thru 0.625 | Up thru 15.88 | ±0.002 | ±0.05 |
| 0.626 & Up | 15.89 & Up | ±0.004 | ±0.10 |

*Single seals only. Where application involves two seals, tolerance is to be +0.010”-0.000” (+0.25-0.0 mm).

**WARNING:**
Properties/applications shown throughout this brochure are typical. Your specific application should not be undertaken without independent study and evaluation ror suitability. For specific application recommendations consult Garlock. Failure to select the proper sealing products could result in property damage and/or serious personal injury.

Performance data published in this brochure has been developed from field testing, customer field reports and/or in house testing.

While the utmost care has been used in compiling this brochure, we assume no responsibility for errors. Specificatlons subject to change without notlce. Thls edition cancels all prevlous issues. Subject to change without notice.

# Installation Instuctions for GARLOCK Split KLOZURE® Oil Seals

A Split KLOZURE® Oil Seal should be installed with the split at the top of horizontal mounted shafts. To insure proper application and to prevent damage to the sealing lip of the Split KLOZURE® Oil Seal, the installation should be accomplished as follows:

1. See that the recess is thoroughly cleaned and that all burrs and sharp cutting edges are removed.

2. Apply grease or oil to the shaft.

3. Open Split KLOZURE® Oil Seal joint sideways (as shown in Figure 7) and place it around the shaft at a point near the recess into which the seal is to be installed.

4. Start the sealing element into the recess at the top of the housing by lining up the sealing lip on both sides of the joint as shown in Figure 8. Compress the leading edge of the Split KLOZURE® Oil Seal to enter the housing as shown in Figure 9.

5. Continue this process around the entire periphery of the shaft until the sealing element is inserted in the recess.

6. Seat the seal in the recess as indicated in Figure 10 by tapping the seal lightly with a mallet on a block of wood, using care to prevent damage to the seal lip. Once seal is seated, approximately 0.015" (0.38 mm) should be protruding from the bore cavity allowing compression of seal as described in paragraph 7.

7. Bolt the cover plate tightly into position to compress the Split KLOZURE® Oil Seal in the recess as shown in Figure 11. Cover plate should be sufficiently heavy to compress the sealing element firmly in recess. Screws or bolts should be as near as possible to the recess bore to prevent cover plate from dishing. Model 26 seals do not require a cover plate.

8. When the Split KLOZURE® Oil Seal replaces the conventional seal, the equipment recess depth may be greater than the thickness of the Split KLOZURE® Oil Seal, thus requiring a filler. Filler gaskets or a split metal washer may be used for this purpose.

9. When a Split KLOZURE® Oil Seal is installed at the end of a plain or sleeve bearing, a drain or vent should enter the space between the seal and the bearing to prevent pressure building up at this point.

**Figure 7** **Figure 8** **Figure 9** **Figure 10** **Figure 11**




## Standard Split-KLOZURE® Oil Seal Installation
**Figure 12**




"B" = 0.28 "X" Minimum, 0.5 "X" Maximum

$$\text{"X"} = \frac{\text{Bore Dia. - Shaft Dia.}}{2}$$

| Shaft Diameter | No. of Bolts* | "A" Minimum Plate Thickness |
|---|---|---|
| 3" - 8" (76.2 - 203.2 mm) | 6 | 1/8" (3.18 mm) |
| over 8" (over 203.2 mm) | Bolts on a max. of 6" (152.4 mm) chord, spacing centered about split in end plate | 1/4" (6.35 mm) |

*Figures shown are for a guide only. Good machine design practices should be followed.

# Troubleshooting

This chart indicates possible sources of seal trouble on general applications. Special installations may require a more complete analysis. If advice or assistance is needed, please contact the nearest Garlock office.

| Check for | Possible sources of trouble | Suggested remedy |
|---|---|---|
| 1. Nicks, cuts or tears in sealing lip | Rough finish on shaft | Finish shaft surface from 10 - 20 microinches. AA (0.25 - 0.50 micrometers). Remove all burrs. See "Preparation of Shaft" page 20. |
| | Improper installation | Use mounting tool to carry sealing lip over keyways, splines and sharp shoulders. See "Mounting the Seal" page 21. |
| | Rough handling | Check methods of storing and handling. Seals deserve the same care as the bearings they protect. |
| 2. Excessive wear or hardening of sealing element | Rough finish on shaft | Finish shaft surface from 10 - 20 microinches. AA (0.25 - 0.50 micrometers). See "Preparation of Shaft" page 20. |
| | Tight fit on shaft | Check service recommendations in catalog to see if correct KLOZURE® Oil Seal model is being used. Check sizes. |
| | No lubrication | Be sure adequate lubrication is present. |
| | Overheating | Check size of seal. Check shaft fpm speed with catalog recommendations for model KLOZURE® Oil Seal being used. Check ambient temperatures. Be sure of proper lubrication. |
| | Pressure | Eliminate pressure by vents or drainbacks. Be sure vents are open. Drainbacks should be provided around bearings or away from helical gearing to prevent pressure buildup at seal face. |
| 3. Damaged spring | Improper installation | Avoid excessive spreading of sealing lip and spring. See "Mounting the Seal" page 21. |
| | Rough handling | Check methods of storing and handling. |
| 4. Damaged case | Improper driving tools | Use proper tools of correct dimensions. See "Seating the Seal" page 21. |
| 5. Excessive shaft wear | Abrasives | Be sure shaft is clean and that a slight amount of lubricant is applied when installing KLOZURE® Oil Seal. |
| | Soft Shaft | Use shaft material of Rockwell C 30 minimum hardness. |
| 6. Scores in O.D. of seal | Coarse machining | Give better finish to housing bore. Check for imperfect casting. |
| | Sharp corners on housing bore | Chamfer housing bore. |
| | Bore undersize | Check housing bore diameter. See "Tolerances" page 15. |
| 7. Excessive leakage | Light fit on shaft | Check size diameter. See "Tolerances" page 15. |
| | | Check service recommendations in catalog to see if correct KLOZURE® Oil Seal is being used. |
| | Abnormal spreading of sealing element | Use mounting tools with thin wall. See "Mounting the Seal" page 21. |
| | | Do not apply over shaft shoulder more than 1/32" (0.80 mm) larger than shaft diameter. |
| | Excessive use of pre-installation lubricant | Use only slight amount of lubricant to apply and start seals. |
| | Presence of lead, helix or spiral from grinding in a direction causing an outward pumping action | Polish shaft with crocus cloth. If possible, alter grinding technique to reduce, eliminate or reverse direction of spirals. |
| | Cocked seals | Install seal at right angle to shaft surface. Use proper driving tool. Properly prepare housing bore. See "Installation Instructions" page 20. |
| | Nicks, cuts or tears in sealing lip | See trouble tip number 1. |
| | Damaged spring | See trouble tip number 3. |
| | Damaged case | See trouble tip number 4. |
| | Dynamic runout | Move seal closer to bearing. Be sure wear sleeves, hubs or retaining rings are accurately machined concentrically. Avoid looseness in splines. |
| | Paint on shaft at back of seal | Provide suitable masks so that paint will not solidify under sealing element, forcing sealing lip away from shaft. |

# Typical KLOZURE® Oil Seal Configurations

| | | | | | |
|---|---|---|---|---|---|
| 3 | 21 | 23 | 24 | 25 | 26 |
| 26-R1 | 53 | 53-F1 | 53-R1 | 53-R2 | 53-T2 |
| 54 | 57 |  58 |  59 | 61 | 62 |
| 63 |  63-F1 | 63-R1 | 63-R2 | 63-T2 | 63-TB |
| 64 | 66 |  67 | 68 | 71 | 76 |
| 87 |  88 | 91 | 92 | 94 | 111 |
| 113 | 123 | 142 | 145 |  ISO-GARD® |  VERTICAL ISO-GARD® |
|  ISO-GARD® GP | FLANGELESS ISO-GARD® |  ISO-GARD® SPLIT PILLOW BLOCK |  FLANGED EQUALIZER® |  SPLIT PILLOW BLOCK EQUALIZER® |  FLANGELESS EQUALIZER® |

**WARNING:**
Properties/applications shown throughout this brochure are typical. Your specific application should not be undertaken without independent study and evaluation ror suitability. For specific application recommendations consult Garlock. Failure to select the proper sealing products could result in property damage and/or serious personal injury.

Performance data published in this brochure has been developed from field testing, customer field reports and/or in house testing.

While the utmost care has been used in compiling this brochure, we assume no responsibility for errors. Specificatlons subject to change without notlce. Thls edition cancels all prevlous issues. Subject to change without notice.

| MODEL NO. | PREFIX |
|---|---|
| 3 | 28003 |
| 21 | 25001 |
| 23 | 25003 |
| 24 | 25005 |
| 25 | 25058 |
| 26 | 24600 |
| 26R1 | 24620 |
| 53 | 21086 |
| 53F1 | 22987 |
| 53R1 | 22537 |
| 53R2 | 22627 |
| 53T2 | 22897 |
| 53TB | 22807 |
| 53TF | 22994 |
| 54 | 21140 |
| 58 | 21003 |
| 59 | 24700 |
| 61 | 24060 |
| 61 FDA | 24061 |
| 61 DBL TANDEM | 24062 |
| 61 DBL OPPOSED | 24063 |
| 61 REVERSE LIP | 24064 |
| 62 | 21702 |
| 63 | 21158 |
| 63F1 | 23078 |
| 63R1 | 23547 |
| 63R2 | 23548 |
| 63T2 | 23550 |
| 63TB | 23549 |
| 63TF | 23735 |
| 64 | 21238 |
| 66 | 21527 |
| 66F1 | 23692 |
| 66R1 | 23722 |
| 66R2 | 23702 |
| 66T2 | 23728 |
| 66TF | 23763 |
| 67 | 21528 |
| 67R2 | 23683 |
| 67T2 | 23621 |

| MODEL NO. | PREFIX |
|---|---|
| 68 | 21823 |
| 68R2 | 23727 |
| 71 | 26001 |
| 76 | 26193 |
| 87 | 26080 |
| 88 | 26088 |
| 88NS | 26188 |
| 91 | 27023 |
| 92 | 27063 |
| 94 | 27223 |
| 111 | 21011 |
| 113 | 21012 |
| 123 | 21016 |
| 142 | 21432 |
| 145A1 | 21700 |
| 145A2 | 21750 |
| EQ | 24801 |
| EQ | 24802 |
| EQ | 24807 |
| EQSPB | 24816 |
| IG | 29500 |
| IG | 29502 |
| IG | 29507 |
| IG | 29519 |
| IGSPB | 29516 |

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 3 | 28003-0060 | 0.500 | 0.999 | 0.250 |
| 3 | 28003-0072 | 0.500 | 1.124 | 0.250 |
| 3 | 28003-0081 | 0.500 | 1.250 | 0.250 |
| 3 | 28003-0201 | 0.625 | 1.124 | 0.250 |
| 3 | 28003-0213 | 0.625 | 1.250 | 0.250 |
| 3 | 28003-0225 | 0.625 | 1.375 | 0.250 |
| 3 | 28003-0427 | 0.750 | 1.250 | 0.250 |
| 3 | 28003-0446 | 0.750 | 1.375 | 0.250 |
| 3 | 28003-0458 | 0.750 | 1.499 | 0.250 |
| 3 | 28003-0488 | 0.750 | 1.624 | 0.250 |
| 3 | 28003-0678 | 0.875 | 1.375 | 0.250 |
| 3 | 28003-0687 | 0.875 | 1.499 | 0.250 |
| 3 | 28003-0715 | 0.875 | 1.624 | 0.250 |
| 3 | 28003-1004 | 1.000 | 1.499 | 0.250 |
| 3 | 28003-1020 | 1.000 | 1.624 | 0.250 |
| 3 | 28003-1028 | 1.000 | 1.752 | 0.250 |
| 3 | 28003-1113 | 1.125 | 1.624 | 0.250 |
| 3 | 28003-1128 | 1.125 | 1.874 | 0.250 |
| 3 | 28003-1224 | 1.250 | 1.752 | 0.250 |
| 3 | 28003-1232 | 1.250 | 1.874 | 0.250 |
| 3 | 28003-1246 | 1.250 | 2.000 | 0.250 |
| 3 | 28003-1262 | 1.250 | 2.125 | 0.250 |
| 3 | 28003-1348 | 1.375 | 2.000 | 0.312 |
| 3 | 28003-1360 | 1.375 | 2.125 | 0.312 |
| 3 | 28003-1368 | 1.375 | 2.250 | 0.312 |
| 3 | 28003-1378 | 1.375 | 2.374 | 0.312 |
| 3 | 28003-1454 | 1.500 | 2.125 | 0.312 |
| 3 | 28003-1462 | 1.500 | 2.250 | 0.312 |
| 3 | 28003-1472 | 1.500 | 2.374 | 0.312 |
| 3 | 28003-1492 | 1.500 | 2.502 | 0.312 |
| 3 | 28003-1576 | 1.625 | 2.374 | 0.312 |
| 3 | 28003-1590 | 1.625 | 2.502 | 0.312 |
| 3 | 28003-1598 | 1.625 | 2.623 | 0.312 |
| 3 | 28003-1704 | 1.750 | 2.502 | 0.312 |
| 3 | 28003-1714 | 1.750 | 2.623 | 0.312 |
| 3 | 28003-1726 | 1.750 | 2.750 | 0.312 |
| 3 | 28003-1802 | 1.875 | 2.623 | 0.312 |
| 3 | 28003-1814 | 1.875 | 2.750 | 0.312 |
| 3 | 28003-1826 | 1.875 | 2.875 | 0.312 |
| 3 | 28003-2023 | 2.000 | 2.750 | 0.312 |
| 3 | 28003-2035 | 2.000 | 2.875 | 0.312 |
| 3 | 28003-2171 | 2.125 | 2.875 | 0.375 |
| 3 | 28003-2186 | 2.125 | 3.000 | 0.375 |
| 3 | 28003-2303 | 2.250 | 3.000 | 0.375 |
| 3 | 28003-2317 | 2.250 | 3.125 | 0.375 |
| 3 | 28003-2329 | 2.250 | 3.251 | 0.375 |
| 3 | 28003-2536 | 2.500 | 3.251 | 0.375 |
| 3 | 28003-2683 | 2.750 | 3.500 | 0.375 |
| 3 | 28003-2710 | 2.750 | 3.751 | 0.375 |
| 3 | 28003-2719 | 2.750 | 3.875 | 0.375 |
| 3 | 28003-2782 | 2.875 | 3.751 | 0.375 |
| 3 | 28003-2791 | 2.875 | 3.875 | 0.375 |

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 3 | 28003-3104 | 3.125 | 4.125 | 0.375 |
| 3 | 28003-3221 | 3.250 | 4.249 | 0.375 |
| 3 | 28003-3254 | 3.250 | 4.500 | 0.375 |
| 3 | 28003-3460 | 3.500 | 4.376 | 0.375 |
| 3 | 28003-3478 | 3.500 | 4.500 | 0.375 |
| 3 | 28003-3568 | 3.625 | 4.626 | 0.375 |
| 3 | 28003-3721 | 3.875 | 4.876 | 0.375 |
| 3 | 28003-4010 | 4.000 | 4.999 | 0.375 |
| 3 | 28003-4255 | 4.250 | 5.251 | 0.375 |
| 3 | 28003-4455 | 4.500 | 5.501 | 0.375 |
| 3 | 28003-5680 | 5.500 | 6.750 | 0.437 |
| 21 | 25001-1380 | 4.500 | 6.500 | 0.500 |
| 21 | 25001-2087 | 18.437 | 20.500 | 0.812 |
| 21 | 25001-2663 | 4.250 | 5.500 | 0.500 |
| 21 | 25001-2813 | 4.625 | 6.250 | 0.500 |
| 21 | 25001-2915 | 5.000 | 6.000 | 0.500 |
| 21 | 25001-3023 | 5.125 | 7.500 | 0.500 |
| 21 | 25001-3056 | 5.187 | 7.500 | 0.500 |
| 21 | 25001-3111 | 17.717 | 19.685 | 0.811 |
| 21 | 25001-3122 | 5.375 | 6.375 | 0.500 |
| 21 | 25001-3151 | 5.375 | 7.500 | 0.625 |
| 21 | 25001-3174 | 5.437 | 7.500 | 0.500 |
| 21 | 25001-3254 | 24.000 | 25.000 | 0.500 |
| 21 | 25001-3288 | 5.750 | 7.500 | 0.562 |
| 21 | 25001-3334 | 5.875 | 7.500 | 0.750 |
| 21 | 25001-3355 | 6.000 | 7.000 | 0.500 |
| 21 | 25001-3370 | 6.000 | 7.500 | 0.750 |
| 21 | 25001-3468 | 6.750 | 8.500 | 0.625 |
| 21 | 25001-3523 | 7.250 | 8.500 | 0.750 |
| 21 | 25001-3555 | 7.500 | 9.125 | 0.750 |
| 21 | 25001-3557 | 7.500 | 9.250 | 0.750 |
| 21 | 25001-3606 | 8.250 | 9.500 | 0.625 |
| 21 | 25001-3623 | 9.000 | 11.000 | 0.750 |
| 21 | 25001-3642 | 9.500 | 11.000 | 0.625 |
| 21 | 25001-3672 | 10.000 | 11.500 | 0.750 |
| 21 | 25001-3925 | 8.000 | 10.000 | 0.750 |
| 21 | 25001-3926 | 8.000 | 10.000 | 0.812 |
| 21 | 25001-3932 | 8.125 | 10.125 | 0.750 |
| 21 | 25001-3937 | 8.500 | 10.000 | 0.750 |
| 21 | 25001-3943 | 8.625 | 10.500 | 0.750 |
| 21 | 25001-3951 | 8.750 | 10.750 | 0.750 |
| 21 | 25001-3979 | 9.500 | 11.000 | 0.750 |
| 21 | 25001-3983 | 9.500 | 11.500 | 0.750 |
| 21 | 25001-3984 | 9.500 | 11.500 | 0.812 |
| 21 | 25001-3989 | 9.750 | 11.750 | 0.750 |
| 21 | 25001-4012 | 10.500 | 12.000 | 0.750 |
| 21 | 25001-4047 | 11.250 | 13.250 | 0.812 |
| 21 | 25001-4058 | 11.500 | 13.000 | 0.750 |
| 21 | 25001-4072 | 12.000 | 14.000 | 0.812 |
| 21 | 25001-4094 | 13.000 | 14.500 | 0.750 |
| 21 | 25001-4099 | 13.000 | 15.000 | 0.812 |
| 21 | 25001-4128 | 13.500 | 15.500 | 0.812 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 21 | 25001-4130 | 13.937 | 15.437 | 0.687 |
| 21 | 25001-4132 | 14.000 | 15.500 | 0.750 |
| 21 | 25001-4135 | 14.000 | 16.000 | 0.812 |
| 21 | 25001-4140 | 14.250 | 16.250 | 0.812 |
| 21 | 25001-4143 | 14.500 | 16.000 | 0.750 |
| 21 | 25001-4147 | 14.750 | 16.250 | 0.687 |
| 21 | 25001-4152 | 15.000 | 16.500 | 0.750 |
| 21 | 25001-4155 | 15.000 | 17.000 | 0.750 |
| 21 | 25001-4156 | 15.000 | 17.000 | 0.812 |
| 21 | 25001-4162 | 15.500 | 17.000 | 0.750 |
| 21 | 25001-4163 | 15.500 | 17.500 | 0.812 |
| 21 | 25001-4178 | 16.000 | 17.500 | 0.750 |
| 21 | 25001-4180 | 16.000 | 18.000 | 0.812 |
| 21 | 25001-4189 | 17.000 | 18.500 | 0.750 |
| 21 | 25001-4207 | 18.000 | 19.750 | 0.750 |
| 21 | 25001-4211 | 18.250 | 19.750 | 0.750 |
| 21 | 25001-4212 | 18.250 | 19.875 | 0.750 |
| 21 | 25001-4441 | 12.063 | 13.625 | 0.750 |
| 21 | 25001-4614 | 14.187 | 16.187 | 0.812 |
| 21 | 25001-4633 | 6.299 | 7.874 | 0.630 |
| 21 | 25001-4651 | 4.000 | 5.000 | 0.500 |
| 21 | 25001-4675 | 24.500 | 25.625 | 0.500 |
| 21 | 25001-4676 | 25.750 | 26.875 | 0.500 |
| 21 | 25001-4712 | 17.000 | 19.000 | 0.875 |
| 21 | 25001-4779 | 13.250 | 15.250 | 0.812 |
| 21 | 25001-4780 | 6.000 | 8.250 | 0.750 |
| 21 | 25001-4795 | 15.875 | 17.750 | 0.875 |
| 21 | 25001-4929 | 9.000 | 10.500 | 0.812 |
| 21 | 25001-4940 | 21.000 | 22.000 | 0.500 |
| 21 | 25001-4971 | 17.000 | 18.125 | 0.547 |
| 21 | 25001-5023 | 3.000 | 4.000 | 0.375 |
| 21 | 25001-5038 | 16.500 | 18.500 | 0.875 |
| 21 | 25001-5055 | 20.500 | 22.500 | 0.812 |
| 21 | 25001-5062 | 14.250 | 15.750 | 0.750 |
| 21 | 25001-5312 | 21.000 | 22.750 | 0.750 |
| 21 | 25001-5373 | 8.267 | 9.842 | 0.618 |
| 21 | 25001-5376 | 38.750 | 40.687 | 0.812 |
| 21 | 25001-5410 | 6.500 | 8.500 | 0.585 |
| 21 | 25001-5552 | 24.000 | 25.125 | 0.500 |
| 21 | 25001-5612 | 28.875 | 29.750 | 0.500 |
| 21 | 25001-5739 | 31.000 | 32.500 | 0.750 |
| 21 | 25001-5906 | 10.000 | 12.000 | 0.687 |
| 21 | 25001-5919 | 24.000 | 26.000 | 0.812 |
| 21 | 25001-5934 | 10.500 | 11.750 | 0.625 |
| 21 | 25001-6092 | 9.062 | 11.062 | 0.750 |
| 21 | 25001-6293 | 4.250 | 5.750 | 0.500 |
| 21 | 25001-6296 | 22.000 | 23.500 | 0.500 |
| 21 | 25001-6356 | 3.250 | 4.250 | 0.375 |
| 21 | 25001-6360 | 4.000 | 5.000 | 0.375 |
| 21 | 25001-6363 | 4.500 | 5.500 | 0.375 |
| 21 | 25001-6372 | 6.750 | 7.750 | 0.500 |
| 21 | 25001-6378 | 7.500 | 8.500 | 0.500 |
| 21 | 25001-6383 | 8.500 | 9.500 | 0.500 |
| 21 | 25001-6384 | 8.500 | 9.750 | 0.625 |
| 21 | 25001-6387 | 9.000 | 10.000 | 0.500 |
| 21 | 25001-6389 | 9.625 | 11.625 | 0.750 |
| 21 | 25001-6396 | 12.750 | 14.750 | 0.750 |
| 21 | 25001-6397 | 16.250 | 18.250 | 0.812 |
| 21 | 25001-6398 | 16.750 | 18.750 | 0.750 |
| 21 | 25001-6399 | 18.000 | 20.000 | 0.812 |
| 21 | 25001-6401 | 22.000 | 24.000 | 0.812 |
| 21 | 25001-6407 | 42.000 | 44.000 | 0.812 |
| 21 | 25001-6426 | 19.750 | 21.750 | 0.812 |
| 21 | 25001-6473 | 38.500 | 40.500 | 0.812 |
| 21 | 25001-6508 | 19.000 | 21.000 | 0.812 |
| 21 | 25001-6559 | 3.500 | 4.390 | 0.336 |
| 21 | 25001-6938 | 18.000 | 19.625 | 0.812 |
| 21 | 25001-6963 | 5.625 | 8.000 | 0.500 |
| 21 | 25001-6973 | 7.874 | 9.875 | 0.625 |
| 21 | 25001-7101 | 8.500 | 10.500 | 0.750 |
| 21 | 25001-7107 | 29.133 | 31.133 | 0.812 |
| 21 | 25001-7138 | 34.000 | 36.000 | 0.812 |
| 21 | 25001-7154 | 33.250 | 35.250 | 0.750 |
| 21 | 25001-7175 | 13.750 | 14.750 | 0.500 |
| 21 | 25001-7213 | 3.125 | 3.875 | 0.375 |
| 21 | 25001-7322 | 9.062 | 10.062 | 0.500 |
| 21 | 25001-7407 | 21.500 | 23.500 | 0.812 |
| 21 | 25001-7412 | 31.000 | 33.000 | 0.812 |
| 21 | 25001-7413 | 18.000 | 19.750 | 0.812 |
| 21 | 25001-7489 | 22.500 | 24.500 | 0.812 |
| 21 | 25001-7539 | 15.250 | 17.250 | 0.750 |
| 21 | 25001-7573 | 14.250 | 16.000 | 0.875 |
| 21 | 25001-7622 | 6.750 | 9.062 | 0.750 |
| 21 | 25001-7710 | 26.000 | 28.000 | 0.750 |
| 21 | 25001-7838 | 23.000 | 25.000 | 0.812 |
| 21 | 25001-7912 | 7.725 | 9.375 | 0.750 |
| 21 | 25001-8208 | 22.000 | 23.125 | 0.547 |
| 21 | 25001-8271 | 14.875 | 16.875 | 0.812 |
| 21 | 25001-8381 | 21.937 | 22.937 | 0.500 |
| 21 | 25001-8423 | 17.000 | 18.250 | 0.562 |
| 21 | 25001-8446 | 19.500 | 21.500 | 0.812 |
| 21 | 25001-8502 | 24.000 | 25.625 | 0.812 |
| 21 | 25001-8560 | 8.500 | 10.500 | 0.500 |
| 21 | 25001-8564 | 9.000 | 10.910 | 0.838 |
| 21 | 25001-8589 | 12.500 | 14.062 | 0.750 |
| 21 | 25001-8606 | 8.661 | 10.236 | 0.630 |
| 21 | 25001-8742 | 10.000 | 11.910 | 0.838 |
| 21 | 25001-8773 | 25.625 | 26.750 | 0.500 |
| 21 | 25001-8888 | 14.750 | 16.125 | 0.687 |
| 21 | 25001-8967 | 8.250 | 10.250 | 0.750 |
| 21 | 25001-9083 | 18.000 | 20.250 | 0.812 |
| 21 | 25001-9156 | 31.750 | 33.750 | 0.750 |
| 21 | 25001-9267 | 8.375 | 10.375 | 0.750 |
| 21 | 25001-9418 | 8.000 | 9.875 | 0.812 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 21 | 25001-9477 | 18.750 | 20.250 | 0.812 |
| 21 | 25001-9521 | 8.267 | 9.842 | 0.630 |
| 21 | 25001-9554 | 37.500 | 39.500 | 0.812 |
| 21 | 25001-9696 | 14.750 | 16.250 | 0.668 |
| 21 | 25001-9756 | 8.000 | 9.910 | 0.750 |
| 21 | 25001-9835 | 7.875 | 9.500 | 0.750 |
| 21 | 25001-9893 | 20.625 | 22.625 | 0.812 |
| 23 | 25003-0128 | 2.857 | 3.857 | 0.375 |
| 23 | 25003-0202 | 4.062 | 5.256 | 0.469 |
| 23 | 25003-0203 | 12.938 | 14.250 | 0.625 |
| 23 | 25003-0205 | 10.688 | 11.742 | 0.625 |
| 23 | 25003-0208 | 30.688 | 31.750 | 0.500 |
| 23 | 25003-0241 | 14.177 | 15.500 | 0.750 |
| 23 | 25003-0375 | 32.125 | 34.687 | 0.750 |
| 23 | 25003-0408 | 4.449 | 5.472 | 0.375 |
| 23 | 25003-0416 | 11.418 | 12.992 | 0.709 |
| 23 | 25003-0417 | 52.500 | 55.000 | 0.750 |
| 23 | 25003-0419 | 5.060 | 5.934 | 0.375 |
| 23 | 25003-0420 | 11.250 | 13.250 | 0.625 |
| 23 | 25003-0422 | 3.847 | 5.063 | 0.375 |
| 23 | 25003-0429 | 21.811 | 23.386 | 0.787 |
| 23 | 25003-0432 | 15.500 | 17.375 | 0.812 |
| 23 | 25003-0450 | 15.375 | 16.750 | 0.750 |
| 23 | 25003-0453 | 13.750 | 15.000 | 0.750 |
| 23 | 25003-0455 | 26.000 | 27.500 | 0.750 |
| 23 | 25003-0458 | 28.486 | 29.860 | 0.687 |
| 23 | 25003-0459 | 52.186 | 54.186 | 0.812 |
| 23 | 25003-0460 | 44.185 | 46.188 | 0.812 |
| 23 | 25003-0464 | 23.512 | 25.512 | 0.812 |
| 23 | 25003-0466 | 9.125 | 10.799 | 0.703 |
| 23 | 25003-0476 | 9.409 | 10.909 | 0.625 |
| 23 | 25003-0477 | 17.750 | 19.373 | 0.750 |
| 23 | 25003-0479 | 16.094 | 17.500 | 0.750 |
| 23 | 25003-0480 | 14.094 | 15.500 | 0.750 |
| 23 | 25003-0483 | 21.250 | 22.637 | 0.590 |
| 23 | 25003-0489 | 13.250 | 14.250 | 0.500 |
| 23 | 25003-0500 | 5.523 | 6.500 | 0.500 |
| 23 | 25003-0501 | 30.500 | 32.500 | 1.000 |
| 23 | 25003-0503 | 3.907 | 5.118 | 0.500 |
| 23 | 25003-0504 | 7.480 | 8.661 | 0.472 |
| 23 | 25003-0506 | 22.625 | 24.125 | 0.500 |
| 23 | 25003-0510 | 17.717 | 18.898 | 0.500 |
| 23 | 25003-0518 | 18.110 | 19.843 | 0.787 |
| 23 | 25003-0519 | 5.748 | 7.087 | 0.591 |
| 23 | 25003-0521 | 3.187 | 4.437 | 0.375 |
| 23 | 25003-0527 | 6.250 | 7.250 | 0.375 |
| 23 | 25003-0528 | 9.437 | 10.750 | 0.625 |
| 23 | 25003-0530 | 6.000 | 7.000 | 0.375 |
| 23 | 25003-0570 | 8.560 | 9.810 | 0.625 |
| 23 | 25003-0579 | 9.000 | 10.032 | 0.500 |
| 23 | 25003-0581 | 5.098 | 6.598 | 0.500 |
| 23 | 25003-0582 | 23.428 | 24.928 | 0.750 |
| 23 | 25003-0587 | 4.330 | 5.393 | 0.500 |
| 23 | 25003-0590 | 12.992 | 14.173 | 0.394 |
| 23 | 25003-0591 | 13.780 | 14.961 | 0.394 |
| 23 | 25003-0599 | 12.250 | 13.500 | 0.750 |
| 23 | 25003-0606 | 21.890 | 23.858 | 0.812 |
| 23 | 25003-0614 | 14.961 | 16.535 | 0.787 |
| 23 | 25003-0617 | 12.750 | 14.687 | 0.812 |
| 23 | 25003-0620 | 17.323 | 19.323 | 0.750 |
| 23 | 25003-0623 | 12.000 | 13.875 | 0.437 |
| 23 | 25003-0626 | 24.625 | 25.500 | 0.375 |
| 23 | 25003-0627 | 5.437 | 6.375 | 0.500 |
| 23 | 25003-0637 | 6.693 | 7.677 | 0.492 |
| 23 | 25003-0639 | 18.898 | 20.867 | 0.812 |
| 23 | 25003-0641 | 10.375 | 12.000 | 0.750 |
| 23 | 25003-0662 | 15.000 | 16.250 | 0.812 |
| 23 | 25003-0663 | 25.625 | 27.625 | 0.812 |
| 23 | 25003-0671 | 25.750 | 28.125 | 0.750 |
| 23 | 25003-0674 | 5.515 | 6.497 | 0.500 |
| 23 | 25003-0676 | 22.000 | 23.125 | 0.500 |
| 23 | 25003-0677 | 12.318 | 13.694 | 0.500 |
| 23 | 25003-0678 | 11.150 | 12.526 | 0.500 |
| 23 | 25003-0688 | 4.562 | 6.062 | 0.500 |
| 23 | 25003-0690 | 13.875 | 15.500 | 0.600 |
| 23 | 25003-0691 | 12.188 | 14.000 | 0.750 |
| 23 | 25003-0692 | 3.625 | 4.750 | 0.375 |
| 23 | 25003-0695 | 10.158 | 11.417 | 0.630 |
| 23 | 25003-0696 | 25.875 | 26.750 | 0.375 |
| 23 | 25003-0697 | 11.813 | 13.813 | 0.813 |
| 23 | 25003-0710 | 2.559 | 3.346 | 0.394 |
| 23 | 25003-0716 | 17.938 | 19.313 | 0.812 |
| 23 | 25003-0720 | 75.188 | 77.188 | 0.812 |
| 23 | 25003-0726 | 13.625 | 15.031 | 0.750 |
| 23 | 25003-0736 | 4.312 | 5.437 | 0.500 |
| 23 | 25003-0738 | 5.437 | 6.500 | 0.500 |
| 23 | 25003-0740 | 11.181 | 12.992 | 0.622 |
| 23 | 25003-0741 | 5.937 | 6.875 | 0.500 |
| 23 | 25003-0743 | 5.500 | 6.563 | 0.500 |
| 23 | 25003-0746 | 8.465 | 9.845 | 0.645 |
| 23 | 25003-0753 | 19.625 | 21.079 | 0.531 |
| 23 | 25003-0755 | 26.875 | 28.125 | 0.500 |
| 23 | 25003-0756 | 14.625 | 16.250 | 0.750 |
| 23 | 25003-0779 | 30.065 | 31.065 | 0.500 |
| 23 | 25003-0785 | 14.438 | 15.938 | 0.625 |
| 23 | 25003-0786 | 28.346 | 30.315 | 0.984 |
| 23 | 25003-0793 | 2.441 | 3.346 | 0.394 |
| 23 | 25003-0795 | 6.495 | 7.525 | 0.500 |
| 23 | 25003-0800 | 15.784 | 17.000 | 0.500 |
| 23 | 25003-0801 | 7.283 | 8.268 | 0.500 |
| 23 | 25003-0802 | 3.750 | 5.000 | 0.437 |
| 23 | 25003-0803 | 6.002 | 7.002 | 0.500 |
| 23 | 25003-0806 | 2.812 | 3.560 | 0.375 |
| 23 | 25003-0811 | 3.938 | 4.921 | 0.394 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-0815 | 5.118 | 5.993 | 0.500 |
| 23 | 25003-0818 | 13.000 | 14.500 | 0.812 |
| 23 | 25003-0821 | 10.229 | 11.729 | 0.750 |
| 23 | 25003-0822 | 24.500 | 25.375 | 0.375 |
| 23 | 25003-0823 | 3.438 | 4.562 | 0.375 |
| 23 | 25003-0839 | 20.750 | 22.250 | 0.750 |
| 23 | 25003-0856 | 7.090 | 8.334 | 0.500 |
| 23 | 25003-0858 | 11.100 | 12.150 | 0.625 |
| 23 | 25003-0864 | 24.409 | 26.378 | 0.812 |
| 23 | 25003-0866 | 4.134 | 5.512 | 0.472 |
| 23 | 25003-0872 | 10.236 | 12.205 | 0.630 |
| 23 | 25003-0880 | 36.500 | 38.438 | 1.000 |
| 23 | 25003-0881 | 39.000 | 40.938 | 1.000 |
| 23 | 25003-0884 | 32.000 | 33.000 | 0.500 |
| 23 | 25003-0889 | 15.191 | 16.191 | 0.500 |
| 23 | 25003-0890 | 11.024 | 12.205 | 0.787 |
| 23 | 25003-0891 | 8.661 | 10.236 | 0.591 |
| 23 | 25003-0893 | 13.386 | 14.961 | 0.708 |
| 23 | 25003-0895 | 2.938 | 4.000 | 0.500 |
| 23 | 25003-0896 | 28.250 | 29.500 | 0.625 |
| 23 | 25003-0897 | 11.024 | 12.992 | 0.610 |
| 23 | 25003-0904 | 1.750 | 2.500 | 0.375 |
| 23 | 25003-0917 | 2.937 | 4.000 | 0.500 |
| 23 | 25003-0926 | 5.115 | 6.118 | 0.375 |
| 23 | 25003-0929 | 4.279 | 5.500 | 0.375 |
| 23 | 25003-0932 | 11.417 | 13.417 | 0.812 |
| 23 | 25003-0935 | 20.470 | 22.470 | 0.812 |
| 23 | 25003-0944 | 13.375 | 14.625 | 0.500 |
| 23 | 25003-0947 | 11.811 | 13.385 | 0.812 |
| 23 | 25003-0948 | 49.500 | 50.750 | 0.750 |
| 23 | 25003-0949 | 12.000 | 13.875 | 0.500 |
| 23 | 25003-0950 | 12.250 | 13.821 | 0.719 |
| 23 | 25003-0952 | 74.500 | 76.500 | 0.812 |
| 23 | 25003-0953 | 7.375 | 8.250 | 0.438 |
| 23 | 25003-0954 | 12.000 | 13.250 | 0.750 |
| 23 | 25003-0956 | 5.118 | 6.614 | 0.630 |
| 23 | 25003-0957 | 8.611 | 10.236 | 0.750 |
| 23 | 25003-0959 | 26.000 | 27.250 | 0.625 |
| 23 | 25003-0960 | 8.750 | 10.750 | 0.625 |
| 23 | 25003-0961 | 8.465 | 9.764 | 0.590 |
| 23 | 25003-0963 | 14.173 | 15.590 | 0.630 |
| 23 | 25003-0977 | 4.331 | 5.331 | 0.500 |
| 23 | 25003-0980 | 7.716 | 8.661 | 0.472 |
| 23 | 25003-0981 | 9.375 | 10.375 | 0.500 |
| 23 | 25003-0983 | 7.000 | 8.450 | 0.562 |
| 23 | 25003-0985 | 9.000 | 10.125 | 0.500 |
| 23 | 25003-0986 | 13.500 | 14.500 | 0.500 |
| 23 | 25003-0990 | 12.147 | 13.688 | 0.625 |
| 23 | 25003-0992 | 4.295 | 5.295 | 0.375 |
| 23 | 25003-0993 | 2.883 | 3.633 | 0.375 |
| 23 | 25003-0994 | 13.070 | 14.570 | 0.750 |
| 23 | 25003-0995 | 4.375 | 5.812 | 0.500 |
| 23 | 25003-0996 | 3.437 | 4.500 | 0.375 |
| 23 | 25003-0999 | 8.438 | 9.563 | 0.500 |
| 23 | 25003-1000 | 3.938 | 5.040 | 0.400 |
| 23 | 25003-1002 | 5.118 | 6.260 | 0.488 |
| 23 | 25003-1004 | 6.221 | 7.250 | 0.500 |
| 23 | 25003-1007 | 4.866 | 5.875 | 0.500 |
| 23 | 25003-1010 | 3.740 | 4.921 | 0.472 |
| 23 | 25003-1013 | 15.375 | 17.125 | 0.812 |
| 23 | 25003-1014 | 8.661 | 9.370 | 0.748 |
| 23 | 25003-1016 | 12.812 | 14.812 | 0.750 |
| 23 | 25003-1017 | 7.000 | 7.875 | 0.375 |
| 23 | 25003-1018 | 14.500 | 15.750 | 0.750 |
| 23 | 25003-1019 | 9.000 | 10.062 | 0.500 |
| 23 | 25003-1020 | 4.477 | 6.256 | 0.625 |
| 23 | 25003-1022 | 3.625 | 4.625 | 0.437 |
| 23 | 25003-1024 | 4.724 | 6.000 | 0.500 |
| 23 | 25003-1025 | 4.960 | 5.885 | 0.500 |
| 23 | 25003-1026 | 10.236 | 12.000 | 0.812 |
| 23 | 25003-1027 | 10.630 | 12.362 | 0.787 |
| 23 | 25003-1029 | 3.563 | 4.500 | 0.469 |
| 23 | 25003-1030 | 10.000 | 10.875 | 0.375 |
| 23 | 25003-1031 | 11.417 | 12.992 | 0.787 |
| 23 | 25003-1032 | 16.000 | 17.875 | 0.750 |
| 23 | 25003-1033 | 3.150 | 3.937 | 0.394 |
| 23 | 25003-1034 | 3.500 | 4.812 | 0.500 |
| 23 | 25003-1035 | 11.500 | 13.250 | 0.812 |
| 23 | 25003-1036 | 9.449 | 10.827 | 0.709 |
| 23 | 25003-1037 | 10.300 | 11.550 | 0.625 |
| 23 | 25003-1038 | 19.750 | 21.250 | 0.750 |
| 23 | 25003-1039 | 2.835 | 3.740 | 0.375 |
| 23 | 25003-1041 | 3.720 | 4.720 | 0.500 |
| 23 | 25003-1042 | 1.875 | 2.625 | 0.375 |
| 23 | 25003-1049 | 10.710 | 12.511 | 0.625 |
| 23 | 25003-1061 | 7.937 | 9.000 | 0.500 |
| 23 | 25003-1064 | 9.947 | 11.875 | 0.500 |
| 23 | 25003-1070 | 10.250 | 11.687 | 0.625 |
| 23 | 25003-1072 | 9.750 | 10.625 | 0.500 |
| 23 | 25003-1079 | 9.947 | 10.875 | 0.500 |
| 23 | 25003-1082 | 8.750 | 10.500 | 0.812 |
| 23 | 25003-1086 | 2.750 | 3.983 | 0.500 |
| 23 | 25003-1087 | 3.430 | 4.625 | 0.458 |
| 23 | 25003-1089 | 5.415 | 6.815 | 0.500 |
| 23 | 25003-1090 | 8.562 | 9.500 | 0.500 |
| 23 | 25003-1091 | 66.875 | 68.000 | 0.562 |
| 23 | 25003-1095 | 8.625 | 9.812 | 0.625 |
| 23 | 25003-1097 | 9.448 | 11.023 | 0.500 |
| 23 | 25003-1098 | 25.000 | 26.250 | 0.625 |
| 23 | 25003-1099 | 9.843 | 11.220 | 0.630 |
| 23 | 25003-1103 | 12.598 | 14.173 | 0.787 |
| 23 | 25003-1107 | 7.875 | 9.500 | 0.625 |
| 23 | 25003-1108 | 12.401 | 14.173 | 0.787 |
| 23 | 25003-1109 | 9.055 | 10.180 | 0.625 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-1110 | 3.740 | 4.740 | 0.375 |
| 23 | 25003-1111 | 5.905 | 7.087 | 0.512 |
| 23 | 25003-1112 | 24.015 | 25.748 | 0.787 |
| 23 | 25003-1113 | 12.598 | 14.173 | 0.708 |
| 23 | 25003-1115 | 18.125 | 19.750 | 0.750 |
| 23 | 25003-1118 | 48.000 | 50.000 | 0.750 |
| 23 | 25003-1121 | 51.000 | 53.000 | 0.750 |
| 23 | 25003-1124 | 11.125 | 13.000 | 0.750 |
| 23 | 25003-1125 | 17.250 | 18.500 | 0.625 |
| 23 | 25003-1126 | 17.000 | 17.906 | 0.500 |
| 23 | 25003-1127 | 6.875 | 7.875 | 0.375 |
| 23 | 25003-1145 | 3.937 | 5.256 | 0.468 |
| 23 | 25003-1146 | 10.375 | 11.633 | 0.812 |
| 23 | 25003-1152 | 7.800 | 8.800 | 0.500 |
| 23 | 25003-1158 | 17.625 | 19.375 | 0.750 |
| 23 | 25003-1160 | 4.687 | 5.625 | 0.500 |
| 23 | 25003-1165 | 9.000 | 10.910 | 0.812 |
| 23 | 25003-1169 | 26.968 | 27.953 | 0.500 |
| 23 | 25003-1172 | 6.000 | 7.500 | 0.375 |
| 23 | 25003-1173 | 12.438 | 14.375 | 0.812 |
| 23 | 25003-1175 | 15.000 | 16.250 | 0.625 |
| 23 | 25003-1176 | 12.438 | 14.438 | 0.812 |
| 23 | 25003-1179 | 17.716 | 19.685 | 0.812 |
| 23 | 25003-1181 | 20.111 | 22.111 | 0.812 |
| 23 | 25003-1182 | 12.598 | 14.252 | 0.812 |
| 23 | 25003-1204 | 2.000 | 3.000 | 0.375 |
| 23 | 25003-1206 | 2.000 | 3.000 | 0.500 |
| 23 | 25003-1214 | 7.480 | 9.055 | 0.630 |
| 23 | 25003-1224 | 22.500 | 23.500 | 0.500 |
| 23 | 25003-1227 | 55.250 | 56.500 | 0.750 |
| 23 | 25003-1229 | 5.094 | 6.586 | 0.484 |
| 23 | 25003-1235 | 8.937 | 10.500 | 0.750 |
| 23 | 25003-1237 | 18.110 | 20.078 | 0.787 |
| 23 | 25003-1239 | 3.950 | 4.950 | 0.500 |
| 23 | 25003-1241 | 4.875 | 6.325 | 0.500 |
| 23 | 25003-1242 | 13.000 | 14.606 | 0.703 |
| 23 | 25003-1246 | 10.984 | 12.165 | 0.591 |
| 23 | 25003-1248 | 4.813 | 6.007 | 0.375 |
| 23 | 25003-1250 | 5.438 | 6.720 | 0.625 |
| 23 | 25003-1255 | 2.062 | 2.997 | 0.375 |
| 23 | 25003-1256 | 2.938 | 3.905 | 0.484 |
| 23 | 25003-1259 | 4.921 | 5.906 | 0.591 |
| 23 | 25003-1262 | 11.220 | 12.402 | 0.787 |
| 23 | 25003-1269 | 6.102 | 7.087 | 0.500 |
| 23 | 25003-1275 | 45.000 | 46.750 | 0.875 |
| 23 | 25003-1277 | 4.500 | 5.687 | 0.500 |
| 23 | 25003-1280 | 16.299 | 18.268 | 0.812 |
| 23 | 25003-1283 | 9.750 | 11.375 | 0.750 |
| 23 | 25003-1286 | 6.247 | 7.188 | 0.375 |
| 23 | 25003-1287 | 14.140 | 15.640 | 0.625 |
| 23 | 25003-1288 | 7.812 | 9.000 | 0.625 |
| 23 | 25003-1289 | 33.625 | 35.593 | 0.937 |
| 23 | 25003-1290 | 7.480 | 8.425 | 0.472 |
| 23 | 25003-1292 | 10.236 | 12.125 | 0.787 |
| 23 | 25003-1293 | 15.375 | 16.250 | 0.437 |
| 23 | 25003-1294 | 23.900 | 25.100 | 0.750 |
| 23 | 25003-1295 | 8.062 | 9.000 | 0.500 |
| 23 | 25003-1296 | 3.500 | 4.437 | 0.500 |
| 23 | 25003-1298 | 19.291 | 21.260 | 0.787 |
| 23 | 25003-1300 | 6.030 | 7.324 | 0.615 |
| 23 | 25003-1303 | 4.724 | 6.101 | 0.500 |
| 23 | 25003-1304 | 12.500 | 14.375 | 0.750 |
| 23 | 25003-1305 | 22.500 | 23.375 | 0.375 |
| 23 | 25003-1308 | 7.375 | 8.500 | 0.500 |
| 23 | 25003-1310 | 12.000 | 12.875 | 0.375 |
| 23 | 25003-1311 | 22.875 | 23.750 | 0.375 |
| 23 | 25003-1312 | 26.875 | 27.750 | 0.375 |
| 23 | 25003-1314 | 9.842 | 11.842 | 0.750 |
| 23 | 25003-1316 | 7.480 | 8.980 | 0.750 |
| 23 | 25003-1317 | 3.900 | 5.200 | 0.500 |
| 23 | 25003-1335 | 2.125 | 3.125 | 0.500 |
| 23 | 25003-1374 | 5.906 | 7.906 | 0.500 |
| 23 | 25003-1376 | 19.500 | 21.500 | 0.625 |
| 23 | 25003-1379 | 7.480 | 8.661 | 0.630 |
| 23 | 25003-1388 | 6.890 | 8.465 | 0.625 |
| 23 | 25003-1391 | 6.298 | 7.500 | 0.375 |
| 23 | 25003-1392 | 8.661 | 10.236 | 0.787 |
| 23 | 25003-1393 | 6.062 | 7.500 | 0.750 |
| 23 | 25003-1394 | 6.299 | 7.244 | 0.551 |
| 23 | 25003-1395 | 6.693 | 7.638 | 0.551 |
| 23 | 25003-1397 | 4.921 | 6.299 | 0.709 |
| 23 | 25003-1430 | 9.250 | 10.170 | 0.500 |
| 23 | 25003-1433 | 7.087 | 7.961 | 0.472 |
| 23 | 25003-1439 | 15.937 | 17.437 | 0.750 |
| 23 | 25003-1440 | 3.437 | 4.500 | 0.437 |
| 23 | 25003-1441 | 9.875 | 11.375 | 0.625 |
| 23 | 25003-1444 | 3.500 | 4.475 | 0.500 |
| 23 | 25003-1445 | 13.750 | 15.375 | 0.750 |
| 23 | 25003-1448 | 3.938 | 5.000 | 0.400 |
| 23 | 25003-1449 | 15.438 | 16.938 | 0.750 |
| 23 | 25003-1453 | 55.125 | 58.000 | 0.750 |
| 23 | 25003-1454 | 14.875 | 16.875 | 0.375 |
| 23 | 25003-1457 | 6.250 | 7.375 | 0.625 |
| 23 | 25003-1459 | 17.000 | 18.500 | 0.720 |
| 23 | 25003-1461 | 10.125 | 11.625 | 0.500 |
| 23 | 25003-1463 | 8.437 | 9.937 | 0.500 |
| 23 | 25003-1464 | 7.125 | 8.625 | 0.437 |
| 23 | 25003-1465 | 11.031 | 12.031 | 0.500 |
| 23 | 25003-1480 | 2.250 | 3.125 | 0.375 |
| 23 | 25003-1482 | 2.250 | 3.125 | 0.500 |
| 23 | 25003-1492 | 2.250 | 3.250 | 0.375 |
| 23 | 25003-1493 | 2.250 | 3.250 | 0.438 |
| 23 | 25003-1494 | 2.250 | 3.250 | 0.500 |
| 23 | 25003-1515 | 3.625 | 4.609 | 0.492 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-1586 | 3.250 | 4.225 | 0.375 |
| 23 | 25003-1589 | 3.250 | 4.312 | 0.500 |
| 23 | 25003-1590 | 3.228 | 4.488 | 0.500 |
| 23 | 25003-1592 | 8.437 | 9.937 | 0.750 |
| 23 | 25003-1608 | 15.354 | 16.535 | 0.551 |
| 23 | 25003-1609 | 6.250 | 7.375 | 0.562 |
| 23 | 25003-1610 | 3.906 | 5.000 | 0.500 |
| 23 | 25003-1616 | 7.087 | 8.071 | 0.512 |
| 23 | 25003-1617 | 14.750 | 16.500 | 0.812 |
| 23 | 25003-1619 | 12.875 | 14.000 | 0.750 |
| 23 | 25003-1622 | 40.533 | 42.283 | 0.875 |
| 23 | 25003-1623 | 10.750 | 12.687 | 0.578 |
| 23 | 25003-1625 | 4.500 | 5.688 | 0.625 |
| 23 | 25003-1628 | 3.312 | 4.250 | 0.500 |
| 23 | 25003-1631 | 14.484 | 16.312 | 0.562 |
| 23 | 25003-1632 | 14.484 | 15.369 | 0.500 |
| 23 | 25003-1634 | 42.992 | 44.492 | 0.750 |
| 23 | 25003-1635 | 5.250 | 6.313 | 0.500 |
| 23 | 25003-1642 | 2.375 | 3.125 | 0.375 |
| 23 | 25003-1657 | 2.375 | 3.350 | 0.375 |
| 23 | 25003-1664 | 4.500 | 5.750 | 0.438 |
| 23 | 25003-1682 | 5.500 | 6.375 | 0.500 |
| 23 | 25003-1688 | 15.161 | 16.885 | 0.812 |
| 23 | 25003-1689 | 6.000 | 7.187 | 0.750 |
| 23 | 25003-1690 | 7.480 | 8.729 | 0.625 |
| 23 | 25003-1691 | 12.500 | 14.062 | 0.625 |
| 23 | 25003-1694 | 8.750 | 9.764 | 0.375 |
| 23 | 25003-1695 | 32.687 | 33.937 | 0.500 |
| 23 | 25003-1697 | 75.000 | 76.500 | 0.750 |
| 23 | 25003-1698 | 13.000 | 14.375 | 0.375 |
| 23 | 25003-1699 | 8.376 | 9.565 | 0.750 |
| 23 | 25003-1701 | 32.835 | 33.937 | 0.500 |
| 23 | 25003-1702 | 6.440 | 7.969 | 0.750 |
| 23 | 25003-1703 | 9.843 | 11.342 | 0.748 |
| 23 | 25003-1706 | 6.063 | 7.087 | 0.413 |
| 23 | 25003-1707 | 4.882 | 6.299 | 0.413 |
| 23 | 25003-1709 | 6.889 | 7.874 | 0.472 |
| 23 | 25003-1710 | 12.250 | 14.125 | 0.750 |
| 23 | 25003-1712 | 12.598 | 14.173 | 0.748 |
| 23 | 25003-1713 | 3.750 | 4.732 | 0.405 |
| 23 | 25003-1717 | 6.299 | 7.874 | 0.472 |
| 23 | 25003-1718 | 5.511 | 6.693 | 0.472 |
| 23 | 25003-1719 | 25.197 | 27.165 | 0.807 |
| 23 | 25003-1721 | 8.375 | 9.500 | 0.750 |
| 23 | 25003-1728 | 36.500 | 39.000 | 0.750 |
| 23 | 25003-1730 | 34.000 | 36.500 | 0.750 |
| 23 | 25003-1733 | 57.000 | 59.000 | 0.827 |
| 23 | 25003-1734 | 7.187 | 8.437 | 0.500 |
| 23 | 25003-1735 | 2.438 | 3.250 | 0.375 |
| 23 | 25003-1736 | 2.437 | 3.312 | 0.375 |
| 23 | 25003-1746 | 3.938 | 4.906 | 0.484 |
| 23 | 25003-1749 | 2.438 | 3.500 | 0.500 |

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-1766 | 3.938 | 4.906 | 0.484 |
| 23 | 25003-1767 | 15.354 | 17.086 | 0.787 |
| 23 | 25003-1768 | 3.465 | 4.729 | 0.500 |
| 23 | 25003-1769 | 13.125 | 15.000 | 0.750 |
| 23 | 25003-1770 | 8.000 | 9.450 | 0.625 |
| 23 | 25003-1772 | 3.464 | 4.331 | 0.500 |
| 23 | 25003-1773 | 19.625 | 21.375 | 0.750 |
| 23 | 25003-1777 | 5.438 | 6.750 | 0.750 |
| 23 | 25003-1778 | 3.250 | 4.543 | 0.500 |
| 23 | 25003-1779 | 5.161 | 6.475 | 0.500 |
| 23 | 25003-1780 | 19.625 | 21.125 | 0.500 |
| 23 | 25003-1781 | 12.125 | 13.125 | 0.500 |
| 23 | 25003-1782 | 11.188 | 13.000 | 0.750 |
| 23 | 25003-1804 | 2.500 | 3.246 | 0.375 |
| 23 | 25003-1807 | 2.500 | 3.250 | 0.375 |
| 23 | 25003-1819 | 2.500 | 3.500 | 0.375 |
| 23 | 25003-1820 | 2.500 | 3.500 | 0.437 |
| 23 | 25003-1821 | 2.500 | 3.500 | 0.500 |
| 23 | 25003-1832 | 6.500 | 7.500 | 0.375 |
| 23 | 25003-1844 | 2.625 | 3.625 | 0.500 |
| 23 | 25003-1865 | 14.041 | 15.541 | 0.625 |
| 23 | 25003-1866 | 19.687 | 21.673 | 0.812 |
| 23 | 25003-1868 | 7.250 | 8.702 | 0.609 |
| 23 | 25003-1869 | 6.889 | 7.889 | 0.500 |
| 23 | 25003-1872 | 57.000 | 59.000 | 0.812 |
| 23 | 25003-1875 | 3.937 | 4.921 | 0.492 |
| 23 | 25003-1876 | 9.125 | 10.500 | 0.625 |
| 23 | 25003-1877 | 38.000 | 40.000 | 1.000 |
| 23 | 25003-1881 | 10.000 | 11.875 | 0.812 |
| 23 | 25003-1883 | 14.028 | 15.428 | 0.750 |
| 23 | 25003-1885 | 2.562 | 3.500 | 0.375 |
| 23 | 25003-1889 | 13.000 | 14.608 | 0.750 |
| 23 | 25003-1894 | 2.562 | 3.751 | 0.375 |
| 23 | 25003-1895 | 3.062 | 4.125 | 0.437 |
| 23 | 25003-1901 | 3.681 | 4.681 | 0.500 |
| 23 | 25003-1905 | 11.000 | 13.000 | 0.500 |
| 23 | 25003-1906 | 3.438 | 4.600 | 0.500 |
| 23 | 25003-1907 | 49.500 | 51.325 | 0.850 |
| 23 | 25003-1908 | 10.125 | 11.500 | 0.625 |
| 23 | 25003-1910 | 9.500 | 11.500 | 0.500 |
| 23 | 25003-1911 | 20.866 | 22.835 | 0.787 |
| 23 | 25003-1913 | 14.000 | 15.625 | 0.812 |
| 23 | 25003-1918 | 15.250 | 16.250 | 0.500 |
| 23 | 25003-1919 | 26.000 | 27.125 | 0.562 |
| 23 | 25003-1923 | 17.000 | 18.250 | 0.750 |
| 23 | 25003-1925 | 12.000 | 13.000 | 0.625 |
| 23 | 25003-1928 | 4.062 | 5.000 | 0.375 |
| 23 | 25003-1939 | 2.625 | 3.500 | 0.375 |
| 23 | 25003-1941 | 2.625 | 3.500 | 0.500 |
| 23 | 25003-1942 | 2.625 | 3.543 | 0.375 |
| 23 | 25003-1949 | 7.874 | 8.858 | 0.591 |
| 23 | 25003-1953 | 8.464 | 9.646 | 0.492 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-1957 | 39.000 | 41.500 | 0.750 |
| 23 | 25003-1958 | 2.625 | 3.625 | 0.375 |
| 23 | 25003-1960 | 12.875 | 13.875 | 0.500 |
| 23 | 25003-1961 | 5.500 | 6.875 | 0.562 |
| 23 | 25003-1962 | 11.024 | 12.520 | 0.709 |
| 23 | 25003-1963 | 9.000 | 10.500 | 0.562 |
| 23 | 25003-1965 | 7.438 | 8.500 | 0.500 |
| 23 | 25003-1968 | 14.567 | 16.535 | 0.787 |
| 23 | 25003-1970 | 6.496 | 7.874 | 0.591 |
| 23 | 25003-1971 | 10.500 | 12.500 | 0.500 |
| 23 | 25003-1973 | 12.375 | 13.705 | 0.375 |
| 23 | 25003-1974 | 29.968 | 31.968 | 0.812 |
| 23 | 25003-1976 | 17.000 | 18.000 | 0.500 |
| 23 | 25003-1977 | 24.375 | 25.625 | 0.625 |
| 23 | 25003-1979 | 3.937 | 5.118 | 0.472 |
| 23 | 25003-1980 | 10.500 | 11.906 | 0.766 |
| 23 | 25003-1982 | 10.875 | 12.875 | 0.500 |
| 23 | 25003-1983 | 41.125 | 43.125 | 1.000 |
| 23 | 25003-1984 | 12.500 | 13.375 | 0.500 |
| 23 | 25003-1985 | 30.313 | 31.813 | 0.750 |
| 23 | 25003-1986 | 3.228 | 4.102 | 0.375 |
| 23 | 25003-1988 | 3.562 | 4.562 | 0.375 |
| 23 | 25003-1989 | 12.579 | 14.000 | 0.750 |
| 23 | 25003-1991 | 19.674 | 21.674 | 0.812 |
| 23 | 25003-1992 | 15.750 | 16.948 | 0.750 |
| 23 | 25003-1997 | 25.625 | 26.875 | 0.625 |
| 23 | 25003-1998 | 3.150 | 4.331 | 0.500 |
| 23 | 25003-2000 | 4.134 | 5.118 | 0.500 |
| 23 | 25003-2013 | 2.687 | 3.881 | 0.468 |
| 23 | 25003-2016 | 3.750 | 5.062 | 0.375 |
| 23 | 25003-2018 | 17.500 | 18.906 | 0.766 |
| 23 | 25003-2019 | 5.512 | 6.496 | 0.492 |
| 23 | 25003-2021 | 17.500 | 18.750 | 0.500 |
| 23 | 25003-2022 | 5.305 | 6.305 | 0.500 |
| 23 | 25003-2024 | 4.910 | 5.910 | 0.500 |
| 23 | 25003-2026 | 14.580 | 16.200 | 0.625 |
| 23 | 25003-2030 | 2.750 | 4.000 | 0.500 |
| 23 | 25003-2035 | 2.750 | 3.500 | 0.375 |
| 23 | 25003-2044 | 2.750 | 3.751 | 0.375 |
| 23 | 25003-2054 | 2.750 | 3.625 | 0.438 |
| 23 | 25003-2057 | 2.750 | 3.750 | 0.375 |
| 23 | 25003-2058 | 21.250 | 23.250 | 0.750 |
| 23 | 25003-2064 | 7.010 | 8.510 | 0.500 |
| 23 | 25003-2065 | 7.256 | 8.756 | 0.500 |
| 23 | 25003-2066 | 14.173 | 15.354 | 0.709 |
| 23 | 25003-2067 | 14.750 | 16.125 | 0.750 |
| 23 | 25003-2068 | 10.000 | 11.000 | 0.375 |
| 23 | 25003-2069 | 15.748 | 17.717 | 0.787 |
| 23 | 25003-2079 | 29.528 | 32.047 | 0.750 |
| 23 | 25003-2081 | 7.283 | 8.283 | 0.500 |
| 23 | 25003-2090 | 2.812 | 3.876 | 0.437 |
| 23 | 25003-2095 | 3.681 | 5.000 | 0.500 |

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-2105 | 2.953 | 4.213 | 0.492 |
| 23 | 25003-2106 | 7.625 | 8.500 | 0.500 |
| 23 | 25003-2108 | 3.062 | 4.000 | 0.500 |
| 23 | 25003-2109 | 13.780 | 15.512 | 0.500 |
| 23 | 25003-2110 | 2.875 | 3.625 | 0.375 |
| 23 | 25003-2111 | 2.875 | 3.625 | 0.438 |
| 23 | 25003-2115 | 2.875 | 3.623 | 0.375 |
| 23 | 25003-2118 | 2.875 | 3.750 | 0.375 |
| 23 | 25003-2121 | 2.875 | 3.875 | 0.375 |
| 23 | 25003-2137 | 3.346 | 4.331 | 0.492 |
| 23 | 25003-2140 | 2.937 | 3.937 | 0.500 |
| 23 | 25003-2144 | 72.500 | 74.000 | 0.750 |
| 23 | 25003-2146 | 2.938 | 3.750 | 0.375 |
| 23 | 25003-2149 | 2.937 | 3.876 | 0.375 |
| 23 | 25003-2152 | 2.938 | 4.003 | 0.375 |
| 23 | 25003-2153 | 2.937 | 4.003 | 0.437 |
| 23 | 25003-2156 | 7.812 | 9.250 | 0.500 |
| 23 | 25003-2158 | 28.625 | 30.625 | 0.812 |
| 23 | 25003-2159 | 5.500 | 6.750 | 0.687 |
| 23 | 25003-2168 | 3.000 | 3.751 | 0.375 |
| 23 | 25003-2171 | 3.000 | 3.876 | 0.375 |
| 23 | 25003-2173 | 3.000 | 3.875 | 0.500 |
| 23 | 25003-2174 | 3.000 | 4.003 | 0.375 |
| 23 | 25003-2176 | 3.000 | 4.003 | 0.500 |
| 23 | 25003-2177 | 3.000 | 4.125 | 0.500 |
| 23 | 25003-2183 | 3.000 | 4.375 | 0.500 |
| 23 | 25003-2185 | 12.750 | 14.250 | 0.812 |
| 23 | 25003-2186 | 3.000 | 4.500 | 0.500 |
| 23 | 25003-2193 | 18.000 | 19.438 | 0.500 |
| 23 | 25003-2196 | 24.640 | 25.640 | 0.500 |
| 23 | 25003-2200 | 3.063 | 4.063 | 0.500 |
| 23 | 25003-2201 | 3.063 | 4.125 | 0.500 |
| 23 | 25003-2205 | 68.000 | 70.000 | 1.000 |
| 23 | 25003-2206 | 15.512 | 16.535 | 0.500 |
| 23 | 25003-2214 | 3.346 | 4.331 | 0.472 |
| 23 | 25003-2225 | 3.125 | 4.125 | 0.500 |
| 23 | 25003-2228 | 3.125 | 4.249 | 0.500 |
| 23 | 25003-2231 | 3.125 | 4.375 | 0.500 |
| 23 | 25003-2233 | 5.906 | 7.480 | 0.591 |
| 23 | 25003-2234 | 3.125 | 4.500 | 0.500 |
| 23 | 25003-2244 | 8.875 | 10.250 | 0.750 |
| 23 | 25003-2245 | 13.386 | 15.118 | 0.787 |
| 23 | 25003-2247 | 8.858 | 10.433 | 0.630 |
| 23 | 25003-2248 | 26.378 | 27.874 | 0.748 |
| 23 | 25003-2249 | 3.187 | 4.249 | 0.500 |
| 23 | 25003-2252 | 3.187 | 4.375 | 0.500 |
| 23 | 25003-2255 | 3.188 | 4.500 | 0.500 |
| 23 | 25003-2256 | 9.646 | 11.142 | 0.812 |
| 23 | 25003-2259 | 3.897 | 4.876 | 0.500 |
| 23 | 25003-2265 | 40.265 | 41.765 | 0.750 |
| 23 | 25003-2269 | 6.375 | 7.250 | 0.500 |
| 23 | 25003-2270 | 3.250 | 4.249 | 0.500 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-2272 | 3.250 | 4.250 | 0.625 |
| 23 | 25003-2273 | 3.250 | 4.375 | 0.500 |
| 23 | 25003-2274 | 5.125 | 6.000 | 0.500 |
| 23 | 25003-2275 | 15.748 | 17.717 | 0.812 |
| 23 | 25003-2276 | 3.250 | 4.500 | 0.500 |
| 23 | 25003-2279 | 3.250 | 4.625 | 0.500 |
| 23 | 25003-2282 | 3.250 | 4.750 | 0.500 |
| 23 | 25003-2286 | 13.386 | 15.157 | 0.787 |
| 23 | 25003-2293 | 4.921 | 6.299 | 0.512 |
| 23 | 25003-2294 | 3.916 | 5.234 | 0.500 |
| 23 | 25003-2297 | 3.312 | 4.375 | 0.500 |
| 23 | 25003-2300 | 3.313 | 4.500 | 0.500 |
| 23 | 25003-2301 | 3.312 | 4.500 | 0.468 |
| 23 | 25003-2308 | 53.185 | 54.190 | 0.812 |
| 23 | 25003-2313 | 27.500 | 29.500 | 0.750 |
| 23 | 25003-2314 | 10.236 | 12.244 | 0.748 |
| 23 | 25003-2319 | 12.750 | 14.482 | 0.787 |
| 23 | 25003-2321 | 3.375 | 4.375 | 0.500 |
| 23 | 25003-2322 | 20.000 | 20.938 | 0.500 |
| 23 | 25003-2324 | 3.375 | 4.500 | 0.500 |
| 23 | 25003-2327 | 3.375 | 4.625 | 0.500 |
| 23 | 25003-2328 | 14.961 | 16.535 | 0.625 |
| 23 | 25003-2330 | 3.375 | 4.750 | 0.500 |
| 23 | 25003-2331 | 2.953 | 4.213 | 0.500 |
| 23 | 25003-2333 | 3.375 | 4.875 | 0.500 |
| 23 | 25003-2337 | 18.750 | 20.250 | 0.500 |
| 23 | 25003-2341 | 5.905 | 7.087 | 0.630 |
| 23 | 25003-2343 | 9.625 | 11.000 | 0.750 |
| 23 | 25003-2344 | 10.000 | 11.640 | 0.750 |
| 23 | 25003-2345 | 3.438 | 4.500 | 0.500 |
| 23 | 25003-2348 | 3.437 | 4.625 | 0.500 |
| 23 | 25003-2350 | 10.827 | 12.205 | 0.591 |
| 23 | 25003-2352 | 10.000 | 11.375 | 0.500 |
| 23 | 25003-2355 | 4.187 | 5.312 | 0.500 |
| 23 | 25003-2358 | 3.125 | 4.500 | 0.438 |
| 23 | 25003-2364 | 3.500 | 4.375 | 0.375 |
| 23 | 25003-2366 | 3.500 | 4.500 | 0.500 |
| 23 | 25003-2372 | 3.500 | 4.750 | 0.500 |
| 23 | 25003-2376 | 10.500 | 11.500 | 0.375 |
| 23 | 25003-2383 | 13.500 | 14.919 | 0.700 |
| 23 | 25003-2385 | 3.238 | 4.180 | 0.500 |
| 23 | 25003-2389 | 15.748 | 17.716 | 0.709 |
| 23 | 25003-2391 | 7.750 | 9.000 | 0.750 |
| 23 | 25003-2393 | 3.562 | 4.625 | 0.500 |
| 23 | 25003-2395 | 12.125 | 13.375 | 0.750 |
| 23 | 25003-2396 | 3.562 | 4.750 | 0.500 |
| 23 | 25003-2406 | 3.562 | 4.438 | 0.438 |
| 23 | 25003-2409 | 5.500 | 6.750 | 0.575 |
| 23 | 25003-2415 | 3.625 | 5.000 | 0.500 |
| 23 | 25003-2417 | 3.625 | 4.625 | 0.500 |
| 23 | 25003-2420 | 3.625 | 4.750 | 0.500 |
| 23 | 25003-2423 | 3.625 | 4.875 | 0.500 |
| 23 | 25003-2426 | 3.625 | 4.999 | 0.500 |
| 23 | 25003-2429 | 3.625 | 5.125 | 0.500 |
| 23 | 25003-2439 | 19.688 | 21.688 | 0.812 |
| 23 | 25003-2441 | 3.687 | 4.750 | 0.500 |
| 23 | 25003-2444 | 3.687 | 4.875 | 0.500 |
| 23 | 25003-2447 | 3.687 | 4.999 | 0.500 |
| 23 | 25003-2450 | 3.687 | 5.125 | 0.500 |
| 23 | 25003-2454 | 12.205 | 13.937 | 0.787 |
| 23 | 25003-2457 | 6.890 | 8.071 | 0.591 |
| 23 | 25003-2458 | 10.357 | 11.500 | 0.625 |
| 23 | 25003-2462 | 3.750 | 4.750 | 0.500 |
| 23 | 25003-2465 | 3.750 | 4.875 | 0.500 |
| 23 | 25003-2468 | 3.750 | 4.999 | 0.500 |
| 23 | 25003-2471 | 3.750 | 5.125 | 0.500 |
| 23 | 25003-2472 | 12.250 | 14.000 | 0.625 |
| 23 | 25003-2474 | 3.750 | 5.250 | 0.500 |
| 23 | 25003-2475 | 61.417 | 63.417 | 0.812 |
| 23 | 25003-2477 | 44.094 | 46.063 | 0.812 |
| 23 | 25003-2483 | 3.812 | 4.875 | 0.500 |
| 23 | 25003-2484 | 19.685 | 21.457 | 0.787 |
| 23 | 25003-2485 | 9.055 | 10.180 | 0.494 |
| 23 | 25003-2486 | 3.812 | 4.999 | 0.500 |
| 23 | 25003-2491 | 16.187 | 17.437 | 0.750 |
| 23 | 25003-2493 | 3.938 | 4.999 | 0.438 |
| 23 | 25003-2495 | 3.812 | 5.375 | 0.500 |
| 23 | 25003-2496 | 4.803 | 5.906 | 0.500 |
| 23 | 25003-2497 | 12.750 | 14.750 | 0.812 |
| 23 | 25003-2499 | 17.400 | 19.400 | 0.812 |
| 23 | 25003-2500 | 7.874 | 9.374 | 0.752 |
| 23 | 25003-2501 | 3.875 | 4.875 | 0.500 |
| 23 | 25003-2505 | 20.000 | 21.250 | 0.625 |
| 23 | 25003-2507 | 3.875 | 5.125 | 0.500 |
| 23 | 25003-2509 | 25.000 | 26.875 | 0.750 |
| 23 | 25003-2510 | 3.875 | 5.250 | 0.500 |
| 23 | 25003-2513 | 3.875 | 5.375 | 0.500 |
| 23 | 25003-2518 | 4.987 | 6.000 | 0.500 |
| 23 | 25003-2519 | 3.937 | 4.999 | 0.500 |
| 23 | 25003-2523 | 3.938 | 4.938 | 0.438 |
| 23 | 25003-2522 | 3.937 | 5.125 | 0.500 |
| 23 | 25003-2525 | 3.937 | 5.250 | 0.500 |
| 23 | 25003-2530 | 9.500 | 10.937 | 0.750 |
| 23 | 25003-2533 | 4.016 | 5.438 | 0.500 |
| 23 | 25003-2537 | 4.000 | 4.999 | 0.500 |
| 23 | 25003-2540 | 4.000 | 5.125 | 0.500 |
| 23 | 25003-2543 | 4.000 | 5.250 | 0.500 |
| 23 | 25003-2546 | 4.000 | 5.375 | 0.500 |
| 23 | 25003-2548 | 3.938 | 5.125 | 0.468 |
| 23 | 25003-2549 | 4.000 | 5.500 | 0.500 |
| 23 | 25003-2553 | 4.000 | 5.500 | 0.438 |
| 23 | 25003-2554 | 4.000 | 4.875 | 0.500 |
| 23 | 25003-2557 | 4.000 | 4.937 | 0.500 |
| 23 | 25003-2560 | 6.062 | 7.062 | 0.375 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-2565 | 3.000 | 4.000 | 0.406 |
| 23 | 25003-2570 | 4.062 | 5.125 | 0.500 |
| 23 | 25003-2572 | 5.315 | 6.693 | 0.500 |
| 23 | 25003-2573 | 4.062 | 5.250 | 0.500 |
| 23 | 25003-2575 | 7.937 | 9.250 | 0.625 |
| 23 | 25003-2578 | 4.250 | 5.062 | 0.375 |
| 23 | 25003-2579 | 4.062 | 5.500 | 0.500 |
| 23 | 25003-2580 | 9.375 | 11.250 | 0.750 |
| 23 | 25003-2581 | 7.480 | 8.465 | 0.500 |
| 23 | 25003-2582 | 11.024 | 12.205 | 0.630 |
| 23 | 25003-2598 | 8.214 | 9.464 | 0.500 |
| 23 | 25003-2600 | 4.125 | 5.125 | 0.500 |
| 23 | 25003-2603 | 4.125 | 5.250 | 0.500 |
| 23 | 25003-2606 | 4.125 | 5.375 | 0.500 |
| 23 | 25003-2608 | 4.125 | 5.375 | 0.625 |
| 23 | 25003-2609 | 4.125 | 5.500 | 0.500 |
| 23 | 25003-2612 | 4.125 | 5.625 | 0.500 |
| 23 | 25003-2613 | 10.433 | 11.417 | 0.625 |
| 23 | 25003-2614 | 7.625 | 9.188 | 0.625 |
| 23 | 25003-2615 | 8.750 | 10.312 | 0.625 |
| 23 | 25003-2617 | 2.562 | 3.439 | 0.375 |
| 23 | 25003-2619 | 15.625 | 17.625 | 0.812 |
| 23 | 25003-2620 | 19.625 | 21.080 | 0.500 |
| 23 | 25003-2621 | 4.125 | 6.000 | 0.500 |
| 23 | 25003-2622 | 3.938 | 4.950 | 0.500 |
| 23 | 25003-2623 | 55.906 | 57.874 | 0.812 |
| 23 | 25003-2624 | 5.500 | 6.375 | 0.437 |
| 23 | 25003-2625 | 16.535 | 17.913 | 0.787 |
| 23 | 25003-2626 | 4.331 | 5.315 | 0.500 |
| 23 | 25003-2628 | 26.750 | 28.562 | 0.812 |
| 23 | 25003-2630 | 4.187 | 5.250 | 0.500 |
| 23 | 25003-2632 | 3.187 | 4.447 | 0.500 |
| 23 | 25003-2633 | 4.187 | 5.375 | 0.500 |
| 23 | 25003-2634 | 4.724 | 5.708 | 0.500 |
| 23 | 25003-2636 | 4.188 | 5.500 | 0.500 |
| 23 | 25003-2640 | 16.530 | 17.854 | 0.500 |
| 23 | 25003-2641 | 4.188 | 5.188 | 0.500 |
| 23 | 25003-2642 | 4.187 | 5.750 | 0.500 |
| 23 | 25003-2643 | 7.283 | 8.464 | 0.590 |
| 23 | 25003-2644 | 4.188 | 5.250 | 0.469 |
| 23 | 25003-2646 | 11.500 | 13.125 | 0.812 |
| 23 | 25003-2647 | 8.250 | 9.688 | 0.750 |
| 23 | 25003-2652 | 20.375 | 22.188 | 0.812 |
| 23 | 25003-2653 | 20.500 | 22.000 | 0.625 |
| 23 | 25003-2655 | 10.438 | 12.000 | 0.625 |
| 23 | 25003-2657 | 4.250 | 5.250 | 0.500 |
| 23 | 25003-2658 | 4.250 | 5.250 | 0.562 |
| 23 | 25003-2660 | 4.250 | 5.375 | 0.500 |
| 23 | 25003-2663 | 4.250 | 5.500 | 0.500 |
| 23 | 25003-2666 | 4.250 | 5.625 | 0.500 |
| 23 | 25003-2669 | 4.250 | 5.750 | 0.500 |
| 23 | 25003-2674 | 23.228 | 25.197 | 0.787 |
| 23 | 25003-2679 | 7.480 | 8.480 | 0.500 |
| 23 | 25003-2680 | 6.000 | 7.125 | 0.437 |
| 23 | 25003-2683 | 17.000 | 18.500 | 0.625 |
| 23 | 25003-2684 | 4.312 | 5.375 | 0.500 |
| 23 | 25003-2685 | 3.125 | 4.188 | 0.500 |
| 23 | 25003-2687 | 4.313 | 5.500 | 0.500 |
| 23 | 25003-2688 | 7.600 | 8.894 | 0.750 |
| 23 | 25003-2689 | 4.312 | 5.500 | 0.625 |
| 23 | 25003-2690 | 4.312 | 5.625 | 0.500 |
| 23 | 25003-2691 | 4.313 | 5.501 | 0.438 |
| 23 | 25003-2693 | 4.312 | 5.750 | 0.500 |
| 23 | 25003-2696 | 4.313 | 5.313 | 0.438 |
| 23 | 25003-2697 | 18.449 | 19.449 | 0.500 |
| 23 | 25003-2700 | 14.394 | 15.394 | 0.500 |
| 23 | 25003-2703 | 50.000 | 52.250 | 0.750 |
| 23 | 25003-2704 | 11.750 | 13.562 | 0.500 |
| 23 | 25003-2707 | 26.625 | 28.125 | 0.750 |
| 23 | 25003-2708 | 4.375 | 5.375 | 0.500 |
| 23 | 25003-2709 | 25.375 | 26.875 | 0.562 |
| 23 | 25003-2711 | 4.375 | 5.500 | 0.500 |
| 23 | 25003-2714 | 4.375 | 5.625 | 0.500 |
| 23 | 25003-2717 | 4.375 | 5.750 | 0.500 |
| 23 | 25003-2719 | 4.625 | 6.095 | 0.500 |
| 23 | 25003-2720 | 4.375 | 5.875 | 0.500 |
| 23 | 25003-2721 | 8.970 | 10.500 | 0.500 |
| 23 | 25003-2724 | 4.375 | 6.000 | 0.562 |
| 23 | 25003-2727 | 8.375 | 9.875 | 0.375 |
| 23 | 25003-2728 | 19.250 | 20.250 | 0.500 |
| 23 | 25003-2732 | 4.438 | 5.500 | 0.500 |
| 23 | 25003-2735 | 4.438 | 5.625 | 0.500 |
| 23 | 25003-2738 | 4.437 | 5.750 | 0.500 |
| 23 | 25003-2741 | 18.000 | 19.500 | 0.750 |
| 23 | 25003-2744 | 4.438 | 6.000 | 0.500 |
| 23 | 25003-2745 | 4.437 | 6.000 | 0.562 |
| 23 | 25003-2750 | 4.438 | 6.250 | 0.500 |
| 23 | 25003-2753 | 4.500 | 5.500 | 0.500 |
| 23 | 25003-2756 | 4.500 | 5.625 | 0.500 |
| 23 | 25003-2759 | 4.500 | 5.750 | 0.500 |
| 23 | 25003-2762 | 4.500 | 5.875 | 0.500 |
| 23 | 25003-2763 | 4.500 | 5.750 | 0.375 |
| 23 | 25003-2764 | 29.000 | 31.000 | 1.000 |
| 23 | 25003-2765 | 4.500 | 6.000 | 0.500 |
| 23 | 25003-2769 | 25.203 | 27.171 | 0.812 |
| 23 | 25003-2773 | 33.858 | 35.858 | 0.813 |
| 23 | 25003-2774 | 4.500 | 6.375 | 0.500 |
| 23 | 25003-2775 | 21.000 | 22.760 | 0.750 |
| 23 | 25003-2777 | 4.562 | 5.625 | 0.500 |
| 23 | 25003-2780 | 4.563 | 5.750 | 0.500 |
| 23 | 25003-2781 | 16.500 | 17.875 | 0.750 |
| 23 | 25003-2786 | 4.562 | 6.000 | 0.500 |
| 23 | 25003-2790 | 4.494 | 5.925 | 0.500 |
| 23 | 25003-2791 | 10.688 | 12.250 | 0.625 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-2792 | 4.562 | 6.250 | 0.500 |
| 23 | 25003-2793 | 5.938 | 7.438 | 0.500 |
| 23 | 25003-2794 | 32.156 | 34.250 | 0.750 |
| 23 | 25003-2796 | 28.740 | 31.260 | 0.748 |
| 23 | 25003-2798 | 4.625 | 5.625 | 0.500 |
| 23 | 25003-2801 | 4.625 | 5.750 | 0.500 |
| 23 | 25003-2804 | 4.625 | 5.875 | 0.500 |
| 23 | 25003-2807 | 4.625 | 6.000 | 0.500 |
| 23 | 25003-2808 | 16.110 | 18.110 | 0.787 |
| 23 | 25003-2810 | 4.625 | 6.125 | 0.500 |
| 23 | 25003-2813 | 4.625 | 6.250 | 0.500 |
| 23 | 25003-2816 | 4.438 | 5.875 | 0.500 |
| 23 | 25003-2819 | 4.687 | 5.750 | 0.500 |
| 23 | 25003-2822 | 4.687 | 5.875 | 0.500 |
| 23 | 25003-2826 | 6.693 | 7.874 | 0.472 |
| 23 | 25003-2828 | 7.087 | 8.268 | 0.472 |
| 23 | 25003-2829 | 8.661 | 9.843 | 0.472 |
| 23 | 25003-2833 | 8.268 | 9.449 | 0.472 |
| 23 | 25003-2837 | 4.750 | 5.750 | 0.500 |
| 23 | 25003-2840 | 4.750 | 5.875 | 0.500 |
| 23 | 25003-2843 | 4.750 | 6.000 | 0.500 |
| 23 | 25003-2846 | 4.750 | 6.125 | 0.500 |
| 23 | 25003-2849 | 4.750 | 6.250 | 0.500 |
| 23 | 25003-2855 | 4.812 | 5.875 | 0.500 |
| 23 | 25003-2858 | 4.812 | 6.000 | 0.500 |
| 23 | 25003-2861 | 4.812 | 6.125 | 0.500 |
| 23 | 25003-2866 | 7.480 | 8.677 | 0.500 |
| 23 | 25003-2870 | 4.875 | 5.875 | 0.500 |
| 23 | 25003-2873 | 4.875 | 6.000 | 0.500 |
| 23 | 25003-2875 | 4.875 | 6.000 | 0.625 |
| 23 | 25003-2876 | 4.875 | 6.125 | 0.500 |
| 23 | 25003-2878 | 4.875 | 6.125 | 0.625 |
| 23 | 25003-2879 | 4.875 | 6.250 | 0.500 |
| 23 | 25003-2880 | 4.875 | 6.250 | 0.562 |
| 23 | 25003-2882 | 4.875 | 6.375 | 0.500 |
| 23 | 25003-2887 | 4.921 | 5.906 | 0.472 |
| 23 | 25003-2890 | 6.063 | 7.063 | 0.390 |
| 23 | 25003-2893 | 4.938 | 5.938 | 0.438 |
| 23 | 25003-2894 | 4.937 | 6.000 | 0.500 |
| 23 | 25003-2896 | 4.937 | 6.000 | 0.625 |
| 23 | 25003-2897 | 4.938 | 6.125 | 0.500 |
| 23 | 25003-2900 | 4.938 | 6.250 | 0.500 |
| 23 | 25003-2903 | 4.938 | 6.375 | 0.500 |
| 23 | 25003-2904 | 4.937 | 6.375 | 0.562 |
| 23 | 25003-2907 | 29.750 | 31.750 | 0.875 |
| 23 | 25003-2910 | 4.938 | 5.875 | 0.500 |
| 23 | 25003-2911 | 12.598 | 14.330 | 0.787 |
| 23 | 25003-2915 | 5.000 | 6.000 | 0.500 |
| 23 | 25003-2918 | 5.000 | 6.125 | 0.500 |
| 23 | 25003-2919 | 5.000 | 6.125 | 0.563 |
| 23 | 25003-2921 | 5.000 | 6.250 | 0.500 |
| 23 | 25003-2922 | 5.000 | 6.250 | 0.562 |
| 23 | 25003-2923 | 5.000 | 6.250 | 0.625 |
| 23 | 25003-2924 | 5.000 | 6.375 | 0.500 |
| 23 | 25003-2926 | 5.000 | 6.375 | 0.625 |
| 23 | 25003-2927 | 5.000 | 6.500 | 0.500 |
| 23 | 25003-2928 | 5.000 | 6.500 | 0.562 |
| 23 | 25003-2943 | 3.437 | 4.875 | 0.437 |
| 23 | 25003-2944 | 16.625 | 18.500 | 0.750 |
| 23 | 25003-2946 | 2.938 | 4.064 | 0.500 |
| 23 | 25003-2949 | 4.291 | 5.394 | 0.500 |
| 23 | 25003-2954 | 5.062 | 6.125 | 0.500 |
| 23 | 25003-2965 | 3.438 | 4.460 | 0.500 |
| 23 | 25003-2966 | 2.953 | 3.937 | 0.375 |
| 23 | 25003-2968 | 11.250 | 12.530 | 0.625 |
| 23 | 25003-2970 | 8.250 | 9.312 | 0.437 |
| 23 | 25003-2973 | 5.000 | 6.437 | 0.500 |
| 23 | 25003-2974 | 5.000 | 5.875 | 0.500 |
| 23 | 25003-2976 | 8.471 | 9.850 | 0.630 |
| 23 | 25003-2977 | 4.938 | 5.750 | 0.500 |
| 23 | 25003-2980 | 13.750 | 15.250 | 0.500 |
| 23 | 25003-2983 | 6.750 | 8.000 | 0.375 |
| 23 | 25003-2984 | 4.435 | 5.594 | 0.500 |
| 23 | 25003-2985 | 4.000 | 5.625 | 0.375 |
| 23 | 25003-2988 | 5.118 | 6.299 | 0.591 |
| 23 | 25003-2990 | 5.125 | 6.125 | 0.500 |
| 23 | 25003-2993 | 5.125 | 6.250 | 0.500 |
| 23 | 25003-2994 | 5.125 | 6.250 | 0.562 |
| 23 | 25003-2996 | 5.125 | 6.375 | 0.500 |
| 23 | 25003-2997 | 5.125 | 6.375 | 0.562 |
| 23 | 25003-2998 | 5.125 | 6.375 | 0.625 |
| 23 | 25003-2999 | 5.125 | 6.500 | 0.500 |
| 23 | 25003-3001 | 5.125 | 6.500 | 0.625 |
| 23 | 25003-3007 | 8.375 | 9.750 | 0.625 |
| 23 | 25003-3012 | 4.309 | 5.348 | 0.375 |
| 23 | 25003-3026 | 5.187 | 6.250 | 0.500 |
| 23 | 25003-3029 | 5.188 | 6.375 | 0.500 |
| 23 | 25003-3032 | 5.187 | 6.500 | 0.500 |
| 23 | 25003-3057 | 20.000 | 21.500 | 0.625 |
| 23 | 25003-3059 | 5.250 | 6.250 | 0.500 |
| 23 | 25003-3062 | 5.250 | 6.375 | 0.500 |
| 23 | 25003-3065 | 5.250 | 6.500 | 0.500 |
| 23 | 25003-3067 | 5.250 | 6.500 | 0.625 |
| 23 | 25003-3068 | 5.250 | 6.625 | 0.500 |
| 23 | 25003-3071 | 5.250 | 6.750 | 0.500 |
| 23 | 25003-3073 | 5.250 | 6.750 | 0.625 |
| 23 | 25003-3083 | 33.000 | 35.000 | 0.750 |
| 23 | 25003-3088 | 20.939 | 22.939 | 0.812 |
| 23 | 25003-3090 | 5.302 | 6.302 | 0.500 |
| 23 | 25003-3091 | 15.000 | 16.375 | 0.531 |
| 23 | 25003-3092 | 5.313 | 6.375 | 0.500 |
| 23 | 25003-3093 | 12.205 | 13.780 | 0.709 |
| 23 | 25003-3094 | 7.000 | 8.187 | 0.625 |
| 23 | 25003-3095 | 5.312 | 6.500 | 0.500 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-3096 | 3.820 | 5.042 | 0.375 |
| 23 | 25003-3098 | 5.312 | 6.625 | 0.500 |
| 23 | 25003-3105 | 9.500 | 10.875 | 0.750 |
| 23 | 25003-3109 | 7.059 | 8.249 | 0.625 |
| 23 | 25003-3110 | 9.945 | 11.560 | 0.750 |
| 23 | 25003-3112 | 8.464 | 9.339 | 0.437 |
| 23 | 25003-3114 | 13.469 | 14.680 | 0.500 |
| 23 | 25003-3117 | 8.500 | 10.062 | 0.750 |
| 23 | 25003-3118 | 5.315 | 6.693 | 0.591 |
| 23 | 25003-3122 | 5.375 | 6.375 | 0.500 |
| 23 | 25003-3125 | 5.375 | 6.500 | 0.500 |
| 23 | 25003-3126 | 5.375 | 6.500 | 0.562 |
| 23 | 25003-3127 | 5.375 | 6.500 | 0.625 |
| 23 | 25003-3128 | 5.375 | 6.625 | 0.500 |
| 23 | 25003-3129 | 5.375 | 6.625 | 0.562 |
| 23 | 25003-3130 | 5.375 | 6.625 | 0.625 |
| 23 | 25003-3131 | 5.375 | 6.750 | 0.500 |
| 23 | 25003-3132 | 9.448 | 11.417 | 0.630 |
| 23 | 25003-3134 | 5.375 | 6.875 | 0.500 |
| 23 | 25003-3137 | 12.250 | 13.875 | 0.625 |
| 23 | 25003-3138 | 69.125 | 71.125 | 0.812 |
| 23 | 25003-3140 | 53.000 | 54.882 | 0.881 |
| 23 | 25003-3141 | 26.220 | 27.220 | 0.500 |
| 23 | 25003-3143 | 4.875 | 6.062 | 0.500 |
| 23 | 25003-3144 | 5.438 | 6.875 | 0.750 |
| 23 | 25003-3146 | 10.000 | 11.250 | 0.687 |
| 23 | 25003-3147 | 75.000 | 77.000 | 1.000 |
| 23 | 25003-3148 | 5.512 | 7.087 | 0.625 |
| 23 | 25003-3149 | 14.750 | 16.625 | 0.812 |
| 23 | 25003-3150 | 10.438 | 11.688 | 0.812 |
| 23 | 25003-3152 | 5.438 | 6.625 | 0.500 |
| 23 | 25003-3154 | 11.150 | 12.375 | 0.625 |
| 23 | 25003-3155 | 5.437 | 6.750 | 0.500 |
| 23 | 25003-3157 | 5.437 | 6.750 | 0.625 |
| 23 | 25003-3159 | 4.375 | 5.250 | 0.375 |
| 23 | 25003-3160 | 9.000 | 10.672 | 0.750 |
| 23 | 25003-3163 | 5.225 | 6.513 | 0.625 |
| 23 | 25003-3165 | 29.527 | 31.496 | 0.787 |
| 23 | 25003-3168 | 6.500 | 7.375 | 0.500 |
| 23 | 25003-3169 | 29.527 | 31.496 | 0.905 |
| 23 | 25003-3170 | 12.992 | 14.724 | 0.748 |
| 23 | 25003-3171 | 5.897 | 7.147 | 0.625 |
| 23 | 25003-3172 | 3.125 | 4.008 | 0.375 |
| 23 | 25003-3176 | 5.500 | 6.500 | 0.500 |
| 23 | 25003-3179 | 5.500 | 6.625 | 0.500 |
| 23 | 25003-3180 | 5.500 | 6.625 | 0.562 |
| 23 | 25003-3182 | 5.500 | 6.750 | 0.500 |
| 23 | 25003-3184 | 5.500 | 6.750 | 0.625 |
| 23 | 25003-3185 | 5.500 | 6.875 | 0.500 |
| 23 | 25003-3188 | 5.500 | 7.000 | 0.500 |
| 23 | 25003-3190 | 5.500 | 7.000 | 0.625 |
| 23 | 25003-3195 | 9.125 | 10.125 | 0.375 |
| 23 | 25003-3196 | 6.000 | 7.406 | 0.588 |
| 23 | 25003-3197 | 5.708 | 7.086 | 0.630 |
| 23 | 25003-3198 | 10.250 | 11.500 | 0.500 |
| 23 | 25003-3199 | 8.000 | 9.250 | 0.437 |
| 23 | 25003-3203 | 5.562 | 6.625 | 0.500 |
| 23 | 25003-3204 | 5.512 | 6.890 | 0.709 |
| 23 | 25003-3207 | 2.431 | 3.400 | 0.500 |
| 23 | 25003-3209 | 12.795 | 14.370 | 0.630 |
| 23 | 25003-3212 | 5.500 | 6.625 | 0.406 |
| 23 | 25003-3216 | 6.875 | 8.062 | 0.563 |
| 23 | 25003-3217 | 7.750 | 8.812 | 0.500 |
| 23 | 25003-3220 | 22.958 | 24.958 | 0.812 |
| 23 | 25003-3222 | 15.108 | 16.750 | 0.750 |
| 23 | 25003-3223 | 16.750 | 18.000 | 0.750 |
| 23 | 25003-3224 | 12.750 | 14.000 | 0.500 |
| 23 | 25003-3228 | 5.625 | 6.625 | 0.500 |
| 23 | 25003-3229 | 3.938 | 5.118 | 0.375 |
| 23 | 25003-3231 | 5.625 | 6.750 | 0.500 |
| 23 | 25003-3233 | 5.625 | 6.750 | 0.625 |
| 23 | 25003-3234 | 5.625 | 6.875 | 0.500 |
| 23 | 25003-3236 | 5.625 | 6.875 | 0.625 |
| 23 | 25003-3239 | 11.750 | 13.000 | 0.813 |
| 23 | 25003-3240 | 5.625 | 7.125 | 0.500 |
| 23 | 25003-3241 | 6.750 | 8.500 | 0.500 |
| 23 | 25003-3247 | 17.000 | 18.250 | 0.500 |
| 23 | 25003-3248 | 3.937 | 4.921 | 0.500 |
| 23 | 25003-3250 | 14.370 | 15.866 | 0.748 |
| 23 | 25003-3251 | 6.889 | 7.874 | 0.500 |
| 23 | 25003-3253 | 5.687 | 6.750 | 0.500 |
| 23 | 25003-3255 | 9.250 | 10.375 | 0.625 |
| 23 | 25003-3256 | 3.750 | 5.250 | 0.438 |
| 23 | 25003-3257 | 7.000 | 8.000 | 0.375 |
| 23 | 25003-3258 | 5.688 | 6.750 | 0.625 |
| 23 | 25003-3261 | 11.063 | 12.313 | 0.625 |
| 23 | 25003-3262 | 14.810 | 15.685 | 0.375 |
| 23 | 25003-3269 | 6.299 | 7.274 | 0.750 |
| 23 | 25003-3275 | 5.750 | 6.750 | 0.500 |
| 23 | 25003-3276 | 5.750 | 6.750 | 0.438 |
| 23 | 25003-3278 | 5.750 | 6.875 | 0.500 |
| 23 | 25003-3279 | 5.750 | 6.875 | 0.562 |
| 23 | 25003-3280 | 5.750 | 6.875 | 0.625 |
| 23 | 25003-3281 | 5.750 | 7.000 | 0.500 |
| 23 | 25003-3282 | 5.750 | 7.000 | 0.562 |
| 23 | 25003-3283 | 5.750 | 7.000 | 0.625 |
| 23 | 25003-3284 | 5.750 | 7.125 | 0.500 |
| 23 | 25003-3287 | 5.750 | 7.250 | 0.500 |
| 23 | 25003-3288 | 5.750 | 7.500 | 0.562 |
| 23 | 25003-3293 | 5.750 | 7.500 | 0.500 |
| 23 | 25003-3298 | 8.125 | 9.250 | 0.625 |
| 23 | 25003-3303 | 5.875 | 6.750 | 0.625 |
| 23 | 25003-3308 | 5.813 | 7.250 | 0.625 |
| 23 | 25003-3316 | 5.875 | 6.875 | 0.500 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-3319 | 5.875 | 7.000 | 0.500 |
| 23 | 25003-3324 | 5.875 | 7.125 | 0.625 |
| 23 | 25003-3325 | 5.875 | 7.250 | 0.500 |
| 23 | 25003-3327 | 5.906 | 7.087 | 0.591 |
| 23 | 25003-3328 | 5.875 | 7.375 | 0.500 |
| 23 | 25003-3330 | 5.875 | 7.375 | 0.625 |
| 23 | 25003-3332 | 5.875 | 7.500 | 0.563 |
| 23 | 25003-3335 | 5.937 | 7.000 | 0.500 |
| 23 | 25003-3343 | 5.938 | 7.250 | 0.625 |
| 23 | 25003-3344 | 5.938 | 7.375 | 0.500 |
| 23 | 25003-3351 | 5.938 | 7.625 | 0.500 |
| 23 | 25003-3355 | 6.000 | 7.000 | 0.500 |
| 23 | 25003-3357 | 6.000 | 7.000 | 0.625 |
| 23 | 25003-3359 | 6.000 | 7.125 | 0.562 |
| 23 | 25003-3360 | 6.000 | 7.125 | 0.625 |
| 23 | 25003-3361 | 6.000 | 7.250 | 0.500 |
| 23 | 25003-3363 | 6.000 | 7.250 | 0.625 |
| 23 | 25003-3364 | 6.000 | 7.375 | 0.500 |
| 23 | 25003-3367 | 6.000 | 7.500 | 0.500 |
| 23 | 25003-3369 | 6.000 | 7.500 | 0.625 |
| 23 | 25003-3370 | 6.000 | 7.500 | 0.750 |
| 23 | 25003-3375 | 6.125 | 7.125 | 0.500 |
| 23 | 25003-3376 | 6.063 | 7.063 | 0.438 |
| 23 | 25003-3378 | 6.125 | 7.250 | 0.500 |
| 23 | 25003-3380 | 6.125 | 7.250 | 0.625 |
| 23 | 25003-3381 | 6.125 | 7.375 | 0.500 |
| 23 | 25003-3383 | 6.125 | 7.375 | 0.625 |
| 23 | 25003-3387 | 6.125 | 7.500 | 0.750 |
| 23 | 25003-3388 | 6.250 | 7.250 | 0.500 |
| 23 | 25003-3390 | 6.250 | 7.250 | 0.625 |
| 23 | 25003-3391 | 6.250 | 7.375 | 0.500 |
| 23 | 25003-3394 | 6.250 | 7.500 | 0.500 |
| 23 | 25003-3395 | 6.250 | 7.500 | 0.562 |
| 23 | 25003-3396 | 6.250 | 7.500 | 0.625 |
| 23 | 25003-3398 | 6.250 | 7.625 | 0.500 |
| 23 | 25003-3402 | 6.250 | 7.750 | 0.500 |
| 23 | 25003-3404 | 6.250 | 7.750 | 0.625 |
| 23 | 25003-3405 | 6.250 | 7.750 | 0.750 |
| 23 | 25003-3406 | 6.375 | 7.375 | 0.500 |
| 23 | 25003-3409 | 6.375 | 7.500 | 0.500 |
| 23 | 25003-3413 | 6.375 | 7.625 | 0.500 |
| 23 | 25003-3415 | 6.375 | 7.625 | 0.625 |
| 23 | 25003-3417 | 6.375 | 7.750 | 0.500 |
| 23 | 25003-3419 | 6.375 | 7.500 | 0.625 |
| 23 | 25003-3421 | 6.375 | 7.875 | 0.500 |
| 23 | 25003-3423 | 6.375 | 7.875 | 0.625 |
| 23 | 25003-3424 | 6.375 | 7.875 | 0.750 |
| 23 | 25003-3425 | 6.438 | 7.750 | 0.750 |
| 23 | 25003-3426 | 6.500 | 7.500 | 0.625 |
| 23 | 25003-3428 | 6.500 | 7.625 | 0.625 |
| 23 | 25003-3430 | 6.500 | 7.750 | 0.625 |
| 23 | 25003-3431 | 6.500 | 7.750 | 0.750 |
| 23 | 25003-3432 | 6.500 | 7.875 | 0.625 |
| 23 | 25003-3434 | 6.500 | 8.000 | 0.625 |
| 23 | 25003-3435 | 6.500 | 8.000 | 0.750 |
| 23 | 25003-3436 | 6.625 | 7.625 | 0.625 |
| 23 | 25003-3438 | 6.625 | 7.750 | 0.625 |
| 23 | 25003-3440 | 6.625 | 7.875 | 0.625 |
| 23 | 25003-3442 | 6.625 | 8.000 | 0.625 |
| 23 | 25003-3444 | 6.625 | 8.125 | 0.625 |
| 23 | 25003-3445 | 6.625 | 8.125 | 0.750 |
| 23 | 25003-3455 | 6.750 | 7.750 | 0.438 |
| 23 | 25003-3456 | 6.750 | 7.750 | 0.625 |
| 23 | 25003-3458 | 6.750 | 7.875 | 0.625 |
| 23 | 25003-3459 | 6.750 | 7.875 | 0.375 |
| 23 | 25003-3460 | 6.750 | 8.000 | 0.625 |
| 23 | 25003-3462 | 6.750 | 8.125 | 0.625 |
| 23 | 25003-3464 | 6.750 | 8.250 | 0.625 |
| 23 | 25003-3465 | 6.750 | 8.250 | 0.750 |
| 23 | 25003-3476 | 6.875 | 8.000 | 0.625 |
| 23 | 25003-3477 | 6.875 | 7.875 | 0.438 |
| 23 | 25003-3478 | 6.875 | 8.125 | 0.625 |
| 23 | 25003-3480 | 6.875 | 8.250 | 0.625 |
| 23 | 25003-3481 | 6.875 | 8.250 | 0.750 |
| 23 | 25003-3482 | 6.875 | 8.375 | 0.625 |
| 23 | 25003-3483 | 6.875 | 8.375 | 0.750 |
| 23 | 25003-3490 | 6.937 | 8.125 | 0.750 |
| 23 | 25003-3492 | 7.000 | 8.000 | 0.625 |
| 23 | 25003-3494 | 7.000 | 8.125 | 0.625 |
| 23 | 25003-3495 | 7.000 | 8.125 | 0.750 |
| 23 | 25003-3496 | 7.000 | 8.250 | 0.625 |
| 23 | 25003-3497 | 7.000 | 8.250 | 0.750 |
| 23 | 25003-3498 | 7.000 | 8.375 | 0.625 |
| 23 | 25003-3499 | 7.000 | 8.375 | 0.750 |
| 23 | 25003-3500 | 7.000 | 8.500 | 0.625 |
| 23 | 25003-3501 | 7.000 | 8.500 | 0.750 |
| 23 | 25003-3502 | 7.000 | 8.000 | 0.438 |
| 23 | 25003-3506 | 7.125 | 8.125 | 0.625 |
| 23 | 25003-3508 | 7.125 | 8.250 | 0.625 |
| 23 | 25003-3510 | 7.125 | 8.375 | 0.625 |
| 23 | 25003-3512 | 7.125 | 8.500 | 0.625 |
| 23 | 25003-3515 | 7.125 | 8.625 | 0.750 |
| 23 | 25003-3518 | 7.250 | 8.250 | 0.625 |
| 23 | 25003-3521 | 7.188 | 8.437 | 0.625 |
| 23 | 25003-3522 | 7.250 | 8.500 | 0.625 |
| 23 | 25003-3523 | 7.250 | 8.500 | 0.750 |
| 23 | 25003-3524 | 7.250 | 8.625 | 0.625 |
| 23 | 25003-3525 | 7.250 | 8.625 | 0.750 |
| 23 | 25003-3526 | 7.250 | 8.750 | 0.625 |
| 23 | 25003-3527 | 7.250 | 8.750 | 0.750 |
| 23 | 25003-3528 | 7.375 | 8.375 | 0.625 |
| 23 | 25003-3530 | 7.375 | 8.500 | 0.625 |
| 23 | 25003-3532 | 7.375 | 8.625 | 0.625 |
| 23 | 25003-3533 | 7.375 | 8.625 | 0.750 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-3536 | 7.375 | 8.875 | 0.625 |
| 23 | 25003-3537 | 7.375 | 8.875 | 0.750 |
| 23 | 25003-3538 | 7.375 | 9.000 | 0.625 |
| 23 | 25003-3544 | 7.500 | 8.500 | 0.625 |
| 23 | 25003-3546 | 7.500 | 8.625 | 0.625 |
| 23 | 25003-3548 | 7.500 | 8.750 | 0.625 |
| 23 | 25003-3552 | 7.500 | 9.000 | 0.625 |
| 23 | 25003-3553 | 7.500 | 9.000 | 0.750 |
| 23 | 25003-3554 | 7.500 | 9.125 | 0.625 |
| 23 | 25003-3558 | 7.625 | 8.625 | 0.625 |
| 23 | 25003-3562 | 7.625 | 8.875 | 0.625 |
| 23 | 25003-3564 | 7.625 | 9.000 | 0.625 |
| 23 | 25003-3566 | 7.625 | 9.125 | 0.625 |
| 23 | 25003-3567 | 7.625 | 9.125 | 0.750 |
| 23 | 25003-3570 | 7.750 | 8.750 | 0.625 |
| 23 | 25003-3573 | 7.750 | 8.875 | 0.750 |
| 23 | 25003-3574 | 7.750 | 9.000 | 0.625 |
| 23 | 25003-3576 | 7.750 | 9.125 | 0.625 |
| 23 | 25003-3578 | 7.750 | 9.250 | 0.625 |
| 23 | 25003-3579 | 7.750 | 9.250 | 0.750 |
| 23 | 25003-3580 | 7.875 | 8.875 | 0.625 |
| 23 | 25003-3581 | 7.812 | 8.812 | 0.438 |
| 23 | 25003-3584 | 7.875 | 9.125 | 0.625 |
| 23 | 25003-3586 | 7.875 | 9.250 | 0.625 |
| 23 | 25003-3587 | 7.875 | 9.250 | 0.750 |
| 23 | 25003-3588 | 7.875 | 9.375 | 0.625 |
| 23 | 25003-3589 | 7.875 | 9.375 | 0.750 |
| 23 | 25003-3590 | 7.937 | 9.125 | 0.625 |
| 23 | 25003-3592 | 8.000 | 9.000 | 0.625 |
| 23 | 25003-3594 | 8.000 | 9.125 | 0.625 |
| 23 | 25003-3595 | 8.000 | 9.125 | 0.750 |
| 23 | 25003-3596 | 8.000 | 9.250 | 0.625 |
| 23 | 25003-3597 | 8.000 | 9.250 | 0.750 |
| 23 | 25003-3598 | 8.000 | 9.375 | 0.625 |
| 23 | 25003-3600 | 8.000 | 9.500 | 0.625 |
| 23 | 25003-3601 | 8.000 | 9.500 | 0.750 |
| 23 | 25003-3604 | 8.250 | 9.250 | 0.625 |
| 23 | 25003-3606 | 8.250 | 9.500 | 0.625 |
| 23 | 25003-3608 | 8.375 | 9.750 | 0.750 |
| 23 | 25003-3611 | 8.625 | 10.625 | 0.750 |
| 23 | 25003-3616 | 9.000 | 10.125 | 0.750 |
| 23 | 25003-3619 | 9.000 | 10.500 | 0.750 |
| 23 | 25003-3620 | 9.000 | 10.625 | 0.750 |
| 23 | 25003-3621 | 9.000 | 10.750 | 0.750 |
| 23 | 25003-3622 | 9.000 | 10.875 | 0.750 |
| 23 | 25003-3623 | 9.000 | 11.000 | 0.750 |
| 23 | 25003-3632 | 9.250 | 10.750 | 0.750 |
| 23 | 25003-3636 | 9.437 | 10.625 | 0.750 |
| 23 | 25003-3638 | 9.500 | 10.500 | 0.625 |
| 23 | 25003-3640 | 9.500 | 10.750 | 0.625 |
| 23 | 25003-3642 | 9.500 | 11.000 | 0.625 |
| 23 | 25003-3645 | 9.500 | 11.375 | 0.625 |
| 23 | 25003-3646 | 9.500 | 11.500 | 0.625 |
| 23 | 25003-3652 | 9.750 | 11.000 | 0.750 |
| 23 | 25003-3654 | 9.750 | 11.250 | 0.750 |
| 23 | 25003-3660 | 10.000 | 11.000 | 0.562 |
| 23 | 25003-3661 | 10.000 | 11.125 | 0.563 |
| 23 | 25003-3662 | 10.000 | 11.250 | 0.562 |
| 23 | 25003-3666 | 10.000 | 11.750 | 0.562 |
| 23 | 25003-3672 | 10.000 | 11.500 | 0.750 |
| 23 | 25003-3676 | 10.250 | 12.250 | 0.750 |
| 23 | 25003-3682 | 10.750 | 11.750 | 0.562 |
| 23 | 25003-3685 | 10.750 | 12.250 | 0.562 |
| 23 | 25003-3686 | 10.750 | 12.500 | 0.562 |
| 23 | 25003-3687 | 10.750 | 12.750 | 0.562 |
| 23 | 25003-3691 | 11.000 | 12.000 | 0.625 |
| 23 | 25003-3692 | 11.000 | 12.250 | 0.625 |
| 23 | 25003-3693 | 11.000 | 12.500 | 0.625 |
| 23 | 25003-3695 | 11.062 | 12.250 | 0.750 |
| 23 | 25003-3696 | 11.063 | 12.500 | 0.750 |
| 23 | 25003-3701 | 12.000 | 13.750 | 0.688 |
| 23 | 25003-3712 | 12.500 | 13.500 | 0.625 |
| 23 | 25003-3728 | 14.500 | 16.500 | 0.750 |
| 23 | 25003-3741 | 18.000 | 19.500 | 0.750 |
| 23 | 25003-3760 | 21.125 | 22.125 | 0.500 |
| 23 | 25003-3773 | 19.000 | 21.500 | 0.875 |
| 23 | 25003-3779 | 19.500 | 21.000 | 0.750 |
| 23 | 25003-3796 | 30.000 | 32.000 | 1.000 |
| 23 | 25003-3813 | 32.500 | 34.500 | 1.000 |
| 23 | 25003-3818 | 8.250 | 9.500 | 0.750 |
| 23 | 25003-3830 | 34.500 | 36.500 | 1.000 |
| 23 | 25003-3832 | 8.875 | 10.125 | 0.625 |
| 23 | 25003-3853 | 12.000 | 14.000 | 0.625 |
| 23 | 25003-3868 | 16.500 | 17.750 | 0.750 |
| 23 | 25003-3885 | 1.750 | 3.189 | 0.500 |
| 23 | 25003-3911 | 7.480 | 8.858 | 0.629 |
| 23 | 25003-3913 | 6.299 | 7.480 | 0.629 |
| 23 | 25003-3914 | 7.874 | 9.055 | 0.551 |
| 23 | 25003-3917 | 6.438 | 7.500 | 0.500 |
| 23 | 25003-2920 | 7.087 | 8.268 | 0.630 |
| 23 | 25003-3921 | 8.000 | 9.500 | 0.687 |
| 23 | 25003-3928 | 8.125 | 9.625 | 0.750 |
| 23 | 25003-3930 | 7.971 | 9.000 | 0.375 |
| 23 | 25003-3933 | 8.375 | 9.875 | 0.687 |
| 23 | 25003-3934 | 8.375 | 9.875 | 0.750 |
| 23 | 25003-3935 | 8.500 | 9.500 | 0.625 |
| 23 | 25003-3937 | 8.500 | 10.000 | 0.750 |
| 23 | 25003-3938 | 8.500 | 10.500 | 0.812 |
| 23 | 25003-3940 | 8.625 | 10.125 | 0.750 |
| 23 | 25003-3941 | 8.625 | 10.250 | 0.750 |
| 23 | 25003-3942 | 8.661 | 9.842 | 0.630 |
| 23 | 25003-3947 | 8.750 | 10.250 | 0.750 |
| 23 | 25003-3948 | 8.750 | 10.375 | 0.750 |
| 23 | 25003-3949 | 8.750 | 10.500 | 0.750 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-3951 | 8.750 | 10.750 | 0.750 |
| 23 | 25003-3952 | 8.750 | 10.750 | 0.812 |
| 23 | 25003-3953 | 8.875 | 10.875 | 0.812 |
| 23 | 25003-3955 | 9.000 | 11.000 | 0.812 |
| 23 | 25003-3958 | 9.125 | 10.625 | 0.750 |
| 23 | 25003-3959 | 9.125 | 10.750 | 0.750 |
| 23 | 25003-3965 | 9.250 | 11.000 | 0.750 |
| 23 | 25003-3966 | 7.985 | 9.000 | 0.375 |
| 23 | 25003-3967 | 9.250 | 11.250 | 0.750 |
| 23 | 25003-3971 | 9.375 | 10.875 | 0.750 |
| 23 | 25003-3972 | 9.375 | 11.000 | 0.750 |
| 23 | 25003-3973 | 9.449 | 11.024 | 0.748 |
| 23 | 25003-3977 | 9.437 | 10.500 | 0.625 |
| 23 | 25003-3979 | 9.500 | 11.000 | 0.750 |
| 23 | 25003-3981 | 9.500 | 11.250 | 0.750 |
| 23 | 25003-3983 | 9.500 | 11.500 | 0.750 |
| 23 | 25003-3984 | 9.500 | 11.500 | 0.812 |
| 23 | 25003-3985 | 9.750 | 11.250 | 0.688 |
| 23 | 25003-3989 | 9.750 | 11.750 | 0.750 |
| 23 | 25003-3990 | 9.875 | 11.375 | 0.750 |
| 23 | 25003-3991 | 9.875 | 11.500 | 0.750 |
| 23 | 25003-3992 | 10.000 | 11.500 | 0.688 |
| 23 | 25003-3993 | 10.000 | 11.625 | 0.750 |
| 23 | 25003-3994 | 10.000 | 11.750 | 0.750 |
| 23 | 25003-3995 | 10.000 | 12.000 | 0.625 |
| 23 | 25003-3996 | 10.000 | 12.000 | 0.750 |
| 23 | 25003-3997 | 10.000 | 12.000 | 0.812 |
| 23 | 25003-4000 | 10.125 | 11.625 | 0.750 |
| 23 | 25003-4003 | 10.125 | 12.000 | 0.750 |
| 23 | 25003-4005 | 10.250 | 11.750 | 0.750 |
| 23 | 25003-4007 | 10.250 | 12.000 | 0.750 |
| 23 | 25003-4009 | 10.250 | 12.250 | 0.812 |
| 23 | 25003-4011 | 10.500 | 12.000 | 0.688 |
| 23 | 25003-4012 | 10.500 | 12.000 | 0.750 |
| 23 | 25003-4013 | 10.500 | 12.125 | 0.750 |
| 23 | 25003-4014 | 10.500 | 12.250 | 0.750 |
| 23 | 25003-4016 | 10.500 | 12.500 | 0.750 |
| 23 | 25003-4017 | 10.500 | 12.500 | 0.812 |
| 23 | 25003-4018 | 10.625 | 12.125 | 0.750 |
| 23 | 25003-4019 | 10.625 | 12.250 | 0.750 |
| 23 | 25003-4020 | 10.625 | 12.375 | 0.750 |
| 23 | 25003-4024 | 10.750 | 12.250 | 0.750 |
| 23 | 25003-4030 | 10.750 | 12.750 | 0.750 |
| 23 | 25003-4031 | 10.750 | 12.750 | 0.812 |
| 23 | 25003-4032 | 10.875 | 12.375 | 0.750 |
| 23 | 25003-4036 | 11.000 | 13.000 | 0.812 |
| 23 | 25003-4046 | 11.250 | 12.750 | 0.750 |
| 23 | 25003-4047 | 11.250 | 13.250 | 0.812 |
| 23 | 25003-4049 | 11.125 | 13.125 | 0.812 |
| 23 | 25003-4050 | 11.375 | 12.875 | 0.750 |
| 23 | 25003-4051 | 11.375 | 13.000 | 0.750 |
| 23 | 25003-4057 | 11.500 | 13.000 | 0.688 |
| 23 | 25003-4058 | 11.500 | 13.000 | 0.750 |
| 23 | 25003-4060 | 11.500 | 13.250 | 0.750 |
| 23 | 25003-4061 | 11.500 | 13.375 | 0.750 |
| 23 | 25003-4062 | 11.500 | 13.500 | 0.750 |
| 23 | 25003-4063 | 11.500 | 13.500 | 0.812 |
| 23 | 25003-4064 | 11.750 | 13.250 | 0.688 |
| 23 | 25003-4065 | 11.750 | 13.250 | 0.750 |
| 23 | 25003-4067 | 12.000 | 13.500 | 0.750 |
| 23 | 25003-4068 | 12.000 | 13.625 | 0.750 |
| 23 | 25003-4071 | 12.000 | 14.000 | 0.750 |
| 23 | 25003-4072 | 12.000 | 14.000 | 0.812 |
| 23 | 25003-4074 | 12.250 | 13.750 | 0.750 |
| 23 | 25003-4075 | 12.250 | 14.250 | 0.812 |
| 23 | 25003-4077 | 12.375 | 13.875 | 0.750 |
| 23 | 25003-4079 | 12.500 | 14.000 | 0.688 |
| 23 | 25003-4080 | 12.500 | 14.000 | 0.750 |
| 23 | 25003-4082 | 12.500 | 14.500 | 0.750 |
| 23 | 25003-4083 | 12.500 | 14.500 | 0.812 |
| 23 | 25003-4086 | 12.625 | 14.125 | 0.750 |
| 23 | 25003-4088 | 12.750 | 14.250 | 0.625 |
| 23 | 25003-4089 | 12.750 | 14.250 | 0.688 |
| 23 | 25003-4093 | 13.000 | 14.500 | 0.687 |
| 23 | 25003-4094 | 13.000 | 14.500 | 0.750 |
| 23 | 25003-4095 | 13.000 | 14.625 | 0.750 |
| 23 | 25003-4098 | 13.000 | 15.000 | 0.750 |
| 23 | 25003-4099 | 13.000 | 15.000 | 0.812 |
| 23 | 25003-4102 | 13.250 | 14.750 | 0.750 |
| 23 | 25003-4103 | 13.250 | 14.875 | 0.750 |
| 23 | 25003-4121 | 13.500 | 15.000 | 0.687 |
| 23 | 25003-4122 | 13.500 | 15.000 | 0.750 |
| 23 | 25003-4127 | 13.500 | 15.500 | 0.750 |
| 23 | 25003-4128 | 13.500 | 15.500 | 0.812 |
| 23 | 25003-4129 | 13.750 | 15.750 | 0.812 |
| 23 | 25003-4131 | 14.000 | 15.500 | 0.687 |
| 23 | 25003-4132 | 14.000 | 15.500 | 0.750 |
| 23 | 25003-4133 | 14.000 | 15.563 | 0.750 |
| 23 | 25003-4134 | 14.000 | 15.750 | 0.750 |
| 23 | 25003-4135 | 14.000 | 16.000 | 0.812 |
| 23 | 25003-4137 | 13.875 | 15.875 | 0.812 |
| 23 | 25003-4138 | 14.190 | 15.690 | 0.625 |
| 23 | 25003-4140 | 14.250 | 16.250 | 0.812 |
| 23 | 25003-4142 | 14.500 | 16.000 | 0.688 |
| 23 | 25003-4143 | 14.500 | 16.000 | 0.750 |
| 23 | 25003-4145 | 14.500 | 16.500 | 0.812 |
| 23 | 25003-4147 | 14.750 | 16.250 | 0.688 |
| 23 | 25003-4148 | 14.750 | 16.250 | 0.750 |
| 23 | 25003-4149 | 14.750 | 16.500 | 0.750 |
| 23 | 25003-4151 | 15.000 | 16.500 | 0.688 |
| 23 | 25003-4152 | 15.000 | 16.500 | 0.750 |
| 23 | 25003-4153 | 15.000 | 16.750 | 0.750 |
| 23 | 25003-4155 | 15.000 | 17.000 | 0.750 |
| 23 | 25003-4156 | 15.000 | 17.000 | 0.812 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-4158 | 15.312 | 16.875 | 0.687 |
| 23 | 25003-4159 | 15.375 | 17.375 | 0.812 |
| 23 | 25003-4162 | 15.500 | 17.000 | 0.750 |
| 23 | 25003-4163 | 15.500 | 17.500 | 0.812 |
| 23 | 25003-4176 | 15.875 | 17.875 | 0.812 |
| 23 | 25003-4178 | 16.000 | 17.500 | 0.750 |
| 23 | 25003-4180 | 16.000 | 18.000 | 0.812 |
| 23 | 25003-4181 | 16.250 | 17.750 | 0.687 |
| 23 | 25003-4182 | 16.250 | 17.750 | 0.750 |
| 23 | 25003-4184 | 16.250 | 18.000 | 0.750 |
| 23 | 25003-4185 | 16.500 | 18.000 | 0.750 |
| 23 | 25003-4186 | 16.500 | 18.500 | 0.812 |
| 23 | 25003-4188 | 17.000 | 18.500 | 0.687 |
| 23 | 25003-4189 | 17.000 | 18.500 | 0.750 |
| 23 | 25003-4190 | 17.000 | 19.000 | 0.812 |
| 23 | 25003-4195 | 17.500 | 19.000 | 0.750 |
| 23 | 25003-4196 | 17.500 | 19.250 | 0.750 |
| 23 | 25003-4198 | 17.500 | 19.500 | 0.688 |
| 23 | 25003-4200 | 17.750 | 19.750 | 0.812 |
| 23 | 25003-4204 | 17.875 | 19.875 | 0.812 |
| 23 | 25003-4206 | 18.000 | 19.500 | 0.688 |
| 23 | 25003-4209 | 18.000 | 20.000 | 0.750 |
| 23 | 25003-4211 | 18.250 | 19.750 | 0.750 |
| 23 | 25003-4212 | 18.250 | 19.875 | 0.750 |
| 23 | 25003-4213 | 18.375 | 19.875 | 0.687 |
| 23 | 25003-4217 | 18.750 | 20.250 | 0.750 |
| 23 | 25003-4218 | 19.000 | 20.500 | 0.750 |
| 23 | 25003-4225 | 19.250 | 21.000 | 0.812 |
| 23 | 25003-4230 | 20.000 | 21.750 | 0.812 |
| 23 | 25003-4235 | 20.000 | 21.500 | 0.750 |
| 23 | 25003-4239 | 20.250 | 21.750 | 0.750 |
| 23 | 25003-4279 | 22.500 | 24.500 | 0.875 |
| 23 | 25003-4304 | 24.437 | 26.437 | 0.750 |
| 23 | 25003-4308 | 25.000 | 26.500 | 0.750 |
| 23 | 25003-4315 | 27.500 | 29.000 | 0.750 |
| 23 | 25003-4317 | 25.500 | 27.000 | 0.750 |
| 23 | 25003-4343 | 28.000 | 29.500 | 0.750 |
| 23 | 25003-4346 | 28.500 | 30.500 | 0.875 |
| 23 | 25003-4347 | 29.000 | 30.500 | 0.750 |
| 23 | 25003-4351 | 17.360 | 19.360 | 0.812 |
| 23 | 25003-4356 | 30.000 | 31.500 | 0.750 |
| 23 | 25003-4374 | 17.313 | 18.313 | 0.500 |
| 23 | 25003-4376 | 17.500 | 18.650 | 0.531 |
| 23 | 25003-4381 | 33.000 | 34.500 | 0.750 |
| 23 | 25003-4386 | 40.157 | 41.339 | 0.750 |
| 23 | 25003-4393 | 17.323 | 18.898 | 0.787 |
| 23 | 25003-4403 | 17.500 | 19.000 | 0.625 |
| 23 | 25003-4413 | 8.688 | 9.938 | 0.500 |
| 23 | 25003-4414 | 14.875 | 16.500 | 0.750 |
| 23 | 25003-4415 | 5.709 | 7.087 | 0.591 |
| 23 | 25003-4420 | 5.500 | 6.687 | 0.625 |
| 23 | 25003-4424 | 6.125 | 7.187 | 0.500 |
| 23 | 25003-4425 | 5.312 | 6.687 | 0.625 |
| 23 | 25003-4426 | 3.875 | 5.062 | 0.375 |
| 23 | 25003-4435 | 37.000 | 39.000 | 1.000 |
| 23 | 25003-4438 | 37.500 | 39.500 | 0.875 |
| 23 | 25003-4440 | 57.500 | 59.500 | 0.812 |
| 23 | 25003-4441 | 12.063 | 13.625 | 0.750 |
| 23 | 25003-4442 | 2.977 | 3.959 | 0.500 |
| 23 | 25003-4444 | 8.625 | 10.125 | 0.609 |
| 23 | 25003-4445 | 6.438 | 7.708 | 0.625 |
| 23 | 25003-4447 | 4.664 | 5.875 | 0.500 |
| 23 | 25003-4449 | 7.086 | 8.500 | 0.625 |
| 23 | 25003-4450 | 11.000 | 12.375 | 0.750 |
| 23 | 25003-4451 | 5.375 | 6.500 | 0.750 |
| 23 | 25003-4452 | 11.938 | 13.760 | 0.750 |
| 23 | 25003-4455 | 3.750 | 4.750 | 0.438 |
| 23 | 25003-4459 | 4.563 | 5.437 | 0.500 |
| 23 | 25003-4460 | 9.563 | 10.653 | 0.500 |
| 23 | 25003-4461 | 5.500 | 6.756 | 0.500 |
| 23 | 25003-4471 | 41.250 | 42.750 | 0.750 |
| 23 | 25003-4476 | 15.250 | 17.250 | 0.812 |
| 23 | 25003-4477 | 6.938 | 8.125 | 0.625 |
| 23 | 25003-4478 | 6.938 | 8.375 | 0.625 |
| 23 | 25003-4479 | 6.937 | 8.500 | 0.625 |
| 23 | 25003-4480 | 12.625 | 14.000 | 0.750 |
| 23 | 25003-4481 | 27.559 | 29.055 | 0.748 |
| 23 | 25003-4482 | 9.859 | 10.859 | 0.500 |
| 23 | 25003-4489 | 5.512 | 6.387 | 0.375 |
| 23 | 25003-4490 | 6.063 | 7.500 | 0.500 |
| 23 | 25003-4493 | 19.188 | 20.938 | 0.625 |
| 23 | 25003-4494 | 15.625 | 17.250 | 0.750 |
| 23 | 25003-4495 | 10.500 | 12.000 | 0.625 |
| 23 | 25003-4496 | 12.500 | 14.000 | 0.625 |
| 23 | 25003-4497 | 9.842 | 11.417 | 0.590 |
| 23 | 25003-4502 | 8.500 | 10.000 | 0.625 |
| 23 | 25003-4503 | 9.000 | 10.000 | 0.625 |
| 23 | 25003-4504 | 9.000 | 10.125 | 0.625 |
| 23 | 25003-4505 | 9.000 | 10.250 | 0.625 |
| 23 | 25003-4506 | 9.000 | 10.375 | 0.625 |
| 23 | 25003-4507 | 9.000 | 10.500 | 0.625 |
| 23 | 25003-4508 | 9.000 | 10.625 | 0.625 |
| 23 | 25003-4509 | 9.250 | 10.250 | 0.625 |
| 23 | 25003-4510 | 16.929 | 18.504 | 0.787 |
| 23 | 25003-4511 | 9.250 | 10.500 | 0.625 |
| 23 | 25003-4512 | 9.625 | 10.875 | 0.750 |
| 23 | 25003-4513 | 9.750 | 10.750 | 0.625 |
| 23 | 25003-4515 | 9.750 | 11.000 | 0.625 |
| 23 | 25003-4516 | 9.750 | 11.125 | 0.625 |
| 23 | 25003-4517 | 9.750 | 11.250 | 0.625 |
| 23 | 25003-4518 | 8.688 | 10.625 | 0.750 |
| 23 | 25003-4520 | 10.750 | 12.000 | 0.625 |
| 23 | 25003-4521 | 16.535 | 18.504 | 0.750 |
| 23 | 25003-4522 | 10.750 | 12.250 | 0.625 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-4523 | 17.750 | 19.000 | 0.750 |
| 23 | 25003-4525 | 19.750 | 20.750 | 0.500 |
| 23 | 25003-4526 | 29.500 | 30.500 | 0.500 |
| 23 | 25003-4527 | 11.250 | 12.750 | 0.687 |
| 23 | 25003-4530 | 13.750 | 15.250 | 0.750 |
| 23 | 25003-4532 | 13.750 | 15.750 | 0.750 |
| 23 | 25003-4533 | 26.500 | 28.000 | 0.750 |
| 23 | 25003-4535 | 19.375 | 20.375 | 0.500 |
| 23 | 25003-4536 | 4.813 | 6.313 | 0.500 |
| 23 | 25003-4551 | 6.250 | 7.185 | 0.500 |
| 23 | 25003-4556 | 42.750 | 44.250 | 0.750 |
| 23 | 25003-4557 | 3.000 | 4.000 | 0.500 |
| 23 | 25003-4560 | 6.500 | 7.500 | 0.500 |
| 23 | 25003-4561 | 7.125 | 8.125 | 0.500 |
| 23 | 25003-4572 | 46.250 | 47.750 | 0.750 |
| 23 | 25003-4575 | 5.344 | 6.312 | 0.500 |
| 23 | 25003-4576 | 5.375 | 6.312 | 0.500 |
| 23 | 25003-4585 | 5.875 | 7.375 | 0.563 |
| 23 | 25003-4588 | 17.190 | 19.190 | 0.812 |
| 23 | 25003-4589 | 17.500 | 19.000 | 0.812 |
| 23 | 25003-4591 | 12.500 | 14.000 | 0.812 |
| 23 | 25003-4595 | 6.438 | 7.500 | 0.625 |
| 23 | 25003-4596 | 13.383 | 14.883 | 0.750 |
| 23 | 25003-4599 | 2.500 | 3.194 | 0.375 |
| 23 | 25003-4601 | 14.961 | 16.693 | 0.787 |
| 23 | 25003-4602 | 11.811 | 13.543 | 0.787 |
| 23 | 25003-4604 | 11.938 | 13.438 | 0.625 |
| 23 | 25003-4607 | 3.000 | 4.070 | 0.500 |
| 23 | 25003-4608 | 48.000 | 50.000 | 1.000 |
| 23 | 25003-4610 | 9.375 | 11.375 | 0.812 |
| 23 | 25003-4612 | 12.000 | 13.500 | 0.688 |
| 23 | 25003-4615 | 15.250 | 16.750 | 0.688 |
| 23 | 25003-4617 | 19.250 | 20.750 | 0.750 |
| 23 | 25003-4618 | 9.938 | 11.938 | 0.625 |
| 23 | 25003-4619 | 20.500 | 22.000 | 0.750 |
| 23 | 25003-4621 | 21.750 | 23.250 | 0.750 |
| 23 | 25003-4623 | 24.000 | 25.500 | 0.750 |
| 23 | 25003-4624 | 6.889 | 7.874 | 0.591 |
| 23 | 25003-4625 | 15.500 | 16.500 | 0.500 |
| 23 | 25003-4629 | 15.748 | 17.480 | 0.787 |
| 23 | 25003-4630 | 12.992 | 14.724 | 0.787 |
| 23 | 25003-4634 | 6.299 | 7.480 | 0.500 |
| 23 | 25003-4640 | 3.500 | 4.500 | 0.468 |
| 23 | 25003-4651 | 4.000 | 5.000 | 0.500 |
| 23 | 25003-4655 | 11.811 | 13.386 | 0.787 |
| 23 | 25003-4656 | 5.118 | 6.299 | 0.472 |
| 23 | 25003-4658 | 70.688 | 72.688 | 0.875 |
| 23 | 25003-4660 | 5.187 | 6.187 | 0.500 |
| 23 | 25003-4663 | 17.250 | 18.750 | 0.625 |
| 23 | 25003-4664 | 15.875 | 17.375 | 0.750 |
| 23 | 25003-4666 | 13.504 | 15.504 | 0.812 |
| 23 | 25003-4667 | 17.795 | 19.795 | 0.812 |
| 23 | 25003-4673 | 19.000 | 20.125 | 0.547 |
| 23 | 25003-4675 | 24.500 | 25.625 | 0.500 |
| 23 | 25003-4676 | 25.750 | 26.875 | 0.500 |
| 23 | 25003-4678 | 19.625 | 21.625 | 0.812 |
| 23 | 25003-4684 | 10.000 | 11.910 | 0.812 |
| 23 | 25003-4686 | 3.475 | 4.500 | 0.375 |
| 23 | 25003-4688 | 3.375 | 4.375 | 0.438 |
| 23 | 25003-4691 | 14.250 | 16.000 | 0.812 |
| 23 | 25003-4694 | 6.375 | 7.750 | 0.625 |
| 23 | 25003-4698 | 25.875 | 26.875 | 0.500 |
| 23 | 25003-4699 | 14.500 | 15.750 | 0.625 |
| 23 | 25003-4702 | 75.000 | 76.000 | 0.375 |
| 23 | 25003-4705 | 4.437 | 5.437 | 0.375 |
| 23 | 25003-4710 | 3.437 | 5.000 | 0.500 |
| 23 | 25003-4713 | 5.438 | 6.500 | 0.525 |
| 23 | 25003-4714 | 26.000 | 27.000 | 0.500 |
| 23 | 25003-4724 | 9.250 | 10.500 | 0.500 |
| 23 | 25003-4726 | 6.000 | 7.203 | 0.750 |
| 23 | 25003-4727 | 8.500 | 10.250 | 0.750 |
| 23 | 25003-4729 | 6.125 | 7.625 | 0.750 |
| 23 | 25003-4730 | 6.950 | 8.125 | 0.750 |
| 23 | 25003-4733 | 5.250 | 6.562 | 0.750 |
| 23 | 25003-4738 | 4.000 | 4.897 | 0.500 |
| 23 | 25003-4739 | 19.500 | 21.500 | 0.500 |
| 23 | 25003-4741 | 19.000 | 21.000 | 0.500 |
| 23 | 25003-4742 | 3.719 | 5.094 | 0.500 |
| 23 | 25003-4743 | 32.500 | 33.625 | 0.562 |
| 23 | 25003-4745 | 3.500 | 4.999 | 0.375 |
| 23 | 25003-4747 | 3.933 | 4.933 | 0.500 |
| 23 | 25003-4750 | 5.437 | 6.437 | 0.500 |
| 23 | 25003-4756 | 14.687 | 16.687 | 0.812 |
| 23 | 25003-4757 | 8.661 | 9.842 | 0.512 |
| 23 | 25003-4758 | 4.187 | 5.187 | 0.375 |
| 23 | 25003-4759 | 4.812 | 5.750 | 0.500 |
| 23 | 25003-4760 | 8.250 | 9.375 | 0.500 |
| 23 | 25003-4761 | 52.000 | 54.000 | 0.812 |
| 23 | 25003-4762 | 5.625 | 7.000 | 0.750 |
| 23 | 25003-4763 | 7.938 | 8.875 | 0.500 |
| 23 | 25003-4764 | 10.063 | 11.688 | 0.750 |
| 23 | 25003-4765 | 2.755 | 3.543 | 0.375 |
| 23 | 25003-4768 | 3.150 | 4.249 | 0.438 |
| 23 | 25003-4769 | 3.070 | 3.937 | 0.437 |
| 23 | 25003-4770 | 13.000 | 14.250 | 0.625 |
| 23 | 25003-4771 | 4.500 | 5.750 | 0.375 |
| 23 | 25003-4772 | 3.875 | 5.000 | 0.500 |
| 23 | 25003-4774 | 7.000 | 8.375 | 0.688 |
| 23 | 25003-4776 | 3.937 | 5.187 | 0.500 |
| 23 | 25003-4778 | 10.313 | 11.938 | 0.813 |
| 23 | 25003-4779 | 13.250 | 15.250 | 0.812 |
| 23 | 25003-4785 | 11.962 | 12.687 | 0.500 |
| 23 | 25003-4786 | 5.312 | 6.578 | 0.500 |
| 23 | 25003-4788 | 12.750 | 14.000 | 0.750 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-4789 | 6.000 | 7.085 | 0.438 |
| 23 | 25003-4791 | 12.909 | 13.872 | 0.675 |
| 23 | 25003-4796 | 4.562 | 5.687 | 0.500 |
| 23 | 25003-4797 | 3.375 | 4.437 | 0.375 |
| 23 | 25003-4799 | 8.375 | 9.875 | 0.625 |
| 23 | 25003-4803 | 9.125 | 10.375 | 0.625 |
| 23 | 25003-4804 | 3.000 | 4.250 | 0.500 |
| 23 | 25003-4805 | 10.236 | 11.968 | 0.787 |
| 23 | 25003-4810 | 8.062 | 9.312 | 0.500 |
| 23 | 25003-4812 | 10.438 | 12.000 | 0.750 |
| 23 | 25003-4815 | 17.875 | 18.875 | 0.500 |
| 23 | 25003-4817 | 3.937 | 4.937 | 0.500 |
| 23 | 25003-4820 | 4.437 | 5.562 | 0.500 |
| 23 | 25003-4822 | 8.000 | 9.000 | 0.437 |
| 23 | 25003-4823 | 9.563 | 10.563 | 0.500 |
| 23 | 25003-4826 | 7.086 | 8.086 | 0.500 |
| 23 | 25003-4831 | 5.511 | 6.511 | 0.500 |
| 23 | 25003-4833 | 7.760 | 8.875 | 0.500 |
| 23 | 25003-4839 | 24.875 | 26.875 | 0.812 |
| 23 | 25003-4841 | 5.420 | 6.625 | 0.500 |
| 23 | 25003-4842 | 4.438 | 5.375 | 0.375 |
| 23 | 25003-4846 | 3.543 | 4.527 | 0.500 |
| 23 | 25003-4847 | 4.133 | 5.110 | 0.472 |
| 23 | 25003-4850 | 9.892 | 11.338 | 0.750 |
| 23 | 25003-4854 | 10.687 | 12.687 | 0.750 |
| 23 | 25003-4856 | 62.000 | 64.000 | 0.812 |
| 23 | 25003-4857 | 29.875 | 31.875 | 0.812 |
| 23 | 25003-4860 | 7.874 | 8.816 | 0.500 |
| 23 | 25003-4862 | 5.906 | 7.283 | 0.708 |
| 23 | 25003-4863 | 22.320 | 24.320 | 0.812 |
| 23 | 25003-4864 | 3.625 | 4.875 | 0.375 |
| 23 | 25003-4865 | 9.055 | 11.024 | 0.630 |
| 23 | 25003-4867 | 11.000 | 12.750 | 0.750 |
| 23 | 25003-4872 | 35.433 | 37.402 | 0.787 |
| 23 | 25003-4873 | 4.500 | 5.500 | 0.437 |
| 23 | 25003-4874 | 24.000 | 25.500 | 0.700 |
| 23 | 25003-4879 | 3.312 | 4.125 | 0.500 |
| 23 | 25003-4880 | 4.166 | 5.506 | 0.500 |
| 23 | 25003-4881 | 11.811 | 13.779 | 0.750 |
| 23 | 25003-4882 | 2.500 | 3.418 | 0.438 |
| 23 | 25003-4885 | 9.055 | 10.630 | 0.630 |
| 23 | 25003-4886 | 7.187 | 8.562 | 0.625 |
| 23 | 25003-4889 | 7.500 | 8.875 | 0.500 |
| 23 | 25003-4893 | 8.375 | 9.625 | 0.625 |
| 23 | 25003-4895 | 12.250 | 13.821 | 0.750 |
| 23 | 25003-4897 | 29.918 | 31.418 | 0.750 |
| 23 | 25003-4900 | 6.812 | 8.312 | 0.750 |
| 23 | 25003-4911 | 12.000 | 13.750 | 0.750 |
| 23 | 25003-4912 | 82.283 | 84.252 | 0.812 |
| 23 | 25003-4913 | 13.250 | 15.125 | 0.500 |
| 23 | 25003-4919 | 88.031 | 90.031 | 0.812 |
| 23 | 25003-4921 | 7.375 | 8.375 | 0.500 |
| 23 | 25003-4922 | 8.500 | 9.750 | 0.500 |
| 23 | 25003-4923 | 10.000 | 11.250 | 0.500 |
| 23 | 25003-4924 | 7.000 | 8.250 | 0.500 |
| 23 | 25003-4926 | 20.250 | 22.250 | 0.812 |
| 23 | 25003-4934 | 4.750 | 6.250 | 0.750 |
| 23 | 25003-4939 | 4.562 | 5.562 | 0.375 |
| 23 | 25003-4940 | 21.000 | 22.000 | 0.500 |
| 23 | 25003-4948 | 3.187 | 4.187 | 0.500 |
| 23 | 25003-4949 | 15.000 | 17.000 | 0.500 |
| 23 | 25003-4950 | 10.000 | 11.500 | 0.625 |
| 23 | 25003-4954 | 3.071 | 4.571 | 0.500 |
| 23 | 25003-4963 | 10.562 | 12.562 | 0.750 |
| 23 | 25003-4969 | 13.000 | 14.125 | 0.546 |
| 23 | 25003-4970 | 15.000 | 16.125 | 0.547 |
| 23 | 25003-4971 | 17.000 | 18.125 | 0.547 |
| 23 | 25003-4980 | 23.074 | 24.954 | 0.812 |
| 23 | 25003-4981 | 8.750 | 10.000 | 0.515 |
| 23 | 25003-4989 | 9.724 | 10.724 | 0.500 |
| 23 | 25003-4990 | 7.854 | 8.854 | 0.500 |
| 23 | 25003-4992 | 8.858 | 9.858 | 0.500 |
| 23 | 25003-4994 | 10.728 | 11.728 | 0.500 |
| 23 | 25003-5003 | 4.475 | 5.500 | 0.500 |
| 23 | 25003-5006 | 11.000 | 12.625 | 0.625 |
| 23 | 25003-5009 | 8.062 | 9.562 | 0.750 |
| 23 | 25003-5010 | 5.500 | 7.000 | 0.750 |
| 23 | 25003-5012 | 11.500 | 12.875 | 0.750 |
| 23 | 25003-5013 | 36.031 | 38.031 | 0.812 |
| 23 | 25003-5014 | 11.344 | 12.593 | 0.625 |
| 23 | 25003-5017 | 26.375 | 28.375 | 0.812 |
| 23 | 25003-5023 | 3.000 | 4.000 | 0.375 |
| 23 | 25003-5025 | 3.125 | 4.250 | 0.500 |
| 23 | 25003-5029 | 16.929 | 18.897 | 0.787 |
| 23 | 25003-5032 | 6.687 | 7.937 | 0.500 |
| 23 | 25003-5033 | 31.250 | 33.250 | 0.750 |
| 23 | 25003-5039 | 16.250 | 17.250 | 0.500 |
| 23 | 25003-5050 | 27.000 | 28.500 | 0.625 |
| 23 | 25003-5051 | 3.563 | 4.563 | 0.500 |
| 23 | 25003-5052 | 4.937 | 6.437 | 0.562 |
| 23 | 25003-5055 | 20.500 | 22.500 | 0.812 |
| 23 | 25003-5057 | 6.062 | 7.125 | 0.500 |
| 23 | 25003-5058 | 4.687 | 5.937 | 0.500 |
| 23 | 25003-5061 | 49.498 | 51.375 | 0.812 |
| 23 | 25003-5062 | 14.250 | 15.750 | 0.750 |
| 23 | 25003-5067 | 10.625 | 11.625 | 0.625 |
| 23 | 25003-5075 | 4.310 | 5.300 | 0.475 |
| 23 | 25003-5079 | 3.750 | 5.000 | 0.500 |
| 23 | 25003-5081 | 42.750 | 43.750 | 0.500 |
| 23 | 25003-5082 | 9.875 | 11.875 | 0.750 |
| 23 | 25003-5092 | 5.312 | 6.562 | 0.625 |
| 23 | 25003-5093 | 9.375 | 10.375 | 0.437 |
| 23 | 25003-5097 | 3.688 | 5.000 | 0.500 |
| 23 | 25003-5099 | 18.937 | 20.937 | 0.812 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-5100 | 3.542 | 4.542 | 0.375 |
| 23 | 25003-5102 | 26.875 | 28.875 | 0.812 |
| 23 | 25003-5107 | 46.000 | 48.000 | 0.812 |
| 23 | 25003-5114 | 12.500 | 13.500 | 0.500 |
| 23 | 25003-5116 | 16.000 | 18.000 | 0.750 |
| 23 | 25003-5117 | 14.250 | 16.250 | 0.750 |
| 23 | 25003-5118 | 4.724 | 5.905 | 0.500 |
| 23 | 25003-5119 | 6.062 | 7.562 | 0.750 |
| 23 | 25003-5122 | 3.500 | 4.625 | 0.375 |
| 23 | 25003-5126 | 9.156 | 10.656 | 0.750 |
| 23 | 25003-5127 | 2.875 | 4.125 | 0.500 |
| 23 | 25003-5130 | 18.625 | 20.625 | 0.812 |
| 23 | 25003-5132 | 3.187 | 4.132 | 0.500 |
| 23 | 25003-5134 | 14.375 | 16.375 | 0.750 |
| 23 | 25003-5138 | 4.937 | 6.187 | 0.500 |
| 23 | 25003-5139 | 6.625 | 8.125 | 0.500 |
| 23 | 25003-5141 | 25.250 | 26.750 | 0.500 |
| 23 | 25003-5153 | 8.875 | 10.125 | 0.625 |
| 23 | 25003-5158 | 19.000 | 20.000 | 0.500 |
| 23 | 25003-5159 | 33.000 | 34.000 | 0.500 |
| 23 | 25003-5160 | 3.250 | 4.750 | 0.437 |
| 23 | 25003-5161 | 8.313 | 9.313 | 0.500 |
| 23 | 25003-5163 | 8.406 | 9.406 | 0.500 |
| 23 | 25003-5166 | 4.875 | 5.875 | 0.375 |
| 23 | 25003-5168 | 17.000 | 19.000 | 0.750 |
| 23 | 25003-5172 | 17.625 | 18.500 | 0.375 |
| 23 | 25003-5174 | 40.500 | 42.000 | 0.750 |
| 23 | 25003-5176 | 11.688 | 13.750 | 0.750 |
| 23 | 25003-5178 | 16.375 | 17.875 | 0.750 |
| 23 | 25003-5186 | 10.236 | 11.736 | 0.750 |
| 23 | 25003-5189 | 5.125 | 6.125 | 0.375 |
| 23 | 25003-5190 | 4.187 | 5.687 | 0.375 |
| 23 | 25003-5195 | 6.375 | 7.687 | 0.625 |
| 23 | 25003-5202 | 37.250 | 39.250 | 0.812 |
| 23 | 25003-5204 | 39.500 | 41.500 | 0.812 |
| 23 | 25003-5209 | 3.125 | 4.000 | 0.500 |
| 23 | 25003-5213 | 8.875 | 10.500 | 0.750 |
| 23 | 25003-5219 | 40.500 | 42.500 | 0.812 |
| 23 | 25003-5222 | 5.000 | 6.062 | 0.500 |
| 23 | 25003-5236 | 77.500 | 79.500 | 0.812 |
| 23 | 25003-5241 | 7.562 | 9.062 | 0.750 |
| 23 | 25003-5245 | 51.000 | 52.000 | 0.500 |
| 23 | 25003-5254 | 22.125 | 24.125 | 0.812 |
| 23 | 25003-5258 | 21.653 | 23.153 | 0.750 |
| 23 | 25003-5259 | 21.000 | 22.500 | 0.750 |
| 23 | 25003-5261 | 11.375 | 13.000 | 0.687 |
| 23 | 25003-5262 | 19.500 | 20.500 | 0.500 |
| 23 | 25003-5263 | 29.250 | 30.250 | 0.500 |
| 23 | 25003-5264 | 57.086 | 59.086 | 0.812 |
| 23 | 25003-5266 | 28.500 | 29.500 | 0.500 |
| 23 | 25003-5267 | 41.929 | 43.929 | 0.813 |
| 23 | 25003-5271 | 19.125 | 20.125 | 0.500 |
| 23 | 25003-5273 | 52.000 | 53.000 | 0.500 |
| 23 | 25003-5274 | 55.000 | 56.000 | 0.500 |
| 23 | 25003-5278 | 26.781 | 28.781 | 0.812 |
| 23 | 25003-5279 | 84.000 | 86.000 | 0.812 |
| 23 | 25003-5281 | 29.625 | 31.625 | 0.812 |
| 23 | 25003-5284 | 6.000 | 7.531 | 0.588 |
| 23 | 25003-5287 | 43.543 | 45.543 | 0.812 |
| 23 | 25003-5290 | 15.354 | 16.929 | 0.750 |
| 23 | 25003-5291 | 19.875 | 21.875 | 0.812 |
| 23 | 25003-5294 | 10.625 | 11.625 | 0.415 |
| 23 | 25003-5297 | 85.000 | 87.000 | 0.812 |
| 23 | 25003-5298 | 11.625 | 13.625 | 0.812 |
| 23 | 25003-5302 | 21.375 | 23.375 | 0.812 |
| 23 | 25003-5303 | 11.027 | 12.500 | 0.625 |
| 23 | 25003-5307 | 11.575 | 12.575 | 0.500 |
| 23 | 25003-5308 | 8.394 | 9.394 | 0.500 |
| 23 | 25003-5312 | 21.000 | 22.750 | 0.750 |
| 23 | 25003-5313 | 3.625 | 4.500 | 0.500 |
| 23 | 25003-5320 | 9.250 | 10.250 | 0.437 |
| 23 | 25003-5326 | 39.250 | 40.750 | 0.750 |
| 23 | 25003-5331 | 4.250 | 5.687 | 0.500 |
| 23 | 25003-5333 | 7.480 | 8.661 | 0.492 |
| 23 | 25003-5334 | 9.055 | 10.230 | 0.590 |
| 23 | 25003-5335 | 5.906 | 7.086 | 0.551 |
| 23 | 25003-5336 | 7.086 | 8.267 | 0.492 |
| 23 | 25003-5337 | 7.874 | 9.055 | 0.492 |
| 23 | 25003-5338 | 8.267 | 9.448 | 0.590 |
| 23 | 25003-5339 | 9.842 | 11.023 | 0.590 |
| 23 | 25003-5340 | 12.204 | 13.385 | 0.590 |
| 23 | 25003-5341 | 12.922 | 14.173 | 0.590 |
| 23 | 25003-5346 | 4.331 | 5.512 | 0.551 |
| 23 | 25003-5347 | 4.527 | 5.708 | 0.551 |
| 23 | 25003-5348 | 4.724 | 5.905 | 0.551 |
| 23 | 25003-5349 | 5.708 | 6.889 | 0.551 |
| 23 | 25003-5350 | 10.629 | 11.811 | 0.590 |
| 23 | 25003-5351 | 10.236 | 11.417 | 0.590 |
| 23 | 25003-5352 | 11.811 | 12.992 | 0.590 |
| 23 | 25003-5353 | 4.133 | 5.314 | 0.551 |
| 23 | 25003-5354 | 4.921 | 6.102 | 0.551 |
| 23 | 25003-5355 | 5.314 | 6.496 | 0.551 |
| 23 | 25003-5356 | 6.693 | 7.874 | 0.492 |
| 23 | 25003-5357 | 8.661 | 9.842 | 0.590 |
| 23 | 25003-5358 | 8.464 | 9.645 | 0.590 |
| 23 | 25003-5359 | 9.448 | 10.629 | 0.590 |
| 23 | 25003-5361 | 32.375 | 33.625 | 0.625 |
| 23 | 25003-5363 | 3.937 | 4.921 | 0.433 |
| 23 | 25003-5364 | 4.331 | 5.315 | 0.433 |
| 23 | 25003-5365 | 4.527 | 5.511 | 0.433 |
| 23 | 25003-5366 | 4.724 | 5.708 | 0.433 |
| 23 | 25003-5367 | 5.118 | 6.259 | 0.472 |
| 23 | 25003-5368 | 5.511 | 6.811 | 0.547 |
| 23 | 25003-5369 | 5.906 | 7.204 | 0.547 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-5370 | 6.693 | 7.992 | 0.547 |
| 23 | 25003-5371 | 7.086 | 8.385 | 0.547 |
| 23 | 25003-5372 | 7.874 | 9.448 | 0.618 |
| 23 | 25003-5374 | 9.055 | 10.866 | 0.684 |
| 23 | 25003-5375 | 9.842 | 11.653 | 0.684 |
| 23 | 25003-5376 | 38.750 | 40.687 | 0.812 |
| 23 | 25003-5377 | 4.922 | 6.063 | 0.487 |
| 23 | 25003-5378 | 5.315 | 6.456 | 0.487 |
| 23 | 25003-5379 | 5.906 | 7.590 | 0.539 |
| 23 | 25003-5380 | 9.448 | 11.259 | 0.684 |
| 23 | 25003-5381 | 10.236 | 12.047 | 0.684 |
| 23 | 25003-5383 | 13.625 | 14.625 | 0.500 |
| 23 | 25003-5384 | 8.125 | 9.125 | 0.437 |
| 23 | 25003-5385 | 55.500 | 57.500 | 0.812 |
| 23 | 25003-5386 | 44.000 | 46.000 | 0.812 |
| 23 | 25003-5388 | 5.118 | 6.118 | 0.500 |
| 23 | 25003-5395 | 11.125 | 12.500 | 0.750 |
| 23 | 25003-5397 | 11.375 | 12.625 | 0.625 |
| 23 | 25003-5402 | 8.464 | 9.448 | 0.500 |
| 23 | 25003-5403 | 9.055 | 10.039 | 0.500 |
| 23 | 25003-5409 | 45.750 | 47.750 | 0.750 |
| 23 | 25003-5425 | 35.000 | 36.500 | 0.750 |
| 23 | 25003-5426 | 3.250 | 4.125 | 0.500 |
| 23 | 25003-5428 | 21.687 | 23.187 | 0.750 |
| 23 | 25003-5431 | 18.110 | 20.110 | 0.812 |
| 23 | 25003-5432 | 18.031 | 20.031 | 0.812 |
| 23 | 25003-5433 | 52.500 | 54.500 | 0.812 |
| 23 | 25003-5435 | 32.125 | 34.125 | 0.812 |
| 23 | 25003-5443 | 4.750 | 5.625 | 0.500 |
| 23 | 25003-5444 | 3.937 | 5.187 | 0.375 |
| 23 | 25003-5446 | 11.811 | 13.189 | 0.709 |
| 23 | 25003-5449 | 4.437 | 5.250 | 0.375 |
| 23 | 25003-5455 | 14.500 | 16.250 | 0.625 |
| 23 | 25003-5459 | 4.922 | 5.922 | 0.500 |
| 23 | 25003-5460 | 3.250 | 4.500 | 0.438 |
| 23 | 25003-5461 | 8.470 | 9.500 | 0.500 |
| 23 | 25003-5462 | 11.000 | 12.812 | 0.625 |
| 23 | 25003-5463 | 9.500 | 11.437 | 0.625 |
| 23 | 25003-5472 | 9.937 | 11.937 | 0.750 |
| 23 | 25003-5475 | 14.950 | 16.500 | 0.750 |
| 23 | 25003-5477 | 13.779 | 15.276 | 0.500 |
| 23 | 25003-5480 | 8.750 | 9.875 | 0.750 |
| 23 | 25003-5490 | 5.115 | 6.115 | 0.500 |
| 23 | 25003-5495 | 4.750 | 5.625 | 0.625 |
| 23 | 25003-5504 | 28.000 | 29.125 | 0.500 |
| 23 | 25003-5506 | 18.562 | 19.562 | 0.500 |
| 23 | 25003-5508 | 15.000 | 16.000 | 0.500 |
| 23 | 25003-5510 | 54.500 | 56.500 | 0.812 |
| 23 | 25003-5511 | 5.315 | 6.299 | 0.500 |
| 23 | 25003-5513 | 24.125 | 26.000 | 0.812 |
| 23 | 25003-5514 | 30.125 | 31.125 | 0.500 |
| 23 | 25003-5516 | 5.203 | 6.312 | 0.500 |

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-5519 | 35.000 | 36.000 | 0.500 |
| 23 | 25003-5523 | 10.250 | 11.750 | 0.625 |
| 23 | 25003-5525 | 8.780 | 10.780 | 0.750 |
| 23 | 25003-5530 | 15.750 | 17.250 | 0.578 |
| 23 | 25003-5532 | 22.673 | 24.173 | 0.750 |
| 23 | 25003-5533 | 69.375 | 71.375 | 0.812 |
| 23 | 25003-5534 | 17.562 | 19.062 | 0.750 |
| 23 | 25003-5536 | 12.205 | 13.189 | 0.500 |
| 23 | 25003-5550 | 21.500 | 23.250 | 0.812 |
| 23 | 25003-5552 | 24.000 | 25.125 | 0.500 |
| 23 | 25003-5553 | 23.750 | 25.750 | 0.812 |
| 23 | 25003-5558 | 12.312 | 13.937 | 0.750 |
| 23 | 25003-5559 | 8.875 | 10.625 | 0.812 |
| 23 | 25003-5563 | 6.187 | 7.250 | 0.500 |
| 23 | 25003-5575 | 9.062 | 10.062 | 0.375 |
| 23 | 25003-5576 | 12.598 | 13.583 | 0.500 |
| 23 | 25003-5577 | 51.000 | 52.875 | 0.812 |
| 23 | 25003-5578 | 7.562 | 9.065 | 0.750 |
| 23 | 25003-5579 | 45.000 | 46.500 | 0.750 |
| 23 | 25003-5585 | 5.000 | 6.000 | 0.687 |
| 23 | 25003-5586 | 64.488 | 66.488 | 0.812 |
| 23 | 25003-5587 | 61.810 | 63.810 | 0.812 |
| 23 | 25003-5594 | 17.719 | 19.219 | 0.750 |
| 23 | 25003-5595 | 23.300 | 24.300 | 0.500 |
| 23 | 25003-5596 | 53.250 | 54.250 | 0.500 |
| 23 | 25003-5597 | 5.875 | 7.140 | 0.562 |
| 23 | 25003-5598 | 8.661 | 9.661 | 0.500 |
| 23 | 25003-5599 | 16.062 | 17.062 | 0.500 |
| 23 | 25003-5601 | 38.250 | 40.250 | 0.812 |
| 23 | 25003-5602 | 34.000 | 35.500 | 0.750 |
| 23 | 25003-5605 | 7.875 | 8.875 | 0.375 |
| 23 | 25003-5606 | 4.312 | 5.794 | 0.500 |
| 23 | 25003-5611 | 31.000 | 32.000 | 0.500 |
| 23 | 25003-5612 | 28.875 | 29.750 | 0.500 |
| 23 | 25003-5613 | 17.900 | 19.400 | 0.750 |
| 23 | 25003-5614 | 23.570 | 25.070 | 0.750 |
| 23 | 25003-5615 | 23.595 | 25.095 | 0.750 |
| 23 | 25003-5618 | 50.000 | 51.500 | 0.750 |
| 23 | 25003-5619 | 21.000 | 23.000 | 0.750 |
| 23 | 25003-5622 | 37.812 | 39.812 | 0.812 |
| 23 | 25003-5624 | 74.500 | 76.000 | 0.750 |
| 23 | 25003-5625 | 40.000 | 41.500 | 0.750 |
| 23 | 25003-5628 | 6.300 | 7.781 | 0.500 |
| 23 | 25003-5629 | 7.078 | 8.562 | 0.500 |
| 23 | 25003-5634 | 53.625 | 54.625 | 0.500 |
| 23 | 25003-5635 | 4.217 | 5.280 | 0.500 |
| 23 | 25003-5636 | 5.780 | 7.030 | 0.625 |
| 23 | 25003-5637 | 6.281 | 7.530 | 0.625 |
| 23 | 25003-5638 | 7.530 | 8.780 | 0.625 |
| 23 | 25003-5639 | 10.530 | 12.030 | 0.625 |
| 23 | 25003-5640 | 13.580 | 14.580 | 0.500 |
| 23 | 25003-5642 | 11.500 | 12.625 | 0.625 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-5647 | 30.562 | 32.562 | 0.812 |
| 23 | 25003-5650 | 3.346 | 4.331 | 0.500 |
| 23 | 25003-5654 | 20.469 | 21.969 | 0.750 |
| 23 | 25003-5658 | 35.750 | 37.750 | 0.812 |
| 23 | 25003-5659 | 13.562 | 15.062 | 0.750 |
| 23 | 25003-5661 | 6.062 | 7.375 | 0.500 |
| 23 | 25003-5662 | 36.000 | 38.000 | 0.750 |
| 23 | 25003-5663 | 84.000 | 85.000 | 0.500 |
| 23 | 25003-5664 | 13.386 | 14.882 | 0.750 |
| 23 | 25003-5665 | 10.236 | 11.732 | 0.750 |
| 23 | 25003-5666 | 15.748 | 17.244 | 0.750 |
| 23 | 25003-5667 | 12.598 | 14.095 | 0.750 |
| 23 | 25003-5668 | 21.456 | 23.456 | 0.812 |
| 23 | 25003-5669 | 12.687 | 14.687 | 0.812 |
| 23 | 25003-5680 | 18.125 | 19.625 | 0.750 |
| 23 | 25003-5682 | 3.280 | 4.280 | 0.375 |
| 23 | 25003-5683 | 13.580 | 15.030 | 0.750 |
| 23 | 25003-5684 | 8.530 | 9.780 | 0.625 |
| 23 | 25003-5685 | 7.960 | 9.460 | 0.625 |
| 23 | 25003-5689 | 61.000 | 63.000 | 0.812 |
| 23 | 25003-5691 | 6.625 | 8.375 | 0.500 |
| 23 | 25003-5696 | 5.250 | 6.437 | 0.500 |
| 23 | 25003-5697 | 5.250 | 6.437 | 0.375 |
| 23 | 25003-5698 | 33.000 | 34.500 | 0.625 |
| 23 | 25003-5699 | 19.500 | 21.250 | 0.813 |
| 23 | 25003-5707 | 24.093 | 26.093 | 0.812 |
| 23 | 25003-5708 | 20.516 | 22.516 | 0.812 |
| 23 | 25003-5709 | 37.375 | 39.375 | 0.812 |
| 23 | 25003-5712 | 11.219 | 12.953 | 0.787 |
| 23 | 25003-5714 | 36.000 | 37.500 | 0.750 |
| 23 | 25003-5716 | 4.343 | 5.342 | 0.375 |
| 23 | 25003-5717 | 5.280 | 6.280 | 0.500 |
| 23 | 25003-5718 | 15.359 | 16.890 | 0.750 |
| 23 | 25003-5719 | 11.422 | 12.921 | 0.750 |
| 23 | 25003-5720 | 24.803 | 26.303 | 0.750 |
| 23 | 25003-5724 | 11.031 | 12.031 | 0.625 |
| 23 | 25003-5725 | 16.531 | 18.031 | 0.750 |
| 23 | 25003-5726 | 5.625 | 6.625 | 0.453 |
| 23 | 25003-5727 | 44.500 | 46.500 | 0.812 |
| 23 | 25003-5729 | 25.125 | 26.125 | 0.500 |
| 23 | 25003-5730 | 34.000 | 35.000 | 0.500 |
| 23 | 25003-5731 | 6.937 | 8.000 | 0.625 |
| 23 | 25003-5735 | 57.875 | 58.875 | 0.500 |
| 23 | 25003-5739 | 31.000 | 32.500 | 0.750 |
| 23 | 25003-5740 | 21.259 | 22.759 | 0.687 |
| 23 | 25003-5743 | 25.530 | 27.030 | 0.750 |
| 23 | 25003-5744 | 47.000 | 49.000 | 0.812 |
| 23 | 25003-5745 | 9.125 | 11.125 | 0.750 |
| 23 | 25003-5747 | 16.500 | 17.500 | 0.500 |
| 23 | 25003-5748 | 25.219 | 27.219 | 0.812 |
| 23 | 25003-5749 | 3.687 | 4.750 | 0.375 |
| 23 | 25003-5756 | 23.500 | 24.500 | 0.500 |
| 23 | 25003-5757 | 80.500 | 82.500 | 0.812 |
| 23 | 25003-5760 | 70.500 | 72.500 | 0.812 |
| 23 | 25003-5761 | 20.866 | 22.637 | 0.812 |
| 23 | 25003-5763 | 4.134 | 5.315 | 0.500 |
| 23 | 25003-5765 | 35.000 | 36.500 | 0.625 |
| 23 | 25003-5766 | 44.000 | 45.500 | 0.750 |
| 23 | 25003-5768 | 21.500 | 23.000 | 0.750 |
| 23 | 25003-5769 | 18.062 | 20.062 | 0.812 |
| 23 | 25003-5776 | 11.687 | 13.187 | 0.625 |
| 23 | 25003-5777 | 3.346 | 4.437 | 0.500 |
| 23 | 25003-5779 | 25.590 | 26.590 | 0.500 |
| 23 | 25003-5780 | 29.527 | 30.527 | 0.500 |
| 23 | 25003-5783 | 13.125 | 15.125 | 0.812 |
| 23 | 25003-5784 | 9.055 | 10.551 | 0.750 |
| 23 | 25003-5787 | 95.875 | 97.875 | 0.812 |
| 23 | 25003-5788 | 102.000 | 104.000 | 0.812 |
| 23 | 25003-5789 | 7.875 | 8.937 | 0.500 |
| 23 | 25003-5792 | 6.500 | 7.937 | 0.625 |
| 23 | 25003-5795 | 21.250 | 22.750 | 0.750 |
| 23 | 25003-5796 | 79.500 | 81.500 | 0.812 |
| 23 | 25003-5797 | 5.118 | 5.992 | 0.375 |
| 23 | 25003-5798 | 25.000 | 26.000 | 0.500 |
| 23 | 25003-5799 | 26.771 | 27.771 | 0.500 |
| 23 | 25003-5801 | 14.960 | 16.460 | 0.750 |
| 23 | 25003-5802 | 20.078 | 22.078 | 0.812 |
| 23 | 25003-5803 | 16.141 | 18.141 | 0.812 |
| 23 | 25003-5804 | 42.250 | 44.250 | 0.812 |
| 23 | 25003-5805 | 98.000 | 99.500 | 0.750 |
| 23 | 25003-5806 | 80.500 | 82.437 | 0.812 |
| 23 | 25003-5807 | 112.000 | 113.937 | 0.812 |
| 23 | 25003-5808 | 10.827 | 11.827 | 0.590 |
| 23 | 25003-5809 | 105.039 | 107.039 | 0.812 |
| 23 | 25003-5811 | 66.500 | 68.000 | 0.750 |
| 23 | 25003-5815 | 14.166 | 15.750 | 0.625 |
| 23 | 25003-5816 | 86.000 | 88.000 | 0.812 |
| 23 | 25003-5818 | 24.500 | 25.500 | 0.500 |
| 23 | 25003-5819 | 16.125 | 18.125 | 0.812 |
| 23 | 25003-5820 | 18.500 | 19.500 | 0.500 |
| 23 | 25003-5821 | 29.687 | 31.687 | 0.812 |
| 23 | 25003-5823 | 46.250 | 48.250 | 0.812 |
| 23 | 25003-5824 | 35.433 | 36.933 | 0.750 |
| 23 | 25003-5825 | 13.625 | 14.875 | 0.750 |
| 23 | 25003-5827 | 16.625 | 17.625 | 0.500 |
| 23 | 25003-5828 | 25.187 | 27.187 | 0.812 |
| 23 | 25003-5829 | 42.913 | 44.913 | 0.812 |
| 23 | 25003-5830 | 34.252 | 36.252 | 0.812 |
| 23 | 25003-5835 | 11.811 | 12.811 | 0.500 |
| 23 | 25003-5845 | 14.567 | 15.551 | 0.500 |
| 23 | 25003-5846 | 14.173 | 15.673 | 0.750 |
| 23 | 25003-5847 | 31.890 | 33.890 | 0.812 |
| 23 | 25003-5849 | 19.881 | 21.881 | 0.812 |
| 23 | 25003-5850 | 16.929 | 18.429 | 0.750 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-5851 | 11.471 | 13.471 | 0.750 |
| 23 | 25003-5852 | 9.448 | 10.948 | 0.750 |
| 23 | 25003-5860 | 27.952 | 29.952 | 0.812 |
| 23 | 25003-5861 | 5.511 | 6.692 | 0.625 |
| 23 | 25003-5862 | 10.629 | 12.251 | 0.625 |
| 23 | 25003-5863 | 28.750 | 29.750 | 0.500 |
| 23 | 25003-5865 | 15.750 | 17.500 | 0.812 |
| 23 | 25003-5867 | 16.125 | 17.125 | 0.500 |
| 23 | 25003-5872 | 3.937 | 4.875 | 0.500 |
| 23 | 25003-5873 | 41.000 | 42.500 | 0.750 |
| 23 | 25003-5874 | 13.779 | 15.709 | 0.787 |
| 23 | 25003-5877 | 17.250 | 19.250 | 0.750 |
| 23 | 25003-5878 | 11.614 | 13.114 | 0.750 |
| 23 | 25003-5879 | 27.125 | 29.625 | 0.750 |
| 23 | 25003-5880 | 4.875 | 5.938 | 0.500 |
| 23 | 25003-5881 | 10.629 | 12.119 | 0.750 |
| 23 | 25003-5882 | 11.417 | 13.417 | 0.750 |
| 23 | 25003-5885 | 36.000 | 37.000 | 0.500 |
| 23 | 25003-5890 | 8.750 | 9.875 | 0.625 |
| 23 | 25003-5894 | 25.750 | 27.000 | 0.625 |
| 23 | 25003-5895 | 27.969 | 29.969 | 0.812 |
| 23 | 25003-5900 | 5.250 | 6.250 | 0.437 |
| 23 | 25003-5901 | 9.937 | 10.937 | 0.500 |
| 23 | 25003-5902 | 58.500 | 60.500 | 0.812 |
| 23 | 25003-5903 | 23.625 | 25.125 | 0.750 |
| 23 | 25003-5904 | 19.687 | 21.187 | 0.750 |
| 23 | 25003-5905 | 47.250 | 49.250 | 0.812 |
| 23 | 25003-5906 | 10.000 | 12.000 | 0.687 |
| 23 | 25003-5910 | 8.859 | 10.359 | 0.750 |
| 23 | 25003-5913 | 3.937 | 5.000 | 0.500 |
| 23 | 25003-5916 | 8.500 | 10.500 | 0.625 |
| 23 | 25003-5917 | 12.750 | 14.500 | 0.750 |
| 23 | 25003-5919 | 24.000 | 26.000 | 0.812 |
| 23 | 25003-5931 | 5.312 | 6.812 | 0.500 |
| 23 | 25003-5933 | 3.562 | 4.812 | 0.500 |
| 23 | 25003-5934 | 10.500 | 11.750 | 0.625 |
| 23 | 25003-5935 | 35.000 | 37.000 | 0.812 |
| 23 | 25003-5936 | 21.625 | 23.625 | 0.812 |
| 23 | 25003-5939 | 12.875 | 14.375 | 0.750 |
| 23 | 25003-5942 | 12.750 | 14.250 | 0.750 |
| 23 | 25003-5946 | 14.375 | 15.875 | 0.750 |
| 23 | 25003-5952 | 9.000 | 10.500 | 0.500 |
| 23 | 25003-5953 | 12.406 | 13.906 | 0.750 |
| 23 | 25003-5957 | 10.236 | 11.486 | 0.625 |
| 23 | 25003-5958 | 11.023 | 12.023 | 0.625 |
| 23 | 25003-5959 | 3.875 | 4.843 | 0.484 |
| 23 | 25003-5960 | 9.500 | 11.500 | 0.687 |
| 23 | 25003-5961 | 9.842 | 11.467 | 0.750 |
| 23 | 25003-5964 | 17.719 | 18.901 | 0.578 |
| 23 | 25003-5983 | 17.125 | 19.125 | 0.812 |
| 23 | 25003-5984 | 13.469 | 14.468 | 0.500 |
| 23 | 25003-5990 | 14.750 | 16.500 | 0.687 |

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-6000 | 7.875 | 9.056 | 0.375 |
| 23 | 25003-6015 | 4.500 | 5.375 | 0.500 |
| 23 | 25003-6016 | 7.812 | 9.312 | 0.750 |
| 23 | 25003-6052 | 4.134 | 5.118 | 0.512 |
| 23 | 25003-6059 | 40.000 | 42.000 | 0.812 |
| 23 | 25003-6067 | 9.750 | 10.750 | 0.500 |
| 23 | 25003-6068 | 28.125 | 29.250 | 0.500 |
| 23 | 25003-6079 | 19.250 | 21.250 | 0.812 |
| 23 | 25003-6084 | 4.656 | 6.031 | 0.500 |
| 23 | 25003-6087 | 10.937 | 12.437 | 0.625 |
| 23 | 25003-6092 | 9.062 | 11.062 | 0.750 |
| 23 | 25003-6102 | 3.125 | 4.125 | 0.437 |
| 23 | 25003-6107 | 33.500 | 35.500 | 0.812 |
| 23 | 25003-6111 | 3.937 | 5.062 | 0.500 |
| 23 | 25003-6121 | 3.250 | 4.125 | 0.437 |
| 23 | 25003-6128 | 3.312 | 4.250 | 0.437 |
| 23 | 25003-6129 | 3.937 | 5.000 | 0.469 |
| 23 | 25003-6130 | 76.500 | 78.500 | 0.812 |
| 23 | 25003-6132 | 18.375 | 19.875 | 0.750 |
| 23 | 25003-6136 | 5.187 | 6.437 | 0.625 |
| 23 | 25003-6142 | 4.125 | 5.500 | 0.438 |
| 23 | 25003-6143 | 33.750 | 35.750 | 0.812 |
| 23 | 25003-6147 | 5.062 | 6.375 | 0.562 |
| 23 | 25003-6150 | 5.562 | 6.750 | 0.500 |
| 23 | 25003-6163 | 7.000 | 8.375 | 0.500 |
| 23 | 25003-6164 | 5.875 | 6.875 | 0.437 |
| 23 | 25003-6165 | 6.000 | 7.000 | 0.437 |
| 23 | 25003-6168 | 13.000 | 14.825 | 0.812 |
| 23 | 25003-6172 | 6.625 | 8.125 | 0.687 |
| 23 | 25003-6175 | 7.250 | 8.250 | 0.437 |
| 23 | 25003-6178 | 4.937 | 6.437 | 0.750 |
| 23 | 25003-6182 | 7.375 | 8.375 | 0.437 |
| 23 | 25003-6185 | 7.750 | 8.750 | 0.437 |
| 23 | 25003-6190 | 8.937 | 10.187 | 0.625 |
| 23 | 25003-6191 | 22.062 | 24.062 | 0.812 |
| 23 | 25003-6198 | 5.125 | 6.125 | 0.437 |
| 23 | 25003-6199 | 6.875 | 8.000 | 0.437 |
| 23 | 25003-6201 | 9.750 | 11.160 | 0.588 |
| 23 | 25003-6202 | 23.000 | 24.000 | 0.500 |
| 23 | 25003-6204 | 8.250 | 9.250 | 0.437 |
| 23 | 25003-6205 | 3.937 | 5.312 | 0.500 |
| 23 | 25003-6210 | 8.687 | 9.938 | 0.750 |
| 23 | 25003-6213 | 4.750 | 5.750 | 0.375 |
| 23 | 25003-6214 | 9.500 | 10.500 | 0.437 |
| 23 | 25003-6216 | 10.187 | 11.188 | 0.500 |
| 23 | 25003-6219 | 10.125 | 11.375 | 0.625 |
| 23 | 25003-6229 | 6.687 | 7.687 | 0.500 |
| 23 | 25003-6237 | 39.000 | 41.000 | 0.812 |
| 23 | 25003-6238 | 11.187 | 12.188 | 0.500 |
| 23 | 25003-6247 | 8.250 | 9.750 | 0.500 |
| 23 | 25003-6250 | 3.741 | 5.240 | 0.500 |
| 23 | 25003-6251 | 7.250 | 8.750 | 0.500 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-6253 | 12.187 | 13.688 | 0.625 |
| 23 | 25003-6258 | 6.937 | 8.062 | 0.500 |
| 23 | 25003-6263 | 13.250 | 14.750 | 0.625 |
| 23 | 25003-6264 | 13.250 | 15.250 | 0.750 |
| 23 | 25003-6268 | 42.500 | 43.500 | 0.500 |
| 23 | 25003-6273 | 8.937 | 9.968 | 0.500 |
| 23 | 25003-6276 | 73.000 | 75.000 | 0.812 |
| 23 | 25003-6283 | 14.687 | 16.187 | 0.625 |
| 23 | 25003-6285 | 3.500 | 4.375 | 0.500 |
| 23 | 25003-6291 | 22.000 | 23.750 | 0.812 |
| 23 | 25003-6297 | 30.375 | 32.375 | 0.812 |
| 23 | 25003-6298 | 4.062 | 5.125 | 0.469 |
| 23 | 25003-6303 | 14.000 | 15.500 | 0.625 |
| 23 | 25003-6305 | 18.625 | 19.875 | 0.750 |
| 23 | 25003-6315 | 49.000 | 50.500 | 0.562 |
| 23 | 25003-6321 | 25.750 | 26.875 | 0.625 |
| 23 | 25003-6324 | 14.000 | 15.750 | 0.500 |
| 23 | 25003-6328 | 11.875 | 13.375 | 0.750 |
| 23 | 25003-6332 | 26.500 | 28.500 | 0.812 |
| 23 | 25003-6334 | 8.812 | 10.312 | 0.500 |
| 23 | 25003-6335 | 24.437 | 26.437 | 0.812 |
| 23 | 25003-6337 | 23.625 | 25.625 | 0.812 |
| 23 | 25003-6348 | 45.000 | 47.000 | 0.812 |
| 23 | 25003-6351 | 2.937 | 3.937 | 0.500 |
| 23 | 25003-6353 | 15.785 | 17.785 | 0.812 |
| 23 | 25003-6355 | 3.437 | 4.437 | 0.500 |
| 23 | 25003-6356 | 3.250 | 4.250 | 0.375 |
| 23 | 25003-6357 | 3.437 | 4.687 | 0.500 |
| 23 | 25003-6358 | 3.500 | 4.500 | 0.375 |
| 23 | 25003-6359 | 3.625 | 4.625 | 0.375 |
| 23 | 25003-6360 | 4.000 | 5.000 | 0.375 |
| 23 | 25003-6361 | 4.250 | 5.375 | 0.406 |
| 23 | 25003-6362 | 4.437 | 5.437 | 0.500 |
| 23 | 25003-6363 | 4.500 | 5.500 | 0.375 |
| 23 | 25003-6364 | 4.687 | 5.812 | 0.500 |
| 23 | 25003-6365 | 5.000 | 6.000 | 0.375 |
| 23 | 25003-6366 | 5.250 | 6.750 | 0.750 |
| 23 | 25003-6367 | 5.437 | 6.687 | 0.625 |
| 23 | 25003-6368 | 5.625 | 7.125 | 0.750 |
| 23 | 25003-6370 | 6.500 | 8.000 | 0.500 |
| 23 | 25003-6371 | 6.562 | 7.562 | 0.500 |
| 23 | 25003-6372 | 6.750 | 7.750 | 0.500 |
| 23 | 25003-6373 | 6.937 | 7.937 | 0.500 |
| 23 | 25003-6374 | 7.000 | 8.000 | 0.500 |
| 23 | 25003-6375 | 7.000 | 8.500 | 0.500 |
| 23 | 25003-6376 | 7.250 | 8.250 | 0.500 |
| 23 | 25003-6377 | 7.250 | 8.500 | 0.500 |
| 23 | 25003-6378 | 7.500 | 8.500 | 0.500 |
| 23 | 25003-6379 | 7.750 | 8.750 | 0.500 |
| 23 | 25003-6380 | 8.000 | 9.000 | 0.500 |
| 23 | 25003-6382 | 8.250 | 9.250 | 0.500 |
| 23 | 25003-6383 | 8.500 | 9.500 | 0.500 |
| 23 | 25003-6384 | 8.500 | 9.750 | 0.625 |
| 23 | 25003-6386 | 8.750 | 10.000 | 0.625 |
| 23 | 25003-6387 | 9.000 | 10.000 | 0.500 |
| 23 | 25003-6388 | 9.500 | 10.500 | 0.500 |
| 23 | 25003-6389 | 9.625 | 11.625 | 0.750 |
| 23 | 25003-6390 | 9.750 | 11.000 | 0.500 |
| 23 | 25003-6391 | 10.000 | 11.000 | 0.500 |
| 23 | 25003-6392 | 5.125 | 6.125 | 0.422 |
| 23 | 25003-6393 | 11.000 | 12.125 | 0.547 |
| 23 | 25003-6394 | 11.000 | 12.500 | 0.750 |
| 23 | 25003-6395 | 11.000 | 13.000 | 0.750 |
| 23 | 25003-6396 | 12.750 | 14.750 | 0.750 |
| 23 | 25003-6397 | 16.250 | 18.250 | 0.812 |
| 23 | 25003-6398 | 16.750 | 18.750 | 0.750 |
| 23 | 25003-6399 | 18.000 | 20.000 | 0.812 |
| 23 | 25003-6400 | 20.000 | 22.000 | 0.812 |
| 23 | 25003-6401 | 22.000 | 24.000 | 0.812 |
| 23 | 25003-6402 | 7.125 | 8.250 | 0.469 |
| 23 | 25003-6403 | 29.500 | 31.500 | 0.812 |
| 23 | 25003-6404 | 30.000 | 31.125 | 0.500 |
| 23 | 25003-6405 | 32.500 | 33.625 | 0.500 |
| 23 | 25003-6406 | 36.000 | 38.000 | 0.812 |
| 23 | 25003-6407 | 42.000 | 44.000 | 0.812 |
| 23 | 25003-6408 | 18.500 | 20.500 | 0.812 |
| 23 | 25003-6409 | 4.000 | 5.265 | 0.500 |
| 23 | 25003-6410 | 4.437 | 5.687 | 0.500 |
| 23 | 25003-6416 | 10.875 | 12.875 | 0.812 |
| 23 | 25003-6419 | 25.000 | 27.000 | 0.812 |
| 23 | 25003-6420 | 34.500 | 36.500 | 0.812 |
| 23 | 25003-6423 | 9.000 | 10.125 | 0.547 |
| 23 | 25003-6424 | 70.000 | 72.000 | 0.812 |
| 23 | 25003-6426 | 19.750 | 21.750 | 0.812 |
| 23 | 25003-6428 | 10.625 | 12.625 | 0.812 |
| 23 | 25003-6431 | 4.750 | 5.875 | 0.562 |
| 23 | 25003-6441 | 12.208 | 13.703 | 0.750 |
| 23 | 25003-6449 | 12.500 | 13.875 | 0.437 |
| 23 | 25003-6450 | 6.250 | 7.250 | 0.437 |
| 23 | 25003-6453 | 5.000 | 6.500 | 0.375 |
| 23 | 25003-6455 | 15.625 | 17.125 | 0.750 |
| 23 | 25003-6464 | 3.812 | 4.812 | 0.500 |
| 23 | 25003-6471 | 2.750 | 3.750 | 0.500 |
| 23 | 25003-6473 | 38.500 | 40.500 | 0.812 |
| 23 | 25003-6474 | 5.750 | 6.968 | 0.500 |
| 23 | 25003-6483 | 26.000 | 28.000 | 0.812 |
| 23 | 25003-6484 | 12.125 | 14.125 | 0.750 |
| 23 | 25003-6485 | 5.062 | 6.062 | 0.500 |
| 23 | 25003-6491 | 4.812 | 5.812 | 0.500 |
| 23 | 25003-6492 | 7.875 | 8.875 | 0.500 |
| 23 | 25003-6504 | 10.937 | 12.937 | 0.750 |
| 23 | 25003-6508 | 19.000 | 21.000 | 0.812 |
| 23 | 25003-6510 | 8.000 | 9.250 | 0.500 |
| 23 | 25003-6512 | 45.125 | 47.125 | 0.812 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-6515 | 13.850 | 15.500 | 0.750 |
| 23 | 25003-6518 | 13.980 | 15.500 | 0.750 |
| 23 | 25003-6525 | 4.687 | 5.687 | 0.500 |
| 23 | 25003-6531 | 15.156 | 17.156 | 0.812 |
| 23 | 25003-6532 | 5.437 | 6.656 | 0.463 |
| 23 | 25003-6533 | 9.844 | 11.343 | 0.812 |
| 23 | 25003-6535 | 21.000 | 23.000 | 0.812 |
| 23 | 25003-6539 | 25.750 | 27.000 | 0.500 |
| 23 | 25003-6540 | 5.500 | 6.765 | 0.500 |
| 23 | 25003-6542 | 21.437 | 23.437 | 0.812 |
| 23 | 25003-6544 | 4.625 | 5.625 | 0.375 |
| 23 | 25003-6549 | 11.375 | 12.375 | 0.500 |
| 23 | 25003-6556 | 7.250 | 8.437 | 0.590 |
| 23 | 25003-6560 | 14.000 | 15.000 | 0.500 |
| 23 | 25003-6561 | 4.937 | 5.937 | 0.500 |
| 23 | 25003-6562 | 15.500 | 17.250 | 0.750 |
| 23 | 25003-6565 | 49.500 | 51.500 | 0.812 |
| 23 | 25003-6568 | 10.441 | 11.441 | 0.375 |
| 23 | 25003-6570 | 8.625 | 9.875 | 0.625 |
| 23 | 25003-6574 | 5.500 | 6.750 | 0.750 |
| 23 | 25003-6577 | 29.250 | 31.250 | 0.812 |
| 23 | 25003-6578 | 4.125 | 5.187 | 0.500 |
| 23 | 25003-6579 | 5.225 | 6.225 | 0.500 |
| 23 | 25003-6582 | 53.000 | 54.875 | 0.812 |
| 23 | 25003-6583 | 29.562 | 31.562 | 0.812 |
| 23 | 25003-6587 | 4.500 | 5.512 | 0.375 |
| 23 | 25003-6595 | 9.250 | 10.750 | 0.625 |
| 23 | 25003-6597 | 6.906 | 8.156 | 0.625 |
| 23 | 25003-6601 | 16.625 | 18.625 | 0.812 |
| 23 | 25003-6602 | 6.125 | 7.625 | 0.625 |
| 23 | 25003-6609 | 32.000 | 33.125 | 0.500 |
| 23 | 25003-6615 | 17.750 | 19.250 | 0.750 |
| 23 | 25003-6616 | 4.063 | 5.312 | 0.500 |
| 23 | 25003-6618 | 15.250 | 17.250 | 0.625 |
| 23 | 25003-6619 | 3.750 | 4.875 | 0.375 |
| 23 | 25003-6621 | 11.500 | 12.750 | 0.500 |
| 23 | 25003-6622 | 5.375 | 6.375 | 0.375 |
| 23 | 25003-6625 | 4.125 | 5.125 | 0.375 |
| 23 | 25003-6626 | 17.125 | 18.625 | 0.750 |
| 23 | 25003-6638 | 4.920 | 6.125 | 0.437 |
| 23 | 25003-6646 | 8.875 | 10.875 | 0.750 |
| 23 | 25003-6647 | 7.875 | 9.125 | 0.500 |
| 23 | 25003-6648 | 9.375 | 10.625 | 0.625 |
| 23 | 25003-6653 | 59.750 | 60.750 | 0.500 |
| 23 | 25003-6657 | 16.250 | 18.250 | 0.750 |
| 23 | 25003-6664 | 9.625 | 10.875 | 0.500 |
| 23 | 25003-6669 | 9.500 | 10.625 | 0.500 |
| 23 | 25003-6671 | 48.000 | 50.000 | 0.812 |
| 23 | 25003-6672 | 11.250 | 12.500 | 0.625 |
| 23 | 25003-6676 | 9.250 | 10.250 | 0.500 |
| 23 | 25003-6677 | 30.750 | 31.750 | 0.500 |
| 23 | 25003-6682 | 9.625 | 11.125 | 0.500 |
| 23 | 25003-6683 | 10.500 | 12.000 | 0.500 |
| 23 | 25003-6684 | 8.250 | 9.750 | 0.625 |
| 23 | 25003-6687 | 11.500 | 13.000 | 0.625 |
| 23 | 25003-6697 | 16.500 | 18.500 | 0.750 |
| 23 | 25003-6698 | 10.250 | 11.500 | 0.625 |
| 23 | 25003-6704 | 10.625 | 12.625 | 0.750 |
| 23 | 25003-6705 | 11.875 | 12.875 | 0.500 |
| 23 | 25003-6709 | 3.937 | 4.937 | 0.375 |
| 23 | 25003-6710 | 20.125 | 22.125 | 0.812 |
| 23 | 25003-6718 | 20.125 | 22.125 | 0.750 |
| 23 | 25003-6719 | 11.906 | 13.156 | 0.625 |
| 23 | 25003-6728 | 5.750 | 6.937 | 0.500 |
| 23 | 25003-6736 | 22.687 | 24.562 | 0.750 |
| 23 | 25003-6740 | 18.375 | 20.375 | 0.812 |
| 23 | 25003-6748 | 4.531 | 5.531 | 0.500 |
| 23 | 25003-6752 | 3.343 | 4.343 | 0.500 |
| 23 | 25003-6754 | 4.937 | 5.937 | 0.375 |
| 23 | 25003-6756 | 9.125 | 10.125 | 0.500 |
| 23 | 25003-6759 | 7.750 | 9.000 | 0.500 |
| 23 | 25003-6766 | 24.125 | 25.125 | 0.500 |
| 23 | 25003-6769 | 15.750 | 17.750 | 0.812 |
| 23 | 25003-6772 | 23.500 | 25.500 | 0.750 |
| 23 | 25003-6773 | 7.500 | 9.000 | 0.500 |
| 23 | 25003-6775 | 51.000 | 53.000 | 0.812 |
| 23 | 25003-6778 | 14.063 | 16.062 | 0.812 |
| 23 | 25003-6781 | 10.500 | 11.500 | 0.500 |
| 23 | 25003-6782 | 12.875 | 14.750 | 0.812 |
| 23 | 25003-6783 | 4.187 | 5.437 | 0.500 |
| 23 | 25003-6786 | 28.000 | 30.000 | 0.812 |
| 23 | 25003-6789 | 120.062 | 122.062 | 0.812 |
| 23 | 25003-6791 | 19.606 | 21.575 | 0.812 |
| 23 | 25003-6797 | 8.937 | 10.000 | 0.500 |
| 23 | 25003-6801 | 4.500 | 5.937 | 0.500 |
| 23 | 25003-6803 | 28.750 | 30.750 | 0.812 |
| 23 | 25003-6805 | 32.750 | 34.750 | 0.812 |
| 23 | 25003-6807 | 21.500 | 22.750 | 0.750 |
| 23 | 25003-6808 | 10.000 | 11.250 | 0.625 |
| 23 | 25003-6809 | 22.812 | 24.812 | 0.812 |
| 23 | 25003-6812 | 17.322 | 18.822 | 0.750 |
| 23 | 25003-6813 | 8.875 | 9.875 | 0.500 |
| 23 | 25003-6815 | 12.562 | 14.062 | 0.750 |
| 23 | 25003-6817 | 6.500 | 7.750 | 0.500 |
| 23 | 25003-6818 | 6.690 | 7.940 | 0.625 |
| 23 | 25003-6819 | 26.815 | 28.815 | 0.812 |
| 23 | 25003-6820 | 4.331 | 5.831 | 0.500 |
| 23 | 25003-6821 | 16.000 | 17.750 | 0.750 |
| 23 | 25003-6822 | 36.750 | 38.750 | 0.812 |
| 23 | 25003-6823 | 25.196 | 26.696 | 0.750 |
| 23 | 25003-6826 | 11.750 | 13.500 | 0.750 |
| 23 | 25003-6827 | 8.750 | 9.750 | 0.500 |
| 23 | 25003-6829 | 12.250 | 14.250 | 0.750 |
| 23 | 25003-6830 | 20.472 | 21.972 | 0.750 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-6836 | 11.750 | 13.750 | 0.750 |
| 23 | 25003-6839 | 3.250 | 4.250 | 0.437 |
| 23 | 25003-6840 | 11.687 | 13.250 | 0.625 |
| 23 | 25003-6841 | 7.078 | 8.578 | 0.625 |
| 23 | 25003-6844 | 7.875 | 9.000 | 0.500 |
| 23 | 25003-6845 | 8.750 | 10.250 | 0.500 |
| 23 | 25003-6849 | 30.000 | 32.000 | 0.812 |
| 23 | 25003-6851 | 4.312 | 5.187 | 0.375 |
| 23 | 25003-6853 | 21.500 | 23.000 | 0.625 |
| 23 | 25003-6861 | 7.250 | 8.250 | 0.375 |
| 23 | 25003-6862 | 3.125 | 4.250 | 0.375 |
| 23 | 25003-6863 | 32.986 | 33.986 | 0.500 |
| 23 | 25003-6867 | 6.299 | 7.549 | 0.625 |
| 23 | 25003-6868 | 3.000 | 4.125 | 0.375 |
| 23 | 25003-6870 | 4.125 | 5.000 | 0.500 |
| 23 | 25003-6873 | 15.750 | 16.750 | 0.500 |
| 23 | 25003-6877 | 14.000 | 16.000 | 0.750 |
| 23 | 25003-6878 | 16.125 | 18.125 | 0.750 |
| 23 | 25003-6879 | 23.500 | 25.500 | 0.812 |
| 23 | 25003-6882 | 10.375 | 11.875 | 0.500 |
| 23 | 25003-6883 | 15.125 | 17.125 | 0.625 |
| 23 | 25003-6885 | 43.500 | 45.000 | 0.750 |
| 23 | 25003-6886 | 26.437 | 28.437 | 0.812 |
| 23 | 25003-6889 | 45.747 | 47.516 | 0.787 |
| 23 | 25003-6890 | 6.750 | 7.875 | 0.500 |
| 23 | 25003-6891 | 39.000 | 40.747 | 0.787 |
| 23 | 25003-6894 | 33.464 | 35.236 | 0.787 |
| 23 | 25003-6896 | 3.740 | 4.740 | 0.500 |
| 23 | 25003-6897 | 6.625 | 7.625 | 0.500 |
| 23 | 25003-6905 | 80.000 | 82.000 | 0.812 |
| 23 | 25003-6907 | 29.906 | 31.906 | 0.812 |
| 23 | 25003-6908 | 34.500 | 36.000 | 0.750 |
| 23 | 25003-6910 | 23.250 | 25.250 | 0.812 |
| 23 | 25003-6915 | 65.000 | 67.000 | 0.812 |
| 23 | 25003-6918 | 25.500 | 27.500 | 0.750 |
| 23 | 25003-6919 | 4.375 | 5.875 | 0.375 |
| 23 | 25003-6922 | 6.281 | 7.281 | 0.375 |
| 23 | 25003-6923 | 3.562 | 4.625 | 0.375 |
| 23 | 25003-6924 | 5.750 | 7.000 | 0.375 |
| 23 | 25003-6926 | 7.875 | 9.281 | 0.750 |
| 23 | 25003-6932 | 11.811 | 13.311 | 0.750 |
| 23 | 25003-6933 | 16.929 | 17.929 | 0.500 |
| 23 | 25003-6935 | 10.625 | 12.000 | 0.750 |
| 23 | 25003-6939 | 5.000 | 6.500 | 0.750 |
| 23 | 25003-6940 | 26.000 | 27.125 | 0.500 |
| 23 | 25003-6943 | 8.812 | 9.812 | 0.500 |
| 23 | 25003-6944 | 33.250 | 35.250 | 0.812 |
| 23 | 25003-6947 | 33.000 | 34.125 | 0.500 |
| 23 | 25003-6951 | 6.875 | 8.000 | 0.500 |
| 23 | 25003-6957 | 4.328 | 5.203 | 0.375 |
| 23 | 25003-6958 | 33.000 | 34.937 | 0.812 |
| 23 | 25003-6960 | 3.750 | 4.812 | 0.500 |
| 23 | 25003-6964 | 11.023 | 12.023 | 0.500 |
| 23 | 25003-6965 | 24.625 | 25.875 | 0.562 |
| 23 | 25003-6967 | 17.250 | 18.750 | 0.750 |
| 23 | 25003-6972 | 21.750 | 23.750 | 0.812 |
| 23 | 25003-6973 | 7.874 | 9.875 | 0.625 |
| 23 | 25003-6982 | 6.102 | 7.102 | 0.500 |
| 23 | 25003-6984 | 16.375 | 17.375 | 0.500 |
| 23 | 25003-6987 | 24.500 | 26.250 | 0.812 |
| 23 | 25003-6989 | 58.000 | 60.000 | 0.750 |
| 23 | 25003-6991 | 9.448 | 10.448 | 0.500 |
| 23 | 25003-6992 | 4.331 | 5.905 | 0.625 |
| 23 | 25003-6994 | 14.760 | 16.339 | 0.630 |
| 23 | 25003-6998 | 25.750 | 27.250 | 0.750 |
| 23 | 25003-7010 | 10.236 | 11.811 | 0.630 |
| 23 | 25003-7015 | 63.500 | 65.500 | 0.812 |
| 23 | 25003-7018 | 48.875 | 50.875 | 0.812 |
| 23 | 25003-7019 | 13.622 | 15.122 | 0.750 |
| 23 | 25003-7036 | 3.937 | 4.812 | 0.375 |
| 23 | 25003-7039 | 29.375 | 31.375 | 0.812 |
| 23 | 25003-7043 | 17.406 | 18.406 | 0.500 |
| 23 | 25003-7053 | 11.625 | 12.625 | 0.500 |
| 23 | 25003-7059 | 18.500 | 20.500 | 0.750 |
| 23 | 25003-7063 | 6.781 | 8.031 | 0.625 |
| 23 | 25003-7075 | 3.437 | 4.437 | 0.375 |
| 23 | 25003-7091 | 15.750 | 16.875 | 0.625 |
| 23 | 25003-7098 | 22.812 | 24.312 | 0.750 |
| 23 | 25003-7101 | 8.500 | 10.500 | 0.750 |
| 23 | 25003-7102 | 49.250 | 51.250 | 0.812 |
| 23 | 25003-7105 | 11.937 | 13.938 | 0.812 |
| 23 | 25003-7106 | 53.543 | 55.543 | 0.812 |
| 23 | 25003-7107 | 29.134 | 31.134 | 0.812 |
| 23 | 25003-7108 | 7.875 | 9.125 | 0.375 |
| 23 | 25003-7117 | 5.906 | 7.410 | 0.625 |
| 23 | 25003-7119 | 24.015 | 25.984 | 0.812 |
| 23 | 25003-7123 | 4.063 | 5.062 | 0.500 |
| 23 | 25003-7124 | 5.375 | 6.875 | 0.750 |
| 23 | 25003-7127 | 16.535 | 18.035 | 0.750 |
| 23 | 25003-7129 | 4.187 | 5.375 | 0.470 |
| 23 | 25003-7131 | 22.000 | 23.000 | 0.500 |
| 23 | 25003-7132 | 5.312 | 6.312 | 0.500 |
| 23 | 25003-7133 | 7.937 | 9.437 | 0.750 |
| 23 | 25003-7134 | 101.250 | 103.250 | 0.812 |
| 23 | 25003-7135 | 12.625 | 13.875 | 0.625 |
| 23 | 25003-7137 | 96.620 | 98.620 | 0.812 |
| 23 | 25003-7138 | 34.000 | 36.000 | 0.812 |
| 23 | 25003-7139 | 23.375 | 25.375 | 0.812 |
| 23 | 25003-7144 | 3.071 | 4.071 | 0.500 |
| 23 | 25003-7147 | 10.125 | 11.500 | 0.750 |
| 23 | 25003-7148 | 20.750 | 22.750 | 0.812 |
| 23 | 25003-7149 | 14.500 | 16.000 | 0.625 |
| 23 | 25003-7157 | 8.250 | 9.750 | 0.750 |
| 23 | 25003-7161 | 30.500 | 32.500 | 0.750 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-7162 | 23.250 | 24.750 | 0.750 |
| 23 | 25003-7163 | 25.250 | 26.750 | 0.750 |
| 23 | 25003-7172 | 5.750 | 6.750 | 0.437 |
| 23 | 25003-7175 | 13.750 | 14.750 | 0.500 |
| 23 | 25003-7180 | 7.500 | 8.750 | 0.500 |
| 23 | 25003-7195 | 20.187 | 22.187 | 0.812 |
| 23 | 25003-7196 | 20.472 | 22.244 | 0.812 |
| 23 | 25003-7199 | 42.500 | 44.500 | 0.750 |
| 23 | 25003-7200 | 24.750 | 26.750 | 0.812 |
| 23 | 25003-7204 | 11.000 | 12.625 | 0.750 |
| 23 | 25003-7205 | 4.500 | 5.625 | 0.375 |
| 23 | 25003-7206 | 31.750 | 32.750 | 0.500 |
| 23 | 25003-7212 | 20.000 | 22.000 | 0.750 |
| 23 | 25003-7213 | 3.125 | 3.875 | 0.375 |
| 23 | 25003-7214 | 5.937 | 7.437 | 0.750 |
| 23 | 25003-7219 | 11.500 | 13.000 | 0.500 |
| 23 | 25003-7221 | 5.118 | 6.299 | 0.511 |
| 23 | 25003-7227 | 50.000 | 51.000 | 0.500 |
| 23 | 25003-7239 | 15.375 | 16.875 | 0.750 |
| 23 | 25003-7243 | 20.437 | 22.062 | 0.812 |
| 23 | 25003-7244 | 33.000 | 35.000 | 0.812 |
| 23 | 25003-7250 | 12.062 | 13.562 | 0.750 |
| 23 | 25003-7251 | 27.500 | 29.500 | 0.812 |
| 23 | 25003-7253 | 3.500 | 5.000 | 0.500 |
| 23 | 25003-7263 | 11.500 | 12.750 | 0.625 |
| 23 | 25003-7264 | 6.250 | 7.687 | 0.625 |
| 23 | 25003-7267 | 5.512 | 6.693 | 0.591 |
| 23 | 25003-7268 | 6.693 | 7.874 | 0.591 |
| 23 | 25003-7271 | 4.528 | 5.512 | 0.472 |
| 23 | 25003-7274 | 6.875 | 8.125 | 0.500 |
| 23 | 25003-7275 | 5.812 | 6.937 | 0.500 |
| 23 | 25003-7276 | 6.299 | 7.480 | 0.591 |
| 23 | 25003-7279 | 12.625 | 14.625 | 0.750 |
| 23 | 25003-7281 | 18.898 | 20.472 | 0.787 |
| 23 | 25003-7284 | 22.834 | 24.334 | 0.750 |
| 23 | 25003-7288 | 10.433 | 11.683 | 0.625 |
| 23 | 25003-7291 | 94.000 | 96.000 | 0.812 |
| 23 | 25003-7298 | 5.937 | 6.937 | 0.500 |
| 23 | 25003-7306 | 12.000 | 13.250 | 0.625 |
| 23 | 25003-7320 | 7.667 | 9.055 | 0.591 |
| 23 | 25003-7321 | 6.437 | 7.437 | 0.500 |
| 23 | 25003-7322 | 9.062 | 10.062 | 0.500 |
| 23 | 25003-7323 | 13.375 | 14.875 | 0.750 |
| 23 | 25003-7325 | 29.906 | 30.906 | 0.500 |
| 23 | 25003-7331 | 29.000 | 31.000 | 0.812 |
| 23 | 25003-7334 | 98.750 | 100.750 | 0.812 |
| 23 | 25003-7336 | 8.875 | 10.375 | 0.750 |
| 23 | 25003-7340 | 27.000 | 29.000 | 0.812 |
| 23 | 25003-7344 | 8.375 | 9.500 | 0.625 |
| 23 | 25003-7352 | 24.250 | 26.250 | 0.812 |
| 23 | 25003-7355 | 31.750 | 33.750 | 0.812 |
| 23 | 25003-7356 | 22.625 | 24.625 | 0.812 |
| 23 | 25003-7362 | 5.687 | 6.937 | 0.500 |
| 23 | 25003-7367 | 7.625 | 8.625 | 0.500 |
| 23 | 25003-7374 | 3.250 | 4.250 | 0.500 |
| 23 | 25003-7376 | 4.724 | 5.910 | 0.472 |
| 23 | 25003-7378 | 6.937 | 8.437 | 0.500 |
| 23 | 25003-7379 | 13.875 | 15.375 | 0.750 |
| 23 | 25003-7383 | 5.512 | 6.693 | 0.551 |
| 23 | 25003-7387 | 32.500 | 34.500 | 0.812 |
| 23 | 25003-7388 | 7.874 | 9.055 | 0.591 |
| 23 | 25003-7389 | 3.750 | 4.750 | 0.375 |
| 23 | 25003-7391 | 11.024 | 12.598 | 0.787 |
| 23 | 25003-7394 | 3.346 | 4.724 | 0.472 |
| 23 | 25003-7396 | 4.331 | 5.512 | 0.472 |
| 23 | 25003-7407 | 21.500 | 23.500 | 0.812 |
| 23 | 25003-7412 | 31.000 | 33.000 | 0.812 |
| 23 | 25003-7413 | 18.000 | 19.750 | 0.812 |
| 23 | 25003-7414 | 23.375 | 24.875 | 0.750 |
| 23 | 25003-7416 | 3.937 | 5.437 | 0.500 |
| 23 | 25003-7424 | 67.000 | 68.500 | 0.750 |
| 23 | 25003-7425 | 15.937 | 17.937 | 0.750 |
| 23 | 25003-7426 | 3.150 | 4.331 | 0.472 |
| 23 | 25003-7431 | 15.500 | 17.500 | 0.750 |
| 23 | 25003-7432 | 10.625 | 11.875 | 0.625 |
| 23 | 25003-7437 | 11.365 | 12.625 | 0.625 |
| 23 | 25003-7438 | 3.437 | 4.437 | 0.437 |
| 23 | 25003-7441 | 32.000 | 34.000 | 0.812 |
| 23 | 25003-7442 | 15.750 | 17.500 | 0.750 |
| 23 | 25003-7443 | 7.437 | 8.500 | 0.625 |
| 23 | 25003-7444 | 5.687 | 7.000 | 0.625 |
| 23 | 25003-7446 | 20.032 | 21.654 | 0.812 |
| 23 | 25003-7447 | 9.437 | 10.625 | 0.625 |
| 23 | 25003-7449 | 4.331 | 5.541 | 0.500 |
| 23 | 25003-7464 | 3.740 | 4.990 | 0.500 |
| 23 | 25003-7468 | 3.469 | 4.500 | 0.625 |
| 23 | 25003-7469 | 24.500 | 25.625 | 0.625 |
| 23 | 25003-7470 | 39.500 | 40.500 | 0.500 |
| 23 | 25003-7472 | 6.188 | 7.500 | 0.625 |
| 23 | 25003-7481 | 5.937 | 7.187 | 0.625 |
| 23 | 25003-7482 | 4.331 | 5.250 | 0.375 |
| 23 | 25003-7487 | 18.000 | 19.000 | 0.500 |
| 23 | 25003-7489 | 22.500 | 24.500 | 0.812 |
| 23 | 25003-7507 | 5.800 | 6.800 | 0.500 |
| 23 | 25003-7539 | 15.250 | 17.250 | 0.750 |
| 23 | 25003-7543 | 47.375 | 48.875 | 0.750 |
| 23 | 25003-7544 | 60.000 | 61.500 | 0.750 |
| 23 | 25003-7547 | 13.000 | 14.750 | 0.750 |
| 23 | 25003-7548 | 38.000 | 39.500 | 0.750 |
| 23 | 25003-7550 | 40.250 | 41.750 | 0.750 |
| 23 | 25003-7570 | 12.125 | 13.625 | 0.750 |
| 23 | 25003-7577 | 8.000 | 9.125 | 0.500 |
| 23 | 25003-7578 | 3.500 | 4.750 | 0.375 |
| 23 | 25003-7583 | 76.000 | 78.000 | 0.812 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-7587 | 4.734 | 5.984 | 0.500 |
| 23 | 25003-7588 | 10.187 | 11.437 | 0.625 |
| 23 | 25003-7589 | 17.525 | 18.525 | 0.500 |
| 23 | 25003-7590 | 4.250 | 5.250 | 0.375 |
| 23 | 25003-7591 | 3.312 | 4.312 | 0.375 |
| 23 | 25003-7592 | 15.565 | 16.565 | 0.500 |
| 23 | 25003-7593 | 23.000 | 24.250 | 0.750 |
| 23 | 25003-7594 | 23.750 | 25.250 | 0.750 |
| 23 | 25003-7595 | 4.311 | 5.331 | 0.500 |
| 23 | 25003-7596 | 2.937 | 3.937 | 0.375 |
| 23 | 25003-7597 | 6.312 | 7.312 | 0.625 |
| 23 | 25003-7598 | 10.750 | 11.750 | 0.500 |
| 23 | 25003-7600 | 12.750 | 13.750 | 0.500 |
| 23 | 25003-7601 | 16.000 | 17.406 | 0.609 |
| 23 | 25003-7602 | 13.125 | 15.125 | 0.750 |
| 23 | 25003-7606 | 11.000 | 12.500 | 0.375 |
| 23 | 25003-7617 | 8.812 | 10.312 | 0.750 |
| 23 | 25003-7618 | 18.250 | 20.250 | 0.812 |
| 23 | 25003-7621 | 9.875 | 10.875 | 0.500 |
| 23 | 25003-7624 | 87.000 | 89.000 | 0.812 |
| 23 | 25003-7625 | 17.500 | 19.500 | 0.750 |
| 23 | 25003-7634 | 6.109 | 7.094 | 0.492 |
| 23 | 25003-7637 | 9.448 | 10.433 | 0.492 |
| 23 | 25003-7639 | 11.500 | 12.375 | 0.375 |
| 23 | 25003-7640 | 9.250 | 10.125 | 0.375 |
| 23 | 25003-7641 | 37.402 | 38.902 | 0.750 |
| 23 | 25003-7642 | 3.375 | 4.250 | 0.500 |
| 23 | 25003-7643 | 69.000 | 71.000 | 0.812 |
| 23 | 25003-7644 | 31.500 | 33.500 | 0.812 |
| 23 | 25003-7646 | 25.437 | 27.187 | 0.750 |
| 23 | 25003-7647 | 5.937 | 7.187 | 0.500 |
| 23 | 25003-7655 | 28.500 | 30.500 | 0.812 |
| 23 | 25003-7656 | 3.187 | 4.187 | 0.375 |
| 23 | 25003-7658 | 31.406 | 32.992 | 0.750 |
| 23 | 25003-7661 | 7.937 | 8.937 | 0.500 |
| 23 | 25003-7674 | 7.062 | 8.062 | 0.500 |
| 23 | 25003-7679 | 25.196 | 27.196 | 0.812 |
| 23 | 25003-7682 | 3.125 | 4.250 | 0.625 |
| 23 | 25003-7695 | 35.500 | 37.500 | 1.000 |
| 23 | 25003-7696 | 86.417 | 88.417 | 0.812 |
| 23 | 25003-7699 | 26.125 | 28.125 | 0.812 |
| 23 | 25003-7700 | 18.500 | 19.875 | 0.750 |
| 23 | 25003-7704 | 14.000 | 15.375 | 0.531 |
| 23 | 25003-7708 | 15.312 | 17.312 | 0.812 |
| 23 | 25003-7709 | 10.629 | 11.629 | 0.409 |
| 23 | 25003-7710 | 26.000 | 28.000 | 0.750 |
| 23 | 25003-7714 | 23.110 | 24.610 | 0.750 |
| 23 | 25003-7716 | 11.000 | 12.500 | 0.500 |
| 23 | 25003-7719 | 6.187 | 7.437 | 0.500 |
| 23 | 25003-7726 | 6.063 | 7.062 | 0.500 |
| 23 | 25003-7735 | 12.205 | 13.205 | 0.500 |
| 23 | 25003-7736 | 10.000 | 11.125 | 0.547 |
| 23 | 25003-7740 | 7.125 | 8.250 | 0.500 |
| 23 | 25003-7744 | 7.750 | 8.938 | 0.625 |
| 23 | 25003-7746 | 3.875 | 4.750 | 0.375 |
| 23 | 25003-7751 | 38.000 | 39.000 | 0.500 |
| 23 | 25003-7752 | 40.250 | 41.250 | 0.500 |
| 23 | 25003-7755 | 50.500 | 52.500 | 0.812 |
| 23 | 25003-7756 | 71.250 | 73.250 | 0.812 |
| 23 | 25003-7758 | 8.000 | 9.500 | 0.500 |
| 23 | 25003-7764 | 9.642 | 10.642 | 0.500 |
| 23 | 25003-7768 | 29.973 | 31.973 | 0.687 |
| 23 | 25003-7771 | 6.500 | 7.687 | 0.625 |
| 23 | 25003-7773 | 30.250 | 32.250 | 0.812 |
| 23 | 25003-7785 | 56.250 | 58.125 | 0.812 |
| 23 | 25003-7789 | 6.187 | 7.187 | 0.500 |
| 23 | 25003-7795 | 4.750 | 6.000 | 0.375 |
| 23 | 25003-7801 | 15.250 | 16.750 | 0.750 |
| 23 | 25003-7804 | 8.687 | 9.937 | 0.625 |
| 23 | 25003-7805 | 13.000 | 14.500 | 0.625 |
| 23 | 25003-7807 | 7.086 | 8.267 | 0.591 |
| 23 | 25003-7811 | 7.187 | 8.686 | 0.625 |
| 23 | 25003-7812 | 7.187 | 8.187 | 0.500 |
| 23 | 25003-7813 | 36.500 | 38.500 | 0.812 |
| 23 | 25003-7814 | 15.187 | 17.187 | 0.750 |
| 23 | 25003-7816 | 6.229 | 7.480 | 0.511 |
| 23 | 25003-7817 | 49.625 | 50.875 | 0.562 |
| 23 | 25003-7820 | 43.562 | 45.562 | 1.000 |
| 23 | 25003-7821 | 4.437 | 5.812 | 0.500 |
| 23 | 25003-7822 | 20.236 | 22.236 | 0.812 |
| 23 | 25003-7825 | 49.250 | 51.125 | 0.812 |
| 23 | 25003-7827 | 43.000 | 45.000 | 0.812 |
| 23 | 25003-7830 | 49.500 | 51.250 | 0.812 |
| 23 | 25003-7831 | 9.250 | 10.625 | 0.750 |
| 23 | 25003-7832 | 11.250 | 12.750 | 0.625 |
| 23 | 25003-7833 | 2.937 | 3.687 | 0.375 |
| 23 | 25003-7834 | 8.437 | 9.687 | 0.625 |
| 23 | 25003-7835 | 9.625 | 10.500 | 0.500 |
| 23 | 25003-7836 | 4.724 | 6.299 | 0.472 |
| 23 | 25003-7838 | 23.000 | 25.000 | 0.812 |
| 23 | 25003-7839 | 3.543 | 4.724 | 0.472 |
| 23 | 25003-7841 | 3.312 | 4.312 | 0.500 |
| 23 | 25003-7847 | 7.437 | 8.437 | 0.500 |
| 23 | 25003-7857 | 4.812 | 5.937 | 0.375 |
| 23 | 25003-7858 | 15.750 | 17.250 | 0.562 |
| 23 | 25003-7859 | 25.250 | 27.250 | 0.812 |
| 23 | 25003-7863 | 38.000 | 40.000 | 0.812 |
| 23 | 25003-7866 | 30.800 | 31.800 | 0.500 |
| 23 | 25003-7867 | 4.937 | 6.437 | 0.500 |
| 23 | 25003-7869 | 8.125 | 9.187 | 0.500 |
| 23 | 25003-7871 | 81.000 | 83.000 | 0.812 |
| 23 | 25003-7874 | 11.732 | 12.606 | 0.375 |
| 23 | 25003-7875 | 36.500 | 38.438 | 0.812 |
| 23 | 25003-7878 | 11.029 | 12.029 | 0.375 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-7881 | 27.562 | 29.562 | 0.812 |
| 23 | 25003-7882 | 6.688 | 7.937 | 0.625 |
| 23 | 25003-7889 | 9.625 | 10.625 | 0.500 |
| 23 | 25003-7891 | 9.448 | 11.023 | 0.629 |
| 23 | 25003-7893 | 11.811 | 13.386 | 0.630 |
| 23 | 25003-7898 | 14.214 | 16.214 | 0.812 |
| 23 | 25003-7899 | 25.750 | 26.875 | 0.547 |
| 23 | 25003-7900 | 28.375 | 29.500 | 0.500 |
| 23 | 25003-7911 | 60.000 | 62.000 | 0.812 |
| 23 | 25003-7924 | 6.437 | 7.687 | 0.625 |
| 23 | 25003-7941 | 3.000 | 3.937 | 0.375 |
| 23 | 25003-7969 | 13.312 | 15.312 | 0.812 |
| 23 | 25003-7979 | 3.937 | 5.118 | 0.500 |
| 23 | 25003-8043 | 27.000 | 28.000 | 0.500 |
| 23 | 25003-8049 | 7.480 | 8.661 | 0.591 |
| 23 | 25003-8058 | 53.000 | 55.000 | 0.812 |
| 23 | 25003-8103 | 27.250 | 29.250 | 0.812 |
| 23 | 25003-8108 | 23.875 | 24.875 | 0.500 |
| 23 | 25003-8115 | 12.875 | 14.875 | 0.750 |
| 23 | 25003-8119 | 14.750 | 16.250 | 0.625 |
| 23 | 25003-8122 | 32.687 | 34.687 | 0.812 |
| 23 | 25003-8123 | 15.000 | 16.750 | 0.812 |
| 23 | 25003-8134 | 6.875 | 8.125 | 0.562 |
| 23 | 25003-8137 | 5.125 | 6.625 | 0.750 |
| 23 | 25003-8139 | 24.250 | 25.250 | 0.500 |
| 23 | 25003-8140 | 9.960 | 10.834 | 0.375 |
| 23 | 25003-8142 | 8.750 | 10.250 | 0.625 |
| 23 | 25003-8159 | 3.687 | 4.937 | 0.500 |
| 23 | 25003-8171 | 6.500 | 7.874 | 0.472 |
| 23 | 25003-8172 | 36.460 | 38.460 | 0.812 |
| 23 | 25003-8175 | 8.125 | 9.125 | 0.500 |
| 23 | 25003-8177 | 8.875 | 10.375 | 0.500 |
| 23 | 25003-8179 | 9.250 | 10.750 | 0.500 |
| 23 | 25003-8189 | 8.469 | 9.968 | 0.750 |
| 23 | 25003-8190 | 27.750 | 29.750 | 0.812 |
| 23 | 25003-8191 | 17.250 | 19.250 | 0.812 |
| 23 | 25003-8194 | 6.312 | 7.312 | 0.500 |
| 23 | 25003-8198 | 50.000 | 52.000 | 0.875 |
| 23 | 25003-8200 | 35.437 | 37.437 | 0.812 |
| 23 | 25003-8210 | 45.250 | 47.125 | 0.812 |
| 23 | 25003-8215 | 5.187 | 6.437 | 0.500 |
| 23 | 25003-8223 | 8.500 | 10.375 | 0.625 |
| 23 | 25003-8228 | 47.750 | 49.750 | 0.812 |
| 23 | 25003-8229 | 12.500 | 13.750 | 0.625 |
| 23 | 25003-8233 | 3.250 | 4.249 | 0.375 |
| 23 | 25003-8234 | 8.187 | 9.312 | 0.500 |
| 23 | 25003-8242 | 4.724 | 5.905 | 0.433 |
| 23 | 25003-8252 | 7.500 | 8.375 | 0.500 |
| 23 | 25003-8261 | 12.795 | 13.669 | 0.375 |
| 23 | 25003-8265 | 8.260 | 9.142 | 0.375 |
| 23 | 25003-8271 | 14.875 | 16.875 | 0.812 |
| 23 | 25003-8276 | 2.344 | 3.219 | 0.625 |

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-8279 | 76.250 | 78.250 | 0.812 |
| 23 | 25003-8281 | 14.875 | 16.375 | 0.750 |
| 23 | 25003-8285 | 23.125 | 24.625 | 0.618 |
| 23 | 25003-8287 | 11.625 | 13.125 | 0.750 |
| 23 | 25003-8295 | 16.750 | 18.250 | 0.750 |
| 23 | 25003-8299 | 18.898 | 20.866 | 0.787 |
| 23 | 25003-8313 | 9.625 | 10.875 | 0.625 |
| 23 | 25003-8315 | 11.750 | 13.750 | 0.812 |
| 23 | 25003-8324 | 64.000 | 66.000 | 0.812 |
| 23 | 25003-8332 | 13.187 | 14.187 | 0.500 |
| 23 | 25003-8334 | 10.500 | 11.750 | 0.500 |
| 23 | 25003-8385 | 2.937 | 4.000 | 0.375 |
| 23 | 25003-8388 | 9.500 | 11.000 | 0.500 |
| 23 | 25003-8402 | 4.812 | 5.812 | 0.375 |
| 23 | 25003-8418 | 8.187 | 9.187 | 0.500 |
| 23 | 25003-8420 | 7.874 | 9.448 | 0.629 |
| 23 | 25003-8421 | 20.000 | 21.000 | 0.500 |
| 23 | 25003-8429 | 3.543 | 4.724 | 0.500 |
| 23 | 25003-8433 | 6.875 | 7.875 | 0.500 |
| 23 | 25003-8434 | 7.000 | 8.406 | 0.588 |
| 23 | 25003-8444 | 4.437 | 5.687 | 0.625 |
| 23 | 25003-8445 | 6.692 | 8.192 | 0.750 |
| 23 | 25003-8446 | 19.500 | 21.500 | 0.812 |
| 23 | 25003-8447 | 9.437 | 10.687 | 0.625 |
| 23 | 25003-8451 | 8.250 | 9.500 | 0.500 |
| 23 | 25003-8452 | 8.375 | 9.875 | 0.500 |
| 23 | 25003-8455 | 4.562 | 5.812 | 0.500 |
| 23 | 25003-8468 | 23.187 | 25.187 | 0.812 |
| 23 | 25003-8476 | 17.500 | 19.250 | 0.625 |
| 23 | 25003-8481 | 8.858 | 9.842 | 0.492 |
| 23 | 25003-8483 | 3.937 | 4.906 | 0.484 |
| 23 | 25003-8488 | 2.937 | 3.906 | 0.484 |
| 23 | 25003-8490 | 4.437 | 5.890 | 0.484 |
| 23 | 25003-8494 | 9.000 | 10.500 | 0.609 |
| 23 | 25003-8504 | 16.535 | 18.110 | 0.787 |
| 23 | 25003-8509 | 39.750 | 41.750 | 0.812 |
| 23 | 25003-8511 | 12.906 | 14.906 | 0.750 |
| 23 | 25003-8512 | 22.250 | 24.250 | 0.812 |
| 23 | 25003-8525 | 11.811 | 13.543 | 0.807 |
| 23 | 25003-8526 | 22.750 | 24.750 | 0.812 |
| 23 | 25003-8534 | 4.437 | 5.875 | 0.375 |
| 23 | 25003-8543 | 4.438 | 5.875 | 0.375 |
| 23 | 25003-8549 | 32.125 | 33.625 | 0.625 |
| 23 | 25003-8550 | 32.250 | 33.625 | 0.625 |
| 23 | 25003-8559 | 11.562 | 13.062 | 0.750 |
| 23 | 25003-8560 | 8.500 | 10.500 | 0.500 |
| 23 | 25003-8563 | 66.000 | 68.000 | 0.812 |
| 23 | 25003-8565 | 10.500 | 11.750 | 0.750 |
| 23 | 25003-8567 | 6.625 | 8.000 | 0.500 |
| 23 | 25003-8575 | 5.437 | 6.937 | 0.625 |
| 23 | 25003-8576 | 13.000 | 14.000 | 0.500 |
| 23 | 25003-8578 | 7.812 | 8.812 | 0.500 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-8580 | 7.187 | 8.639 | 0.625 |
| 23 | 25003-8583 | 8.500 | 9.375 | 0.500 |
| 23 | 25003-8586 | 3.206 | 4.250 | 0.500 |
| 23 | 25003-8588 | 30.000 | 31.125 | 0.562 |
| 23 | 25003-8589 | 12.500 | 14.062 | 0.750 |
| 23 | 25003-8592 | 3.875 | 4.875 | 0.437 |
| 23 | 25003-8606 | 8.661 | 10.236 | 0.630 |
| 23 | 25003-8607 | 9.843 | 11.417 | 0.630 |
| 23 | 25003-8614 | 4.625 | 6.077 | 0.484 |
| 23 | 25003-8618 | 66.500 | 68.500 | 0.812 |
| 23 | 25003-8620 | 13.500 | 15.000 | 0.625 |
| 23 | 25003-8623 | 8.469 | 9.968 | 0.500 |
| 23 | 25003-8629 | 4.937 | 6.000 | 0.375 |
| 23 | 25003-8634 | 19.685 | 21.685 | 0.812 |
| 23 | 25003-8639 | 3.687 | 4.687 | 0.375 |
| 23 | 25003-8654 | 6.187 | 7.437 | 0.625 |
| 23 | 25003-8655 | 10.630 | 12.205 | 0.630 |
| 23 | 25003-8656 | 13.779 | 15.354 | 0.630 |
| 23 | 25003-8657 | 5.250 | 6.250 | 0.750 |
| 23 | 25003-8658 | 21.875 | 23.875 | 0.812 |
| 23 | 25003-8665 | 8.500 | 10.000 | 0.500 |
| 23 | 25003-8684 | 36.500 | 38.250 | 0.812 |
| 23 | 25003-8689 | 24.500 | 26.500 | 0.812 |
| 23 | 25003-8691 | 18.000 | 19.500 | 0.812 |
| 23 | 25003-8693 | 3.343 | 4.343 | 0.375 |
| 23 | 25003-8695 | 18.504 | 20.472 | 0.741 |
| 23 | 25003-8699 | 6.693 | 7.943 | 0.625 |
| 23 | 25003-8701 | 13.386 | 14.886 | 0.750 |
| 23 | 25003-8702 | 15.748 | 17.480 | 0.662 |
| 23 | 25003-8705 | 16.535 | 18.504 | 0.741 |
| 23 | 25003-8709 | 8.500 | 9.875 | 0.750 |
| 23 | 25003-8713 | 15.748 | 17.748 | 0.750 |
| 23 | 25003-8719 | 19.125 | 21.125 | 0.812 |
| 23 | 25003-8721 | 1.750 | 2.656 | 0.625 |
| 23 | 25003-8741 | 14.500 | 15.500 | 0.500 |
| 23 | 25003-8748 | 68.000 | 70.000 | 0.812 |
| 23 | 25003-8750 | 67.000 | 69.000 | 0.812 |
| 23 | 25003-8753 | 9.437 | 10.437 | 0.500 |
| 23 | 25003-8761 | 11.000 | 12.000 | 0.375 |
| 23 | 25003-8768 | 4.133 | 5.118 | 0.472 |
| 23 | 25003-8773 | 25.625 | 26.750 | 0.500 |
| 23 | 25003-8776 | 8.375 | 9.625 | 0.500 |
| 23 | 25003-8780 | 17.000 | 18.250 | 0.625 |
| 23 | 25003-8783 | 9.500 | 10.750 | 0.500 |
| 23 | 25003-8790 | 3.938 | 4.906 | 0.500 |
| 23 | 25003-8802 | 82.677 | 84.645 | 0.812 |
| 23 | 25003-8803 | 3.543 | 4.527 | 0.491 |
| 23 | 25003-8804 | 12.000 | 13.000 | 0.500 |
| 23 | 25003-8805 | 8.062 | 9.062 | 0.463 |
| 23 | 25003-8838 | 9.062 | 10.500 | 0.750 |
| 23 | 25003-8841 | 10.000 | 11.437 | 0.750 |
| 23 | 25003-8846 | 9.562 | 11.062 | 0.625 |
| 23 | 25003-8847 | 15.812 | 17.437 | 0.812 |
| 23 | 25003-8848 | 19.937 | 21.187 | 0.625 |
| 23 | 25003-8850 | 14.000 | 15.250 | 0.750 |
| 23 | 25003-8861 | 15.250 | 16.625 | 0.531 |
| 23 | 25003-8865 | 74.000 | 76.000 | 0.812 |
| 23 | 25003-8869 | 20.500 | 21.500 | 0.500 |
| 23 | 25003-8872 | 66.500 | 69.000 | 0.812 |
| 23 | 25003-8874 | 10.937 | 12.500 | 0.625 |
| 23 | 25003-8888 | 14.750 | 16.125 | 0.687 |
| 23 | 25003-8905 | 2.362 | 3.112 | 0.375 |
| 23 | 25003-8934 | 30.500 | 32.500 | 0.812 |
| 23 | 25003-8946 | 21.250 | 22.250 | 0.500 |
| 23 | 25003-8957 | 4.000 | 5.125 | 0.375 |
| 23 | 25003-8962 | 11.500 | 12.500 | 0.375 |
| 23 | 25003-8980 | 30.000 | 31.250 | 0.500 |
| 23 | 25003-8981 | 16.625 | 18.125 | 0.750 |
| 23 | 25003-8998 | 12.500 | 13.906 | 0.750 |
| 23 | 25003-8999 | 13.895 | 15.750 | 0.750 |
| 23 | 25003-9015 | 3.469 | 4.500 | 0.500 |
| 23 | 25003-9017 | 5.750 | 7.250 | 0.750 |
| 23 | 25003-9021 | 6.437 | 7.937 | 0.750 |
| 23 | 25003-9022 | 8.562 | 10.062 | 0.750 |
| 23 | 25003-9023 | 6.000 | 7.125 | 0.719 |
| 23 | 25003-9025 | 25.750 | 26.875 | 0.562 |
| 23 | 25003-9031 | 5.937 | 7.687 | 0.625 |
| 23 | 25003-9056 | 3.375 | 4.375 | 0.375 |
| 23 | 25003-9057 | 9.937 | 11.500 | 0.750 |
| 23 | 25003-9060 | 4.125 | 5.250 | 0.375 |
| 23 | 25003-9065 | 7.519 | 9.019 | 0.750 |
| 23 | 25003-9077 | 16.000 | 17.000 | 0.500 |
| 23 | 25003-9085 | 4.437 | 5.937 | 0.500 |
| 23 | 25003-9089 | 3.750 | 5.000 | 0.375 |
| 23 | 25003-9090 | 25.500 | 27.500 | 0.812 |
| 23 | 25003-9094 | 11.500 | 12.500 | 0.500 |
| 23 | 25003-9099 | 6.062 | 7.312 | 0.625 |
| 23 | 25003-9104 | 3.687 | 4.687 | 0.500 |
| 23 | 25003-9114 | 17.000 | 18.125 | 0.562 |
| 23 | 25003-9115 | 19.000 | 21.000 | 0.750 |
| 23 | 25003-9116 | 14.500 | 16.500 | 0.625 |
| 23 | 25003-9132 | 4.500 | 6.000 | 0.375 |
| 23 | 25003-9133 | 10.375 | 11.625 | 0.625 |
| 23 | 25003-9142 | 5.875 | 7.375 | 0.750 |
| 23 | 25003-9143 | 4.312 | 5.312 | 0.500 |
| 23 | 25003-9144 | 4.331 | 5.500 | 0.437 |
| 23 | 25003-9145 | 9.937 | 11.437 | 0.750 |
| 23 | 25003-9146 | 8.688 | 9.687 | 0.500 |
| 23 | 25003-9148 | 12.000 | 13.937 | 0.812 |
| 23 | 25003-9149 | 11.000 | 12.875 | 0.812 |
| 23 | 25003-9151 | 8.937 | 9.937 | 0.500 |
| 23 | 25003-9154 | 25.000 | 27.000 | 0.750 |
| 23 | 25003-9156 | 31.750 | 33.750 | 0.750 |
| 23 | 25003-9158 | 5.512 | 6.692 | 0.500 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-9162 | 2.559 | 3.543 | 0.375 |
| 23 | 25003-9163 | 14.875 | 16.875 | 0.500 |
| 23 | 25003-9172 | 9.250 | 11.250 | 0.625 |
| 23 | 25003-9173 | 22.937 | 24.937 | 0.812 |
| 23 | 25003-9174 | 3.750 | 4.625 | 0.375 |
| 23 | 25003-9175 | 5.315 | 6.693 | 0.472 |
| 23 | 25003-9181 | 15.000 | 17.000 | 0.625 |
| 23 | 25003-9182 | 14.173 | 15.748 | 0.748 |
| 23 | 25003-9184 | 8.000 | 9.438 | 0.500 |
| 23 | 25003-9185 | 6.437 | 7.375 | 0.500 |
| 23 | 25003-9188 | 43.125 | 44.625 | 0.750 |
| 23 | 25003-9190 | 3.740 | 4.724 | 0.472 |
| 23 | 25003-9197 | 5.812 | 6.812 | 0.500 |
| 23 | 25003-9200 | 39.250 | 41.250 | 0.812 |
| 23 | 25003-9201 | 9.000 | 10.000 | 0.437 |
| 23 | 25003-9202 | 52.250 | 54.125 | 0.812 |
| 23 | 25003-9203 | 8.625 | 10.625 | 0.812 |
| 23 | 25003-9204 | 4.375 | 5.375 | 0.375 |
| 23 | 25003-9205 | 32.250 | 34.250 | 0.812 |
| 23 | 25003-9207 | 8.500 | 9.750 | 0.750 |
| 23 | 25003-9210 | 8.625 | 9.875 | 0.500 |
| 23 | 25003-9212 | 32.375 | 33.625 | 0.500 |
| 23 | 25003-9217 | 6.500 | 7.875 | 0.750 |
| 23 | 25003-9219 | 36.625 | 38.625 | 0.812 |
| 23 | 25003-9225 | 29.527 | 31.125 | 0.750 |
| 23 | 25003-9230 | 3.000 | 4.062 | 0.375 |
| 23 | 25003-9232 | 6.125 | 7.000 | 0.500 |
| 23 | 25003-9236 | 60.000 | 62.000 | 0.750 |
| 23 | 25003-9238 | 42.375 | 44.375 | 0.750 |
| 23 | 25003-9242 | 8.661 | 9.911 | 0.500 |
| 23 | 25003-9243 | 8.661 | 9.911 | 0.625 |
| 23 | 25003-9244 | 7.062 | 8.562 | 0.500 |
| 23 | 25003-9245 | 6.032 | 7.312 | 0.500 |
| 23 | 25003-9248 | 33.937 | 35.468 | 0.812 |
| 23 | 25003-9251 | 5.312 | 6.937 | 0.500 |
| 23 | 25003-9253 | 9.687 | 11.187 | 0.750 |
| 23 | 25003-9254 | 14.750 | 16.750 | 0.750 |
| 23 | 25003-9255 | 13.000 | 14.750 | 0.500 |
| 23 | 25003-9256 | 13.375 | 15.375 | 0.812 |
| 23 | 25003-9258 | 13.125 | 14.625 | 0.750 |
| 23 | 25003-9260 | 9.625 | 11.125 | 0.750 |
| 23 | 25003-9261 | 17.500 | 18.500 | 0.500 |
| 23 | 25003-9262 | 7.062 | 8.062 | 0.625 |
| 23 | 25003-9266 | 25.875 | 27.875 | 0.812 |
| 23 | 25003-9267 | 8.375 | 10.375 | 0.750 |
| 23 | 25003-9268 | 4.984 | 6.234 | 0.500 |
| 23 | 25003-9269 | 93.000 | 95.000 | 0.812 |
| 23 | 25003-9272 | 9.937 | 11.187 | 0.625 |
| 23 | 25003-9273 | 17.125 | 18.125 | 0.500 |
| 23 | 25003-9275 | 5.196 | 6.299 | 0.500 |
| 23 | 25003-9276 | 20.875 | 22.875 | 0.812 |
| 23 | 25003-9279 | 15.125 | 16.125 | 0.375 |
| 23 | 25003-9282 | 24.500 | 26.000 | 0.750 |
| 23 | 25003-9284 | 3.937 | 4.724 | 0.500 |
| 23 | 25003-9285 | 16.250 | 18.000 | 0.812 |
| 23 | 25003-9286 | 16.225 | 17.725 | 0.750 |
| 23 | 25003-9287 | 14.013 | 15.513 | 0.750 |
| 23 | 25003-9288 | 31.000 | 32.500 | 0.562 |
| 23 | 25003-9289 | 64.500 | 66.500 | 0.812 |
| 23 | 25003-9290 | 68.000 | 70.000 | 0.750 |
| 23 | 25003-9295 | 9.187 | 10.687 | 0.750 |
| 23 | 25003-9296 | 16.350 | 17.350 | 0.500 |
| 23 | 25003-9298 | 3.875 | 5.000 | 0.375 |
| 23 | 25003-9300 | 9.625 | 11.125 | 0.625 |
| 23 | 25003-9301 | 12.375 | 13.875 | 0.625 |
| 23 | 25003-9303 | 16.875 | 18.875 | 0.812 |
| 23 | 25003-9305 | 25.750 | 26.875 | 0.750 |
| 23 | 25003-9310 | 61.250 | 62.250 | 0.500 |
| 23 | 25003-9312 | 21.260 | 23.260 | 0.812 |
| 23 | 25003-9313 | 24.750 | 25.750 | 0.500 |
| 23 | 25003-9314 | 37.000 | 38.000 | 0.500 |
| 23 | 25003-9315 | 17.332 | 18.832 | 0.750 |
| 23 | 25003-9316 | 13.779 | 15.279 | 0.750 |
| 23 | 25003-9317 | 9.774 | 11.024 | 0.500 |
| 23 | 25003-9322 | 89.000 | 91.000 | 0.812 |
| 23 | 25003-9323 | 110.500 | 112.500 | 0.812 |
| 23 | 25003-9324 | 37.000 | 39.000 | 0.812 |
| 23 | 25003-9325 | 25.590 | 27.090 | 0.750 |
| 23 | 25003-9327 | 57.375 | 58.875 | 0.750 |
| 23 | 25003-9331 | 13.375 | 14.375 | 0.500 |
| 23 | 25003-9334 | 23.067 | 24.954 | 0.812 |
| 23 | 25003-9335 | 35.375 | 37.375 | 0.812 |
| 23 | 25003-9338 | 17.375 | 18.875 | 0.750 |
| 23 | 25003-9339 | 30.000 | 31.000 | 0.500 |
| 23 | 25003-9340 | 7.687 | 9.187 | 0.750 |
| 23 | 25003-9344 | 65.250 | 67.250 | 0.812 |
| 23 | 25003-9348 | 32.187 | 34.187 | 0.812 |
| 23 | 25003-9349 | 19.187 | 21.187 | 0.812 |
| 23 | 25003-9371 | 23.250 | 25.250 | 0.750 |
| 23 | 25003-9372 | 4.969 | 6.375 | 0.500 |
| 23 | 25003-9374 | 6.500 | 7.500 | 0.437 |
| 23 | 25003-9375 | 27.375 | 29.375 | 0.812 |
| 23 | 25003-9382 | 25.625 | 26.625 | 0.500 |
| 23 | 25003-9383 | 24.812 | 26.812 | 0.812 |
| 23 | 25003-9384 | 10.250 | 11.250 | 0.625 |
| 23 | 25003-9389 | 5.000 | 6.000 | 0.437 |
| 23 | 25003-9391 | 21.250 | 23.250 | 0.812 |
| 23 | 25003-9392 | 20.827 | 22.827 | 0.812 |
| 23 | 25003-9394 | 55.000 | 56.500 | 0.750 |
| 23 | 25003-9395 | 53.500 | 55.000 | 0.750 |
| 23 | 25003-9396 | 12.437 | 14.000 | 0.750 |
| 23 | 25003-9403 | 48.000 | 49.500 | 0.750 |
| 23 | 25003-9404 | 6.750 | 8.250 | 0.500 |
| 23 | 25003-9420 | 27.750 | 28.875 | 0.562 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-9421 | 17.625 | 19.625 | 0.812 |
| 23 | 25003-9427 | 55.000 | 57.000 | 0.812 |
| 23 | 25003-9435 | 9.448 | 11.024 | 0.787 |
| 23 | 25003-9440 | 5.750 | 7.202 | 0.734 |
| 23 | 25003-9458 | 6.000 | 7.452 | 0.734 |
| 23 | 25003-9473 | 8.187 | 9.687 | 0.500 |
| 23 | 25003-9476 | 10.250 | 11.250 | 0.500 |
| 23 | 25003-9477 | 18.750 | 20.250 | 0.812 |
| 23 | 25003-9478 | 20.250 | 21.250 | 0.500 |
| 23 | 25003-9479 | 17.716 | 19.716 | 0.812 |
| 23 | 25003-9480 | 22.834 | 24.834 | 0.812 |
| 23 | 25003-9482 | 28.125 | 29.250 | 0.562 |
| 23 | 25003-9483 | 5.000 | 6.375 | 0.750 |
| 23 | 25003-9484 | 16.187 | 18.187 | 0.812 |
| 23 | 25003-9487 | 3.922 | 4.922 | 0.500 |
| 23 | 25003-9491 | 11.812 | 13.312 | 0.750 |
| 23 | 25003-9492 | 18.818 | 20.818 | 0.812 |
| 23 | 25003-9493 | 31.500 | 32.500 | 0.500 |
| 23 | 25003-9494 | 14.687 | 16.187 | 0.750 |
| 23 | 25003-9495 | 14.500 | 16.375 | 0.812 |
| 23 | 25003-9510 | 2.687 | 3.687 | 0.375 |
| 23 | 25003-9512 | 14.100 | 15.600 | 0.750 |
| 23 | 25003-9519 | 1.937 | 2.750 | 0.406 |
| 23 | 25003-9520 | 8.000 | 9.592 | 0.609 |
| 23 | 25003-9529 | 16.733 | 18.700 | 0.788 |
| 23 | 25003-9535 | 10.875 | 12.875 | 0.578 |
| 23 | 25003-9536 | 9.500 | 11.500 | 0.578 |
| 23 | 25003-9539 | 3.312 | 4.125 | 0.438 |
| 23 | 25003-9541 | 5.125 | 6.625 | 0.484 |
| 23 | 25003-9542 | 10.875 | 12.625 | 0.750 |
| 23 | 25003-9544 | 9.375 | 10.625 | 0.500 |
| 23 | 25003-9545 | 49.250 | 50.750 | 0.750 |
| 23 | 25003-9547 | 3.712 | 4.712 | 0.500 |
| 23 | 25003-9548 | 8.375 | 9.375 | 0.500 |
| 23 | 25003-9549 | 41.625 | 43.625 | 0.812 |
| 23 | 25003-9553 | 9.062 | 10.562 | 0.750 |
| 23 | 25003-9554 | 37.500 | 39.500 | 0.812 |
| 23 | 25003-9559 | 8.750 | 9.875 | 0.687 |
| 23 | 25003-9567 | 4.331 | 5.512 | 0.500 |
| 23 | 25003-9568 | 41.000 | 43.000 | 0.812 |
| 23 | 25003-9569 | 25.750 | 27.750 | 0.812 |
| 23 | 25003-9575 | 28.250 | 30.250 | 0.812 |
| 23 | 25003-9578 | 8.000 | 8.875 | 0.437 |
| 23 | 25003-9581 | 17.750 | 18.750 | 0.500 |
| 23 | 25003-9591 | 14.750 | 16.750 | 0.812 |
| 23 | 25003-9594 | 9.625 | 11.625 | 0.812 |
| 23 | 25003-9595 | 15.750 | 17.250 | 0.750 |
| 23 | 25003-9598 | 13.000 | 15.000 | 0.625 |
| 23 | 25003-9599 | 63.000 | 65.000 | 0.812 |
| 23 | 25003-9600 | 4.437 | 6.000 | 0.594 |
| 23 | 25003-9601 | 17.500 | 19.500 | 0.812 |
| 23 | 25003-9602 | 39.000 | 40.000 | 0.500 |
| 23 | 25003-9603 | 28.000 | 30.000 | 0.822 |
| 23 | 25003-9614 | 3.375 | 4.500 | 0.375 |
| 23 | 25003-9625 | 42.750 | 43.750 | 0.375 |
| 23 | 25003-9626 | 26.687 | 28.687 | 0.812 |
| 23 | 25003-9630 | 6.281 | 7.299 | 0.375 |
| 23 | 25003-9639 | 21.260 | 23.228 | 0.812 |
| 23 | 25003-9640 | 4.250 | 5.702 | 0.484 |
| 23 | 25003-9641 | 38.750 | 40.750 | 0.812 |
| 23 | 25003-9642 | 5.250 | 6.750 | 0.687 |
| 23 | 25003-9644 | 19.000 | 20.204 | 0.531 |
| 23 | 25003-9645 | 35.500 | 37.500 | 0.812 |
| 23 | 25003-9646 | 3.937 | 5.062 | 0.375 |
| 23 | 25003-9647 | 26.750 | 28.750 | 0.812 |
| 23 | 25003-9648 | 4.000 | 5.131 | 0.375 |
| 23 | 25003-9649 | 3.000 | 4.375 | 0.375 |
| 23 | 25003-9662 | 4.000 | 5.000 | 0.437 |
| 23 | 25003-9663 | 5.687 | 7.187 | 0.500 |
| 23 | 25003-9672 | 4.450 | 5.692 | 0.500 |
| 23 | 25003-9676 | 9.844 | 11.020 | 0.500 |
| 23 | 25003-9679 | 10.500 | 11.625 | 0.547 |
| 23 | 25003-9686 | 42.500 | 44.500 | 0.812 |
| 23 | 25003-9687 | 14.125 | 15.625 | 0.750 |
| 23 | 25003-9690 | 27.875 | 29.875 | 0.812 |
| 23 | 25003-9691 | 2.500 | 3.375 | 0.375 |
| 23 | 25003-9693 | 11.000 | 12.000 | 0.500 |
| 23 | 25003-9697 | 13.000 | 14.734 | 0.703 |
| 23 | 25003-9702 | 5.000 | 5.875 | 0.375 |
| 23 | 25003-9703 | 6.062 | 7.687 | 0.500 |
| 23 | 25003-9704 | 3.167 | 4.167 | 0.500 |
| 23 | 25003-9710 | 91.340 | 92.840 | 0.750 |
| 23 | 25003-9718 | 8.500 | 10.410 | 0.812 |
| 23 | 25003-9721 | 11.750 | 13.750 | 0.625 |
| 23 | 25003-9724 | 3.000 | 4.250 | 0.625 |
| 23 | 25003-9726 | 11.750 | 13.750 | 0.625 |
| 23 | 25003-9732 | 14.625 | 16.125 | 0.750 |
| 23 | 25003-9734 | 19.375 | 21.375 | 0.812 |
| 23 | 25003-9735 | 40.500 | 41.500 | 0.500 |
| 23 | 25003-9736 | 31.500 | 33.000 | 0.750 |
| 23 | 25003-9741 | 4.000 | 5.031 | 0.375 |
| 23 | 25003-9742 | 18.875 | 20.875 | 0.812 |
| 23 | 25003-9744 | 20.866 | 22.866 | 0.812 |
| 23 | 25003-9749 | 11.875 | 13.875 | 0.750 |
| 23 | 25003-9751 | 5.906 | 6.906 | 0.500 |
| 23 | 25003-9752 | 16.750 | 18.750 | 0.812 |
| 23 | 25003-9757 | 16.375 | 18.375 | 0.812 |
| 23 | 25003-9759 | 26.250 | 28.250 | 0.812 |
| 23 | 25003-9760 | 5.562 | 6.562 | 0.500 |
| 23 | 25003-9761 | 4.321 | 5.195 | 0.500 |
| 23 | 25003-9763 | 14.000 | 16.000 | 0.625 |
| 23 | 25003-9776 | 10.437 | 11.937 | 0.750 |
| 23 | 25003-9777 | 41.250 | 43.250 | 0.750 |
| 23 | 25003-9779 | 52.000 | 54.000 | 0.750 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-9780 | 6.500 | 7.500 | 0.562 |
| 23 | 25003-9781 | 58.000 | 60.000 | 0.812 |
| 23 | 25003-9783 | 13.937 | 15.437 | 0.750 |
| 23 | 25003-9785 | 4.375 | 5.827 | 0.484 |
| 23 | 25003-9789 | 6.299 | 7.299 | 0.500 |
| 23 | 25003-9791 | 4.937 | 6.062 | 0.500 |
| 23 | 25003-9792 | 7.437 | 8.937 | 0.750 |
| 23 | 25003-9793 | 11.808 | 13.308 | 0.750 |
| 23 | 25003-9796 | 15.350 | 16.850 | 0.750 |
| 23 | 25003-9797 | 28.875 | 30.875 | 0.812 |
| 23 | 25003-9800 | 68.500 | 70.500 | 0.812 |
| 23 | 25003-9801 | 20.062 | 22.062 | 0.812 |
| 23 | 25003-9805 | 7.062 | 8.562 | 0.750 |
| 23 | 25003-9806 | 65.354 | 67.354 | 0.812 |
| 23 | 25003-9817 | 3.812 | 5.312 | 0.500 |
| 23 | 25003-9820 | 50.000 | 52.000 | 0.812 |
| 23 | 25003-9823 | 6.437 | 7.937 | 0.625 |
| 23 | 25003-9824 | 4.000 | 5.031 | 0.500 |
| 23 | 25003-9828 | 6.687 | 8.007 | 0.625 |
| 23 | 25003-9829 | 11.250 | 12.250 | 0.625 |
| 23 | 25003-9830 | 3.218 | 4.468 | 0.500 |
| 23 | 25003-9839 | 4.750 | 5.937 | 0.500 |
| 23 | 25003-9842 | 4.562 | 5.437 | 0.375 |
| 23 | 25003-9843 | 59.250 | 61.250 | 0.812 |
| 23 | 25003-9846 | 7.437 | 8.687 | 0.625 |
| 23 | 25003-9847 | 22.875 | 24.875 | 0.812 |
| 23 | 25003-9848 | 49.000 | 51.000 | 0.812 |
| 23 | 25003-9851 | 4.000 | 4.937 | 0.375 |
| 23 | 25003-9852 | 29.000 | 30.125 | 0.500 |
| 23 | 25003-9853 | 31.000 | 32.125 | 0.500 |
| 23 | 25003-9858 | 7.086 | 8.586 | 0.750 |
| 23 | 25003-9859 | 20.500 | 21.500 | 0.469 |
| 23 | 25003-9861 | 7.812 | 9.062 | 0.625 |
| 23 | 25003-9862 | 4.312 | 5.312 | 0.375 |
| 23 | 25003-9864 | 21.691 | 23.691 | 0.812 |
| 23 | 25003-9869 | 75.000 | 77.000 | 0.812 |
| 23 | 25003-9874 | 8.062 | 9.312 | 0.625 |
| 23 | 25003-9875 | 9.250 | 11.250 | 0.812 |
| 23 | 25003-9877 | 4.125 | 5.250 | 0.407 |
| 23 | 25003-9878 | 42.062 | 44.062 | 0.812 |
| 23 | 25003-9880 | 5.875 | 7.125 | 0.455 |
| 23 | 25003-9881 | 18.500 | 20.000 | 0.750 |
| 23 | 25003-9888 | 9.562 | 10.812 | 0.625 |
| 23 | 25003-9889 | 8.312 | 9.562 | 0.625 |
| 23 | 25003-9890 | 27.992 | 29.119 | 0.500 |
| 23 | 25003-9893 | 20.625 | 22.625 | 0.812 |
| 23 | 25003-9894 | 47.875 | 49.875 | 0.812 |
| 23 | 25003-9895 | 7.620 | 9.120 | 0.750 |
| 23 | 25003-9896 | 14.937 | 16.437 | 0.750 |
| 23 | 25003-9897 | 68.968 | 70.957 | 0.787 |
| 23 | 25003-9899 | 52.875 | 53.875 | 0.500 |
| 23 | 25003-9900 | 40.750 | 42.000 | 0.750 |
| 23 | 25003-9902 | 108.000 | 110.000 | 0.812 |
| 23 | 25003-9904 | 38.500 | 40.750 | 0.750 |
| 23 | 25003-9906 | 15.125 | 17.125 | 0.750 |
| 23 | 25003-9907 | 21.500 | 23.500 | 0.750 |
| 23 | 25003-9908 | 44.290 | 45.790 | 0.750 |
| 23 | 25003-9912 | 54.000 | 56.000 | 0.812 |
| 23 | 25003-9913 | 40.750 | 42.000 | 0.687 |
| 23 | 25003-9914 | 5.687 | 6.937 | 0.625 |
| 23 | 25003-9915 | 3.000 | 4.000 | 0.437 |
| 23 | 25003-9916 | 9.437 | 10.937 | 0.750 |
| 23 | 25003-9917 | 56.102 | 58.346 | 0.750 |
| 23 | 25003-9918 | 44.337 | 45.837 | 0.750 |
| 23 | 25003-9919 | 54.331 | 56.299 | 0.984 |
| 23 | 25003-9920 | 70.000 | 71.000 | 0.500 |
| 23 | 25003-9921 | 13.625 | 15.625 | 0.812 |
| 23 | 25003-9925 | 17.717 | 19.409 | 0.787 |
| 23 | 25003-9928 | 12.380 | 14.380 | 0.812 |
| 23 | 25003-9932 | 10.937 | 12.187 | 0.625 |
| 23 | 25003-9938 | 51.575 | 53.575 | 0.812 |
| 23 | 25003-9939 | 6.375 | 7.375 | 0.375 |
| 23 | 25003-9940 | 18.750 | 20.750 | 0.812 |
| 23 | 25003-9941 | 9.445 | 10.633 | 0.500 |
| 23 | 25003-9942 | 11.335 | 12.520 | 0.500 |
| 23 | 25003-9943 | 19.188 | 20.938 | 0.625 |
| 23 | 25003-9944 | 3.437 | 4.937 | 0.500 |
| 23 | 25003-9945 | 71.000 | 73.000 | 0.812 |
| 23 | 25003-9947 | 9.750 | 11.750 | 0.625 |
| 23 | 25003-9948 | 9.000 | 11.000 | 0.625 |
| 23 | 25003-9949 | 13.125 | 14.875 | 0.625 |
| 23 | 25003-9950 | 4.156 | 5.406 | 0.500 |
| 23 | 25003-9953 | 88.583 | 90.583 | 0.812 |
| 23 | 25003-9954 | 3.375 | 4.625 | 0.375 |
| 23 | 25003-9955 | 7.937 | 9.187 | 0.625 |
| 23 | 25003-9956 | 7.207 | 8.225 | 0.500 |
| 23 | 25003-9957 | 10.000 | 11.500 | 0.375 |
| 23 | 25003-9958 | 6.670 | 7.750 | 0.500 |
| 23 | 25003-9959 | 14.750 | 16.250 | 0.375 |
| 23 | 25003-9960 | 4.250 | 5.250 | 0.437 |
| 23 | 25003-9963 | 3.543 | 4.528 | 0.472 |
| 23 | 25003-9968 | 32.375 | 34.375 | 1.000 |
| 23 | 25003-9969 | 9.844 | 10.844 | 0.500 |
| 23 | 25003-9974 | 10.937 | 12.500 | 0.625 |
| 23 | 25003-9976 | 11.750 | 13.500 | 0.812 |
| 23 | 25003-9979 | 18.750 | 19.750 | 0.500 |
| 23 | 25003-9980 | 11.750 | 13.250 | 0.625 |
| 23 | 25003-9982 | 25.006 | 26.006 | 0.375 |
| 23 | 25003-9983 | 20.495 | 21.495 | 0.375 |
| 23 | 25003-9985 | 20.477 | 21.477 | 0.375 |
| 23 | 25003-9987 | 20.458 | 21.458 | 0.375 |
| 23 | 25003-9988 | 25.500 | 26.500 | 0.500 |
| 23 | 25003-9993 | 14.566 | 16.181 | 0.629 |
| 23 | 25003-9994 | 7.087 | 8.661 | 0.625 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 23 | 25003-9995 | 9.868 | 11.368 | 0.750 |
| 23 | 25003-9996 | 12.992 | 14.566 | 0.708 |
| 23 | 25003-9997 | 10.375 | 12.250 | 0.750 |
| 24 | 25005-2549 | 4.000 | 5.500 | 0.500 |
| 24 | 25005-2608 | 4.125 | 5.375 | 0.625 |
| 24 | 25005-2612 | 4.125 | 5.625 | 0.500 |
| 24 | 25005-2669 | 4.250 | 5.750 | 0.500 |
| 24 | 25005-2762 | 4.500 | 5.875 | 0.500 |
| 24 | 25005-2765 | 4.500 | 6.000 | 0.500 |
| 24 | 25005-2810 | 4.625 | 6.125 | 0.500 |
| 24 | 25005-2879 | 4.875 | 6.250 | 0.500 |
| 24 | 25005-2882 | 4.875 | 6.375 | 0.500 |
| 24 | 25005-3071 | 5.250 | 6.750 | 0.500 |
| 24 | 25005-3188 | 5.500 | 7.000 | 0.500 |
| 24 | 25005-3240 | 5.625 | 7.125 | 0.500 |
| 24 | 25005-3287 | 5.750 | 7.250 | 0.500 |
| 24 | 25005-3367 | 6.000 | 7.500 | 0.500 |
| 24 | 25005-3996 | 10.000 | 12.000 | 0.750 |
| 24 | 25005-4071 | 12.000 | 14.000 | 0.750 |
| 24 | 25005-4098 | 13.000 | 15.000 | 0.750 |
| 24 | 25005-4152 | 15.000 | 16.500 | 0.750 |
| 24 | 25005-4963 | 10.562 | 12.562 | 0.750 |
| 24 | 25005-5139 | 6.625 | 8.125 | 0.500 |
| 24 | 25005-5526 | 5.511 | 7.011 | 0.500 |
| 24 | 25005-5630 | 7.625 | 9.125 | 0.500 |
| 24 | 25005-5741 | 3.740 | 4.990 | 0.375 |
| 24 | 25005-5933 | 3.562 | 4.812 | 0.500 |
| 24 | 25005-6247 | 8.250 | 9.750 | 0.500 |
| 24 | 25005-6250 | 3.741 | 5.240 | 0.500 |
| 24 | 25005-6370 | 6.500 | 8.000 | 0.500 |
| 24 | 25005-6375 | 7.000 | 8.500 | 0.500 |
| 24 | 25005-6380 | 8.000 | 9.000 | 0.500 |
| 24 | 25005-6395 | 11.000 | 13.000 | 0.750 |
| 24 | 25005-6693 | 16.000 | 18.000 | 0.500 |
| 24 | 25005-6758 | 10.437 | 12.437 | 0.750 |
| 24 | 25005-6773 | 7.500 | 9.000 | 0.500 |
| 24 | 25005-6845 | 8.750 | 10.250 | 0.500 |
| 24 | 25005-7578 | 3.500 | 4.750 | 0.375 |
| 24 | 25005-7758 | 8.000 | 9.500 | 0.500 |
| 24 | 25005-7861 | 8.125 | 9.625 | 0.500 |
| 24 | 25005-7867 | 4.937 | 6.437 | 0.500 |
| 24 | 25005-7876 | 11.937 | 13.937 | 0.750 |
| 24 | 25005-8169 | 6.125 | 7.625 | 0.500 |
| 24 | 25005-8171 | 6.500 | 7.874 | 0.472 |
| 24 | 25005-8173 | 7.125 | 8.625 | 0.500 |
| 24 | 25005-8245 | 3.000 | 4.250 | 0.375 |
| 24 | 25005-8452 | 8.375 | 9.875 | 0.500 |
| 24 | 25005-8623 | 8.469 | 9.968 | 0.500 |
| 24 | 25005-8665 | 8.500 | 10.000 | 0.500 |
| 24 | 25005-9035 | 21.500 | 23.500 | 0.500 |
| 24 | 25005-9085 | 4.437 | 5.937 | 0.500 |
| 24 | 25005-9108 | 9.000 | 10.375 | 0.500 |
| 24 | 25005-9132 | 4.500 | 6.000 | 0.375 |
| 24 | 25005-9206 | 5.314 | 6.814 | 0.500 |
| 24 | 25005-9244 | 7.062 | 8.562 | 0.500 |
| 24 | 25005-9663 | 5.687 | 7.187 | 0.500 |
| 24 | 25005-9798 | 7.750 | 9.250 | 0.500 |
| 24 | 25005-9926 | 4.000 | 5.250 | 0.375 |
| 24 | 25005-9930 | 5.000 | 6.563 | 0.500 |
| 24 | 25005-9933 | 6.375 | 7.750 | 0.472 |
| 24 | 25005-9934 | 7.875 | 9.375 | 0.500 |
| 24 | 25005-9935 | 8.375 | 10.000 | 0.500 |
| 24 | 25005-9937 | 12.875 | 15.000 | 0.750 |
| 24 | 25005-9951 | 6.693 | 8.193 | 0.500 |
| 24 | 25005-9952 | 5.906 | 7.405 | 0.500 |
| 25 | 25058-0049 | 0.500 | 1.000 | 0.312 |
| 25 | 25058-0353 | 1.125 | 1.750 | 0.375 |
| 25 | 25058-0427 | 1.250 | 2.000 | 0.375 |
| 25 | 25058-0439 | 1.250 | 2.250 | 0.375 |
| 25 | 25058-0544 | 1.375 | 2.250 | 0.375 |
| 25 | 25058-0546 | 1.375 | 2.250 | 0.500 |
| 25 | 25058-0655 | 1.500 | 2.500 | 0.375 |
| 25 | 25058-1189 | 2.000 | 2.750 | 0.375 |
| 25 | 25058-1204 | 2.000 | 3.000 | 0.375 |
| 25 | 25058-1205 | 2.000 | 3.000 | 0.437 |
| 25 | 25058-1321 | 2.125 | 2.875 | 0.375 |
| 25 | 25058-1404 | 2.187 | 3.000 | 0.500 |
| 25 | 25058-1494 | 2.250 | 3.250 | 0.500 |
| 25 | 25058-1575 | 2.312 | 3.250 | 0.500 |
| 25 | 25058-1637 | 2.375 | 3.375 | 0.468 |
| 25 | 25058-1807 | 2.500 | 3.250 | 0.375 |
| 25 | 25058-1809 | 2.500 | 3.250 | 0.500 |
| 25 | 25058-1939 | 2.625 | 3.500 | 0.375 |
| 25 | 25058-1945 | 2.625 | 3.623 | 0.375 |
| 25 | 25058-2152 | 2.937 | 4.003 | 0.375 |
| 25 | 25058-2154 | 2.937 | 4.003 | 0.500 |
| 25 | 25058-2168 | 3.000 | 3.751 | 0.375 |
| 25 | 25058-2176 | 3.000 | 4.003 | 0.500 |
| 25 | 25058-2188 | 3.000 | 4.500 | 0.625 |
| 25 | 25058-2192 | 3.000 | 4.750 | 0.500 |
| 25 | 25058-2324 | 3.375 | 4.500 | 0.500 |
| 25 | 25058-2366 | 3.500 | 4.500 | 0.500 |
| 25 | 25058-2372 | 3.500 | 4.750 | 0.500 |
| 25 | 25058-2462 | 3.750 | 4.750 | 0.500 |
| 25 | 25058-2543 | 4.000 | 5.250 | 0.500 |
| 25 | 25058-2549 | 4.000 | 5.500 | 0.500 |
| 25 | 25058-2657 | 4.250 | 5.250 | 0.500 |
| 25 | 25058-2708 | 4.375 | 5.375 | 0.500 |
| 25 | 25058-2753 | 4.500 | 5.500 | 0.500 |
| 25 | 25058-2765 | 4.500 | 6.000 | 0.500 |
| 25 | 25058-2798 | 4.625 | 5.625 | 0.500 |
| 25 | 25058-2915 | 5.000 | 6.000 | 0.500 |
| 25 | 25058-2918 | 5.000 | 6.125 | 0.500 |
| 25 | 25058-2921 | 5.000 | 6.250 | 0.500 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 25 | 25058-2923 | 5.000 | 6.250 | 0.625 |
| 25 | 25058-2973 | 5.000 | 6.437 | 0.500 |
| 25 | 25058-2990 | 5.125 | 6.125 | 0.500 |
| 25 | 25058-3059 | 5.250 | 6.250 | 0.500 |
| 25 | 25058-3065 | 5.250 | 6.500 | 0.500 |
| 25 | 25058-3122 | 5.375 | 6.375 | 0.500 |
| 25 | 25058-3176 | 5.500 | 6.500 | 0.500 |
| 25 | 25058-3188 | 5.500 | 7.000 | 0.500 |
| 25 | 25058-3275 | 5.750 | 6.750 | 0.500 |
| 25 | 25058-3278 | 5.750 | 6.875 | 0.500 |
| 25 | 25058-3316 | 5.875 | 6.875 | 0.500 |
| 25 | 25058-3355 | 6.000 | 7.000 | 0.500 |
| 25 | 25058-3363 | 6.000 | 7.250 | 0.625 |
| 25 | 25058-3367 | 6.000 | 7.500 | 0.500 |
| 25 | 25058-3369 | 6.000 | 7.500 | 0.625 |
| 25 | 25058-3370 | 6.000 | 7.500 | 0.750 |
| 25 | 25058-3375 | 6.125 | 7.125 | 0.500 |
| 25 | 25058-3380 | 6.125 | 7.250 | 0.625 |
| 25 | 25058-3405 | 6.250 | 7.750 | 0.750 |
| 25 | 25058-3430 | 6.500 | 7.750 | 0.625 |
| 25 | 25058-3438 | 6.625 | 7.750 | 0.625 |
| 25 | 25058-3464 | 6.750 | 8.250 | 0.625 |
| 25 | 25058-3480 | 6.875 | 8.250 | 0.625 |
| 25 | 25058-3485 | 6.875 | 8.500 | 0.750 |
| 25 | 25058-3496 | 7.000 | 8.250 | 0.625 |
| 25 | 25058-3497 | 7.000 | 8.250 | 0.750 |
| 25 | 25058-3500 | 7.000 | 8.500 | 0.625 |
| 25 | 25058-3501 | 7.000 | 8.500 | 0.750 |
| 25 | 25058-3515 | 7.125 | 8.625 | 0.750 |
| 25 | 25058-3522 | 7.250 | 8.500 | 0.625 |
| 25 | 25058-3526 | 7.125 | 8.750 | 0.750 |
| 25 | 25058-3552 | 7.500 | 9.000 | 0.625 |
| 25 | 25058-3566 | 7.625 | 9.125 | 0.625 |
| 25 | 25058-3578 | 7.750 | 9.250 | 0.625 |
| 25 | 25058-3584 | 7.875 | 9.125 | 0.625 |
| 25 | 25058-3596 | 8.000 | 9.250 | 0.625 |
| 25 | 25058-3619 | 9.000 | 10.500 | 0.750 |
| 25 | 25058-3630 | 9.250 | 10.500 | 0.750 |
| 25 | 25058-3652 | 9.750 | 11.000 | 0.750 |
| 25 | 25058-3672 | 10.000 | 11.500 | 0.750 |
| 25 | 25058-3673 | 10.000 | 12.000 | 1.000 |
| 25 | 25058-3689 | 10.750 | 12.750 | 1.000 |
| 25 | 25058-3692 | 11.000 | 12.250 | 0.625 |
| 25 | 25058-3693 | 11.000 | 12.500 | 0.625 |
| 25 | 25058-3741 | 18.000 | 19.500 | 0.750 |
| 25 | 25058-3745 | 18.500 | 20.500 | 1.000 |
| 25 | 25058-3965 | 9.250 | 11.000 | 0.750 |
| 25 | 25058-3967 | 9.250 | 11.250 | 0.750 |
| 25 | 25058-3979 | 9.500 | 11.000 | 0.750 |
| 25 | 25058-3989 | 9.750 | 11.750 | 0.750 |
| 25 | 25058-4012 | 10.500 | 12.000 | 0.750 |
| 25 | 25058-4032 | 10.875 | 12.375 | 0.750 |
| 25 | 25058-4046 | 11.250 | 12.750 | 0.750 |
| 25 | 25058-4050 | 11.375 | 12.875 | 0.750 |
| 25 | 25058-4058 | 11.500 | 13.000 | 0.750 |
| 25 | 25058-4072 | 12.000 | 14.000 | 0.812 |
| 25 | 25058-4080 | 12.500 | 14.000 | 0.750 |
| 25 | 25058-4082 | 12.500 | 14.500 | 0.750 |
| 25 | 25058-4132 | 14.000 | 15.500 | 0.750 |
| 25 | 25058-4152 | 15.000 | 16.500 | 0.750 |
| 25 | 25058-4155 | 15.000 | 17.000 | 0.750 |
| 25 | 25058-4178 | 16.000 | 17.500 | 0.750 |
| 25 | 25058-4189 | 17.000 | 18.500 | 0.750 |
| 25 | 25058-4201 | 17.750 | 19.750 | 1.000 |
| 25 | 25058-4495 | 10.500 | 12.000 | 0.625 |
| 25 | 25058-4502 | 8.500 | 10.000 | 0.625 |
| 25 | 25058-4505 | 9.000 | 10.250 | 0.625 |
| 25 | 25058-4517 | 9.750 | 11.250 | 0.625 |
| 25 | 25058-4557 | 3.000 | 4.000 | 0.500 |
| 25 | 25058-4560 | 6.500 | 7.500 | 0.500 |
| 25 | 25058-4651 | 4.000 | 5.000 | 0.500 |
| 25 | 25058-4707 | 12.000 | 13.500 | 0.625 |
| 25 | 25058-4710 | 3.437 | 5.000 | 0.500 |
| 25 | 25058-4729 | 6.125 | 7.625 | 0.750 |
| 25 | 25058-4799 | 8.375 | 9.875 | 0.625 |
| 25 | 25058-4804 | 3.000 | 4.250 | 0.500 |
| 25 | 25058-4921 | 7.375 | 8.375 | 0.500 |
| 25 | 25058-4923 | 10.000 | 11.250 | 0.500 |
| 25 | 25058-5023 | 3.000 | 4.000 | 0.375 |
| 25 | 25058-5189 | 5.125 | 6.125 | 0.375 |
| 25 | 25058-5240 | 2.375 | 4.000 | 0.500 |
| 25 | 25058-5825 | 13.625 | 14.875 | 0.750 |
| 25 | 25058-5916 | 8.500 | 10.500 | 0.625 |
| 25 | 25058-5934 | 10.500 | 11.750 | 0.625 |
| 25 | 25058-6050 | 0.625 | 1.375 | 0.250 |
| 25 | 25058-6147 | 5.062 | 6.375 | 0.562 |
| 25 | 25058-6285 | 3.500 | 4.375 | 0.500 |
| 25 | 25058-6356 | 3.250 | 4.250 | 0.375 |
| 25 | 25058-6360 | 4.000 | 5.000 | 0.375 |
| 25 | 25058-6363 | 4.500 | 5.500 | 0.375 |
| 25 | 25058-6372 | 6.750 | 7.750 | 0.500 |
| 25 | 25058-6374 | 7.000 | 8.000 | 0.500 |
| 25 | 25058-6375 | 7.000 | 8.500 | 0.500 |
| 25 | 25058-6376 | 7.250 | 8.250 | 0.500 |
| 25 | 25058-6377 | 7.250 | 8.500 | 0.500 |
| 25 | 25058-6380 | 8.000 | 9.000 | 0.500 |
| 25 | 25058-6387 | 9.000 | 10.000 | 0.500 |
| 25 | 25058-6408 | 18.500 | 20.500 | 0.812 |
| 25 | 25058-6471 | 2.750 | 3.750 | 0.500 |
| 25 | 25058-6502 | 1.250 | 2.500 | 0.375 |
| 25 | 25058-6508 | 19.000 | 21.000 | 0.812 |
| 25 | 25058-6525 | 4.687 | 5.687 | 0.500 |
| 25 | 25058-6672 | 11.250 | 12.500 | 0.625 |
| 25 | 25058-6676 | 9.250 | 10.250 | 0.500 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 25 | 25058-6697 | 16.500 | 18.500 | 0.750 |
| 25 | 25058-6808 | 10.000 | 11.250 | 0.625 |
| 25 | 25058-6919 | 4.375 | 5.875 | 0.375 |
| 25 | 25058-6974 | 18.000 | 20.500 | 0.812 |
| 25 | 25058-7033 | 0.750 | 1.250 | 0.250 |
| 25 | 25058-7293 | 1.000 | 1.500 | 0.281 |
| 25 | 25058-7389 | 3.750 | 4.750 | 0.375 |
| 25 | 25058-7432 | 10.625 | 11.875 | 0.625 |
| 25 | 25058-7621 | 9.875 | 10.875 | 0.500 |
| 25 | 25058-8782 | 5.437 | 6.937 | 0.750 |
| 25 | 25058-9104 | 3.687 | 4.687 | 0.500 |
| 25 | 25058-9207 | 8.500 | 9.750 | 0.750 |
| 25 | 25058-9665 | 4.000 | 5.500 | 0.750 |
| 25 | 25058-9915 | 3.000 | 4.000 | 0.437 |
| 26 | 24600-0041 | 9.250 | 10.500 | 0.625 |
| 26 | 24600-0044 | 9.250 | 11.250 | 0.750 |
| 26 | 24600-0055 | 9.500 | 11.500 | 0.625 |
| 26 | 24600-0126 | 11.500 | 13.000 | 0.625 |
| 26 | 24600-0131 | 11.750 | 13.250 | 0.625 |
| 26 | 24600-0212 | 14.000 | 15.500 | 0.625 |
| 26 | 24600-0233 | 14.375 | 16.000 | 0.688 |
| 26 | 24600-0287 | 1.000 | 1.500 | 0.313 |
| 26 | 24600-0303 | 1.000 | 2.062 | 0.375 |
| 26 | 24600-0351 | 1.125 | 1.625 | 0.313 |
| 26 | 24600-0353 | 1.125 | 1.750 | 0.375 |
| 26 | 24600-0378 | 1.181 | 1.968 | 0.276 |
| 26 | 24600-0383 | 1.188 | 1.875 | 0.375 |
| 26 | 24600-0393 | 1.181 | 2.500 | 0.375 |
| 26 | 24600-0449 | 1.260 | 1.693 | 0.394 |
| 26 | 24600-0532 | 33.500 | 36.000 | 0.875 |
| 26 | 24600-0547 | 1.375 | 2.375 | 0.375 |
| 26 | 24600-0549 | 35.500 | 37.500 | 0.875 |
| 26 | 24600-0556 | 1.375 | 2.500 | 0.375 |
| 26 | 24600-0575 | 1.378 | 2.244 | 0.394 |
| 26 | 24600-0598 | 1.438 | 2.375 | 0.375 |
| 26 | 24600-0609 | 1.438 | 2.500 | 0.500 |
| 26 | 24600-0622 | 1.875 | 2.875 | 0.312 |
| 26 | 24600-0631 | 1.250 | 2.250 | 0.500 |
| 26 | 24600-0634 | 1.438 | 2.438 | 0.500 |
| 26 | 24600-0635 | 1.500 | 2.500 | 0.500 |
| **26** | **24600-0639** | **1.750** | **2.750** | **0.500** |
| 26 | 24600-0643 | 1.500 | 2.250 | 0.375 |
| 26 | 24600-0644 | 1.500 | 2.250 | 0.438 |
| 26 | 24600-0672 | 5.750 | 6.750 | 0.500 |
| 26 | 24600-0674 | 5.875 | 6.875 | 0.500 |
| 26 | 24600-0698 | 1.562 | 2.188 | 0.312 |
| 26 | 24600-0705 | 1.375 | 2.064 | 0.500 |
| 26 | 24600-0708 | 1.375 | 2.439 | 0.500 |
| 26 | 24600-0733 | 1.575 | 2.362 | 0.354 |
| 26 | 24600-0737 | 1.438 | 2.125 | 0.375 |
| 26 | 24600-0741 | 1.438 | 2.250 | 0.500 |
| 26 | 24600-0754 | 1.375 | 2.500 | 0.625 |
| 26 | 24600-0758 | 1.625 | 2.188 | 0.375 |
| 26 | 24600-0759 | 1.653 | 2.165 | 0.354 |
| 26 | 24600-0760 | 1.625 | 2.375 | 0.375 |
| 26 | 24600-0778 | 1.625 | 2.750 | 0.375 |
| 26 | 24600-0784 | 0.875 | 1.500 | 0.375 |
| 26 | 24600-0785 | 0.938 | 1.500 | 0.375 |
| 26 | 24600-0791 | 1.653 | 2.165 | 0.393 |
| 26 | 24600-0795 | 2.750 | 3.500 | 0.250 |
| 26 | 24600-0800 | 10.000 | 12.000 | 1.000 |
| 26 | 24600-0809 | 9.000 | 10.500 | 0.500 |
| 26 | 24600-0814 | 1.125 | 2.062 | 0.375 |
| 26 | 24600-0817 | 1.125 | 3.192 | 0.500 |
| 26 | 24600-0827 | 2.953 | 3.937 | 0.512 |
| 26 | 24600-0828 | 9.448 | 12.598 | 0.984 |
| 26 | 24600-0829 | 2.519 | 3.464 | 0.472 |
| 26 | 24600-0831 | 37.000 | 39.250 | 0.875 |
| 26 | 24600-0833 | 1.687 | 2.561 | 0.500 |
| 26 | 24600-0834 | 1.688 | 2.502 | 0.375 |
| 26 | 24600-0835 | 1.688 | 2.500 | 0.375 |
| **26** | **24600-0839** | **3.375** | **4.250** | **0.375** |
| 26 | 24600-0840 | 1.688 | 2.625 | 0.500 |
| 26 | 24600-0841 | 4.527 | 5.708 | 0.551 |
| 26 | 24600-0842 | 1.125 | 2.001 | 0.375 |
| 26 | 24600-0845 | 2.781 | 3.500 | 0.375 |
| 26 | 24600-0874 | 1.500 | 3.000 | 0.500 |
| 26 | 24600-0876 | 1.625 | 2.875 | 0.500 |
| 26 | 24600-0898 | 1.750 | 2.438 | 0.375 |
| **26** | **24600-0904** | **1.750** | **2.500** | **0.375** |
| 26 | 24600-0913 | 1.378 | 3.465 | 0.500 |
| 26 | 24600-0914 | 3.125 | 4.250 | 0.500 |
| 26 | 24600-0933 | 4.250 | 5.375 | 0.500 |
| 26 | 24600-0973 | 1.812 | 2.500 | 0.375 |
| 26 | 24600-0976 | 1.812 | 2.625 | 0.375 |
| **26** | **24600-0978** | **4.000** | **5.000** | **0.375** |
| 26 | 24600-0983 | 18.000 | 20.000 | 0.625 |
| 26 | 24600-0985 | 12.000 | 13.750 | 0.688 |
| 26 | 24600-0992 | 14.173 | 15.354 | 0.709 |
| 26 | 24600-0994 | 4.724 | 5.708 | 0.433 |
| 26 | 24600-1002 | 1.812 | 3.544 | 0.500 |
| 26 | 24600-1007 | 15.000 | 17.500 | 1.250 |
| 26 | 24600-1039 | 1.875 | 2.750 | 0.500 |
| 26 | 24600-1040 | 10.826 | 12.008 | 0.591 |
| 26 | 24600-1060 | 6.494 | 7.525 | 0.517 |
| 26 | 24600-1063 | 1.875 | 3.000 | 0.375 |
| 26 | 24600-1067 | 1.875 | 3.543 | 0.375 |
| 26 | 24600-1068 | 8.250 | 10.250 | 0.750 |
| 26 | 24600-1096 | 1.653 | 2.441 | 0.315 |
| 26 | 24600-1097 | 1.772 | 2.441 | 0.394 |
| 26 | 24600-1103 | 1.969 | 3.150 | 0.315 |
| 26 | 24600-1104 | 1.969 | 2.756 | 0.394 |
| 26 | 24600-1111 | 1.938 | 2.500 | 0.375 |
| 26 | 24600-1114 | 1.937 | 2.625 | 0.375 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 26 | 24600-1120 | 1.937 | 2.750 | 0.375 |
| 26 | 24600-1124 | 1.938 | 2.996 | 0.438 |
| 26 | 24600-1125 | 1.938 | 3.000 | 0.437 |
| 26 | 24600-1126 | 1.938 | 3.188 | 0.469 |
| 26 | 24600-1130 | 1.938 | 2.875 | 0.437 |
| 26 | 24600-1137 | 1.937 | 3.000 | 0.500 |
| 26 | 24600-1139 | 1.378 | 2.047 | 0.276 |
| 26 | 24600-1149 | 1.938 | 3.188 | 0.500 |
| 26 | 24600-1155 | 1.962 | 3.188 | 0.469 |
| 26 | 24600-1157 | 1.963 | 3.544 | 0.500 |
| 26 | 24600-1173 | 2.000 | 2.715 | 0.438 |
| **26** | **24600-1182** | **2.000** | **3.375** | **0.375** |
| 26 | 24600-1190 | 2.000 | 2.750 | 0.438 |
| 26 | 24600-1191 | 2.000 | 2.750 | 0.500 |
| 26 | 24600-1195 | 2.000 | 2.783 | 0.375 |
| 26 | 24600-1198 | 2.000 | 2.875 | 0.375 |
| 26 | 24600-1204 | 2.000 | 3.000 | 0.375 |
| 26 | 24600-1206 | 2.000 | 3.000 | 0.500 |
| 26 | 24600-1217 | 2.000 | 3.188 | 0.438 |
| 26 | 24600-1224 | 2.062 | 2.875 | 0.468 |
| 26 | 24600-1228 | 1.575 | 2.559 | 0.276 |
| 26 | 24600-1234 | 1.562 | 2.250 | 0.375 |
| 26 | 24600-1258 | 2.062 | 3.000 | 0.375 |
| 26 | 24600-1259 | 5.935 | 6.963 | 0.517 |
| 26 | 24600-1260 | 2.062 | 3.000 | 0.500 |
| 26 | 24600-1261 | 2.062 | 3.062 | 0.375 |
| 26 | 24600-1275 | 0.875 | 1.375 | 0.375 |
| 26 | 24600-1276 | 0.875 | 1.828 | 0.438 |
| 26 | 24600-1277 | 0.875 | 1.625 | 0.375 |
| 26 | 24600-1282 | 0.969 | 2.000 | 0.375 |
| 26 | 24600-1283 | 1.000 | 1.750 | 0.375 |
| 26 | 24600-1285 | 1.062 | 1.625 | 0.375 |
| 26 | 24600-1288 | 1.125 | 1.828 | 0.375 |
| 26 | 24600-1289 | 1.125 | 1.984 | 0.438 |
| 26 | 24600-1290 | 1.125 | 2.844 | 0.500 |
| 26 | 24600-1295 | 1.250 | 2.125 | 0.375 |
| 26 | 24600-1296 | 1.250 | 2.438 | 0.438 |
| 26 | 24600-1297 | 1.312 | 2.062 | 0.375 |
| 26 | 24600-1298 | 1.375 | 2.688 | 0.500 |
| 26 | 24600-1301 | 1.625 | 2.438 | 0.375 |
| 26 | 24600-1302 | 1.625 | 2.687 | 0.500 |
| 26 | 24600-1305 | 1.687 | 2.750 | 0.437 |
| 26 | 24600-1319 | 2.125 | 2.833 | 0.438 |
| 26 | 24600-1320 | 2.125 | 2.875 | 0.437 |
| 26 | 24600-1321 | 2.125 | 2.875 | 0.375 |
| 26 | 24600-1325 | 2.125 | 3.000 | 0.500 |
| 26 | 24600-1332 | 15.748 | 17.480 | 0.787 |
| 26 | 24600-1333 | 2.125 | 3.125 | 0.375 |
| 26 | 24600-1334 | 2.125 | 3.125 | 0.438 |
| 26 | 24600-1345 | 2.125 | 3.250 | 0.375 |
| 26 | 24600-1355 | 2.125 | 3.545 | 0.438 |
| 26 | 24600-1375 | 3.375 | 4.355 | 0.375 |

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 26 | 24600-1394 | 1.125 | 1.875 | 0.375 |
| 26 | 24600-1404 | 2.188 | 3.000 | 0.500 |
| 26 | 24600-1408 | 2.188 | 3.125 | 0.375 |
| 26 | 24600-1427 | 2.188 | 3.350 | 0.469 |
| 26 | 24600-1431 | 1.187 | 2.250 | 0.500 |
| 26 | 24600-1454 | 1.375 | 2.000 | 0.312 |
| 26 | 24600-1465 | 1.438 | 2.000 | 0.313 |
| 26 | 24600-1466 | 1.438 | 2.063 | 0.313 |
| 26 | 24600-1469 | 2.250 | 2.875 | 0.312 |
| 26 | 24600-1470 | 2.250 | 3.062 | 0.437 |
| **26** | **24600-1474** | **2.250** | **3.000** | **0.375** |
| 26 | 24600-1482 | 2.250 | 3.125 | 0.500 |
| **26** | **24600-1492** | **2.250** | **3.250** | **0.375** |
| 26 | 24600-1504 | 2.250 | 3.500 | 0.375 |
| 26 | 24600-1508 | 2.250 | 3.353 | 0.375 |
| 26 | 24600-1509 | 2.250 | 3.375 | 0.500 |
| 26 | 24600-1511 | 2.250 | 3.750 | 0.500 |
| 26 | 24600-1561 | 2.312 | 3.125 | 0.375 |
| 26 | 24600-1565 | 2.362 | 3.071 | 0.394 |
| 26 | 24600-1568 | 2.363 | 3.127 | 0.375 |
| 26 | 24600-1572 | 2.375 | 3.188 | 0.438 |
| 26 | 24600-1579 | 1.772 | 2.622 | 0.500 |
| 26 | 24600-1580 | 2.375 | 3.250 | 0.328 |
| 26 | 24600-1602 | 2.344 | 3.125 | 0.500 |
| 26 | 24600-1621 | 2.437 | 3.547 | 0.500 |
| 26 | 24600-1623 | 2.499 | 3.542 | 0.500 |
| 26 | 24600-1627 | 2.563 | 3.500 | 0.375 |
| 26 | 24600-1639 | 2.375 | 3.062 | 0.500 |
| 26 | 24600-1642 | 2.375 | 3.125 | 0.375 |
| 26 | 24600-1652 | 2.375 | 3.375 | 0.500 |
| 26 | 24600-1665 | 3.500 | 6.375 | 0.375 |
| 26 | 24600-1668 | 2.375 | 3.500 | 0.500 |
| 26 | 24600-1685 | 2.440 | 3.250 | 0.500 |
| **26** | **24600-1686** | **2.500** | **3.125** | **0.312** |
| 26 | 24600-1697 | 4.438 | 5.750 | 0.563 |
| 26 | 24600-1705 | 5.250 | 7.250 | 0.625 |
| 26 | 24600-1714 | 7.313 | 8.438 | 0.563 |
| 26 | 24600-1716 | 7.441 | 9.875 | 0.512 |
| **26** | **24600-1746** | **2.438** | **3.481** | **0.500** |
| 26 | 24600-1749 | 2.438 | 3.500 | 0.500 |
| 26 | 24600-1757 | 2.489 | 3.250 | 0.312 |
| 26 | 24600-1767 | 1.750 | 2.750 | 0.375 |
| 26 | 24600-1775 | 8.000 | 8.875 | 0.437 |
| 26 | 24600-1787 | 2.500 | 3.350 | 0.250 |
| 26 | 24600-1794 | 2.500 | 4.000 | 0.500 |
| 26 | 24600-1801 | 2.500 | 3.188 | 0.375 |
| 26 | 24600-1820 | 2.500 | 3.500 | 0.437 |
| 26 | 24600-1821 | 2.500 | 3.500 | 0.500 |
| **26** | **24600-1826** | **2.500** | **3.623** | **0.437** |
| **26** | **24600-1828** | **2.500** | **3.750** | **0.375** |
| 26 | 24600-1829 | 1.375 | 2.125 | 0.375 |
| 26 | 24600-1838 | 2.625 | 3.375 | 0.437 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 26 | 24600-1842 | 2.625 | 3.625 | 0.438 |
| 26 | 24600-1848 | 2.688 | 3.875 | 0.468 |
| 26 | 24600-1855 | 4.724 | 5.512 | 0.512 |
| 26 | 24600-1907 | 3.937 | 4.921 | 0.256 |
| 26 | 24600-1913 | 8.500 | 9.750 | 0.750 |
| 26 | 24600-1914 | 8.875 | 10.125 | 0.750 |
| 26 | 24600-1922 | 9.750 | 11.125 | 0.750 |
| 26 | 24600-1939 | 2.625 | 3.500 | 0.375 |
| 26 | 24600-1950 | 2.625 | 3.750 | 0.500 |
| 26 | 24600-1952 | 27.000 | 28.500 | 0.750 |
| 26 | 24600-1968 | 3.537 | 4.500 | 0.500 |
| 26 | 24600-1972 | 2.000 | 2.750 | 0.375 |
| 26 | 24600-1987 | 2.688 | 3.372 | 0.375 |
| **26** | **24600-2004** | **2.687** | **3.751** | **0.500** |
| 26 | 24600-2007 | 12.375 | 13.375 | 0.500 |
| 26 | 24600-2020 | 2.750 | 3.375 | 0.312 |
| 26 | 24600-2021 | 2.750 | 4.625 | 0.625 |
| 26 | 24600-2033 | 2.750 | 3.751 | 0.687 |
| **26** | **24600-2035** | **2.750** | **3.500** | **0.375** |
| 26 | 24600-2037 | 2.750 | 3.500 | 0.500 |
| 26 | 24600-2039 | 2.750 | 3.543 | 0.437 |
| 26 | 24600-2041 | 9.449 | 11.024 | 0.591 |
| 26 | 24600-2044 | 9.469 | 10.625 | 0.625 |
| 26 | 24600-2047 | 5.315 | 6.614 | 0.709 |
| 26 | 24600-2054 | 2.750 | 3.625 | 0.438 |
| 26 | 24600-2058 | 2.750 | 3.750 | 0.438 |
| 26 | 24600-2065 | 2.750 | 4.003 | 0.469 |
| 26 | 24600-2068 | 2.750 | 4.125 | 0.438 |
| 26 | 24600-2070 | 2.756 | 3.543 | 0.394 |
| 26 | 24600-2071 | 2.756 | 3.543 | 0.237 |
| 26 | 24600-2077 | 2.795 | 3.465 | 0.472 |
| 26 | 24600-2081 | 2.938 | 4.008 | 0.468 |
| 26 | 24600-2098 | 5.512 | 7.087 | 0.630 |
| 26 | 24600-2105 | 2.953 | 4.213 | 0.492 |
| 26 | 24600-2111 | 3.225 | 3.975 | 0.375 |
| 26 | 24600-2113 | 2.875 | 4.000 | 0.468 |
| 26 | 24600-2114 | 2.875 | 3.500 | 0.312 |
| **26** | **24600-2120** | **2.875** | **3.751** | **0.500** |
| 26 | 24600-2121 | 2.875 | 3.875 | 0.375 |
| 26 | 24600-2128 | 1.250 | 2.000 | 0.375 |
| 26 | 24600-2137 | 2.901 | 3.601 | 0.232 |
| 26 | 24600-2144 | 2.937 | 3.625 | 0.375 |
| 26 | 24600-2145 | 7.402 | 8.583 | 0.591 |
| 26 | 24600-2146 | 2.938 | 3.750 | 0.375 |
| 26 | 24600-2147 | 8.189 | 9.370 | 0.591 |
| 26 | 24600-2148 | 10.787 | 11.969 | 0.591 |
| 26 | 24600-2149 | 9.528 | 10.709 | 0.591 |
| 26 | 24600-2151 | 2.937 | 3.875 | 0.500 |
| 26 | 24600-2168 | 3.000 | 3.751 | 0.375 |
| 26 | 24600-2171 | 3.000 | 3.876 | 0.375 |
| 26 | 24600-2174 | 3.000 | 4.003 | 0.375 |
| 26 | 24600-2180 | 3.000 | 4.250 | 0.500 |
| 26 | 24600-2186 | 3.000 | 4.500 | 0.500 |
| 26 | 24600-2187 | 3.000 | 4.125 | 0.437 |
| 26 | 24600-2198 | 3.000 | 5.000 | 0.500 |
| 26 | 24600-2214 | 3.346 | 4.331 | 0.472 |
| 26 | 24600-2215 | 3.150 | 4.134 | 0.512 |
| 26 | 24600-2218 | 3.188 | 4.340 | 0.305 |
| 26 | 24600-2225 | 3.125 | 4.125 | 0.500 |
| 26 | 24600-2237 | 3.125 | 4.625 | 0.500 |
| 26 | 24600-2238 | 3.150 | 3.937 | 0.512 |
| 26 | 24600-2243 | 3.150 | 4.330 | 0.237 |
| 26 | 24600-2262 | 3.250 | 4.000 | 0.250 |
| 26 | 24600-2265 | 3.250 | 4.000 | 0.438 |
| 26 | 24600-2267 | 3.187 | 5.000 | 0.500 |
| 26 | 24600-2269 | 3.250 | 4.125 | 0.562 |
| 26 | 24600-2274 | 2.756 | 4.331 | 0.500 |
| **26** | **24600-2297** | **3.312** | **4.375** | **0.500** |
| 26 | 24600-2305 | 3.312 | 5.000 | 0.468 |
| 26 | 24600-2310 | 3.346 | 4.134 | 0.500 |
| 26 | 24600-2318 | 3.375 | 4.626 | 0.563 |
| 26 | 24600-2319 | 3.375 | 5.000 | 0.469 |
| **26** | **24600-2321** | **3.375** | **4.375** | **0.500** |
| 26 | 24600-2324 | 3.375 | 4.500 | 0.500 |
| 26 | 24600-2345 | 3.437 | 4.500 | 0.500 |
| 26 | 24600-2348 | 3.438 | 4.625 | 0.500 |
| 26 | 24600-2356 | 3.438 | 4.875 | 0.625 |
| 26 | 24600-2364 | 3.500 | 4.375 | 0.375 |
| **26** | **24600-2366** | **3.500** | **4.500** | **0.500** |
| 26 | 24600-2368 | 3.500 | 4.500 | 0.625 |
| 26 | 24600-2377 | 3.500 | 4.500 | 0.437 |
| 26 | 24600-2412 | 3.625 | 4.750 | 0.625 |
| 26 | 24600-2417 | 3.625 | 4.625 | 0.500 |
| 26 | 24600-2432 | 3.625 | 5.250 | 0.500 |
| 26 | 24600-2441 | 3.687 | 4.750 | 0.500 |
| 26 | 24600-2447 | 3.688 | 4.999 | 0.500 |
| 26 | 24600-2456 | 1.750 | 2.625 | 0.312 |
| 26 | 24600-2457 | 3.543 | 4.724 | 0.511 |
| **26** | **24600-2462** | **3.750** | **4.750** | **0.500** |
| 26 | 24600-2477 | 3.750 | 5.000 | 0.438 |
| 26 | 24600-2478 | 3.750 | 5.000 | 0.500 |
| 26 | 24600-2498 | 3.812 | 5.500 | 0.500 |
| 26 | 24600-2501 | 22.598 | 23.779 | 0.590 |
| 26 | 24600-2504 | 19.685 | 20.866 | 0.590 |
| 26 | 24600-2505 | 24.567 | 25.748 | 0.590 |
| 26 | 24600-2511 | 19.983 | 21.125 | 0.625 |
| 26 | 24600-2513 | 3.875 | 5.375 | 0.500 |
| 26 | 24600-2514 | 3.875 | 5.000 | 0.468 |
| 26 | 24600-2525 | 3.937 | 5.250 | 0.500 |
| 26 | 24600-2546 | 4.000 | 5.375 | 0.500 |
| 26 | 24600-2555 | 4.000 | 5.750 | 0.500 |
| 26 | 24600-2562 | 3.307 | 4.331 | 0.551 |
| 26 | 24600-2580 | 13.250 | 14.750 | 0.688 |
| 26 | 24600-2590 | 4.000 | 4.875 | 0.563 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 26 | 24600-2591 | 4.000 | 4.875 | 0.625 |
| 26 | 24600-2592 | 4.000 | 5.000 | 0.468 |
| 26 | 24600-2593 | 4.000 | 5.000 | 0.625 |
| 26 | 24600-2595 | 4.000 | 5.250 | 0.468 |
| 26 | 24600-2600 | 4.125 | 5.125 | 0.500 |
| 26 | 24600-2601 | 4.063 | 5.500 | 0.563 |
| 26 | 24600-2603 | 4.125 | 5.250 | 0.500 |
| 26 | 24600-2612 | 4.125 | 5.625 | 0.500 |
| 26 | 24600-2621 | 1.969 | 4.331 | 0.375 |
| 26 | 24600-2644 | 4.188 | 5.250 | 0.468 |
| 26 | 24600-2646 | 4.188 | 5.250 | 0.625 |
| 26 | 24600-2653 | 4.250 | 5.000 | 0.438 |
| 26 | 24600-2657 | 4.250 | 5.250 | 0.500 |
| 26 | 24600-2664 | 4.250 | 5.500 | 0.562 |
| 26 | 24600-2686 | 4.331 | 5.118 | 0.512 |
| 26 | 24600-2712 | 4.375 | 5.500 | 0.562 |
| 26 | 24600-2731 | 4.331 | 5.512 | 0.512 |
| **26** | **24600-2732** | **4.438** | **5.500** | **0.500** |
| 26 | 24600-2753 | 4.500 | 5.500 | 0.500 |
| 26 | 24600-2759 | 4.500 | 5.750 | 0.500 |
| 26 | 24600-2761 | 4.500 | 5.750 | 0.625 |
| 26 | 24600-2763 | 4.500 | 5.250 | 0.375 |
| 26 | 24600-2765 | 4.500 | 6.000 | 0.500 |
| 26 | 24600-2788 | 4.562 | 5.750 | 0.562 |
| 26 | 24600-2798 | 4.625 | 5.625 | 0.500 |
| 26 | 24600-2802 | 4.625 | 5.750 | 0.562 |
| 26 | 24600-2820 | 4.688 | 5.750 | 0.500 |
| 26 | 24600-2822 | 20.500 | 21.500 | 0.469 |
| 26 | 24600-2837 | 4.750 | 5.750 | 0.500 |
| 26 | 24600-2840 | 4.750 | 5.875 | 0.500 |
| 26 | 24600-2841 | 4.750 | 5.500 | 0.375 |
| 26 | 24600-2845 | 4.750 | 6.000 | 0.625 |
| 26 | 24600-2851 | 4.750 | 6.250 | 0.625 |
| 26 | 24600-2853 | 4.750 | 6.500 | 0.625 |
| 26 | 24600-2875 | 4.875 | 6.000 | 0.625 |
| 26 | 24600-2879 | 4.875 | 6.250 | 0.500 |
| 26 | 24600-2881 | 4.875 | 6.250 | 0.625 |
| 26 | 24600-2886 | 4.875 | 6.250 | 0.858 |
| 26 | 24600-2889 | 4.921 | 6.299 | 0.590 |
| 26 | 24600-2900 | 4.928 | 6.250 | 0.500 |
| 26 | 24600-2913 | 4.987 | 6.000 | 0.500 |
| 26 | 24600-2915 | 5.000 | 6.000 | 0.500 |
| 26 | 24600-2921 | 5.000 | 6.250 | 0.500 |
| 26 | 24600-2922 | 5.000 | 6.250 | 0.562 |
| 26 | 24600-2923 | 5.000 | 6.250 | 0.625 |
| 26 | 24600-2928 | 5.000 | 6.500 | 0.562 |
| 26 | 24600-2932 | 5.000 | 5.750 | 0.437 |
| 26 | 24600-2940 | 6.679 | 7.405 | 0.250 |
| 26 | 24600-2988 | 5.118 | 6.299 | 0.590 |
| 26 | 24600-2990 | 5.125 | 6.125 | 0.500 |
| 26 | 24600-2998 | 5.125 | 6.375 | 0.625 |
| 26 | 24600-3019 | 5.500 | 6.375 | 0.563 |
| 26 | 24600-3026 | 5.188 | 6.250 | 0.500 |
| 26 | 24600-3037 | 3.688 | 4.750 | 0.438 |
| 26 | 24600-3050 | 15.000 | 17.500 | 0.938 |
| 26 | 24600-3055 | 17.250 | 19.250 | 0.875 |
| 26 | 24600-3059 | 5.250 | 6.250 | 0.500 |
| 26 | 24600-3067 | 5.250 | 6.500 | 0.625 |
| 26 | 24600-3122 | 5.375 | 6.375 | 0.500 |
| 26 | 24600-3124 | 5.375 | 6.750 | 0.625 |
| 26 | 24600-3135 | 6.625 | 8.750 | 0.500 |
| 26 | 24600-3136 | 7.750 | 10.250 | 0.500 |
| 26 | 24600-3173 | 5.438 | 6.625 | 0.500 |
| 26 | 24600-3176 | 5.500 | 6.500 | 0.500 |
| 26 | 24600-3177 | 5.500 | 6.250 | 0.438 |
| 26 | 24600-3182 | 5.500 | 6.750 | 0.500 |
| 26 | 24600-3183 | 5.500 | 6.750 | 0.562 |
| 26 | 24600-3184 | 5.500 | 6.750 | 0.625 |
| 26 | 24600-3189 | 5.500 | 7.000 | 0.750 |
| 26 | 24600-3194 | 5.500 | 7.250 | 0.500 |
| 26 | 24600-3203 | 5.512 | 6.693 | 0.295 |
| 26 | 24600-3204 | 5.512 | 6.890 | 0.709 |
| 26 | 24600-3216 | 2.500 | 3.228 | 0.315 |
| 26 | 24600-3236 | 5.625 | 6.875 | 0.625 |
| 26 | 24600-3260 | 4.331 | 5.118 | 0.354 |
| 26 | 24600-3277 | 5.750 | 6.750 | 0.625 |
| 26 | 24600-3281 | 5.750 | 7.000 | 0.500 |
| 26 | 24600-3283 | 5.750 | 7.000 | 0.625 |
| 26 | 24600-3287 | 5.750 | 6.950 | 0.305 |
| 26 | 24600-3300 | 2.312 | 3.062 | 0.375 |
| 26 | 24600-3308 | 1.937 | 3.250 | 0.375 |
| 26 | 24600-3326 | 6.102 | 6.850 | 0.472 |
| 26 | 24600-3329 | 6.693 | 8.268 | 0.630 |
| 26 | 24600-3330 | 5.875 | 7.375 | 0.625 |
| 26 | 24600-3354 | 6.000 | 7.000 | 0.438 |
| 26 | 24600-3361 | 6.000 | 7.250 | 0.500 |
| 26 | 24600-3362 | 6.000 | 7.000 | 0.750 |
| 26 | 24600-3373 | 6.000 | 7.625 | 0.625 |
| 26 | 24600-3377 | 6.125 | 7.125 | 0.625 |
| 26 | 24600-3379 | 6.000 | 7.500 | 0.375 |
| 26 | 24600-3389 | 6.000 | 7.500 | 0.625 |
| 26 | 24600-3390 | 6.188 | 7.688 | 0.750 |
| 26 | 24600-3404 | 6.300 | 7.480 | 0.295 |
| **26** | **24600-3415** | **3.187** | **4.500** | **0.500** |
| 26 | 24600-3418 | 6.125 | 7.625 | 0.625 |
| 26 | 24600-3422 | 6.125 | 9.000 | 1.438 |
| 26 | 24600-3423 | 6.375 | 7.875 | 0.625 |
| 26 | 24600-3424 | 6.437 | 7.687 | 0.625 |
| 26 | 24600-3430 | 6.500 | 7.750 | 0.625 |
| 26 | 24600-3435 | 6.500 | 8.000 | 0.750 |
| 26 | 24600-3438 | 6.625 | 7.725 | 0.305 |
| 26 | 24600-3451 | 6.693 | 7.874 | 0.295 |
| 26 | 24600-3452 | 7.000 | 8.000 | 0.437 |
| 26 | 24600-3460 | 6.750 | 8.000 | 0.625 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 26 | 24600-3461 | 22.047 | 24.016 | 0.787 |
| 26 | 24600-3486 | 6.875 | 8.384 | 0.625 |
| 26 | 24600-3492 | 7.000 | 8.000 | 0.625 |
| 26 | 24600-3494 | 7.000 | 8.125 | 0.625 |
| 26 | 24600-3500 | 7.000 | 8.500 | 0.625 |
| 26 | 24600-3511 | 6.938 | 8.000 | 0.625 |
| 26 | 24600-3512 | 7.125 | 8.500 | 0.625 |
| 26 | 24600-3522 | 7.250 | 8.500 | 0.625 |
| 26 | 24600-3544 | 7.500 | 8.500 | 0.625 |
| 26 | 24600-3552 | 7.500 | 9.000 | 0.625 |
| 26 | 24600-3553 | 7.500 | 9.000 | 0.750 |
| 26 | 24600-3566 | 7.625 | 9.125 | 0.625 |
| 26 | 24600-3578 | 7.750 | 9.250 | 0.625 |
| 26 | 24600-3583 | 5.063 | 6.125 | 0.500 |
| 26 | 24600-3587 | 2.165 | 3.150 | 0.394 |
| 26 | 24600-3589 | 7.875 | 9.375 | 0.750 |
| 26 | 24600-3592 | 8.000 | 9.000 | 0.625 |
| 26 | 24600-3594 | 8.000 | 9.125 | 0.625 |
| 26 | 24600-3598 | 8.000 | 9.375 | 0.625 |
| 26 | 24600-3606 | 8.250 | 9.500 | 0.625 |
| 26 | 24600-3611 | 8.625 | 10.625 | 0.750 |
| 26 | 24600-3619 | 9.000 | 10.500 | 0.750 |
| 26 | 24600-3623 | 9.000 | 11.000 | 0.750 |
| 26 | 24600-3633 | 9.250 | 11.250 | 1.000 |
| 26 | 24600-3635 | 16.687 | 18.031 | 0.750 |
| 26 | 24600-3640 | 9.500 | 10.750 | 0.625 |
| 26 | 24600-3644 | 9.500 | 11.250 | 0.625 |
| **26** | **24600-3648** | **9.500** | **11.500** | **1.000** |
| 26 | 24600-3654 | 9.750 | 11.250 | 0.750 |
| 26 | 24600-3655 | 9.750 | 11.750 | 1.000 |
| 26 | 24600-3663 | 2.953 | 3.740 | 0.511 |
| 26 | 24600-3665 | 10.500 | 11.750 | 0.625 |
| 26 | 24600-3667 | 20.866 | 22.835 | 0.866 |
| 26 | 24600-3677 | 10.250 | 12.250 | 1.000 |
| 26 | 24600-3678 | 24.409 | 26.378 | 0.866 |
| 26 | 24600-3680 | 10.500 | 12.500 | 1.000 |
| 26 | 24600-3682 | 10.750 | 11.750 | 0.562 |
| 26 | 24600-3685 | 10.750 | 12.250 | 0.562 |
| 26 | 24600-3686 | 10.750 | 12.500 | 0.562 |
| **26** | **24600-3687** | **10.750** | **12.750** | **0.562** |
| 26 | 24600-3691 | 11.000 | 12.000 | 0.625 |
| 26 | 24600-3695 | 11.024 | 12.598 | 0.787 |
| 26 | 24600-3720 | 11.000 | 12.250 | 0.688 |
| 26 | 24600-3721 | 12.598 | 14.331 | 0.787 |
| 26 | 24600-3722 | 10.827 | 12.205 | 0.591 |
| 26 | 24600-3726 | 14.000 | 16.250 | 1.000 |
| 26 | 24600-3742 | 18.000 | 20.000 | 1.000 |
| 26 | 24600-3758 | 7.480 | 9.250 | 0.630 |
| 26 | 24600-3793 | 17.000 | 18.250 | 0.625 |
| 26 | 24600-3811 | 7.875 | 9.000 | 0.438 |
| 26 | 24600-3817 | 8.250 | 9.250 | 0.625 |
| 26 | 24600-3825 | 8.625 | 9.625 | 0.500 |
| 26 | 24600-3828 | 8.625 | 10.500 | 0.500 |
| 26 | 24600-3829 | 8.750 | 9.750 | 0.562 |
| 26 | 24600-3832 | 8.875 | 10.125 | 0.625 |
| 26 | 24600-3833 | 8.875 | 10.875 | 1.000 |
| **26** | **24600-3834** | **9.000** | **10.000** | **0.468** |
| 26 | 24600-3840 | 9.250 | 10.750 | 0.656 |
| 26 | 24600-3841 | 9.500 | 10.500 | 0.438 |
| 26 | 24600-3842 | 9.500 | 11.000 | 0.688 |
| 26 | 24600-3850 | 11.500 | 12.500 | 0.500 |
| 26 | 24600-3853 | 12.000 | 14.000 | 0.625 |
| 26 | 24600-3867 | 15.551 | 17.283 | 0.886 |
| 26 | 24600-3868 | 16.500 | 17.750 | 0.750 |
| 26 | 24600-3882 | 13.386 | 14.961 | 0.709 |
| 26 | 24600-3885 | 1.125 | 2.750 | 0.375 |
| 26 | 24600-3891 | 14.250 | 16.250 | 0.625 |
| 26 | 24600-3908 | 7.874 | 9.252 | 0.625 |
| 26 | 24600-3910 | 9.449 | 10.827 | 0.630 |
| 26 | 24600-3913 | 6.299 | 7.480 | 0.630 |
| **26** | **24600-3914** | **7.874** | **9.055** | **0.551** |
| 26 | 24600-3916 | 7.874 | 9.449 | 0.787 |
| 26 | 24600-3919 | 6.693 | 7.874 | 0.630 |
| 26 | 24600-3920 | 7.087 | 8.268 | 0.630 |
| 26 | 24600-3933 | 8.375 | 9.875 | 0.688 |
| 26 | 24600-3935 | 8.500 | 9.500 | 0.625 |
| 26 | 24600-3937 | 8.500 | 10.000 | 0.750 |
| 26 | 24600-3942 | 8.661 | 9.843 | 0.630 |
| 26 | 24600-3944 | 8.661 | 10.236 | 0.866 |
| 26 | 24600-3951 | 8.750 | 10.750 | 0.750 |
| 26 | 24600-3955 | 9.055 | 10.236 | 0.590 |
| 26 | 24600-3956 | 9.055 | 10.591 | 0.866 |
| 26 | 24600-3973 | 9.449 | 11.024 | 0.748 |
| 26 | 24600-3981 | 3.500 | 4.437 | 0.312 |
| 26 | 24600-3988 | 2.500 | 4.003 | 0.375 |
| 26 | 24600-3993 | 1.531 | 2.500 | 0.438 |
| 26 | 24600-3994 | 10.000 | 11.750 | 0.750 |
| 26 | 24600-4003 | 10.125 | 12.000 | 0.750 |
| 26 | 24600-4005 | 10.250 | 11.750 | 0.750 |
| 26 | 24600-4015 | 16.142 | 18.110 | 0.866 |
| 26 | 24600-4019 | 22.047 | 24.016 | 0.866 |
| 26 | 24600-4041 | 12.250 | 13.750 | 0.625 |
| 26 | 24600-4044 | 1.772 | 2.559 | 0.394 |
| 26 | 24600-4068 | 12.000 | 13.625 | 0.750 |
| 26 | 24600-4074 | 12.250 | 13.750 | 0.750 |
| 26 | 24600-4082 | 12.500 | 14.500 | 0.750 |
| 26 | 24600-4093 | 13.000 | 14.500 | 0.688 |
| 26 | 24600-4095 | 13.000 | 14.625 | 0.750 |
| 26 | 24600-4098 | 13.000 | 15.000 | 0.750 |
| 26 | 24600-4127 | 13.500 | 15.500 | 0.750 |
| 26 | 24600-4155 | 15.000 | 17.000 | 0.750 |
| 26 | 24600-4162 | 15.500 | 17.000 | 0.750 |
| 26 | 24600-4178 | 16.000 | 17.500 | 0.750 |
| 26 | 24600-4180 | 16.000 | 18.000 | 0.812 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 26 | 24600-4221 | 19.500 | 21.500 | 0.875 |
| 26 | 24600-4224 | 3.425 | 4.685 | 0.492 |
| 26 | 24600-4225 | 3.976 | 5.551 | 0.630 |
| 26 | 24600-4226 | 5.433 | 7.008 | 0.630 |
| 26 | 24600-4227 | 7.007 | 8.582 | 0.629 |
| 26 | 24600-4232 | 12.250 | 14.000 | 0.750 |
| 26 | 24600-4269 | 22.000 | 23.500 | 0.750 |
| 26 | 24600-4294 | 24.000 | 26.000 | 0.875 |
| 26 | 24600-4345 | 9.843 | 11.024 | 0.650 |
| 26 | 24600-4380 | 10.250 | 13.750 | 0.750 |
| 26 | 24600-4388 | 6.187 | 7.508 | 0.250 |
| 26 | 24600-4393 | 17.322 | 18.897 | 0.787 |
| 26 | 24600-4394 | 14.173 | 15.748 | 0.709 |
| 26 | 24600-4395 | 5.905 | 7.480 | 0.590 |
| 26 | 24600-4396 | 15.748 | 17.322 | 0.787 |
| 26 | 24600-4397 | 12.598 | 14.173 | 0.787 |
| 26 | 24600-4405 | 34.500 | 36.500 | 0.875 |
| 26 | 24600-4406 | 4.500 | 5.750 | 0.438 |
| 26 | 24600-4486 | 18.110 | 20.079 | 0.866 |
| 26 | 24600-4496 | 12.500 | 14.000 | 0.625 |
| 26 | 24600-4515 | 9.750 | 11.000 | 0.625 |
| 26 | 24600-4530 | 13.750 | 15.250 | 0.750 |
| **26** | **24600-4557** | **3.000** | **4.000** | **0.500** |
| 26 | 24600-4582 | 2.000 | 2.625 | 0.312 |
| 26 | 24600-4611 | 8.070 | 9.258 | 0.591 |
| 26 | 24600-4612 | 12.000 | 13.500 | 0.688 |
| 26 | 24600-4614 | 4.500 | 5.500 | 0.375 |
| 26 | 24600-4632 | 1.574 | 2.448 | 0.314 |
| 26 | 24600-4633 | 1.771 | 2.568 | 0.398 |
| 26 | 24600-4634 | 3.937 | 4.734 | 0.511 |
| 26 | 24600-4635 | 4.330 | 5.127 | 0.511 |
| 26 | 24600-4645 | 4.000 | 5.250 | 0.312 |
| **26** | **24600-4651** | **4.000** | **5.000** | **0.500** |
| 26 | 24600-4657 | 0.875 | 1.875 | 0.312 |
| 26 | 24600-4710 | 3.435 | 5.000 | 0.500 |
| 26 | 24600-4803 | 9.125 | 10.375 | 0.625 |
| 26 | 24600-4817 | 3.937 | 4.937 | 0.500 |
| 26 | 24600-4856 | 19.291 | 21.260 | 0.866 |
| 26 | 24600-4873 | 4.500 | 5.500 | 0.437 |
| 26 | 24600-4927 | 10.000 | 11.000 | 0.375 |
| 26 | 24600-4941 | 15.354 | 16.929 | 0.787 |
| 26 | 24600-4977 | 17.000 | 19.000 | 0.625 |
| 26 | 24600-4997 | 7.480 | 8.464 | 0.629 |
| 26 | 24600-5002 | 3.543 | 4.330 | 0.511 |
| 26 | 24600-5067 | 27.559 | 30.079 | 0.984 |
| 26 | 24600-5077 | 16.000 | 18.000 | 0.875 |
| 26 | 24600-5102 | 13.780 | 15.512 | 0.787 |
| 26 | 24600-5111 | 10.236 | 11.417 | 0.630 |
| 26 | 24600-5114 | 12.500 | 13.500 | 0.500 |
| 26 | 24600-5115 | 2.362 | 3.150 | 0.394 |
| 26 | 24600-5120 | 16.250 | 17.750 | 0.680 |
| 26 | 24600-5192 | 8.062 | 9.562 | 0.500 |

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 26 | 24600-5231 | 8.268 | 9.803 | 0.866 |
| **26** | **24600-5233** | **11.024** | **12.441** | **0.709** |
| 26 | 24600-5239 | 1.250 | 1.750 | 0.250 |
| 26 | 24600-5273 | 7.188 | 8.640 | 0.625 |
| 26 | 24600-5335 | 5.906 | 7.087 | 0.551 |
| 26 | 24600-5338 | 8.267 | 9.448 | 0.590 |
| 26 | 24600-5341 | 12.992 | 14.173 | 0.590 |
| 26 | 24600-5343 | 3.346 | 4.331 | 0.512 |
| 26 | 24600-5344 | 3.543 | 4.528 | 0.512 |
| 26 | 24600-5345 | 3.937 | 4.922 | 0.512 |
| 26 | 24600-5348 | 4.725 | 5.906 | 0.551 |
| 26 | 24600-5351 | 10.236 | 11.417 | 0.590 |
| 26 | 24600-5353 | 4.134 | 5.315 | 0.550 |
| 26 | 24600-5359 | 9.449 | 10.630 | 0.591 |
| 26 | 24600-5429 | 10.236 | 11.811 | 0.787 |
| 26 | 24600-5439 | 4.750 | 5.625 | 0.437 |
| 26 | 24600-5445 | 10.629 | 11.811 | 0.630 |
| 26 | 24600-5454 | 32.969 | 34.625 | 0.750 |
| 26 | 24600-5456 | 13.500 | 15.000 | 0.653 |
| 26 | 24600-5457 | 5.250 | 6.000 | 0.375 |
| 26 | 24600-5491 | 21.882 | 23.732 | 0.866 |
| 26 | 24600-5492 | 21.654 | 23.622 | 0.925 |
| 26 | 24600-5493 | 20.276 | 21.850 | 0.787 |
| 26 | 24600-5495 | 4.750 | 5.625 | 0.625 |
| 26 | 24600-5637 | 3.875 | 4.750 | 0.375 |
| 26 | 24600-5714 | 20.079 | 21.260 | 0.433 |
| 26 | 24600-5715 | 23.622 | 24.803 | 0.433 |
| **26** | **24600-5844** | **1.875** | **2.625** | **0.312** |
| **26** | **24600-5913** | **3.938** | **5.000** | **0.500** |
| 26 | 24600-5918 | 1.575 | 2.047 | 0.276 |
| 26 | 24600-5919 | 7.087 | 7.874 | 0.591 |
| 26 | 24600-5924 | 3.937 | 6.693 | 0.374 |
| 26 | 24600-5942 | 12.750 | 14.250 | 0.750 |
| 26 | 24600-5987 | 14.562 | 16.000 | 0.625 |
| 26 | 24600-6042 | 6.000 | 7.125 | 0.625 |
| 26 | 24600-6175 | 7.250 | 8.250 | 0.438 |
| 26 | 24600-6182 | 7.375 | 8.375 | 0.437 |
| 26 | 24600-6185 | 7.750 | 8.750 | 0.437 |
| 26 | 24600-6207 | 1.375 | 1.875 | 0.250 |
| 26 | 24600-6372 | 6.750 | 7.750 | 0.500 |
| 26 | 24600-6384 | 8.500 | 9.750 | 0.625 |
| 26 | 24600-6386 | 8.750 | 10.000 | 0.625 |
| 26 | 24600-6395 | 11.000 | 13.000 | 0.750 |
| 26 | 24600-6450 | 6.250 | 7.250 | 0.438 |
| 26 | 24600-6471 | 2.750 | 3.750 | 0.500 |
| 26 | 24600-6570 | 8.625 | 9.875 | 0.625 |
| 26 | 24600-6808 | 10.000 | 11.250 | 0.625 |
| 26 | 24600-6839 | 3.250 | 4.250 | 0.437 |
| 26 | 24600-6867 | 6.229 | 7.549 | 0.625 |
| 26 | 24600-7033 | 0.750 | 1.250 | 0.250 |
| 26 | 24600-7059 | 18.500 | 20.500 | 0.750 |
| 26 | 24600-7101 | 8.500 | 10.500 | 0.750 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 26 | 24600-7209 | 2.165 | 3.937 | 0.375 |
| 26 | 24600-7213 | 3.125 | 3.875 | 0.375 |
| 26 | 24600-7263 | 11.500 | 12.750 | 0.625 |
| 26 | 24600-7267 | 5.511 | 6.692 | 0.590 |
| 26 | 24600-7276 | 6.299 | 7.480 | 0.591 |
| 26 | 24600-7281 | 18.898 | 20.472 | 0.787 |
| 26 | 24600-7288 | 10.433 | 11.683 | 0.625 |
| **26** | **24600-7374** | **3.250** | **4.250** | **0.500** |
| 26 | 24600-7618 | 18.250 | 20.250 | 0.812 |
| 26 | 24600-7682 | 3.125 | 4.250 | 0.625 |
| 26 | 24600-7801 | 15.250 | 16.750 | 0.750 |
| 26 | 24600-7832 | 11.250 | 12.750 | 0.625 |
| 26 | 24600-7836 | 4.724 | 6.299 | 0.472 |
| 26 | 24600-8233 | 3.250 | 4.249 | 0.375 |
| 26 | 24600-8313 | 9.625 | 10.875 | 0.625 |
| 26 | 24600-8592 | 3.875 | 4.875 | 0.437 |
| 26 | 24600-8814 | 12.283 | 13.750 | 0.688 |
| 26 | 24600-8815 | 14.016 | 15.000 | 0.688 |
| 26 | 24600-8830 | 10.787 | 12.250 | 0.688 |
| 26 | 24600-9175 | 5.314 | 6.692 | 0.512 |
| 26 | 24600-9535 | 0.750 | 1.625 | 0.312 |
| 26 | 24600-9538 | 1.770 | 2.834 | 0.375 |
| 26 | 24600-9646 | 3.937 | 5.062 | 0.375 |
| 26 | 24600-9662 | 4.000 | 5.000 | 0.437 |
| 26 | 24600-9722 | 1.500 | 2.250 | 0.250 |
| **26** | **24600-9780** | **6.500** | **7.500** | **0.562** |
| 26 | 24600-9960 | 4.250 | 5.250 | 0.437 |
| 26R1 | 24620-0041 | 9.250 | 10.500 | 0.625 |
| 26R1 | 24620-0044 | 9.250 | 11.250 | 0.750 |
| 26R1 | 24620-0209 | 0.866 | 1.378 | 0.276 |
| 26R1 | 24620-0280 | 0.984 | 1.496 | 0.276 |
| 26R1 | 24620-0379 | 1.181 | 1.968 | 0.434 |
| 26R1 | 24620-0572 | 1.378 | 1.969 | 0.315 |
| 26R1 | 24620-0573 | 1.378 | 2.165 | 0.434 |
| 26R1 | 24620-0574 | 1.337 | 2.165 | 0.315 |
| 26R1 | 24620-0664 | 4.875 | 5.875 | 0.500 |
| 26R1 | 24620-0678 | 6.250 | 7.250 | 0.500 |
| 26R1 | 24620-0729 | 1.574 | 2.440 | 0.433 |
| 26R1 | 24620-0760 | 1.625 | 2.375 | 0.375 |
| 26R1 | 24620-0846 | 3.465 | 4.331 | 0.591 |
| 26R1 | 24620-0895 | 1.732 | 2.362 | 0.354 |
| 26R1 | 24620-0896 | 1.750 | 2.750 | 0.312 |
| 26R1 | 24620-0909 | 1.750 | 2.625 | 0.500 |
| 26R1 | 24620-0935 | 1.772 | 2.441 | 0.312 |
| 26R1 | 24620-0963 | 5.500 | 7.000 | 0.500 |
| 26R1 | 24620-0979 | 15.551 | 17.283 | 0.741 |
| 26R1 | 24620-1007 | 15.000 | 17.500 | 1.250 |
| 26R1 | 24620-1030 | 1.575 | 2.559 | 0.472 |
| 26R1 | 24620-1031 | 2.362 | 3.543 | 0.551 |
| 26R1 | 24620-1032 | 2.756 | 3.543 | 0.472 |
| 26R1 | 24620-1033 | 3.150 | 3.937 | 0.394 |
| 26R1 | 24620-1034 | 4.134 | 5.315 | 0.551 |

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 26R1 | 24620-1035 | 6.299 | 7.677 | 0.709 |
| 26R1 | 24620-1036 | 7.480 | 8.858 | 0.630 |
| 26R1 | 24620-1037 | 11.811 | 13.583 | 0.866 |
| 26R1 | 24620-1038 | 16.535 | 18.898 | 1.102 |
| 26R1 | 24620-1079 | 1.890 | 2.750 | 0.470 |
| 26R1 | 24620-1106 | 1.969 | 2.441 | 0.276 |
| 26R1 | 24620-1107 | 1.968 | 2.834 | 0.472 |
| 26R1 | 24620-1108 | 1.969 | 2.677 | 0.354 |
| 26R1 | 24620-1109 | 1.937 | 3.548 | 0.375 |
| 26R1 | 24620-1189 | 2.000 | 2.750 | 0.375 |
| 26R1 | 24620-1201 | 2.000 | 2.997 | 0.375 |
| 26R1 | 24620-1258 | 2.062 | 3.000 | 0.375 |
| 26R1 | 24620-1321 | 2.125 | 2.878 | 0.375 |
| 26R1 | 24620-1355 | 2.125 | 3.545 | 0.438 |
| 26R1 | 24620-1369 | 2.165 | 2.835 | 0.315 |
| 26R1 | 24620-1370 | 2.165 | 3.070 | 0.472 |
| 26R1 | 24620-1371 | 2.165 | 3.070 | 0.354 |
| 26R1 | 24620-1575 | 2.312 | 3.250 | 0.500 |
| 26R1 | 24620-1605 | 2.362 | 2.953 | 0.315 |
| 26R1 | 24620-1606 | 2.362 | 3.228 | 0.472 |
| 26R1 | 24620-1642 | 2.375 | 3.125 | 0.375 |
| 26R1 | 24620-1686 | 2.500 | 3.125 | 0.312 |
| 26R1 | 24620-1726 | 2.437 | 3.147 | 0.375 |
| 26R1 | 24620-1735 | 2.437 | 3.250 | 0.375 |
| 26R1 | 24620-1819 | 2.500 | 3.500 | 0.375 |
| 26R1 | 24620-1837 | 9.645 | 12.007 | 0.984 |
| 26R1 | 24620-1857 | 2.375 | 3.372 | 0.438 |
| 26R1 | 24620-1859 | 2.559 | 3.464 | 0.472 |
| 26R1 | 24620-1953 | 1.969 | 3.543 | 0.394 |
| 26R1 | 24620-2026 | 2.756 | 3.346 | 0.315 |
| 26R1 | 24620-2027 | 2.755 | 3.622 | 0.472 |
| 26R1 | 24620-2034 | 4.331 | 5.118 | 0.472 |
| 26R1 | 24620-2035 | 2.750 | 3.500 | 0.375 |
| 26R1 | 24620-2037 | 2.750 | 3.500 | 0.500 |
| 26R1 | 24620-2054 | 2.750 | 3.625 | 0.438 |
| 26R1 | 24620-2058 | 2.750 | 3.750 | 0.438 |
| 26R1 | 24620-2122 | 2.156 | 4.725 | 0.375 |
| 26R1 | 24620-2135 | 17.992 | 20.000 | 0.748 |
| 26R1 | 24620-2177 | 3.000 | 4.125 | 0.500 |
| 26R1 | 24620-2187 | 3.000 | 4.125 | 0.438 |
| 26R1 | 24620-2215 | 3.150 | 4.134 | 0.512 |
| 26R1 | 24620-2216 | 3.125 | 4.249 | 0.438 |
| 26R1 | 24620-2217 | 3.125 | 4.506 | 0.500 |
| 26R1 | 24620-2279 | 4.528 | 5.512 | 0.472 |
| 26R1 | 24620-2420 | 3.625 | 4.751 | 0.500 |
| 26R1 | 24620-2432 | 3.625 | 5.250 | 0.500 |
| 26R1 | 24620-2437 | 3.543 | 4.330 | 0.472 |
| 26R1 | 24620-2494 | 3.938 | 4.881 | 0.625 |
| 26R1 | 24620-2554 | 4.000 | 4.875 | 0.500 |
| 26R1 | 24620-2621 | 1.969 | 4.331 | 0.375 |
| 26R1 | 24620-2669 | 3.188 | 4.999 | 0.438 |
| 26R1 | 24620-2703 | 4.331 | 5.512 | 0.551 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 26R1 | 24620-2731 | 4.331 | 5.511 | 0.511 |
| 26R1 | 24620-2753 | 4.500 | 5.500 | 0.500 |
| 26R1 | 24620-2798 | 4.625 | 5.625 | 0.500 |
| 26R1 | 24620-2809 | 4.625 | 6.000 | 0.625 |
| 26R1 | 24620-2827 | 4.410 | 5.375 | 0.625 |
| 26R1 | 24620-2841 | 4.750 | 5.500 | 0.375 |
| 26R1 | 24620-2862 | 3.500 | 4.721 | 0.375 |
| 26R1 | 24620-2863 | 4.724 | 5.906 | 0.512 |
| 26R1 | 24620-2890 | 4.921 | 6.692 | 0.472 |
| 26R1 | 24620-2908 | 2.953 | 4.528 | 0.472 |
| 26R1 | 24620-2915 | 5.000 | 6.000 | 0.500 |
| 26R1 | 24620-2921 | 5.000 | 6.250 | 0.500 |
| 26R1 | 24620-2923 | 5.000 | 6.250 | 0.625 |
| 26R1 | 24620-2965 | 10.630 | 12.205 | 0.787 |
| 26R1 | 24620-2976 | 9.250 | 10.250 | 0.625 |
| 26R1 | 24620-2989 | 5.118 | 6.299 | 0.551 |
| 26R1 | 24620-3026 | 5.187 | 6.250 | 0.500 |
| 26R1 | 24620-3050 | 15.000 | 17.500 | 0.938 |
| 26R1 | 24620-3065 | 5.250 | 6.500 | 0.500 |
| 26R1 | 24620-3118 | 5.314 | 6.692 | 0.590 |
| 26R1 | 24620-3122 | 5.375 | 6.375 | 0.500 |
| 26R1 | 24620-3186 | 5.500 | 6.632 | 0.500 |
| 26R1 | 24620-3193 | 5.500 | 7.000 | 0.828 |
| 26R1 | 24620-3201 | 5.511 | 6.299 | 0.511 |
| 26R1 | 24620-3232 | 5.625 | 6.625 | 0.375 |
| 26R1 | 24620-3235 | 12.992 | 14.567 | 0.482 |
| 26R1 | 24620-3308 | 1.937 | 3.250 | 0.375 |
| 26R1 | 24620-3348 | 6.500 | 8.000 | 0.563 |
| 26R1 | 24620-3352 | 6.102 | 7.086 | 0.590 |
| 26R1 | 24620-3354 | 6.000 | 7.000 | 0.437 |
| 26R1 | 24620-3377 | 6.125 | 7.125 | 0.625 |
| 26R1 | 24620-3419 | 4.527 | 5.709 | 0.787 |
| 26R1 | 24620-3434 | 6.500 | 8.000 | 0.625 |
| 26R1 | 24620-3459 | 2.531 | 4.725 | 0.375 |
| 26R1 | 24620-3515 | 7.125 | 8.625 | 0.750 |
| 26R1 | 24620-3518 | 7.250 | 8.250 | 0.625 |
| 26R1 | 24620-3542 | 4.500 | 7.000 | 0.531 |
| 26R1 | 24620-3665 | 10.500 | 11.750 | 0.625 |
| 26R1 | 24620-3693 | 11.000 | 12.500 | 0.625 |
| 26R1 | 24620-3712 | 0.945 | 1.929 | 0.472 |
| 26R1 | 24620-3715 | 1.949 | 3.031 | 0.709 |
| 26R1 | 24620-3886 | 11.417 | 12.992 | 0.787 |
| 26R1 | 24620-3914 | 7.874 | 9.055 | 0.551 |
| 26R1 | 24620-3916 | 7.874 | 9.448 | 0.787 |
| **26R1** | **24620-3919** | **6.693** | **7.874** | **0.590** |
| **26R1** | **24620-3920** | **7.086** | **8.267** | **0.590** |
| 26R1 | 24620-3923 | 7.440 | 8.858 | 0.629 |
| 26R1 | 24620-3944 | 8.661 | 10.236 | 0.866 |
| 26R1 | 24620-3956 | 9.055 | 10.590 | 0.866 |
| 26R1 | 24620-3973 | 9.448 | 11.024 | 0.748 |
| 26R1 | 24620-3974 | 9.448 | 11.417 | 0.748 |
| 26R1 | 24620-3987 | 2.500 | 3.750 | 0.687 |

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 26R1 | 24620-4006 | 10.500 | 12.500 | 0.625 |
| 26R1 | 24620-4008 | 10.250 | 12.250 | 0.625 |
| 26R1 | 24620-4020 | 2.375 | 3.543 | 0.438 |
| 26R1 | 24620-4021 | 2.875 | 3.751 | 0.250 |
| 26R1 | 24620-4071 | 12.000 | 14.000 | 0.750 |
| 26R1 | 24620-4129 | 14.000 | 15.500 | 1.000 |
| 26R1 | 24620-4155 | 15.000 | 17.000 | 0.750 |
| 26R1 | 24620-4228 | 1.500 | 3.250 | 0.500 |
| 26R1 | 24620-4269 | 22.000 | 23.500 | 0.750 |
| 26R1 | 24620-4549 | 1.187 | 2.835 | 0.375 |
| 26R1 | 24620-4620 | 1.187 | 2.441 | 0.375 |
| 26R1 | 24620-4654 | 3.750 | 4.999 | 0.500 |
| 26R1 | 24620-4946 | 3.000 | 3.880 | 0.594 |
| 26R1 | 24620-5010 | 5.500 | 7.000 | 0.750 |
| 26R1 | 24620-5018 | 11.000 | 12.250 | 0.609 |
| 26R1 | 24620-5146 | 15.000 | 16.772 | 1.125 |
| 26R1 | 24620-5335 | 5.905 | 7.086 | 0.551 |
| 26R1 | 24620-5338 | 8.267 | 9.448 | 0.590 |
| 26R1 | 24620-5339 | 9.842 | 11.023 | 0.590 |
| 26R1 | 24620-5344 | 3.543 | 4.527 | 0.512 |
| 26R1 | 24620-5345 | 3.937 | 4.921 | 0.512 |
| 26R1 | 24620-5349 | 5.708 | 6.889 | 0.551 |
| 26R1 | 24620-5354 | 4.921 | 6.102 | 0.551 |
| 26R1 | 24620-5357 | 8.661 | 9.842 | 0.590 |
| 26R1 | 24620-5359 | 9.448 | 10.629 | 0.590 |
| 26R1 | 24620-5451 | 1.885 | 2.700 | 0.500 |
| 26R1 | 24620-5456 | 13.500 | 15.000 | 0.653 |
| 26R1 | 24620-5465 | 10.750 | 12.750 | 0.625 |
| 26R1 | 24620-5466 | 14.960 | 17.322 | 0.984 |
| 26R1 | 24620-5467 | 15.748 | 18.110 | 0.984 |
| 26R1 | 24620-5468 | 16.535 | 18.897 | 0.984 |
| 26R1 | 24620-5758 | 2.500 | 3.875 | 0.468 |
| 26R1 | 24620-5844 | 1.875 | 2.625 | 0.313 |
| 26R1 | 24620-6061 | 3.740 | 4.724 | 0.511 |
| 26R1 | 24620-6117 | 15.000 | 17.000 | 1.250 |
| 26R1 | 24620-6370 | 6.500 | 8.000 | 0.500 |
| 26R1 | 24620-6374 | 7.000 | 8.000 | 0.500 |
| 26R1 | 24620-6709 | 3.937 | 4.937 | 0.375 |
| 26R1 | 24620-7059 | 18.500 | 20.500 | 0.750 |
| 26R1 | 24620-7164 | 1.875 | 2.835 | 0.375 |
| 26R1 | 24620-7276 | 6.299 | 7.480 | 0.591 |
| 26R1 | 24620-7277 | 4.724 | 5.941 | 0.591 |
| 26R1 | 24620-7383 | 5.512 | 6.693 | 0.551 |
| 26R1 | 24620-7388 | 7.874 | 9.055 | 0.590 |
| 26R1 | 24620-7394 | 3.346 | 4.724 | 0.472 |
| 26R1 | 24620-7396 | 4.331 | 5.511 | 0.472 |
| 26R1 | 24620-7654 | 1.969 | 2.559 | 0.354 |
| 26R1 | 24620-8196 | 14.566 | 16.141 | 0.787 |
| 26R1 | 24620-8881 | 0.750 | 1.375 | 0.250 |
| 26R1 | 24620-9030 | 3.937 | 4.724 | 0.512 |
| 26R1 | 24620-9094 | 2.750 | 3.881 | 0.750 |
| **26R1** | **24620-9190** | **3.740** | **4.725** | **0.472** |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 26R1 | 24620-9388 | 9.250 | 11.250 | 0.625 |
| **26R1** | **24620-9708** | **4.375** | **5.375** | **0.687** |
| 53 | 21086-0989 | 3.312 | 5.250 | 0.500 |
| **53** | **21086-2177** | **3.000** | **4.125** | **0.500** |
| 53 | 21086-2178 | 3.000 | 4.125 | 0.563 |
| **53** | **21086-2180** | **3.000** | **4.249** | **0.500** |
| 53 | 21086-2182 | 3.000 | 4.249 | 0.625 |
| **53** | **21086-2183** | **3.000** | **4.375** | **0.500** |
| 53 | 21086-2184 | 3.000 | 4.375 | 0.562 |
| **53** | **21086-2186** | **3.000** | **4.500** | **0.500** |
| 53 | 21086-2188 | 3.000 | 4.500 | 0.625 |
| **53** | **21086-2189** | **3.000** | **4.625** | **0.500** |
| **53** | **21086-2192** | **3.000** | **4.750** | **0.500** |
| **53** | **21086-2195** | **3.000** | **4.875** | **0.500** |
| 53 | 21086-2198 | 3.000 | 4.999 | 0.500 |
| **53** | **21086-2201** | **3.062** | **4.125** | **0.500** |
| 53 | 21086-2202 | 3.062 | 4.125 | 0.562 |
| 53 | 21086-2204 | 3.062 | 4.249 | 0.500 |
| 53 | 21086-2210 | 3.062 | 4.500 | 0.500 |
| 53 | 21086-2213 | 3.062 | 4.625 | 0.500 |
| 53 | 21086-2219 | 3.062 | 4.875 | 0.500 |
| 53 | 21086-2221 | 3.062 | 4.875 | 0.625 |
| 53 | 21086-2222 | 3.062 | 4.999 | 0.500 |
| **53** | **21086-2225** | **3.125** | **4.125** | **0.500** |
| 53 | 21086-2226 | 3.125 | 4.125 | 0.562 |
| **53** | **21086-2228** | **3.125** | **4.249** | **. 500** |
| 53 | 21086-2229 | 3.125 | 4.249 | 0.562 |
| 53 | 21086-2230 | 3.125 | 4.249 | 0.625 |
| 53 | 21086-2231 | 3.125 | 4.375 | 0.500 |
| **53** | **21086-2234** | **3.125** | **4.500** | **0.500** |
| 53 | 21086-2236 | 3.125 | 4.500 | 0.625 |
| 53 | 21086-2237 | 3.125 | 4.625 | 0.500 |
| 53 | 21086-2240 | 3.125 | 4.750 | 0.500 |
| 53 | 21086-2243 | 3.125 | 4.875 | 0.500 |
| **53** | **21086-2246** | **3.125** | **4.999** | **0.500** |
| **53** | **21086-2249** | **3.187** | **4.249** | **0.500** |
| 53 | 21086-2250 | 3.187 | 4.249 | 0.562 |
| 53 | 21086-2251 | 3.187 | 4.249 | 0.625 |
| **53** | **21086-2252** | **3.187** | **4.375** | **0.500** |
| 53 | 21086-2253 | 3.187 | 4.375 | 0.562 |
| 53 | 21086-2254 | 3.187 | 4.375 | 0.625 |
| **53** | **21086-2255** | **3.187** | **4.500** | **0.500** |
| 53 | 21086-2257 | 3.187 | 4.500 | 0.562 |
| 53 | 21086-2260 | 3.187 | 4.625 | 0.625 |
| **53** | **21086-2261** | **3.187** | **4.750** | **0.500** |
| 53 | 21086-2264 | 3.187 | 4.875 | 0.500 |
| 53 | 21086-2267 | 3.187 | 4.999 | 0.500 |
| **53** | **21086-2270** | **3.250** | **4.249** | **0.500** |
| 53 | 21086-2271 | 3.250 | 4.249 | 0.562 |
| 53 | 21086-2272 | 3.250 | 4.249 | 0.625 |
| **53** | **21086-2273** | **3.250** | **4.375** | **0.500** |
| **53** | **21086-2276** | **3.250** | **4.500** | **0.500** |

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 53 | 21086-2277 | 3.250 | 4.500 | 0.562 |
| 53 | 21086-2278 | 3.250 | 4.500 | 0.625 |
| **53** | **21086-2279** | **3.250** | **4.625** | **0.500** |
| **53** | **21086-2282** | **3.250** | **4.750** | **0.500** |
| 53 | 21086-2283 | 3.250 | 4.750 | 0.562 |
| 53 | 21086-2284 | 3.250 | 4.750 | 0.625 |
| 53 | 21086-2285 | 3.250 | 4.875 | 0.500 |
| 53 | 21086-2287 | 3.250 | 4.875 | 0.625 |
| 53 | 21086-2288 | 3.250 | 4.999 | 0.500 |
| **53** | **21086-2297** | **3.312** | **4.375** | **0.500** |
| 53 | 21086-2299 | 3.312 | 4.375 | 0.625 |
| **53** | **21086-2300** | **3.312** | **4.500** | **0.500** |
| 53 | 21086-2302 | 3.312 | 4.500 | 0.625 |
| 53 | 21086-2303 | 3.312 | 4.625 | 0.500 |
| 53 | 21086-2306 | 3.312 | 4.750 | 0.500 |
| 53 | 21086-2309 | 3.312 | 4.875 | 0.500 |
| **53** | **21086-2312** | **3.312** | **4.999** | **0.500** |
| **53** | **21086-2315** | **3.312** | **5.125** | **0.500** |
| **53** | **21086-2321** | **3.375** | **4.375** | **0.500** |
| 53 | 21086-2323 | 3.375 | 4.375 | 0.625 |
| **53** | **21086-2324** | **3.375** | **4.500** | **0.500** |
| 53 | 21086-2325 | 3.375 | 4.500 | 0.562 |
| 53 | 21086-2326 | 3.375 | 4.500 | 0.625 |
| 53 | 21086-2327 | 3.375 | 4.625 | 0.500 |
| 53 | 21086-2329 | 3.375 | 4.625 | 0.625 |
| 53 | 21086-2330 | 3.375 | 4.750 | 0.500 |
| **53** | **21086-2333** | **3.375** | **4.875** | **0.500** |
| 53 | 21086-2336 | 3.375 | 4.999 | 0.500 |
| 53 | 21086-2339 | 3.375 | 5.125 | 0.500 |
| **53** | **21086-2342** | **3.375** | **5.250** | **0.500** |
| **53** | **21086-2345** | **3.437** | **4.500** | **0.500** |
| **53** | **21086-2348** | **3.437** | **4.625** | **0.500** |
| **53** | **21086-2351** | **3.437** | **4.750** | **0.500** |
| 53 | 21086-2353 | 3.437 | 4.750 | 0.625 |
| 53 | 21086-2354 | 3.437 | 4.875 | 0.500 |
| 53 | 21086-2356 | 3.437 | 4.875 | 0.625 |
| **53** | **21086-2357** | **3.437** | **4.999** | **0.500** |
| 53 | 21086-2360 | 3.437 | 5.125 | 0.500 |
| 53 | 21086-2362 | 3.437 | 5.125 | 0.625 |
| 53 | 21086-2363 | 3.437 | 5.250 | 0.500 |
| 53 | 21086-2365 | 3.437 | 5.250 | 0.625 |
| **53** | **21086-2366** | **3.500** | **4.500** | **0.500** |
| 53 | 21086-2367 | 3.500 | 4.500 | 0.562 |
| 53 | 21086-2368 | 3.500 | 4.500 | 0.625 |
| **53** | **21086-2369** | **3.500** | **4.625** | **0.500** |
| 53 | 21086-2370 | 3.500 | 4.625 | 0.562 |
| 53 | 21086-2371 | 3.500 | 4.625 | 0.625 |
| **53** | **21086-2372** | **3.500** | **4.750** | **0.500** |
| 53 | 21086-2373 | 3.500 | 4.750 | 0.562 |
| 53 | 21086-2374 | 3.500 | 4.750 | 0.625 |
| **53** | **21086-2375** | **3.500** | **4.875** | **0.500** |
| **53** | **21086-2378** | **3.500** | **4.999** | **0.500** |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 53 | 21086-2380 | 3.500 | 4.999 | 0.625 |
| 53 | 21086-2381 | 3.500 | 5.125 | 0.500 |
| 53 | 21086-2384 | 3.500 | 5.250 | 0.500 |
| 53 | 21086-2386 | 3.500 | 5.250 | 0.625 |
| **53** | **21086-2387** | **3.500** | **5.375** | **0.500** |
| 53 | 21086-2390 | 3.500 | 5.500 | 0.500 |
| 53 | 21086-2392 | 3.500 | 5.500 | 0.625 |
| **53** | **21086-2393** | **3.562** | **4.625** | **0.500** |
| **53** | **21086-2396** | **3.562** | **4.750** | **0.500** |
| 53 | 21086-2397 | 3.562 | 4.750 | 0.562 |
| 53 | 21086-2398 | 3.562 | 4.750 | 0.625 |
| 53 | 21086-2399 | 3.562 | 4.875 | 0.500 |
| 53 | 21086-2402 | 3.562 | 4.999 | 0.500 |
| 53 | 21086-2405 | 3.562 | 5.125 | 0.500 |
| 53 | 21086-2408 | 3.562 | 5.250 | 0.500 |
| 53 | 21086-2414 | 3.562 | 5.500 | 0.500 |
| **53** | **21086-2417** | **3.625** | **4.625** | **0.500** |
| 53 | 21086-2418 | 3.625 | 4.625 | 0.562 |
| 53 | 21086-2419 | 3.625 | 4.625 | 0.625 |
| **53** | **21086-2420** | **3.625** | **4.750** | **0.500** |
| 53 | 21086-2421 | 3.625 | 4.750 | 0.562 |
| 53 | 21086-2423 | 3.625 | 4.875 | 0.500 |
| 53 | 21086-2424 | 3.625 | 4.875 | 0.562 |
| 53 | 21086-2425 | 3.625 | 4.875 | 0.625 |
| **53** | **21086-2426** | **3.625** | **4.999** | **0.500** |
| 53 | 21086-2428 | 3.625 | 4.999 | 0.625 |
| 53 | 21086-2429 | 3.625 | 5.125 | 0.500 |
| 53 | 21086-2432 | 3.625 | 5.250 | 0.500 |
| 53 | 21086-2435 | 3.625 | 5.375 | 0.500 |
| 53 | 21086-2438 | 3.625 | 5.500 | 0.500 |
| **53** | **21086-2441** | **3.687** | **4.750** | **0.500** |
| 53 | 21086-2442 | 3.687 | 4.750 | 0.562 |
| 53 | 21086-2444 | 3.687 | 4.875 | 0.500 |
| 53 | 21086-2447 | 3.687 | 4.999 | 0.500 |
| 53 | 21086-2450 | 3.687 | 5.125 | 0.500 |
| 53 | 21086-2453 | 3.687 | 5.250 | 0.500 |
| 53 | 21086-2456 | 3.687 | 5.375 | 0.500 |
| 53 | 21086-2459 | 3.687 | 5.500 | 0.500 |
| **53** | **21086-2462** | **3.750** | **4.750** | **0.500** |
| 53 | 21086-2463 | 3.750 | 4.750 | 0.562 |
| 53 | 21086-2464 | 3.750 | 4.750 | 0.625 |
| **53** | **21086-2465** | **3.750** | **4.875** | **0.500** |
| 53 | 21086-2466 | 3.750 | 4.875 | 0.562 |
| **53** | **21086-2468** | **3.750** | **4.999** | **0.500** |
| 53 | 21086-2469 | 3.750 | 4.999 | 0.562 |
| 53 | 21086-2470 | 3.750 | 4.999 | 0.625 |
| 53 | 21086-2471 | 3.750 | 5.125 | 0.500 |
| **53** | **21086-2474** | **3.750** | **5.250** | **0.500** |
| 53 | 21086-2476 | 3.750 | 5.250 | 0.625 |
| 53 | 21086-2480 | 3.750 | 5.500 | 0.500 |
| **53** | **21086-2483** | **3.812** | **4.875** | **0.500** |
| **53** | **21086-2486** | **3.812** | **4.999** | **0.500** |
| 53 | 21086-2489 | 3.812 | 5.125 | 0.500 |
| 53 | 21086-2492 | 3.812 | 5.250 | 0.500 |
| 53 | 21086-2495 | 3.812 | 5.375 | 0.500 |
| **53** | **21086-2498** | **3.812** | **5.500** | **0.500** |
| **53** | **21086-2501** | **3.875** | **4.875** | **0.500** |
| **53** | **21086-2504** | **3.875** | **4.999** | **0.500** |
| 53 | 21086-2506 | 3.875 | 4.999 | 0.625 |
| 53 | 21086-2507 | 3.875 | 5.125 | 0.500 |
| 53 | 21086-2510 | 3.875 | 5.250 | 0.500 |
| 53 | 21086-2511 | 3.875 | 5.250 | 0.562 |
| 53 | 21086-2513 | 3.875 | 5.375 | 0.500 |
| 53 | 21086-2516 | 3.875 | 5.500 | 0.500 |
| **53** | **21086-2519** | **3.937** | **4.999** | **0.500** |
| 53 | 21086-2520 | 3.937 | 4.999 | 0.562 |
| 53 | 21086-2521 | 3.937 | 4.999 | 0.625 |
| **53** | **21086-2522** | **3.937** | **5.125** | **0.500** |
| 53 | 21086-2524 | 3.937 | 5.125 | 0.625 |
| **53** | **21086-2525** | **3.937** | **5.250** | **0.500** |
| 53 | 21086-2527 | 3.937 | 5.250 | 0.625 |
| 53 | 21086-2528 | 3.937 | 5.375 | 0.500 |
| 53 | 21086-2531 | 3.937 | 5.500 | 0.500 |
| **53** | **21086-2534** | **3.937** | **5.625** | **0.500** |
| **53** | **21086-2537** | **4.000** | **4.999** | **0.500** |
| 53 | 21086-2539 | 4.000 | 4.999 | 0.625 |
| **53** | **21086-2540** | **4.000** | **5.125** | **0.500** |
| 53 | 21086-2541 | 4.000 | 5.125 | 0.563 |
| 53 | 21086-2542 | 4.000 | 5.125 | 0.625 |
| **53** | **21086-2543** | **4.000** | **5.250** | **0.500** |
| 53 | 21086-2544 | 4.000 | 5.250 | 0.563 |
| 53 | 21086-2545 | 4.000 | 5.250 | 0.625 |
| 53 | 21086-2546 | 4.000 | 5.375 | 0.500 |
| 53 | 21086-2549 | 4.000 | 5.500 | 0.500 |
| 53 | 21086-2550 | 4.000 | 5.500 | 0.563 |
| 53 | 21086-2551 | 4.000 | 5.500 | 0.625 |
| 53 | 21086-2552 | 4.000 | 5.625 | 0.500 |
| 53 | 21086-2555 | 4.000 | 5.750 | 0.500 |
| 53 | 21086-2556 | 4.000 | 5.750 | 0.563 |
| 53 | 21086-2558 | 4.000 | 5.875 | 0.500 |
| **53** | **21086-2561** | **4.000** | **6.000** | **0.500** |
| 53 | 21086-2564 | 4.000 | 6.125 | 0.500 |
| 53 | 21086-2566 | 4.000 | 6.125 | 0.625 |
| **53** | **21086-2567** | **4.000** | **6.250** | **0.500** |
| 53 | 21086-2568 | 4.000 | 6.250 | 0.563 |
| 53 | 21086-2569 | 4.000 | 6.250 | 0.625 |
| **53** | **21086-2570** | **4.063** | **5.125** | **0.500** |
| 53 | 21086-2573 | 4.063 | 5.250 | 0.500 |
| 53 | 21086-2579 | 4.063 | 5.500 | 0.500 |
| 53 | 21086-2588 | 4.063 | 5.875 | 0.500 |
| **53** | **21086-2600** | **4.125** | **5.125** | **0.500** |
| **53** | **21086-2603** | **4.125** | **5.250** | **0.500** |
| 53 | 21086-2604 | 4.125 | 5.250 | 0.562 |
| 53 | 21086-2605 | 4.125 | 5.250 | 0.625 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| B | | | | |
| 53 | 21086-2608 | 4.125 | 5.375 | 0.625 |
| 53 | 21086-2609 | 4.125 | 5.500 | 0.500 |
| 53 | 21086-2610 | 4.125 | 5.500 | 0.563 |
| 53 | 21086-2612 | 4.125 | 5.625 | 0.500 |
| 53 | 21086-2618 | 4.125 | 5.875 | 0.500 |
| **53** | **21086-2621** | **4.125** | **6.000** | **0.500** |
| 53 | 21086-2627 | 4.125 | 6.250 | 0.500 |
| **53** | **21086-2630** | **4.187** | **5.250** | **0.500** |
| 53 | 21086-2633 | 4.187 | 5.375 | 0.500 |
| 53 | 21086-2635 | 4.187 | 5.375 | 0.625 |
| **53** | **21086-2636** | **4.187** | **5.500** | **0.500** |
| 53 | 21086-2637 | 4.187 | 5.500 | 0.562 |
| 53 | 21086-2639 | 4.187 | 5.625 | 0.500 |
| 53 | 21086-2642 | 4.187 | 5.750 | 0.500 |
| **53** | **21086-2645** | **4.187** | **5.875** | **0.500** |
| 53 | 21086-2648 | 4.187 | 6.000 | 0.500 |
| 53 | 21086-2651 | 4.187 | 6.125 | 0.500 |
| 53 | 21086-2654 | 4.187 | 6.250 | 0.500 |
| **53** | **21086-2657** | **4.250** | **5.250** | **0.500** |
| 53 | 21086-2659 | 4.250 | 5.250 | 0.625 |
| **53** | **21086-2660** | **4.250** | **5.375** | **0.500** |
| 53 | 21086-2662 | 4.250 | 5.375 | 0.625 |
| **53** | **21086-2663** | **4.250** | **5.500** | **0.500** |
| 53 | 21086-2664 | 4.250 | 5.500 | 0.562 |
| 53 | 21086-2665 | 4.250 | 5.500 | 0.625 |
| 53 | 21086-2666 | 4.250 | 5.625 | 0.500 |
| **53** | **21086-2669** | **4.250** | **5.750** | **0.500** |
| 53 | 21086-2670 | 4.250 | 5.750 | 0.562 |
| 53 | 21086-2671 | 4.250 | 5.750 | 0.625 |
| 53 | 21086-2675 | 4.250 | 6.000 | 0.500 |
| 53 | 21086-2678 | 4.250 | 6.125 | 0.500 |
| 53 | 21086-2681 | 4.250 | 6.250 | 0.500 |
| 53 | 21086-2682 | 4.250 | 6.250 | 0.562 |
| **53** | **21086-2684** | **4.312** | **5.375** | **0.500** |
| **53** | **21086-2687** | **4.312** | **5.500** | **0.500** |
| 53 | 21086-2689 | 4.312 | 5.500 | 0.625 |
| 53 | 21086-2690 | 4.312 | 5.625 | 0.500 |
| 53 | 21086-2693 | 4.312 | 5.750 | 0.500 |
| 53 | 21086-2694 | 4.312 | 5.750 | 0.562 |
| 53 | 21086-2699 | 4.312 | 6.000 | 0.500 |
| 53 | 21086-2705 | 4.312 | 6.250 | 0.500 |
| **53** | **21086-2708** | **4.375** | **5.375** | **0.500** |
| **53** | **21086-2711** | **4.375** | **5.500** | **0.500** |
| 53 | 21086-2712 | 4.375 | 5.500 | 0.562 |
| 53 | 21086-2714 | 4.375 | 5.625 | 0.500 |
| 53 | 21086-2717 | 4.375 | 5.750 | 0.500 |
| 53 | 21086-2720 | 4.375 | 5.875 | 0.500 |
| 53 | 21086-2723 | 4.375 | 6.000 | 0.500 |
| 53 | 21086-2726 | 4.375 | 6.125 | 0.500 |
| 53 | 21086-2729 | 4.375 | 6.250 | 0.500 |
| 53 | 21086-2730 | 4.375 | 6.250 | 0.562 |
| **53** | **21086-2732** | **4.437** | **5.500** | **0.500** |
| 53 | 21086-2733 | 4.437 | 5.500 | 0.562 |
| 53 | 21086-2735 | 4.437 | 5.625 | 0.500 |
| **53** | **21086-2738** | **4.437** | **5.750** | **0.500** |
| 53 | 21086-2739 | 4.437 | 5.750 | 0.562 |
| 53 | 21086-2740 | 4.437 | 5.750 | 0.625 |
| 53 | 21086-2744 | 4.437 | 6.000 | 0.500 |
| 53 | 21086-2747 | 4.437 | 6.125 | 0.500 |
| 53 | 21086-2750 | 4.437 | 6.250 | 0.500 |
| 53 | 21086-2751 | 4.437 | 6.250 | 0.562 |
| **53** | **21086-2753** | **4.500** | **5.500** | **0.500** |
| 53 | 21086-2754 | 4.500 | 5.500 | 0.562 |
| 53 | 21086-2755 | 4.500 | 5.500 | 0.625 |
| **53** | **21086-2756** | **4.500** | **5.625** | **0.500** |
| 53 | 21086-2757 | 4.500 | 5.625 | 0.562 |
| 53 | 21086-2758 | 4.500 | 5.625 | 0.625 |
| **53** | **21086-2759** | **4.500** | **5.750** | **0.500** |
| 53 | 21086-2760 | 4.500 | 5.750 | 0.562 |
| **53** | **21086-2761** | **4.500** | **5.750** | **0.625** |
| **53** | **21086-2762** | **4.500** | **5.875** | **0.500** |
| **53** | **21086-2765** | **4.500** | **6.000** | **0.500** |
| 53 | 21086-2766 | 4.500 | 6.000 | 0.562 |
| 53 | 21086-2767 | 4.500 | 6.000 | 0.625 |
| 53 | 21086-2768 | 4.500 | 6.125 | 0.500 |
| 53 | 21086-2771 | 4.500 | 6.250 | 0.500 |
| **53** | **21086-2774** | **4.500** | **6.375** | **0.500** |
| 53 | 21086-2776 | 4.500 | 6.375 | 0.625 |
| **53** | **21086-2777** | **4.562** | **5.625** | **0.500** |
| **53** | **21086-2780** | **4.562** | **5.750** | **0.500** |
| 53 | 21086-2782 | 4.562 | 5.750 | 0.625 |
| 53 | 21086-2783 | 4.562 | 5.875 | 0.500 |
| 53 | 21086-2786 | 4.562 | 6.000 | 0.500 |
| 53 | 21086-2789 | 4.562 | 6.125 | 0.500 |
| 53 | 21086-2792 | 4.562 | 6.250 | 0.500 |
| 53 | 21086-2795 | 4.562 | 6.375 | 0.500 |
| **53** | **21086-2798** | **4.625** | **5.625** | **0.500** |
| 53 | 21086-2799 | 4.625 | 5.625 | 0.562 |
| **53** | **21086-2801** | **4.625** | **5.750** | **0.500** |
| 53 | 21086-2802 | 4.625 | 5.750 | 0.562 |
| **53** | **21086-2804** | **4.625** | **5.875** | **0.500** |
| **53** | **21086-2807** | **4.625** | **6.000** | **0.500** |
| 53 | 21086-2809 | 4.625 | 6.000 | 0.625 |
| 53 | 21086-2810 | 4.625 | 6.125 | 0.500 |
| 53 | 21086-2813 | 4.625 | 6.250 | 0.500 |
| 53 | 21086-2818 | 4.449 | 5.512 | 0.492 |
| **53** | **21086-2819** | **4.687** | **5.750** | **0.500** |
| 53 | 21086-2820 | 4.687 | 5.750 | 0.562 |
| 53 | 21086-2822 | 4.687 | 5.875 | 0.500 |
| 53 | 21086-2825 | 4.687 | 6.000 | 0.500 |
| 53 | 21086-2831 | 4.687 | 6.250 | 0.500 |
| 53 | 21086-2834 | 4.687 | 6.375 | 0.500 |
| **53** | **21086-2837** | **4.750** | **5.750** | **0.500** |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 53 | 21086-2838 | 4.750 | 5.750 | 0.562 |
| 53 | 21086-2839 | 4.750 | 5.750 | 0.625 |
| **53** | **21086-2840** | **4.750** | **5.875** | **0.500** |
| 53 | 21086-2842 | 4.750 | 5.875 | 0.625 |
| **53** | **21086-2843** | **4.750** | **6.000** | **0.500** |
| 53 | 21086-2845 | 4.750 | 6.000 | 0.625 |
| 53 | 21086-2846 | 4.750 | 6.125 | 0.500 |
| **53** | **21086-2849** | **4.750** | **6.250** | **0.500** |
| 53 | 21086-2851 | 4.750 | 6.250 | 0.625 |
| **53** | **21086-2852** | **4.750** | **6.375** | **0.500** |
| **53** | **21086-2855** | **4.812** | **5.875** | **0.500** |
| 53 | 21086-2857 | 4.812 | 5.875 | 0.625 |
| 53 | 21086-2858 | 4.812 | 6.000 | 0.500 |
| 53 | 21086-2864 | 4.812 | 6.250 | 0.500 |
| 53 | 21086-2869 | 4.812 | 6.375 | 0.625 |
| **53** | **21086-2870** | **4.875** | **5.875** | **0.500** |
| 53 | 21086-2872 | 4.875 | 5.875 | 0.625 |
| **53** | **21086-2873** | **4.875** | **6.000** | **0.500** |
| **53** | **21086-2875** | **4.875** | **6.000** | **0.625** |
| 53 | 21086-2876 | 4.875 | 6.125 | 0.500 |
| 53 | 21086-2878 | 4.875 | 6.125 | 0.625 |
| 53 | 21086-2879 | 4.875 | 6.250 | 0.500 |
| 53 | 21086-2881 | 4.875 | 6.250 | 0.625 |
| 53 | 21086-2882 | 4.875 | 6.375 | 0.509 |
| **53** | **21086-2885** | **4.875** | **6.500** | **0.500** |
| **53** | **21086-2888** | **4.875** | **6.625** | **0.500** |
| **53** | **21086-2891** | **4.875** | **6.750** | **0.500** |
| **53** | **21086-2894** | **4.937** | **6.000** | **0.500** |
| 53 | 21086-2896 | 4.937 | 6.000 | 0.625 |
| 53 | 21086-2897 | 4.937 | 6.125 | 0.500 |
| **53** | **21086-2900** | **4.937** | **6.250** | **0.500** |
| 53 | 21086-2901 | 4.937 | 6.250 | 0.562 |
| 53 | 21086-2903 | 4.937 | 6.375 | 0.500 |
| **53** | **21086-2906** | **4.937** | **6.500** | **0.500** |
| 53 | 21086-2908 | 4.937 | 6.500 | 0.625 |
| 53 | 21086-2912 | 4.937 | 6.750 | 0.500 |
| **53** | **21086-2915** | **5.000** | **6.000** | **0.500** |
| 53 | 21086-2916 | 5.000 | 6.000 | 0.562 |
| 53 | 21086-2917 | 5.000 | 6.000 | 0.625 |
| **53** | **21086-2918** | **5.000** | **6.125** | **0.500** |
| **53** | **21086-2921** | **5.000** | **6.250** | **0.500** |
| **53** | **21086-2922** | **5.000** | **6.250** | **0.562** |
| 53 | 21086-2923 | 5.000 | 6.250 | 0.625 |
| **53** | **21086-2924** | **5.000** | **6.375** | **0.500** |
| 53 | 21086-2926 | 5.000 | 6.375 | 0.625 |
| **53** | **21086-2927** | **5.000** | **6.500** | **0.500** |
| 53 | 21086-2929 | 5.000 | 6.500 | 0.625 |
| 53 | 21086-2930 | 5.000 | 6.625 | 0.500 |
| **53** | **21086-2933** | **5.000** | **6.750** | **0.500** |
| 53 | 21086-2935 | 5.000 | 6.750 | 0.625 |
| 53 | 21086-2936 | 5.000 | 6.875 | 0.500 |
| 53 | 21086-2939 | 5.000 | 7.000 | 0.500 |
| 53 | 21086-2941 | 5.000 | 7.000 | 0.625 |
| 53 | 21086-2942 | 5.000 | 7.125 | 0.500 |
| 53 | 21086-2945 | 5.000 | 7.250 | 0.500 |
| 53 | 21086-2948 | 5.000 | 7.375 | 0.500 |
| 53 | 21086-2951 | 5.000 | 7.500 | 0.500 |
| **53** | **21086-2954** | **5.062** | **6.125** | **0.500** |
| 53 | 21086-2957 | 5.062 | 6.250 | 0.500 |
| **53** | **21086-2990** | **5.125** | **6.125** | **0.500** |
| 53 | 21086-2992 | 5.125 | 6.125 | 0.625 |
| **53** | **21086-2993** | **5.125** | **6.250** | **0.500** |
| 53 | 21086-2994 | 5.125 | 6.250 | 0.562 |
| 53 | 21086-2996 | 5.125 | 6.375 | 0.500 |
| 53 | 21086-2997 | 5.125 | 6.375 | 0.562 |
| 53 | 21086-2998 | 5.125 | 6.375 | 0.625 |
| **53** | **21086-2999** | **5.125** | **6.500** | **0.500** |
| 53 | 21086-3001 | 5.125 | 6.500 | 0.625 |
| 53 | 21086-3002 | 5.125 | 6.625 | 0.500 |
| 53 | 21086-3005 | 5.125 | 6.750 | 0.500 |
| 53 | 21086-3011 | 5.125 | 7.000 | 0.500 |
| 53 | 21086-3013 | 5.125 | 7.000 | 0.625 |
| 53 | 21086-3017 | 5.125 | 7.250 | 0.500 |
| 53 | 21086-3023 | 5.125 | 7.500 | 0.500 |
| 53 | 21086-3025 | 5.125 | 7.500 | 0.625 |
| **53** | **21086-3026** | **5.187** | **6.250** | **0.500** |
| 53 | 21086-3029 | 5.187 | 6.375 | 0.500 |
| 53 | 21086-3032 | 5.187 | 6.500 | 0.500 |
| 53 | 21086-3034 | 5.187 | 6.500 | 0.625 |
| **53** | **21086-3035** | **5.187** | **6.625** | **0.500** |
| 53 | 21086-3038 | 5.187 | 6.750 | 0.500 |
| 53 | 21086-3044 | 5.187 | 7.000 | 0.500 |
| 53 | 21086-3056 | 5.187 | 7.500 | 0.500 |
| **53** | **21086-3059** | **5.250** | **6.250** | **0.500** |
| 53 | 21086-3062 | 5.250 | 6.375 | 0.500 |
| **53** | **21086-3065** | **5.250** | **6.500** | **0.500** |
| **53** | **21086-3067** | **5.250** | **6.500** | **0.625** |
| 53 | 21086-3068 | 5.250 | 6.625 | 0.500 |
| 53 | 21086-3070 | 5.250 | 6.625 | 0.625 |
| 53 | 21086-3071 | 5.250 | 6.750 | 0.500 |
| 53 | 21086-3077 | 5.250 | 7.000 | 0.500 |
| 53 | 21086-3080 | 5.250 | 7.125 | 0.500 |
| **53** | **21086-3092** | **5.312** | **6.375** | **0.500** |
| **53** | **21086-3095** | **5.312** | **6.500** | **0.500** |
| 53 | 21086-3098 | 5.312 | 6.625 | 0.500 |
| 53 | 21086-3101 | 5.312 | 6.750 | 0.500 |
| 53 | 21086-3104 | 5.312 | 6.875 | 0.500 |
| 53 | 21086-3113 | 5.312 | 7.250 | 0.500 |
| **53** | **21086-3122** | **5.375** | **6.375** | **0.500** |
| **53** | **21086-3125** | **5.375** | **6.500** | **0.500** |
| 53 | 21086-3126 | 5.375 | 6.500 | 0.562 |
| 53 | 21086-3127 | 5.375 | 6.500 | 0.625 |
| 53 | 21086-3128 | 5.375 | 6.625 | 0.500 |
| 53 | 21086-3129 | 5.375 | 6.625 | 0.562 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 53 | 21086-3130 | 5.375 | 6.625 | 0.625 |
| 53 | 21086-3131 | 5.375 | 6.750 | 0.500 |
| 53 | 21086-3134 | 5.375 | 6.875 | 0.500 |
| 53 | 21086-3136 | 5.375 | 6.875 | 0.625 |
| 53 | 21086-3139 | 5.375 | 7.000 | 0.625 |
| 53 | 21086-3142 | 5.375 | 7.125 | 0.625 |
| 53 | 21086-3151 | 5.375 | 7.500 | 0.625 |
| **53** | **21086-3152** | **5.437** | **6.625** | **0.500** |
| **53** | **21086-3155** | **5.437** | **6.750** | **0.500** |
| 53 | 21086-3156 | 5.437 | 6.750 | 0.562 |
| 53 | 21086-3158 | 5.437 | 6.875 | 0.500 |
| 53 | 21086-3161 | 5.437 | 7.000 | 0.500 |
| 53 | 21086-3164 | 5.437 | 7.125 | 0.500 |
| 53 | 21086-3167 | 5.437 | 7.250 | 0.500 |
| **53** | **21086-3176** | **5.500** | **6.500** | **0.500** |
| 53 | 21086-3178 | 5.500 | 6.500 | 0.625 |
| **53** | **21086-3179** | **5.500** | **6.625** | **0.500** |
| 53 | 21086-3180 | 5.500 | 6.625 | 0.562 |
| 53 | 21086-3181 | 5.500 | 6.625 | 0.625 |
| **53** | **21086-3182** | **5.500** | **6.750** | **0.500** |
| 53 | 21086-3183 | 5.500 | 6.750 | 0.562 |
| **53** | **21086-3184** | **5.500** | **6.750** | **0.625** |
| 53 | 21086-3185 | 5.500 | 6.875 | 0.500 |
| **53** | **21086-3188** | **5.500** | **7.000** | **0.500** |
| 53 | 21086-3190 | 5.500 | 7.000 | 0.625 |
| 53 | 21086-3191 | 5.500 | 7.125 | 0.500 |
| 53 | 21086-3194 | 5.500 | 7.250 | 0.500 |
| **53** | **21086-3200** | **5.500** | **7.500** | **0.500** |
| 53 | 21086-3203 | 5.562 | 6.625 | 0.500 |
| 53 | 21086-3208 | 5.562 | 6.750 | 0.625 |
| 53 | 21086-3218 | 5.562 | 7.250 | 0.500 |
| 53 | 21086-3221 | 5.562 | 7.375 | 0.500 |
| 53 | 21086-3226 | 5.562 | 7.500 | 0.625 |
| **53** | **21086-3228** | **5.625** | **6.625** | **0.500** |
| 53 | 21086-3230 | 5.625 | 6.625 | 0.625 |
| **53** | **21086-3231** | **5.625** | **6.750** | **0.500** |
| **53** | **21086-3234** | **5.625** | **6.875** | **0.500** |
| 53 | 21086-3235 | 5.625 | 6.875 | 0.562 |
| 53 | 21086-3236 | 5.625 | 6.875 | 0.625 |
| **53** | **21086-3237** | **5.625** | **7.000** | **0.500** |
| 53 | 21086-3240 | 5.625 | 7.125 | 0.500 |
| 53 | 21086-3243 | 5.625 | 7.250 | 0.500 |
| 53 | 21086-3245 | 5.625 | 7.250 | 0.625 |
| 53 | 21086-3246 | 5.625 | 7.375 | 0.500 |
| 53 | 21086-3249 | 5.625 | 7.500 | 0.500 |
| 53 | 21086-3253 | 5.687 | 6.750 | 0.500 |
| 53 | 21086-3258 | 5.687 | 6.875 | 0.625 |
| 53 | 21086-3259 | 5.687 | 7.000 | 0.500 |
| 53 | 21086-3268 | 5.687 | 7.375 | 0.500 |
| 53 | 21086-3270 | 5.687 | 7.375 | 0.625 |
| 53 | 21086-3271 | 5.687 | 7.500 | 0.500 |
| **53** | **21086-3275** | **5.750** | **6.750** | **0.500** |
| 53 | 21086-3276 | 5.750 | 6.750 | 0.562 |
| **53** | **21086-3278** | **5.750** | **6.875** | **0.500** |
| **53** | **21086-3281** | **5.750** | **7.000** | **0.500** |
| 53 | 21086-3282 | 5.750 | 7.000 | 0.562 |
| 53 | 21086-3283 | 5.750 | 7.000 | 0.625 |
| 53 | 21086-3284 | 5.750 | 7.125 | 0.500 |
| 53 | 21086-3287 | 5.750 | 7.250 | 0.500 |
| 53 | 21086-3289 | 5.750 | 7.250 | 0.625 |
| 53 | 21086-3290 | 5.750 | 7.375 | 0.500 |
| 53 | 21086-3292 | 5.750 | 7.375 | 0.625 |
| **53** | **21086-3293** | **5.750** | **7.500** | **0.500** |
| 53 | 21086-3296 | 5.750 | 7.500 | 0.750 |
| **53** | **21086-3297** | **5.812** | **6.875** | **0.500** |
| 53 | 21086-3300 | 5.812 | 7.000 | 0.500 |
| 53 | 21086-3305 | 5.812 | 7.125 | 0.500 |
| 53 | 21086-3306 | 5.812 | 7.250 | 0.500 |
| 53 | 21086-3309 | 5.812 | 7.375 | 0.500 |
| 53 | 21086-3312 | 5.812 | 7.500 | 0.500 |
| **53** | **21086-3316** | **5.875** | **6.875** | **0.500** |
| **53** | **21086-3319** | **5.875** | **7.000** | **0.500** |
| **53** | **21086-3322** | **5.875** | **7.125** | **0.500** |
| 53 | 21086-3323 | 5.875 | 7.125 | 0.562 |
| 53 | 21086-3324 | 5.875 | 7.125 | 0.625 |
| 53 | 21086-3325 | 5.875 | 7.250 | 0.500 |
| 53 | 21086-3328 | 5.875 | 7.375 | 0.500 |
| 53 | 21086-3331 | 5.875 | 7.500 | 0.500 |
| **53** | **21086-3335** | **5.937** | **7.000** | **0.500** |
| 53 | 21086-3337 | 5.937 | 7.000 | 0.625 |
| 53 | 21086-3338 | 5.937 | 7.125 | 0.500 |
| 53 | 21086-3341 | 5.937 | 7.250 | 0.500 |
| **53** | **21086-3343** | **5.937** | **7.250** | **0.625** |
| 53 | 21086-3344 | 5.937 | 7.375 | 0.500 |
| 53 | 21086-3347 | 5.937 | 7.500 | 0.500 |
| 53 | 21086-3351 | 5.937 | 7.625 | 0.500 |
| **53** | **21086-3355** | **6.000** | **7.000** | **0.500** |
| 53 | 21086-3356 | 6.000 | 7.000 | 0.562 |
| 53 | 21086-3357 | 6.000 | 7.000 | 0.625 |
| 53 | 21086-3358 | 6.000 | 7.125 | 0.500 |
| 53 | 21086-3359 | 6.000 | 7.125 | 0.562 |
| 53 | 21086-3360 | 6.000 | 7.125 | 0.625 |
| **53** | **21086-3361** | **6.000** | **7.250** | **0.500** |
| 53 | 21086-3363 | 6.000 | 7.250 | 0.625 |
| 53 | 21086-3364 | 6.000 | 7.375 | 0.500 |
| **53** | **21086-3367** | **6.000** | **7.500** | **0.500** |
| 53 | 21086-3369 | 6.000 | 7.500 | 0.625 |
| **53** | **21086-3370** | **6.000** | **7.500** | **0.750** |
| 53 | 21086-3371 | 6.000 | 7.625 | 0.500 |
| 53 | 21086-3372 | 6.000 | 7.625 | 0.562 |
| 53 | 21086-3374 | 6.000 | 7.625 | 0.750 |
| **53** | **21086-3375** | **6.125** | **7.125** | **0.500** |
| 53 | 21086-3377 | 6.125 | 7.125 | 0.625 |
| **53** | **21086-3378** | **6.125** | **7.250** | **0.500** |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 53 | 21086-3380 | 6.125 | 7.250 | 0.625 |
| 53 | 21086-3381 | 6.125 | 7.375 | 0.500 |
| 53 | 21086-3383 | 6.125 | 7.375 | 0.625 |
| **53** | **21086-3384** | **6.125** | **7.500** | **0.500** |
| 53 | 21086-3387 | 6.125 | 7.500 | 0.750 |
| **53** | **21086-3388** | **6.250** | **7.250** | **0.500** |
| 53 | 21086-3391 | 6.250 | 7.375 | 0.500 |
| **53** | **21086-3394** | **6.250** | **7.500** | **0.500** |
| 53 | 21086-3395 | 6.250 | 7.500 | 0.562 |
| 53 | 21086-3396 | 6.250 | 7.500 | 0.625 |
| 53 | 21086-3397 | 6.250 | 7.500 | 0.750 |
| 53 | 21086-3398 | 6.250 | 7.625 | 0.500 |
| **53** | **21086-3402** | **6.250** | **7.750** | **0.500** |
| 53 | 21086-3405 | 6.250 | 7.750 | 0.750 |
| **53** | **21086-3406** | **6.375** | **7.375** | **0.500** |
| **53** | **21086-3409** | **6.375** | **7.500** | **0.500** |
| **53** | **21086-3413** | **6.375** | **7.625** | **0.500** |
| 53 | 21086-3415 | 6.375 | 7.625 | 0.625 |
| 53 | 21086-3417 | 6.375 | 7.750 | 0.500 |
| **53** | **21086-3421** | **6.375** | **7.875** | **0.500** |
| 53 | 21086-3423 | 6.375 | 7.875 | 0.625 |
| 53 | 21086-3424 | 6.375 | 7.875 | 0.750 |
| 53 | 21086-3425 | 6.437 | 7.750 | 0.750 |
| **53** | **21086-3426** | **6.500** | **7.500** | **0.625** |
| **53** | **21086-3428** | **6.500** | **7.625** | **0.625** |
| **53** | **21086-3430** | **6.500** | **7.750** | **0.625** |
| 53 | 21086-3432 | 6.500 | 7.875 | 0.625 |
| **53** | **21086-3434** | **6.500** | **8.000** | **0.625** |
| 53 | 21086-3435 | 6.500 | 8.000 | 0.750 |
| **53** | **21086-3436** | **6.625** | **7.625** | **0.625** |
| 53 | 21086-3438 | 6.625 | 7.750 | 0.625 |
| **53** | **21086-3440** | **6.625** | **7.875** | **0.625** |
| **53** | **21086-3442** | **6.625** | **8.000** | **0.625** |
| **53** | **21086-3444** | **6.625** | **8.125** | **0.625** |
| 53 | 21086-3445 | 6.625 | 8.125 | 0.750 |
| 53 | 21086-3446 | 6.625 | 8.250 | 0.625 |
| 53 | 21086-3447 | 6.625 | 8.250 | 0.750 |
| 53 | 21086-3448 | 6.625 | 8.375 | 0.625 |
| 53 | 21086-3450 | 6.625 | 8.500 | 0.625 |
| 53 | 21086-3454 | 6.625 | 8.750 | 0.625 |
| **53** | **21086-3456** | **6.750** | **7.750** | **0.625** |
| 53 | 21086-3458 | 6.750 | 7.875 | 0.625 |
| **53** | **21086-3460** | **6.750** | **8.000** | **0.625** |
| 53 | 21086-3462 | 6.750 | 8.125 | 0.625 |
| **53** | **21086-3464** | **6.750** | **8.250** | **0.625** |
| 53 | 21086-3465 | 6.750 | 8.250 | 0.750 |
| 53 | 21086-3466 | 6.750 | 8.375 | 0.625 |
| **53** | **21086-3468** | **6.750** | **8.500** | **0.625** |
| 53 | 21086-3470 | 6.750 | 8.625 | 0.625 |
| **53** | **21086-3472** | **6.750** | **8.750** | **0.625** |
| **53** | **21086-3474** | **6.875** | **7.875** | **0.625** |
| **53** | **21086-3476** | **6.875** | **8.000** | **0.625** |
| **53** | **21086-3478** | **6.875** | **8.125** | **0.625** |
| **53** | **21086-3480** | **6.875** | **8.250** | **0.625** |
| **53** | **21086-3482** | **6.875** | **8.375** | **0.625** |
| 53 | 21086-3483 | 6.875 | 8.375 | 0.750 |
| **53** | **21086-3484** | **6.875** | **8.500** | **0.625** |
| 53 | 21086-3485 | 6.875 | 8.500 | 0.750 |
| 53 | 21086-3488 | 6.875 | 8.750 | 0.625 |
| **53** | **21086-3492** | **7.000** | **8.000** | **0.625** |
| **53** | **21086-3494** | **7.000** | **8.125** | **0.625** |
| 53 | 21086-3495 | 7.000 | 8.125 | 0.750 |
| **53** | **21086-3496** | **7.000** | **8.250** | **0.625** |
| 53 | 21086-3498 | 7.000 | 8.375 | 0.625 |
| **53** | **21086-3500** | **7.000** | **8.500** | **0.625** |
| 53 | 21086-3501 | 7.000 | 8.500 | 0.750 |
| **53** | **21086-3504** | **7.000** | **8.750** | **0.625** |
| **53** | **21086-3506** | **7.125** | **8.125** | **0.625** |
| **53** | **21086-3508** | **7.125** | **8.250** | **0.625** |
| 53 | 21086-3510 | 7.125 | 8.375 | 0.625 |
| 53 | 21086-3512 | 7.125 | 8.500 | 0.625 |
| **53** | **21086-3514** | **7.125** | **8.625** | **0.625** |
| 53 | 21086-3515 | 7.125 | 8.625 | 0.750 |
| 53 | 21086-3516 | 7.125 | 8.750 | 0.625 |
| **53** | **21086-3518** | **7.250** | **8.250** | **0.625** |
| 53 | 21086-3519 | 7.250 | 8.250 | 0.750 |
| 53 | 21086-3520 | 7.250 | 8.375 | 0.625 |
| **53** | **21086-3522** | **7.250** | **8.500** | **0.625** |
| 53 | 21086-3523 | 7.250 | 8.500 | 0.750 |
| 53 | 21086-3524 | 7.250 | 8.625 | 0.625 |
| **53** | **21086-3526** | **7.250** | **8.750** | **0.625** |
| 53 | 21086-3527 | 7.250 | 8.750 | 0.750 |
| **53** | **21086-3528** | **7.375** | **8.375** | **0.625** |
| 53 | 21086-3529 | 7.375 | 8.375 | 0.750 |
| **53** | **21086-3530** | **7.375** | **8.500** | **0.625** |
| 53 | 21086-3532 | 7.375 | 8.625 | 0.625 |
| 53 | 21086-3534 | 7.375 | 8.750 | 0.625 |
| **53** | **21086-3536** | **7.375** | **8.875** | **0.625** |
| 53 | 21086-3538 | 7.375 | 9.000 | 0.625 |
| 53 | 21086-3540 | 7.375 | 9.125 | 0.625 |
| 53 | 21086-3542 | 7.375 | 9.250 | 0.625 |
| **53** | **21086-3544** | **7.500** | **8.500** | **0.625** |
| **53** | **21086-3546** | **7.500** | **8.625** | **0.625** |
| **53** | **21086-3548** | **7.500** | **8.750** | **0.625** |
| 53 | 21086-3550 | 7.500 | 8.875 | 0.625 |
| **53** | **21086-3552** | **7.500** | **9.000** | **0.625** |
| 53 | 21086-3553 | 7.500 | 9.000 | 0.750 |
| 53 | 21086-3554 | 7.500 | 9.125 | 0.625 |
| 53 | 21086-3555 | 7.500 | 9.125 | 0.750 |
| **53** | **21086-3556** | **7.500** | **9.250** | **0.625** |
| **53** | **21086-3558** | **7.625** | **8.625** | **0.625** |
| 53 | 21086-3560 | 7.625 | 8.750 | 0.625 |
| **53** | **21086-3562** | **7.625** | **8.875** | **0.625** |
| 53 | 21086-3564 | 7.625 | 9.000 | 0.625 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 53 | 21086-3565 | 7.625 | 9.000 | 0.750 |
| **53** | **21086-3566** | **7.625** | **9.125** | **0.625** |
| 53 | 21086-3567 | 7.625 | 9.125 | 0.750 |
| 53 | 21086-3568 | 7.625 | 9.250 | 0.625 |
| **53** | **21086-3570** | **7.750** | **8.750** | **0.625** |
| 53 | 21086-3572 | 7.750 | 8.875 | 0.625 |
| **53** | **21086-3574** | **7.750** | **9.000** | **0.625** |
| 53 | 21086-3576 | 7.750 | 9.125 | 0.625 |
| **53** | **21086-3578** | **7.750** | **9.250** | **0.625** |
| 53 | 21086-3579 | 7.750 | 9.250 | 0.750 |
| **53** | **21086-3580** | **7.875** | **8.875** | **0.625** |
| **53** | **21086-3582** | **7.875** | **9.000** | **0.625** |
| 53 | 21086-3584 | 7.875 | 9.125 | 0.625 |
| 53 | 21086-3586 | 7.875 | 9.250 | 0.625 |
| **53** | **21086-3588** | **7.875** | **9.375** | **0.625** |
| 53 | 21086-3589 | 7.875 | 9.375 | 0.750 |
| **53** | **21086-3590** | **7.937** | **9.125** | **0.625** |
| **53** | **21086-3592** | **8.000** | **9.000** | **0.625** |
| 53 | 21086-3593 | 8.000 | 9.000 | 0.750 |
| 53 | 21086-3594 | 8.000 | 9.125 | 0.625 |
| **53** | **21086-3596** | **8.000** | **9.250** | **0.625** |
| 53 | 21086-3597 | 8.000 | 9.250 | 0.750 |
| 53 | 21086-3598 | 8.000 | 9.375 | 0.625 |
| **53** | **21086-3600** | **8.000** | **9.500** | **0.625** |
| 53 | 21086-3601 | 8.000 | 9.500 | 0.750 |
| 53 | 21086-3602 | 8.000 | 10.000 | 1.000 |
| 53 | 21086-3603 | 8.125 | 10.000 | 1.000 |
| **53** | **21086-3604** | **8.250** | **9.250** | **0.625** |
| 53 | 21086-3605 | 8.250 | 9.375 | 0.625 |
| **53** | **21086-3606** | **8.250** | **9.500** | **0.625** |
| **53** | **21086-3607** | **8.250** | **10.250** | **1.000** |
| **53** | **21086-3608** | **8.375** | **9.750** | **0.750** |
| **53** | **21086-3609** | **8.375** | **10.375** | **1.000** |
| **53** | **21086-3610** | **8.500** | **10.500** | **1.000** |
| **53** | **21086-3611** | **8.625** | **10.625** | **0.750** |
| 53 | 21086-3612 | 8.625 | 10.750 | 1.000 |
| 53 | 21086-3613 | 8.750 | 10.750 | 1.000 |
| 53 | 21086-3615 | 9.000 | 10.000 | 0.750 |
| 53 | 21086-3616 | 9.000 | 10.125 | 0.750 |
| 53 | 21086-3617 | 9.000 | 10.250 | 0.750 |
| 53 | 21086-3618 | 9.000 | 10.375 | 0.750 |
| **53** | **21086-3619** | **9.000** | **10.500** | **0.750** |
| 53 | 21086-3621 | 9.000 | 10.750 | 0.750 |
| 53 | 21086-3622 | 9.000 | 10.875 | 0.750 |
| **53** | **21086-3623** | **9.000** | **11.000** | **0.750** |
| **53** | **21086-3624** | **9.000** | **11.000** | **1.000** |
| 53 | 21086-3628 | 9.250 | 10.250 | 0.750 |
| **53** | **21086-3629** | **9.250** | **10.375** | **0.750** |
| 53 | 21086-3630 | 9.250 | 10.500 | 0.750 |
| 53 | 21086-3632 | 9.250 | 10.750 | 0.750 |
| 53 | 21086-3633 | 9.250 | 11.250 | 1.000 |
| 53 | 21086-3634 | 9.375 | 11.375 | 1.000 |

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 53 | 21086-3635 | 9.437 | 10.500 | 0.750 |
| 53 | 21086-3636 | 9.437 | 10.625 | 0.750 |
| **53** | **21086-3638** | **9.500** | **10.500** | **0.625** |
| 53 | 21086-3639 | 9.500 | 10.625 | 0.625 |
| **53** | **21086-3640** | **9.500** | **10.750** | **0.625** |
| **53** | **21086-3642** | **9.500** | **11.000** | **0.625** |
| 53 | 21086-3643 | 9.500 | 11.125 | 0.625 |
| 53 | 21086-3644 | 9.500 | 11.250 | 0.625 |
| 53 | 21086-3645 | 9.500 | 11.375 | 0.625 |
| **53** | **21086-3646** | **9.500** | **11.500** | **0.625** |
| **53** | **21086-3648** | **9.500** | **11.500** | **1.000** |
| **53** | **21086-3649** | **9.625** | **11.625** | **1.000** |
| 53 | 21086-3650 | 9.750 | 10.750 | 0.750 |
| 53 | 21086-3652 | 9.750 | 11.000 | 0.750 |
| 53 | 21086-3653 | 9.750 | 11.125 | 0.750 |
| 53 | 21086-3654 | 9.750 | 11.250 | 0.750 |
| 53 | 21086-3655 | 9.750 | 11.750 | 1.000 |
| 53 | 21086-3658 | 9.937 | 12.000 | 1.000 |
| 53 | 21086-3659 | 9.937 | 12.125 | 1.000 |
| **53** | **21086-3660** | **10.000** | **11.000** | **0.562** |
| 53 | 21086-3661 | 10.000 | 11.125 | 0.562 |
| **53** | **21086-3662** | **10.000** | **11.250** | **0.562** |
| 53 | 21086-3663 | 10.000 | 11.375 | 0.562 |
| **53** | **21086-3664** | **10.000** | **11.500** | **0.562** |
| 53 | 21086-3666 | 10.000 | 11.750 | 0.562 |
| 53 | 21086-3667 | 10.000 | 11.875 | 0.562 |
| 53 | 21086-3668 | 10.000 | 11.000 | 0.750 |
| 53 | 21086-3670 | 10.000 | 11.250 | 0.750 |
| 53 | 21086-3671 | 10.000 | 11.375 | 0.750 |
| 53 | 21086-3672 | 10.000 | 11.500 | 0.750 |
| 53 | 21086-3673 | 10.000 | 12.000 | 1.000 |
| 53 | 21086-3674 | 10.125 | 12.000 | 1.000 |
| 53 | 21086-3675 | 10.187 | 12.250 | 1.000 |
| **53** | **21086-3676** | **10.250** | **12.250** | **0.750** |
| 53 | 21086-3677 | 10.250 | 12.250 | 1.000 |
| 53 | 21086-3678 | 10.437 | 12.500 | 1.000 |
| **53** | **21086-3680** | **10.500** | **12.500** | **1.000** |
| 53 | 21086-3681 | 10.500 | 12.625 | 1.000 |
| **53** | **21086-3682** | **10.750** | **11.750** | **0.562** |
| 53 | 21086-3683 | 10.750 | 11.875 | 0.562 |
| 53 | 21086-3684 | 10.750 | 12.000 | 0.562 |
| **53** | **21086-3685** | **10.750** | **12.250** | **0.562** |
| 53 | 21086-3686 | 10.750 | 12.500 | 0.562 |
| 53 | 21086-3687 | 10.750 | 12.750 | 0.562 |
| 53 | 21086-3688 | 10.750 | 12.750 | 0.875 |
| 53 | 21086-3689 | 10.750 | 12.750 | 1.000 |
| **53** | **21086-3691** | **11.000** | **12.000** | **0.625** |
| **53** | **21086-3692** | **11.000** | **12.250** | **0.625** |
| **53** | **21086-3693** | **11.000** | **12.500** | **0.625** |
| **53** | **21086-3694** | **11.000** | **13.000** | **1.000** |
| 53 | 21086-3695 | 11.062 | 12.250 | 0.750 |
| 53 | 21086-3696 | 11.062 | 12.500 | 0.750 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 53 | 21086-3697 | 11.062 | 12.750 | 0.750 |
| 53 | 21086-3698 | 11.062 | 13.000 | 0.750 |
| 53 | 21086-3703 | 11.250 | 13.250 | 1.000 |
| 53 | 21086-3704 | 11.375 | 13.500 | 1.000 |
| **53** | **21086-3705** | **11.500** | **13.500** | **1.000** |
| **53** | **21086-3706** | **11.750** | **13.750** | **1.000** |
| 53 | 21086-3707 | 11.750 | 14.000 | 1.000 |
| 53 | 21086-3709 | 12.000 | 14.000 | 1.000 |
| 53 | 21086-3710 | 12.000 | 14.250 | 1.000 |
| 53 | 21086-3713 | 12.250 | 14.250 | 1.000 |
| 53 | 21086-3714 | 12.500 | 14.500 | 1.000 |
| 53 | 21086-3715 | 12.625 | 14.625 | 1.000 |
| 53 | 21086-3717 | 12.687 | 14.750 | 1.000 |
| 53 | 21086-3718 | 12.875 | 14.750 | 1.000 |
| 53 | 21086-3719 | 13.000 | 15.000 | 1.000 |
| 53 | 21086-3721 | 13.500 | 15.500 | 1.000 |
| 53 | 21086-3722 | 13.750 | 15.750 | 1.000 |
| 53 | 21086-3725 | 14.000 | 16.000 | 1.000 |
| 53 | 21086-3726 | 14.000 | 16.250 | 1.000 |
| 53 | 21086-3727 | 14.000 | 16.500 | 1.000 |
| 53 | 21086-3728 | 14.500 | 16.500 | 0.750 |
| 53 | 21086-3730 | 15.000 | 17.000 | 0.875 |
| 53 | 21086-3731 | 15.000 | 17.000 | 1.000 |
| 53 | 21086-3734 | 15.250 | 17.250 | 0.875 |
| 53 | 21086-3736 | 16.000 | 18.000 | 1.000 |
| 53 | 21086-3737 | 16.250 | 18.000 | 1.000 |
| 53 | 21086-3738 | 16.500 | 18.500 | 1.000 |
| 53 | 21086-3741 | 18.000 | 19.500 | 0.750 |
| 53 | 21086-3742 | 18.000 | 20.000 | 1.000 |
| 53 | 21086-3749 | 20.000 | 22.000 | 1.000 |
| 53 | 21086-3770 | 24.250 | 26.250 | 1.000 |
| 53 | 21086-3776 | 25.875 | 28.000 | 1.000 |
| 53 | 21086-3796 | 30.000 | 32.000 | 1.000 |
| 53 | 21086-3830 | 34.500 | 36.500 | 1.000 |
| 53 | 21086-3838 | 35.375 | 37.375 | 1.000 |
| 53 | 21086-3843 | 36.000 | 38.000 | 1.000 |
| 53 | 21086-3844 | 36.000 | 38.500 | 1.000 |
| **53** | **21086-3917** | **6.437** | **7.500** | **0.500** |
| 53 | 21086-3918 | 6.687 | 7.750 | 0.625 |
| 53 | 21086-3922 | 8.000 | 9.750 | 0.750 |
| **53** | **21086-3924** | **8.000** | **10.000** | **0.687** |
| 53 | 21086-3925 | 8.000 | 10.000 | 0.750 |
| 53 | 21086-3928 | 8.125 | 9.625 | 0.750 |
| 53 | 21086-3932 | 8.125 | 10.125 | 0.750 |
| 53 | 21086-3933 | 8.375 | 9.875 | 0.687 |
| 53 | 21086-3934 | 8.375 | 9.875 | 0.750 |
| **53** | **21086-3935** | **8.500** | **9.500** | **0.625** |
| 53 | 21086-3937 | 8.500 | 10.000 | 0.750 |
| 53 | 21086-3939 | 8.625 | 10.125 | 0.687 |
| 53 | 21086-3940 | 8.625 | 10.125 | 0.750 |
| **53** | **21086-3941** | **8.625** | **10.250** | **0.750** |
| 53 | 21086-3943 | 8.625 | 10.500 | 0.750 |
| 53 | 21086-3945 | 8.625 | 10.625 | 1.000 |
| 53 | 21086-3946 | 8.750 | 10.250 | 0.687 |
| 53 | 21086-3947 | 8.750 | 10.250 | 0.750 |
| 53 | 21086-3948 | 8.750 | 10.375 | 0.750 |
| **53** | **21086-3949** | **8.750** | **10.500** | **0.750** |
| 53 | 21086-3950 | 8.750 | 10.625 | 0.750 |
| 53 | 21086-3951 | 8.750 | 10.750 | 0.750 |
| 53 | 21086-3954 | 9.000 | 10.500 | 0.687 |
| 53 | 21086-3957 | 9.125 | 10.625 | 0.687 |
| 53 | 21086-3958 | 9.125 | 10.625 | 0.750 |
| 53 | 21086-3959 | 9.125 | 10.750 | 0.750 |
| 53 | 21086-3961 | 9.125 | 11.000 | 0.750 |
| 53 | 21086-3963 | 9.250 | 10.750 | 0.687 |
| 53 | 21086-3964 | 9.250 | 10.875 | 0.750 |
| 53 | 21086-3965 | 9.250 | 11.000 | 0.750 |
| 53 | 21086-3967 | 9.250 | 11.250 | 0.750 |
| 53 | 21086-3972 | 9.375 | 11.000 | 0.750 |
| 53 | 21086-3975 | 9.375 | 11.375 | 0.750 |
| 53 | 21086-3977 | 9.437 | 10.500 | 0.625 |
| 53 | 21086-3981 | 9.500 | 11.250 | 0.750 |
| **53** | **21086-3989** | **9.750** | **11.750** | **0.750** |
| 53 | 21086-3990 | 9.875 | 11.375 | 0.750 |
| 53 | 21086-3991 | 9.875 | 11.500 | 0.750 |
| 53 | 21086-3992 | 10.000 | 11.500 | 0.687 |
| 53 | 21086-3993 | 10.000 | 11.625 | 0.750 |
| 53 | 21086-3994 | 10.000 | 11.750 | 0.750 |
| 53 | 21086-3996 | 10.000 | 12.000 | 0.750 |
| 53 | 21086-3998 | 10.000 | 12.000 | 0.875 |
| 53 | 21086-3999 | 10.125 | 11.625 | 0.687 |
| 53 | 21086-4000 | 10.125 | 11.625 | 0.750 |
| **53** | **21086-4003** | **10.125** | **12.000** | **0.750** |
| 53 | 21086-4004 | 10.250 | 11.750 | 0.687 |
| **53** | **21086-4005** | **10.250** | **11.750** | **0.750** |
| 53 | 21086-4007 | 10.250 | 12.000 | 0.750 |
| 53 | 21086-4010 | 10.375 | 12.197 | 1.000 |
| 53 | 21086-4011 | 10.500 | 12.000 | 0.687 |
| **53** | **21086-4012** | **10.500** | **12.000** | **0.750** |
| 53 | 21086-4013 | 10.500 | 12.125 | 0.750 |
| 53 | 21086-4014 | 10.500 | 12.250 | 0.750 |
| **53** | **21086-4016** | **10.500** | **12.500** | **0.750** |
| 53 | 21086-4018 | 10.625 | 12.125 | 0.750 |
| 53 | 21086-4019 | 10.625 | 12.250 | 0.750 |
| 53 | 21086-4020 | 10.625 | 12.375 | 0.750 |
| 53 | 21086-4021 | 10.625 | 12.500 | 0.750 |
| 53 | 21086-4024 | 10.750 | 12.250 | 0.750 |
| 53 | 21086-4025 | 10.750 | 12.375 | 0.562 |
| 53 | 21086-4029 | 10.750 | 12.625 | 0.750 |
| 53 | 21086-4030 | 10.750 | 12.750 | 0.750 |
| 53 | 21086-4034 | 11.000 | 12.125 | 0.625 |
| 53 | 21086-4037 | 11.000 | 13.250 | 1.000 |
| 53 | 21086-4038 | 11.024 | 12.197 | 0.625 |
| **53** | **21086-4046** | **11.250** | **12.750** | **0.750** |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 53 | 21086-4048 | 11.250 | 13.500 | 1.000 |
| 53 | 21086-4050 | 11.375 | 12.875 | 0.750 |
| 53 | 21086-4051 | 11.375 | 13.000 | 0.750 |
| 53 | 21086-4057 | 11.500 | 13.000 | 0.687 |
| 53 | 21086-4058 | 11.500 | 13.000 | 0.750 |
| 53 | 21086-4060 | 11.500 | 13.250 | 0.750 |
| 53 | 21086-4061 | 11.500 | 13.375 | 0.750 |
| 53 | 21086-4062 | 11.500 | 13.500 | 0.750 |
| 53 | 21086-4064 | 11.750 | 13.250 | 0.687 |
| 53 | 21086-4065 | 11.750 | 13.250 | 0.750 |
| 53 | 21086-4067 | 12.000 | 13.500 | 0.750 |
| 53 | 21086-4068 | 12.000 | 13.625 | 0.750 |
| 53 | 21086-4071 | 12.000 | 14.000 | 0.750 |
| 53 | 21086-4073 | 12.125 | 14.000 | 1.000 |
| 53 | 21086-4074 | 12.250 | 13.750 | 0.750 |
| 53 | 21086-4077 | 12.375 | 13.875 | 0.750 |
| 53 | 21086-4079 | 12.500 | 14.000 | 0.687 |
| 53 | 21086-4080 | 12.500 | 14.000 | 0.750 |
| 53 | 21086-4085 | 12.500 | 14.750 | 1.000 |
| 53 | 21086-4093 | 13.000 | 14.500 | 0.687 |
| 53 | 21086-4094 | 13.000 | 14.500 | 0.750 |
| 53 | 21086-4095 | 13.000 | 14.625 | 0.750 |
| 53 | 21086-4098 | 13.000 | 15.000 | 0.750 |
| 53 | 21086-4101 | 13.250 | 14.750 | 0.687 |
| 53 | 21086-4102 | 13.250 | 14.750 | 0.750 |
| 53 | 21086-4103 | 13.250 | 14.875 | 0.750 |
| 53 | 21086-4107 | 13.250 | 15.250 | 1.000 |
| 53 | 21086-4109 | 13.250 | 15.375 | 1.000 |
| 53 | 21086-4113 | 13.250 | 15.500 | 1.000 |
| 53 | 21086-4114 | 14.188 | 15.500 | 0.625 |
| 53 | 21086-4116 | 13.375 | 14.875 | 0.625 |
| 53 | 21086-4117 | 14.188 | 15.750 | 0.625 |
| 53 | 21086-4121 | 13.500 | 15.000 | 0.687 |
| 53 | 21086-4122 | 13.500 | 15.000 | 0.750 |
| 53 | 21086-4124 | 13.500 | 15.250 | 0.750 |
| 53 | 21086-4125 | 13.500 | 15.375 | 0.750 |
| **53** | **21086-4127** | **13.500** | **15.500** | **0.750** |
| 53 | 21086-4132 | 14.000 | 15.500 | 0.750 |
| 53 | 21086-4133 | 14.000 | 15.562 | 0.750 |
| 53 | 21086-4134 | 14.000 | 15.750 | 0.750 |
| 53 | 21086-4142 | 14.500 | 16.000 | 0.687 |
| 53 | 21086-4144 | 14.500 | 16.250 | 0.750 |
| 53 | 21086-4150 | 14.875 | 16.875 | 1.000 |
| 53 | 21086-4151 | 15.000 | 16.500 | 0.687 |
| 53 | 21086-4152 | 15.000 | 16.500 | 0.750 |
| **53** | **21086-4153** | **15.000** | **16.750** | **0.750** |
| 53 | 21086-4154 | 15.000 | 16.875 | 0.750 |
| 53 | 21086-4155 | 15.000 | 17.000 | 0.750 |
| 53 | 21086-4157 | 15.250 | 17.250 | 1.000 |
| 53 | 21086-4160 | 15.375 | 17.375 | 1.000 |
| 53 | 21086-4177 | 16.000 | 17.500 | 0.687 |
| 53 | 21086-4178 | 16.000 | 17.500 | 0.750 |

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 53 | 21086-4181 | 16.250 | 17.750 | 0.687 |
| 53 | 21086-4182 | 16.250 | 17.750 | 0.750 |
| 53 | 21086-4184 | 16.250 | 18.000 | 0.750 |
| **53** | **21086-4185** | **16.500** | **18.000** | **0.750** |
| 53 | 21086-4192 | 17.250 | 19.250 | 0.937 |
| 53 | 21086-4194 | 17.500 | 19.000 | 0.687 |
| 53 | 21086-4195 | 17.500 | 19.000 | 0.750 |
| 53 | 21086-4196 | 17.500 | 19.250 | 0.750 |
| 53 | 21086-4201 | 17.750 | 19.750 | 1.000 |
| 53 | 21086-4202 | 17.750 | 20.089 | 1.000 |
| 53 | 21086-4206 | 18.000 | 19.500 | 0.687 |
| 53 | 21086-4238 | 20.000 | 22.125 | 1.000 |
| 53 | 21086-4249 | 20.750 | 22.750 | 1.000 |
| 53 | 21086-4264 | 21.625 | 23.625 | 1.000 |
| 53 | 21086-4281 | 22.750 | 24.750 | 0.875 |
| 53 | 21086-4289 | 23.500 | 25.500 | 1.000 |
| 53 | 21086-4318 | 25.500 | 27.500 | 0.875 |
| 53 | 21086-4438 | 37.500 | 39.500 | 0.875 |
| 53 | 21086-4469 | 40.500 | 42.500 | 1.000 |
| **53** | **21086-4477** | **6.937** | **8.125** | **0.625** |
| 53 | 21086-4478 | 6.937 | 8.375 | 0.625 |
| 53 | 21086-4479 | 6.937 | 8.500 | 0.625 |
| **53** | **21086-4490** | **6.062** | **7.500** | **0.500** |
| 53 | 21086-4492 | 7.312 | 8.375 | 0.625 |
| **53** | **21086-4501** | **8.437** | **10.000** | **0.625** |
| **53** | **21086-4502** | **8.500** | **10.000** | **0.625** |
| **53** | **21086-4503** | **9.000** | **10.000** | **0.625** |
| 53 | 21086-4504 | 9.000 | 10.125 | 0.625 |
| **53** | **21086-4505** | **9.000** | **10.250** | **0.625** |
| 53 | 21086-4506 | 9.000 | 10.375 | 0.625 |
| **53** | **21086-4507** | **9.000** | **10.500** | **0.625** |
| 53 | 21086-4508 | 9.000 | 10.625 | 0.625 |
| **53** | **21086-4509** | **9.250** | **10.250** | **0.625** |
| **53** | **21086-4511** | **9.250** | **10.500** | **0.625** |
| 53 | 21086-4512 | 9.625 | 10.875 | 0.750 |
| **53** | **21086-4513** | **9.750** | **10.750** | **0.625** |
| 53 | 21086-4514 | 9.750 | 10.875 | 0.625 |
| **53** | **21086-4515** | **9.750** | **11.000** | **0.625** |
| 53 | 21086-4516 | 9.750 | 11.125 | 0.625 |
| 53 | 21086-4517 | 9.750 | 11.250 | 0.625 |
| 53 | 21086-4519 | 10.750 | 11.875 | 0.625 |
| 53 | 21086-4520 | 10.750 | 12.000 | 0.625 |
| 53 | 21086-4522 | 10.750 | 12.250 | 0.625 |
| 53 | 21086-4524 | 10.750 | 12.500 | 0.625 |
| 53 | 21086-4527 | 11.250 | 12.750 | 0.687 |
| 53 | 21086-4529 | 13.750 | 15.250 | 0.687 |
| 53 | 21086-4530 | 13.750 | 15.250 | 0.750 |
| **53** | **21086-4531** | **13.750** | **15.500** | **0.750** |
| 53 | 21086-4532 | 13.750 | 15.750 | 0.750 |
| 53 | 21086-4534 | 28.500 | 31.000 | 0.875 |
| 53 | 21086-4546 | 3.000 | 4.500 | 0.562 |
| 53 | 21086-4561 | 7.125 | 8.125 | 0.500 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 53 | 21086-4587 | 8.500 | 10.625 | 0.750 |
| 53 | 21086-4609 | 22.125 | 23.875 | 0.750 |
| 53 | 21086-4729 | 6.125 | 7.625 | 0.750 |
| 53 | 21086-4817 | 3.937 | 4.937 | 0.500 |
| 53 | 21086-4834 | 7.874 | 9.055 | 0.500 |
| 53 | 21086-5115 | 7.500 | 8.464 | 0.625 |
| 53 | 21086-5277 | 15.000 | 17.250 | 0.875 |
| 53 | 21086-5357 | 8.661 | 9.842 | 0.590 |
| 53 | 21086-5359 | 9.448 | 10.629 | 0.590 |
| 53 | 21086-5535 | 3.437 | 4.921 | 0.625 |
| 53 | 21086-5582 | 3.625 | 5.000 | 0.562 |
| 53 | 21086-5677 | 6.625 | 7.875 | 0.500 |
| 53 | 21086-5906 | 10.000 | 12.000 | 0.687 |
| 53 | 21086-5987 | 14.562 | 16.000 | 0.625 |
| 53 | 21086-6381 | 8.000 | 9.625 | 0.750 |
| 53 | 21086-6386 | 8.750 | 10.000 | 0.625 |
| 53 | 21086-6435 | 3.000 | 4.331 | 0.500 |
| 53 | 21086-6501 | 6.500 | 8.125 | 0.625 |
| 53 | 21086-6602 | 6.125 | 7.625 | 0.625 |
| 53 | 21086-6628 | 3.312 | 4.724 | 0.500 |
| 53 | 21086-6649 | 3.000 | 4.922 | 0.625 |
| 53 | 21086-6697 | 16.500 | 18.500 | 0.750 |
| 53 | 21086-6817 | 6.500 | 7.750 | 0.500 |
| 53 | 21086-6829 | 12.250 | 14.250 | 0.750 |
| 53 | 21086-6888 | 7.312 | 8.437 | 0.562 |
| 53 | 21086-6903 | 3.312 | 4.331 | 0.500 |
| 53 | 21086-7101 | 8.500 | 10.500 | 0.750 |
| 53 | 21086-7253 | 3.500 | 5.000 | 0.500 |
| 53 | 21086-7267 | 5.511 | 6.693 | 0.591 |
| 53 | 21086-7268 | 6.693 | 7.874 | 0.591 |
| 53 | 21086-7271 | 4.528 | 5.512 | 0.472 |
| 53 | 21086-7276 | 6.299 | 7.480 | 0.591 |
| 53 | 21086-7277 | 4.724 | 5.906 | 0.591 |
| 53 | 21086-7376 | 4.724 | 5.906 | 0.472 |
| 53 | 21086-7383 | 5.512 | 6.693 | 0.551 |
| 53 | 21086-7388 | 7.874 | 9.055 | 0.591 |
| 53 | 21086-7394 | 3.346 | 4.724 | 0.472 |
| 53 | 21086-7396 | 4.331 | 5.512 | 0.472 |
| 53 | 21086-7399 | 3.346 | 4.921 | 0.472 |
| 53 | 21086-7426 | 3.150 | 4.331 | 0.472 |
| 53 | 21086-7447 | 9.437 | 10.625 | 0.625 |
| 53 | 21086-7473 | 4.375 | 5.563 | 0.500 |
| 53 | 21086-7495 | 6.889 | 8.465 | 0.629 |
| 53 | 21086-7664 | 18.000 | 20.250 | 1.000 |
| 53 | 21086-7807 | 7.087 | 8.267 | 0.591 |
| 53 | 21086-7836 | 4.724 | 6.299 | 0.472 |
| 53 | 21086-7839 | 3.543 | 4.724 | 0.472 |
| 53 | 21086-7840 | 8.661 | 10.236 | 0.511 |
| 53 | 21086-7842 | 3.937 | 5.118 | 0.472 |
| 53 | 21086-7848 | 11.024 | 12.598 | 0.630 |
| 53 | 21086-7849 | 14.173 | 15.748 | 0.630 |
| 53 | 21086-7868 | 3.375 | 4.724 | 0.500 |

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 53 | 21086-7879 | 3.000 | 4.922 | 0.500 |
| 53 | 21086-7887 | 8.267 | 9.842 | 0.551 |
| 53 | 21086-7891 | 9.448 | 11.023 | 0.629 |
| 53 | 21086-7892 | 10.236 | 11.811 | 0.511 |
| 53 | 21086-7893 | 11.811 | 13.386 | 0.630 |
| 53 | 21086-7896 | 13.386 | 14.961 | 0.630 |
| 53 | 21086-7906 | 3.312 | 4.725 | 0.500 |
| 53 | 21086-7942 | 3.000 | 4.724 | 0.500 |
| 53 | 21086-7944 | 3.062 | 4.331 | 0.500 |
| 53 | 21086-7945 | 3.062 | 4.724 | 0.500 |
| 53 | 21086-7947 | 3.125 | 4.331 | 0.500 |
| 53 | 21086-7948 | 3.125 | 4.724 | 0.500 |
| 53 | 21086-7950 | 3.187 | 4.331 | 0.500 |
| 53 | 21086-7952 | 3.250 | 4.331 | 0.500 |
| 53 | 21086-7953 | 3.250 | 4.724 | 0.500 |
| 53 | 21086-7957 | 3.312 | 5.118 | 0.500 |
| 53 | 21086-7959 | 3.375 | 5.118 | 0.500 |
| 53 | 21086-7960 | 3.437 | 4.724 | 0.500 |
| 53 | 21086-7962 | 3.437 | 5.118 | 0.500 |
| 53 | 21086-7963 | 3.500 | 4.724 | 0.500 |
| 53 | 21086-7965 | 3.500 | 5.118 | 0.500 |
| 53 | 21086-7967 | 3.562 | 5.118 | 0.500 |
| 53 | 21086-7968 | 3.625 | 4.724 | 0.500 |
| 53 | 21086-7970 | 3.625 | 5.118 | 0.500 |
| 53 | 21086-7972 | 3.687 | 5.118 | 0.500 |
| 53 | 21086-7974 | 3.750 | 5.118 | 0.500 |
| 53 | 21086-7976 | 3.812 | 5.118 | 0.500 |
| 53 | 21086-7978 | 3.875 | 5.118 | 0.500 |
| 53 | 21086-7979 | 3.937 | 5.118 | 0.500 |
| 53 | 21086-7980 | 4.000 | 5.118 | 0.500 |
| 53 | 21086-8049 | 7.480 | 8.661 | 0.591 |
| 53 | 21086-8121 | 3.187 | 4.724 | 0.500 |
| 53 | 21086-8126 | 3.562 | 4.724 | 0.500 |
| 53 | 21086-8313 | 9.625 | 10.875 | 0.625 |
| 53 | 21086-8429 | 3.543 | 4.724 | 0.500 |
| 53 | 21086-8619 | 6.299 | 7.677 | 0.709 |
| 53 | 21086-8877 | 3.500 | 4.921 | 0.562 |
| 53 | 21086-9558 | 4.812 | 5.905 | 0.562 |
| 53 | 21086-9724 | 3.000 | 4.250 | 0.625 |
| 53 | 21086-9780 | 6.500 | 7.500 | 0.562 |
| 53 | 21086-9964 | 13.500 | 15.500 | 0.875 |
| 53F1 | 22987-0238 | 3.312 | 4.500 | 0.719 |
| 53F1 | 22987-1874 | 4.331 | 5.500 | 0.719 |
| 53F1 | 22987-3677 | 10.250 | 12.250 | 1.000 |
| 53F1 | 22987-3709 | 12.000 | 14.000 | 1.000 |
| 53F1 | 22987-3890 | 13.000 | 14.500 | 1.000 |
| 53F1 | 22987-4782 | 8.375 | 10.375 | 1.250 |
| 53F1 | 22987-4853 | 6.875 | 7.875 | 0.969 |
| 53F1 | 22987-4978 | 7.938 | 9.125 | 0.969 |
| 53F1 | 22987-4995 | 11.375 | 13.500 | 1.250 |
| 53F1 | 22987-5027 | 5.437 | 6.875 | 0.969 |
| 53F1 | 22987-5059 | 3.000 | 4.125 | 0.719 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 53F1 | 22987-5162 | 3.125 | 4.249 | 0.719 |
| 53F1 | 22987-5171 | 5.250 | 6.500 | 0.719 |
| 53F1 | 22987-5201 | 3.875 | 4.875 | 0.719 |
| 53F1 | 22987-5205 | 9.750 | 11.250 | 1.000 |
| 53F1 | 22987-5211 | 6.500 | 8.000 | 0.844 |
| 53F1 | 22987-5212 | 6.250 | 7.750 | 0.719 |
| 53F1 | 22987-5234 | 7.500 | 9.250 | 0.937 |
| 53F1 | 22987-5260 | 8.000 | 9.500 | 0.969 |
| 53F1 | 22987-5319 | 3.437 | 4.500 | 0.719 |
| 53F1 | 22987-5332 | 3.375 | 4.750 | 0.750 |
| 53F1 | 22987-5492 | 4.000 | 5.750 | 0.781 |
| 53F1 | 22987-5512 | 3.250 | 4.249 | 0.937 |
| 53F1 | 22987-5646 | 3.625 | 5.000 | 0.719 |
| 53F1 | 22987-5681 | 8.500 | 10.000 | 1.250 |
| 53F1 | 22987-5831 | 13.750 | 15.750 | 0.969 |
| 53F1 | 22987-5884 | 6.125 | 7.500 | 0.969 |
| 53F1 | 22987-5892 | 4.500 | 5.500 | 0.719 |
| 53F1 | 22987-6051 | 6.625 | 8.000 | 0.844 |
| 53F1 | 22987-6137 | 5.000 | 6.375 | 0.719 |
| 53F1 | 22987-6159 | 3.437 | 4.875 | 0.719 |
| 53F1 | 22987-6433 | 7.000 | 8.000 | 0.844 |
| 53F1 | 22987-6437 | 7.000 | 8.500 | 0.969 |
| 53F1 | 22987-6447 | 10.625 | 12.500 | 0.969 |
| 53F1 | 22987-6481 | 10.000 | 11.250 | 1.000 |
| 53F1 | 22987-6520 | 8.625 | 10.500 | 1.000 |
| 53F1 | 22987-6584 | 3.250 | 4.249 | 0.719 |
| 53F1 | 22987-6590 | 3.625 | 4.625 | 0.719 |
| 53F1 | 22987-6603 | 5.000 | 6.000 | 0.719 |
| 53F1 | 22987-6661 | 8.000 | 9.250 | 0.844 |
| 53F1 | 22987-6726 | 9.125 | 11.125 | 1.250 |
| 53F1 | 22987-6741 | 5.500 | 6.500 | 0.719 |
| 53F1 | 22987-6760 | 8.500 | 10.000 | 1.000 |
| 53F1 | 22987-6846 | 14.875 | 16.875 | 1.219 |
| 53F1 | 22987-6893 | 5.000 | 6.000 | 0.969 |
| 53F1 | 22987-6902 | 4.937 | 6.500 | 0.719 |
| 53F1 | 22987-6917 | 4.437 | 5.750 | 0.719 |
| 53F1 | 22987-6920 | 6.500 | 7.500 | 0.844 |
| 53F1 | 22987-6950 | 3.625 | 4.625 | 0.719 |
| 53F1 | 22987-6990 | 4.000 | 4.999 | 0.718 |
| 53F1 | 22987-7002 | 5.625 | 7.500 | 0.719 |
| 53F1 | 22987-7115 | 3.500 | 4.500 | 0.719 |
| 53F1 | 22987-7181 | 3.125 | 4.875 | 0.969 |
| 53F1 | 22987-7232 | 4.312 | 6.375 | 0.781 |
| 53F1 | 22987-7233 | 7.500 | 9.000 | 0.844 |
| 53F1 | 22987-7241 | 7.750 | 9.250 | 0.844 |
| 53F1 | 22987-7252 | 5.312 | 6.625 | 0.719 |
| 53F1 | 22987-7289 | 3.375 | 4.500 | 0.719 |
| 53F1 | 22987-7313 | 3.250 | 4.500 | 0.718 |
| 53F1 | 22987-7332 | 3.500 | 4.999 | 0.719 |
| 53F1 | 22987-7392 | 12.000 | 14.000 | 1.250 |
| 53F1 | 22987-7402 | 3.000 | 4.500 | 0.719 |
| 53F1 | 22987-7433 | 6.000 | 7.500 | 0.906 |
| 53F1 | 22987-7436 | 6.750 | 8.000 | 0.719 |
| 53F1 | 22987-7448 | 4.000 | 5.500 | 0.719 |
| 53F1 | 22987-7572 | 6.750 | 8.250 | 0.781 |
| 53F1 | 22987-7585 | 10.625 | 12.500 | 1.000 |
| 53F1 | 22987-7670 | 3.250 | 4.249 | 0.750 |
| 53F1 | 22987-7880 | 4.250 | 5.250 | 0.719 |
| 53F1 | 22987-7909 | 9.500 | 11.500 | 1.250 |
| 53F1 | 22987-8149 | 6.500 | 7.500 | 0.781 |
| 53F1 | 22987-8182 | 8.750 | 10.000 | 1.000 |
| 53F1 | 22987-8216 | 6.750 | 8.000 | 0.844 |
| 53F1 | 22987-8278 | 4.500 | 5.625 | 0.719 |
| 53F1 | 22987-8306 | 5.500 | 6.750 | 0.719 |
| 53F1 | 22987-8471 | 5.625 | 6.875 | 0.719 |
| 53F1 | 22987-8531 | 3.687 | 5.250 | 0.781 |
| 53F1 | 22987-8683 | 4.125 | 5.125 | 0.719 |
| 53F1 | 22987-8703 | 15.000 | 17.000 | 1.187 |
| 53F1 | 22987-8717 | 9.500 | 10.500 | 1.000 |
| 53F1 | 22987-8729 | 8.250 | 9.500 | 0.844 |
| 53F1 | 22987-9209 | 3.375 | 4.375 | 0.687 |
| 53F1 | 22987-9304 | 6.000 | 7.500 | 0.719 |
| 53F1 | 22987-9347 | 4.625 | 6.000 | 0.719 |
| 53F1 | 22987-9429 | 5.125 | 7.000 | 0.719 |
| 53F1 | 22987-9584 | 7.500 | 9.000 | 0.718 |
| 53F1 | 22987-9708 | 4.375 | 5.375 | 0.718 |
| 53R1 | 22537-3694 | 11.000 | 13.000 | 1.000 |
| 53R1 | 22537-4711 | 5.625 | 6.750 | 0.906 |
| 53R1 | 22537-4825 | 5.500 | 6.500 | 0.906 |
| 53R1 | 22537-4836 | 4.750 | 6.000 | 0.906 |
| 53R1 | 22537-4837 | 4.250 | 5.375 | 0.906 |
| 53R1 | 22537-4888 | 14.000 | 16.000 | 1.375 |
| 53R1 | 22537-4925 | 9.500 | 11.500 | 1.312 |
| 53R1 | 22537-4991 | 6.250 | 7.500 | 1.344 |
| 53R1 | 22537-5008 | 3.500 | 4.750 | 0.906 |
| 53R1 | 22537-5021 | 9.250 | 10.750 | 1.375 |
| 53R1 | 22537-5049 | 3.937 | 4.999 | 0.906 |
| 53R1 | 22537-5183 | 3.437 | 4.500 | 0.906 |
| 53R1 | 22537-5260 | 8.000 | 9.500 | 0.969 |
| 53R1 | 22537-5300 | 3.500 | 4.500 | 0.812 |
| 53R1 | 22537-5420 | 5.750 | 7.250 | 0.906 |
| 53R1 | 22537-5949 | 9.000 | 11.000 | 1.375 |
| 53R1 | 22537-5950 | 12.000 | 13.500 | 1.312 |
| 53R1 | 22537-6089 | 7.125 | 8.625 | 1.094 |
| 53R1 | 22537-6140 | 8.500 | 9.500 | 1.312 |
| 53R1 | 22537-6146 | 6.125 | 7.500 | 0.906 |
| 53R1 | 22537-6154 | 13.500 | 15.500 | 1.375 |
| 53R1 | 22537-6354 | 15.000 | 17.000 | 1.375 |
| **53R1** | **22537-6432** | **5.125** | **6.125** | **0.843** |
| 53R1 | 22537-6433 | 7.000 | 8.000 | 0.844 |
| 53R1 | 22537-6434 | 4.000 | 5.250 | 0.906 |
| 53R1 | 22537-6461 | 3.187 | 4.249 | 0.906 |
| 53R1 | 22537-6521 | 9.000 | 10.500 | 1.375 |
| 53R1 | 22537-6534 | 3.500 | 4.500 | 0.906 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 53R1 | 22537-6545 | 3.562 | 4.625 | 0.906 |
| 53R1 | 22537-6564 | 7.500 | 9.000 | 1.343 |
| 53R1 | 22537-6663 | 9.250 | 11.000 | 1.375 |
| 53R1 | 22537-6685 | 4.500 | 5.500 | 0.969 |
| 53R1 | 22537-6708 | 3.250 | 4.249 | 0.906 |
| 53R1 | 22537-6711 | 5.000 | 6.000 | 0.906 |
| 53R1 | 22537-6760 | 8.500 | 10.000 | 1.000 |
| 53R1 | 22537-6770 | 8.500 | 10.500 | 1.312 |
| 53R1 | 22537-6945 | 6.750 | 8.250 | 1.032 |
| 53R1 | 22537-7255 | 3.000 | 4.125 | 0.906 |
| 53R1 | 22537-7269 | 3.500 | 4.750 | 0.843 |
| 53R1 | 22537-7330 | 6.250 | 7.250 | 0.906 |
| 53R1 | 22537-7433 | 6.000 | 7.500 | 0.906 |
| 53R1 | 22537-7439 | 4.437 | 5.500 | 0.906 |
| 53R1 | 22537-7560 | 4.500 | 6.000 | 0.906 |
| 53R1 | 22537-7611 | 3.500 | 4.875 | 0.969 |
| 53R1 | 22537-7774 | 10.500 | 12.500 | 1.375 |
| 53R1 | 22537-7796 | 6.875 | 8.375 | 1.156 |
| 53R1 | 22537-7905 | 3.562 | 5.250 | 0.906 |
| 53R1 | 22537-8384 | 7.500 | 8.500 | 1.094 |
| 53R1 | 22537-8396 | 3.625 | 4.750 | 0.906 |
| 53R1 | 22537-8454 | 4.331 | 5.500 | 0.875 |
| 53R1 | 22537-8480 | 5.875 | 7.250 | 0.906 |
| 53R1 | 22537-8570 | 3.937 | 5.375 | 0.906 |
| 53R1 | 22537-8662 | 10.000 | 12.000 | 1.812 |
| 53R1 | 22537-8687 | 8.750 | 10.750 | 1.375 |
| 53R1 | 22537-8708 | 5.937 | 7.500 | 0.906 |
| 53R1 | 22537-8751 | 8.000 | 9.000 | 1.156 |
| 53R1 | 22537-8756 | 10.000 | 12.000 | 1.250 |
| 53R1 | 22537-8818 | 5.750 | 7.250 | 1.344 |
| 53R1 | 22537-8829 | 9.875 | 11.875 | 1.312 |
| 53R1 | 22537-8868 | 10.000 | 11.000 | 1.375 |
| 53R1 | 22537-8870 | 6.000 | 7.000 | 1.156 |
| 53R1 | 22537-9039 | 13.500 | 15.500 | 1.437 |
| 53R1 | 22537-9087 | 7.250 | 8.250 | 1.156 |
| 53R1 | 22537-9299 | 8.500 | 9.500 | 1.094 |
| 53R1 | 22537-9401 | 3.625 | 4.875 | 0.844 |
| 53R1 | 22537-9485 | 8.000 | 9.500 | 1.094 |
| 53R1 | 22537-9618 | 8.375 | 9.750 | 1.156 |
| 53R1 | 22537-9664 | 6.750 | 8.250 | 1.156 |
| 53R1 | 22537-9713 | 9.750 | 11.000 | 1.375 |
| 53R2 | 22537-5260 | 8.000 | 9.500 | 0.969 |
| 53R2 | 22627-3694 | 11.000 | 13.000 | 1.000 |
| 53R2 | 22627-4491 | 20.750 | 22.750 | 1.750 |
| 53R2 | 22627-4650 | 16.250 | 17.750 | 1.281 |
| 53R2 | 22627-4668 | 5.000 | 6.500 | 0.906 |
| 53R2 | 22627-4751 | 12.375 | 13.875 | 1.437 |
| 53R2 | 22627-4752 | 4.125 | 5.500 | 0.969 |
| 53R2 | 22627-4784 | 6.000 | 7.500 | 1.344 |
| 53R2 | 22627-4825 | 5.500 | 6.500 | 0.906 |
| 53R2 | 22627-4828 | 5.000 | 6.250 | 0.906 |
| 53R2 | 22627-4836 | 4.750 | 6.000 | 0.906 |
| 53R2 | 22627-4884 | 12.000 | 13.875 | 1.312 |
| 53R2 | 22627-4888 | 14.000 | 16.000 | 1.375 |
| 53R2 | 22627-4894 | 15.000 | 17.000 | 1.312 |
| 53R2 | 22627-4904 | 4.250 | 5.250 | 0.906 |
| 53R2 | 22627-4942 | 7.500 | 9.250 | 1.344 |
| 53R2 | 22627-4943 | 9.000 | 10.750 | 1.375 |
| 53R2 | 22627-4982 | 5.125 | 6.500 | 0.906 |
| 53R2 | 22627-5021 | 9.250 | 10.750 | 1.375 |
| 53R2 | 22627-5090 | 5.687 | 7.500 | 0.906 |
| 53R2 | 22627-5183 | 3.437 | 4.500 | 0.906 |
| 53R2 | 22627-5285 | 4.750 | 5.750 | 0.937 |
| 53R2 | 22627-5324 | 5.625 | 6.875 | 0.969 |
| 53R2 | 22627-5500 | 7.250 | 8.250 | 1.344 |
| 53R2 | 22627-5531 | 6.500 | 7.500 | 0.906 |
| 53R2 | 22627-5621 | 5.250 | 6.500 | 1.344 |
| 53R2 | 22627-5645 | 3.875 | 4.875 | 0.906 |
| 53R2 | 22627-5651 | 8.000 | 9.000 | 1.344 |
| 53R2 | 22627-5710 | 5.750 | 7.000 | 1.031 |
| 53R2 | 22627-5883 | 8.000 | 9.250 | 1.000 |
| 53R2 | 22627-5918 | 8.375 | 9.875 | 1.156 |
| 53R2 | 22627-5927 | 11.000 | 12.500 | 1.375 |
| 53R2 | 22627-5932 | 7.875 | 9.375 | 0.969 |
| 53R2 | 22627-5949 | 9.000 | 11.000 | 1.375 |
| 53R2 | 22627-6063 | 11.375 | 13.000 | 1.375 |
| 53R2 | 22627-6082 | 4.125 | 5.250 | 0.906 |
| 53R2 | 22627-6117 | 15.000 | 17.000 | 1.250 |
| 53R2 | 22627-6146 | 6.125 | 7.500 | 0.906 |
| 53R2 | 22627-6154 | 13.500 | 15.500 | 1.375 |
| 53R2 | 22627-6166 | 5.750 | 7.000 | 0.906 |
| 53R2 | 22627-6354 | 15.000 | 17.000 | 1.375 |
| 53R2 | 22627-6432 | 5.125 | 6.125 | 0.843 |
| 53R2 | 22627-6437 | 7.000 | 8.500 | 0.969 |
| 53R2 | 22627-6461 | 3.187 | 4.249 | 0.906 |
| 53R2 | 22627-6521 | 9.000 | 10.500 | 1.375 |
| 53R2 | 22627-6528 | 3.250 | 4.500 | 0.906 |
| **53R2** | **22627-6534** | **3.500** | **4.500** | **0.906** |
| **53R2** | **22627-6545** | **3.562** | **4.625** | **0.906** |
| 53R2 | 22627-6563 | 4.250 | 5.750 | 0.906 |
| **53R2** | **22627-6596** | **7.500** | **9.250** | **1.218** |
| 53R2 | 22627-6607 | 13.000 | 15.000 | 1.375 |
| 53R2 | 22627-6640 | 5.000 | 6.000 | 0.969 |
| 53R2 | 22627-6663 | 9.250 | 11.000 | 1.375 |
| 53R2 | 22627-6685 | 4.500 | 5.500 | 0.969 |
| 53R2 | 22627-6708 | 3.250 | 4.249 | 0.906 |
| 53R2 | 22627-6711 | 5.000 | 6.000 | 0.906 |
| 53R2 | 22627-6739 | 3.125 | 4.125 | 0.906 |
| **53R2** | **22627-6746** | **6.000** | **7.000** | **0.969** |
| 53R2 | 22627-6799 | 4.000 | 4.999 | 0.906 |
| 53R2 | 22627-6806 | 3.750 | 4.999 | 0.906 |
| 53R2 | 22627-6814 | 4.875 | 6.500 | 0.906 |
| 53R2 | 22627-6842 | 10.000 | 12.000 | 1.375 |
| 53R2 | 22627-6871 | 4.187 | 6.000 | 0.906 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 53R2 | 22627-6901 | 3.625 | 4.625 | 0.906 |
| 53R2 | 22627-6942 | 9.500 | 10.750 | 1.375 |
| 53R2 | 22627-6945 | 6.750 | 8.250 | 1.031 |
| 53R2 | 22627-6954 | 7.750 | 8.750 | 1.156 |
| 53R2 | 22627-6968 | 3.125 | 4.999 | 0.906 |
| 53R2 | 22627-6969 | 8.500 | 9.500 | 0.969 |
| 53R2 | 22627-7111 | 5.562 | 6.875 | 0.906 |
| 53R2 | 22627-7202 | 6.000 | 7.250 | 1.343 |
| 53R2 | 22627-7245 | 4.625 | 5.750 | 0.906 |
| **53R2** | **22627-7247** | **6.250** | **7.750** | **0.906** |
| 53R2 | 22627-7255 | 3.000 | 4.125 | 0.906 |
| 53R2 | 22627-7258 | 4.500 | 5.750 | 0.969 |
| 53R2 | 22627-7283 | 12.000 | 14.000 | 1.375 |
| 53R2 | 22627-7315 | 4.937 | 6.500 | 0.906 |
| **53R2** | **22627-7324** | **3.500** | **4.999** | **0.906** |
| 53R2 | 22627-7326 | 12.000 | 13.625 | 1.437 |
| 53R2 | 22627-7348 | 4.687 | 6.000 | 0.906 |
| 53R2 | 22627-7358 | 7.750 | 9.250 | 0.875 |
| 53R2 | 22627-7360 | 7.000 | 8.500 | 0.875 |
| 53R2 | 22627-7361 | 5.125 | 6.250 | 0.906 |
| 53R2 | 22627-7404 | 18.000 | 19.500 | 1.250 |
| 53R2 | 22627-7409 | 5.500 | 6.750 | 0.906 |
| **53R2** | **22627-7419** | **3.250** | **4.250** | **0.969** |
| 53R2 | 22627-7433 | 6.000 | 7.500 | 0.906 |
| 53R2 | 22627-7440 | 3.750 | 4.750 | 0.906 |
| 53R2 | 22627-7559 | 4.000 | 5.125 | 0.906 |
| 53R2 | 22627-7562 | 9.250 | 11.250 | 1.375 |
| 53R2 | 22627-7610 | 5.250 | 6.750 | 0.906 |
| 53R2 | 22627-7629 | 6.250 | 7.750 | 1.344 |
| 53R2 | 22627-7651 | 4.062 | 6.000 | 0.906 |
| 53R2 | 22627-7707 | 7.250 | 8.375 | 1.125 |
| 53R2 | 22627-7803 | 4.375 | 5.500 | 0.969 |
| 53R2 | 22627-7877 | 4.750 | 6.250 | 0.906 |
| 53R2 | 22627-8202 | 4.375 | 5.375 | 0.906 |
| 53R2 | 22627-8396 | 3.625 | 4.750 | 0.906 |
| 53R2 | 22627-8441 | 3.250 | 4.999 | 0.906 |
| 53R2 | 22627-8546 | 7.250 | 8.500 | 1.094 |
| **53R2** | **22627-8630** | **4.875** | **6.000** | **0.906** |
| 53R2 | 22627-8635 | 4.312 | 5.500 | 0.969 |
| 53R2 | 22627-8667 | 7.125 | 8.500 | 1.094 |
| 53R2 | 22627-8685 | 6.875 | 8.125 | 1.406 |
| 53R2 | 22627-8686 | 7.750 | 8.750 | 1.094 |
| 53R2 | 22627-8687 | 8.750 | 10.750 | 1.375 |
| 53R2 | 22627-8700 | 3.250 | 4.500 | 0.843 |
| 53R2 | 22627-8716 | 12.500 | 14.000 | 1.375 |
| 53R2 | 22627-8771 | 4.000 | 6.000 | 0.906 |
| 53R2 | 22627-8775 | 6.625 | 8.125 | 0.969 |
| 53R2 | 22627-8828 | 9.000 | 10.500 | 1.437 |
| 53R2 | 22627-8909 | 9.500 | 11.250 | 1.375 |
| 53R2 | 22627-9018 | 4.125 | 5.125 | 0.906 |
| 53R2 | 22627-9036 | 11.500 | 13.500 | 1.250 |
| 53R2 | 22627-9165 | 8.000 | 9.000 | 0.969 |
| 53R2 | 22627-9320 | 4.125 | 5.375 | 0.906 |
| 53R2 | 22627-9414 | 8.500 | 10.500 | 1.250 |
| 53R2 | 22627-9419 | 12.500 | 14.500 | 1.250 |
| 53R2 | 22627-9422 | 5.750 | 7.250 | 1.032 |
| 53R2 | 22627-9423 | 18.000 | 20.000 | 1.750 |
| 53R2 | 22627-9474 | 23.000 | 25.000 | 1.687 |
| 53R2 | 22627-9532 | 8.437 | 10.000 | 1.000 |
| 53R2 | 22627-9854 | 5.750 | 7.000 | 0.844 |
| 53R2 | 22627-9970 | 8.000 | 10.000 | 1.375 |
| 53R2 | 22627-9972 | 5.250 | 7.125 | 0.906 |
| 53T2 | 22627-7258 | 4.500 | 5.750 | 0.969 |
| 53T2 | 22897-4545 | 8.250 | 9.500 | 1.125 |
| 53T2 | 22897-4650 | 16.250 | 17.750 | 1.281 |
| 53T2 | 22897-4653 | 10.625 | 12.375 | 1.437 |
| 53T2 | 22897-4668 | 5.000 | 6.500 | 0.906 |
| 53T2 | 22897-4681 | 8.250 | 10.250 | 1.875 |
| 53T2 | 22897-4708 | 4.875 | 6.625 | 0.969 |
| 53T2 | 22897-4752 | 4.125 | 5.500 | 0.969 |
| 53T2 | 22897-4800 | 10.000 | 12.000 | 1.312 |
| 53T2 | 22897-4836 | 4.750 | 6.000 | 0.906 |
| 53T2 | 22897-4876 | 7.750 | 9.250 | 0.969 |
| 53T2 | 22897-4894 | 15.000 | 17.000 | 1.312 |
| 53T2 | 22897-5043 | 4.687 | 5.750 | 0.906 |
| 53T2 | 22897-5179 | 8.250 | 10.250 | 1.218 |
| 53T2 | 22897-5286 | 6.500 | 7.500 | 1.218 |
| 53T2 | 22897-5304 | 13.750 | 15.750 | 1.437 |
| 53T2 | 22897-5531 | 6.500 | 7.500 | 0.906 |
| 53T2 | 22897-5584 | 11.500 | 13.000 | 1.250 |
| 53T2 | 22897-5758 | 3.000 | 4.500 | 0.937 |
| 53T2 | 22897-5883 | 8.000 | 9.250 | 1.000 |
| 53T2 | 22897-5923 | 5.500 | 7.000 | 0.969 |
| 53T2 | 22897-5932 | 7.875 | 9.375 | 0.969 |
| 53T2 | 22897-5941 | 3.187 | 4.249 | 0.969 |
| 53T2 | 22897-6463 | 4.875 | 6.625 | 0.906 |
| 53T2 | 22897-6505 | 3.625 | 5.500 | 0.969 |
| 53T2 | 22897-6511 | 3.000 | 4.500 | 0.906 |
| 53T2 | 22897-6526 | 6.875 | 8.250 | 1.406 |
| 53T2 | 22897-6527 | 12.500 | 14.500 | 1.312 |
| 53T2 | 22897-6534 | 3.500 | 4.500 | 0.906 |
| **53T2** | **22897-6640** | **5.000** | **6.000** | **0.969** |
| 53T2 | 22897-6691 | 7.125 | 8.250 | 0.969 |
| 53T2 | 22897-6739 | 3.125 | 4.125 | 0.906 |
| 53T2 | 22897-6746 | 6.000 | 7.000 | 0.969 |
| 53T2 | 22897-6750 | 5.250 | 6.500 | 0.969 |
| 53T2 | 22897-6793 | 18.000 | 20.000 | 1.812 |
| 53T2 | 22897-6893 | 5.000 | 6.250 | 0.969 |
| 53T2 | 22897-6942 | 9.500 | 10.750 | 1.375 |
| 53T2 | 22897-6969 | 8.500 | 9.500 | 0.969 |
| **53T2** | **22897-7110** | **4.500** | **5.500** | **0.906** |
| 53T2 | 22897-7128 | 5.750 | 7.000 | 0.969 |
| 53T2 | 22897-7174 | 6.500 | 7.500 | 1.031 |
| 53T2 | 22897-7181 | 3.125 | 4.875 | 0.969 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 53T2 | 22897-7347 | 5.125 | 6.125 | 0.906 |
| 53T2 | 22897-7357 | 3.375 | 4.375 | 0.906 |
| 53T2 | 22897-7365 | 5.125 | 6.125 | 0.969 |
| 53T2 | 22897-7370 | 8.000 | 9.750 | 1.406 |
| 53T2 | 22897-7419 | 3.250 | 4.250 | 0.969 |
| 53T2 | 22897-7433 | 6.000 | 7.500 | 0.906 |
| 53T2 | 22897-7551 | 3.000 | 4.500 | 0.969 |
| 53T2 | 22897-7562 | 9.250 | 11.250 | 1.375 |
| 53T2 | 22897-7609 | 6.375 | 7.500 | 0.969 |
| 53T2 | 22897-7611 | 3.500 | 4.875 | 0.969 |
| 53T2 | 22897-7689 | 4.625 | 6.000 | 0.969 |
| 53T2 | 22897-7774 | 10.500 | 12.500 | 1.375 |
| 53T2 | 22897-7777 | 6.875 | 8.000 | 1.219 |
| 53T2 | 22897-7786 | 8.125 | 10.125 | 1.281 |
| 53T2 | 22897-7803 | 4.375 | 5.500 | 0.969 |
| 53T2 | 22897-7823 | 9.125 | 10.625 | 1.250 |
| 53T2 | 22897-7864 | 6.250 | 7.250 | 0.969 |
| 53T2 | 22897-7920 | 7.250 | 8.250 | 1.219 |
| 53T2 | 22897-8462 | 9.000 | 11.000 | 1.250 |
| 53T2 | 22897-8597 | 20.000 | 22.000 | 1.812 |
| 53T2 | 22897-8608 | 3.187 | 4.999 | 0.969 |
| 53T2 | 22897-8630 | 4.875 | 6.000 | 0.906 |
| 53T2 | 22897-8680 | 10.500 | 12.500 | 1.812 |
| 53T2 | 22897-8685 | 6.875 | 8.125 | 1.406 |
| 53T2 | 22897-8697 | 4.500 | 6.250 | 0.969 |
| 53T2 | 22897-8811 | 4.187 | 5.250 | 0.969 |
| 53T2 | 22897-8829 | 9.875 | 11.875 | 1.312 |
| 53T2 | 22897-9045 | 4.687 | 6.250 | 0.969 |
| 53T2 | 22897-9103 | 9.250 | 10.625 | 1.437 |
| 53T2 | 22897-9168 | 6.750 | 8.500 | 1.219 |
| 53T2 | 22897-9472 | 7.875 | 9.375 | 1.141 |
| 53T2 | 22897-9611 | 10.750 | 11.875 | 1.375 |
| 53TB | 22807-7230 | 3.500 | 4.750 | 0.969 |
| 53TB | 22807-8731 | 4.000 | 5.125 | 0.969 |
| 53TF | 22994-5008 | 3.500 | 4.750 | 0.906 |
| 53TF | 22994-5884 | 6.125 | 7.500 | 0.969 |
| 53TF | 22994-6893 | 5.000 | 6.250 | 0.969 |
| 53TF | 22994-7784 | 3.250 | 4.375 | 0.906 |
| 54 | 21140-6003 | 2.375 | 5.125 | 0.625 |
| 54 | 21140-6005 | 2.750 | 6.000 | 0.625 |
| **54** | **21140-6008** | **3.562** | **7.250** | **0.562** |
| 54 | 21140-6010 | 4.000 | 8.000 | 0.625 |
| 54 | 21140-6014 | 4.375 | 9.125 | 0.625 |
| 54 | 21140-6018 | 5.000 | 9.750 | 0.625 |
| 54 | 21140-6020 | 5.250 | 10.750 | 0.687 |
| 54 | 21140-6021 | 5.625 | 11.375 | 1.000 |
| 54 | 21140-6023 | 6.625 | 12.500 | 0.625 |
| 54 | 21140-6024 | 7.000 | 13.500 | 0.750 |
| 54 | 21140-7351 | 4.250 | 8.250 | 0.625 |
| 54 | 21140-9733 | 3.375 | 6.500 | 0.625 |
| 54 | 21140-9750 | 8.000 | 14.750 | 0.625 |
| 54 | 21140-9986 | 4.750 | 9.250 | 0.625 |

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 58 | 21003-0584 | 6.496 | 7.480 | 0.512 |
| 58 | 21003-1490 | 2.362 | 2.953 | 0.315 |
| 58 | 21003-1797 | 1.772 | 2.441 | 0.394 |
| 58 | 21003-1921 | 2.953 | 3.937 | 0.512 |
| 58 | 21003-2033 | 5.866 | 6.875 | 0.562 |
| 58 | 21003-2225 | 3.125 | 4.125 | 0.500 |
| 58 | 21003-2255 | 3.187 | 4.500 | 0.500 |
| 58 | 21003-2262 | 4.409 | 5.709 | 0.551 |
| 58 | 21003-2295 | 1.375 | 2.562 | 0.500 |
| 58 | 21003-2384 | 3.500 | 5.250 | 0.500 |
| 58 | 21003-2417 | 3.625 | 4.625 | 0.500 |
| 58 | 21003-2462 | 3.750 | 4.750 | 0.500 |
| 58 | 21003-2488 | 2.362 | 4.331 | 0.512 |
| 58 | 21003-2490 | 8.540 | 9.750 | 0.625 |
| 58 | 21003-2692 | 7.250 | 8.750 | 0.875 |
| 58 | 21003-2710 | 4.999 | 5.905 | 0.512 |
| 58 | 21003-2887 | 4.921 | 5.906 | 0.472 |
| 58 | 21003-2902 | 1.969 | 2.835 | 0.394 |
| 58 | 21003-2989 | 5.118 | 6.299 | 0.551 |
| 58 | 21003-3059 | 5.250 | 6.250 | 0.500 |
| 58 | 21003-3176 | 5.500 | 6.500 | 0.500 |
| 58 | 21003-3327 | 5.906 | 7.087 | 0.591 |
| 58 | 21003-3474 | 6.875 | 7.875 | 0.625 |
| 58 | 21003-3499 | 7.000 | 8.375 | 0.750 |
| 58 | 21003-3515 | 7.125 | 8.625 | 0.750 |
| 58 | 21003-3967 | 9.250 | 11.250 | 0.750 |
| 58 | 21003-4263 | 3.937 | 4.724 | 0.433 |
| 58 | 21003-4264 | 4.331 | 5.512 | 0.551 |
| 58 | 21003-7388 | 7.874 | 9.055 | 0.591 |
| 58 | 21003-9724 | 3.000 | 4.250 | 0.625 |
| 59 | 24700-0001 | 7.283 | 8.850 | 0.625 |
| 59 | 24700-0002 | 8.000 | 10.000 | 0.625 |
| 59 | 24700-0003 | 8.063 | 10.062 | 1.000 |
| 59 | 24700-0004 | 8.125 | 10.125 | 0.625 |
| 59 | 24700-0005 | 8.250 | 10.250 | 0.625 |
| 59 | 24700-0006 | 8.250 | 10.500 | 0.875 |
| 59 | 24700-0007 | 8.250 | 11.500 | 0.750 |
| 59 | 24700-0008 | 8.375 | 9.750 | 0.625 |
| 59 | 24700-0009 | 8.375 | 9.875 | 0.625 |
| 59 | 24700-0010 | 8.375 | 10.375 | 0.750 |
| 59 | 24700-0011 | 8.375 | 10.500 | 0.875 |
| 59 | 24700-0012 | 8.500 | 10.000 | 0.625 |
| 59 | 24700-0013 | 8.500 | 10.500 | 0.625 |
| 59 | 24700-0014 | 8.625 | 10.000 | 0.750 |
| 59 | 24700-0015 | 8.625 | 10.125 | 0.625 |
| 59 | 24700-0016 | 8.625 | 10.250 | 0.625 |
| 59 | 24700-0017 | 8.625 | 10.625 | 0.625 |
| 59 | 24700-0018 | 8.625 | 10.750 | 0.875 |
| 59 | 24700-0019 | 8.661 | 10.236 | 0.625 |
| 59 | 24700-0020 | 8.661 | 10.228 | 0.625 |
| 59 | 24700-0021 | 8.661 | 10.819 | 0.950 |
| 59 | 24700-0022 | 8.750 | 10.250 | 0.625 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 59 | 24700-0023 | 8.750 | 10.500 | 0.750 |
| 59 | 24700-0024 | 8.750 | 10.625 | 0.750 |
| 59 | 24700-0025 | 8.858 | 11.016 | 0.906 |
| 59 | 24700-0026 | 8.875 | 11.000 | 0.875 |
| 59 | 24700-0027 | 9.000 | 10.125 | 0.750 |
| 59 | 24700-0028 | 9.000 | 10.187 | 0.625 |
| 59 | 24700-0029 | 9.000 | 10.375 | 0.625 |
| 59 | 24700-0030 | 9.000 | 10.500 | 0.625 |
| 59 | 24700-0031 | 9.000 | 10.625 | 0.625 |
| 59 | 24700-0032 | 9.000 | 11.000 | 0.625 |
| 59 | 24700-0033 | 9.000 | 11.054 | 0.750 |
| 59 | 24700-0034 | 9.000 | 11.250 | 0.875 |
| 59 | 24700-0035 | 9.055 | 10.621 | 0.629 |
| 59 | 24700-0036 | 9.055 | 11.024 | 0.625 |
| 59 | 24700-0037 | 9.125 | 10.625 | 0.625 |
| 59 | 24700-0038 | 9.125 | 10.750 | 0.625 |
| 59 | 24700-0039 | 9.125 | 11.125 | 0.625 |
| 59 | 24700-0040 | 9.187 | 10.375 | 0.750 |
| 59 | 24700-0041 | 9.250 | 10.500 | 0.625 |
| 59 | 24700-0042 | 9.250 | 10.750 | 0.625 |
| 59 | 24700-0043 | 9.250 | 11.000 | 0.625 |
| 59 | 24700-0044 | 9.250 | 11.250 | 0.750 |
| 59 | 24700-0045 | 9.250 | 11.375 | 0.875 |
| 59 | 24700-0046 | 9.250 | 11.500 | 0.875 |
| 59 | 24700-0047 | 9.375 | 10.375 | 1.000 |
| 59 | 24700-0048 | 9.375 | 10.625 | 0.625 |
| 59 | 24700-0049 | 9.375 | 10.875 | 0.750 |
| 59 | 24700-0050 | 9.375 | 11.375 | 0.625 |
| 59 | 24700-0051 | 9.438 | 10.625 | 0.750 |
| 59 | 24700-0052 | 9.438 | 11.500 | 0.875 |
| 59 | 24700-0053 | 9.449 | 10.630 | 0.630 |
| 59 | 24700-0054 | 9.449 | 11.811 | 0.984 |
| 59 | 24700-0055 | 9.500 | 11.000 | 0.625 |
| 59 | 24700-0056 | 9.500 | 11.125 | 0.625 |
| 59 | 24700-0057 | 9.500 | 11.500 | 0.625 |
| 59 | 24700-0058 | 9.620 | 10.875 | 0.625 |
| 59 | 24700-0059 | 9.625 | 10.875 | 0.750 |
| 59 | 24700-0060 | 9.719 | 11.625 | 0.700 |
| 59 | 24700-0061 | 9.750 | 11.125 | 0.625 |
| 59 | 24700-0062 | 9.750 | 11.250 | 0.625 |
| 59 | 24700-0063 | 9.750 | 11.500 | 0.750 |
| 59 | 24700-0064 | 9.750 | 11.750 | 0.625 |
| 59 | 24700-0065 | 9.750 | 12.000 | 0.875 |
| 59 | 24700-0066 | 9.844 | 11.409 | 0.625 |
| 59 | 24700-0067 | 9.875 | 11.375 | 0.750 |
| 59 | 24700-0068 | 9.875 | 12.000 | 0.875 |
| 59 | 24700-0069 | 9.938 | 12.000 | 0.750 |
| 59 | 24700-0070 | 9.938 | 12.125 | 1.000 |
| 59 | 24700-0071 | 10.000 | 11.375 | 0.750 |
| 59 | 24700-0072 | 10.000 | 11.625 | 0.750 |
| 59 | 24700-0073 | 10.000 | 11.750 | 0.625 |
| 59 | 24700-0074 | 10.000 | 12.000 | 0.625 |
| 59 | 24700-0075 | 10.000 | 12.250 | 0.875 |
| 59 | 24700-0076 | 10.125 | 11.625 | 0.688 |
| 59 | 24700-0077 | 10.125 | 11.750 | 0.688 |
| 59 | 24700-0078 | 10.188 | 12.250 | 1.000 |
| 59 | 24700-0079 | 10.236 | 12.590 | 0.984 |
| 59 | 24700-0080 | 10.250 | 11.500 | 0.625 |
| 59 | 24700-0081 | 10.250 | 11.750 | 0.625 |
| 59 | 24700-0082 | 10.250 | 12.000 | 0.625 |
| 59 | 24700-0083 | 10.250 | 12.500 | 0.750 |
| 59 | 24700-0084 | 10.375 | 11.625 | 0.625 |
| 59 | 24700-0085 | 10.375 | 11.875 | 0.750 |
| 59 | 24700-0086 | 10.375 | 12.197 | 1.000 |
| 59 | 24700-0087 | 10.375 | 12.500 | 0.875 |
| 59 | 24700-0088 | 10.438 | 12.438 | 0.875 |
| 59 | 24700-0089 | 10.438 | 12.500 | 1.000 |
| 59 | 24700-0090 | 10.500 | 12.000 | 0.625 |
| 59 | 24700-0091 | 10.500 | 12.125 | 0.625 |
| 59 | 24700-0092 | 10.500 | 12.250 | 0.750 |
| 59 | 24700-0093 | 10.500 | 12.625 | 1.000 |
| 59 | 24700-0094 | 10.625 | 11.812 | 0.625 |
| 59 | 24700-0095 | 10.625 | 12.125 | 0.750 |
| 59 | 24700-0096 | 10.625 | 12.375 | 0.750 |
| 59 | 24700-0097 | 10.625 | 12.500 | 0.750 |
| 59 | 24700-0098 | 10.625 | 13.000 | 0.750 |
| 59 | 24700-0099 | 10.630 | 13.189 | 0.708 |
| 59 | 24700-0100 | 10.750 | 12.000 | 0.625 |
| 59 | 24700-0101 | 10.750 | 12.250 | 0.625 |
| 59 | 24700-0102 | 10.750 | 12.500 | 0.625 |
| 59 | 24700-0103 | 10.750 | 13.000 | 0.875 |
| 59 | 24700-0104 | 10.875 | 12.375 | 0.750 |
| 59 | 24700-0105 | 10.875 | 12.500 | 1.000 |
| 59 | 24700-0106 | 11.000 | 12.250 | 0.625 |
| 59 | 24700-0107 | 11.000 | 13.000 | 0.625 |
| 59 | 24700-0108 | 11.024 | 12.197 | 0.629 |
| 59 | 24700-0109 | 11.024 | 13.386 | 0.984 |
| 59 | 24700-0110 | 11.063 | 12.250 | 0.750 |
| 59 | 24700-0111 | 11.063 | 12.500 | 0.750 |
| 59 | 24700-0112 | 11.063 | 13.000 | 0.750 |
| 59 | 24700-0113 | 11.125 | 12.750 | 1.000 |
| 59 | 24700-0114 | 11.125 | 13.000 | 1.000 |
| 59 | 24700-0115 | 11.125 | 13.250 | 0.875 |
| 59 | 24700-0116 | 11.250 | 12.500 | 0.625 |
| 59 | 24700-0117 | 11.250 | 13.250 | 0.625 |
| 59 | 24700-0118 | 11.250 | 13.500 | 0.875 |
| 59 | 24700-0119 | 11.375 | 12.875 | 0.750 |
| 59 | 24700-0120 | 11.375 | 13.000 | 0.625 |
| 59 | 24700-0121 | 11.375 | 13.375 | 0.813 |
| 59 | 24700-0122 | 11.375 | 13.500 | 1.000 |
| 59 | 24700-0123 | 11.417 | 13.142 | 0.750 |
| 59 | 24700-0124 | 11.438 | 13.000 | 0.688 |
| 59 | 24700-0125 | 11.500 | 12.875 | 0.688 |
| 59 | 24700-0126 | 11.500 | 13.000 | 0.625 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 59 | 24700-0127 | 11.500 | 13.250 | 0.750 |
| 59 | 24700-0128 | 11.500 | 13.375 | 0.750 |
| 59 | 24700-0129 | 11.500 | 13.500 | 0.625 |
| 59 | 24700-0130 | 11.625 | 13.191 | 0.750 |
| 59 | 24700-0131 | 11.750 | 13.250 | 0.625 |
| 59 | 24700-0132 | 11.750 | 13.750 | 0.625 |
| 59 | 24700-0133 | 11.750 | 14.000 | 1.000 |
| 59 | 24700-0134 | 11.811 | 13.386 | 0.709 |
| 59 | 24700-0135 | 11.813 | 13.780 | 1.000 |
| 59 | 24700-0136 | 11.813 | 13.812 | 0.625 |
| 59 | 24700-0137 | 11.813 | 14.000 | 0.750 |
| 59 | 24700-0138 | 11.938 | 13.938 | 0.625 |
| 59 | 24700-0139 | 12.000 | 13.250 | 0.625 |
| 59 | 24700-0140 | 12.000 | 13.500 | 0.625 |
| 59 | 24700-0141 | 12.000 | 13.625 | 0.625 |
| 59 | 24700-0142 | 12.000 | 14.188 | 1.000 |
| 59 | 24700-0143 | 12.000 | 14.750 | 0.875 |
| 59 | 24700-0144 | 12.050 | 13.313 | 0.750 |
| 59 | 24700-0145 | 12.063 | 13.313 | 0.750 |
| 59 | 24700-0146 | 12.125 | 13.875 | 0.750 |
| 59 | 24700-0147 | 12.125 | 14.000 | 0.875 |
| 59 | 24700-0148 | 12.188 | 13.438 | 0.625 |
| 59 | 24700-0149 | 12.188 | 13.688 | 0.625 |
| 59 | 24700-0150 | 12.250 | 13.813 | 0.719 |
| 59 | 24700-0151 | 12.250 | 14.000 | 0.625 |
| 59 | 24700-0152 | 12.250 | 14.250 | 0.625 |
| 59 | 24700-0153 | 12.375 | 13.875 | 0.688 |
| 59 | 24700-0154 | 12.375 | 14.000 | 0.750 |
| 59 | 24700-0155 | 12.375 | 14.375 | 1.000 |
| 59 | 24700-0156 | 12.375 | 14.500 | 0.875 |
| 59 | 24700-0157 | 12.500 | 13.750 | 0.625 |
| 59 | 24700-0158 | 12.500 | 14.750 | 1.000 |
| 59 | 24700-0159 | 12.500 | 15.000 | 0.813 |
| 59 | 24700-0160 | 12.565 | 14.063 | 0.750 |
| 59 | 24700-0161 | 12.590 | 14.125 | 1.000 |
| 59 | 24700-0162 | 12.598 | 13.780 | 0.625 |
| 59 | 24700-0163 | 12.598 | 13.976 | 0.630 |
| 59 | 24700-0164 | 12.625 | 14.500 | 0.875 |
| 59 | 24700-0165 | 12.625 | 14.625 | 0.875 |
| 59 | 24700-0166 | 12.688 | 14.250 | 0.750 |
| 59 | 24700-0167 | 12.688 | 14.750 | 1.000 |
| 59 | 24700-0168 | 12.750 | 14.250 | 0.625 |
| 59 | 24700-0169 | 12.750 | 14.750 | 0.750 |
| 59 | 24700-0170 | 12.750 | 15.000 | 0.875 |
| 59 | 24700-0171 | 12.750 | 15.250 | 0.875 |
| 59 | 24700-0172 | 12.750 | 15.500 | 0.875 |
| 59 | 24700-0173 | 12.875 | 15.500 | 0.875 |
| 59 | 24700-0174 | 12.992 | 14.566 | 0.708 |
| 59 | 24700-0175 | 13.000 | 14.812 | 0.625 |
| 59 | 24700-0176 | 13.000 | 14.875 | 0.875 |
| 59 | 24700-0177 | 13.220 | 14.407 | 0.625 |
| **59** | **24700-0178** | **13.250** | **14.750** | **0.625** |

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 59 | 24700-0179 | 13.250 | 14.875 | 0.750 |
| 59 | 24700-0180 | 13.250 | 15.000 | 0.750 |
| 59 | 24700-0181 | 13.250 | 15.125 | 0.875 |
| 59 | 24700-0182 | 13.250 | 15.250 | 0.750 |
| 59 | 24700-0183 | 13.250 | 15.375 | 1.000 |
| 59 | 24700-0184 | 13.250 | 16.000 | 0.875 |
| 59 | 24700-0185 | 13.375 | 14.875 | 0.750 |
| 59 | 24700-0186 | 13.375 | 15.000 | 0.750 |
| 59 | 24700-0187 | 13.375 | 15.375 | 0.875 |
| 59 | 24700-0188 | 13.386 | 14.645 | 0.630 |
| 59 | 24700-0189 | 13.386 | 14.960 | 0.688 |
| 59 | 24700-0190 | 13.500 | 15.000 | 0.625 |
| 59 | 24700-0191 | 13.500 | 15.250 | 0.750 |
| 59 | 24700-0192 | 13.500 | 15.312 | 0.625 |
| 59 | 24700-0193 | 13.500 | 15.750 | 0.875 |
| 59 | 24700-0194 | 13.500 | 15.752 | 1.000 |
| 59 | 24700-0195 | 13.500 | 17.300 | 1.000 |
| 59 | 24700-0196 | 13.625 | 15.500 | 1.000 |
| 59 | 24700-0197 | 13.625 | 16.125 | 1.250 |
| 59 | 24700-0198 | 13.750 | 15.000 | 0.750 |
| 59 | 24700-0199 | 13.750 | 15.250 | 0.625 |
| 59 | 24700-0200 | 13.750 | 15.500 | 0.750 |
| 59 | 24700-0201 | 13.750 | 15.508 | 0.750 |
| 59 | 24700-0202 | 13.750 | 15.750 | 0.625 |
| 59 | 24700-0203 | 13.750 | 16.000 | 0.875 |
| 59 | 24700-0204 | 13.779 | 15.354 | 0.709 |
| 59 | 24700-0205 | 13.813 | 16.000 | 1.000 |
| 59 | 24700-0206 | 13.875 | 16.000 | 1.000 |
| 59 | 24700-0207 | 13.938 | 15.438 | 0.625 |
| 59 | 24700-0208 | 13.938 | 15.500 | 0.750 |
| 59 | 24700-0210 | 13.938 | 15.744 | 1.000 |
| 59 | 24700-0211 | 13.938 | 16.000 | 0.875 |
| 59 | 24700-0212 | 14.000 | 15.500 | 0.625 |
| 59 | 24700-0213 | 14.000 | 15.562 | 0.750 |
| 59 | 24700-0214 | 14.000 | 15.625 | 0.625 |
| 59 | 24700-0215 | 14.000 | 15.750 | 0.688 |
| 59 | 24700-0216 | 14.000 | 15.752 | 0.813 |
| 59 | 24700-0217 | 14.000 | 16.000 | 0.750 |
| 59 | 24700-0218 | 14.000 | 16.500 | 0.813 |
| 59 | 24700-0219 | 14.000 | 16.625 | 0.625 |
| 59 | 24700-0220 | 14.125 | 16.745 | 0.875 |
| 59 | 24700-0221 | 14.172 | 16.734 | 0.844 |
| 59 | 24700-0222 | 14.188 | 15.500 | 0.688 |
| 59 | 24700-0223 | 14.188 | 15.750 | 0.750 |
| 59 | 24700-0224 | 14.188 | 16.000 | 0.875 |
| 59 | 24700-0225 | 14.188 | 16.188 | 0.813 |
| 59 | 24700-0226 | 14.188 | 16.750 | 0.875 |
| 59 | 24700-0227 | 14.250 | 15.750 | 0.750 |
| 59 | 24700-0228 | 14.250 | 16.000 | 0.875 |
| 59 | 24700-0229 | 14.250 | 16.250 | 0.813 |
| 59 | 24700-0230 | 14.250 | 16.500 | 0.875 |
| 59 | 24700-0231 | 14.370 | 15.938 | 0.709 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 59 | 24700-0232 | 14.375 | 15.875 | 0.750 |
| 59 | 24700-0233 | 14.375 | 16.000 | 0.688 |
| 59 | 24700-0234 | 14.500 | 16.500 | 0.750 |
| 59 | 24700-0235 | 14.625 | 16.125 | 0.750 |
| 59 | 24700-0236 | 14.625 | 16.250 | 0.750 |
| 59 | 24700-0237 | 14.625 | 16.750 | 1.000 |
| 59 | 24700-0238 | 14.688 | 16.188 | 0.625 |
| 59 | 24700-0239 | 14.750 | 16.250 | 0.625 |
| 59 | 24700-0240 | 14.750 | 16.500 | 0.688 |
| 59 | 24700-0241 | 14.875 | 16.500 | 0.750 |
| 59 | 24700-0242 | 14.875 | 16.750 | 0.875 |
| 59 | 24700-0243 | 14.875 | 16.875 | 1.000 |
| 59 | 24700-0244 | 14.875 | 17.000 | 0.875 |
| 59 | 24700-0245 | 14.875 | 17.500 | 0.875 |
| 59 | 24700-0246 | 14.906 | 17.000 | 0.875 |
| 59 | 24700-0247 | 14.961 | 16.535 | 0.787 |
| 59 | 24700-0248 | 15.000 | 16.500 | 0.688 |
| 59 | 24700-0249 | 15.000 | 16.750 | 0.750 |
| 59 | 24700-0250 | 15.000 | 17.500 | 0.875 |
| 59 | 24700-0251 | 15.000 | 17.750 | 0.875 |
| 59 | 24700-0252 | 15.125 | 16.750 | 0.750 |
| **59** | **24700-0253** | **15.250** | **16.750** | **0.688** |
| 59 | 24700-0254 | 15.250 | 17.250 | 0.750 |
| 59 | 24700-0255 | 15.313 | 17.313 | 0.688 |
| 59 | 24700-0256 | 15.359 | 17.709 | 0.906 |
| 59 | 24700-0257 | 15.375 | 17.250 | 0.750 |
| 59 | 24700-0258 | 15.375 | 17.375 | 0.688 |
| 59 | 24700-0259 | 15.472 | 17.502 | 0.708 |
| 59 | 24700-0260 | 15.500 | 16.875 | 0.625 |
| 59 | 24700-0261 | 15.500 | 17.500 | 0.750 |
| 59 | 24700-0262 | 15.500 | 17.750 | 1.000 |
| 59 | 24700-0263 | 15.500 | 18.000 | 1.000 |
| 59 | 24700-0264 | 15.604 | 16.974 | 0.625 |
| 59 | 24700-0265 | 15.625 | 17.125 | 0.750 |
| 59 | 24700-0266 | 15.625 | 17.625 | 0.875 |
| 59 | 24700-0267 | 15.740 | 17.250 | 0.688 |
| 59 | 24700-0268 | 15.748 | 17.716 | 0.689 |
| 59 | 24700-0269 | 15.750 | 17.000 | 0.625 |
| 59 | 24700-0270 | 15.750 | 17.250 | 0.688 |
| 59 | 24700-0271 | 15.750 | 17.500 | 0.688 |
| 59 | 24700-0273 | 15.750 | 17.750 | 0.875 |
| 59 | 24700-0274 | 15.750 | 18.000 | 0.875 |
| 59 | 24700-0275 | 15.875 | 17.875 | 0.750 |
| 59 | 24700-0276 | 15.938 | 17.313 | 0.625 |
| 59 | 24700-0277 | 16.000 | 17.500 | 0.688 |
| 59 | 24700-0278 | 16.000 | 17.625 | 0.750 |
| 59 | 24700-0279 | 16.000 | 18.000 | 0.750 |
| 59 | 24700-0281 | 16.000 | 18.500 | 0.813 |
| 59 | 24700-0282 | 16.250 | 17.750 | 0.625 |
| 59 | 24700-0283 | 16.250 | 18.000 | 0.625 |
| 59 | 24700-0284 | 16.250 | 18.250 | 1.000 |
| 59 | 24700-0285 | 16.250 | 18.500 | 1.250 |
| 59 | 24700-0286 | 16.375 | 17.875 | 0.750 |
| 59 | 24700-0287 | 16.375 | 18.375 | 1.000 |
| 59 | 24700-0289 | 16.500 | 18.000 | 0.750 |
| 59 | 24700-0290 | 16.500 | 18.250 | 0.750 |
| **59** | **24700-0291** | **16.500** | **18.500** | **0.750** |
| 59 | 24700-0293 | 16.500 | 19.000 | 0.875 |
| 59 | 24700-0294 | 16.535 | 18.102 | 0.787 |
| 59 | 24700-0295 | 16.535 | 18.110 | 0.787 |
| 59 | 24700-0296 | 16.750 | 18.250 | 0.687 |
| 59 | 24700-0297 | 16.750 | 18.500 | 0.875 |
| 59 | 24700-0298 | 16.750 | 19.000 | 0.875 |
| 59 | 24700-0299 | 16.929 | 18.903 | 0.969 |
| **59** | **24700-0300** | **17.000** | **18.500** | **0.625** |
| 59 | 24700-0301 | 17.000 | 19.000 | 0.750 |
| 59 | 24700-0302 | 17.000 | 19.250 | 1.000 |
| 59 | 24700-0304 | 17.000 | 19.500 | 0.875 |
| 59 | 24700-0305 | 17.250 | 18.750 | 0.750 |
| 59 | 24700-0306 | 17.250 | 19.250 | 0.938 |
| 59 | 24700-0307 | 17.500 | 19.000 | 0.625 |
| 59 | 24700-0309 | 17.500 | 19.500 | 0.688 |
| 59 | 24700-0310 | 17.500 | 19.750 | 0.750 |
| 59 | 24700-0311 | 17.500 | 20.522 | 1.500 |
| 59 | 24700-0312 | 17.625 | 19.125 | 0.750 |
| 59 | 24700-0313 | 17.625 | 19.250 | 0.688 |
| 59 | 24700-0314 | 17.625 | 19.375 | 0.750 |
| 59 | 24700-0315 | 17.625 | 19.625 | 0.688 |
| 59 | 24700-0316 | 17.750 | 19.750 | 0.750 |
| 59 | 24700-0317 | 17.750 | 20.089 | 1.000 |
| 59 | 24700-0318 | 17.818 | 19.750 | 0.750 |
| 59 | 24700-0319 | 17.818 | 20.500 | 1.000 |
| 59 | 24700-0320 | 17.875 | 19.500 | 0.625 |
| 59 | 24700-0321 | 17.875 | 19.875 | 0.750 |
| 59 | 24700-0322 | 18.000 | 19.500 | 0.688 |
| 59 | 24700-0323 | 18.000 | 19.750 | 0.750 |
| 59 | 24700-0324 | 18.000 | 19.875 | 0.750 |
| 59 | 24700-0325 | 18.000 | 20.000 | 0.750 |
| 59 | 24700-0326 | 18.000 | 20.500 | 1.250 |
| 59 | 24700-0327 | 18.000 | 21.000 | 0.688 |
| 59 | 24700-0328 | 18.120 | 20.500 | 1.000 |
| 59 | 24700-0329 | 18.125 | 20.500 | 1.000 |
| 59 | 24700-0330 | 18.250 | 19.750 | 0.750 |
| 59 | 24700-0331 | 18.250 | 19.867 | 1.000 |
| 59 | 24700-0332 | 18.250 | 19.875 | 1.000 |
| 59 | 24700-0333 | 18.375 | 19.875 | 0.688 |
| 59 | 24700-0334 | 18.375 | 19.938 | 0.625 |
| 59 | 24700-0335 | 18.375 | 20.000 | 0.750 |
| 59 | 24700-0336 | 18.375 | 20.375 | 0.875 |
| 59 | 24700-0337 | 18.375 | 20.500 | 0.875 |
| 59 | 24700-0338 | 18.500 | 20.000 | 0.750 |
| 59 | 24700-0339 | 18.500 | 20.250 | 0.750 |
| 59 | 24700-0340 | 18.750 | 20.250 | 0.750 |
| 59 | 24700-0341 | 18.750 | 20.500 | 0.750 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 59 | 24700-0343 | 18.750 | 20.750 | 0.750 |
| 59 | 24700-0344 | 18.897 | 20.464 | 0.787 |
| 59 | 24700-0345 | 19.000 | 20.500 | 0.750 |
| 59 | 24700-0346 | 19.000 | 21.000 | 0.875 |
| 59 | 24700-0347 | 19.000 | 21.500 | 0.750 |
| 59 | 24700-0348 | 19.250 | 20.750 | 0.750 |
| 59 | 24700-0349 | 19.250 | 21.000 | 0.750 |
| 59 | 24700-0350 | 19.250 | 21.250 | 0.750 |
| 59 | 24700-0352 | 19.375 | 21.000 | 0.813 |
| 59 | 24700-0354 | 19.500 | 21.000 | 0.750 |
| 59 | 24700-0355 | 19.500 | 21.500 | 0.750 |
| 59 | 24700-0356 | 19.500 | 21.688 | 0.750 |
| 59 | 24700-0357 | 19.750 | 21.750 | 0.875 |
| 59 | 24700-0358 | 19.750 | 22.250 | 0.875 |
| 59 | 24700-0359 | 19.875 | 22.000 | 0.875 |
| 59 | 24700-0360 | 19.938 | 21.500 | 0.750 |
| 59 | 24700-0362 | 20.000 | 21.500 | 0.625 |
| 59 | 24700-0363 | 20.000 | 21.750 | 0.750 |
| 59 | 24700-0364 | 20.000 | 22.125 | 1.000 |
| 59 | 24700-0365 | 20.000 | 22.500 | 0.875 |
| 59 | 24700-0366 | 20.250 | 21.750 | 0.750 |
| 59 | 24700-0367 | 20.250 | 22.250 | 0.875 |
| 59 | 24700-0368 | 20.250 | 22.375 | 1.000 |
| **59** | **24700-0369** | **20.250** | **22.500** | **0.875** |
| 59 | 24700-0370 | 20.438 | 22.500 | 0.750 |
| 59 | 24700-0371 | 20.500 | 22.000 | 0.750 |
| 59 | 24700-0372 | 20.500 | 22.500 | 0.625 |
| 59 | 24700-0373 | 20.750 | 22.750 | 0.750 |
| 59 | 24700-0374 | 20.750 | 23.000 | 0.875 |
| 59 | 24700-0375 | 20.866 | 22.836 | 0.787 |
| 59 | 24700-0377 | 20.875 | 22.875 | 0.750 |
| 59 | 24700-0380 | 21.000 | 22.500 | 0.750 |
| 59 | 24700-0381 | 21.000 | 22.750 | 0.750 |
| **59** | **24700-0382** | **21.000** | **23.000** | **0.625** |
| 59 | 24700-0384 | 21.000 | 23.250 | 0.875 |
| 59 | 24700-0385 | 21.000 | 23.500 | 0.875 |
| 59 | 24700-0386 | 21.250 | 23.000 | 0.750 |
| 59 | 24700-0387 | 21.250 | 23.250 | 0.625 |
| 59 | 24700-0390 | 21.500 | 23.250 | 0.750 |
| 59 | 24700-0391 | 21.500 | 23.500 | 0.750 |
| 59 | 24700-0392 | 21.500 | 24.000 | 0.875 |
| 59 | 24700-0394 | 21.625 | 23.375 | 0.750 |
| 59 | 24700-0395 | 21.625 | 23.625 | 0.875 |
| 59 | 24700-0397 | 21.750 | 23.750 | 0.750 |
| 59 | 24700-0398 | 21.750 | 24.000 | 0.875 |
| 59 | 24700-0399 | 21.750 | 24.250 | 0.875 |
| 59 | 24700-0400 | 21.750 | 24.750 | 1.000 |
| 59 | 24700-0401 | 22.000 | 24.000 | 0.750 |
| 59 | 24700-0402 | 22.000 | 24.250 | 1.000 |
| 59 | 24700-0403 | 22.000 | 24.500 | 0.875 |
| **59** | **24700-0404** | **22.250** | **24.250** | **0.875** |
| 59 | 24700-0405 | 22.375 | 24.250 | 0.750 |
| 59 | 24700-0406 | 22.375 | 24.368 | 0.875 |
| 59 | 24700-0407 | 22.375 | 24.375 | 0.875 |
| 59 | 24700-0408 | 22.438 | 24.250 | 0.750 |
| 59 | 24700-0409 | 22.438 | 24.438 | 0.875 |
| 59 | 24700-0411 | 22.500 | 24.250 | 0.750 |
| 59 | 24700-0412 | 22.500 | 24.495 | 0.875 |
| 59 | 24700-0413 | 22.500 | 24.500 | 0.750 |
| 59 | 24700-0414 | 22.500 | 24.750 | 0.875 |
| 59 | 24700-0415 | 22.750 | 24.500 | 0.750 |
| 59 | 24700-0416 | 22.750 | 24.750 | 0.875 |
| 59 | 24700-0417 | 22.750 | 25.000 | 0.875 |
| 59 | 24700-0418 | 23.000 | 24.500 | 0.750 |
| 59 | 24700-0419 | 23.000 | 24.750 | 0.750 |
| 59 | 24700-0420 | 23.000 | 25.000 | 0.875 |
| 59 | 24700-0421 | 23.000 | 25.375 | 0.875 |
| 59 | 24700-0422 | 23.000 | 25.500 | 0.875 |
| 59 | 24700-0423 | 23.250 | 25.000 | 0.750 |
| 59 | 24700-0424 | 23.250 | 25.250 | 0.750 |
| 59 | 24700-0425 | 23.375 | 25.375 | 1.000 |
| 59 | 24700-0426 | 23.500 | 25.250 | 0.750 |
| 59 | 24700-0427 | 23.500 | 25.500 | 0.875 |
| 59 | 24700-0428 | 23.562 | 25.250 | 0.750 |
| 59 | 24700-0429 | 23.563 | 25.375 | 0.750 |
| 59 | 24700-0430 | 23.625 | 25.750 | 0.875 |
| 59 | 24700-0431 | 23.625 | 26.000 | 0.875 |
| 59 | 24700-0432 | 23.750 | 26.750 | 1.500 |
| 59 | 24700-0433 | 23.875 | 26.000 | 0.875 |
| 59 | 24700-0434 | 24.000 | 25.500 | 0.750 |
| 59 | 24700-0435 | 24.000 | 26.000 | 0.750 |
| 59 | 24700-0436 | 24.000 | 26.250 | 1.000 |
| 59 | 24700-0437 | 24.000 | 26.500 | 1.000 |
| 59 | 24700-0438 | 24.250 | 26.250 | 0.875 |
| 59 | 24700-0439 | 24.375 | 26.375 | 0.750 |
| 59 | 24700-0440 | 24.438 | 26.000 | 0.750 |
| 59 | 24700-0441 | 24.438 | 26.438 | 0.750 |
| 59 | 24700-0442 | 24.500 | 26.500 | 0.875 |
| 59 | 24700-0443 | 25.000 | 26.500 | 0.750 |
| 59 | 24700-0444 | 25.000 | 27.000 | 0.875 |
| 59 | 24700-0445 | 25.000 | 27.375 | 0.875 |
| 59 | 24700-0446 | 25.000 | 27.500 | 0.875 |
| 59 | 24700-0447 | 25.125 | 26.750 | 0.750 |
| 59 | 24700-0448 | 25.188 | 26.875 | 0.750 |
| 59 | 24700-0450 | 25.250 | 27.250 | 0.875 |
| 59 | 24700-0451 | 25.250 | 28.000 | 0.875 |
| 59 | 24700-0452 | 25.375 | 28.500 | 1.500 |
| 59 | 24700-0453 | 25.500 | 27.000 | 0.750 |
| 59 | 24700-0454 | 25.500 | 27.500 | 0.750 |
| 59 | 24700-0455 | 25.625 | 27.750 | 1.000 |
| 59 | 24700-0456 | 25.750 | 27.250 | 0.750 |
| 59 | 24700-0457 | 25.750 | 28.755 | 1.500 |
| 59 | 24700-0458 | 25.875 | 28.000 | 0.875 |
| 59 | 24700-0459 | 25.988 | 27.625 | 0.750 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 59 | 24700-0460 | 26.000 | 27.625 | 0.750 |
| 59 | 24700-0461 | 26.000 | 28.000 | 0.750 |
| 59 | 24700-0462 | 26.000 | 28.500 | 0.875 |
| 59 | 24700-0463 | 26.125 | 28.125 | 0.813 |
| 59 | 24700-0464 | 26.375 | 28.188 | 0.750 |
| 59 | 24700-0465 | 26.375 | 28.250 | 0.875 |
| 59 | 24700-0466 | 26.375 | 28.375 | 1.000 |
| 59 | 24700-0467 | 26.500 | 28.000 | 0.750 |
| 59 | 24700-0468 | 26.500 | 28.500 | 0.875 |
| 59 | 24700-0469 | 26.500 | 29.500 | 1.500 |
| 59 | 24700-0470 | 27.000 | 29.000 | 0.750 |
| 59 | 24700-0471 | 27.000 | 29.500 | 1.000 |
| 59 | 24700-0472 | 27.000 | 30.000 | 0.875 |
| 59 | 24700-0473 | 27.250 | 29.250 | 0.813 |
| 59 | 24700-0474 | 27.500 | 29.000 | 0.750 |
| 59 | 24700-0475 | 27.500 | 29.500 | 0.875 |
| 59 | 24700-0476 | 27.625 | 29.125 | 0.750 |
| 59 | 24700-0477 | 27.625 | 29.625 | 0.750 |
| 59 | 24700-0478 | 27.875 | 29.812 | 0.875 |
| 59 | 24700-0479 | 27.875 | 29.815 | 0.875 |
| 59 | 24700-0480 | 28.000 | 29.500 | 0.750 |
| 59 | 24700-0481 | 28.000 | 29.625 | 0.750 |
| 59 | 24700-0482 | 28.000 | 29.813 | 0.750 |
| 59 | 24700-0483 | 28.000 | 30.000 | 0.875 |
| 59 | 24700-0484 | 28.000 | 30.250 | 1.250 |
| 59 | 24700-0485 | 28.000 | 30.500 | 0.875 |
| 59 | 24700-0486 | 28.000 | 30.535 | 0.875 |
| 59 | 24700-0487 | 28.000 | 31.000 | 0.875 |
| 59 | 24700-0488 | 28.000 | 32.000 | 0.875 |
| 59 | 24700-0490 | 28.500 | 30.500 | 0.625 |
| 59 | 24700-0491 | 28.500 | 31.000 | 0.875 |
| 59 | 24700-0492 | 28.750 | 30.750 | 0.875 |
| 59 | 24700-0493 | 29.000 | 30.500 | 0.750 |
| **59** | **24700-0494** | **29.000** | **31.000** | **0.875** |
| 59 | 24700-0495 | 29.000 | 32.000 | 0.875 |
| 59 | 24700-0496 | 29.125 | 32.000 | 1.500 |
| 59 | 24700-0498 | 29.500 | 31.500 | 0.750 |
| 59 | 24700-0499 | 29.500 | 32.000 | 0.875 |
| 59 | 24700-0500 | 29.500 | 32.250 | 1.000 |
| 59 | 24700-0501 | 29.500 | 32.500 | 0.938 |
| 59 | 24700-0502 | 30.000 | 31.616 | 0.750 |
| 59 | 24700-0503 | 30.000 | 31.625 | 0.625 |
| 59 | 24700-0504 | 30.000 | 32.000 | 0.750 |
| 59 | 24700-0505 | 30.000 | 32.250 | 1.156 |
| 59 | 24700-0506 | 30.000 | 32.500 | 0.875 |
| 59 | 24700-0507 | 30.250 | 32.500 | 0.875 |
| 59 | 24700-0508 | 30.500 | 32.500 | 0.750 |
| 59 | 24700-0509 | 30.500 | 33.000 | 0.750 |
| 59 | 24700-0510 | 30.500 | 33.500 | 0.875 |
| 59 | 24700-0511 | 31.000 | 32.500 | 1.000 |
| 59 | 24700-0512 | 31.000 | 33.000 | 0.875 |
| 59 | 24700-0513 | 31.000 | 34.000 | 0.875 |

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| **59** | **24700-0514** | **31.250** | **33.250** | **0.750** |
| 59 | 24700-0515 | 31.750 | 33.750 | 0.875 |
| 59 | 24700-0516 | 32.000 | 34.000 | 0.875 |
| 59 | 24700-0517 | 32.000 | 34.500 | 0.875 |
| 59 | 24700-0518 | 32.125 | 34.125 | 0.875 |
| 59 | 24700-0519 | 32.312 | 34.500 | 0.875 |
| **59** | **24700-0520** | **32.500** | **34.500** | **0.875** |
| 59 | 24700-0521 | 31.750 | 35.750 | 1.500 |
| 59 | 24700-0522 | 33.000 | 34.500 | 0.750 |
| 59 | 24700-0523 | 33.000 | 34.609 | 0.750 |
| 59 | 24700-0524 | 33.000 | 34.613 | 0.750 |
| 59 | 24700-0525 | 33.000 | 34.625 | 0.750 |
| 59 | 24700-0526 | 33.000 | 34.630 | 0.750 |
| 59 | 24700-0527 | 33.000 | 34.688 | 0.750 |
| **59** | **24700-0528** | **33.000** | **35.000** | **0.750** |
| 59 | 24700-0529 | 33.000 | 35.250 | 0.875 |
| 59 | 24700-0530 | 33.000 | 35.500 | 0.750 |
| 59 | 24700-0531 | 33.500 | 35.500 | 0.875 |
| 59 | 24700-0532 | 33.500 | 36.000 | 0.875 |
| 59 | 24700-0533 | 33.500 | 36.002 | 0.938 |
| 59 | 24700-0534 | 33.500 | 36.250 | 0.875 |
| 59 | 24700-0535 | 33.625 | 35.625 | 0.875 |
| 59 | 24700-0536 | 34.000 | 36.000 | 0.875 |
| 59 | 24700-0537 | 34.000 | 36.250 | 1.250 |
| 59 | 24700-0538 | 34.000 | 36.500 | 0.875 |
| 59 | 24700-0539 | 34.000 | 37.000 | 1.000 |
| 59 | 24700-0540 | 34.250 | 36.250 | 0.875 |
| 59 | 24700-0541 | 34.250 | 36.750 | 0.875 |
| 59 | 24700-0542 | 34.500 | 36.000 | 0.750 |
| 59 | 24700-0543 | 34.750 | 36.625 | 0.750 |
| 59 | 24700-0544 | 34.750 | 36.750 | 0.875 |
| 59 | 24700-0545 | 35.000 | 37.000 | 0.813 |
| 59 | 24700-0546 | 35.000 | 37.500 | 0.875 |
| 59 | 24700-0547 | 35.250 | 38.250 | 0.750 |
| 59 | 24700-0548 | 35.375 | 37.375 | 1.000 |
| 59 | 24700-0549 | 35.500 | 37.500 | 0.875 |
| 59 | 24700-0550 | 36.000 | 37.998 | 0.875 |
| 59 | 24700-0551 | 36.000 | 38.000 | 0.875 |
| 59 | 24700-0552 | 36.000 | 38.500 | 0.875 |
| 59 | 24700-0553 | 36.000 | 39.500 | 1.500 |
| 59 | 24700-0554 | 36.500 | 38.500 | 0.875 |
| 59 | 24700-0557 | 36.750 | 38.750 | 1.000 |
| 59 | 24700-0558 | 36.750 | 39.250 | 0.875 |
| 59 | 24700-0559 | 37.000 | 39.000 | 0.875 |
| 59 | 24700-0560 | 37.250 | 39.250 | 0.875 |
| 59 | 24700-0561 | 37.438 | 39.500 | 0.875 |
| 59 | 24700-0562 | 37.500 | 39.000 | 0.875 |
| 59 | 24700-0563 | 37.500 | 39.500 | 0.750 |
| 59 | 24700-0564 | 37.500 | 40.250 | 1.000 |
| 59 | 24700-0565 | 37.795 | 40.945 | 0.906 |
| 59 | 24700-0568 | 38.000 | 40.000 | 0.875 |
| 59 | 24700-0569 | 38.250 | 40.250 | 0.875 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 59 | 24700-0570 | 38.250 | 40.750 | 0.750 |
| 59 | 24700-0571 | 38.258 | 40.750 | 0.875 |
| 59 | 24700-0577 | 38.500 | 41.000 | 1.000 |
| 59 | 24700-0578 | 38.750 | 40.750 | 0.875 |
| 59 | 24700-0579 | 39.000 | 41.000 | 0.750 |
| 59 | 24700-0580 | 39.000 | 41.500 | 0.875 |
| 59 | 24700-0581 | 39.750 | 42.250 | 0.875 |
| 59 | 24700-0582 | 39.979 | 41.500 | 1.000 |
| 59 | 24700-0583 | 40.000 | 42.000 | 0.875 |
| 59 | 24700-0584 | 40.500 | 42.500 | 0.875 |
| 59 | 24700-0585 | 40.500 | 43.000 | 0.875 |
| 59 | 24700-0586 | 41.500 | 43.500 | 0.875 |
| 59 | 24700-0587 | 41.812 | 45.000 | 1.000 |
| 59 | 24700-0588 | 41.938 | 43.750 | 0.875 |
| 59 | 24700-0589 | 42.250 | 44.250 | 1.000 |
| 59 | 24700-0590 | 43.000 | 45.000 | 0.875 |
| 59 | 24700-0591 | 43.500 | 45.500 | 0.750 |
| 59 | 24700-0592 | 43.750 | 45.750 | 0.875 |
| 59 | 24700-0593 | 44.000 | 46.000 | 0.875 |
| 59 | 24700-0594 | 44.000 | 46.500 | 0.875 |
| 59 | 24700-0595 | 44.000 | 47.000 | 1.250 |
| 59 | 24700-0596 | 44.500 | 46.000 | 0.875 |
| 59 | 24700-0597 | 45.000 | 46.750 | 0.875 |
| 59 | 24700-0598 | 45.000 | 47.000 | 0.875 |
| 59 | 24700-0599 | 45.750 | 47.768 | 0.875 |
| 59 | 24700-0600 | 46.000 | 48.000 | 0.875 |
| 59 | 24700-0601 | 46.500 | 48.500 | 0.875 |
| 59 | 24700-0602 | 47.000 | 49.000 | 0.875 |
| 59 | 24700-0603 | 47.750 | 50.500 | 1.125 |
| 59 | 24700-0604 | 48.250 | 50.250 | 0.875 |
| 59 | 24700-0605 | 49.000 | 50.750 | 1.000 |
| 59 | 24700-0606 | 49.500 | 52.250 | 1.000 |
| 59 | 24700-0607 | 50.000 | 52.000 | 0.875 |
| 59 | 24700-0608 | 52.500 | 55.000 | 0.875 |
| 59 | 24700-0610 | 53.000 | 54.875 | 0.813 |
| 59 | 24700-0611 | 54.000 | 56.000 | 1.000 |
| 59 | 24700-0612 | 54.750 | 56.375 | 0.875 |
| 59 | 24700-0613 | 55.500 | 57.500 | 0.750 |
| 59 | 24700-0614 | 57.875 | 60.000 | 0.938 |
| 59 | 24700-0615 | 59.000 | 61.000 | 0.875 |
| 59 | 24700-0616 | 61.250 | 63.250 | 1.000 |
| 59 | 24700-0617 | 62.500 | 64.000 | 0.875 |
| 59 | 24700-0618 | 62.500 | 64.500 | 0.875 |
| 59 | 24700-0782 | 17.000 | 19.000 | 1.000 |
| 59 | 24700-0820 | 28.000 | 30.500 | 1.000 |
| 59 | 24700-0821 | 25.000 | 27.500 | 1.000 |
| 59 | 24700-0824 | 21.438 | 23.188 | 0.750 |
| 59 | 24700-0844 | 6.750 | 8.250 | 0.562 |
| 59 | 24700-0982 | 11.024 | 12.205 | 0.630 |
| 59 | 24700-0986 | 23.375 | 25.375 | 0.812 |
| 59 | 24700-0992 | 14.173 | 15.354 | 0.709 |
| 59 | 24700-0999 | 12.204 | 13.780 | 0.787 |

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 59 | 24700-1000 | 12.992 | 15.354 | 0.984 |
| 59 | 24700-1006 | 30.000 | 32.000 | 0.875 |
| 59 | 24700-1013 | 20.000 | 21.500 | 0.750 |
| **59** | **24700-1020** | **16.250** | **17.750** | **0.687** |
| 59 | 24700-1024 | 6.000 | 7.500 | 0.625 |
| 59 | 24700-1043 | 33.858 | 35.433 | 0.787 |
| 59 | 24700-1044 | 25.590 | 27.165 | 0.787 |
| 59 | 24700-1050 | 12.500 | 14.500 | 0.906 |
| 59 | 24700-1068 | 8.250 | 10.250 | 0.750 |
| 59 | 24700-1070 | 24.803 | 26.750 | 0.875 |
| 59 | 24700-1134 | 5.512 | 6.693 | 0.630 |
| 59 | 24700-1135 | 22.000 | 24.000 | 0.875 |
| 59 | 24700-1246 | 19.685 | 21.654 | 0.866 |
| 59 | 24700-1247 | 18.898 | 20.866 | 0.787 |
| 59 | 24700-1331 | 16.531 | 18.504 | 0.866 |
| 59 | 24700-1332 | 15.748 | 17.480 | 0.787 |
| 59 | 24700-1343 | 9.375 | 11.000 | 0.625 |
| 59 | 24700-1741 | 8.625 | 10.500 | 0.750 |
| 59 | 24700-1867 | 17.000 | 19.000 | 0.812 |
| 59 | 24700-1868 | 12.250 | 14.250 | 0.812 |
| 59 | 24700-1869 | 12.250 | 14.000 | 0.875 |
| 59 | 24700-1875 | 11.625 | 13.000 | 0.750 |
| 59 | 24700-1892 | 14.173 | 15.748 | 0.787 |
| 59 | 24700-1895 | 7.750 | 8.750 | 0.625 |
| 59 | 24700-1902 | 13.780 | 16.142 | 0.787 |
| 59 | 24700-1904 | 11.250 | 12.750 | 0.750 |
| 59 | 24700-1931 | 22.750 | 25.500 | 0.875 |
| 59 | 24700-1933 | 30.709 | 33.228 | 0.984 |
| **59** | **24700-1959** | **43.500** | **45.500** | **0.875** |
| 59 | 24700-1966 | 12.598 | 14.173 | 0.709 |
| 59 | 24700-1971 | 27.000 | 29.000 | 1.000 |
| 59 | 24700-1977 | 20.000 | 22.000 | 0.750 |
| 59 | 24700-1989 | 19.938 | 21.688 | 0.750 |
| 59 | 24700-1990 | 20.500 | 22.500 | 0.750 |
| 59 | 24700-1991 | 21.000 | 23.000 | 0.750 |
| 59 | 24700-1992 | 21.250 | 23.250 | 0.750 |
| 59 | 24700-1993 | 21.500 | 22.688 | 0.750 |
| 59 | 24700-1994 | 21.750 | 23.250 | 0.750 |
| 59 | 24700-1995 | 22.500 | 23.688 | 0.750 |
| 59 | 24700-1996 | 28.125 | 29.250 | 0.750 |
| 59 | 24700-1997 | 28.500 | 30.500 | 0.750 |
| 59 | 24700-1998 | 29.134 | 30.709 | 0.750 |
| 59 | 24700-1999 | 30.000 | 31.625 | 0.750 |
| 59 | 24700-2000 | 36.500 | 39.000 | 0.750 |
| 59 | 24700-2018 | 13.625 | 14.875 | 0.687 |
| 59 | 24700-2022 | 15.938 | 18.000 | 0.750 |
| 59 | 24700-2043 | 7.480 | 8.661 | 0.591 |
| 59 | 24700-2044 | 9.469 | 10.625 | 0.625 |
| **59** | **24700-2049** | **15.354** | **17.717** | **0.984** |
| 59 | 24700-2126 | 20.000 | 21.500 | 0.875 |
| 59 | 24700-2183 | 7.677 | 9.055 | 0.591 |
| 59 | 24700-2189 | 9.725 | 11.750 | 0.625 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 59 | 24700-2229 | 20.000 | 21.500 | 0.687 |
| 59 | 24700-2493 | 15.875 | 17.500 | 0.750 |
| 59 | 24700-2521 | 41.625 | 44.000 | 0.875 |
| 59 | 24700-2543 | 28.740 | 31.260 | 0.984 |
| 59 | 24700-2565 | 16.500 | 18.500 | 0.812 |
| 59 | 24700-2569 | 11.500 | 13.000 | 0.687 |
| 59 | 24700-2620 | 10.688 | 12.500 | 0.625 |
| 59 | 24700-2654 | 19.625 | 21.625 | 0.812 |
| 59 | 24700-2691 | 18.000 | 19.500 | 0.750 |
| 59 | 24700-2703 | 4.331 | 5.512 | 0.551 |
| 59 | 24700-2724 | 21.654 | 23.622 | 0.866 |
| 59 | 24700-2726 | 15.748 | 17.716 | 0.748 |
| 59 | 24700-2873 | 39.370 | 41.339 | 0.906 |
| 59 | 24700-2906 | 11.500 | 13.000 | 0.750 |
| 59 | 24700-2914 | 9.750 | 10.750 | 0.625 |
| 59 | 24700-2936 | 12.500 | 14.000 | 0.687 |
| 59 | 24700-2980 | 12.000 | 14.000 | 0.937 |
| 59 | 24700-2981 | 20.000 | 22.000 | 1.000 |
| 59 | 24700-2991 | 37.795 | 40.157 | 0.875 |
| 59 | 24700-2992 | 7.625 | 8.750 | 0.625 |
| 59 | 24700-3003 | 14.125 | 15.625 | 0.750 |
| 59 | 24700-3042 | 16.250 | 18.500 | 0.812 |
| 59 | 24700-3080 | 39.370 | 41.338 | 0.875 |
| **59** | **24700-3091** | **13.780** | **15.748** | **0.984** |
| 59 | 24700-3100 | 11.417 | 13.780 | 0.984 |
| 59 | 24700-3132 | 29.921 | 31.890 | 0.984 |
| 59 | 24700-3133 | 19.291 | 20.866 | 0.787 |
| 59 | 24700-3134 | 23.228 | 24.803 | 0.787 |
| 59 | 24700-3140 | 9.875 | 11.875 | 0.969 |
| 59 | 24700-3150 | 9.000 | 10.500 | 0.687 |
| 59 | 24700-3171 | 42.500 | 45.000 | 0.750 |
| 59 | 24700-3172 | 48.000 | 50.000 | 1.000 |
| 59 | 24700-3212 | 13.780 | 14.961 | 0.630 |
| 59 | 24700-3220 | 19.938 | 21.688 | 0.625 |
| 59 | 24700-3250 | 32.750 | 34.500 | 0.875 |
| 59 | 24700-3256 | 22.000 | 23.750 | 0.875 |
| 59 | 24700-3279 | 26.500 | 28.000 | 0.875 |
| 59 | 24700-3281 | 5.750 | 7.000 | 0.500 |
| 59 | 24700-3352 | 6.102 | 7.087 | 0.591 |
| 59 | 24700-3355 | 6.000 | 7.000 | 0.500 |
| 59 | 24700-3367 | 6.000 | 7.500 | 0.500 |
| 59 | 24700-3369 | 22.375 | 25.250 | 0.875 |
| 59 | 24700-3424 | 6.437 | 7.687 | 0.625 |
| 59 | 24700-3426 | 6.500 | 7.500 | 0.625 |
| 59 | 24700-3427 | 10.500 | 11.500 | 0.625 |
| 59 | 24700-3428 | 23.750 | 25.250 | 0.875 |
| 59 | 24700-3454 | 12.366 | 14.500 | 0.750 |
| 59 | 24700-3461 | 22.047 | 24.016 | 0.787 |
| 59 | 24700-3464 | 6.750 | 8.250 | 0.625 |
| 59 | 24700-3470 | 44.000 | 47.000 | 0.875 |
| 59 | 24700-3489 | 27.165 | 28.740 | 0.787 |
| 59 | 24700-3490 | 13.779 | 15.748 | 0.669 |
| 59 | 24700-3492 | 7.000 | 8.000 | 0.625 |
| 59 | 24700-3500 | 7.000 | 8.500 | 0.625 |
| 59 | 24700-3512 | 7.125 | 8.500 | 0.625 |
| 59 | 24700-3527 | 7.250 | 8.750 | 0.750 |
| 59 | 24700-3535 | 20.866 | 23.228 | 0.984 |
| 59 | 24700-3539 | 20.000 | 21.250 | 0.625 |
| 59 | 24700-3544 | 7.500 | 8.500 | 0.625 |
| 59 | 24700-3548 | 7.500 | 8.750 | 0.625 |
| 59 | 24700-3552 | 7.500 | 9.000 | 0.625 |
| 59 | 24700-3573 | 70.000 | 72.000 | 0.875 |
| 59 | 24700-3578 | 7.750 | 9.250 | 0.625 |
| 59 | 24700-3588 | 7.875 | 9.375 | 0.625 |
| 59 | 24700-3596 | 8.000 | 9.250 | 0.625 |
| 59 | 24700-3606 | 8.250 | 9.500 | 0.625 |
| 59 | 24700-3613 | 11.250 | 13.250 | 0.812 |
| 59 | 24700-3631 | 8.375 | 9.750 | 0.750 |
| 59 | 24700-3640 | 9.500 | 10.750 | 0.625 |
| 59 | 24700-3644 | 9.500 | 11.250 | 0.625 |
| 59 | 24700-3660 | 10.000 | 11.000 | 0.562 |
| 59 | 24700-3665 | 10.500 | 11.750 | 0.625 |
| 59 | 24700-3667 | 20.866 | 22.835 | 0.866 |
| 59 | 24700-3682 | 10.750 | 11.750 | 0.562 |
| 59 | 24700-3685 | 10.750 | 12.250 | 0.562 |
| 59 | 24700-3691 | 11.000 | 12.000 | 0.625 |
| 59 | 24700-3693 | 11.000 | 12.500 | 0.625 |
| 59 | 24700-3695 | 11.024 | 12.598 | 0.787 |
| 59 | 24700-3699 | 37.500 | 39.500 | 0.875 |
| 59 | 24700-3710 | 12.000 | 14.250 | 1.000 |
| 59 | 24700-3718 | 12.875 | 14.750 | 1.000 |
| 59 | 24700-3726 | 14.000 | 16.250 | 1.000 |
| 59 | 24700-3740 | 16.929 | 18.898 | 0.866 |
| 59 | 24700-3741 | 17.000 | 18.750 | 0.750 |
| 59 | 24700-3768 | 8.000 | 9.500 | 0.687 |
| 59 | 24700-3769 | 22.441 | 24.016 | 0.787 |
| 59 | 24700-3773 | 20.750 | 22.750 | 0.875 |
| 59 | 24700-3793 | 17.000 | 18.250 | 0.625 |
| 59 | 24700-3816 | 8.125 | 10.135 | 0.750 |
| 59 | 24700-3817 | 8.250 | 9.250 | 0.625 |
| 59 | 24700-3819 | 8.250 | 10.000 | 0.750 |
| 59 | 24700-3832 | 8.875 | 10.125 | 0.625 |
| 59 | 24700-3837 | 29.921 | 32.008 | 0.866 |
| 59 | 24700-3853 | 12.000 | 14.000 | 0.625 |
| 59 | 24700-3866 | 14.500 | 16.250 | 0.625 |
| 59 | 24700-3868 | 16.500 | 17.750 | 0.750 |
| 59 | 24700-3876 | 30.500 | 32.500 | 0.875 |
| 59 | 24700-3880 | 14.567 | 16.299 | 0.787 |
| 59 | 24700-3882 | 13.386 | 14.961 | 0.709 |
| 59 | 24700-3903 | 64.000 | 65.375 | 0.875 |
| 59 | 24700-3919 | 6.693 | 7.874 | 0.630 |
| 59 | 24700-3935 | 8.500 | 9.500 | 0.625 |
| 59 | 24700-3943 | 17.716 | 19.291 | 0.787 |
| 59 | 24700-3945 | 26.378 | 27.953 | 0.787 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 59 | 24700-3949 | 42.520 | 45.039 | 0.984 |
| 59 | 24700-3950 | 15.354 | 17.323 | 0.787 |
| 59 | 24700-3951 | 8.750 | 10.750 | 0.750 |
| 59 | 24700-3955 | 9.055 | 10.236 | 0.591 |
| 59 | 24700-3961 | 63.780 | 65.551 | 0.787 |
| 59 | 24700-3992 | 10.000 | 11.500 | 0.687 |
| 59 | 24700-4002 | 16.339 | 18.307 | 0.787 |
| 59 | 24700-4003 | 10.125 | 12.000 | 0.750 |
| 59 | 24700-4006 | 10.500 | 12.500 | 0.625 |
| 59 | 24700-4008 | 10.250 | 12.250 | 0.625 |
| 59 | 24700-4009 | 11.811 | 13.071 | 0.630 |
| 59 | 24700-4019 | 22.047 | 24.016 | 0.866 |
| 59 | 24700-4028 | 11.024 | 12.598 | 0.709 |
| 59 | 24700-4029 | 12.402 | 13.976 | 0.709 |
| 59 | 24700-4035 | 9.055 | 10.629 | 0.551 |
| 59 | 24700-4038 | 6.299 | 7.874 | 0.551 |
| 59 | 24700-4041 | 12.250 | 13.750 | 0.625 |
| 59 | 24700-4047 | 19.685 | 21.260 | 0.787 |
| 59 | 24700-4049 | 10.250 | 11.250 | 0.500 |
| 59 | 24700-4051 | 11.375 | 13.000 | 0.750 |
| 59 | 24700-4056 | 11.811 | 13.543 | 0.787 |
| 59 | 24700-4058 | 12.795 | 14.370 | 0.630 |
| 59 | 24700-4066 | 22.047 | 23.780 | 0.787 |
| 59 | 24700-4072 | 12.000 | 14.000 | 0.812 |
| 59 | 24700-4082 | 12.500 | 14.500 | 0.750 |
| 59 | 24700-4086 | 12.625 | 14.125 | 0.750 |
| 59 | 24700-4093 | 13.000 | 14.500 | 0.687 |
| 59 | 24700-4095 | 13.000 | 14.625 | 0.750 |
| 59 | 24700-4097 | 26.375 | 28.188 | 0.875 |
| 59 | 24700-4098 | 13.000 | 15.000 | 0.750 |
| 59 | 24700-4100 | 38.976 | 40.945 | 0.866 |
| 59 | 24700-4127 | 13.500 | 15.500 | 0.750 |
| 59 | 24700-4137 | 41.432 | 43.307 | 0.787 |
| 59 | 24700-4142 | 14.500 | 16.000 | 0.688 |
| 59 | 24700-4147 | 14.750 | 16.250 | 0.688 |
| 59 | 24700-4155 | 15.000 | 17.000 | 0.750 |
| 59 | 24700-4162 | 15.500 | 17.000 | 0.750 |
| **59** | **24700-4180** | **16.000** | **18.000** | **0.812** |
| 59 | 24700-4188 | 17.000 | 18.500 | 0.687 |
| 59 | 24700-4198 | 17.500 | 19.500 | 0.687 |
| 59 | 24700-4216 | 18.500 | 20.500 | 0.875 |
| 59 | 24700-4231 | 20.000 | 22.000 | 0.625 |
| 59 | 24700-4241 | 22.441 | 24.409 | 0.984 |
| 59 | 24700-4243 | 22.047 | 24.409 | 0.984 |
| 59 | 24700-4244 | 25.590 | 27.756 | 0.787 |
| 59 | 24700-4245 | 22.441 | 24.409 | 0.866 |
| 59 | 24700-4246 | 20.500 | 22.500 | 0.875 |
| 59 | 24700-4251 | 13.500 | 15.000 | 0.687 |
| 59 | 24700-4252 | 16.929 | 18.504 | 0.787 |
| 59 | 24700-4254 | 21.250 | 23.250 | 0.875 |
| 59 | 24700-4255 | 18.504 | 20.866 | 0.984 |
| 59 | 24700-4256 | 22.835 | 25.197 | 0.984 |

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 59 | 24700-4269 | 22.000 | 23.500 | 0.750 |
| 59 | 24700-4294 | 24.000 | 26.000 | 0.875 |
| 59 | 24700-4360 | 25.437 | 27.187 | 0.750 |
| 59 | 24700-4376 | 30.500 | 33.000 | 1.000 |
| 59 | 24700-4393 | 17.323 | 18.898 | 0.787 |
| 59 | 24700-4394 | 14.173 | 15.748 | 0.709 |
| 59 | 24700-4396 | 15.748 | 17.322 | 0.787 |
| 59 | 24700-4397 | 12.598 | 14.173 | 0.787 |
| 59 | 24700-4405 | 34.500 | 36.500 | 0.875 |
| 59 | 24700-4423 | 14.764 | 16.535 | 0.787 |
| 59 | 24700-4429 | 15.748 | 17.716 | 0.761 |
| 59 | 24700-4454 | 28.500 | 30.500 | 0.875 |
| 59 | 24700-4481 | 9.250 | 11.250 | 0.562 |
| 59 | 24700-4486 | 18.110 | 20.078 | 0.866 |
| 59 | 24700-4487 | 28.740 | 31.259 | 1.007 |
| 59 | 24700-4494 | 24.250 | 26.000 | 1.000 |
| 59 | 24700-4496 | 12.500 | 14.000 | 0.625 |
| 59 | 24700-4501 | 8.438 | 10.000 | 0.625 |
| 59 | 24700-4503 | 9.000 | 10.000 | 0.625 |
| 59 | 24700-4505 | 9.000 | 10.250 | 0.625 |
| 59 | 24700-4508 | 18.110 | 19.685 | 0.787 |
| 59 | 24700-4512 | 16.142 | 17.717 | 0.787 |
| 59 | 24700-4514 | 21.654 | 24.016 | 0.984 |
| 59 | 24700-4515 | 9.750 | 11.000 | 0.625 |
| 59 | 24700-4516 | 28.740 | 31.102 | 0.984 |
| 59 | 24700-4517 | 25.590 | 27.953 | 0.984 |
| 59 | 24700-4518 | 23.622 | 25.984 | 0.984 |
| 59 | 24700-4519 | 23.622 | 25.590 | 0.866 |
| 59 | 24700-4525 | 20.472 | 22.205 | 0.866 |
| 59 | 24700-4534 | 16.750 | 18.500 | 0.687 |
| 59 | 24700-4555 | 14.625 | 16.000 | 0.625 |
| 59 | 24700-4573 | 11.437 | 13.750 | 0.625 |
| 59 | 24700-4578 | 30.615 | 33.268 | 1.094 |
| 59 | 24700-4583 | 34.000 | 37.000 | 0.875 |
| 59 | 24700-4584 | 38.000 | 40.000 | 0.625 |
| 59 | 24700-4598 | 21.260 | 23.228 | 0.866 |
| 59 | 24700-4599 | 49.213 | 51.732 | 0.984 |
| 59 | 24700-4600 | 17.874 | 19.874 | 0.843 |
| 59 | 24700-4612 | 12.000 | 13.500 | 0.688 |
| 59 | 24700-4621 | 12.500 | 14.008 | 0.906 |
| 59 | 24700-4626 | 27.250 | 29.250 | 0.875 |
| 59 | 24700-4646 | 19.500 | 21.750 | 0.875 |
| 59 | 24700-4671 | 31.890 | 34.409 | 0.984 |
| 59 | 24700-4672 | 26.378 | 28.898 | 0.984 |
| 59 | 24700-4673 | 17.323 | 19.291 | 0.866 |
| 59 | 24700-4674 | 14.961 | 16.693 | 0.787 |
| 59 | 24700-4755 | 13.780 | 14.961 | 0.787 |
| 59 | 24700-4763 | 9.055 | 10.630 | 0.630 |
| 59 | 24700-4764 | 20.472 | 22.205 | 0.787 |
| 59 | 24700-4767 | 10.039 | 11.417 | 0.630 |
| 59 | 24700-4803 | 9.125 | 10.375 | 0.625 |
| 59 | 24700-4824 | 37.402 | 39.921 | 0.984 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 59 | 24700-4858 | 10.992 | 12.402 | 0.787 |
| 59 | 24700-4875 | 30.315 | 33.268 | 1.063 |
| 59 | 24700-4879 | 19.125 | 21.125 | 0.812 |
| 59 | 24700-4891 | 10.236 | 12.402 | 0.945 |
| 59 | 24700-4917 | 29.921 | 31.496 | 0.787 |
| 59 | 24700-4936 | 15.354 | 17.323 | 0.984 |
| 59 | 24700-4950 | 10.000 | 11.500 | 0.625 |
| 59 | 24700-4999 | 10.236 | 12.598 | 0.984 |
| **59** | **24700-5054** | **17.500** | **19.250** | **0.688** |
| 59 | 24700-5064 | 15.748 | 17.323 | 0.630 |
| 59 | 24700-5079 | 19.375 | 21.000 | 0.750 |
| 59 | 24700-5102 | 13.780 | 15.512 | 0.787 |
| 59 | 24700-5107 | 13.780 | 15.512 | 0.748 |
| 59 | 24700-5111 | 10.236 | 11.418 | 0.630 |
| 59 | 24700-5162 | 25.500 | 27.500 | 0.875 |
| 59 | 24700-5170 | 13.386 | 14.961 | 0.787 |
| 59 | 24700-5172 | 15.354 | 16.929 | 0.709 |
| 59 | 24700-5280 | 23.622 | 25.197 | 0.787 |
| 59 | 24700-5281 | 15.354 | 17.087 | 0.787 |
| 59 | 24700-5287 | 6.750 | 7.750 | 0.750 |
| 59 | 24700-5299 | 15.236 | 16.417 | 0.591 |
| 59 | 24700-5317 | 7.874 | 9.055 | 0.630 |
| 59 | 24700-5324 | 7.468 | 8.468 | 0.688 |
| 59 | 24700-5335 | 5.906 | 7.087 | 0.551 |
| 59 | 24700-5339 | 9.843 | 11.024 | 0.591 |
| 59 | 24700-5357 | 8.661 | 9.842 | 0.594 |
| 59 | 24700-5359 | 9.449 | 10.630 | 0.594 |
| 59 | 24700-5377 | 22.375 | 25.250 | 1.125 |
| 59 | 24700-5421 | 15.500 | 17.500 | 0.812 |
| 59 | 24700-5429 | 10.236 | 11.812 | 0.787 |
| 59 | 24700-5438 | 20.866 | 22.441 | 0.787 |
| 59 | 24700-5440 | 20.945 | 22.520 | 0.787 |
| 59 | 24700-5441 | 13.976 | 15.551 | 0.787 |
| 59 | 24700-5442 | 28.938 | 30.512 | 0.787 |
| 59 | 24700-5447 | 47.500 | 49.500 | 0.875 |
| 59 | 24700-5452 | 21.063 | 22.638 | 0.787 |
| 59 | 24700-5464 | 17.717 | 20.079 | 0.984 |
| 59 | 24700-5465 | 10.750 | 12.750 | 0.625 |
| 59 | 24700-5466 | 14.961 | 17.323 | 0.984 |
| 59 | 24700-5477 | 13.780 | 16.142 | 0.984 |
| 59 | 24700-5525 | 12.992 | 14.724 | 0.787 |
| 59 | 24700-5559 | 23.622 | 25.591 | 0.984 |
| 59 | 24700-5560 | 31.496 | 34.015 | 0.984 |
| 59 | 24700-5581 | 12.125 | 13.875 | 0.687 |
| 59 | 24700-5595 | 35.500 | 38.000 | 1.000 |
| 59 | 24700-5620 | 35.433 | 38.583 | 0.906 |
| 59 | 24700-5693 | 12.205 | 14.173 | 0.984 |
| 59 | 24700-5694 | 14.567 | 16.339 | 0.787 |
| 59 | 24700-5711 | 13.750 | 15.750 | 1.000 |
| 59 | 24700-5740 | 13.250 | 15.250 | 1.000 |
| 59 | 24700-5802 | 11.688 | 13.000 | 0.750 |
| 59 | 24700-5814 | 9.055 | 10.630 | 0.591 |
| 59 | 24700-5932 | 9.438 | 11.500 | 1.000 |
| 59 | 24700-5987 | 14.563 | 16.000 | 0.625 |
| 59 | 24700-6386 | 8.750 | 10.000 | 0.625 |
| 59 | 24700-6508 | 19.000 | 21.000 | 0.812 |
| 59 | 24700-6646 | 8.875 | 10.875 | 0.750 |
| 59 | 24700-6808 | 10.000 | 11.250 | 0.625 |
| 59 | 24700-7059 | 18.500 | 20.500 | 0.750 |
| 59 | 24700-7263 | 11.500 | 12.750 | 0.625 |
| 59 | 24700-7268 | 6.693 | 7.875 | 0.590 |
| 59 | 24700-7388 | 7.874 | 9.055 | 0.591 |
| 59 | 24700-7805 | 13.000 | 14.500 | 0.625 |
| 59 | 24700-7832 | 11.250 | 12.750 | 0.625 |
| 59 | 24700-8655 | 10.630 | 12.205 | 0.630 |
| 59 | 24700-9477 | 20.000 | 22.000 | 0.875 |
| 61 | 24060-0005 | 0.313 | 0.750 | 0.250 |
| 61 | 24060-0013 | 0.375 | 0.750 | 0.250 |
| 61 | 24060-0015 | 0.375 | 0.875 | 0.250 |
| 61 | 24060-0017 | 0.375 | 1.000 | 0.312 |
| 61 | 24060-0023 | 0.375 | 1.375 | 0.312 |
| 61 | 24060-0024 | 0.472 | 1.102 | 0.276 |
| 61 | 24060-0049 | 0.500 | 1.000 | 0.312 |
| 61 | 24060-0087 | 0.625 | 1.125 | 0.312 |
| 61 | 24060-0089 | 0.625 | 1.250 | 0.312 |
| 61 | 24060-0090 | 0.625 | 1.250 | 0.375 |
| 61 | 24060-0091 | 0.625 | 1.375 | 0.312 |
| 61 | 24060-0093 | 0.625 | 1.500 | 0.312 |
| 61 | 24060-0109 | 0.687 | 1.125 | 0.312 |
| 61 | 24060-0132 | 1.575 | 2.441 | 0.315 |
| 61 | 24060-0139 | 0.750 | 1.250 | 0.312 |
| 61 | 24060-0141 | 0.750 | 1.375 | 0.312 |
| 61 | 24060-0143 | 0.750 | 1.500 | 0.312 |
| 61 | 24060-0147 | 0.750 | 1.625 | 0.312 |
| 61 | 24060-0149 | 0.750 | 1.750 | 0.375 |
| 61 | 24060-0213 | 0.875 | 1.375 | 0.312 |
| 61 | 24060-0215 | 0.875 | 1.500 | 0.312 |
| 61 | 24060-0287 | 1.000 | 1.500 | 0.312 |
| 61 | 24060-0288 | 1.000 | 1.500 | 0.375 |
| 61 | 24060-0290 | 1.000 | 1.575 | 0.375 |
| 61 | 24060-0291 | 1.000 | 1.625 | 0.312 |
| 61 | 24060-0292 | 1.000 | 1.625 | 0.375 |
| 61 | 24060-0293 | 1.000 | 1.750 | 0.375 |
| 61 | 24060-0297 | 1.000 | 1.875 | 0.375 |
| 61 | 24060-0312 | 1.181 | 1.575 | 0.276 |
| 61 | 24060-0320 | 1.181 | 1.850 | 0.276 |
| 61 | 24060-0325 | 1.063 | 1.750 | 0.375 |
| 61 | 24060-0352 | 1.125 | 1.625 | 0.375 |
| 61 | 24060-0353 | 1.125 | 1.750 | 0.375 |
| 61 | 24060-0357 | 1.125 | 1.875 | 0.375 |
| 61 | 24060-0359 | 1.125 | 2.000 | 0.375 |
| 61 | 24060-0387 | 1.188 | 2.000 | 0.375 |
| 61 | 24060-0427 | 1.250 | 2.000 | 0.375 |
| 61 | 24060-0436 | 1.250 | 2.125 | 0.375 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 61 | 24060-0439 | 1.250 | 2.250 | 0.375 |
| 61 | 24060-0442 | 1.250 | 2.375 | 0.375 |
| 61 | 24060-0535 | 1.375 | 2.062 | 0.375 |
| 61 | 24060-0541 | 1.375 | 2.125 | 0.375 |
| 61 | 24060-0544 | 1.375 | 2.250 | 0.375 |
| 61 | 24060-0556 | 1.375 | 2.500 | 0.375 |
| 61 | 24060-0571 | 1.406 | 2.375 | 0.375 |
| 61 | 24060-0574 | 2.165 | 2.756 | 0.315 |
| 61 | 24060-0592 | 1.438 | 2.125 | 0.375 |
| 61 | 24060-0595 | 1.438 | 2.500 | 0.375 |
| 61 | 24060-0598 | 1.438 | 2.375 | 0.375 |
| 61 | 24060-0643 | 1.500 | 2.250 | 0.375 |
| 61 | 24060-0646 | 1.500 | 2.375 | 0.375 |
| 61 | 24060-0653 | 2.360 | 3.150 | 0.375 |
| 61 | 24060-0655 | 1.500 | 2.500 | 0.375 |
| 61 | 24060-0658 | 1.500 | 2.625 | 0.375 |
| 61 | 24060-0664 | 1.500 | 2.750 | 0.375 |
| 61 | 24060-0667 | 1.500 | 2.756 | 0.375 |
| 61 | 24060-0703 | 1.563 | 2.375 | 0.375 |
| 61 | 24060-0706 | 1.563 | 2.438 | 0.375 |
| 61 | 24060-0710 | 2.559 | 3.346 | 0.394 |
| 61 | 24060-0712 | 1.563 | 2.500 | 0.375 |
| 61 | 24060-0729 | 2.559 | 3.543 | 0.394 |
| 61 | 24060-0738 | 5.438 | 6.500 | 0.500 |
| 61 | 24060-0758 | 1.625 | 2.187 | 0.375 |
| 61 | 24060-0760 | 1.625 | 2.375 | 0.375 |
| 61 | 24060-0772 | 1.625 | 2.625 | 0.375 |
| 61 | 24060-0788 | 1.625 | 2.875 | 0.437 |
| 61 | 24060-0809 | 2.953 | 3.937 | 0.394 |
| 61 | 24060-0813 | 1.750 | 2.375 | 0.375 |
| 61 | 24060-0829 | 1.688 | 2.438 | 0.375 |
| 61 | 24060-0835 | 1.688 | 2.500 | 0.375 |
| 61 | 24060-0844 | 1.688 | 2.750 | 0.375 |
| 61 | 24060-0853 | 1.688 | 2.875 | 0.375 |
| 61 | 24060-0859 | 1.688 | 3.000 | 0.375 |
| 61 | 24060-0882 | 2.165 | 2.835 | 0.315 |
| 61 | 24060-0904 | 1.750 | 2.500 | 0.375 |
| 61 | 24060-0907 | 1.750 | 2.625 | 0.375 |
| 61 | 24060-0913 | 1.750 | 2.750 | 0.375 |
| 61 | 24060-0917 | 2.938 | 4.000 | 0.500 |
| 61 | 24060-0924 | 1.750 | 2.875 | 0.500 |
| 61 | 24060-0928 | 1.750 | 3.000 | 0.375 |
| 61 | 24060-0976 | 1.813 | 2.625 | 0.375 |
| 61 | 24060-1033 | 3.150 | 3.937 | 0.394 |
| 61 | 24060-1042 | 1.875 | 2.625 | 0.375 |
| 61 | 24060-1048 | 1.875 | 2.750 | 0.375 |
| 61 | 24060-1057 | 1.875 | 2.875 | 0.375 |
| 61 | 24060-1059 | 1.875 | 2.875 | 0.500 |
| 61 | 24060-1076 | 1.875 | 3.189 | 0.437 |
| 61 | 24060-1092 | 1.625 | 2.250 | 0.375 |
| 61 | 24060-1117 | 1.937 | 2.686 | 0.375 |
| 61 | 24060-1120 | 1.938 | 2.750 | 0.375 |
| 61 | 24060-1129 | 1.938 | 2.875 | 0.375 |
| 61 | 24060-1153 | 1.969 | 2.750 | 0.375 |
| 61 | 24060-1156 | 1.969 | 2.756 | 0.375 |
| 61 | 24060-1189 | 2.000 | 2.750 | 0.375 |
| 61 | 24060-1190 | 2.000 | 2.750 | 0.437 |
| 61 | 24060-1198 | 2.000 | 2.875 | 0.375 |
| 61 | 24060-1204 | 2.000 | 3.000 | 0.375 |
| 61 | 24060-1205 | 2.000 | 3.000 | 0.437 |
| 61 | 24060-1247 | 0.750 | 1.750 | 0.312 |
| 61 | 24060-1251 | 0.625 | 1.625 | 0.312 |
| 61 | 24060-1257 | 0.750 | 1.875 | 0.312 |
| 61 | 24060-1268 | 0.875 | 1.750 | 0.312 |
| 61 | 24060-1271 | 0.875 | 1.875 | 0.312 |
| 61 | 24060-1272 | 1.000 | 2.000 | 0.312 |
| 61 | 24060-1274 | 1.000 | 2.125 | 0.375 |
| 61 | 24060-1281 | 1.063 | 1.625 | 0.250 |
| 61 | 24060-1319 | 1.188 | 1.750 | 0.312 |
| 61 | 24060-1320 | 2.125 | 2.875 | 0.437 |
| 61 | 24060-1321 | 2.125 | 2.875 | 0.375 |
| 61 | 24060-1325 | 1.188 | 1.875 | 0.312 |
| 61 | 24060-1328 | 2.125 | 3.000 | 0.437 |
| 61 | 24060-1334 | 2.125 | 3.125 | 0.437 |
| 61 | 24060-1337 | 1.250 | 1.875 | 0.312 |
| 61 | 24060-1338 | 1.250 | 2.063 | 0.312 |
| 61 | 24060-1343 | 1.250 | 2.125 | 0.312 |
| 61 | 24060-1344 | 1.250 | 2.250 | 0.312 |
| 61 | 24060-1354 | 1.375 | 2.000 | 0.312 |
| 61 | 24060-1355 | 1.375 | 2.438 | 0.250 |
| 61 | 24060-1356 | 1.375 | 2.750 | 0.375 |
| 61 | 24060-1358 | 1.438 | 2.000 | 0.312 |
| 61 | 24060-1361 | 1.438 | 2.063 | 0.312 |
| 61 | 24060-1362 | 1.438 | 2.188 | 0.375 |
| 61 | 24060-1364 | 1.500 | 2.125 | 0.312 |
| 61 | 24060-1367 | 1.500 | 2.313 | 0.312 |
| 61 | 24060-1368 | 1.500 | 2.875 | 0.375 |
| 61 | 24060-1370 | 1.563 | 2.563 | 0.500 |
| 61 | 24060-1371 | 1.625 | 2.250 | 0.312 |
| 61 | 24060-1372 | 1.625 | 2.375 | 0.312 |
| 61 | 24060-1373 | 1.625 | 2.500 | 0.312 |
| 61 | 24060-1378 | 2.156 | 3.189 | 0.375 |
| 61 | 24060-1386 | 1.750 | 2.438 | 0.312 |
| 61 | 24060-1399 | 2.188 | 2.875 | 0.375 |
| 61 | 24060-1409 | 1.750 | 2.563 | 0.500 |
| 61 | 24060-1412 | 1.875 | 2.500 | 0.312 |
| 61 | 24060-1418 | 1.875 | 2.500 | 0.375 |
| 61 | 24060-1419 | 1.875 | 2.500 | 0.500 |
| 61 | 24060-1421 | 2.000 | 2.500 | 0.375 |
| 61 | 24060-1429 | 2.000 | 2.625 | 0.375 |
| 61 | 24060-1431 | 2.000 | 2.750 | 0.312 |
| 61 | 24060-1440 | 3.437 | 4.500 | 0.437 |
| 61 | 24060-1446 | 2.000 | 3.250 | 0.437 |
| 61 | 24060-1458 | 2.000 | 3.500 | 0.375 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 61 | 24060-1464 | 2.063 | 2.625 | 0.375 |
| 61 | 24060-1466 | 2.063 | 2.875 | 0.375 |
| 61 | 24060-1467 | 2.125 | 2.750 | 0.312 |
| 61 | 24060-1469 | 3.000 | 3.625 | 0.437 |
| 61 | 24060-1470 | 0.866 | 1.575 | 0.315 |
| 61 | 24060-1474 | 2.250 | 3.000 | 0.375 |
| 61 | 24060-1475 | 2.250 | 3.000 | 0.437 |
| 61 | 24060-1478 | 0.984 | 1.378 | 0.315 |
| 61 | 24060-1484 | 1.496 | 2.165 | 0.394 |
| 61 | 24060-1488 | 4.000 | 4.750 | 0.500 |
| 61 | 24060-1490 | 2.362 | 2.953 | 0.315 |
| 61 | 24060-1493 | 2.250 | 3.250 | 0.437 |
| 61 | 24060-1502 | 4.331 | 5.512 | 0.512 |
| 61 | 24060-1503 | 2.250 | 2.875 | 0.312 |
| 61 | 24060-1505 | 2.250 | 3.500 | 0.437 |
| 61 | 24060-1507 | 2.250 | 2.875 | 0.375 |
| 61 | 24060-1508 | 2.250 | 3.125 | 0.437 |
| 61 | 24060-1509 | 2.250 | 3.375 | 0.437 |
| 61 | 24060-1511 | 2.250 | 3.625 | 0.437 |
| 61 | 24060-1512 | 2.375 | 2.875 | 0.312 |
| 61 | 24060-1514 | 2.375 | 3.000 | 0.312 |
| 61 | 24060-1523 | 2.375 | 3.000 | 0.437 |
| 61 | 24060-1529 | 2.375 | 3.375 | 0.437 |
| 61 | 24060-1537 | 2.438 | 3.375 | 0.375 |
| 61 | 24060-1539 | 2.438 | 3.500 | 0.437 |
| 61 | 24060-1541 | 2.500 | 3.125 | 0.312 |
| 61 | 24060-1542 | 2.500 | 3.125 | 0.500 |
| 61 | 24060-1544 | 2.500 | 3.375 | 0.437 |
| 61 | 24060-1545 | 2.500 | 3.500 | 0.312 |
| 61 | 24060-1547 | 2.500 | 4.500 | 0.437 |
| 61 | 24060-1549 | 2.625 | 3.250 | 0.312 |
| 61 | 24060-1550 | 2.625 | 3.250 | 0.375 |
| 61 | 24060-1551 | 2.625 | 3.375 | 0.437 |
| 61 | 24060-1553 | 2.750 | 3.375 | 0.312 |
| 61 | 24060-1554 | 2.750 | 3.375 | 0.437 |
| 61 | 24060-1556 | 2.875 | 3.500 | 0.312 |
| 61 | 24060-1559 | 2.750 | 5.000 | 0.500 |
| 61 | 24060-1560 | 2.875 | 4.000 | 0.500 |
| 61 | 24060-1562 | 2.938 | 3.625 | 0.312 |
| 61 | 24060-1564 | 3.000 | 3.625 | 0.312 |
| 61 | 24060-1565 | 3.125 | 3.750 | 0.312 |
| 61 | 24060-1566 | 3.125 | 3.750 | 0.500 |
| 61 | 24060-1568 | 3.125 | 3.875 | 0.500 |
| 61 | 24060-1569 | 3.125 | 4.000 | 0.375 |
| 61 | 24060-1571 | 3.188 | 4.250 | 0.375 |
| 61 | 24060-1572 | 3.250 | 3.875 | 0.312 |
| 61 | 24060-1574 | 3.250 | 4.000 | 0.437 |
| 61 | 24060-1577 | 3.250 | 4.000 | 0.500 |
| 61 | 24060-1580 | 3.375 | 4.000 | 0.312 |
| 61 | 24060-1583 | 3.438 | 4.125 | 0.437 |
| 61 | 24060-1591 | 3.500 | 4.125 | 0.312 |
| 61 | 24060-1595 | 3.500 | 4.125 | 0.500 |
| 61 | 24060-1599 | 3.500 | 4.250 | 0.500 |
| 61 | 24060-1601 | 3.563 | 4.500 | 0.437 |
| 61 | 24060-1604 | 3.563 | 4.500 | 0.500 |
| 61 | 24060-1605 | 3.625 | 4.250 | 0.312 |
| 61 | 24060-1606 | 3.750 | 4.375 | 0.500 |
| 61 | 24060-1607 | 3.875 | 4.500 | 0.312 |
| 61 | 24060-1611 | 3.875 | 4.500 | 0.500 |
| 61 | 24060-1613 | 3.875 | 4.625 | 0.500 |
| 61 | 24060-1614 | 3.875 | 4.750 | 0.500 |
| 61 | 24060-1624 | 2.344 | 3.500 | 0.375 |
| 61 | 24060-1640 | 3.938 | 6.250 | 0.500 |
| 61 | 24060-1642 | 2.375 | 3.125 | 0.375 |
| 61 | 24060-1643 | 4.000 | 4.750 | 0.375 |
| 61 | 24060-1646 | 4.250 | 4.875 | 0.500 |
| 61 | 24060-1649 | 4.250 | 5.000 | 0.437 |
| 61 | 24060-1652 | 4.250 | 5.125 | 0.500 |
| 61 | 24060-1655 | 2.375 | 3.250 | 0.437 |
| 61 | 24060-1666 | 2.375 | 3.500 | 0.375 |
| 61 | 24060-1667 | 4.750 | 5.500 | 0.500 |
| 61 | 24060-1670 | 5.000 | 5.625 | 0.375 |
| 61 | 24060-1674 | 5.250 | 6.000 | 0.500 |
| 61 | 24060-1676 | 5.375 | 6.125 | 0.500 |
| 61 | 24060-1679 | 5.500 | 6.250 | 0.437 |
| 61 | 24060-1682 | 5.500 | 6.375 | 0.500 |
| 61 | 24060-1683 | 5.500 | 6.500 | 0.250 |
| 61 | 24060-1684 | 5.750 | 6.375 | 0.500 |
| 61 | 24060-1685 | 5.750 | 6.500 | 0.500 |
| 61 | 24060-1686 | 6.500 | 7.250 | 0.500 |
| 61 | 24060-1687 | 6.500 | 7.500 | 0.250 |
| 61 | 24060-1724 | 7.125 | 8.000 | 0.375 |
| 61 | 24060-1731 | 7.125 | 8.500 | 0.500 |
| 61 | 24060-1734 | 7.188 | 8.438 | 0.500 |
| 61 | 24060-1739 | 7.250 | 9.000 | 0.500 |
| 61 | 24060-1747 | 2.438 | 3.500 | 0.375 |
| 61 | 24060-1748 | 0.315 | 0.709 | 0.197 |
| 61 | 24060-1754 | 0.669 | 1.102 | 0.315 |
| 61 | 24060-1760 | 0.787 | 1.378 | 0.315 |
| 61 | 24060-1761 | 0.984 | 1.653 | 0.315 |
| 61 | 24060-1763 | 1.181 | 1.654 | 0.315 |
| 61 | 24060-1776 | 1.260 | 1.850 | 0.315 |
| 61 | 24060-1784 | 1.299 | 1.772 | 0.315 |
| 61 | 24060-1787 | 1.378 | 1.850 | 0.315 |
| 61 | 24060-1789 | 1.378 | 1.969 | 0.394 |
| 61 | 24060-1792 | 1.654 | 2.362 | 0.394 |
| 61 | 24060-1793 | 1.654 | 2.441 | 0.394 |
| 61 | 24060-1796 | 1.772 | 2.362 | 0.315 |
| 61 | 24060-1797 | 1.772 | 2.441 | 0.394 |
| 61 | 24060-1808 | 2.500 | 3.250 | 0.437 |
| 61 | 24060-1814 | 1.969 | 2.559 | 0.394 |
| 61 | 24060-1820 | 2.500 | 3.500 | 0.437 |
| 61 | 24060-1828 | 2.500 | 3.750 | 0.375 |
| 61 | 24060-1835 | 2.165 | 2.835 | 0.394 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 61 | 24060-1839 | 2.362 | 3.150 | 0.394 |
| 61 | 24060-1842 | 2.625 | 3.625 | 0.437 |
| 61 | 24060-1847 | 2.559 | 3.150 | 0.394 |
| 61 | 24060-1848 | 2.953 | 3.740 | 0.512 |
| 61 | 24060-1854 | 3.346 | 4.331 | 0.394 |
| 61 | 24060-1856 | 3.543 | 4.331 | 0.394 |
| 61 | 24060-1859 | 3.740 | 4.724 | 0.394 |
| 61 | 24060-1880 | 4.724 | 5.906 | 0.512 |
| 61 | 24060-1884 | 5.315 | 6.496 | 0.315 |
| 61 | 24060-1898 | 5.512 | 6.496 | 0.394 |
| 61 | 24060-1912 | 1.575 | 2.362 | 0.394 |
| 61 | 24060-1931 | 1.575 | 2.165 | 0.394 |
| 61 | 24060-1939 | 2.625 | 3.500 | 0.375 |
| 61 | 24060-1966 | 5.000 | 5.750 | 0.500 |
| 61 | 24060-1993 | 2.688 | 3.500 | 0.375 |
| 61 | 24060-2035 | 2.750 | 3.500 | 0.375 |
| 61 | 24060-2037 | 2.750 | 3.500 | 0.500 |
| 61 | 24060-2038 | 2.756 | 3.543 | 0.394 |
| 61 | 24060-2049 | 2.750 | 3.875 | 0.500 |
| 61 | 24060-2057 | 2.750 | 3.750 | 0.375 |
| 61 | 24060-2059 | 2.880 | 3.625 | 0.375 |
| 61 | 24060-2073 | 2.125 | 2.625 | 0.375 |
| 61 | 24060-2074 | 4.187 | 4.999 | 0.468 |
| 61 | 24060-2082 | 1.969 | 3.250 | 0.437 |
| 61 | 24060-2119 | 1.378 | 1.969 | 0.276 |
| 61 | 24060-2123 | 2.875 | 3.875 | 0.500 |
| 61 | 24060-2146 | 2.938 | 3.750 | 0.375 |
| 61 | 24060-2148 | 2.938 | 3.750 | 0.500 |
| 61 | 24060-2149 | 2.938 | 3.875 | 0.375 |
| 61 | 24060-2150 | 2.938 | 3.875 | 0.437 |
| 61 | 24060-2151 | 2.938 | 3.875 | 0.500 |
| 61 | 24060-2168 | 3.000 | 3.750 | 0.375 |
| 61 | 24060-2169 | 3.000 | 3.750 | 0.438 |
| 61 | 24060-2170 | 3.000 | 3.750 | 0.500 |
| 61 | 24060-2173 | 3.000 | 3.875 | 0.500 |
| 61 | 24060-2177 | 3.063 | 4.125 | 0.500 |
| 61 | 24060-2212 | 1.260 | 2.047 | 0.354 |
| 61 | 24060-2218 | 1.142 | 1.575 | 0.250 |
| 61 | 24060-2224 | 1.260 | 1.772 | 0.315 |
| 61 | 24060-2225 | 3.125 | 4.125 | 0.500 |
| 61 | 24060-2231 | 3.125 | 4.375 | 0.500 |
| 61 | 24060-2234 | 3.125 | 4.500 | 0.500 |
| 61 | 24060-2241 | 0.984 | 1.500 | 0.375 |
| 61 | 24060-2266 | 2.570 | 3.250 | 0.375 |
| 61 | 24060-2273 | 3.250 | 4.375 | 0.500 |
| 61 | 24060-2276 | 3.250 | 4.500 | 0.500 |
| 61 | 24060-2280 | 0.630 | 1.181 | 0.315 |
| 61 | 24060-2282 | 3.250 | 4.750 | 0.500 |
| 61 | 24060-2296 | 5.625 | 6.875 | 0.219 |
| 61 | 24060-2297 | 3.313 | 4.375 | 0.500 |
| 61 | 24060-2321 | 3.375 | 4.375 | 0.500 |
| 61 | 24060-2324 | 3.375 | 4.500 | 0.500 |

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 61 | 24060-2334 | 1.188 | 1.750 | 0.375 |
| 61 | 24060-2335 | 1.438 | 1.938 | 0.375 |
| 61 | 24060-2345 | 3.438 | 4.500 | 0.500 |
| 61 | 24060-2348 | 3.437 | 4.625 | 0.500 |
| 61 | 24060-2366 | 3.500 | 4.500 | 0.500 |
| 61 | 24060-2372 | 3.500 | 4.750 | 0.500 |
| 61 | 24060-2404 | 7.125 | 8.375 | 0.500 |
| 61 | 24060-2410 | 1.500 | 2.375 | 0.312 |
| 61 | 24060-2411 | 3.150 | 4.134 | 0.394 |
| 61 | 24060-2417 | 3.625 | 4.625 | 0.500 |
| 61 | 24060-2420 | 3.625 | 4.750 | 0.500 |
| 61 | 24060-2451 | 2.675 | 3.350 | 0.375 |
| 61 | 24060-2460 | 1.399 | 2.292 | 0.315 |
| 61 | 24060-2461 | 5.512 | 7.087 | 0.591 |
| 61 | 24060-2462 | 3.750 | 4.750 | 0.500 |
| 61 | 24060-2478 | 1.938 | 2.500 | 0.375 |
| 61 | 24060-2503 | 1.000 | 2.047 | 0.312 |
| 61 | 24060-2508 | 2.874 | 3.543 | 0.393 |
| 61 | 24060-2514 | 1.922 | 2.875 | 0.438 |
| 61 | 24060-2525 | 3.938 | 5.250 | 0.500 |
| 61 | 24060-2526 | 2.813 | 3.751 | 0.438 |
| 61 | 24060-2532 | 1.693 | 2.756 | 0.315 |
| 61 | 24060-2540 | 4.000 | 5.125 | 0.500 |
| 61 | 24060-2543 | 4.000 | 5.250 | 0.500 |
| 61 | 24060-2562 | 3.320 | 4.132 | 0.450 |
| 61 | 24060-2574 | 1.552 | 2.500 | 0.500 |
| 61 | 24060-2600 | 4.125 | 5.125 | 0.500 |
| 61 | 24060-2603 | 4.125 | 5.250 | 0.500 |
| 61 | 24060-2606 | 4.125 | 5.375 | 0.500 |
| 61 | 24060-2638 | 3.375 | 5.000 | 0.468 |
| 61 | 24060-2657 | 4.250 | 5.250 | 0.500 |
| 61 | 24060-2663 | 4.250 | 5.500 | 0.500 |
| 61 | 24060-2715 | 1.102 | 1.575 | 0.394 |
| 61 | 24060-2753 | 4.500 | 5.500 | 0.500 |
| 61 | 24060-2756 | 4.500 | 5.625 | 0.500 |
| 61 | 24060-2759 | 4.500 | 5.750 | 0.500 |
| 61 | 24060-2765 | 4.500 | 6.000 | 0.500 |
| 61 | 24060-2784 | 1.260 | 2.126 | 0.394 |
| 61 | 24060-2797 | 2.250 | 2.875 | 0.438 |
| 61 | 24060-2803 | 1.181 | 2.047 | 0.394 |
| 61 | 24060-2811 | 4.921 | 5.906 | 0.500 |
| 61 | 24060-2814 | 2.756 | 3.543 | 0.472 |
| 61 | 24060-2837 | 4.750 | 5.750 | 0.500 |
| 61 | 24060-2843 | 4.750 | 6.000 | 0.500 |
| 61 | 24060-2915 | 5.000 | 6.000 | 0.500 |
| 61 | 24060-2920 | 2.687 | 3.375 | 0.375 |
| 61 | 24060-2921 | 5.000 | 6.250 | 0.500 |
| 61 | 24060-2927 | 5.000 | 6.500 | 0.500 |
| 61 | 24060-2966 | 2.953 | 3.937 | 0.375 |
| 61 | 24060-3059 | 5.250 | 6.250 | 0.500 |
| 61 | 24060-3065 | 5.250 | 6.500 | 0.500 |
| 61 | 24060-3071 | 5.250 | 6.750 | 0.500 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 61 | 24060-3077 | 5.250 | 7.000 | 0.500 |
| 61 | 24060-3122 | 5.375 | 6.375 | 0.500 |
| 61 | 24060-3176 | 5.500 | 6.500 | 0.500 |
| 61 | 24060-3182 | 5.500 | 6.750 | 0.500 |
| 61 | 24060-3188 | 5.500 | 7.000 | 0.500 |
| 61 | 24060-3355 | 6.000 | 7.000 | 0.500 |
| 61 | 24060-3596 | 8.000 | 9.250 | 0.625 |
| 61 | 24060-3600 | 8.800 | 9.500 | 0.625 |
| 61 | 24060-3660 | 10.000 | 11.000 | 0.562 |
| 61 | 24060-3853 | 12.000 | 14.000 | 0.625 |
| 61 | 24060-3863 | 0.250 | 0.750 | 0.250 |
| 61 | 24060-3892 | 2.000 | 3.375 | 0.500 |
| 61 | 24060-4557 | 3.000 | 4.000 | 0.500 |
| 61 | 24060-4582 | 2.000 | 2.625 | 0.312 |
| 61 | 24060-4651 | 4.000 | 5.000 | 0.500 |
| 61 | 24060-4798 | 1.500 | 2.125 | 0.375 |
| 61 | 24060-4804 | 3.000 | 4.250 | 0.500 |
| 61 | 24060-4873 | 4.500 | 5.500 | 0.437 |
| 61 | 24060-4892 | 2.125 | 2.750 | 0.375 |
| 61 | 24060-5023 | 3.000 | 4.000 | 0.375 |
| 61 | 24060-5079 | 3.750 | 5.000 | 0.500 |
| 61 | 24060-5239 | 1.250 | 1.750 | 0.250 |
| 61 | 24060-5562 | 1.102 | 1.850 | 0.394 |
| 61 | 24060-5704 | 1.250 | 1.875 | 0.375 |
| 61 | 24060-5872 | 3.938 | 4.875 | 0.500 |
| 61 | 24060-6077 | 0.500 | 1.125 | 0.250 |
| 61 | 24060-6285 | 3.500 | 4.375 | 0.500 |
| 61 | 24060-6363 | 4.375 | 5.000 | 0.375 |
| 61 | 24060-6374 | 7.000 | 8.000 | 0.500 |
| 61 | 24060-6377 | 7.250 | 8.500 | 0.500 |
| 61 | 24060-6378 | 7.500 | 8.500 | 0.500 |
| 61 | 24060-6450 | 6.250 | 7.250 | 0.437 |
| 61 | 24060-6471 | 2.750 | 3.750 | 0.500 |
| 61 | 24060-6656 | 1.969 | 2.835 | 0.375 |
| 61 | 24060-6859 | 0.984 | 1.850 | 0.375 |
| 61 | 24060-7016 | 0.500 | 1.250 | 0.250 |
| 61 | 24060-7086 | 2.000 | 2.375 | 0.250 |
| 61 | 24060-7097 | 3.750 | 4.375 | 0.312 |
| 61 | 24060-7159 | 2.813 | 3.750 | 0.375 |
| 61 | 24060-7246 | 1.125 | 2.250 | 0.375 |
| 61 | 24060-7374 | 3.250 | 4.250 | 0.500 |
| 61 | 24060-7383 | 5.512 | 6.693 | 0.551 |
| 61 | 24060-7386 | 1.375 | 2.000 | 0.375 |
| 61 | 24060-7388 | 7.874 | 9.055 | 0.591 |
| 61 | 24060-7396 | 4.331 | 5.512 | 0.472 |
| 61 | 24060-7415 | 1.969 | 3.150 | 0.375 |
| 61 | 24060-7596 | 2.937 | 3.937 | 0.375 |
| 61 | 24060-7727 | 0.188 | 0.750 | 0.250 |
| 61 | 24060-7807 | 7.087 | 8.268 | 0.591 |
| 61 | 24060-7839 | 3.543 | 4.724 | 0.472 |
| 61 | 24060-7979 | 3.937 | 5.118 | 0.512 |
| 61 | 24060-8020 | 0.594 | 1.182 | 0.312 |
| 61 | 24060-8049 | 7.480 | 8.661 | 0.591 |
| 61 | 24060-8373 | 2.441 | 3.150 | 0.394 |
| 61 | 24060-8610 | 1.575 | 2.441 | 0.375 |
| 61 | 24060-8887 | 1.250 | 1.750 | 0.375 |
| 61 | 24060-9223 | 1.772 | 2.559 | 0.394 |
| 61 | 24060-9342 | 1.181 | 1.850 | 0.375 |
| 61 | 24060-9490 | 1.000 | 1.625 | 0.250 |
| 61 | 24060-9505 | 0.500 | 1.000 | 0.250 |
| 61 | 24060-9509 | 0.625 | 1.250 | 0.250 |
| 61 | 24060-9515 | 0.875 | 1.375 | 0.250 |
| 61 | 24060-9612 | 1.375 | 2.875 | 0.375 |
| 61 | 24060-9721 | 11.750 | 13.750 | 0.625 |
| 61 | 24060-9722 | 1.500 | 2.250 | 0.250 |
| 61 | 24060-9822 | 1.750 | 2.375 | 0.312 |
| 61 | 24060-9879 | 4.000 | 4.625 | 0.312 |
| 61 | 24060-9963 | 3.543 | 4.528 | 0.472 |
| 61 | 24061-0049 | 0.500 | 1.000 | 0.312 |
| 61 | 24061-0087 | 0.625 | 1.125 | 0.312 |
| 61 | 24061-0093 | 0.625 | 1.500 | 0.312 |
| 61 | 24061-0139 | 0.750 | 1.250 | 0.312 |
| 61 | 24061-0141 | 0.750 | 1.375 | 0.312 |
| 61 | 24061-0143 | 0.750 | 1.500 | 0.312 |
| 61 | 24061-0292 | 1.000 | 1.625 | 0.375 |
| 61 | 24061-0293 | 1.000 | 1.750 | 0.375 |
| 61 | 24061-0357 | 1.125 | 1.875 | 0.375 |
| 61 | 24061-0383 | 1.188 | 1.875 | 0.375 |
| 61 | 24061-0541 | 1.375 | 2.125 | 0.375 |
| 61 | 24061-0655 | 1.500 | 2.500 | 0.375 |
| 61 | 24061-0760 | 1.625 | 2.375 | 0.375 |
| 61 | 24061-0913 | 1.750 | 2.750 | 0.375 |
| 61 | 24061-1092 | 1.625 | 2.250 | 0.375 |
| 61 | 24061-1205 | 2.000 | 3.000 | 0.437 |
| 61 | 24061-1334 | 2.125 | 3.125 | 0.437 |
| 61 | 24061-1369 | 1.500 | 3.500 | 0.437 |
| 61 | 24061-1412 | 1.875 | 2.500 | 0.312 |
| 61 | 24061-1418 | 1.875 | 2.500 | 0.375 |
| 61 | 24061-1429 | 2.000 | 2.625 | 0.375 |
| 61 | 24061-1475 | 2.250 | 3.000 | 0.437 |
| 61 | 24061-1488 | 4.000 | 4.750 | 0.500 |
| 61 | 24061-1529 | 2.375 | 3.375 | 0.437 |
| 61 | 24061-1542 | 2.500 | 3.125 | 0.500 |
| 61 | 24061-1550 | 2.625 | 3.250 | 0.375 |
| 61 | 24061-1572 | 3.250 | 3.875 | 0.312 |
| 61 | 24061-1642 | 2.375 | 3.125 | 0.375 |
| 61 | 24061-1763 | 1.181 | 1.654 | 0.315 |
| 61 | 24061-1794 | 1.496 | 2.126 | 0.394 |
| 61 | 24061-1814 | 1.969 | 2.559 | 0.394 |
| 61 | 24061-2037 | 2.750 | 3.500 | 0.500 |
| 61 | 24061-2059 | 2.880 | 3.625 | 0.375 |
| 61 | 24061-2119 | 1.378 | 1.969 | 0.276 |
| 61 | 24061-2223 | 1.750 | 2.812 | 0.312 |
| 61 | 24061-2258 | 1.969 | 2.688 | 0.375 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 61 | 24061-2316 | 5.625 | 6.875 | 0.281 |
| 61 | 24061-2422 | 1.969 | 2.953 | 0.315 |
| 61 | 24061-2434 | 1.750 | 2.812 | 0.375 |
| 61 | 24061-2915 | 5.000 | 6.000 | 0.500 |
| 61 | 24061-7055 | 1.000 | 1.750 | 0.250 |
| 61 | 24061-7415 | 1.969 | 3.150 | 0.375 |
| 61 | 24061-9223 | 1.772 | 2.559 | 0.394 |
| 61 | 24062-0050 | 0.500 | 1.000 | 0.375 |
| 61 | 24062-0288 | 1.000 | 1.500 | 0.375 |
| 61 | 24062-0292 | 1.000 | 1.625 | 0.375 |
| 61 | 24062-0357 | 1.125 | 1.875 | 0.375 |
| 61 | 24062-0645 | 1.500 | 2.250 | 0.500 |
| 61 | 24062-0760 | 1.625 | 2.375 | 0.375 |
| 61 | 24062-1058 | 1.875 | 2.875 | 0.437 |
| 61 | 24062-1065 | 1.875 | 3.000 | 0.500 |
| 61 | 24062-1190 | 2.000 | 2.750 | 0.437 |
| 61 | 24062-1191 | 2.000 | 2.750 | 0.500 |
| 61 | 24062-1265 | 0.875 | 1.625 | 0.500 |
| 61 | 24062-1307 | 1.125 | 1.625 | 0.437 |
| 61 | 24062-1345 | 2.125 | 3.250 | 0.375 |
| 61 | 24062-1346 | 2.125 | 3.250 | 0.438 |
| 61 | 24062-1377 | 1.750 | 2.375 | 0.500 |
| 61 | 24062-1419 | 1.875 | 2.500 | 0.500 |
| 61 | 24062-1476 | 2.250 | 3.000 | 0.500 |
| 61 | 24062-1494 | 2.250 | 3.250 | 0.500 |
| 61 | 24062-1502 | 4.331 | 5.512 | 0.512 |
| 61 | 24062-1538 | 2.438 | 3.375 | 0.500 |
| 61 | 24062-1563 | 2.312 | 3.125 | 0.500 |
| 61 | 24062-1664 | 4.500 | 5.750 | 0.437 |
| 61 | 24062-2136 | 1.575 | 2.283 | 0.394 |
| 61 | 24062-2280 | 0.630 | 1.181 | 0.315 |
| 61 | 24062-2318 | 3.250 | 3.875 | 0.375 |
| 61 | 24062-2366 | 3.500 | 4.500 | 0.500 |
| 61 | 24062-2377 | 2.953 | 3.543 | 0.394 |
| 61 | 24062-2915 | 5.000 | 6.000 | 0.500 |
| 61 | 24062-2918 | 5.000 | 6.125 | 0.500 |
| 61 | 24062-4557 | 3.000 | 4.000 | 0.500 |
| 61 | 24062-4651 | 4.000 | 5.000 | 0.500 |
| 61 | 24062-4958 | 2.312 | 3.250 | 0.687 |
| 61 | 24062-5713 | 1.500 | 2.125 | 0.437 |
| 61 | 24062-6363 | 4.500 | 5.500 | 0.375 |
| 61 | 24062-8887 | 1.250 | 1.750 | 0.375 |
| 61 | 24062-9223 | 1.772 | 2.559 | 0.394 |
| 61 | 24063-0645 | 1.500 | 2.250 | 0.500 |
| 61 | 24063-0857 | 1.375 | 2.000 | 0.500 |
| 61 | 24063-1114 | 1.938 | 2.625 | 0.375 |
| 61 | 24063-1191 | 2.000 | 2.750 | 0.500 |
| 61 | 24063-1230 | 2.688 | 3.625 | 0.500 |
| 61 | 24063-1493 | 2.250 | 3.250 | 0.437 |
| 61 | 24063-1856 | 3.543 | 4.331 | 0.394 |
| 61 | 24063-2055 | 1.575 | 2.165 | 0.315 |
| 61 | 24063-2235 | 3.750 | 4.500 | 0.375 |
| 61 | 24063-2239 | 2.500 | 3.000 | 0.375 |
| 61 | 24063-2242 | 3.937 | 4.724 | 0.472 |
| 61 | 24063-2281 | 6.100 | 6.875 | 0.625 |
| 61 | 24063-2336 | 3.375 | 4.999 | 0.500 |
| 61 | 24063-2403 | 4.188 | 4.999 | 0.438 |
| 61 | 24063-2462 | 3.750 | 4.750 | 0.500 |
| 61 | 24063-2915 | 5.000 | 6.000 | 0.500 |
| 61 | 24063-3937 | 8.500 | 10.000 | 0.750 |
| 61 | 24063-4557 | 3.000 | 4.000 | 0.500 |
| 61 | 24063-5306 | 1.000 | 1.500 | 0.250 |
| 61 | 24063-5713 | 1.500 | 2.125 | 0.437 |
| 61 | 24063-7374 | 3.250 | 4.250 | 0.500 |
| 61 | 24064-0292 | 1.000 | 1.625 | 0.375 |
| 61 | 24064-0427 | 1.250 | 2.000 | 0.375 |
| 61 | 24064-0882 | 2.165 | 2.835 | 0.315 |
| 61 | 24064-1033 | 3.150 | 3.937 | 0.394 |
| 61 | 24064-1470 | 0.866 | 1.575 | 0.315 |
| 61 | 24064-1502 | 4.331 | 5.512 | 0.512 |
| 61 | 24064-1667 | 4.750 | 5.500 | 0.500 |
| 61 | 24064-1788 | 1.387 | 1.850 | 0.394 |
| 61 | 24064-1799 | 1.772 | 2.559 | 0.315 |
| 61 | 24064-1854 | 3.346 | 4.331 | 0.394 |
| 61 | 24064-1856 | 3.543 | 4.331 | 0.394 |
| 61 | 24064-1880 | 4.724 | 5.906 | 0.512 |
| 61 | 24064-1931 | 1.575 | 2.165 | 0.394 |
| 61 | 24064-2242 | 3.937 | 4.724 | 0.472 |
| 61 | 24064-2366 | 3.500 | 4.500 | 0.500 |
| 61 | 24064-2837 | 4.750 | 5.750 | 0.500 |
| 61 | 24064-5562 | 1.102 | 1.850 | 0.394 |
| 61 | 24064-6374 | 7.000 | 8.000 | 0.500 |
| 61 | 24064-6383 | 8.500 | 9.500 | 0.500 |
| 61 | 24064-6656 | 1.969 | 2.835 | 0.375 |
| 61 | 24064-7386 | 1.375 | 2.000 | 0.375 |
| 61 | 24064-7388 | 7.874 | 9.055 | 0.591 |
| 61 | 24064-7396 | 4.331 | 5.512 | 0.472 |
| 61 | 24064-7807 | 7.087 | 8.268 | 0.591 |
| 61 | 24064-8373 | 2.441 | 3.150 | 0.394 |
| 62 | 21072-1882 | 2.562 | 3.481 | 0.375 |
| 62 | 21702-0025 | 0.406 | 0.875 | 0.312 |
| 62 | 21702-0031 | 0.406 | 1.250 | 0.312 |
| 62 | 21702-0035 | 0.438 | 0.875 | 0.312 |
| 62 | 21702-0037 | 0.438 | 1.000 | 0.312 |
| 62 | 21702-0038 | 0.438 | 1.000 | 0.375 |
| 62 | 21702-0039 | 0.438 | 1.125 | 0.312 |
| 62 | 21702-0047 | 0.469 | 1.250 | 0.312 |
| 62 | 21702-0049 | 0.500 | 1.000 | 0.312 |
| 62 | 21702-0050 | 0.500 | 1.000 | 0.375 |
| 62 | 21702-0051 | 0.500 | 1.125 | 0.312 |
| 62 | 21702-0052 | 0.500 | 1.125 | 0.375 |
| 62 | 21702-0053 | 0.500 | 1.250 | 0.312 |
| 62 | 21702-0055 | 0.500 | 1.375 | 0.312 |
| 62 | 21702-0057 | 0.500 | 1.500 | 0.312 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 62 | 21702-0062 | 0.531 | 1.250 | 0.375 |
| 62 | 21702-0067 | 0.562 | 1.125 | 0.312 |
| 62 | 21702-0077 | 0.594 | 1.125 | 0.312 |
| 62 | 21702-0080 | 0.594 | 1.250 | 0.375 |
| 62 | 21702-0085 | 0.594 | 1.575 | 0.312 |
| 62 | 21702-0087 | 0.625 | 1.125 | 0.312 |
| 62 | 21702-0089 | 0.625 | 1.250 | 0.312 |
| 62 | 21702-0090 | 0.625 | 1.250 | 0.375 |
| 62 | 21702-0091 | 0.625 | 1.375 | 0.312 |
| 62 | 21702-0096 | 0.625 | 1.575 | 0.375 |
| 62 | 21702-0097 | 0.656 | 1.125 | 0.312 |
| 62 | 21702-0110 | 0.687 | 1.125 | 0.375 |
| 62 | 21702-0111 | 0.687 | 1.250 | 0.312 |
| 62 | 21702-0113 | 0.687 | 1.375 | 0.312 |
| 62 | 21702-0123 | 0.719 | 1.375 | 0.312 |
| 62 | 21702-0133 | 0.719 | 1.828 | 0.375 |
| 62 | 21702-0139 | 0.750 | 1.250 | 0.312 |
| 62 | 21702-0141 | 0.750 | 1.375 | 0.312 |
| 62 | 21702-0142 | 0.750 | 1.375 | 0.375 |
| 62 | 21702-0143 | 0.750 | 1.500 | 0.312 |
| 62 | 21702-0144 | 0.750 | 1.500 | 0.375 |
| 62 | 21702-0147 | 0.750 | 1.625 | 0.312 |
| 62 | 21702-0148 | 0.750 | 1.625 | 0.375 |
| 62 | 21702-0149 | 0.750 | 1.750 | 0.375 |
| 62 | 21702-0157 | 0.781 | 1.250 | 0.312 |
| 62 | 21702-0159 | 0.781 | 1.375 | 0.312 |
| 62 | 21702-0160 | 0.781 | 1.375 | 0.375 |
| 62 | 21702-0175 | 0.812 | 1.250 | 0.312 |
| 62 | 21702-0183 | 0.812 | 1.625 | 0.312 |
| 62 | 21702-0213 | 0.875 | 1.375 | 0.312 |
| 62 | 21702-0215 | 0.875 | 1.500 | 0.312 |
| 62 | 21702-0216 | 0.875 | 1.500 | 0.375 |
| 62 | 21702-0219 | 0.875 | 1.625 | 0.312 |
| 62 | 21702-0224 | 0.875 | 1.828 | 0.437 |
| 62 | 21702-0226 | 0.875 | 1.875 | 0.437 |
| 62 | 21702-0233 | 0.906 | 1.500 | 0.312 |
| 62 | 21702-0235 | 0.906 | 1.575 | 0.312 |
| 62 | 21702-0251 | 0.937 | 1.500 | 0.312 |
| 62 | 21702-0253 | 0.937 | 1.575 | 0.312 |
| 62 | 21702-0255 | 0.937 | 1.625 | 0.312 |
| 62 | 21702-0270 | 0.969 | 1.500 | 0.375 |
| 62 | 21702-0273 | 0.969 | 1.625 | 0.312 |
| 62 | 21702-0283 | 0.969 | 2.000 | 0.375 |
| 62 | 21702-0285 | 0.969 | 2.062 | 0.375 |
| 62 | 21702-0287 | 1.000 | 1.500 | 0.312 |
| 62 | 21702-0288 | 1.000 | 1.500 | 0.375 |
| 62 | 21702-0291 | 1.000 | 1.625 | 0.312 |
| 62 | 21702-0293 | 1.000 | 1.750 | 0.375 |
| 62 | 21702-0297 | 1.000 | 1.875 | 0.375 |
| 62 | 21702-0301 | 1.000 | 2.000 | 0.375 |
| 62 | 21702-0302 | 1.000 | 2.000 | 0.437 |
| 62 | 21702-0307 | 1.031 | 1.625 | 0.312 |
| 62 | 21702-0323 | 1.062 | 1.625 | 0.312 |
| 62 | 21702-0325 | 1.062 | 1.750 | 0.375 |
| 62 | 21702-0338 | 1.093 | 1.625 | 0.375 |
| 62 | 21702-0351 | 1.125 | 1.625 | 0.312 |
| 62 | 21702-0353 | 1.125 | 1.750 | 0.375 |
| 62 | 21702-0355 | 1.125 | 1.828 | 0.375 |
| 62 | 21702-0357 | 1.125 | 1.875 | 0.375 |
| 62 | 21702-0359 | 1.125 | 2.000 | 0.375 |
| 62 | 21702-0362 | 1.125 | 2.062 | 0.437 |
| 62 | 21702-0383 | 1.187 | 1.875 | 0.375 |
| 62 | 21702-0385 | 1.187 | 1.984 | 0.375 |
| 62 | 21702-0387 | 1.187 | 2.000 | 0.375 |
| 62 | 21702-0388 | 1.187 | 2.000 | 0.437 |
| 62 | 21702-0390 | 1.187 | 2.062 | 0.437 |
| 62 | 21702-0424 | 1.250 | 1.984 | 0.375 |
| 62 | 21702-0425 | 1.250 | 1.984 | 0.437 |
| 62 | 21702-0427 | 1.250 | 2.000 | 0.375 |
| 62 | 21702-0430 | 1.250 | 2.062 | 0.375 |
| 62 | 21702-0439 | 1.250 | 2.250 | 0.375 |
| 62 | 21702-0441 | 1.250 | 2.250 | 0.500 |
| 62 | 21702-0445 | 1.250 | 2.437 | 0.375 |
| 62 | 21702-0484 | 1.312 | 2.062 | 0.375 |
| 62 | 21702-0490 | 1.312 | 2.125 | 0.375 |
| 62 | 21702-0496 | 1.312 | 2.375 | 0.375 |
| 62 | 21702-0505 | 1.312 | 2.500 | 0.375 |
| 62 | 21702-0507 | 1.312 | 2.500 | 0.500 |
| 62 | 21702-0517 | 1.344 | 2.250 | 0.375 |
| 62 | 21702-0529 | 1.344 | 2.500 | 0.375 |
| 62 | 21702-0535 | 1.375 | 2.062 | 0.375 |
| 62 | 21702-0541 | 1.375 | 2.125 | 0.375 |
| 62 | 21702-0542 | 1.375 | 2.125 | 0.437 |
| 62 | 21702-0543 | 1.375 | 2.125 | 0.500 |
| 62 | 21702-0544 | 1.375 | 2.250 | 0.375 |
| 62 | 21702-0546 | 1.375 | 2.250 | 0.500 |
| 62 | 21702-0548 | 1.375 | 2.375 | 0.437 |
| 62 | 21702-0550 | 1.375 | 2.437 | 0.375 |
| 62 | 21702-0551 | 1.375 | 2.437 | 0.437 |
| 62 | 21702-0552 | 1.375 | 2.437 | 0.500 |
| 62 | 21702-0565 | 1.406 | 2.125 | 0.375 |
| 62 | 21702-0592 | 1.437 | 2.125 | 0.375 |
| 62 | 21702-0595 | 1.437 | 2.250 | 0.375 |
| 62 | 21702-0597 | 1.437 | 2.250 | 0.500 |
| 62 | 21702-0598 | 1.437 | 2.375 | 0.375 |
| 62 | 21702-0600 | 1.437 | 2.375 | 0.500 |
| 62 | 21702-0609 | 1.437 | 2.500 | 0.500 |
| 62 | 21702-0624 | 1.469 | 2.437 | 0.500 |
| 62 | 21702-0643 | 1.500 | 2.250 | 0.375 |
| 62 | 21702-0644 | 1.500 | 2.250 | 0.437 |
| 62 | 21702-0645 | 1.500 | 2.250 | 0.500 |
| 62 | 21702-0646 | 1.500 | 2.375 | 0.375 |
| 62 | 21702-0648 | 1.500 | 2.375 | 0.500 |
| 62 | 21702-0655 | 1.500 | 2.500 | 0.375 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 62 | 21702-0657 | 1.500 | 2.500 | 0.500 |
| 62 | 21702-0664 | 1.500 | 2.750 | 0.375 |
| 62 | 21702-0670 | 1.531 | 2.250 | 0.375 |
| 62 | 21702-0700 | 1.562 | 2.250 | 0.375 |
| 62 | 21702-0703 | 1.562 | 2.375 | 0.375 |
| 62 | 21702-0705 | 1.562 | 2.375 | 0.500 |
| 62 | 21702-0706 | 1.562 | 2.437 | 0.375 |
| 62 | 21702-0707 | 1.562 | 2.437 | 0.437 |
| 62 | 21702-0712 | 1.562 | 2.500 | 0.375 |
| 62 | 21702-0717 | 1.562 | 2.625 | 0.500 |
| 62 | 21702-0730 | 1.594 | 2.375 | 0.375 |
| 62 | 21702-0752 | 5.750 | 7.125 | 0.562 |
| 62 | 21702-0760 | 1.625 | 2.375 | 0.375 |
| 62 | 21702-0762 | 1.625 | 2.375 | 0.500 |
| 62 | 21702-0769 | 1.625 | 2.500 | 0.375 |
| 62 | 21702-0772 | 1.625 | 2.625 | 0.375 |
| 62 | 21702-0774 | 1.625 | 2.625 | 0.500 |
| 62 | 21702-0826 | 1.687 | 2.375 | 0.375 |
| 62 | 21702-0829 | 1.687 | 2.437 | 0.375 |
| 62 | 21702-0835 | 1.687 | 2.500 | 0.375 |
| 62 | 21702-0837 | 1.687 | 2.500 | 0.500 |
| 62 | 21702-0841 | 1.687 | 2.686 | 0.375 |
| 62 | 21702-0843 | 1.687 | 2.686 | 0.500 |
| 62 | 21702-0859 | 1.687 | 3.000 | 0.375 |
| 62 | 21702-0874 | 1.719 | 2.686 | 0.375 |
| 62 | 21702-0898 | 1.750 | 2.437 | 0.375 |
| 62 | 21702-0901 | 1.750 | 2.497 | 0.375 |
| 62 | 21702-0904 | 1.750 | 2.500 | 0.375 |
| 62 | 21702-0906 | 1.750 | 2.500 | 0.500 |
| 62 | 21702-0907 | 1.750 | 2.625 | 0.375 |
| 62 | 21702-0909 | 1.750 | 2.625 | 0.500 |
| 62 | 21702-0913 | 1.750 | 2.750 | 0.375 |
| 62 | 21702-0915 | 1.750 | 2.750 | 0.500 |
| 62 | 21702-0928 | 1.750 | 3.000 | 0.375 |
| 62 | 21702-0931 | 1.750 | 3.062 | 0.375 |
| 62 | 21702-0937 | 1.781 | 2.500 | 0.375 |
| 62 | 21702-0972 | 1.812 | 2.497 | 0.500 |
| 62 | 21702-1042 | 1.875 | 2.625 | 0.375 |
| 62 | 21702-1046 | 1.875 | 2.686 | 0.437 |
| 62 | 21702-1048 | 1.875 | 2.750 | 0.375 |
| 62 | 21702-1050 | 1.875 | 2.750 | 0.500 |
| 62 | 21702-1057 | 1.875 | 2.875 | 0.375 |
| 62 | 21702-1059 | 1.875 | 2.875 | 0.500 |
| 62 | 21702-1063 | 1.875 | 3.000 | 0.375 |
| 62 | 21702-1069 | 1.875 | 3.125 | 0.375 |
| 62 | 21702-1075 | 1.875 | 3.189 | 0.375 |
| 62 | 21702-1114 | 1.937 | 2.625 | 0.375 |
| 62 | 21702-1117 | 1.937 | 2.686 | 0.375 |
| 62 | 21702-1129 | 1.937 | 2.875 | 0.375 |
| 62 | 21702-1135 | 1.937 | 3.000 | 0.375 |
| 62 | 21702-1150 | 1.969 | 2.686 | 0.375 |
| 62 | 21702-1153 | 1.969 | 2.750 | 0.375 |
| 62 | 21702-1155 | 1.962 | 3.188 | 0.469 |
| 62 | 21702-1162 | 1.969 | 2.875 | 0.375 |
| 62 | 21702-1168 | 1.969 | 3.000 | 0.375 |
| 62 | 21702-1186 | 2.000 | 2.686 | 0.375 |
| 62 | 21702-1189 | 2.000 | 2.750 | 0.375 |
| 62 | 21702-1191 | 2.000 | 2.750 | 0.500 |
| 62 | 21702-1201 | 2.000 | 2.997 | 0.375 |
| 62 | 21702-1204 | 2.000 | 3.000 | 0.375 |
| 62 | 21702-1206 | 2.000 | 3.000 | 0.500 |
| 62 | 21702-1210 | 2.000 | 3.125 | 0.375 |
| 62 | 21702-1252 | 2.062 | 2.875 | 0.375 |
| 62 | 21702-1321 | 2.125 | 2.875 | 0.375 |
| 62 | 21702-1323 | 2.125 | 2.875 | 0.500 |
| 62 | 21702-1326 | 2.125 | 2.997 | 0.500 |
| 62 | 21702-1327 | 2.125 | 3.000 | 0.375 |
| 62 | 21702-1329 | 2.125 | 3.000 | 0.500 |
| 62 | 21702-1332 | 2.125 | 3.062 | 0.500 |
| 62 | 21702-1333 | 2.125 | 3.125 | 0.375 |
| 62 | 21702-1340 | 2.125 | 3.189 | 0.437 |
| 62 | 21702-1366 | 2.156 | 3.000 | 0.375 |
| 62 | 21702-1399 | 2.187 | 2.875 | 0.375 |
| 62 | 21702-1402 | 2.187 | 3.000 | 0.375 |
| 62 | 21702-1404 | 2.188 | 3.000 | 0.500 |
| 62 | 21702-1408 | 2.187 | 3.125 | 0.375 |
| 62 | 21702-1420 | 2.187 | 3.250 | 0.375 |
| 62 | 21702-1438 | 2.219 | 3.000 | 0.375 |
| 62 | 21702-1471 | 2.250 | 2.997 | 0.375 |
| 62 | 21702-1472 | 2.250 | 2.997 | 0.437 |
| 62 | 21702-1473 | 2.250 | 2.997 | 0.500 |
| 62 | 21702-1474 | 2.250 | 3.000 | 0.375 |
| 62 | 21702-1475 | 2.250 | 3.000 | 0.437 |
| 62 | 21702-1476 | 2.250 | 3.000 | 0.500 |
| 62 | 21702-1483 | 2.250 | 3.147 | 0.375 |
| 62 | 21702-1489 | 2.250 | 3.246 | 0.375 |
| 62 | 21702-1492 | 2.250 | 3.250 | 0.375 |
| 62 | 21702-1494 | 2.250 | 3.250 | 0.500 |
| 62 | 21702-1495 | 2.250 | 3.350 | 0.375 |
| 62 | 21702-1504 | 2.250 | 3.500 | 0.375 |
| 62 | 21702-1505 | 2.250 | 3.500 | 0.437 |
| 62 | 21702-1587 | 2.312 | 3.500 | 0.500 |
| 62 | 21702-1639 | 2.375 | 3.062 | 0.375 |
| 62 | 21702-1642 | 2.375 | 3.125 | 0.375 |
| 62 | 21702-1644 | 2.375 | 3.125 | 0.500 |
| 62 | 21702-1648 | 2.075 | 3.189 | 0.375 |
| 62 | 21702-1654 | 2.375 | 3.250 | 0.375 |
| 62 | 21702-1656 | 2.375 | 3.250 | 0.500 |
| 62 | 21702-1658 | 2.375 | 3.350 | 0.437 |
| 62 | 21702-1659 | 2.375 | 3.350 | 0.500 |
| 62 | 21702-1666 | 2.375 | 3.500 | 0.375 |
| 62 | 21702-1668 | 2.375 | 3.500 | 0.500 |
| 62 | 21702-1673 | 2.375 | 3.623 | 0.437 |
| 62 | 21702-1675 | 2.375 | 3.751 | 0.375 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 62 | 21702-1680 | 2.375 | 3.876 | 0.500 |
| 62 | 21702-1711 | 2.406 | 3.623 | 0.375 |
| 62 | 21702-1723 | 2.437 | 3.125 | 0.375 |
| 62 | 21702-1725 | 2.437 | 3.125 | 0.500 |
| 62 | 21702-1735 | 2.437 | 3.250 | 0.375 |
| 62 | 21702-1738 | 2.437 | 3.350 | 0.375 |
| 62 | 21702-1741 | 2.437 | 3.372 | 0.375 |
| 62 | 21702-1747 | 2.437 | 3.500 | 0.375 |
| 62 | 21702-1750 | 2.437 | 3.543 | 0.375 |
| 62 | 21702-1752 | 2.437 | 3.543 | 0.500 |
| 62 | 21702-1764 | 2.437 | 4.003 | 0.500 |
| 62 | 21702-1801 | 2.500 | 3.189 | 0.375 |
| 62 | 21702-1807 | 2.500 | 3.250 | 0.375 |
| 62 | 21702-1813 | 2.500 | 3.372 | 0.375 |
| 62 | 21702-1816 | 2.500 | 3.481 | 0.375 |
| 62 | 21702-1819 | 2.500 | 3.500 | 0.375 |
| 62 | 21702-1821 | 2.500 | 3.500 | 0.500 |
| 62 | 21702-1828 | 2.500 | 3.751 | 0.375 |
| 62 | 21702-1834 | 2.500 | 4.003 | 0.375 |
| 62 | 21702-1892 | 2.562 | 3.623 | 0.437 |
| 62 | 21702-1903 | 2.594 | 3.350 | 0.375 |
| 62 | 21702-1933 | 2.625 | 3.372 | 0.375 |
| 62 | 21702-1937 | 3.000 | 3.937 | 0.500 |
| 62 | 21702-1938 | 3.150 | 3.937 | 0.500 |
| 62 | 21702-1939 | 2.625 | 3.500 | 0.375 |
| 62 | 21702-1945 | 2.625 | 3.623 | 0.375 |
| 62 | 21702-1947 | 2.625 | 3.623 | 0.500 |
| 62 | 21702-1948 | 2.625 | 3.751 | 0.375 |
| 62 | 21702-1987 | 2.687 | 3.372 | 0.375 |
| 62 | 21702-1993 | 2.687 | 3.500 | 0.375 |
| 62 | 21702-2004 | 2.687 | 3.751 | 0.500 |
| 62 | 21702-2008 | 2.687 | 4.003 | 0.375 |
| 62 | 21702-2032 | 2.750 | 3.481 | 0.375 |
| 62 | 21702-2035 | 2.750 | 3.500 | 0.375 |
| 62 | 21702-2038 | 2.750 | 3.543 | 0.375 |
| 62 | 21702-2041 | 2.750 | 3.623 | 0.375 |
| 62 | 21702-2044 | 2.750 | 3.751 | 0.375 |
| 62 | 21702-2045 | 2.750 | 3.751 | 0.437 |
| 62 | 21702-2046 | 2.750 | 3.751 | 0.500 |
| 62 | 21702-2047 | 2.750 | 3.876 | 0.375 |
| 62 | 21702-2048 | 2.750 | 3.876 | 0.437 |
| 62 | 21702-2049 | 2.750 | 3.876 | 0.500 |
| 62 | 21702-2052 | 2.750 | 4.003 | 0.500 |
| 62 | 21702-2077 | 2.812 | 3.500 | 0.375 |
| 62 | 21702-2086 | 2.812 | 3.751 | 0.375 |
| 62 | 21702-2088 | 2.812 | 3.751 | 0.500 |
| 62 | 21702-2098 | 2.844 | 3.623 | 0.375 |
| 62 | 21702-2101 | 2.844 | 3.751 | 0.375 |
| 62 | 21702-2103 | 2.844 | 3.751 | 0.500 |
| 62 | 21702-2115 | 2.875 | 3.623 | 0.375 |
| 62 | 21702-2118 | 2.875 | 3.751 | 0.375 |
| 62 | 21702-2120 | 2.875 | 3.751 | 0.500 |
| 62 | 21702-2124 | 2.875 | 4.003 | 0.375 |
| 62 | 21702-2143 | 2.937 | 3.623 | 0.375 |
| 62 | 21702-2146 | 2.937 | 3.751 | 0.375 |
| 62 | 21702-2147 | 2.937 | 3.751 | 0.437 |
| 62 | 21702-2154 | 2.937 | 4.003 | 0.500 |
| 62 | 21702-2168 | 3.000 | 3.751 | 0.375 |
| 62 | 21702-2170 | 3.000 | 3.751 | 0.500 |
| 62 | 21702-2171 | 3.000 | 3.876 | 0.375 |
| 62 | 21702-2172 | 3.000 | 3.876 | 0.438 |
| 62 | 21702-2174 | 3.000 | 4.003 | 0.375 |
| 62 | 21702-2175 | 3.000 | 4.003 | 0.437 |
| 62 | 21702-2176 | 3.000 | 4.003 | 0.500 |
| 62 | 21702-2177 | 3.000 | 4.125 | 0.500 |
| 62 | 21702-2180 | 3.000 | 4.249 | 0.500 |
| 62 | 21702-2183 | 3.000 | 4.375 | 0.500 |
| 62 | 21702-2186 | 3.000 | 4.500 | 0.500 |
| 62 | 21702-2198 | 3.000 | 4.999 | 0.500 |
| 62 | 21702-2201 | 3.062 | 4.125 | 0.500 |
| 62 | 21702-2225 | 3.125 | 4.125 | 0.500 |
| 62 | 21702-2231 | 3.125 | 4.375 | 0.500 |
| 62 | 21702-2237 | 3.125 | 4.625 | 0.500 |
| 62 | 21702-2261 | 3.187 | 4.750 | 0.500 |
| 62 | 21702-2270 | 3.250 | 4.249 | 0.500 |
| 62 | 21702-2273 | 3.250 | 4.375 | 0.500 |
| 62 | 21702-2276 | 3.250 | 4.500 | 0.500 |
| 62 | 21702-2282 | 3.250 | 4.750 | 0.500 |
| 62 | 21702-2297 | 3.312 | 4.375 | 0.500 |
| 62 | 21702-2321 | 3.375 | 4.375 | 0.500 |
| 62 | 21702-2324 | 3.375 | 4.500 | 0.500 |
| 62 | 21702-2327 | 3.375 | 4.625 | 0.500 |
| 62 | 21702-2336 | 3.375 | 4.999 | 0.500 |
| 62 | 21702-2345 | 3.437 | 4.500 | 0.500 |
| 62 | 21702-2348 | 3.437 | 4.625 | 0.500 |
| 62 | 21702-2366 | 3.500 | 4.500 | 0.500 |
| 62 | 21702-2367 | 3.500 | 4.500 | 0.562 |
| 62 | 21702-2369 | 3.500 | 4.625 | 0.500 |
| 62 | 21702-2372 | 3.500 | 4.750 | 0.500 |
| 62 | 21702-2393 | 3.562 | 4.625 | 0.500 |
| 62 | 21702-2396 | 3.562 | 4.750 | 0.500 |
| 62 | 21702-2402 | 3.562 | 4.999 | 0.500 |
| 62 | 21702-2408 | 3.562 | 5.250 | 0.500 |
| 62 | 21702-2417 | 3.625 | 4.625 | 0.500 |
| 62 | 21702-2421 | 3.625 | 4.750 | 0.562 |
| 62 | 21702-2462 | 3.750 | 4.750 | 0.500 |
| 62 | 21702-2474 | 3.750 | 5.250 | 0.500 |
| 62 | 21702-2501 | 3.875 | 4.875 | 0.500 |
| 62 | 21702-2504 | 3.875 | 4.999 | 0.500 |
| 62 | 21702-2519 | 3.937 | 4.999 | 0.500 |
| 62 | 21702-2522 | 3.937 | 5.125 | 0.500 |
| 62 | 21702-2531 | 3.937 | 5.500 | 0.500 |
| 62 | 21702-2537 | 4.000 | 4.999 | 0.500 |
| 62 | 21702-2540 | 4.000 | 5.125 | 0.500 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 62 | 21702-2543 | 4.000 | 5.250 | 0.500 |
| 62 | 21702-2555 | 4.000 | 5.750 | 0.500 |
| 62 | 21702-2600 | 4.125 | 5.125 | 0.500 |
| 62 | 21702-2603 | 4.125 | 5.250 | 0.500 |
| 62 | 21702-2630 | 4.187 | 5.250 | 0.500 |
| 62 | 21702-2636 | 4.187 | 5.500 | 0.500 |
| 62 | 21702-2657 | 4.250 | 5.250 | 0.500 |
| 62 | 21702-2663 | 4.250 | 5.500 | 0.500 |
| 62 | 21702-2681 | 4.250 | 6.250 | 0.500 |
| 62 | 21702-2687 | 4.312 | 5.500 | 0.500 |
| 62 | 21702-2708 | 4.375 | 5.375 | 0.500 |
| 62 | 21702-2711 | 4.375 | 5.500 | 0.500 |
| 62 | 21702-2723 | 4.375 | 6.000 | 0.500 |
| 62 | 21702-2732 | 4.437 | 5.500 | 0.500 |
| 62 | 21702-2737 | 4.437 | 5.625 | 0.625 |
| 62 | 21702-2738 | 4.437 | 5.750 | 0.500 |
| 62 | 21702-2753 | 4.500 | 5.500 | 0.500 |
| 62 | 21702-2759 | 4.500 | 5.750 | 0.500 |
| 62 | 21702-2765 | 4.500 | 6.000 | 0.500 |
| 62 | 21702-2771 | 4.500 | 6.250 | 0.500 |
| 62 | 21702-2774 | 4.500 | 6.375 | 0.500 |
| 62 | 21702-2780 | 4.562 | 5.750 | 0.500 |
| 62 | 21702-2798 | 4.625 | 5.625 | 0.500 |
| 62 | 21702-2801 | 4.625 | 5.750 | 0.500 |
| 62 | 21702-2807 | 4.625 | 6.000 | 0.500 |
| 62 | 21702-2837 | 4.750 | 5.750 | 0.500 |
| 62 | 21702-2849 | 4.750 | 6.250 | 0.500 |
| 62 | 21702-2870 | 4.875 | 5.875 | 0.500 |
| 62 | 21702-2894 | 4.937 | 6.000 | 0.500 |
| 62 | 21702-2915 | 5.000 | 6.000 | 0.500 |
| 62 | 21702-2921 | 5.000 | 6.250 | 0.500 |
| 62 | 21702-2922 | 5.000 | 6.250 | 0.562 |
| 62 | 21702-2927 | 5.000 | 6.500 | 0.500 |
| 62 | 21702-2954 | 5.062 | 6.125 | 0.500 |
| 62 | 21702-2996 | 5.125 | 6.375 | 0.500 |
| 62 | 21702-3003 | 8.000 | 10.000 | 0.625 |
| 62 | 21702-3059 | 5.250 | 6.250 | 0.500 |
| 62 | 21702-3065 | 5.250 | 6.500 | 0.500 |
| 62 | 21702-3067 | 5.250 | 6.500 | 0.625 |
| 62 | 21702-3071 | 5.250 | 6.750 | 0.500 |
| 62 | 21702-3077 | 5.250 | 7.000 | 0.500 |
| 62 | 21702-3095 | 5.312 | 6.500 | 0.500 |
| 62 | 21702-3101 | 5.312 | 6.750 | 0.500 |
| 62 | 21702-3122 | 5.375 | 6.375 | 0.500 |
| 62 | 21702-3129 | 5.375 | 6.625 | 0.563 |
| 62 | 21702-3176 | 5.500 | 6.500 | 0.500 |
| 62 | 21702-3184 | 5.500 | 6.750 | 0.625 |
| 62 | 21702-3188 | 5.500 | 7.000 | 0.500 |
| 62 | 21702-3190 | 5.500 | 7.000 | 0.625 |
| 62 | 21702-3231 | 5.625 | 6.750 | 0.500 |
| 62 | 21702-3277 | 5.750 | 6.750 | 0.625 |
| 62 | 21702-3278 | 5.750 | 6.875 | 0.500 |
| 62 | 21702-3279 | 5.750 | 6.875 | 0.562 |
| 62 | 21702-3280 | 5.750 | 6.875 | 0.625 |
| 62 | 21702-3281 | 5.750 | 7.000 | 0.500 |
| 62 | 21702-3282 | 5.750 | 7.000 | 0.562 |
| 62 | 21702-3283 | 5.750 | 7.000 | 0.625 |
| 62 | 21702-3301 | 5.812 | 7.000 | 0.562 |
| 62 | 21702-3335 | 5.937 | 7.000 | 0.500 |
| 62 | 21702-3351 | 5.937 | 7.625 | 0.500 |
| 62 | 21702-3355 | 6.000 | 7.000 | 0.500 |
| 62 | 21702-3363 | 6.000 | 7.250 | 0.625 |
| 62 | 21702-3367 | 6.000 | 7.500 | 0.500 |
| 62 | 21702-3371 | 6.000 | 7.625 | 0.500 |
| 62 | 21702-3375 | 6.125 | 7.125 | 0.500 |
| 62 | 21702-3384 | 6.125 | 7.500 | 0.500 |
| 62 | 21702-3394 | 6.250 | 7.500 | 0.500 |
| 62 | 21702-3405 | 6.250 | 7.750 | 0.750 |
| 62 | 21702-3426 | 6.500 | 7.500 | 0.625 |
| 62 | 21702-3434 | 6.500 | 8.000 | 0.625 |
| 62 | 21702-3440 | 6.625 | 7.875 | 0.625 |
| 62 | 21702-3456 | 6.750 | 7.750 | 0.625 |
| 62 | 21702-3458 | 6.750 | 7.875 | 0.625 |
| 62 | 21702-3474 | 6.875 | 7.875 | 0.625 |
| 62 | 21702-3480 | 6.875 | 8.250 | 0.625 |
| 62 | 21702-3492 | 7.000 | 8.000 | 0.625 |
| 62 | 21702-3518 | 7.250 | 8.250 | 0.625 |
| 62 | 21702-3522 | 7.250 | 8.500 | 0.625 |
| 62 | 21702-3536 | 7.375 | 8.875 | 0.625 |
| 62 | 21702-3544 | 7.500 | 8.500 | 0.625 |
| 62 | 21702-3552 | 7.500 | 9.000 | 0.625 |
| 62 | 21702-3558 | 7.625 | 8.625 | 0.625 |
| 62 | 21702-3578 | 7.750 | 9.250 | 0.625 |
| 62 | 21702-3592 | 8.000 | 9.000 | 0.625 |
| 62 | 21702-3598 | 8.000 | 9.375 | 0.625 |
| 62 | 21702-3600 | 8.000 | 9.500 | 0.625 |
| 62 | 21702-3601 | 8.000 | 9.500 | 0.750 |
| 62 | 21702-3604 | 8.250 | 9.250 | 0.625 |
| 62 | 21702-3608 | 8.375 | 9.750 | 0.750 |
| 62 | 21702-3610 | 8.500 | 10.500 | 1.000 |
| 62 | 21702-3624 | 9.000 | 11.000 | 1.000 |
| 62 | 21702-3648 | 9.500 | 11.500 | 1.000 |
| 62 | 21702-3660 | 10.000 | 11.000 | 0.562 |
| 62 | 21702-3668 | 10.000 | 11.000 | 0.750 |
| 62 | 21702-3672 | 10.000 | 11.500 | 0.750 |
| 62 | 21702-3673 | 10.000 | 12.000 | 1.000 |
| 62 | 21702-3728 | 14.500 | 16.500 | 0.750 |
| 62 | 21702-3741 | 18.000 | 19.500 | 0.750 |
| 62 | 21702-3869 | 0.562 | 1.000 | 0.312 |
| 62 | 21702-3877 | 1.187 | 2.048 | 0.375 |
| 62 | 21702-3900 | 2.125 | 2.882 | 0.375 |
| 62 | 21702-3917 | 6.437 | 7.500 | 0.500 |
| 62 | 21702-3921 | 8.000 | 9.500 | 0.687 |
| 62 | 21702-3927 | 8.062 | 10.000 | 1.000 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 62 | 21702-3932 | 8.125 | 10.125 | 0.750 |
| 62 | 21702-3935 | 8.500 | 9.500 | 0.625 |
| 62 | 21702-3937 | 8.500 | 10.000 | 0.750 |
| 62 | 21702-3938 | 8.500 | 10.500 | 0.812 |
| 62 | 21702-3946 | 8.750 | 10.250 | 0.687 |
| 62 | 21702-3949 | 8.750 | 10.500 | 0.750 |
| 62 | 21702-3951 | 8.750 | 10.750 | 0.750 |
| 62 | 21702-3954 | 9.000 | 10.500 | 0.687 |
| 62 | 21702-3967 | 9.250 | 11.250 | 0.750 |
| 62 | 21702-3984 | 9.500 | 11.500 | 0.812 |
| 62 | 21702-4012 | 10.500 | 12.000 | 0.750 |
| 62 | 21702-4013 | 10.500 | 12.125 | 0.750 |
| 62 | 21702-4016 | 10.500 | 12.500 | 0.750 |
| 62 | 21702-4017 | 10.500 | 12.500 | 0.812 |
| 62 | 21702-4031 | 10.750 | 12.750 | 0.812 |
| 62 | 21702-4062 | 11.500 | 13.500 | 0.750 |
| 62 | 21702-4065 | 11.750 | 13.250 | 0.750 |
| 62 | 21702-4067 | 12.000 | 13.500 | 0.750 |
| 62 | 21702-4068 | 12.000 | 13.625 | 0.750 |
| 62 | 21702-4072 | 12.000 | 14.000 | 0.812 |
| 62 | 21702-4083 | 12.500 | 14.500 | 0.812 |
| 62 | 21702-4099 | 13.000 | 15.000 | 0.812 |
| 62 | 21702-4129 | 13.750 | 15.750 | 0.812 |
| 62 | 21702-4132 | 14.000 | 15.500 | 0.750 |
| 62 | 21702-4145 | 14.500 | 16.500 | 0.812 |
| 62 | 21702-4149 | 14.750 | 16.500 | 0.750 |
| 62 | 21702-4186 | 16.500 | 18.500 | 0.812 |
| 62 | 21702-4190 | 17.000 | 19.000 | 0.812 |
| 62 | 21702-4195 | 17.500 | 19.000 | 0.750 |
| 62 | 21702-4216 | 18.500 | 20.500 | 0.875 |
| 62 | 21702-4219 | 19.000 | 21.000 | 0.875 |
| 62 | 21702-4492 | 7.312 | 8.375 | 0.625 |
| 62 | 21702-4502 | 8.500 | 10.000 | 0.625 |
| 62 | 21702-4503 | 9.000 | 10.000 | 0.625 |
| 62 | 21702-4507 | 9.000 | 10.500 | 0.625 |
| 62 | 21702-4508 | 9.000 | 10.625 | 0.625 |
| 62 | 21702-4513 | 9.750 | 10.750 | 0.625 |
| 62 | 21702-4557 | 3.000 | 4.000 | 0.500 |
| 62 | 21702-4560 | 6.500 | 7.500 | 0.500 |
| 62 | 21702-4615 | 15.250 | 16.750 | 0.687 |
| 62 | 21702-4651 | 4.000 | 5.000 | 0.500 |
| 62 | 21702-4687 | 0.984 | 2.048 | 0.375 |
| 62 | 21702-4798 | 1.500 | 2.125 | 0.375 |
| 62 | 21702-4845 | 2.500 | 3.937 | 0.375 |
| 62 | 21702-5105 | 0.669 | 1.375 | 0.312 |
| 62 | 21702-5246 | 1.500 | 2.250 | 0.312 |
| 62 | 21702-5315 | 1.700 | 2.437 | 0.375 |
| 62 | 21702-5339 | 9.843 | 11.024 | 0.591 |
| 62 | 21702-5357 | 8.661 | 9.843 | 0.591 |
| 62 | 21702-5382 | 14.000 | 16.250 | 0.812 |
| 62 | 21702-5670 | 12.000 | 13.500 | 0.812 |
| 62 | 21702-5713 | 1.500 | 2.125 | 0.437 |
| 62 | 21702-5773 | 11.500 | 13.000 | 0.812 |
| 62 | 21702-5991 | 14.000 | 15.750 | 0.687 |
| 62 | 21702-6233 | 0.937 | 1.375 | 0.312 |
| 62 | 21702-6655 | 1.375 | 2.047 | 0.375 |
| 62 | 21702-7225 | 18.750 | 20.750 | 0.875 |
| 62 | 21702-7381 | 12.250 | 13.750 | 0.812 |
| 62 | 21702-7386 | 1.375 | 2.000 | 0.375 |
| 62 | 21702-7596 | 2.937 | 3.937 | 0.375 |
| 62 | 21702-8102 | 0.500 | 1.378 | 0.312 |
| 62 | 21702-8132 | 4.835 | 6.250 | 0.500 |
| 62 | 21702-8168 | 3.750 | 4.885 | 0.500 |
| 62 | 21702-8169 | 6.125 | 7.625 | 0.500 |
| 62 | 21702-8373 | 2.437 | 3.150 | 0.375 |
| 62 | 21702-8876 | 3.062 | 4.003 | 0.375 |
| 62 | 21702-9015 | 3.469 | 4.500 | 0.500 |
| 62 | 21702-9438 | 8.875 | 10.750 | 0.750 |
| 62 | 21702-9488 | 1.578 | 2.687 | 0.375 |
| 62 | 21702-9595 | 15.750 | 17.250 | 0.750 |
| 62 | 21702-9620 | 1.750 | 2.441 | 0.375 |
| 62 | 21702-9808 | 1.000 | 1.750 | 0.312 |
| 63 | 21158-0001 | 0.281 | 0.750 | 0.250 |
| **63** | **21158-0005** | **0.313** | **0.750** | **0.250** |
| 63 | 21158-0006 | 0.313 | 0.750 | 0.312 |
| **63** | **21158-0007** | **0.313** | **0.875** | **0.250** |
| 63 | 21158-0008 | 0.313 | 0.875 | 0.312 |
| 63 | 21158-0009 | 0.343 | 0.750 | 0.250 |
| 63 | 21158-0010 | 0.343 | 0.750 | 0.312 |
| 63 | 21158-0011 | 0.343 | 0.875 | 0.250 |
| **63** | **21158-0013** | **0.375** | **0.750** | **0.250** |
| 63 | 21158-0014 | 0.375 | 0.750 | 0.312 |
| **63** | **21158-0015** | **0.375** | **0.875** | **0.250** |
| 63 | 21158-0016 | 0.375 | 0.875 | 0.312 |
| **63** | **21158-0017** | **0.375** | **1.000** | **0.312** |
| 63 | 21158-0018 | 0.375 | 1.000 | 0.375 |
| **63** | **21158-0019** | **0.375** | **1.125** | **0.312** |
| 63 | 21158-0020 | 0.375 | 1.125 | 0.375 |
| **63** | **21158-0021** | **0.375** | **1.250** | **0.312** |
| 63 | 21158-0023 | 0.375 | 1.375 | 0.312 |
| 63 | 21158-0027 | 0.406 | 1.000 | 0.312 |
| 63 | 21158-0029 | 0.406 | 1.125 | 0.312 |
| 63 | 21158-0031 | 0.406 | 1.250 | 0.312 |
| 63 | 21158-0034 | 0.406 | 1.375 | 0.375 |
| **63** | **21158-0035** | **0.438** | **0.875** | **0.312** |
| 63 | 21158-0036 | 0.438 | 0.875 | 0.375 |
| 63 | 21158-0037 | 0.438 | 1.000 | 0.312 |
| 63 | 21158-0038 | 0.438 | 1.000 | 0.375 |
| 63 | 21158-0039 | 0.438 | 1.125 | 0.312 |
| 63 | 21158-0040 | 0.438 | 1.125 | 0.375 |
| 63 | 21158-0041 | 0.438 | 1.250 | 0.312 |
| 63 | 21158-0042 | 0.438 | 1.250 | 0.375 |
| **63** | **21158-0043** | **0.469** | **1.000** | **0.312** |
| 63 | 21158-0044 | 0.469 | 1.000 | 0.375 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 63 | 21158-0045 | 0.469 | 1.125 | 0.312 |
| 63 | 21158-0046 | 0.469 | 1.125 | 0.375 |
| 63 | 21158-0047 | 0.469 | 1.250 | 0.312 |
| **63** | **21158-0049** | **0.500** | **1.000** | **0.312** |
| **63** | **21158-0050** | **0.500** | **1.000** | **0.375** |
| **63** | **21158-0051** | **0.500** | **1.125** | **0.312** |
| 63 | 21158-0052 | 0.500 | 1.125 | 0.375 |
| 63 | 21158-0053 | 0.500 | 1.250 | 0.312 |
| 63 | 21158-0054 | 0.500 | 1.250 | 0.375 |
| **63** | **21158-0055** | **0.500** | **1.375** | **0.312** |
| 63 | 21158-0056 | 0.500 | 1.375 | 0.375 |
| **63** | **21158-0057** | **0.500** | **1.500** | **0.312** |
| 63 | 21158-0058 | 0.500 | 1.500 | 0.375 |
| 63 | 21158-0059 | 0.531 | 1.125 | 0.312 |
| 63 | 21158-0060 | 0.531 | 1.125 | 0.375 |
| 63 | 21158-0061 | 0.531 | 1.250 | 0.312 |
| 63 | 21158-0062 | 0.531 | 1.250 | 0.375 |
| 63 | 21158-0063 | 0.531 | 1.375 | 0.312 |
| 63 | 21158-0065 | 0.531 | 1.500 | 0.312 |
| **63** | **21158-0067** | **0.562** | **1.125** | **0.312** |
| 63 | 21158-0068 | 0.562 | 1.125 | 0.375 |
| **63** | **21158-0069** | **0.562** | **1.250** | **0.312** |
| 63 | 21158-0070 | 0.562 | 1.250 | 0.375 |
| 63 | 21158-0071 | 0.562 | 1.375 | 0.312 |
| 63 | 21158-0072 | 0.562 | 1.375 | 0.375 |
| 63 | 21158-0073 | 0.562 | 1.500 | 0.312 |
| 63 | 21158-0075 | 0.562 | 1.575 | 0.312 |
| **63** | **21158-0077** | **0.594** | **1.125** | **0.312** |
| 63 | 21158-0078 | 0.594 | 1.125 | 0.375 |
| 63 | 21158-0079 | 0.594 | 1.250 | 0.312 |
| 63 | 21158-0080 | 0.594 | 1.250 | 0.375 |
| **63** | **21158-0081** | **0.594** | **1.375** | **0.312** |
| 63 | 21158-0082 | 0.594 | 1.375 | 0.375 |
| 63 | 21158-0083 | 0.594 | 1.500 | 0.312 |
| 63 | 21158-0084 | 0.594 | 1.500 | 0.375 |
| 63 | 21158-0085 | 0.594 | 1.575 | 0.312 |
| **63** | **21158-0087** | **0.625** | **1.125** | **0.312** |
| 63 | 21158-0088 | 0.625 | 1.125 | 0.375 |
| **63** | **21158-0089** | **0.625** | **1.250** | **0.312** |
| 63 | 21158-0090 | 0.625 | 1.250 | 0.375 |
| **63** | **21158-0091** | **0.625** | **1.375** | **0.312** |
| 63 | 21158-0092 | 0.625 | 1.375 | 0.375 |
| **63** | **21158-0093** | **0.625** | **1.500** | **0.312** |
| 63 | 21158-0094 | 0.625 | 1.500 | 0.375 |
| **63** | **21158-0095** | **0.625** | **1.575** | **0.312** |
| 63 | 21158-0096 | 0.625 | 1.575 | 0.375 |
| 63 | 21158-0097 | 0.656 | 1.125 | 0.312 |
| 63 | 21158-0098 | 0.656 | 1.125 | 0.375 |
| **63** | **21158-0099** | **0.656** | **1.250** | **0.312** |
| 63 | 21158-0100 | 0.656 | 1.250 | 0.375 |
| 63 | 21158-0101 | 0.656 | 1.375 | 0.312 |
| 63 | 21158-0102 | 0.656 | 1.375 | 0.375 |
| 63 | 21158-0103 | 0.656 | 1.500 | 0.312 |
| 63 | 21158-0104 | 0.656 | 1.500 | 0.375 |
| **63** | **21158-0105** | **0.656** | **1.575** | **0.312** |
| 63 | 21158-0106 | 0.656 | 1.575 | 0.375 |
| 63 | 21158-0107 | 0.656 | 1.625 | 0.312 |
| 63 | 21158-0108 | 0.656 | 1.625 | 0.375 |
| **63** | **21158-0109** | **0.687** | **1.125** | **0.312** |
| 63 | 21158-0110 | 0.687 | 1.125 | 0.375 |
| 63 | 21158-0111 | 0.687 | 1.250 | 0.312 |
| 63 | 21158-0112 | 0.687 | 1.250 | 0.375 |
| **63** | **21158-0113** | **0.687** | **1.375** | **0.312** |
| 63 | 21158-0114 | 0.687 | 1.375 | 0.375 |
| 63 | 21158-0115 | 0.687 | 1.500 | 0.312 |
| 63 | 21158-0116 | 0.687 | 1.500 | 0.375 |
| 63 | 21158-0121 | 0.719 | 1.250 | 0.312 |
| 63 | 21158-0123 | 0.719 | 1.375 | 0.312 |
| 63 | 21158-0124 | 0.719 | 1.375 | 0.375 |
| 63 | 21158-0125 | 0.719 | 1.500 | 0.312 |
| 63 | 21158-0126 | 0.719 | 1.500 | 0.375 |
| 63 | 21158-0127 | 0.719 | 1.575 | 0.312 |
| **63** | **21158-0129** | **0.719** | **1.625** | **0.312** |
| 63 | 21158-0131 | 0.719 | 1.750 | 0.375 |
| 63 | 21158-0133 | 0.719 | 1.828 | 0.375 |
| 63 | 21158-0135 | 0.719 | 1.875 | 0.375 |
| 63 | 21158-0137 | 0.719 | 1.984 | 0.375 |
| **63** | **21158-0139** | **0.750** | **1.250** | **0.312** |
| 63 | 21158-0140 | 0.750 | 1.250 | 0.375 |
| **63** | **21158-0141** | **0.750** | **1.375** | **0.312** |
| 63 | 21158-0142 | 0.750 | 1.375 | 0.375 |
| **63** | **21158-0143** | **0.750** | **1.500** | **0.312** |
| 63 | 21158-0144 | 0.750 | 1.500 | 0.375 |
| 63 | 21158-0145 | 0.750 | 1.575 | 0.312 |
| 63 | 21158-0146 | 0.750 | 1.575 | 0.375 |
| **63** | **21158-0147** | **0.750** | **1.625** | **0.312** |
| 63 | 21158-0148 | 0.750 | 1.625 | 0.375 |
| **63** | **21158-0149** | **0.750** | **1.750** | **0.375** |
| 63 | 21158-0150 | 0.750 | 1.750 | 0.437 |
| 63 | 21158-0151 | 0.750 | 1.828 | 0.375 |
| 63 | 21158-0152 | 0.750 | 1.828 | 0.437 |
| 63 | 21158-0153 | 0.750 | 1.875 | 0.375 |
| 63 | 21158-0155 | 0.750 | 1.984 | 0.375 |
| 63 | 21158-0156 | 0.750 | 1.984 | 0.437 |
| 63 | 21158-0157 | 0.781 | 1.250 | 0.312 |
| 63 | 21158-0158 | 0.781 | 1.250 | 0.375 |
| 63 | 21158-0159 | 0.781 | 1.375 | 0.312 |
| 63 | 21158-0160 | 0.781 | 1.375 | 0.375 |
| 63 | 21158-0161 | 0.781 | 1.500 | 0.312 |
| 63 | 21158-0162 | 0.781 | 1.500 | 0.375 |
| 63 | 21158-0163 | 0.781 | 1.575 | 0.312 |
| 63 | 21158-0165 | 0.781 | 1.625 | 0.312 |
| 63 | 21158-0166 | 0.781 | 1.625 | 0.375 |
| **63** | **21158-0167** | **0.781** | **1.750** | **0.375** |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 63 | 21158-0169 | 0.781 | 1.828 | 0.375 |
| 63 | 21158-0170 | 0.781 | 1.828 | 0.437 |
| 63 | 21158-0171 | 0.781 | 1.875 | 0.375 |
| 63 | 21158-0172 | 0.781 | 1.875 | 0.437 |
| **63** | **21158-0173** | **0.781** | **1.984** | **0.375** |
| **63** | **21158-0175** | **0.812** | **1.250** | **0.312** |
| 63 | 21158-0176 | 0.812 | 1.250 | 0.375 |
| 63 | 21158-0177 | 0.812 | 1.375 | 0.312 |
| 63 | 21158-0178 | 0.812 | 1.375 | 0.375 |
| 63 | 21158-0179 | 0.812 | 1.500 | 0.312 |
| 63 | 21158-0180 | 0.812 | 1.500 | 0.375 |
| 63 | 21158-0181 | 0.812 | 1.575 | 0.312 |
| 63 | 21158-0182 | 0.812 | 1.575 | 0.375 |
| **63** | **21158-0183** | **0.812** | **1.625** | **0.312** |
| 63 | 21158-0185 | 0.812 | 1.750 | 0.375 |
| 63 | 21158-0186 | 0.812 | 1.750 | 0.437 |
| 63 | 21158-0187 | 0.812 | 1.828 | 0.375 |
| **63** | **21158-0189** | **0.812** | **1.875** | **0.375** |
| 63 | 21158-0191 | 0.812 | 1.984 | 0.375 |
| 63 | 21158-0192 | 0.812 | 1.984 | 0.437 |
| 63 | 21158-0193 | 0.844 | 1.375 | 0.312 |
| 63 | 21158-0195 | 0.844 | 1.500 | 0.312 |
| 63 | 21158-0197 | 0.844 | 1.575 | 0.312 |
| **63** | **21158-0199** | **0.844** | **1.625** | **0.312** |
| 63 | 21158-0201 | 0.844 | 1.750 | 0.375 |
| 63 | 21158-0204 | 0.844 | 1.828 | 0.437 |
| 63 | 21158-0207 | 0.844 | 1.984 | 0.375 |
| 63 | 21158-0211 | 0.844 | 2.062 | 0.375 |
| **63** | **21158-0213** | **0.875** | **1.375** | **0.312** |
| 63 | 21158-0214 | 0.875 | 1.375 | 0.375 |
| **63** | **21158-0215** | **0.875** | **1.500** | **0.312** |
| 63 | 21158-0216 | 0.875 | 1.500 | 0.375 |
| **63** | **21158-0217** | **0.875** | **1.575** | **0.312** |
| 63 | 21158-0218 | 0.875 | 1.575 | 0.375 |
| **63** | **21158-0219** | **0.875** | **1.625** | **0.312** |
| 63 | 21158-0220 | 0.875 | 1.625 | 0.375 |
| **63** | **21158-0221** | **0.875** | **1.750** | **0.375** |
| 63 | 21158-0222 | 0.875 | 1.750 | 0.437 |
| 63 | 21158-0223 | 0.875 | 1.828 | 0.375 |
| 63 | 21158-0224 | 0.875 | 1.828 | 0.437 |
| 63 | 21158-0225 | 0.875 | 1.875 | 0.375 |
| 63 | 21158-0226 | 0.875 | 1.875 | 0.437 |
| 63 | 21158-0227 | 0.875 | 1.984 | 0.375 |
| 63 | 21158-0228 | 0.875 | 1.984 | 0.437 |
| **63** | **21158-0229** | **0.875** | **2.000** | **0.375** |
| 63 | 21158-0231 | 0.875 | 2.062 | 0.375 |
| **63** | **21158-0233** | **0.906** | **1.500** | **0.312** |
| 63 | 21158-0234 | 0.906 | 1.500 | 0.375 |
| **63** | **21158-0235** | **0.906** | **1.575** | **0.312** |
| 63 | 21158-0236 | 0.906 | 1.575 | 0.375 |
| 63 | 21158-0237 | 0.906 | 1.625 | 0.312 |
| 63 | 21158-0239 | 0.906 | 1.750 | 0.375 |
| 63 | 21158-0243 | 0.906 | 1.875 | 0.375 |
| 63 | 21158-0245 | 0.906 | 1.984 | 0.375 |
| 63 | 21158-0247 | 0.906 | 2.000 | 0.375 |
| **63** | **21158-0251** | **0.937** | **1.500** | **0.312** |
| 63 | 21158-0252 | 0.937 | 1.500 | 0.375 |
| **63** | **21158-0253** | **0.937** | **1.575** | **0.312** |
| **63** | **21158-0255** | **0.937** | **1.625** | **0.312** |
| 63 | 21158-0256 | 0.937 | 1.625 | 0.375 |
| **63** | **21158-0257** | **0.937** | **1.750** | **0.375** |
| 63 | 21158-0258 | 0.937 | 1.750 | 0.437 |
| 63 | 21158-0259 | 0.937 | 1.828 | 0.375 |
| 63 | 21158-0260 | 0.937 | 1.828 | 0.437 |
| **63** | **21158-0261** | **0.937** | **1.875** | **0.375** |
| 63 | 21158-0263 | 0.937 | 1.984 | 0.375 |
| 63 | 21158-0264 | 0.937 | 1.625 | 0.437 |
| 63 | 21158-0265 | 0.937 | 2.000 | 0.375 |
| 63 | 21158-0266 | 0.937 | 2.000 | 0.437 |
| **63** | **21158-0267** | **0.937** | **2.062** | **0.375** |
| 63 | 21158-0268 | 0.937 | 2.062 | 0.437 |
| **63** | **21158-0269** | **0.969** | **1.500** | **0.312** |
| 63 | 21158-0270 | 0.969 | 1.500 | 0.375 |
| **63** | **21158-0271** | **0.969** | **1.575** | **0.312** |
| 63 | 21158-0273 | 0.969 | 1.625 | 0.312 |
| 63 | 21158-0274 | 0.969 | 1.625 | 0.375 |
| 63 | 21158-0275 | 0.969 | 1.750 | 0.375 |
| 63 | 21158-0276 | 0.969 | 1.750 | 0.437 |
| 63 | 21158-0277 | 0.969 | 1.828 | 0.375 |
| 63 | 21158-0278 | 0.969 | 1.828 | 0.437 |
| **63** | **21158-0279** | **0.969** | **1.875** | **0.375** |
| 63 | 21158-0281 | 0.969 | 1.984 | 0.375 |
| 63 | 21158-0282 | 0.969 | 1.686 | 0.312 |
| **63** | **21158-0283** | **0.969** | **2.000** | **0.375** |
| **63** | **21158-0285** | **0.969** | **2.062** | **0.375** |
| 63 | 21158-0286 | 0.969 | 2.062 | 0.437 |
| **63** | **21158-0287** | **1.000** | **1.500** | **0.312** |
| 63 | 21158-0288 | 1.000 | 1.500 | 0.375 |
| **63** | **21158-0289** | **1.000** | **1.575** | **0.312** |
| 63 | 21158-0290 | 1.000 | 1.575 | 0.375 |
| **63** | **21158-0291** | **1.000** | **1.625** | **0.312** |
| 63 | 21158-0292 | 1.000 | 1.625 | 0.375 |
| **63** | **21158-0293** | **1.000** | **1.750** | **0.375** |
| **63** | **21158-0294** | **1.000** | **1.750** | **0.437** |
| **63** | **21158-0295** | **1.000** | **1.828** | **0.375** |
| 63 | 21158-0296 | 1.000 | 1.828 | 0.437 |
| **63** | **21158-0297** | **1.000** | **1.875** | **0.375** |
| 63 | 21158-0298 | 1.000 | 1.875 | 0.437 |
| 63 | 21158-0299 | 1.000 | 1.984 | 0.375 |
| 63 | 21158-0300 | 1.000 | 1.984 | 0.437 |
| **63** | **21158-0301** | **1.000** | **2.000** | **0.375** |
| **63** | **21158-0302** | **1.000** | **2.000** | **0.437** |
| **63** | **21158-0303** | **1.000** | **2.062** | **0.375** |
| 63 | 21158-0304 | 1.000 | 2.062 | 0.437 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 63 | 21158-0305 | 1.031 | 1.575 | 0.312 |
| 63 | 21158-0306 | 1.031 | 1.575 | 0.375 |
| 63 | 21158-0307 | 1.031 | 1.625 | 0.312 |
| 63 | 21158-0308 | 1.031 | 1.625 | 0.375 |
| 63 | 21158-0309 | 1.031 | 1.750 | 0.375 |
| 63 | 21158-0310 | 1.000 | 1.686 | 0.312 |
| 63 | 21158-0311 | 1.062 | 1.686 | 0.312 |
| 63 | 21158-0313 | 1.031 | 1.875 | 0.375 |
| 63 | 21158-0314 | 1.062 | 1.499 | 0.312 |
| 63 | 21158-0315 | 1.031 | 1.984 | 0.375 |
| 63 | 21158-0317 | 1.031 | 2.000 | 0.375 |
| 63 | 21158-0319 | 1.031 | 2.062 | 0.375 |
| **63** | **21158-0321** | **1.062** | **1.575** | **0.312** |
| 63 | 21158-0322 | 1.062 | 1.575 | 0.375 |
| **63** | **21158-0323** | **1.062** | **1.625** | **0.312** |
| 63 | 21158-0324 | 1.062 | 1.625 | 0.375 |
| **63** | **21158-0325** | **1.062** | **1.750** | **0.375** |
| 63 | 21158-0326 | 1.062 | 1.750 | 0.437 |
| 63 | 21158-0327 | 1.062 | 1.828 | 0.375 |
| 63 | 21158-0328 | 1.062 | 1.828 | 0.437 |
| 63 | 21158-0329 | 1.062 | 1.875 | 0.375 |
| 63 | 21158-0330 | 1.062 | 1.875 | 0.437 |
| **63** | **21158-0331** | **1.062** | **1.984** | **0.375** |
| 63 | 21158-0333 | 1.062 | 2.000 | 0.375 |
| 63 | 21158-0334 | 1.062 | 2.000 | 0.437 |
| 63 | 21158-0335 | 1.062 | 2.062 | 0.375 |
| 63 | 21158-0336 | 1.062 | 2.062 | 0.437 |
| 63 | 21158-0337 | 1.093 | 1.625 | 0.312 |
| 63 | 21158-0339 | 1.093 | 1.750 | 0.375 |
| 63 | 21158-0341 | 1.093 | 1.828 | 0.375 |
| 63 | 21158-0344 | 1.093 | 1.875 | 0.437 |
| 63 | 21158-0346 | 1.093 | 1.984 | 0.437 |
| 63 | 21158-0347 | 1.093 | 2.000 | 0.375 |
| 63 | 21158-0349 | 1.093 | 2.062 | 0.375 |
| **63** | **21158-0351** | **1.125** | **1.625** | **0.312** |
| 63 | 21158-0352 | 1.125 | 1.625 | 0.375 |
| **63** | **21158-0353** | **1.125** | **1.750** | **0.375** |
| 63 | 21158-0354 | 1.125 | 1.750 | 0.437 |
| **63** | **21158-0355** | **1.125** | **1.828** | **0.375** |
| 63 | 21158-0356 | 1.125 | 1.828 | 0.437 |
| **63** | **21158-0357** | **1.125** | **1.875** | **0.375** |
| 63 | 21158-0358 | 1.125 | 1.875 | 0.437 |
| **63** | **21158-0359** | **1.125** | **2.000** | **0.375** |
| 63 | 21158-0360 | 1.125 | 2.000 | 0.437 |
| **63** | **21158-0361** | **1.125** | **2.062** | **0.375** |
| 63 | 21158-0362 | 1.125 | 2.062 | 0.437 |
| **63** | **21158-0363** | **1.156** | **1.875** | **0.375** |
| 63 | 21158-0365 | 1.156 | 1.984 | 0.375 |
| 63 | 21158-0367 | 1.156 | 2.000 | 0.375 |
| 63 | 21158-0369 | 1.156 | 2.062 | 0.375 |
| 63 | 21158-0370 | 1.156 | 2.062 | 0.437 |
| 63 | 21158-0372 | 1.156 | 2.106 | 0.437 |
| 63 | 21158-0374 | 1.156 | 2.125 | 0.375 |
| **63** | **21158-0377** | **1.156** | **2.250** | **0.375** |
| 63 | 21158-0380 | 1.156 | 2.375 | 0.375 |
| **63** | **21158-0383** | **1.187** | **1.875** | **0.375** |
| 63 | 21158-0384 | 1.187 | 1.875 | 0.437 |
| 63 | 21158-0385 | 1.187 | 1.984 | 0.375 |
| 63 | 21158-0386 | 1.187 | 1.984 | 0.437 |
| **63** | **21158-0387** | **1.187** | **2.000** | **0.375** |
| 63 | 21158-0388 | 1.187 | 2.000 | 0.437 |
| **63** | **21158-0389** | **1.187** | **2.062** | **0.375** |
| 63 | 21158-0390 | 1.187 | 2.062 | 0.437 |
| 63 | 21158-0394 | 1.187 | 2.125 | 0.375 |
| 63 | 21158-0395 | 1.187 | 2.125 | 0.437 |
| **63** | **21158-0397** | **1.187** | **2.250** | **0.375** |
| 63 | 21158-0398 | 1.187 | 2.250 | 0.437 |
| 63 | 21158-0399 | 1.187 | 2.250 | 0.500 |
| 63 | 21158-0400 | 1.187 | 2.375 | 0.375 |
| 63 | 21158-0401 | 1.187 | 2.375 | 0.437 |
| 63 | 21158-0402 | 1.187 | 2.375 | 0.500 |
| 63 | 21158-0403 | 1.219 | 1.984 | 0.375 |
| 63 | 21158-0405 | 1.219 | 2.000 | 0.375 |
| 63 | 21158-0413 | 1.219 | 2.125 | 0.437 |
| 63 | 21158-0415 | 1.219 | 2.250 | 0.375 |
| 63 | 21158-0421 | 1.219 | 2.437 | 0.375 |
| **63** | **21158-0424** | **1.250** | **1.984** | **0.375** |
| 63 | 21158-0425 | 1.250 | 1.984 | 0.437 |
| 63 | 21158-0426 | 1.250 | 1.984 | 0.500 |
| **63** | **21158-0427** | **1.250** | **2.000** | **0.375** |
| **63** | **21158-0428** | **1.250** | **2.000** | **0.437** |
| **63** | **21158-0430** | **1.250** | **2.062** | **0.375** |
| 63 | 21158-0431 | 1.250 | 2.062 | 0.437 |
| **63** | **21158-0433** | **1.250** | **2.106** | **0.375** |
| **63** | **21158-0436** | **1.250** | **2.125** | **0.375** |
| 63 | 21158-0437 | 1.250 | 2.125 | 0.437 |
| 63 | 21158-0438 | 1.250 | 2.125 | 0.500 |
| **63** | **21158-0439** | **1.250** | **2.250** | **0.375** |
| 63 | 21158-0440 | 1.250 | 2.250 | 0.437 |
| 63 | 21158-0441 | 1.250 | 2.250 | 0.500 |
| **63** | **21158-0442** | **1.250** | **2.375** | **0.375** |
| 63 | 21158-0443 | 1.250 | 2.375 | 0.437 |
| 63 | 21158-0444 | 1.250 | 2.375 | 0.500 |
| **63** | **21158-0445** | **1.250** | **2.437** | **0.375** |
| 63 | 21158-0446 | 1.250 | 2.437 | 0.437 |
| 63 | 21158-0447 | 1.250 | 2.437 | 0.500 |
| **63** | **21158-0448** | **1.281** | **1.984** | **0.375** |
| 63 | 21158-0451 | 1.281 | 2.000 | 0.375 |
| 63 | 21158-0454 | 1.281 | 2.062 | 0.375 |
| 63 | 21158-0457 | 1.281 | 2.106 | 0.375 |
| 63 | 21158-0462 | 1.281 | 2.125 | 0.500 |
| 63 | 21158-0463 | 1.281 | 2.250 | 0.375 |
| 63 | 21158-0465 | 1.281 | 2.250 | 0.500 |
| 63 | 21158-0471 | 1.281 | 2.437 | 0.500 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 63 | 21158-0474 | 1.281 | 2.497 | 0.500 |
| 63 | 21158-0475 | 1.281 | 2.500 | 0.375 |
| 63 | 21158-0478 | 1.312 | 1.984 | 0.375 |
| **63** | **21158-0481** | **1.312** | **2.000** | **0.375** |
| 63 | 21158-0482 | 1.312 | 2.000 | 0.437 |
| **63** | **21158-0484** | **1.312** | **2.062** | **0.375** |
| 63 | 21158-0485 | 1.312 | 2.062 | 0.437 |
| 63 | 21158-0487 | 1.312 | 2.106 | 0.375 |
| **63** | **21158-0490** | **1.312** | **2.125** | **0.375** |
| 63 | 21158-0491 | 1.312 | 2.125 | 0.437 |
| 63 | 21158-0492 | 1.312 | 2.125 | 0.500 |
| **63** | **21158-0493** | **1.312** | **2.250** | **0.375** |
| 63 | 21158-0494 | 1.312 | 2.250 | 0.437 |
| 63 | 21158-0495 | 1.312 | 2.250 | 0.500 |
| **63** | **21158-0496** | **1.312** | **2.375** | **0.375** |
| 63 | 21158-0497 | 1.312 | 2.375 | 0.437 |
| 63 | 21158-0498 | 1.312 | 2.375 | 0.500 |
| 63 | 21158-0499 | 1.312 | 2.437 | 0.375 |
| **63** | **21158-0505** | **1.312** | **2.500** | **0.375** |
| 63 | 21158-0507 | 1.312 | 2.500 | 0.500 |
| 63 | 21158-0508 | 1.344 | 2.062 | 0.375 |
| 63 | 21158-0511 | 1.344 | 2.106 | 0.375 |
| 63 | 21158-0514 | 1.344 | 2.125 | 0.375 |
| 63 | 21158-0515 | 1.344 | 2.125 | 0.437 |
| **63** | **21158-0517** | **1.344** | **2.250** | **0.375** |
| 63 | 21158-0520 | 1.344 | 2.375 | 0.375 |
| 63 | 21158-0523 | 1.344 | 2.437 | 0.375 |
| 63 | 21158-0525 | 1.344 | 2.437 | 0.500 |
| 63 | 21158-0526 | 1.344 | 2.497 | 0.375 |
| 63 | 21158-0529 | 1.344 | 2.500 | 0.375 |
| 63 | 21158-0532 | 1.344 | 2.625 | 0.375 |
| **63** | **21158-0535** | **1.375** | **2.062** | **0.375** |
| 63 | 21158-0536 | 1.375 | 2.062 | 0.437 |
| 63 | 21158-0537 | 1.375 | 2.062 | 0.500 |
| 63 | 21158-0538 | 1.375 | 2.106 | 0.375 |
| 63 | 21158-0539 | 1.375 | 2.106 | 0.437 |
| 63 | 21158-0540 | 1.375 | 2.106 | 0.500 |
| **63** | **21158-0541** | **1.375** | **2.125** | **0.375** |
| **63** | **21158-0542** | **1.375** | **2.125** | **0.437** |
| 63 | 21158-0543 | 1.375 | 2.125 | 0.500 |
| **63** | **21158-0544** | **1.375** | **2.250** | **0.375** |
| 63 | 21158-0545 | 1.375 | 2.250 | 0.437 |
| 63 | 21158-0546 | 1.375 | 2.250 | 0.500 |
| **63** | **21158-0547** | **1.375** | **2.375** | **0.375** |
| 63 | 21158-0548 | 1.375 | 2.375 | 0.437 |
| **63** | **21158-0549** | **1.375** | **2.375** | **0.500** |
| **63** | **21158-0550** | **1.375** | **2.437** | **0.375** |
| 63 | 21158-0551 | 1.375 | 2.437 | 0.437 |
| 63 | 21158-0552 | 1.375 | 2.437 | 0.500 |
| 63 | 21158-0553 | 1.375 | 2.497 | 0.375 |
| 63 | 21158-0554 | 1.375 | 2.497 | 0.437 |
| 63 | 21158-0555 | 1.375 | 2.497 | 0.500 |
| **63** | **21158-0556** | **1.375** | **2.500** | **0.375** |
| 63 | 21158-0557 | 1.375 | 2.500 | 0.437 |
| 63 | 21158-0559 | 1.375 | 2.625 | 0.375 |
| 63 | 21158-0560 | 1.375 | 2.625 | 0.437 |
| 63 | 21158-0561 | 1.375 | 2.625 | 0.500 |
| 63 | 21158-0562 | 1.375 | 2.561 | 0.375 |
| **63** | **21158-0565** | **1.406** | **2.125** | **0.375** |
| 63 | 21158-0566 | 1.406 | 2.125 | 0.437 |
| 63 | 21158-0568 | 1.406 | 2.250 | 0.375 |
| 63 | 21158-0571 | 1.406 | 2.375 | 0.375 |
| 63 | 21158-0580 | 1.406 | 2.500 | 0.375 |
| 63 | 21158-0583 | 1.406 | 2.625 | 0.375 |
| **63** | **21158-0592** | **1.437** | **2.125** | **0.375** |
| 63 | 21158-0593 | 1.437 | 2.125 | 0.437 |
| 63 | 21158-0594 | 1.437 | 2.125 | 0.500 |
| **63** | **21158-0595** | **1.437** | **2.250** | **0.375** |
| 63 | 21158-0596 | 1.437 | 2.250 | 0.437 |
| 63 | 21158-0597 | 1.437 | 2.250 | 0.500 |
| **63** | **21158-0598** | **1.437** | **2.375** | **0.375** |
| 63 | 21158-0599 | 1.437 | 2.375 | 0.437 |
| 63 | 21158-0600 | 1.437 | 2.375 | 0.500 |
| 63 | 21158-0601 | 1.437 | 2.437 | 0.375 |
| 63 | 21158-0602 | 1.437 | 2.437 | 0.437 |
| 63 | 21158-0603 | 1.437 | 2.437 | 0.500 |
| 63 | 21158-0604 | 1.437 | 2.497 | 0.375 |
| 63 | 21158-0605 | 1.437 | 2.497 | 0.437 |
| **63** | **21158-0607** | **1.437** | **2.500** | **0.375** |
| 63 | 21158-0608 | 1.437 | 2.500 | 0.437 |
| 63 | 21158-0609 | 1.437 | 2.500 | 0.500 |
| 63 | 21158-0610 | 1.437 | 2.625 | 0.375 |
| 63 | 21158-0612 | 1.437 | 2.625 | 0.500 |
| 63 | 21158-0613 | 1.437 | 2.686 | 0.375 |
| 63 | 21158-0615 | 1.437 | 2.686 | 0.500 |
| **63** | **21158-0616** | **1.469** | **2.250** | **0.375** |
| 63 | 21158-0619 | 1.469 | 2.375 | 0.375 |
| 63 | 21158-0621 | 1.469 | 2.375 | 0.500 |
| 63 | 21158-0622 | 1.469 | 2.437 | 0.375 |
| 63 | 21158-0624 | 1.469 | 2.437 | 0.500 |
| 63 | 21158-0628 | 1.469 | 2.500 | 0.375 |
| 63 | 21158-0634 | 1.469 | 2.686 | 0.375 |
| 63 | 21158-0638 | 1.469 | 2.750 | 0.437 |
| 63 | 21158-0640 | 1.469 | 2.756 | 0.375 |
| **63** | **21158-0643** | **1.500** | **2.250** | **0.375** |
| 63 | 21158-0644 | 1.500 | 2.250 | 0.437 |
| **63** | **21158-0645** | **1.500** | **2.250** | **0.500** |
| **63** | **21158-0646** | **1.500** | **2.375** | **0.375** |
| 63 | 21158-0647 | 1.500 | 2.375 | 0.437 |
| **63** | **21158-0648** | **1.500** | **2.375** | **0.500** |
| 63 | 21158-0649 | 1.500 | 2.437 | 0.375 |
| 63 | 21158-0650 | 1.500 | 2.437 | 0.437 |
| 63 | 21158-0651 | 1.500 | 2.437 | 0.500 |
| **63** | **21158-0652** | **1.500** | **2.497** | **0.375** |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 63 | 21158-0654 | 1.500 | 2.497 | 0.500 |
| **63** | **21158-0655** | **1.500** | **2.500** | **0.375** |
| 63 | 21158-0656 | 1.500 | 2.500 | 0.437 |
| 63 | 21158-0657 | 1.500 | 2.500 | 0.500 |
| **63** | **21158-0658** | **1.500** | **2.625** | **0.375** |
| 63 | 21158-0659 | 1.500 | 2.625 | 0.437 |
| 63 | 21158-0660 | 1.500 | 2.625 | 0.500 |
| 63 | 21158-0661 | 1.500 | 2.686 | 0.375 |
| 63 | 21158-0664 | 1.500 | 2.750 | 0.375 |
| 63 | 21158-0665 | 1.500 | 2.750 | 0.437 |
| 63 | 21158-0666 | 1.500 | 2.750 | 0.500 |
| **63** | **21158-0667** | **1.500** | **2.756** | **0.375** |
| 63 | 21158-0668 | 1.500 | 2.756 | 0.437 |
| 63 | 21158-0669 | 1.500 | 2.756 | 0.500 |
| **63** | **21158-0670** | **1.531** | **2.250** | **0.375** |
| 63 | 21158-0673 | 1.531 | 2.375 | 0.375 |
| 63 | 21158-0679 | 1.531 | 2.497 | 0.375 |
| 63 | 21158-0682 | 1.531 | 2.500 | 0.375 |
| 63 | 21158-0685 | 1.531 | 2.625 | 0.375 |
| 63 | 21158-0693 | 1.531 | 2.750 | 0.500 |
| 63 | 21158-0694 | 1.531 | 2.756 | 0.375 |
| **63** | **21158-0700** | **1.562** | **2.250** | **0.375** |
| 63 | 21158-0701 | 1.562 | 2.250 | 0.437 |
| 63 | 21158-0702 | 1.562 | 2.250 | 0.500 |
| **63** | **21158-0703** | **1.562** | **2.375** | **0.375** |
| 63 | 21158-0704 | 1.562 | 2.375 | 0.437 |
| **63** | **21158-0706** | **1.562** | **2.437** | **0.375** |
| 63 | 21158-0707 | 1.562 | 2.437 | 0.437 |
| 63 | 21158-0708 | 1.562 | 2.437 | 0.500 |
| 63 | 21158-0709 | 1.562 | 2.497 | 0.375 |
| **63** | **21158-0712** | **1.562** | **2.500** | **0.375** |
| 63 | 21158-0713 | 1.562 | 2.500 | 0.437 |
| 63 | 21158-0714 | 1.562 | 2.500 | 0.500 |
| **63** | **21158-0715** | **1.562** | **2.625** | **0.375** |
| 63 | 21158-0717 | 1.562 | 2.625 | 0.500 |
| 63 | 21158-0718 | 1.562 | 2.686 | 0.375 |
| **63** | **21158-0721** | **1.562** | **2.750** | **0.375** |
| 63 | 21158-0722 | 1.562 | 2.750 | 0.437 |
| 63 | 21158-0723 | 1.562 | 2.750 | 0.500 |
| 63 | 21158-0724 | 1.562 | 2.756 | 0.375 |
| 63 | 21158-0725 | 1.562 | 2.756 | 0.437 |
| 63 | 21158-0727 | 1.562 | 2.783 | 0.375 |
| 63 | 21158-0728 | 1.562 | 2.783 | 0.437 |
| **63** | **21158-0730** | **1.594** | **2.375** | **0.375** |
| 63 | 21158-0734 | 1.594 | 2.437 | 0.437 |
| 63 | 21158-0739 | 1.594 | 2.500 | 0.375 |
| 63 | 21158-0742 | 1.594 | 2.625 | 0.375 |
| 63 | 21158-0744 | 1.594 | 2.625 | 0.500 |
| 63 | 21158-0747 | 1.594 | 2.686 | 0.500 |
| 63 | 21158-0748 | 1.594 | 2.750 | 0.375 |
| 63 | 21158-0750 | 1.594 | 2.750 | 0.500 |
| 63 | 21158-0751 | 1.594 | 2.756 | 0.375 |
| 63 | 21158-0757 | 1.594 | 2.875 | 0.375 |
| **63** | **21158-0760** | **1.625** | **2.375** | **0.375** |
| 63 | 21158-0761 | 1.625 | 2.375 | 0.437 |
| 63 | 21158-0762 | 1.625 | 2.375 | 0.500 |
| **63** | **21158-0763** | **1.625** | **2.437** | **0.375** |
| 63 | 21158-0764 | 1.625 | 2.437 | 0.437 |
| 63 | 21158-0765 | 1.625 | 2.437 | 0.500 |
| **63** | **21158-0766** | **1.625** | **2.497** | **0.375** |
| 63 | 21158-0767 | 1.625 | 2.497 | 0.437 |
| 63 | 21158-0768 | 1.625 | 2.497 | 0.500 |
| **63** | **21158-0769** | **1.625** | **2.500** | **0.375** |
| 63 | 21158-0771 | 1.625 | 2.500 | 0.500 |
| **63** | **21158-0772** | **1.625** | **2.625** | **0.375** |
| 63 | 21158-0773 | 1.625 | 2.625 | 0.437 |
| 63 | 21158-0774 | 1.625 | 2.625 | 0.500 |
| 63 | 21158-0775 | 1.625 | 2.686 | 0.375 |
| 63 | 21158-0777 | 1.625 | 2.686 | 0.500 |
| 63 | 21158-0778 | 1.625 | 2.750 | 0.375 |
| 63 | 21158-0780 | 1.625 | 2.750 | 0.500 |
| 63 | 21158-0781 | 1.625 | 2.756 | 0.375 |
| 63 | 21158-0782 | 1.625 | 2.756 | 0.437 |
| 63 | 21158-0784 | 1.625 | 2.783 | 0.375 |
| **63** | **21158-0787** | **1.625** | **2.875** | **0.375** |
| 63 | 21158-0788 | 1.625 | 2.875 | 0.437 |
| 63 | 21158-0789 | 1.625 | 2.875 | 0.500 |
| 63 | 21158-0790 | 1.656 | 2.375 | 0.375 |
| 63 | 21158-0799 | 1.656 | 2.500 | 0.375 |
| 63 | 21158-0804 | 1.656 | 2.625 | 0.500 |
| **63** | **21158-0805** | **1.656** | **2.686** | **0.375** |
| 63 | 21158-0807 | 1.656 | 2.686 | 0.500 |
| 63 | 21158-0808 | 1.656 | 2.750 | 0.375 |
| 63 | 21158-0810 | 1.656 | 2.750 | 0.500 |
| 63 | 21158-0817 | 1.656 | 2.875 | 0.375 |
| 63 | 21158-0820 | 1.656 | 2.997 | 0.375 |
| **63** | **21158-0826** | **1.687** | **2.375** | **0.375** |
| 63 | 21158-0827 | 1.687 | 2.375 | 0.437 |
| 63 | 21158-0828 | 1.687 | 2.375 | 0.500 |
| **63** | **21158-0829** | **1.687** | **2.437** | **0.375** |
| 63 | 21158-0830 | 1.687 | 2.437 | 0.437 |
| 63 | 21158-0832 | 1.687 | 2.497 | 0.375 |
| **63** | **21158-0835** | **1.687** | **2.500** | **0.375** |
| 63 | 21158-0836 | 1.687 | 2.500 | 0.437 |
| 63 | 21158-0837 | 1.687 | 2.500 | 0.500 |
| **63** | **21158-0838** | **1.687** | **2.625** | **0.375** |
| 63 | 21158-0840 | 1.687 | 2.625 | 0.500 |
| 63 | 21158-0841 | 1.687 | 2.686 | 0.375 |
| 63 | 21158-0842 | 1.687 | 2.686 | 0.437 |
| 63 | 21158-0843 | 1.687 | 2.686 | 0.500 |
| **63** | **21158-0844** | **1.687** | **2.750** | **0.375** |
| 63 | 21158-0845 | 1.687 | 2.750 | 0.437 |
| 63 | 21158-0846 | 1.687 | 2.750 | 0.500 |
| 63 | 21158-0847 | 1.687 | 2.756 | 0.375 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 63 | 21158-0848 | 1.687 | 2.756 | 0.437 |
| 63 | 21158-0849 | 1.687 | 2.756 | 0.500 |
| **63** | **21158-0853** | **1.687** | **2.875** | **0.375** |
| 63 | 21158-0854 | 1.687 | 2.875 | 0.437 |
| 63 | 21158-0855 | 1.687 | 2.875 | 0.500 |
| **63** | **21158-0859** | **1.687** | **3.000** | **0.375** |
| 63 | 21158-0861 | 1.687 | 3.000 | 0.500 |
| **63** | **21158-0862** | **1.719** | **2.437** | **0.375** |
| 63 | 21158-0865 | 1.719 | 2.497 | 0.375 |
| 63 | 21158-0867 | 1.719 | 2.497 | 0.500 |
| 63 | 21158-0868 | 1.719 | 2.500 | 0.375 |
| 63 | 21158-0870 | 1.719 | 2.500 | 0.500 |
| 63 | 21158-0871 | 1.719 | 2.625 | 0.375 |
| 63 | 21158-0874 | 1.719 | 2.686 | 0.375 |
| 63 | 21158-0877 | 1.719 | 2.750 | 0.375 |
| 63 | 21158-0878 | 1.719 | 2.750 | 0.437 |
| 63 | 21158-0883 | 1.719 | 2.783 | 0.375 |
| **63** | **21158-0886** | **1.719** | **2.875** | **0.375** |
| 63 | 21158-0887 | 1.719 | 2.875 | 0.437 |
| 63 | 21158-0888 | 1.719 | 2.875 | 0.500 |
| 63 | 21158-0892 | 1.719 | 3.000 | 0.375 |
| 63 | 21158-0894 | 1.719 | 3.000 | 0.500 |
| **63** | **21158-0898** | **1.750** | **2.437** | **0.375** |
| 63 | 21158-0899 | 1.750 | 2.437 | 0.437 |
| 63 | 21158-0900 | 1.750 | 2.437 | 0.500 |
| **63** | **21158-0901** | **1.750** | **2.497** | **0.375** |
| 63 | 21158-0902 | 1.750 | 2.497 | 0.437 |
| 63 | 21158-0903 | 1.750 | 2.497 | 0.500 |
| **63** | **21158-0904** | **1.750** | **2.500** | **0.375** |
| 63 | 21158-0905 | 1.750 | 2.500 | 0.437 |
| 63 | 21158-0906 | 1.750 | 2.500 | 0.500 |
| **63** | **21158-0907** | **1.750** | **2.625** | **0.375** |
| 63 | 21158-0908 | 1.750 | 2.625 | 0.437 |
| 63 | 21158-0909 | 1.750 | 2.625 | 0.500 |
| **63** | **21158-0910** | **1.750** | **2.686** | **0.375** |
| 63 | 21158-0911 | 1.750 | 2.686 | 0.437 |
| 63 | 21158-0912 | 1.750 | 2.686 | 0.500 |
| **63** | **21158-0913** | **1.750** | **2.750** | **0.375** |
| 63 | 21158-0914 | 1.750 | 2.750 | 0.437 |
| **63** | **21158-0915** | **1.750** | **2.750** | **0.500** |
| **63** | **21158-0916** | **1.750** | **2.756** | **0.375** |
| 63 | 21158-0918 | 1.750 | 2.756 | 0.500 |
| 63 | 21158-0919 | 1.750 | 2.783 | 0.375 |
| 63 | 21158-0921 | 1.750 | 2.783 | 0.500 |
| **63** | **21158-0922** | **1.750** | **2.875** | **0.375** |
| 63 | 21158-0923 | 1.750 | 2.875 | 0.437 |
| 63 | 21158-0924 | 1.750 | 2.875 | 0.500 |
| 63 | 21158-0925 | 1.750 | 2.997 | 0.375 |
| 63 | 21158-0927 | 1.750 | 2.997 | 0.500 |
| **63** | **21158-0928** | **1.750** | **3.000** | **0.375** |
| 63 | 21158-0930 | 1.750 | 3.000 | 0.500 |
| **63** | **21158-0931** | **1.750** | **3.062** | **0.375** |

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 63 | 21158-0933 | 1.750 | 3.062 | 0.500 |
| 63 | 21158-0934 | 1.781 | 2.497 | 0.375 |
| **63** | **21158-0937** | **1.781** | **2.500** | **0.375** |
| 63 | 21158-0940 | 1.781 | 2.625 | 0.375 |
| 63 | 21158-0945 | 1.781 | 2.686 | 0.500 |
| 63 | 21158-0946 | 1.781 | 2.750 | 0.375 |
| 63 | 21158-0951 | 1.781 | 2.756 | 0.500 |
| 63 | 21158-0955 | 1.781 | 2.875 | 0.375 |
| 63 | 21158-0964 | 1.781 | 3.062 | 0.375 |
| 63 | 21158-0967 | 1.781 | 3.125 | 0.375 |
| 63 | 21158-0969 | 1.781 | 3.125 | 0.500 |
| **63** | **21158-0970** | **1.812** | **2.497** | **0.375** |
| 63 | 21158-0972 | 1.812 | 2.497 | 0.500 |
| **63** | **21158-0973** | **1.812** | **2.500** | **0.375** |
| 63 | 21158-0974 | 1.812 | 2.500 | 0.437 |
| 63 | 21158-0975 | 1.812 | 2.500 | 0.500 |
| **63** | **21158-0976** | **1.812** | **2.625** | **0.375** |
| 63 | 21158-0978 | 1.812 | 2.625 | 0.500 |
| 63 | 21158-0979 | 1.812 | 2.686 | 0.375 |
| 63 | 21158-0982 | 1.812 | 2.750 | 0.375 |
| 63 | 21158-0984 | 1.812 | 2.750 | 0.500 |
| 63 | 21158-0987 | 1.812 | 2.756 | 0.500 |
| 63 | 21158-0988 | 1.812 | 2.783 | 0.375 |
| **63** | **21158-0991** | **1.812** | **2.875** | **0.375** |
| 63 | 21158-0997 | 1.812 | 3.000 | 0.375 |
| **63** | **21158-1003** | **1.812** | **3.125** | **0.375** |
| 63 | 21158-1005 | 1.812 | 3.125 | 0.500 |
| 63 | 21158-1006 | 1.844 | 2.625 | 0.375 |
| 63 | 21158-1009 | 1.844 | 2.686 | 0.375 |
| 63 | 21158-1012 | 1.844 | 2.750 | 0.375 |
| 63 | 21158-1015 | 1.844 | 2.756 | 0.375 |
| 63 | 21158-1021 | 1.844 | 2.875 | 0.375 |
| 63 | 21158-1023 | 1.844 | 2.875 | 0.500 |
| **63** | **21158-1042** | **1.875** | **2.625** | **0.375** |
| 63 | 21158-1043 | 1.875 | 2.625 | 0.437 |
| 63 | 21158-1044 | 1.875 | 2.625 | 0.500 |
| **63** | **21158-1045** | **1.875** | **2.686** | **0.375** |
| 63 | 21158-1047 | 1.875 | 2.686 | 0.500 |
| **63** | **21158-1048** | **1.875** | **2.750** | **0.375** |
| 63 | 21158-1050 | 1.875 | 2.750 | 0.500 |
| 63 | 21158-1051 | 1.875 | 2.756 | 0.375 |
| 63 | 21158-1052 | 1.875 | 2.756 | 0.437 |
| 63 | 21158-1053 | 1.875 | 2.756 | 0.500 |
| 63 | 21158-1054 | 1.875 | 2.783 | 0.375 |
| **63** | **21158-1057** | **1.875** | **2.875** | **0.375** |
| 63 | 21158-1058 | 1.875 | 2.875 | 0.437 |
| 63 | 21158-1059 | 1.875 | 2.875 | 0.500 |
| 63 | 21158-1060 | 1.875 | 2.997 | 0.375 |
| 63 | 21158-1062 | 1.875 | 2.997 | 0.500 |
| **63** | **21158-1063** | **1.875** | **3.000** | **0.375** |
| 63 | 21158-1065 | 1.875 | 3.000 | 0.500 |
| 63 | 21158-1066 | 1.875 | 3.062 | 0.375 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 63 | 21158-1069 | 1.875 | 3.125 | 0.375 |
| 63 | 21158-1071 | 1.875 | 3.125 | 0.500 |
| 63 | 21158-1075 | 1.875 | 3.189 | 0.375 |
| 63 | 21158-1076 | 1.875 | 3.189 | 0.437 |
| 63 | 21158-1078 | 1.906 | 2.625 | 0.375 |
| 63 | 21158-1084 | 1.906 | 2.750 | 0.375 |
| 63 | 21158-1093 | 1.906 | 2.875 | 0.375 |
| 63 | 21158-1094 | 1.906 | 2.875 | 0.437 |
| 63 | 21158-1105 | 1.906 | 3.125 | 0.375 |
| **63** | **21158-1114** | **1.937** | **2.625** | **0.375** |
| 63 | 21158-1116 | 1.937 | 2.625 | 0.500 |
| **63** | **21158-1117** | **1.937** | **2.686** | **0.375** |
| 63 | 21158-1119 | 1.937 | 2.686 | 0.500 |
| **63** | **21158-1120** | **1.937** | **2.750** | **0.375** |
| 63 | 21158-1122 | 1.937 | 2.750 | 0.500 |
| 63 | 21158-1123 | 1.937 | 2.756 | 0.375 |
| 63 | 21158-1128 | 1.937 | 2.783 | 0.500 |
| **63** | **21158-1129** | **1.937** | **2.875** | **0.375** |
| 63 | 21158-1130 | 1.937 | 2.875 | 0.437 |
| 63 | 21158-1131 | 1.937 | 2.875 | 0.500 |
| 63 | 21158-1132 | 1.937 | 2.997 | 0.375 |
| 63 | 21158-1134 | 1.937 | 2.997 | 0.500 |
| **63** | **21158-1135** | **1.937** | **3.000** | **0.375** |
| 63 | 21158-1136 | 1.937 | 3.000 | 0.437 |
| 63 | 21158-1137 | 1.937 | 3.000 | 0.500 |
| 63 | 21158-1138 | 1.937 | 3.062 | 0.375 |
| 63 | 21158-1139 | 1.937 | 3.062 | 0.437 |
| 63 | 21158-1140 | 1.937 | 3.062 | 0.500 |
| **63** | **21158-1141** | **1.937** | **3.125** | **0.375** |
| 63 | 21158-1142 | 1.937 | 3.125 | 0.437 |
| 63 | 21158-1143 | 1.937 | 3.125 | 0.500 |
| 63 | 21158-1144 | 1.937 | 3.147 | 0.375 |
| 63 | 21158-1147 | 1.937 | 3.189 | 0.375 |
| 63 | 21158-1148 | 1.937 | 3.189 | 0.437 |
| 63 | 21158-1149 | 1.937 | 3.189 | 0.500 |
| **63** | **21158-1150** | **1.969** | **2.686** | **0.375** |
| **63** | **21158-1153** | **1.969** | **2.750** | **0.375** |
| 63 | 21158-1154 | 1.969 | 2.750 | 0.437 |
| **63** | **21158-1156** | **1.969** | **2.756** | **0.375** |
| 63 | 21158-1162 | 1.969 | 2.875 | 0.375 |
| 63 | 21158-1164 | 1.969 | 2.875 | 0.500 |
| 63 | 21158-1166 | 1.969 | 2.997 | 0.437 |
| 63 | 21158-1167 | 1.969 | 2.997 | 0.500 |
| **63** | **21158-1168** | **1.969** | **3.000** | **0.375** |
| 63 | 21158-1170 | 1.969 | 3.000 | 0.500 |
| **63** | **21158-1174** | **1.969** | **3.125** | **0.375** |
| 63 | 21158-1177 | 1.969 | 3.147 | 0.375 |
| 63 | 21158-1180 | 1.969 | 3.189 | 0.375 |
| **63** | **21158-1183** | **1.969** | **3.246** | **0.375** |
| 63 | 21158-1185 | 1.969 | 3.246 | 0.500 |
| **63** | **21158-1186** | **2.000** | **2.686** | **0.375** |
| 63 | 21158-1187 | 2.000 | 2.686 | 0.437 |
| 63 | 21158-1188 | 2.000 | 2.686 | 0.500 |
| **63** | **21158-1189** | **2.000** | **2.750** | **0.375** |
| 63 | 21158-1190 | 2.000 | 2.750 | 0.437 |
| 63 | 21158-1191 | 2.000 | 2.750 | 0.500 |
| **63** | **21158-1192** | **2.000** | **2.756** | **0.375** |
| 63 | 21158-1193 | 2.000 | 2.756 | 0.437 |
| 63 | 21158-1194 | 2.000 | 2.756 | 0.500 |
| 63 | 21158-1195 | 2.000 | 2.783 | 0.375 |
| 63 | 21158-1196 | 2.000 | 2.783 | 0.437 |
| 63 | 21158-1197 | 2.000 | 2.716 | 0.375 |
| **63** | **21158-1198** | **2.000** | **2.875** | **0.375** |
| 63 | 21158-1199 | 2.000 | 2.875 | 0.437 |
| 63 | 21158-1200 | 2.000 | 2.875 | 0.500 |
| **63** | **21158-1201** | **2.000** | **2.997** | **0.375** |
| 63 | 21158-1203 | 2.000 | 2.997 | 0.500 |
| **63** | **21158-1204** | **2.000** | **3.000** | **0.375** |
| 63 | 21158-1205 | 2.000 | 3.000 | 0.437 |
| **63** | **21158-1206** | **2.000** | **3.000** | **0.500** |
| 63 | 21158-1207 | 2.000 | 3.062 | 0.375 |
| 63 | 21158-1209 | 2.000 | 3.062 | 0.500 |
| 63 | 21158-1210 | 2.000 | 3.125 | 0.375 |
| 63 | 21158-1211 | 2.000 | 2.745 | 0.375 |
| 63 | 21158-1212 | 2.000 | 3.125 | 0.500 |
| 63 | 21158-1213 | 2.000 | 3.147 | 0.375 |
| 63 | 21158-1215 | 2.000 | 3.147 | 0.500 |
| 63 | 21158-1216 | 2.000 | 3.189 | 0.375 |
| 63 | 21158-1217 | 2.000 | 3.189 | 0.437 |
| 63 | 21158-1218 | 2.000 | 3.189 | 0.500 |
| **63** | **21158-1219** | **2.000** | **3.246** | **0.375** |
| 63 | 21158-1221 | 2.000 | 3.246 | 0.500 |
| 63 | 21158-1225 | 2.031 | 2.997 | 0.375 |
| 63 | 21158-1228 | 2.031 | 3.000 | 0.375 |
| 63 | 21158-1231 | 2.031 | 3.062 | 0.375 |
| 63 | 21158-1234 | 2.031 | 3.125 | 0.375 |
| 63 | 21158-1240 | 2.031 | 3.189 | 0.375 |
| 63 | 21158-1249 | 2.031 | 3.350 | 0.375 |
| **63** | **21158-1252** | **2.062** | **2.875** | **0.375** |
| 63 | 21158-1253 | 2.062 | 2.875 | 0.437 |
| 63 | 21158-1254 | 2.062 | 2.875 | 0.500 |
| 63 | 21158-1255 | 2.062 | 2.997 | 0.375 |
| **63** | **21158-1258** | **2.062** | **3.000** | **0.375** |
| 63 | 21158-1260 | 2.062 | 3.000 | 0.500 |
| **63** | **21158-1261** | **2.062** | **3.062** | **0.375** |
| 63 | 21158-1263 | 2.062 | 3.062 | 0.500 |
| **63** | **21158-1264** | **2.062** | **3.125** | **0.375** |
| 63 | 21158-1266 | 2.062 | 3.125 | 0.500 |
| 63 | 21158-1267 | 2.062 | 3.147 | 0.375 |
| 63 | 21158-1270 | 2.062 | 3.189 | 0.375 |
| 63 | 21158-1276 | 2.062 | 3.250 | 0.375 |
| 63 | 21158-1278 | 2.062 | 3.250 | 0.500 |
| 63 | 21158-1279 | 2.062 | 3.350 | 0.375 |
| 63 | 21158-1282 | 2.094 | 2.875 | 0.375 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 63 | 21158-1285 | 2.094 | 2.997 | 0.375 |
| 63 | 21158-1291 | 2.094 | 3.062 | 0.375 |
| 63 | 21158-1297 | 2.094 | 3.147 | 0.375 |
| 63 | 21158-1306 | 2.094 | 3.250 | 0.375 |
| 63 | 21158-1309 | 2.094 | 3.350 | 0.375 |
| 63 | 21158-1313 | 2.094 | 3.372 | 0.437 |
| 63 | 21158-1315 | 2.094 | 3.481 | 0.375 |
| 63 | 21158-1318 | 2.094 | 3.500 | 0.375 |
| **63** | **21158-1321** | **2.125** | **2.875** | **0.375** |
| 63 | 21158-1322 | 2.125 | 2.875 | 0.437 |
| 63 | 21158-1323 | 2.125 | 2.875 | 0.500 |
| 63 | 21158-1324 | 2.125 | 2.997 | 0.375 |
| 63 | 21158-1326 | 2.125 | 2.997 | 0.500 |
| **63** | **21158-1327** | **2.125** | **3.000** | **0.375** |
| 63 | 21158-1328 | 2.125 | 3.000 | 0.437 |
| 63 | 21158-1329 | 2.125 | 3.000 | 0.500 |
| 63 | 21158-1330 | 2.125 | 3.062 | 0.375 |
| 63 | 21158-1331 | 2.125 | 3.062 | 0.437 |
| 63 | 21158-1332 | 2.125 | 3.062 | 0.500 |
| **63** | **21158-1333** | **2.125** | **3.125** | **0.375** |
| 63 | 21158-1334 | 2.125 | 3.125 | 0.437 |
| 63 | 21158-1335 | 2.125 | 3.125 | 0.500 |
| 63 | 21158-1336 | 2.125 | 3.147 | 0.375 |
| 63 | 21158-1339 | 2.125 | 3.189 | 0.375 |
| 63 | 21158-1341 | 2.125 | 3.189 | 0.500 |
| 63 | 21158-1342 | 2.125 | 3.372 | 0.469 |
| **63** | **21158-1345** | **2.125** | **3.250** | **0.375** |
| 63 | 21158-1346 | 2.125 | 3.250 | 0.437 |
| 63 | 21158-1347 | 2.125 | 3.250 | 0.500 |
| 63 | 21158-1348 | 2.125 | 3.350 | 0.375 |
| 63 | 21158-1349 | 2.125 | 3.350 | 0.437 |
| 63 | 21158-1350 | 2.125 | 3.350 | 0.500 |
| 63 | 21158-1351 | 2.125 | 3.372 | 0.375 |
| 63 | 21158-1352 | 2.125 | 3.372 | 0.437 |
| 63 | 21158-1353 | 2.125 | 3.372 | 0.500 |
| **63** | **21158-1357** | **2.125** | **3.500** | **0.375** |
| 63 | 21158-1359 | 2.125 | 3.500 | 0.500 |
| **63** | **21158-1360** | **2.156** | **2.875** | **0.375** |
| 63 | 21158-1363 | 2.156 | 2.997 | 0.375 |
| 63 | 21158-1365 | 2.156 | 2.997 | 0.500 |
| **63** | **21158-1366** | **2.156** | **3.000** | **0.375** |
| 63 | 21158-1375 | 2.156 | 3.147 | 0.375 |
| 63 | 21158-1378 | 2.156 | 3.189 | 0.375 |
| **63** | **21158-1384** | **2.156** | **3.250** | **0.375** |
| 63 | 21158-1385 | 2.156 | 3.250 | 0.437 |
| 63 | 21158-1389 | 2.156 | 3.350 | 0.500 |
| 63 | 21158-1390 | 2.156 | 3.372 | 0.375 |
| 63 | 21158-1396 | 2.156 | 3.500 | 0.375 |
| 63 | 21158-1398 | 2.156 | 3.500 | 0.500 |
| **63** | **21158-1399** | **2.187** | **2.875** | **0.375** |
| 63 | 21158-1400 | 2.187 | 2.875 | 0.437 |
| 63 | 21158-1401 | 2.187 | 2.875 | 0.500 |
| **63** | **21158-1402** | **2.187** | **3.000** | **0.375** |
| 63 | 21158-1403 | 2.187 | 3.000 | 0.437 |
| 63 | 21158-1404 | 2.187 | 3.000 | 0.500 |
| 63 | 21158-1405 | 2.187 | 3.062 | 0.375 |
| 63 | 21158-1406 | 2.187 | 3.062 | 0.437 |
| 63 | 21158-1407 | 2.187 | 3.062 | 0.500 |
| 63 | 21158-1408 | 2.187 | 3.125 | 0.375 |
| 63 | 21158-1410 | 2.187 | 3.125 | 0.500 |
| 63 | 21158-1411 | 2.187 | 3.147 | 0.375 |
| 63 | 21158-1413 | 2.187 | 3.147 | 0.500 |
| **63** | **21158-1414** | **2.187** | **3.189** | **0.375** |
| 63 | 21158-1415 | 2.187 | 3.189 | 0.437 |
| 63 | 21158-1416 | 2.187 | 3.189 | 0.500 |
| 63 | 21158-1417 | 2.187 | 3.246 | 0.437 |
| **63** | **21158-1420** | **2.187** | **3.250** | **0.375** |
| 63 | 21158-1422 | 2.187 | 3.250 | 0.500 |
| 63 | 21158-1423 | 2.187 | 3.350 | 0.375 |
| 63 | 21158-1424 | 2.187 | 3.350 | 0.437 |
| 63 | 21158-1425 | 2.187 | 3.350 | 0.500 |
| 63 | 21158-1426 | 2.187 | 3.372 | 0.375 |
| 63 | 21158-1428 | 2.187 | 3.372 | 0.500 |
| 63 | 21158-1429 | 2.187 | 3.481 | 0.375 |
| **63** | **21158-1432** | **2.187** | **3.500** | **0.375** |
| 63 | 21158-1434 | 2.187 | 3.500 | 0.500 |
| 63 | 21158-1435 | 2.219 | 2.997 | 0.375 |
| 63 | 21158-1438 | 2.219 | 3.000 | 0.375 |
| 63 | 21158-1456 | 2.219 | 3.250 | 0.375 |
| 63 | 21158-1462 | 2.219 | 3.372 | 0.375 |
| 63 | 21158-1468 | 2.219 | 3.500 | 0.375 |
| **63** | **21158-1471** | **2.250** | **2.997** | **0.375** |
| 63 | 21158-1473 | 2.250 | 2.997 | 0.500 |
| **63** | **21158-1474** | **2.250** | **3.000** | **0.375** |
| 63 | 21158-1475 | 2.250 | 3.000 | 0.437 |
| 63 | 21158-1476 | 2.250 | 3.000 | 0.500 |
| **63** | **21158-1477** | **2.250** | **3.062** | **0.375** |
| 63 | 21158-1479 | 2.250 | 3.062 | 0.500 |
| **63** | **21158-1480** | **2.250** | **3.125** | **0.375** |
| 63 | 21158-1481 | 2.250 | 3.125 | 0.437 |
| 63 | 21158-1482 | 2.250 | 3.125 | 0.500 |
| **63** | **21158-1483** | **2.250** | **3.147** | **0.375** |
| 63 | 21158-1485 | 2.250 | 3.147 | 0.500 |
| **63** | **21158-1486** | **2.250** | **3.189** | **0.375** |
| 63 | 21158-1487 | 2.250 | 3.189 | 0.437 |
| **63** | **21158-1489** | **2.250** | **3.246** | **0.375** |
| 63 | 21158-1491 | 2.250 | 3.246 | 0.500 |
| **63** | **21158-1492** | **2.250** | **3.250** | **0.375** |
| 63 | 21158-1493 | 2.250 | 3.250 | 0.437 |
| **63** | **21158-1494** | **2.250** | **3.250** | **0.500** |
| **63** | **21158-1495** | **2.250** | **3.350** | **0.375** |
| 63 | 21158-1496 | 2.250 | 3.350 | 0.437 |
| 63 | 21158-1497 | 2.250 | 3.350 | 0.500 |
| 63 | 21158-1498 | 2.250 | 3.372 | 0.375 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 63 | 21158-1499 | 2.250 | 3.372 | 0.437 |
| 63 | 21158-1500 | 2.250 | 3.372 | 0.500 |
| 63 | 21158-1501 | 2.250 | 3.481 | 0.375 |
| **63** | **21158-1504** | **2.250** | **3.500** | **0.375** |
| 63 | 21158-1505 | 2.250 | 3.500 | 0.437 |
| 63 | 21158-1506 | 2.250 | 3.500 | 0.500 |
| 63 | 21158-1510 | 2.281 | 3.000 | 0.375 |
| 63 | 21158-1513 | 2.281 | 3.062 | 0.375 |
| 63 | 21158-1520 | 2.281 | 3.147 | 0.437 |
| 63 | 21158-1540 | 2.281 | 3.500 | 0.375 |
| **63** | **21158-1543** | **2.281** | **3.543** | **0.375** |
| 63 | 21158-1546 | 2.281 | 3.623 | 0.375 |
| 63 | 21158-1548 | 2.281 | 3.623 | 0.500 |
| **63** | **21158-1552** | **2.312** | **2.997** | **0.375** |
| **63** | **21158-1555** | **2.312** | **3.000** | **0.375** |
| 63 | 21158-1557 | 2.312 | 3.000 | 0.500 |
| 63 | 21158-1558 | 2.312 | 3.062 | 0.375 |
| **63** | **21158-1561** | **2.312** | **3.125** | **0.375** |
| 63 | 21158-1563 | 2.312 | 3.125 | 0.500 |
| 63 | 21158-1567 | 2.312 | 3.189 | 0.375 |
| 63 | 21158-1570 | 2.312 | 3.246 | 0.375 |
| 63 | 21158-1573 | 2.312 | 3.250 | 0.375 |
| 63 | 21158-1575 | 2.312 | 3.250 | 0.500 |
| 63 | 21158-1576 | 2.312 | 3.350 | 0.375 |
| 63 | 21158-1578 | 2.312 | 3.350 | 0.500 |
| 63 | 21158-1579 | 2.312 | 3.372 | 0.375 |
| 63 | 21158-1581 | 2.312 | 3.372 | 0.500 |
| 63 | 21158-1582 | 2.312 | 3.481 | 0.375 |
| 63 | 21158-1584 | 2.312 | 3.481 | 0.500 |
| 63 | 21158-1585 | 2.312 | 3.500 | 0.375 |
| 63 | 21158-1587 | 2.312 | 3.500 | 0.500 |
| 63 | 21158-1588 | 2.312 | 3.543 | 0.375 |
| 63 | 21158-1594 | 2.312 | 3.751 | 0.375 |
| 63 | 21158-1596 | 2.312 | 3.751 | 0.500 |
| 63 | 21158-1597 | 2.344 | 3.062 | 0.375 |
| **63** | **21158-1600** | **2.344** | **3.125** | **0.375** |
| 63 | 21158-1602 | 2.344 | 3.125 | 0.500 |
| 63 | 21158-1603 | 2.344 | 3.147 | 0.375 |
| **63** | **21158-1612** | **2.344** | **3.250** | **0.375** |
| 63 | 21158-1615 | 2.344 | 3.350 | 0.375 |
| 63 | 21158-1618 | 2.344 | 3.372 | 0.375 |
| 63 | 21158-1620 | 2.344 | 3.372 | 0.500 |
| 63 | 21158-1621 | 2.344 | 3.481 | 0.375 |
| 63 | 21158-1624 | 2.344 | 3.500 | 0.375 |
| 63 | 21158-1626 | 2.344 | 3.500 | 0.500 |
| 63 | 21158-1627 | 2.344 | 3.543 | 0.375 |
| 63 | 21158-1629 | 2.344 | 3.543 | 0.500 |
| 63 | 21158-1630 | 2.344 | 3.623 | 0.375 |
| 63 | 21158-1633 | 2.344 | 3.751 | 0.375 |
| **63** | **21158-1636** | **2.344** | **3.876** | **0.375** |
| 63 | 21158-1638 | 2.344 | 3.876 | 0.500 |
| **63** | **21158-1639** | **2.375** | **3.062** | **0.375** |
| 63 | 21158-1641 | 2.375 | 3.062 | 0.500 |
| **63** | **21158-1642** | **2.375** | **3.125** | **0.375** |
| 63 | 21158-1644 | 2.375 | 3.125 | 0.500 |
| **63** | **21158-1645** | **2.375** | **3.147** | **0.375** |
| 63 | 21158-1647 | 2.375 | 3.147 | 0.500 |
| 63 | 21158-1648 | 2.375 | 3.189 | 0.375 |
| 63 | 21158-1650 | 2.375 | 3.189 | 0.500 |
| 63 | 21158-1651 | 2.375 | 3.246 | 0.375 |
| 63 | 21158-1653 | 2.375 | 3.246 | 0.500 |
| **63** | **21158-1654** | **2.375** | **3.250** | **0.375** |
| 63 | 21158-1655 | 2.375 | 3.250 | 0.437 |
| 63 | 21158-1656 | 2.375 | 3.250 | 0.500 |
| **63** | **21158-1657** | **2.375** | **3.350** | **0.375** |
| 63 | 21158-1658 | 2.375 | 3.350 | 0.437 |
| 63 | 21158-1659 | 2.375 | 3.350 | 0.500 |
| **63** | **21158-1660** | **2.375** | **3.372** | **0.375** |
| 63 | 21158-1661 | 2.375 | 3.372 | 0.437 |
| 63 | 21158-1662 | 2.375 | 3.372 | 0.500 |
| 63 | 21158-1663 | 2.375 | 3.481 | 0.375 |
| **63** | **21158-1666** | **2.375** | **3.500** | **0.375** |
| 63 | 21158-1668 | 2.375 | 3.500 | 0.500 |
| **63** | **21158-1669** | **2.375** | **3.543** | **0.375** |
| 63 | 21158-1671 | 2.375 | 3.543 | 0.500 |
| **63** | **21158-1672** | **2.375** | **3.623** | **0.375** |
| 63 | 21158-1673 | 2.375 | 3.623 | 0.437 |
| **63** | **21158-1675** | **2.375** | **3.751** | **0.375** |
| 63 | 21158-1677 | 2.375 | 3.751 | 0.500 |
| 63 | 21158-1678 | 2.375 | 3.876 | 0.375 |
| 63 | 21158-1680 | 2.375 | 3.876 | 0.500 |
| **63** | **21158-1681** | **2.406** | **3.125** | **0.375** |
| 63 | 21158-1693 | 2.406 | 3.250 | 0.375 |
| 63 | 21158-1696 | 2.406 | 3.350 | 0.375 |
| 63 | 21158-1708 | 2.406 | 3.543 | 0.375 |
| **63** | **21158-1711** | **2.406** | **3.623** | **0.375** |
| 63 | 21158-1714 | 2.406 | 3.751 | 0.375 |
| 63 | 21158-1720 | 2.406 | 4.003 | 0.375 |
| **63** | **21158-1723** | **2.437** | **3.125** | **0.375** |
| 63 | 21158-1725 | 2.437 | 3.125 | 0.500 |
| **63** | **21158-1726** | **2.437** | **3.147** | **0.375** |
| **63** | **21158-1729** | **2.437** | **3.189** | **0.375** |
| 63 | 21158-1732 | 2.437 | 3.246 | 0.375 |
| **63** | **21158-1735** | **2.437** | **3.250** | **0.375** |
| 63 | 21158-1737 | 2.437 | 3.250 | 0.500 |
| 63 | 21158-1738 | 2.437 | 3.350 | 0.375 |
| 63 | 21158-1740 | 2.437 | 3.350 | 0.500 |
| 63 | 21158-1741 | 2.437 | 3.372 | 0.375 |
| 63 | 21158-1742 | 2.437 | 3.372 | 0.437 |
| 63 | 21158-1743 | 2.437 | 3.372 | 0.500 |
| **63** | **21158-1744** | **2.437** | **3.481** | **0.375** |
| 63 | 21158-1745 | 2.437 | 3.481 | 0.437 |
| 63 | 21158-1746 | 2.437 | 3.481 | 0.500 |
| **63** | **21158-1747** | **2.437** | **3.500** | **0.375** |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 63 | 21158-1749 | 2.437 | 3.500 | 0.500 |
| 63 | 21158-1750 | 2.437 | 3.543 | 0.375 |
| 63 | 21158-1751 | 2.437 | 3.543 | 0.437 |
| 63 | 21158-1752 | 2.437 | 3.543 | 0.500 |
| 63 | 21158-1753 | 2.437 | 3.623 | 0.375 |
| **63** | **21158-1756** | **2.437** | **3.751** | **0.375** |
| 63 | 21158-1758 | 2.437 | 3.751 | 0.500 |
| 63 | 21158-1759 | 2.437 | 3.876 | 0.375 |
| **63** | **21158-1762** | **2.437** | **4.003** | **0.375** |
| 63 | 21158-1764 | 2.437 | 4.003 | 0.500 |
| 63 | 21158-1765 | 2.469 | 3.189 | 0.375 |
| 63 | 21158-1771 | 2.469 | 3.250 | 0.375 |
| 63 | 21158-1774 | 2.469 | 3.350 | 0.375 |
| 63 | 21158-1775 | 2.469 | 3.350 | 0.437 |
| 63 | 21158-1783 | 2.469 | 3.500 | 0.375 |
| 63 | 21158-1786 | 2.469 | 3.543 | 0.375 |
| **63** | **21158-1801** | **2.500** | **3.189** | **0.375** |
| 63 | 21158-1802 | 2.500 | 3.189 | 0.437 |
| 63 | 21158-1803 | 2.500 | 3.189 | 0.500 |
| **63** | **21158-1804** | **2.500** | **3.246** | **0.375** |
| 63 | 21158-1805 | 2.500 | 3.246 | 0.437 |
| 63 | 21158-1806 | 2.500 | 3.246 | 0.500 |
| **63** | **21158-1807** | **2.500** | **3.250** | **0.375** |
| 63 | 21158-1808 | 2.500 | 3.250 | 0.437 |
| 63 | 21158-1809 | 2.500 | 3.250 | 0.500 |
| **63** | **21158-1810** | **2.500** | **3.350** | **0.375** |
| 63 | 21158-1811 | 2.500 | 3.350 | 0.469 |
| 63 | 21158-1812 | 2.500 | 3.350 | 0.500 |
| **63** | **21158-1813** | **2.500** | **3.372** | **0.375** |
| 63 | 21158-1815 | 2.500 | 3.372 | 0.500 |
| **63** | **21158-1816** | **2.500** | **3.481** | **0.375** |
| 63 | 21158-1817 | 2.500 | 3.481 | 0.437 |
| 63 | 21158-1818 | 2.500 | 3.481 | 0.500 |
| **63** | **21158-1819** | **2.500** | **3.500** | **0.375** |
| 63 | 21158-1820 | 2.500 | 3.500 | 0.437 |
| **63** | **21158-1821** | **2.500** | **3.500** | **0.500** |
| **63** | **21158-1822** | **2.500** | **3.543** | **0.375** |
| 63 | 21158-1823 | 2.500 | 3.543 | 0.437 |
| 63 | 21158-1824 | 2.500 | 3.543 | 0.500 |
| **63** | **21158-1825** | **2.500** | **3.623** | **0.375** |
| 63 | 21158-1826 | 2.500 | 3.623 | 0.437 |
| 63 | 21158-1827 | 2.500 | 3.623 | 0.500 |
| **63** | **21158-1828** | **2.500** | **3.751** | **0.375** |
| 63 | 21158-1829 | 2.500 | 3.751 | 0.437 |
| 63 | 21158-1830 | 2.500 | 3.751 | 0.500 |
| **63** | **21158-1831** | **2.500** | **3.876** | **0.375** |
| **63** | **21158-1834** | **2.500** | **4.003** | **0.375** |
| 63 | 21158-1836 | 2.500 | 4.003 | 0.500 |
| 63 | 21158-1837 | 2.531 | 3.246 | 0.375 |
| **63** | **21158-1840** | **2.531** | **3.250** | **0.375** |
| 63 | 21158-1841 | 2.531 | 3.250 | 0.437 |
| 63 | 21158-1846 | 2.531 | 3.372 | 0.375 |
| 63 | 21158-1849 | 2.531 | 3.481 | 0.375 |
| **63** | **21158-1852** | **2.531** | **3.500** | **0.375** |
| 63 | 21158-1855 | 2.531 | 3.543 | 0.375 |
| 63 | 21158-1857 | 2.531 | 3.543 | 0.500 |
| 63 | 21158-1858 | 2.531 | 3.623 | 0.375 |
| 63 | 21158-1861 | 2.560 | 3.544 | 0.315 |
| 63 | 21158-1863 | 2.531 | 3.751 | 0.500 |
| 63 | 21158-1864 | 2.531 | 3.876 | 0.375 |
| 63 | 21158-1867 | 2.531 | 4.003 | 0.375 |
| **63** | **21158-1870** | **2.562** | **3.246** | **0.375** |
| **63** | **21158-1873** | **2.562** | **3.250** | **0.375** |
| **63** | **21158-1879** | **2.562** | **3.372** | **0.375** |
| 63 | 21158-1882 | 2.562 | 3.481 | 0.375 |
| **63** | **21158-1885** | **2.562** | **3.500** | **0.375** |
| 63 | 21158-1886 | 2.562 | 3.500 | 0.437 |
| 63 | 21158-1887 | 2.562 | 3.500 | 0.500 |
| 63 | 21158-1888 | 2.562 | 3.543 | 0.375 |
| 63 | 21158-1890 | 2.562 | 3.543 | 0.500 |
| 63 | 21158-1891 | 2.562 | 3.623 | 0.375 |
| 63 | 21158-1892 | 2.562 | 3.623 | 0.437 |
| 63 | 21158-1893 | 2.562 | 3.623 | 0.500 |
| **63** | **21158-1894** | **2.562** | **3.751** | **0.375** |
| 63 | 21158-1896 | 2.562 | 3.751 | 0.500 |
| 63 | 21158-1897 | 2.562 | 3.876 | 0.375 |
| 63 | 21158-1899 | 2.562 | 3.876 | 0.500 |
| **63** | **21158-1900** | **2.562** | **4.003** | **0.375** |
| 63 | 21158-1902 | 2.562 | 4.003 | 0.500 |
| **63** | **21158-1930** | **2.625** | **3.350** | **0.375** |
| 63 | 21158-1932 | 2.625 | 3.350 | 0.500 |
| **63** | **21158-1933** | **2.625** | **3.372** | **0.375** |
| 63 | 21158-1935 | 2.625 | 3.372 | 0.500 |
| 63 | 21158-1936 | 2.625 | 3.481 | 0.375 |
| **63** | **21158-1939** | **2.625** | **3.500** | **0.375** |
| 63 | 21158-1941 | 2.625 | 3.500 | 0.500 |
| 63 | 21158-1942 | 2.625 | 3.543 | 0.375 |
| 63 | 21158-1944 | 2.625 | 3.543 | 0.500 |
| **63** | **21158-1945** | **2.625** | **3.623** | **0.375** |
| 63 | 21158-1946 | 2.625 | 3.623 | 0.437 |
| **63** | **21158-1947** | **2.625** | **3.623** | **0.500** |
| **63** | **21158-1948** | **2.625** | **3.751** | **0.375** |
| 63 | 21158-1950 | 2.625 | 3.751 | 0.500 |
| **63** | **21158-1951** | **2.625** | **3.876** | **0.375** |
| 63 | 21158-1952 | 2.625 | 3.876 | 0.437 |
| 63 | 21158-1954 | 2.625 | 4.003 | 0.375 |
| 63 | 21158-1955 | 2.625 | 4.003 | 0.437 |
| 63 | 21158-1956 | 2.625 | 4.003 | 0.500 |
| 63 | 21158-1969 | 2.656 | 3.543 | 0.375 |
| 63 | 21158-1972 | 2.656 | 3.623 | 0.375 |
| 63 | 21158-1975 | 2.656 | 3.751 | 0.375 |
| 63 | 21158-1981 | 2.656 | 4.003 | 0.375 |
| **63** | **21158-1987** | **2.687** | **3.372** | **0.375** |
| 63 | 21158-1990 | 2.687 | 3.481 | 0.375 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| **63** | **21158-1993** | **2.687** | **3.500** | **0.375** |
| 63 | 21158-1994 | 2.687 | 3.500 | 0.437 |
| 63 | 21158-1996 | 2.687 | 3.543 | 0.375 |
| 63 | 21158-1999 | 2.687 | 3.623 | 0.375 |
| 63 | 21158-2001 | 2.687 | 3.623 | 0.500 |
| 63 | 21158-2002 | 2.687 | 3.751 | 0.375 |
| 63 | 21158-2003 | 2.687 | 3.751 | 0.437 |
| **63** | **21158-2004** | **2.687** | **3.751** | **0.500** |
| 63 | 21158-2005 | 2.687 | 3.876 | 0.375 |
| 63 | 21158-2006 | 2.687 | 3.876 | 0.437 |
| 63 | 21158-2007 | 2.687 | 3.876 | 0.500 |
| **63** | **21158-2008** | **2.687** | **4.003** | **0.375** |
| 63 | 21158-2010 | 2.687 | 4.003 | 0.500 |
| 63 | 21158-2011 | 2.719 | 3.481 | 0.375 |
| 63 | 21158-2014 | 2.719 | 3.500 | 0.375 |
| 63 | 21158-2017 | 2.719 | 3.543 | 0.375 |
| 63 | 21158-2020 | 2.719 | 3.623 | 0.375 |
| **63** | **21158-2023** | **2.719** | **3.751** | **0.375** |
| 63 | 21158-2025 | 2.719 | 3.751 | 0.500 |
| 63 | 21158-2028 | 2.719 | 3.876 | 0.500 |
| 63 | 21158-2029 | 2.719 | 4.003 | 0.375 |
| 63 | 21158-2031 | 2.719 | 4.003 | 0.500 |
| **63** | **21158-2032** | **2.750** | **3.481** | **0.375** |
| 63 | 21158-2034 | 2.750 | 3.481 | 0.500 |
| **63** | **21158-2035** | **2.750** | **3.500** | **0.375** |
| 63 | 21158-2036 | 2.750 | 3.500 | 0.437 |
| 63 | 21158-2037 | 2.750 | 3.500 | 0.500 |
| **63** | **21158-2038** | **2.750** | **3.543** | **0.375** |
| 63 | 21158-2039 | 2.750 | 3.543 | 0.437 |
| 63 | 21158-2040 | 2.750 | 3.543 | 0.500 |
| **63** | **21158-2041** | **2.750** | **3.623** | **0.375** |
| 63 | 21158-2042 | 2.750 | 3.623 | 0.437 |
| 63 | 21158-2043 | 2.750 | 3.623 | 0.500 |
| **63** | **21158-2044** | **2.750** | **3.751** | **0.375** |
| 63 | 21158-2045 | 2.750 | 3.751 | 0.437 |
| 63 | 21158-2046 | 2.750 | 3.751 | 0.500 |
| **63** | **21158-2047** | **2.750** | **3.876** | **0.375** |
| 63 | 21158-2048 | 2.750 | 3.876 | 0.437 |
| 63 | 21158-2049 | 2.750 | 3.876 | 0.500 |
| **63** | **21158-2050** | **2.750** | **4.003** | **0.375** |
| 63 | 21158-2052 | 2.750 | 4.003 | 0.500 |
| **63** | **21158-2077** | **2.812** | **3.500** | **0.375** |
| 63 | 21158-2080 | 2.812 | 3.543 | 0.375 |
| 63 | 21158-2083 | 2.812 | 3.623 | 0.375 |
| 63 | 21158-2085 | 2.812 | 3.623 | 0.500 |
| **63** | **21158-2086** | **2.812** | **3.751** | **0.375** |
| 63 | 21158-2088 | 2.812 | 3.751 | 0.500 |
| 63 | 21158-2089 | 2.812 | 3.876 | 0.375 |
| 63 | 21158-2090 | 2.812 | 3.876 | 0.437 |
| 63 | 21158-2091 | 2.812 | 3.876 | 0.500 |
| 63 | 21158-2092 | 2.812 | 4.003 | 0.375 |
| 63 | 21158-2093 | 2.812 | 4.003 | 0.437 |
| 63 | 21158-2094 | 2.812 | 4.003 | 0.500 |
| **63** | **21158-2098** | **2.844** | **3.623** | **0.375** |
| 63 | 21158-2100 | 2.844 | 3.623 | 0.500 |
| 63 | 21158-2101 | 2.844 | 3.751 | 0.375 |
| 63 | 21158-2103 | 2.844 | 3.751 | 0.500 |
| 63 | 21158-2107 | 2.844 | 4.003 | 0.375 |
| **63** | **21158-2115** | **2.875** | **3.623** | **0.375** |
| 63 | 21158-2116 | 2.875 | 3.623 | 0.437 |
| 63 | 21158-2117 | 2.875 | 3.623 | 0.500 |
| **63** | **21158-2118** | **2.875** | **3.751** | **0.375** |
| 63 | 21158-2120 | 2.875 | 3.751 | 0.500 |
| **63** | **21158-2121** | **2.875** | **3.876** | **0.375** |
| 63 | 21158-2122 | 2.875 | 3.876 | 0.437 |
| 63 | 21158-2123 | 2.875 | 3.876 | 0.500 |
| **63** | **21158-2124** | **2.875** | **4.003** | **0.375** |
| 63 | 21158-2125 | 2.875 | 4.003 | 0.437 |
| 63 | 21158-2126 | 2.875 | 4.003 | 0.500 |
| 63 | 21158-2127 | 2.875 | 4.125 | 0.406 |
| 63 | 21158-2128 | 2.875 | 4.125 | 0.469 |
| 63 | 21158-2129 | 2.906 | 3.623 | 0.375 |
| 63 | 21158-2133 | 2.906 | 3.751 | 0.437 |
| 63 | 21158-2135 | 2.906 | 3.876 | 0.375 |
| 63 | 21158-2138 | 2.906 | 4.003 | 0.375 |
| 63 | 21158-2141 | 2.906 | 4.125 | 0.406 |
| 63 | 21158-2142 | 2.906 | 4.125 | 0.469 |
| **63** | **21158-2143** | **2.937** | **3.623** | **0.375** |
| 63 | 21158-2145 | 2.937 | 3.623 | 0.500 |
| **63** | **21158-2146** | **2.937** | **3.751** | **0.375** |
| 63 | 21158-2147 | 2.937 | 3.751 | 0.437 |
| 63 | 21158-2148 | 2.937 | 3.751 | 0.500 |
| 63 | 21158-2149 | 2.937 | 3.876 | 0.375 |
| 63 | 21158-2150 | 2.937 | 3.876 | 0.437 |
| 63 | 21158-2151 | 2.937 | 3.876 | 0.500 |
| **63** | **21158-2152** | **2.937** | **4.003** | **0.375** |
| 63 | 21158-2153 | 2.937 | 4.003 | 0.437 |
| 63 | 21158-2154 | 2.937 | 4.003 | 0.500 |
| **63** | **21158-2155** | **2.937** | **4.125** | **0.406** |
| **63** | **21158-2157** | **2.969** | **3.751** | **0.375** |
| 63 | 21158-2160 | 2.969 | 3.876 | 0.375 |
| 63 | 21158-2163 | 2.969 | 4.003 | 0.375 |
| 63 | 21158-2166 | 2.969 | 4.125 | 0.406 |
| **63** | **21158-2168** | **3.000** | **3.751** | **0.375** |
| 63 | 21158-2169 | 3.000 | 3.751 | 0.438 |
| 63 | 21158-2170 | 3.000 | 3.751 | 0.500 |
| **63** | **21158-2171** | **3.000** | **3.876** | **0.375** |
| 63 | 21158-2172 | 3.000 | 3.876 | 0.438 |
| 63 | 21158-2173 | 3.000 | 3.876 | 0.500 |
| **63** | **21158-2174** | **3.000** | **4.003** | **0.375** |
| **63** | **21158-2175** | **3.000** | **4.003** | **0.438** |
| 63 | 21158-2176 | 3.000 | 4.003 | 0.500 |
| **63** | **21158-3863** | **0.250** | **0.750** | **0.250** |
| 63 | 21158-3864 | 0.250 | 0.875 | 0.250 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 63 | 21158-3865 | 0.438 | 1.375 | 0.312 |
| 63 | 21158-3867 | 0.469 | 1.375 | 0.312 |
| 63 | 21158-3869 | 0.562 | 1.000 | 0.312 |
| 63 | 21158-3870 | 0.750 | 1.260 | 0.406 |
| 63 | 21158-3871 | 1.062 | 1.984 | 0.500 |
| **63** | **21158-3872** | **1.125** | **1.984** | **0.375** |
| 63 | 21158-3873 | 1.125 | 1.984 | 0.437 |
| 63 | 21158-3874 | 1.125 | 1.984 | 0.500 |
| **63** | **21158-3875** | **1.156** | **2.441** | **0.375** |
| **63** | **21158-3876** | **1.187** | **1.828** | **0.375** |
| **63** | **21158-3877** | **1.187** | **2.048** | **0.375** |
| 63 | 21158-3879 | 1.312 | 2.875 | 0.500 |
| **63** | **21158-3880** | **1.500** | **2.441** | **0.375** |
| **63** | **21158-3881** | **1.500** | **2.882** | **0.375** |
| 63 | 21158-3883 | 1.562 | 2.875 | 0.375 |
| 63 | 21158-3884 | 1.625 | 2.656 | 0.375 |
| 63 | 21158-3885 | 1.750 | 3.189 | 0.500 |
| **63** | **21158-3887** | **1.844** | **2.500** | **0.375** |
| **63** | **21158-3888** | **1.875** | **3.149** | **0.375** |
| 63 | 21158-3889 | 1.937 | 3.350 | 0.500 |
| **63** | **21158-3892** | **2.000** | **3.375** | **0.500** |
| 63 | 21158-3893 | 2.031 | 2.783 | 0.375 |
| 63 | 21158-3896 | 2.031 | 3.150 | 0.344 |
| 63 | 21158-3897 | 2.062 | 2.783 | 0.375 |
| 63 | 21158-3900 | 2.125 | 2.882 | 0.375 |
| 63 | 21158-3902 | 2.125 | 3.623 | 0.437 |
| 63 | 21158-3903 | 2.187 | 2.882 | 0.375 |
| 63 | 21158-3904 | 2.187 | 2.997 | 0.375 |
| 63 | 21158-4584 | 1.375 | 2.835 | 0.375 |
| 63 | 21158-4597 | 1.187 | 2.835 | 0.375 |
| 63 | 21158-4600 | 1.187 | 2.441 | 0.375 |
| 63 | 21158-4605 | 0.750 | 1.375 | 0.406 |
| 63 | 21158-4645 | 1.562 | 2.561 | 0.500 |
| 63 | 21158-4646 | 2.375 | 3.350 | 0.469 |
| 63 | 21158-4680 | 0.625 | 1.260 | 0.312 |
| 63 | 21158-4687 | 0.984 | 2.048 | 0.375 |
| 63 | 21158-4748 | 0.875 | 1.851 | 0.375 |
| 63 | 21158-4793 | 0.656 | 1.378 | 0.312 |
| 63 | 21158-4802 | 0.969 | 1.850 | 0.375 |
| 63 | 21158-4813 | 1.125 | 1.850 | 0.375 |
| 63 | 21158-4821 | 1.312 | 2.047 | 0.375 |
| 63 | 21158-4845 | 2.500 | 3.937 | 0.375 |
| 63 | 21158-4849 | 0.875 | 2.047 | 0.375 |
| 63 | 21158-4930 | 1.937 | 2.835 | 0.375 |
| 63 | 21158-4935 | 0.750 | 1.850 | 0.312 |
| 63 | 21158-4965 | 0.781 | 1.378 | 0.312 |
| 63 | 21158-4975 | 2.062 | 3.347 | 0.375 |
| 63 | 21158-5046 | 0.937 | 2.047 | 0.375 |
| 63 | 21158-5080 | 2.500 | 3.671 | 0.375 |
| 63 | 21158-5238 | 0.687 | 1.375 | 0.406 |
| 63 | 21158-5295 | 1.000 | 1.983 | 0.500 |
| 63 | 21158-5393 | 1.625 | 2.437 | 0.469 |
| 63 | 21158-5396 | 0.562 | 1.375 | 0.406 |
| 63 | 21158-5398 | 2.625 | 3.350 | 0.469 |
| 63 | 21158-5407 | 2.625 | 3.375 | 0.375 |
| 63 | 21158-5434 | 0.906 | 1.625 | 0.437 |
| 63 | 21158-5491 | 1.156 | 1.828 | 0.437 |
| 63 | 21158-5496 | 1.469 | 2.437 | 0.469 |
| 63 | 21158-5501 | 1.500 | 2.875 | 0.406 |
| 63 | 21158-5502 | 0.875 | 1.375 | 0.406 |
| 63 | 21158-5560 | 2.250 | 3.350 | 0.469 |
| 63 | 21158-5562 | 1.108 | 1.850 | 0.375 |
| 63 | 21158-5581 | 2.625 | 3.623 | 0.469 |
| 63 | 21158-5656 | 1.187 | 1.984 | 0.500 |
| 63 | 21158-5688 | 2.125 | 2.875 | 0.469 |
| 63 | 21158-5704 | 1.250 | 1.875 | 0.375 |
| 63 | 21158-5713 | 1.500 | 2.125 | 0.437 |
| 63 | 21158-5891 | 1.125 | 1.851 | 0.437 |
| 63 | 21158-5937 | 0.969 | 2.048 | 0.375 |
| 63 | 21158-5963 | 1.719 | 2.835 | 0.375 |
| 63 | 21158-6011 | 1.187 | 2.500 | 0.500 |
| 63 | 21158-6120 | 0.750 | 1.851 | 0.375 |
| 63 | 21158-6300 | 2.562 | 3.937 | 0.375 |
| 63 | 21158-6470 | 1.000 | 1.750 | 0.500 |
| 63 | 21158-6623 | 0.469 | 1.260 | 0.312 |
| 63 | 21158-6627 | 2.863 | 4.724 | 0.500 |
| 63 | 21158-6643 | 0.562 | 1.260 | 0.312 |
| 63 | 21158-6654 | 1.000 | 2.047 | 0.375 |
| 63 | 21158-6655 | 1.375 | 2.047 | 0.375 |
| 63 | 21158-6656 | 1.969 | 2.835 | 0.375 |
| 63 | 21158-6658 | 1.375 | 2.441 | 0.375 |
| 63 | 21158-6659 | 1.187 | 1.850 | 0.375 |
| 63 | 21158-6724 | 1.750 | 3.125 | 0.375 |
| 63 | 21158-6725 | 1.750 | 2.835 | 0.375 |
| 63 | 21158-6859 | 0.984 | 1.850 | 0.375 |
| 63 | 21158-6906 | 1.000 | 1.851 | 0.375 |
| 63 | 21158-7126 | 1.687 | 2.835 | 0.375 |
| 63 | 21158-7143 | 2.812 | 3.875 | 0.469 |
| **63** | **21158-7164** | **1.875** | **2.835** | **0.375** |
| 63 | 21158-7173 | 1.093 | 1.850 | 0.375 |
| 63 | 21158-7198 | 0.781 | 1.850 | 0.375 |
| 63 | 21158-7218 | 2.156 | 3.544 | 0.375 |
| 63 | 21158-7316 | 1.266 | 2.048 | 0.375 |
| 63 | 21158-7345 | 0.500 | 1.182 | 0.312 |
| 63 | 21158-7386 | 1.375 | 2.000 | 0.375 |
| 63 | 21158-7415 | 1.969 | 3.150 | 0.375 |
| 63 | 21158-7456 | 1.687 | 2.441 | 0.375 |
| 63 | 21158-7459 | 1.750 | 2.718 | 0.359 |
| 63 | 21158-7596 | 2.937 | 3.937 | 0.375 |
| 63 | 21158-7599 | 1.093 | 1.654 | 0.312 |
| 63 | 21158-7650 | 1.125 | 1.850 | 0.312 |
| 63 | 21158-7667 | 2.156 | 2.835 | 0.375 |
| 63 | 21158-7702 | 2.232 | 3.543 | 0.375 |
| 63 | 21158-7715 | 1.281 | 2.047 | 0.375 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 63 | 21158-7727 | 0.188 | 0.750 | 0.250 |
| 63 | 21158-7748 | 1.417 | 2.047 | 0.374 |
| 63 | 21158-7753 | 0.719 | 1.260 | 0.312 |
| 63 | 21158-7761 | 1.781 | 2.441 | 0.375 |
| 63 | 21158-7763 | 0.719 | 1.378 | 0.312 |
| 63 | 21158-7767 | 1.625 | 2.441 | 0.375 |
| 63 | 21158-7800 | 2.625 | 3.937 | 0.375 |
| 63 | 21158-7846 | 0.781 | 1.851 | 0.312 |
| 63 | 21158-7852 | 1.250 | 2.047 | 0.375 |
| 63 | 21158-7865 | 1.732 | 2.835 | 0.375 |
| 63 | 21158-7884 | 1.575 | 2.441 | 0.394 |
| 63 | 21158-7914 | 1.156 | 2.047 | 0.375 |
| 63 | 21158-7926 | 2.406 | 3.937 | 0.375 |
| 63 | 21158-7927 | 2.437 | 3.937 | 0.375 |
| 63 | 21158-7928 | 2.469 | 3.937 | 0.375 |
| 63 | 21158-7929 | 2.531 | 3.937 | 0.375 |
| 63 | 21158-7931 | 2.656 | 3.937 | 0.375 |
| 63 | 21158-7932 | 2.687 | 3.937 | 0.375 |
| 63 | 21158-7933 | 2.719 | 3.937 | 0.375 |
| 63 | 21158-7934 | 2.750 | 3.937 | 0.375 |
| 63 | 21158-7936 | 2.812 | 3.937 | 0.375 |
| 63 | 21158-7937 | 2.844 | 3.937 | 0.375 |
| 63 | 21158-7938 | 2.875 | 3.937 | 0.375 |
| 63 | 21158-7939 | 2.906 | 3.937 | 0.375 |
| 63 | 21158-7940 | 2.969 | 3.937 | 0.375 |
| 63 | 21158-7941 | 3.000 | 3.937 | 0.375 |
| 63 | 21158-8007 | 0.375 | 1.260 | 0.312 |
| 63 | 21158-8008 | 0.375 | 1.182 | 0.312 |
| 63 | 21158-8009 | 0.406 | 1.182 | 0.312 |
| 63 | 21158-8010 | 0.406 | 1.260 | 0.312 |
| 63 | 21158-8011 | 0.438 | 1.260 | 0.312 |
| 63 | 21158-8012 | 0.469 | 1.182 | 0.312 |
| 63 | 21158-8013 | 0.500 | 1.260 | 0.312 |
| 63 | 21158-8015 | 0.531 | 1.182 | 0.312 |
| 63 | 21158-8016 | 0.531 | 1.260 | 0.312 |
| 63 | 21158-8018 | 0.562 | 1.182 | 0.312 |
| 63 | 21158-8020 | 0.594 | 1.182 | 0.312 |
| 63 | 21158-8021 | 0.594 | 1.260 | 0.312 |
| 63 | 21158-8023 | 0.625 | 1.182 | 0.312 |
| 63 | 21158-8025 | 0.656 | 1.182 | 0.312 |
| 63 | 21158-8026 | 0.656 | 1.260 | 0.312 |
| 63 | 21158-8028 | 0.687 | 1.182 | 0.312 |
| 63 | 21158-8029 | 0.687 | 1.260 | 0.312 |
| 63 | 21158-8032 | 0.719 | 1.654 | 0.312 |
| 63 | 21158-8033 | 0.750 | 1.260 | 0.312 |
| 63 | 21158-8035 | 0.750 | 1.654 | 0.312 |
| 63 | 21158-8036 | 0.781 | 1.260 | 0.312 |
| 63 | 21158-8038 | 0.781 | 1.654 | 0.312 |
| 63 | 21158-8039 | 0.812 | 1.260 | 0.312 |
| 63 | 21158-8041 | 0.812 | 1.654 | 0.312 |
| 63 | 21158-8042 | 0.812 | 1.850 | 0.375 |
| 63 | 21158-8044 | 0.844 | 1.654 | 0.312 |
| 63 | 21158-8045 | 0.844 | 1.850 | 0.375 |
| 63 | 21158-8046 | 0.844 | 2.047 | 0.312 |
| 63 | 21158-8048 | 0.875 | 1.654 | 0.312 |
| 63 | 21158-8050 | 0.906 | 1.654 | 0.312 |
| 63 | 21158-8051 | 0.906 | 1.850 | 0.375 |
| 63 | 21158-8052 | 0.906 | 2.047 | 0.375 |
| 63 | 21158-8054 | 0.937 | 1.654 | 0.312 |
| 63 | 21158-8055 | 0.937 | 1.850 | 0.375 |
| 63 | 21158-8056 | 0.969 | 1.654 | 0.312 |
| 63 | 21158-8057 | 1.000 | 1.654 | 0.312 |
| 63 | 21158-8059 | 1.031 | 1.654 | 0.312 |
| 63 | 21158-8060 | 1.031 | 1.850 | 0.375 |
| 63 | 21158-8061 | 1.031 | 2.047 | 0.375 |
| 63 | 21158-8062 | 1.062 | 1.654 | 0.312 |
| 63 | 21158-8063 | 1.062 | 1.850 | 0.375 |
| 63 | 21158-8064 | 1.062 | 2.047 | 0.375 |
| 63 | 21158-8065 | 1.093 | 2.047 | 0.375 |
| 63 | 21158-8066 | 1.125 | 1.654 | 0.312 |
| 63 | 21158-8067 | 1.125 | 2.047 | 0.375 |
| 63 | 21158-8068 | 1.219 | 2.047 | 0.375 |
| 63 | 21158-8070 | 1.281 | 2.441 | 0.375 |
| 63 | 21158-8071 | 1.312 | 2.441 | 0.375 |
| 63 | 21158-8072 | 1.344 | 2.441 | 0.375 |
| 63 | 21158-8073 | 1.406 | 2.441 | 0.375 |
| 63 | 21158-8075 | 1.469 | 2.441 | 0.375 |
| 63 | 21158-8076 | 1.531 | 2.441 | 0.375 |
| 63 | 21158-8077 | 1.562 | 2.441 | 0.375 |
| 63 | 21158-8078 | 1.562 | 2.835 | 0.375 |
| 63 | 21158-8079 | 1.594 | 2.441 | 0.375 |
| 63 | 21158-8080 | 1.594 | 2.835 | 0.375 |
| 63 | 21158-8081 | 1.625 | 2.835 | 0.375 |
| 63 | 21158-8082 | 1.656 | 2.441 | 0.375 |
| 63 | 21158-8083 | 1.656 | 2.835 | 0.375 |
| 63 | 21158-8084 | 1.719 | 2.441 | 0.375 |
| 63 | 21158-8085 | 1.750 | 3.150 | 0.375 |
| 63 | 21158-8086 | 1.781 | 2.835 | 0.375 |
| 63 | 21158-8088 | 1.812 | 2.835 | 0.375 |
| 63 | 21158-8089 | 1.812 | 3.150 | 0.375 |
| 63 | 21158-8090 | 1.844 | 2.835 | 0.375 |
| 63 | 21158-8091 | 1.844 | 3.150 | 0.375 |
| 63 | 21158-8092 | 1.906 | 2.835 | 0.375 |
| 63 | 21158-8093 | 1.906 | 3.150 | 0.375 |
| 63 | 21158-8094 | 1.937 | 3.150 | 0.375 |
| 63 | 21158-8097 | 2.000 | 3.150 | 0.375 |
| 63 | 21158-8098 | 2.000 | 3.347 | 0.375 |
| 63 | 21158-8099 | 2.031 | 2.835 | 0.375 |
| 63 | 21158-8100 | 2.062 | 2.835 | 0.375 |
| 63 | 21158-8101 | 0.438 | 1.182 | 0.312 |
| 63 | 21158-8102 | 0.500 | 1.378 | 0.312 |
| 63 | 21158-8109 | 0.594 | 1.378 | 0.312 |
| 63 | 21158-8110 | 0.719 | 1.850 | 0.375 |
| 63 | 21158-8111 | 2.000 | 2.835 | 0.375 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 63 | 21158-8112 | 2.125 | 2.835 | 0.375 |
| 63 | 21158-8117 | 2.156 | 3.347 | 0.375 |
| 63 | 21158-8258 | 1.875 | 3.000 | 0.562 |
| 63 | 21158-8326 | 1.562 | 2.441 | 0.437 |
| 63 | 21158-8335 | 0.375 | 1.378 | 0.312 |
| 63 | 21158-8336 | 0.406 | 1.378 | 0.312 |
| 63 | 21158-8337 | 0.438 | 1.378 | 0.312 |
| 63 | 21158-8338 | 0.469 | 1.378 | 0.312 |
| 63 | 21158-8340 | 0.531 | 1.378 | 0.312 |
| 63 | 21158-8341 | 0.562 | 1.378 | 0.312 |
| 63 | 21158-8342 | 0.625 | 1.378 | 0.312 |
| 63 | 21158-8343 | 0.687 | 1.378 | 0.312 |
| 63 | 21158-8344 | 0.750 | 1.378 | 0.312 |
| 63 | 21158-8345 | 0.812 | 1.378 | 0.312 |
| 63 | 21158-8346 | 0.844 | 1.378 | 0.312 |
| 63 | 21158-8347 | 0.875 | 1.378 | 0.312 |
| 63 | 21158-8348 | 2.031 | 3.150 | 0.375 |
| 63 | 21158-8349 | 2.031 | 3.347 | 0.375 |
| 63 | 21158-8350 | 2.062 | 3.150 | 0.375 |
| 63 | 21158-8351 | 2.094 | 3.150 | 0.375 |
| 63 | 21158-8352 | 2.094 | 3.347 | 0.375 |
| 63 | 21158-8353 | 2.125 | 3.150 | 0.375 |
| 63 | 21158-8354 | 2.125 | 3.347 | 0.375 |
| 63 | 21158-8355 | 2.156 | 3.150 | 0.375 |
| 63 | 21158-8357 | 2.187 | 3.150 | 0.375 |
| 63 | 21158-8358 | 2.187 | 3.347 | 0.375 |
| 63 | 21158-8359 | 2.219 | 3.150 | 0.375 |
| 63 | 21158-8360 | 2.219 | 3.347 | 0.375 |
| 63 | 21158-8361 | 2.250 | 3.150 | 0.375 |
| 63 | 21158-8362 | 2.250 | 3.347 | 0.375 |
| 63 | 21158-8363 | 2.281 | 3.150 | 0.375 |
| 63 | 21158-8364 | 2.281 | 3.347 | 0.375 |
| 63 | 21158-8365 | 2.312 | 3.150 | 0.375 |
| 63 | 21158-8366 | 2.312 | 3.347 | 0.375 |
| 63 | 21158-8367 | 2.344 | 3.150 | 0.375 |
| 63 | 21158-8368 | 2.344 | 3.347 | 0.375 |
| 63 | 21158-8369 | 2.375 | 3.150 | 0.375 |
| 63 | 21158-8370 | 2.375 | 3.347 | 0.375 |
| 63 | 21158-8371 | 2.406 | 3.150 | 0.375 |
| 63 | 21158-8372 | 2.406 | 3.347 | 0.375 |
| 63 | 21158-8373 | 2.437 | 3.150 | 0.375 |
| 63 | 21158-8374 | 2.437 | 3.347 | 0.375 |
| 63 | 21158-8375 | 2.469 | 3.347 | 0.375 |
| 63 | 21158-8376 | 2.500 | 3.347 | 0.375 |
| 63 | 21158-8377 | 2.531 | 3.347 | 0.375 |
| 63 | 21158-8378 | 2.562 | 3.347 | 0.375 |
| 63 | 21158-8405 | 1.781 | 2.437 | 0.375 |
| 63 | 21158-8456 | 1.750 | 3.625 | 0.437 |
| 63 | 21158-8484 | 1.718 | 2.561 | 0.500 |
| 63 | 21158-8610 | 1.575 | 2.441 | 0.375 |
| 63 | 21158-8615 | 1.625 | 2.562 | 0.500 |
| 63 | 21158-8644 | 1.062 | 1.979 | 0.375 |
| 63 | 21158-8904 | 2.281 | 3.154 | 0.375 |
| 63 | 21158-9223 | 1.766 | 2.559 | 0.375 |
| 63 | 21158-9294 | 1.437 | 2.441 | 0.375 |
| 63 | 21158-9342 | 1.181 | 1.850 | 0.375 |
| 63 | 21158-9345 | 1.000 | 1.875 | 0.312 |
| 63 | 21158-9407 | 2.156 | 2.882 | 0.375 |
| 63 | 21158-9481 | 2.937 | 4.125 | 0.562 |
| 63 | 21158-9564 | 1.125 | 1.781 | 0.437 |
| 63 | 21158-9571 | 2.062 | 3.500 | 0.375 |
| 63 | 21158-9612 | 1.375 | 2.875 | 0.375 |
| 63 | 21158-9620 | 1.750 | 2.441 | 0.375 |
| 63 | 21158-9633 | 1.812 | 2.758 | 0.500 |
| **63** | **21158-9822** | **1.750** | **2.375** | **0.312** |
| 63F1 | 23078-0018 | 0.375 | 1.000 | 0.375 |
| 63F1 | 23078-0222 | 0.875 | 1.750 | 0.437 |
| 63F1 | 23078-1437 | 2.219 | 2.997 | 0.594 |
| 63F1 | 23078-2967 | 1.875 | 3.000 | 0.594 |
| 63F1 | 23078-4592 | 2.125 | 2.875 | 0.687 |
| 63F1 | 23078-4735 | 2.250 | 3.500 | 0.594 |
| 63F1 | 23078-4746 | 2.375 | 3.246 | 0.594 |
| 63F1 | 23078-4838 | 2.125 | 3.350 | 0.594 |
| 63F1 | 23078-4908 | 0.687 | 1.125 | 0.437 |
| 63F1 | 23078-4916 | 2.125 | 2.875 | 0.594 |
| 63F1 | 23078-4938 | 2.250 | 3.372 | 0.594 |
| 63F1 | 23078-4945 | 2.062 | 3.189 | 0.594 |
| 63F1 | 23078-5004 | 1.500 | 2.625 | 0.594 |
| 63F1 | 23078-5005 | 1.750 | 2.750 | 0.594 |
| 63F1 | 23078-5041 | 0.687 | 1.250 | 0.437 |
| 63F1 | 23078-5208 | 2.250 | 2.997 | 0.594 |
| 63F1 | 23078-5215 | 1.969 | 2.875 | 0.687 |
| 63F1 | 23078-5256 | 1.750 | 2.750 | 0.750 |
| 63F1 | 23078-5268 | 1.500 | 2.750 | 0.594 |
| 63F1 | 23078-5283 | 2.000 | 2.750 | 0.625 |
| 63F1 | 23078-5311 | 0.625 | 1.250 | 0.531 |
| 63F1 | 23078-5362 | 1.656 | 2.500 | 0.594 |
| 63F1 | 23078-5387 | 2.500 | 3.500 | 0.750 |
| 63F1 | 23078-5391 | 0.500 | 1.125 | 0.531 |
| 63F1 | 23078-5544 | 1.969 | 2.686 | 0.594 |
| 63F1 | 23078-5657 | 0.625 | 1.125 | 0.500 |
| 63F1 | 23078-5686 | 2.625 | 3.374 | 0.719 |
| 63F1 | 23078-5687 | 2.125 | 3.062 | 0.750 |
| 63F1 | 23078-5693 | 2.719 | 4.003 | 0.594 |
| 63F1 | 23078-5703 | 1.000 | 2.000 | 0.625 |
| 63F1 | 23078-5791 | 1.062 | 1.828 | 0.453 |
| 63F1 | 23078-6028 | 1.750 | 2.625 | 0.594 |
| 63F1 | 23078-6141 | 2.187 | 2.875 | 0.594 |
| 63F1 | 23078-6244 | 2.687 | 3.500 | 0.594 |
| 63F1 | 23078-6270 | 2.437 | 3.372 | 0.594 |
| 63F1 | 23078-6271 | 1.562 | 2.500 | 0.594 |
| 63F1 | 23078-6459 | 2.375 | 3.125 | 0.594 |
| 63F1 | 23078-6470 | 1.000 | 1.750 | 0.500 |
| 63F1 | 23078-6478 | 2.250 | 3.000 | 0.687 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 63F1 | 23078-6506 | 2.500 | 3.250 | 0.594 |
| **63F1** | **23078-6523** | **0.875** | **1.375** | **0.437** |
| 63F1 | 23078-6524 | 1.000 | 1.625 | 0.437 |
| 63F1 | 23078-6585 | 2.937 | 4.003 | 0.594 |
| 63F1 | 23078-6592 | 1.812 | 2.875 | 0.594 |
| 63F1 | 23078-6593 | 2.125 | 3.000 | 0.687 |
| 63F1 | 23078-6605 | 2.125 | 3.250 | 0.594 |
| 63F1 | 23078-6612 | 0.750 | 1.250 | 0.437 |
| 63F1 | 23078-6680 | 2.875 | 4.003 | 0.594 |
| 63F1 | 23078-6700 | 2.562 | 3.500 | 0.594 |
| 63F1 | 23078-6701 | 1.375 | 2.250 | 0.594 |
| 63F1 | 23078-6744 | 1.687 | 3.000 | 0.594 |
| **63F1** | **23078-6755** | **1.000** | **1.500** | **0.437** |
| 63F1 | 23078-6762 | 2.875 | 4.125 | 0.719 |
| 63F1 | 23078-6794 | 2.125 | 3.061 | 0.687 |
| 63F1 | 23078-6795 | 2.250 | 2.997 | 0.687 |
| 63F1 | 23078-6866 | 2.625 | 3.350 | 0.594 |
| 63F1 | 23078-6904 | 2.000 | 3.000 | 0.594 |
| 63F1 | 23078-6927 | 0.750 | 1.375 | 0.437 |
| 63F1 | 23078-6961 | 1.437 | 2.437 | 0.594 |
| 63F1 | 23078-6985 | 0.750 | 1.500 | 0.437 |
| 63F1 | 23078-6986 | 0.500 | 1.125 | 0.562 |
| 63F1 | 23078-6993 | 1.187 | 2.000 | 0.594 |
| 63F1 | 23078-7099 | 2.000 | 2.875 | 0.594 |
| 63F1 | 23078-7116 | 1.562 | 2.250 | 0.594 |
| 63F1 | 23078-7122 | 0.438 | 0.875 | 0.437 |
| 63F1 | 23078-7142 | 2.250 | 3.147 | 0.594 |
| 63F1 | 23078-7145 | 2.062 | 3.000 | 0.594 |
| 63F1 | 23078-7152 | 1.625 | 2.437 | 0.594 |
| 63F1 | 23078-7186 | 1.000 | 2.000 | 0.687 |
| 63F1 | 23078-7201 | 0.562 | 1.250 | 0.562 |
| 63F1 | 23078-7254 | 1.687 | 2.500 | 0.594 |
| 63F1 | 23078-7285 | 2.437 | 3.500 | 0.594 |
| 63F1 | 23078-7307 | 1.750 | 2.500 | 0.594 |
| 63F1 | 23078-7328 | 3.000 | 4.003 | 0.594 |
| 63F1 | 23078-7339 | 2.750 | 3.751 | 0.750 |
| 63F1 | 23078-7341 | 1.187 | 1.875 | 0.594 |
| 63F1 | 23078-7372 | 1.250 | 2.375 | 0.594 |
| 63F1 | 23078-7390 | 1.250 | 2.000 | 0.594 |
| 63F1 | 23078-7406 | 2.375 | 3.500 | 0.750 |
| 63F1 | 23078-7484 | 2.125 | 3.125 | 0.594 |
| 63F1 | 23078-7542 | 3.000 | 3.751 | 0.594 |
| 63F1 | 23078-7555 | 1.750 | 3.000 | 0.594 |
| 63F1 | 23078-7563 | 2.000 | 2.750 | 0.687 |
| 63F1 | 23078-7567 | 1.375 | 2.125 | 0.594 |
| **63F1** | **23078-7568** | **1.500** | **2.250** | **0.594** |
| 63F1 | 23078-7633 | 2.437 | 3.125 | 0.594 |
| 63F1 | 23078-7662 | 0.625 | 1.250 | 0.437 |
| 63F1 | 23078-7722 | 2.937 | 4.125 | 0.719 |
| 63F1 | 23078-7776 | 2.625 | 3.623 | 0.594 |
| 63F1 | 23078-7787 | 2.125 | 3.189 | 0.750 |
| 63F1 | 23078-7829 | 2.750 | 3.500 | 0.594 |

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 63F1 | 23078-8105 | 2.469 | 3.500 | 0.594 |
| 63F1 | 23078-8312 | 1.250 | 1.984 | 0.594 |
| 63F1 | 23078-8318 | 0.594 | 1.125 | 0.437 |
| 63F1 | 23078-8432 | 1.469 | 2.250 | 0.594 |
| 63F1 | 23078-8498 | 2.250 | 2.997 | 0.750 |
| 63F1 | 23078-8573 | 2.500 | 3.543 | 0.594 |
| 63F1 | 23078-8650 | 1.875 | 2.625 | 0.594 |
| 63F1 | 23078-8679 | 2.687 | 3.751 | 0.594 |
| 63F1 | 23078-8763 | 0.562 | 1.125 | 0.437 |
| 63F1 | 23078-9070 | 2.812 | 4.003 | 0.594 |
| 63F1 | 23078-9093 | 2.500 | 3.372 | 0.594 |
| 63F1 | 23078-9234 | 1.687 | 2.437 | 0.625 |
| 63F1 | 23078-9666 | 2.000 | 3.062 | 0.594 |
| 63F1 | 23078-9667 | 1.687 | 2.875 | 0.594 |
| 63F1 | 23078-9694 | 2.687 | 3.876 | 0.594 |
| 63F1 | 23078-9739 | 1.625 | 2.750 | 0.594 |
| 63F1 | 23078-9833 | 1.375 | 2.125 | 0.625 |
| 63F1 | 23078-9943 | 1.625 | 2.441 | 0.594 |
| 63R1 | 23547-4592 | 2.125 | 2.875 | 0.687 |
| 63R1 | 23547-4700 | 0.875 | 1.500 | 0.562 |
| 63R1 | 23547-4754 | 0.750 | 1.375 | 0.562 |
| 63R1 | 23547-4766 | 1.625 | 2.625 | 0.687 |
| 63R1 | 23547-4819 | 0.937 | 1.500 | 0.562 |
| 63R1 | 23547-4891 | 1.437 | 2.686 | 0.687 |
| 63R1 | 23547-4905 | 2.250 | 3.147 | 0.687 |
| 63R1 | 23547-4914 | 2.375 | 3.500 | 0.687 |
| 63R1 | 23547-5387 | 2.500 | 3.500 | 0.750 |
| 63R1 | 23547-5476 | 2.062 | 3.062 | 0.687 |
| 63R1 | 23547-5483 | 2.625 | 3.625 | 0.687 |
| 63R1 | 23547-5528 | 2.250 | 3.500 | 0.703 |
| 63R1 | 23547-5568 | 2.000 | 2.997 | 0.687 |
| 63R1 | 23547-5702 | 2.062 | 3.187 | 0.703 |
| 63R1 | 23547-5893 | 0.438 | 0.875 | 0.594 |
| 63R1 | 23547-6043 | 2.312 | 3.751 | 0.687 |
| 63R1 | 23547-6438 | 2.000 | 3.000 | 0.687 |
| 63R1 | 23547-6442 | 0.500 | 1.000 | 0.594 |
| 63R1 | 23547-6465 | 2.500 | 3.500 | 0.687 |
| 63R1 | 23547-6467 | 2.750 | 3.751 | 0.687 |
| 63R1 | 23547-6469 | 1.937 | 3.000 | 0.687 |
| 63R1 | 23547-6476 | 0.875 | 1.625 | 0.562 |
| 63R1 | 23547-6477 | 1.000 | 1.625 | 0.562 |
| 63R1 | 23547-6479 | 1.375 | 2.125 | 0.687 |
| 63R1 | 23547-6522 | 1.750 | 3.000 | 0.687 |
| 63R1 | 23547-6551 | 1.500 | 2.500 | 0.687 |
| 63R1 | 23547-6576 | 1.375 | 2.062 | 0.687 |
| 63R1 | 23547-6588 | 2.937 | 4.003 | 0.687 |
| **63R1** | **23547-6667** | **1.500** | **2.375** | **0.687** |
| 63R1 | 23547-6674 | 1.250 | 2.125 | 0.687 |
| 63R1 | 23547-6675 | 1.250 | 2.250 | 0.687 |
| 63R1 | 23547-6730 | 2.875 | 3.751 | 0.687 |
| 63R1 | 23547-6745 | 1.250 | 2.000 | 0.687 |
| 63R1 | 23547-6751 | 1.687 | 3.000 | 0.687 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 63R1 | 23547-6757 | 2.250 | 3.500 | 0.687 |
| 63R1 | 23547-6774 | 1.375 | 2.250 | 0.687 |
| 63R1 | 23547-6832 | 1.750 | 2.750 | 0.687 |
| 63R1 | 23547-6857 | 1.125 | 1.750 | 0.687 |
| 63R1 | 23547-6860 | 1.625 | 2.500 | 0.687 |
| 63R1 | 23547-6898 | 2.375 | 3.125 | 0.687 |
| 63R1 | 23547-6937 | 1.500 | 2.250 | 0.687 |
| 63R1 | 23547-6941 | 2.344 | 3.350 | 0.687 |
| 63R1 | 23547-6986 | 0.500 | 1.125 | 0.562 |
| 63R1 | 23547-7146 | 0.250 | 0.750 | 0.469 |
| 63R1 | 23547-7150 | 0.625 | 1.250 | 0.562 |
| 63R1 | 23547-7184 | 0.750 | 1.500 | 0.562 |
| 63R1 | 23547-7187 | 2.625 | 3.500 | 0.687 |
| 63R1 | 23547-7197 | 3.000 | 4.003 | 0.687 |
| 63R1 | 23547-7208 | 1.125 | 1.750 | 0.562 |
| 63R1 | 23547-7210 | 2.687 | 3.751 | 0.687 |
| **63R1** | **23547-7215** | **1.000** | **1.750** | **0.687** |
| 63R1 | 23547-7280 | 1.562 | 2.437 | 0.687 |
| 63R1 | 23547-7346 | 2.062 | 2.875 | 0.687 |
| 63R1 | 23547-7382 | 2.250 | 3.350 | 0.687 |
| 63R1 | 23547-7563 | 2.000 | 2.750 | 0.687 |
| 63R1 | 23547-7569 | 1.687 | 2.375 | 0.687 |
| 63R1 | 23547-7691 | 2.250 | 3.246 | 0.687 |
| 63R1 | 23547-8104 | 1.562 | 2.375 | 0.687 |
| 63R1 | 23547-8187 | 1.187 | 1.875 | 0.687 |
| 63R1 | 23547-8266 | 1.625 | 2.875 | 0.687 |
| 63R1 | 23547-8272 | 0.500 | 1.250 | 0.562 |
| 63R1 | 23547-8470 | 2.937 | 3.876 | 0.687 |
| 63R1 | 23547-8514 | 1.156 | 2.250 | 0.687 |
| 63R1 | 23547-8569 | 1.250 | 2.437 | 0.687 |
| 63R1 | 23547-8704 | 1.500 | 2.250 | 0.531 |
| 63R1 | 23547-9029 | 2.406 | 3.372 | 0.687 |
| 63R1 | 23547-9417 | 1.000 | 1.750 | 0.625 |
| 63R1 | 23547-9430 | 1.937 | 2.997 | 0.687 |
| 63R1 | 23547-9551 | 1.281 | 2.497 | 0.687 |
| 63R1 | 23547-9585 | 1.187 | 2.062 | 0.687 |
| 63R2 | 23548-1171 | 2.875 | 3.876 | 0.687 |
| 63R2 | 23548-4592 | 2.125 | 2.875 | 0.687 |
| 63R2 | 23548-4665 | 2.250 | 3.250 | 0.687 |
| **63R2** | **23548-4670** | **2.000** | **2.875** | **0.687** |
| **63R2** | **23548-4671** | **1.750** | **2.437** | **0.687** |
| 63R2 | 23548-4693 | 1.937 | 2.875 | 0.687 |
| 63R2 | 23548-4700 | 0.875 | 1.500 | 0.562 |
| 63R2 | 23548-4721 | 0.937 | 1.625 | 0.562 |
| 63R2 | 23548-4734 | 2.500 | 3.876 | 0.687 |
| 63R2 | 23548-4754 | 0.750 | 1.375 | 0.562 |
| 63R2 | 23548-4818 | 1.469 | 2.750 | 0.687 |
| 63R2 | 23548-4844 | 2.500 | 3.543 | 0.687 |
| 63R2 | 23548-4848 | 2.187 | 3.500 | 0.687 |
| 63R2 | 23548-4852 | 0.562 | 1.000 | 0.594 |
| 63R2 | 23548-4861 | 1.437 | 2.500 | 0.687 |
| 63R2 | 23548-4866 | 2.000 | 3.246 | 0.687 |
| 63R2 | 23548-4887 | 1.000 | 1.875 | 0.687 |
| 63R2 | 23548-4958 | 2.312 | 3.250 | 0.687 |
| 63R2 | 23548-4976 | 1.375 | 2.625 | 0.687 |
| 63R2 | 23548-5401 | 0.875 | 1.828 | 0.687 |
| 63R2 | 23548-5483 | 2.625 | 3.625 | 0.687 |
| 63R2 | 23548-5653 | 0.937 | 1.875 | 0.625 |
| 63R2 | 23548-5968 | 2.375 | 3.062 | 0.687 |
| 63R2 | 23548-5980 | 2.375 | 3.350 | 0.687 |
| 63R2 | 23548-6438 | 2.000 | 3.000 | 0.687 |
| 63R2 | 23548-6442 | 0.500 | 1.000 | 0.594 |
| 63R2 | 23548-6452 | 1.125 | 1.625 | 0.562 |
| 63R2 | 23548-6465 | 2.500 | 3.500 | 0.687 |
| 63R2 | 23548-6467 | 2.750 | 3.751 | 0.687 |
| 63R2 | 23548-6468 | 2.375 | 3.751 | 0.687 |
| 63R2 | 23548-6477 | 1.000 | 1.625 | 0.562 |
| **63R2** | **23548-6478** | **2.250** | **3.000** | **0.687** |
| 63R2 | 23548-6479 | 1.375 | 2.125 | 0.687 |
| 63R2 | 23548-6516 | 1.625 | 2.375 | 0.687 |
| 63R2 | 23548-6517 | 1.250 | 2.375 | 0.687 |
| 63R2 | 23548-6522 | 1.750 | 3.000 | 0.687 |
| 63R2 | 23548-6536 | 2.000 | 3.375 | 0.687 |
| 63R2 | 23548-6543 | 3.000 | 3.751 | 0.687 |
| 63R2 | 23548-6546 | 1.875 | 2.625 | 0.687 |
| 63R2 | 23548-6551 | 1.500 | 2.500 | 0.687 |
| 63R2 | 23548-6554 | 1.687 | 2.750 | 0.687 |
| 63R2 | 23548-6566 | 2.500 | 3.751 | 0.687 |
| 63R2 | 23548-6567 | 0.562 | 1.125 | 0.562 |
| 63R2 | 23548-6569 | 1.437 | 2.250 | 0.687 |
| 63R2 | 23548-6580 | 1.000 | 1.828 | 0.687 |
| 63R2 | 23548-6593 | 2.125 | 3.000 | 0.687 |
| 63R2 | 23548-6599 | 2.875 | 4.003 | 0.687 |
| 63R2 | 23548-6608 | 2.000 | 2.686 | 0.687 |
| 63R2 | 23548-6637 | 0.625 | 1.125 | 0.562 |
| 63R2 | 23548-6641 | 2.562 | 3.250 | 0.687 |
| 63R2 | 23548-6651 | 2.625 | 3.751 | 0.687 |
| 63R2 | 23548-6667 | 1.500 | 2.375 | 0.687 |
| 63R2 | 23548-6675 | 1.250 | 2.250 | 0.687 |
| 63R2 | 23548-6694 | 1.000 | 1.500 | 0.562 |
| 63R2 | 23548-6706 | 2.000 | 3.189 | 0.687 |
| 63R2 | 23548-6716 | 2.750 | 3.500 | 0.687 |
| 63R2 | 23548-6720 | 0.750 | 1.250 | 0.562 |
| **63R2** | **23548-6730** | **2.875** | **3.751** | **0.687** |
| 63R2 | 23548-6733 | 0.375 | 0.750 | 0.469 |
| **63R2** | **23548-6745** | **1.250** | **2.000** | **0.687** |
| 63R2 | 23548-6753 | 1.687 | 2.686 | 0.687 |
| 63R2 | 23548-6792 | 1.937 | 3.350 | 0.687 |
| 63R2 | 23548-6795 | 2.250 | 2.997 | 0.687 |
| **63R2** | **23548-6800** | **2.625** | **4.003** | **0.687** |
| 63R2 | 23548-6832 | 1.750 | 2.750 | 0.687 |
| 63R2 | 23548-6856 | 0.625 | 1.375 | 0.562 |
| 63R2 | 23548-6899 | 1.562 | 2.500 | 0.687 |
| **63R2** | **23548-6966** | **2.500** | **4.003** | **0.687** |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 63R2 | 23548-6971 | 0.594 | 1.375 | 0.562 |
| 63R2 | 23548-7100 | 0.969 | 2.062 | 0.687 |
| 63R2 | 23548-7136 | 2.437 | 3.189 | 0.687 |
| 63R2 | 23548-7146 | 0.250 | 0.750 | 0.469 |
| 63R2 | 23548-7159 | 2.812 | 3.751 | 0.687 |
| 63R2 | 23548-7160 | 2.125 | 3.125 | 0.687 |
| 63R2 | 23548-7177 | 2.750 | 4.003 | 0.687 |
| 63R2 | 23548-7187 | 2.625 | 3.500 | 0.687 |
| 63R2 | 23548-7197 | 3.000 | 4.003 | 0.687 |
| 63R2 | 23548-7215 | 1.000 | 1.750 | 0.687 |
| 63R2 | 23548-7223 | 1.937 | 2.625 | 0.687 |
| 63R2 | 23548-7228 | 1.750 | 2.625 | 0.687 |
| 63R2 | 23548-7238 | 2.437 | 3.481 | 0.687 |
| 63R2 | 23548-7248 | 1.937 | 2.686 | 0.687 |
| 63R2 | 23548-7299 | 0.687 | 1.125 | 0.562 |
| 63R2 | 23548-7333 | 1.187 | 2.375 | 0.687 |
| 63R2 | 23548-7563 | 2.000 | 2.750 | 0.687 |
| **63R2** | **23548-7564** | **2.500** | **3.250** | **0.687** |
| 63R2 | 23548-8104 | 1.562 | 2.375 | 0.687 |
| 63R2 | 23548-8187 | 1.187 | 1.875 | 0.687 |
| 63R2 | 23548-8293 | 1.875 | 2.875 | 0.687 |
| 63R2 | 23548-8339 | 0.625 | 1.500 | 0.562 |
| 63R2 | 23548-8404 | 2.125 | 3.350 | 0.687 |
| 63R2 | 23548-8496 | 0.375 | 0.875 | 0.469 |
| 63R2 | 23548-8521 | 2.437 | 3.250 | 0.687 |
| 63R2 | 23548-8643 | 1.875 | 2.750 | 0.687 |
| 63R2 | 23548-8646 | 1.719 | 2.625 | 0.687 |
| 63R2 | 23548-8863 | 2.937 | 3.623 | 0.687 |
| 63R2 | 23548-8930 | 2.500 | 3.625 | 0.687 |
| 63R2 | 23548-9040 | 2.687 | 3.623 | 0.687 |
| 63R2 | 23548-9081 | 1.469 | 2.375 | 0.687 |
| 63R2 | 23548-9604 | 2.312 | 3.000 | 0.687 |
| 63R2 | 23548-9621 | 2.062 | 2.997 | 0.687 |
| 63R2 | 23548-9624 | 0.937 | 1.750 | 0.687 |
| 63T2 | 23550-1452 | 1.250 | 1.875 | 0.688 |
| 63T2 | 23550-2494 | 2.406 | 3.125 | 0.687 |
| 63T2 | 23550-2577 | 0.750 | 1.750 | 0.687 |
| 63T2 | 23550-4592 | 2.125 | 2.875 | 0.687 |
| 63T2 | 23550-4648 | 2.969 | 3.751 | 0.687 |
| 63T2 | 23550-4659 | 2.187 | 2.875 | 0.687 |
| 63T2 | 23550-4665 | 2.250 | 3.250 | 0.687 |
| 63T2 | 23550-4670 | 2.000 | 2.875 | 0.687 |
| 63T2 | 23550-4671 | 1.750 | 2.437 | 0.687 |
| 63T2 | 23550-4672 | 1.750 | 2.500 | 0.687 |
| 63T2 | 23550-4693 | 1.937 | 2.875 | 0.687 |
| 63T2 | 23550-4754 | 0.750 | 1.375 | 0.562 |
| 63T2 | 23550-4781 | 0.500 | 1.375 | 0.562 |
| 63T2 | 23550-4818 | 1.469 | 2.750 | 0.687 |
| 63T2 | 23550-4819 | 0.937 | 1.500 | 0.562 |
| 63T2 | 23550-4844 | 2.500 | 3.543 | 0.687 |
| 63T2 | 23550-4866 | 2.000 | 3.246 | 0.687 |
| 63T2 | 23550-4958 | 2.312 | 3.250 | 0.687 |
| 63T2 | 23550-4976 | 1.375 | 2.625 | 0.687 |
| 63T2 | 23550-5007 | 1.375 | 2.106 | 0.687 |
| 63T2 | 23550-5053 | 2.000 | 3.125 | 0.687 |
| 63T2 | 23550-5214 | 0.750 | 1.575 | 0.562 |
| 63T2 | 23550-5248 | 0.750 | 1.875 | 0.687 |
| 63T2 | 23550-5257 | 2.625 | 3.500 | 0.750 |
| 63T2 | 23550-5652 | 1.875 | 2.686 | 0.687 |
| 63T2 | 23550-5778 | 2.000 | 2.882 | 0.687 |
| 63T2 | 23550-5886 | 2.687 | 3.876 | 0.687 |
| 63T2 | 23550-5893 | 0.438 | 0.875 | 0.594 |
| 63T2 | 23550-5980 | 2.375 | 3.350 | 0.687 |
| 63T2 | 23550-6438 | 2.000 | 3.000 | 0.687 |
| 63T2 | 23550-6448 | 1.500 | 2.625 | 0.687 |
| 63T2 | 23550-6452 | 1.125 | 1.625 | 0.562 |
| 63T2 | 23550-6465 | 2.500 | 3.500 | 0.687 |
| 63T2 | 23550-6466 | 1.125 | 2.000 | 0.687 |
| 63T2 | 23550-6467 | 2.750 | 3.751 | 0.687 |
| 63T2 | 23550-6469 | 1.937 | 3.000 | 0.687 |
| 63T2 | 23550-6475 | 1.375 | 2.500 | 0.687 |
| 63T2 | 23550-6477 | 1.000 | 1.625 | 0.562 |
| 63T2 | 23550-6478 | 2.250 | 3.000 | 0.687 |
| 63T2 | 23550-6479 | 1.375 | 2.125 | 0.687 |
| 63T2 | 23550-6487 | 2.437 | 3.125 | 0.687 |
| 63T2 | 23550-6500 | 0.875 | 1.375 | 0.562 |
| 63T2 | 23550-6517 | 1.250 | 2.375 | 0.687 |
| 63T2 | 23550-6522 | 1.750 | 3.000 | 0.687 |
| 63T2 | 23550-6541 | 2.437 | 3.500 | 0.687 |
| 63T2 | 23550-6546 | 1.875 | 2.625 | 0.687 |
| **63T2** | **23550-6551** | **1.500** | **2.500** | **0.687** |
| 63T2 | 23550-6554 | 1.687 | 2.750 | 0.687 |
| 63T2 | 23550-6566 | 2.500 | 3.751 | 0.687 |
| 63T2 | 23550-6569 | 1.437 | 2.250 | 0.687 |
| 63T2 | 23550-6576 | 1.375 | 2.062 | 0.687 |
| 63T2 | 23550-6589 | 2.687 | 4.003 | 0.687 |
| 63T2 | 23550-6593 | 2.125 | 3.000 | 0.687 |
| 63T2 | 23550-6599 | 2.875 | 4.003 | 0.687 |
| 63T2 | 23550-6624 | 1.250 | 2.062 | 0.687 |
| 63T2 | 23550-6637 | 0.625 | 1.125 | 0.562 |
| 63T2 | 23550-6651 | 2.625 | 3.751 | 0.687 |
| 63T2 | 23550-6662 | 0.781 | 1.500 | 0.562 |
| 63T2 | 23550-6667 | 1.500 | 2.375 | 0.687 |
| 63T2 | 23550-6675 | 1.250 | 2.250 | 0.687 |
| 63T2 | 23550-6688 | 1.125 | 1.875 | 0.687 |
| 63T2 | 23550-6694 | 1.000 | 1.500 | 0.562 |
| 63T2 | 23550-6720 | 0.750 | 1.250 | 0.562 |
| **63T2** | **23550-6745** | **1.250** | **2.000** | **0.687** |
| 63T2 | 23550-6753 | 1.687 | 2.686 | 0.687 |
| 63T2 | 23550-6757 | 2.250 | 3.500 | 0.687 |
| 63T2 | 23550-6774 | 1.375 | 2.250 | 0.687 |
| 63T2 | 23550-6832 | 1.750 | 2.750 | 0.687 |
| 63T2 | 23550-6856 | 0.625 | 1.375 | 0.562 |
| 63T2 | 23550-6857 | 1.125 | 1.750 | 0.687 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 63T2 | 23550-6860 | 1.625 | 2.500 | 0.687 |
| 63T2 | 23550-6904 | 2.000 | 3.000 | 0.594 |
| 63T2 | 23550-6929 | 2.156 | 3.372 | 0.687 |
| 63T2 | 23550-6934 | 1.687 | 2.625 | 0.688 |
| **63T2** | **23550-6937** | **1.500** | **2.250** | **0.687** |
| 63T2 | 23550-6971 | 0.594 | 1.375 | 0.562 |
| 63T2 | 23550-6977 | 0.750 | 1.625 | 0.562 |
| 63T2 | 23550-6995 | 2.250 | 3.125 | 0.687 |
| 63T2 | 23550-7044 | 1.625 | 2.437 | 0.687 |
| 63T2 | 23550-7130 | 1.562 | 2.686 | 0.687 |
| **63T2** | **23550-7146** | **0.250** | **0.750** | **0.469** |
| 63T2 | 23550-7150 | 0.625 | 1.250 | 0.562 |
| 63T2 | 23550-7153 | 3.000 | 3.876 | 0.687 |
| 63T2 | 23550-7160 | 2.125 | 3.125 | 0.687 |
| 63T2 | 23550-7167 | 2.437 | 3.751 | 0.687 |
| 63T2 | 23550-7184 | 0.750 | 1.500 | 0.562 |
| 63T2 | 23550-7186 | 1.000 | 2.000 | 0.687 |
| 63T2 | 23550-7187 | 2.625 | 3.500 | 0.687 |
| 63T2 | 23550-7197 | 3.000 | 4.003 | 0.687 |
| **63T2** | **23550-7223** | **1.937** | **2.625** | **0.687** |
| 63T2 | 23550-7226 | 1.437 | 2.437 | 0.687 |
| 63T2 | 23550-7261 | 1.562 | 2.783 | 0.687 |
| 63T2 | 23550-7299 | 0.687 | 1.125 | 0.562 |
| 63T2 | 23550-7405 | 0.669 | 1.575 | 0.562 |
| 63T2 | 23550-7563 | 2.000 | 2.750 | 0.687 |
| 63T2 | 23550-7564 | 2.500 | 3.250 | 0.687 |
| 63T2 | 23550-7569 | 1.687 | 2.375 | 0.687 |
| 63T2 | 23550-7595 | 1.250 | 1.984 | 0.687 |
| 63T2 | 23550-7722 | 2.937 | 4.125 | 0.719 |
| 63T2 | 23550-8187 | 1.187 | 1.875 | 0.687 |
| 63T2 | 23550-8266 | 1.625 | 2.875 | 0.687 |
| 63T2 | 23550-8267 | 0.562 | 1.375 | 0.562 |
| 63T2 | 23550-8562 | 0.781 | 1.250 | 0.562 |
| 63T2 | 23550-8732 | 1.875 | 3.000 | 0.687 |
| 63T2 | 23550-9122 | 1.437 | 2.125 | 0.687 |
| 63T2 | 23550-9381 | 1.312 | 2.106 | 0.687 |
| 63T2 | 23550-9551 | 1.281 | 2.497 | 0.687 |
| 63T2 | 23550-9654 | 3.000 | 3.937 | 0.687 |
| 63T2 | 23550-9748 | 1.187 | 1.828 | 0.687 |
| 63T2 | 23550-9844 | 2.250 | 3.372 | 0.687 |
| 63TB | 23549-6551 | 1.500 | 2.500 | 0.687 |
| 63TB | 23549-6674 | 1.250 | 2.125 | 0.687 |
| 63TB | 23549-6699 | 2.187 | 3.147 | 0.687 |
| 63TB | 23549-7197 | 3.000 | 4.003 | 0.687 |
| 63TB | 23549-8292 | 1.875 | 3.189 | 0.687 |
| 63TB | 23549-9844 | 2.250 | 3.372 | 0.687 |
| 63TF | 23735-4665 | 2.250 | 3.250 | 0.687 |
| 63TF | 23735-6588 | 2.937 | 4.003 | 0.687 |
| 64 | 21238-0569 | 21.500 | 23.750 | 0.875 |
| 64 | 21238-0586 | 43.504 | 45.669 | 0.984 |
| 64 | 21238-1073 | 39.370 | 41.338 | 0.875 |
| 64 | 21238-1299 | 6.125 | 7.625 | 0.687 |
| 64 | 21238-1451 | 24.803 | 26.378 | 0.750 |
| 64 | 21238-1692 | 9.750 | 11.125 | 0.562 |
| 64 | 21238-1705 | 8.500 | 9.750 | 0.562 |
| 64 | 21238-1914 | 51.250 | 53.300 | 0.875 |
| 64 | 21238-1915 | 22.437 | 24.437 | 0.875 |
| 64 | 21238-1929 | 16.535 | 18.504 | 0.875 |
| 64 | 21238-1964 | 40.500 | 43.020 | 0.875 |
| 64 | 21238-2394 | 22.047 | 24.016 | 0.875 |
| 64 | 21238-2576 | 22.375 | 24.375 | 0.875 |
| 64 | 21238-2622 | 14.875 | 16.875 | 0.937 |
| 64 | 21238-2736 | 8.625 | 10.260 | 0.687 |
| 64 | 21238-2812 | 8.750 | 10.875 | 0.812 |
| 64 | 21238-3135 | 11.000 | 12.250 | 0.562 |
| 64 | 21238-3145 | 9.500 | 10.750 | 0.562 |
| 64 | 21238-3669 | 10.000 | 12.250 | 0.813 |
| 64 | 21238-3699 | 11.125 | 13.000 | 0.687 |
| 64 | 21238-3700 | 11.125 | 13.250 | 0.813 |
| 64 | 21238-3701 | 12.000 | 13.750 | 0.688 |
| 64 | 21238-3702 | 12.000 | 14.750 | 0.813 |
| 64 | 21238-3716 | 12.625 | 14.500 | 0.687 |
| 64 | 21238-3720 | 11.000 | 12.250 | 0.687 |
| 64 | 21238-3744 | 16.750 | 18.250 | 0.687 |
| 64 | 21238-3748 | 16.750 | 19.000 | 0.812 |
| 64 | 21238-3750 | 17.000 | 19.500 | 0.812 |
| 64 | 21238-3751 | 17.250 | 18.750 | 0.687 |
| 64 | 21238-3752 | 18.000 | 20.500 | 0.875 |
| 64 | 21238-3753 | 18.000 | 21.000 | 0.875 |
| 64 | 21238-3754 | 18.120 | 20.500 | 0.875 |
| 64 | 21238-3756 | 18.125 | 20.500 | 0.875 |
| 64 | 21238-3757 | 18.250 | 19.750 | 0.687 |
| 64 | 21238-3763 | 22.000 | 24.250 | 0.875 |
| **64** | **21238-3764** | **22.250** | **24.250** | **0.875** |
| 64 | 21238-3765 | 18.250 | 19.875 | 0.687 |
| 64 | 21238-3767 | 18.375 | 20.500 | 0.750 |
| 64 | 21238-3768 | 18.500 | 20.000 | 0.687 |
| 64 | 21238-3770 | 24.250 | 26.250 | 1.000 |
| 64 | 21238-3772 | 18.500 | 20.250 | 0.687 |
| 64 | 21238-3773 | 19.000 | 21.500 | 0.875 |
| **64** | **21238-3774** | **25.000** | **27.000** | **0.875** |
| 64 | 21238-3777 | 19.250 | 21.000 | 0.750 |
| 64 | 21238-3779 | 19.500 | 21.000 | 0.750 |
| 64 | 21238-3783 | 19.500 | 21.688 | 0.875 |
| 64 | 21238-3785 | 19.750 | 22.250 | 0.875 |
| 64 | 21238-3788 | 19.875 | 22.000 | 0.875 |
| 64 | 21238-3789 | 19.938 | 21.500 | 0.750 |
| 64 | 21238-3790 | 20.000 | 22.500 | 0.875 |
| 64 | 21238-3791 | 29.500 | 31.500 | 1.000 |
| 64 | 21238-3792 | 20.143 | 22.250 | 0.875 |
| 64 | 21238-3797 | 30.000 | 32.500 | 1.000 |
| 64 | 21238-3831 | 34.750 | 36.750 | 0.875 |
| 64 | 21238-3835 | 35.000 | 37.000 | 0.875 |
| 64 | 21238-3836 | 35.000 | 37.500 | 0.875 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 64 | 21238-3837 | 35.000 | 38.000 | 0.875 |
| 64 | 21238-3847 | 37.437 | 39.500 | 0.875 |
| 64 | 21238-3855 | 14.250 | 16.500 | 0.812 |
| 64 | 21238-3856 | 14.625 | 16.250 | 0.687 |
| 64 | 21238-3857 | 14.625 | 16.750 | 0.812 |
| 64 | 21238-3858 | 14.875 | 16.500 | 0.687 |
| 64 | 21238-3859 | 14.875 | 16.750 | 0.687 |
| 64 | 21238-3860 | 14.875 | 17.000 | 0.812 |
| 64 | 21238-3861 | 14.906 | 17.000 | 0.812 |
| 64 | 21238-3862 | 15.000 | 17.750 | 0.812 |
| 64 | 21238-3878 | 28.000 | 30.500 | 0.875 |
| **64** | **21238-3921** | **8.000** | **9.500** | **0.687** |
| **64** | **21238-3933** | **8.375** | **9.875** | **0.687** |
| **64** | **21238-3938** | **8.500** | **10.500** | **0.812** |
| **64** | **21238-3939** | **8.625** | **10.125** | **0.687** |
| **64** | **21238-3946** | **8.750** | **10.250** | **0.687** |
| 64 | 21238-3952 | 8.750 | 10.750 | 0.812 |
| **64** | **21238-3953** | **8.875** | **10.875** | **0.812** |
| **64** | **21238-3954** | **9.000** | **10.500** | **0.687** |
| 64 | 21238-3955 | 9.000 | 11.000 | 0.812 |
| **64** | **21238-3957** | **9.125** | **10.625** | **0.687** |
| **64** | **21238-3962** | **9.125** | **11.125** | **0.812** |
| **64** | **21238-3963** | **9.250** | **10.750** | **0.687** |
| 64 | 21238-3981 | 9.500 | 11.250 | 0.750 |
| **64** | **21238-3984** | **9.500** | **11.500** | **0.812** |
| **64** | **21238-3985** | **9.750** | **11.250** | **0.687** |
| **64** | **21238-3992** | **10.000** | **11.500** | **0.687** |
| 64 | 21238-3994 | 10.000 | 11.750 | 0.750 |
| **64** | **21238-3997** | **10.000** | **12.000** | **0.812** |
| 64 | 21238-3998 | 10.000 | 12.000 | 0.875 |
| 64 | 21238-3999 | 10.125 | 11.625 | 0.687 |
| 64 | 21238-4004 | 10.250 | 11.750 | 0.687 |
| 64 | 21238-4009 | 10.250 | 12.250 | 0.812 |
| **64** | **21238-4011** | **10.500** | **12.000** | **0.687** |
| 64 | 21238-4015 | 10.250 | 12.500 | 0.813 |
| 64 | 21238-4017 | 10.500 | 12.500 | 0.812 |
| 64 | 21238-4022 | 10.750 | 13.000 | 0.813 |
| 64 | 21238-4023 | 10.750 | 12.250 | 0.687 |
| 64 | 21238-4026 | 10.750 | 13.250 | 0.813 |
| 64 | 21238-4027 | 10.875 | 12.375 | 0.687 |
| 64 | 21238-4028 | 10.875 | 12.500 | 0.687 |
| 64 | 21238-4031 | 10.750 | 12.750 | 0.812 |
| **64** | **21238-4036** | **11.000** | **13.000** | **0.812** |
| 64 | 21238-4039 | 11.024 | 13.386 | 0.813 |
| 64 | 21238-4047 | 11.250 | 13.250 | 0.812 |
| 64 | 21238-4052 | 11.375 | 13.375 | 0.812 |
| 64 | 21238-4055 | 12.250 | 14.000 | 0.687 |
| 64 | 21238-4056 | 12.375 | 14.000 | 0.687 |
| **64** | **21238-4057** | **11.500** | **13.000** | **0.687** |
| **64** | **21238-4063** | **11.500** | **13.500** | **0.812** |
| **64** | **21238-4064** | **11.750** | **13.250** | **0.687** |
| 64 | 21238-4071 | 12.000 | 14.000 | 0.750 |

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| **64** | **21238-4072** | **12.000** | **14.000** | **0.812** |
| **64** | **21238-4075** | **12.250** | **14.250** | **0.812** |
| **64** | **21238-4076** | **12.375** | **13.875** | **0.687** |
| **64** | **21238-4079** | **12.500** | **14.000** | **0.687** |
| 64 | 21238-4081 | 12.625 | 14.125 | 0.687 |
| 64 | 21238-4082 | 12.500 | 14.500 | 0.750 |
| **64** | **21238-4083** | **12.500** | **14.500** | **0.812** |
| 64 | 21238-4084 | 12.500 | 15.000 | 0.813 |
| **64** | **21238-4089** | **12.750** | **14.250** | **0.687** |
| 64 | 21238-4092 | 12.750 | 15.000 | 0.813 |
| **64** | **21238-4093** | **13.000** | **14.500** | **0.687** |
| 64 | 21238-4096 | 13.000 | 14.875 | 0.687 |
| 64 | 21238-4097 | 12.375 | 14.375 | 0.687 |
| **64** | **21238-4099** | **13.000** | **15.000** | **0.812** |
| **64** | **21238-4101** | **13.250** | **14.750** | **0.687** |
| 64 | 21238-4105 | 13.250 | 15.125 | 0.687 |
| 64 | 21238-4106 | 12.375 | 14.500 | 0.813 |
| 64 | 21238-4108 | 13.813 | 16.000 | 0.812 |
| 64 | 21238-4110 | 13.875 | 16.000 | 0.812 |
| 64 | 21238-4111 | 13.938 | 15.500 | 0.687 |
| 64 | 21238-4112 | 13.938 | 16.000 | 0.687 |
| 64 | 21238-4118 | 14.250 | 15.750 | 0.687 |
| 64 | 21238-4119 | 13.750 | 16.000 | 0.813 |
| **64** | **21238-4121** | **13.500** | **15.000** | **0.687** |
| 64 | 21238-4123 | 13.500 | 15.750 | 0.813 |
| 64 | 21238-4124 | 13.500 | 15.250 | 0.750 |
| **64** | **21238-4128** | **13.500** | **15.500** | **0.812** |
| **64** | **21238-4129** | **13.750** | **15.750** | **0.812** |
| 64 | 21238-4130 | 13.937 | 15.437 | 0.687 |
| **64** | **21238-4131** | **14.000** | **15.500** | **0.687** |
| 64 | 21238-4134 | 14.000 | 15.750 | 0.750 |
| **64** | **21238-4135** | **14.000** | **16.000** | **0.812** |
| **64** | **21238-4140** | **14.250** | **16.250** | **0.812** |
| **64** | **21238-4142** | **14.500** | **16.000** | **0.687** |
| **64** | **21238-4145** | **14.500** | **16.500** | **0.812** |
| **64** | **21238-4147** | **14.750** | **16.250** | **0.687** |
| **64** | **21238-4151** | **15.000** | **16.500** | **0.687** |
| **64** | **21238-4156** | **15.000** | **17.000** | **0.812** |
| 64 | 21238-4158 | 15.312 | 16.875 | 0.687 |
| 64 | 21238-4159 | 15.375 | 17.375 | 0.812 |
| **64** | **21238-4163** | **15.500** | **17.500** | **0.812** |
| 64 | 21238-4166 | 15.359 | 17.717 | 0.687 |
| 64 | 21238-4167 | 15.375 | 17.250 | 0.687 |
| 64 | 21238-4168 | 15.500 | 18.000 | 0.812 |
| 64 | 21238-4169 | 15.748 | 17.716 | 0.687 |
| **64** | **21238-4170** | **15.750** | **17.250** | **0.687** |
| 64 | 21238-4171 | 15.750 | 17.500 | 0.687 |
| 64 | 21238-4172 | 15.750 | 18.000 | 0.812 |
| 64 | 21238-4173 | 16.000 | 17.625 | 0.687 |
| 64 | 21238-4174 | 16.250 | 18.500 | 0.812 |
| 64 | 21238-4175 | 15.750 | 18.500 | 1.000 |
| 64 | 21238-4176 | 15.875 | 17.875 | 0.812 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| **64** | **21238-4177** | **16.000** | **17.500** | **0.687** |
| 64 | 21238-4179 | 16.375 | 17.875 | 0.687 |
| **64** | **21238-4180** | **16.000** | **18.000** | **0.812** |
| **64** | **21238-4181** | **16.250** | **17.750** | **0.687** |
| 64 | 21238-4183 | 16.500 | 19.000 | 0.812 |
| 64 | 21238-4184 | 16.250 | 18.000 | 0.750 |
| **64** | **21238-4186** | **16.500** | **18.500** | **0.812** |
| **64** | **21238-4188** | **17.000** | **18.500** | **0.687** |
| **64** | **21238-4190** | **17.000** | **19.000** | **0.812** |
| 64 | 21238-4191 | 17.000 | 19.250 | 0.812 |
| **64** | **21238-4194** | **17.500** | **19.000** | **0.687** |
| 64 | 21238-4197 | 17.500 | 19.750 | 0.812 |
| **64** | **21238-4198** | **17.500** | **19.500** | **0.687** |
| 64 | 21238-4199 | 17.625 | 19.250 | 0.687 |
| 64 | 21238-4200 | 17.750 | 19.750 | 0.812 |
| 64 | 21238-4203 | 18.000 | 19.875 | 0.687 |
| 64 | 21238-4204 | 17.875 | 19.875 | 0.812 |
| **64** | **21238-4206** | **18.000** | **19.500** | **0.687** |
| 64 | 21238-4209 | 18.000 | 20.000 | 0.750 |
| **64** | **21238-4210** | **18.000** | **20.000** | **0.875** |
| **64** | **21238-4213** | **18.375** | **19.875** | **0.687** |
| 64 | 21238-4215 | 18.375 | 20.000 | 0.750 |
| **64** | **21238-4216** | **18.500** | **20.500** | **0.875** |
| **64** | **21238-4218** | **19.000** | **20.500** | **0.750** |
| **64** | **21238-4219** | **19.000** | **21.000** | **0.875** |
| **64** | **21238-4221** | **19.500** | **21.500** | **0.875** |
| **64** | **21238-4228** | **19.750** | **21.750** | **0.875** |
| 64 | 21238-4233 | 19.937 | 21.687 | 0.625 |
| **64** | **21238-4235** | **20.000** | **21.500** | **0.750** |
| 64 | 21238-4236 | 20.000 | 21.750 | 0.750 |
| **64** | **21238-4237** | **20.000** | **22.000** | **0.875** |
| 64 | 21238-4239 | 20.250 | 21.750 | 0.750 |
| **64** | **21238-4240** | **20.250** | **22.250** | **0.875** |
| 64 | 21238-4241 | 20.250 | 22.375 | 0.750 |
| 64 | 21238-4242 | 20.438 | 22.500 | 0.812 |
| 64 | 21238-4243 | 20.750 | 23.000 | 0.812 |
| 64 | 21238-4244 | 20.866 | 22.836 | 0.812 |
| 64 | 21238-4245 | 20.500 | 22.250 | 0.812 |
| **64** | **21238-4246** | **20.500** | **22.500** | **0.875** |
| 64 | 21238-4248 | 20.750 | 22.750 | 0.875 |
| 64 | 21238-4250 | 20.875 | 22.875 | 0.875 |
| 64 | 21238-4251 | 21.000 | 23.250 | 0.812 |
| **64** | **21238-4253** | **21.000** | **23.000** | **0.875** |
| **64** | **21238-4254** | **21.250** | **23.250** | **0.875** |
| 64 | 21238-4257 | 21.500 | 23.250 | 0.750 |
| **64** | **21238-4259** | **21.500** | **23.500** | **0.875** |
| 64 | 21238-4260 | 21.750 | 24.500 | 0.875 |
| 64 | 21238-4261 | 21.625 | 23.375 | 0.750 |
| 64 | 21238-4262 | 21.750 | 24.750 | 0.875 |
| 64 | 21238-4263 | 21.625 | 23.625 | 0.875 |
| 64 | 21238-4265 | 21.750 | 23.750 | 0.875 |
| 64 | 21238-4268 | 22.375 | 24.250 | 0.750 |
| **64** | **21238-4269** | **22.000** | **23.500** | **0.750** |
| **64** | **21238-4270** | **22.000** | **24.000** | **0.875** |
| 64 | 21238-4271 | 22.500 | 24.000 | 0.750 |
| 64 | 21238-4272 | 22.500 | 24.250 | 0.750 |
| 64 | 21238-4273 | 22.500 | 24.750 | 0.875 |
| 64 | 21238-4274 | 22.500 | 25.000 | 0.875 |
| 64 | 21238-4275 | 22.437 | 24.000 | 0.750 |
| 64 | 21238-4276 | 22.437 | 24.250 | 0.750 |
| 64 | 21238-4277 | 23.000 | 25.375 | 0.875 |
| **64** | **21238-4279** | **22.500** | **24.500** | **0.875** |
| **64** | **21238-4281** | **22.750** | **24.750** | **0.875** |
| **64** | **21238-4283** | **23.000** | **24.500** | **0.750** |
| **64** | **21238-4284** | **23.000** | **25.000** | **0.875** |
| 64 | 21238-4285 | 23.000 | 25.500 | 0.875 |
| 64 | 21238-4287 | 23.375 | 25.375 | 0.875 |
| **64** | **21238-4288** | **23.500** | **25.500** | **0.875** |
| 64 | 21238-4290 | 23.562 | 25.250 | 0.750 |
| 64 | 21238-4291 | 23.562 | 25.375 | 0.750 |
| 64 | 21238-4292 | 23.625 | 26.000 | 0.875 |
| 64 | 21238-4293 | 23.875 | 26.000 | 0.875 |
| **64** | **21238-4294** | **24.000** | **26.000** | **0.875** |
| 64 | 21238-4297 | 24.000 | 26.500 | 0.875 |
| 64 | 21238-4299 | 25.250 | 27.250 | 0.750 |
| 64 | 21238-4300 | 25.500 | 27.000 | 0.875 |
| **64** | **21238-4301** | **24.250** | **26.250** | **0.875** |
| 64 | 21238-4302 | 24.437 | 26.000 | 0.750 |
| 64 | 21238-4303 | 25.875 | 28.000 | 0.875 |
| 64 | 21238-4304 | 24.437 | 26.437 | 0.750 |
| **64** | **21238-4305** | **24.500** | **26.500** | **0.875** |
| 64 | 21238-4306 | 25.988 | 27.625 | 0.750 |
| 64 | 21238-4307 | 26.375 | 28.188 | 0.875 |
| **64** | **21238-4308** | **25.000** | **26.500** | **0.750** |
| 64 | 21238-4309 | 25.000 | 27.000 | 1.000 |
| 64 | 21238-4311 | 25.187 | 26.875 | 0.750 |
| 64 | 21238-4312 | 26.375 | 28.250 | 0.875 |
| 64 | 21238-4313 | 26.500 | 28.500 | 0.875 |
| 64 | 21238-4315 | 27.500 | 29.000 | 0.750 |
| 64 | 21238-4316 | 28.000 | 29.813 | 0.750 |
| **64** | **21238-4318** | **25.500** | **27.500** | **0.875** |
| 64 | 21238-4320 | 28.000 | 30.250 | 0.812 |
| 64 | 21238-4322 | 29.500 | 32.250 | 0.875 |
| 64 | 21238-4323 | 30.000 | 32.250 | 0.875 |
| **64** | **21238-4325** | **26.000** | **28.000** | **0.875** |
| 64 | 21238-4326 | 33.000 | 35.250 | 0.875 |
| 64 | 21238-4327 | 33.500 | 36.250 | 0.875 |
| 64 | 21238-4328 | 33.625 | 35.625 | 0.875 |
| **64** | **21238-4330** | **26.125** | **28.125** | **0.875** |
| **64** | **21238-4333** | **27.000** | **29.000** | **0.875** |
| 64 | 21238-4335 | 34.250 | 36.750 | 0.875 |
| 64 | 21238-4338 | 34.500 | 37.500 | 0.875 |
| **64** | **21238-4339** | **27.500** | **29.500** | **0.875** |
| 64 | 21238-4340 | 38.000 | 41.000 | 0.875 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 64 | 21238-4341 | 27.875 | 29.812 | 0.875 |
| 64 | 21238-4342 | 38.358 | 40.750 | 0.875 |
| 64 | 21238-4343 | 28.000 | 29.500 | 0.750 |
| 64 | 21238-4344 | 28.000 | 30.000 | 0.875 |
| **64** | **21238-4346** | **28.500** | **30.500** | **0.875** |
| 64 | 21238-4347 | 29.000 | 30.500 | 0.750 |
| **64** | **21238-4348** | **29.000** | **31.000** | **0.875** |
| 64 | 21238-4349 | 38.500 | 41.000 | 0.875 |
| 64 | 21238-4350 | 39.000 | 41.500 | 0.875 |
| **64** | **21238-4352** | **29.500** | **31.500** | **0.875** |
| 64 | 21238-4356 | 30.000 | 31.500 | 0.750 |
| **64** | **21238-4357** | **30.000** | **32.000** | **0.875** |
| 64 | 21238-4358 | 30.000 | 32.500 | 0.875 |
| 64 | 21238-4359 | 30.000 | 32.750 | 0.875 |
| 64 | 21238-4360 | 30.000 | 33.000 | 0.875 |
| 64 | 21238-4361 | 30.312 | 32.375 | 0.875 |
| **64** | **21238-4365** | **30.500** | **32.500** | **0.875** |
| **64** | **21238-4367** | **31.000** | **33.000** | **0.875** |
| 64 | 21238-4371 | 32.125 | 34.125 | 0.875 |
| 64 | 21238-4373 | 32.312 | 34.500 | 0.875 |
| **64** | **21238-4377** | **32.500** | **34.500** | **0.875** |
| 64 | 21238-4381 | 33.000 | 34.500 | 0.750 |
| 64 | 21238-4382 | 33.000 | 35.000 | 0.875 |
| **64** | **21238-4389** | **33.500** | **35.500** | **0.875** |
| 64 | 21238-4399 | 34.000 | 36.000 | 0.875 |
| 64 | 21238-4401 | 34.250 | 36.250 | 0.875 |
| **64** | **21238-4405** | **34.500** | **36.500** | **0.875** |
| 64 | 21238-4416 | 35.250 | 37.250 | 0.875 |
| 64 | 21238-4417 | 35.375 | 37.375 | 0.875 |
| **64** | **21238-4421** | **36.000** | **38.000** | **0.875** |
| 64 | 21238-4429 | 36.500 | 38.000 | 0.750 |
| 64 | 21238-4430 | 36.500 | 38.500 | 0.875 |
| 64 | 21238-4432 | 36.750 | 38.750 | 0.875 |
| 64 | 21238-4434 | 37.000 | 39.000 | 0.875 |
| 64 | 21238-4436 | 37.250 | 39.250 | 0.875 |
| **64** | **21238-4438** | **37.500** | **39.500** | **0.875** |
| **64** | **21238-4448** | **38.000** | **40.000** | **0.875** |
| 64 | 21238-4454 | 38.250 | 40.250 | 0.875 |
| 64 | 21238-4456 | 38.750 | 40.750 | 0.875 |
| 64 | 21238-4462 | 38.937 | 41.000 | 0.875 |
| **64** | **21238-4465** | **39.000** | **41.000** | **0.875** |
| **64** | **21238-4467** | **40.000** | **42.000** | **0.875** |
| **64** | **21238-4468** | **40.500** | **42.500** | **0.875** |
| **64** | **21238-4473** | **42.500** | **45.000** | **0.875** |
| **64** | **21238-4475** | **44.000** | **46.500** | **0.875** |
| **64** | **21238-4476** | **15.250** | **17.250** | **0.812** |
| **64** | **21238-4499** | **8.250** | **10.250** | **0.812** |
| 64 | 21238-4500 | 8.375 | 10.375 | 0.812 |
| 64 | 21238-4527 | 11.250 | 12.750 | 0.687 |
| 64 | 21238-4529 | 13.750 | 15.250 | 0.687 |
| 64 | 21238-4531 | 13.750 | 15.500 | 0.750 |
| **64** | **21238-4533** | **26.500** | **28.000** | **0.750** |
| 64 | 21238-4534 | 28.500 | 31.000 | 0.875 |
| 64 | 21238-4537 | 29.000 | 32.000 | 0.875 |
| **64** | **21238-4538** | **29.500** | **32.000** | **0.875** |
| 64 | 21238-4539 | 29.500 | 32.500 | 0.875 |
| 64 | 21238-4540 | 31.000 | 33.500 | 0.875 |
| 64 | 21238-4541 | 31.000 | 34.000 | 0.875 |
| 64 | 21238-4542 | 32.750 | 34.250 | 0.750 |
| **64** | **21238-4544** | **33.000** | **35.500** | **0.875** |
| 64 | 21238-4548 | 33.500 | 35.625 | 0.875 |
| 64 | 21238-4549 | 33.500 | 35.750 | 0.875 |
| 64 | 21238-4550 | 33.500 | 36.000 | 0.875 |
| 64 | 21238-4552 | 33.500 | 36.417 | 0.875 |
| 64 | 21238-4553 | 35.500 | 37.500 | 0.875 |
| 64 | 21238-4563 | 44.500 | 46.000 | 0.750 |
| 64 | 21238-4567 | 38.250 | 40.750 | 0.875 |
| 64 | 21238-4569 | 38.250 | 41.250 | 0.875 |
| 64 | 21238-4570 | 38.750 | 41.000 | 0.875 |
| 64 | 21238-4577 | 39.000 | 42.250 | 0.875 |
| 64 | 21238-4578 | 46.500 | 48.500 | 0.875 |
| 64 | 21238-4610 | 9.375 | 11.375 | 0.812 |
| 64 | 21238-4611 | 11.000 | 12.500 | 0.687 |
| **64** | **21238-4612** | **12.000** | **13.500** | **0.687** |
| **64** | **21238-4613** | **12.250** | **13.750** | **0.687** |
| **64** | **21238-4615** | **15.250** | **16.750** | **0.687** |
| 64 | 21238-4617 | 19.250 | 20.750 | 0.750 |
| **64** | **21238-4619** | **20.500** | **22.000** | **0.750** |
| 64 | 21238-4621 | 21.750 | 23.250 | 0.750 |
| 64 | 21238-4623 | 24.000 | 25.500 | 0.750 |
| 64 | 21238-4626 | 27.250 | 29.250 | 0.875 |
| 64 | 21238-4628 | 28.750 | 30.750 | 0.875 |
| 64 | 21238-4631 | 31.250 | 32.750 | 0.750 |
| **64** | **21238-4632** | **32.000** | **34.000** | **0.875** |
| 64 | 21238-4635 | 41.500 | 43.500 | 0.875 |
| **64** | **21238-4637** | **43.500** | **45.500** | **0.875** |
| 64 | 21238-4638 | 43.750 | 45.750 | 0.875 |
| **64** | **21238-4639** | **48.250** | **50.250** | **0.875** |
| 64 | 21238-4647 | 35.250 | 38.250 | 0.812 |
| 64 | 21238-4779 | 13.250 | 15.250 | 0.812 |
| 64 | 21238-4794 | 26.000 | 28.500 | 0.875 |
| 64 | 21238-4906 | 30.250 | 32.500 | 0.875 |
| 64 | 21238-4979 | 64.409 | 66.929 | 0.866 |
| 64 | 21238-5000 | 30.000 | 31.616 | 0.750 |
| 64 | 21238-5001 | 27.625 | 29.625 | 0.750 |
| 64 | 21238-5016 | 31.750 | 33.750 | 0.875 |
| 64 | 21238-5033 | 31.250 | 33.250 | 0.750 |
| 64 | 21238-5054 | 17.500 | 19.250 | 0.687 |
| 64 | 21238-5077 | 16.000 | 18.000 | 0.875 |
| 64 | 21238-5259 | 21.000 | 22.500 | 0.750 |
| 64 | 21238-5276 | 21.750 | 24.000 | 0.875 |
| 64 | 21238-5312 | 21.000 | 22.750 | 0.750 |
| 64 | 21238-5382 | 14.000 | 16.250 | 0.812 |
| 64 | 21238-5404 | 12.875 | 15.000 | 0.812 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 64 | 21238-5421 | 23.000 | 24.750 | 0.750 |
| 64 | 21238-5481 | 14.375 | 16.000 | 0.687 |
| 64 | 21238-5482 | 59.000 | 61.000 | 0.875 |
| 64 | 21238-5485 | 19.250 | 21.250 | 0.750 |
| 64 | 21238-5547 | 23.500 | 25.250 | 0.750 |
| 64 | 21238-5555 | 42.500 | 44.250 | 0.875 |
| 64 | 21238-5644 | 24.000 | 27.000 | 0.875 |
| 64 | 21238-5728 | 18.000 | 19.750 | 0.687 |
| 64 | 21238-5739 | 31.000 | 32.500 | 0.750 |
| 64 | 21238-5838 | 12.000 | 14.000 | 0.687 |
| 64 | 21238-5921 | 26.000 | 27.625 | 0.750 |
| 64 | 21238-5989 | 10.125 | 11.750 | 0.687 |
| **64** | **21238-5990** | **14.750** | **16.500** | **0.687** |
| **64** | **21238-5991** | **14.000** | **15.750** | **0.687** |
| 64 | 21238-5992 | 15.312 | 17.312 | 0.687 |
| 64 | 21238-5994 | 25.187 | 26.937 | 0.750 |
| 64 | 21238-5995 | 16.000 | 18.500 | 0.812 |
| 64 | 21238-5997 | 25.000 | 27.500 | 0.875 |
| 64 | 21238-5998 | 28.000 | 31.000 | 0.875 |
| 64 | 21238-6034 | 11.000 | 13.000 | 0.687 |
| 64 | 21238-6152 | 33.000 | 34.687 | 0.750 |
| 64 | 21238-6239 | 23.750 | 25.250 | 1.000 |
| 64 | 21238-6269 | 42.500 | 45.500 | 0.875 |
| 64 | 21238-6287 | 20.500 | 22.750 | 0.875 |
| **64** | **21238-6293** | **24.000** | **26.250** | **0.875** |
| 64 | 21238-6294 | 13.250 | 15.250 | 0.687 |
| 64 | 21238-6295 | 22.000 | 24.500 | 0.875 |
| 64 | 21238-6384 | 8.500 | 9.750 | 0.652 |
| 64 | 21238-6417 | 20.875 | 23.228 | 0.875 |
| 64 | 21238-6421 | 25.000 | 27.250 | 0.875 |
| 64 | 21238-6480 | 22.437 | 24.437 | 0.750 |
| 64 | 21238-6493 | 21.500 | 23.625 | 0.875 |
| 64 | 21238-6535 | 21.000 | 23.000 | 0.812 |
| 64 | 21238-6740 | 18.375 | 20.375 | 0.812 |
| 64 | 21238-6747 | 51.250 | 53.250 | 0.875 |
| 64 | 21238-6771 | 15.500 | 17.750 | 0.812 |
| 64 | 21238-6779 | 21.500 | 24.000 | 0.875 |
| 64 | 21238-6787 | 33.000 | 34.625 | 0.750 |
| 64 | 21238-6843 | 22.750 | 25.000 | 0.875 |
| 64 | 21238-6850 | 17.625 | 19.625 | 0.687 |
| 64 | 21238-6874 | 15.750 | 17.750 | 0.687 |
| 64 | 21238-6908 | 34.500 | 36.000 | 0.750 |
| 64 | 21238-6910 | 23.250 | 25.250 | 0.812 |
| 64 | 21238-6967 | 17.250 | 18.750 | 0.750 |
| 64 | 21238-6998 | 25.750 | 27.250 | 0.750 |
| 64 | 21238-7065 | 53.150 | 55.669 | 0.866 |
| 64 | 21238-7087 | 44.000 | 46.000 | 0.875 |
| 64 | 21238-7103 | 18.375 | 19.937 | 0.687 |
| 64 | 21238-7169 | 13.250 | 15.000 | 0.687 |
| 64 | 21238-7189 | 43.000 | 45.500 | 0.875 |
| 64 | 21238-7266 | 22.047 | 24.016 | 0.787 |
| 64 | 21238-7281 | 18.897 | 20.472 | 0.787 |
| 64 | 21238-7300 | 40.500 | 43.000 | 0.875 |
| 64 | 21238-7328 | 36.750 | 39.250 | 0.875 |
| 64 | 21238-7391 | 11.024 | 12.598 | 0.787 |
| 64 | 21238-7393 | 21.260 | 23.228 | 0.984 |
| 64 | 21238-7400 | 19.750 | 22.125 | 0.875 |
| 64 | 21238-7407 | 21.500 | 23.500 | 0.812 |
| 64 | 21238-7428 | 36.750 | 39.250 | 0.875 |
| 64 | 21238-7535 | 14.000 | 16.500 | 0.812 |
| 64 | 21238-7537 | 32.125 | 34.625 | 0.875 |
| 64 | 21238-7538 | 39.750 | 42.250 | 0.875 |
| 64 | 21238-7652 | 12.750 | 14.750 | 0.687 |
| 64 | 21238-7718 | 8.625 | 10.750 | 0.812 |
| 64 | 21238-7734 | 13.250 | 14.875 | 0.687 |
| 64 | 21238-7769 | 10.630 | 12.126 | 0.687 |
| 64 | 21238-7770 | 36.220 | 37.717 | 0.750 |
| 64 | 21238-7828 | 28.000 | 29.625 | 0.750 |
| 64 | 21238-7870 | 30.000 | 31.625 | 0.750 |
| 64 | 21238-8031 | 27.000 | 29.500 | 0.875 |
| 64 | 21238-8198 | 50.000 | 52.000 | 0.875 |
| 64 | 21238-8217 | 16.250 | 18.000 | 0.687 |
| 64 | 21238-8230 | 30.500 | 33.500 | 0.875 |
| 64 | 21238-8231 | 20.250 | 22.245 | 0.875 |
| 64 | 21238-8289 | 32.750 | 35.000 | 0.875 |
| 64 | 21238-8317 | 46.850 | 48.819 | 0.875 |
| 64 | 21238-8407 | 32.000 | 34.500 | 0.875 |
| 64 | 21238-8453 | 8.500 | 10.000 | 0.687 |
| 64 | 21238-8508 | 15.000 | 17.250 | 0.812 |
| 64 | 21238-8523 | 12.000 | 13.625 | 0.687 |
| 64 | 21238-8557 | 63.327 | 65.748 | 0.787 |
| **64** | **21238-8577** | **30.500** | **33.000** | **0.875** |
| 64 | 21238-8579 | 48.000 | 50.000 | 0.875 |
| 64 | 21238-8594 | 54.331 | 56.693 | 0.984 |
| 64 | 21238-8599 | 40.000 | 42.500 | 1.000 |
| 64 | 21238-8622 | 61.024 | 63.386 | 0.984 |
| 64 | 21238-8624 | 23.622 | 25.197 | 0.787 |
| 64 | 21238-8628 | 41.875 | 43.500 | 1.000 |
| 64 | 21238-8675 | 21.750 | 24.250 | 0.875 |
| 64 | 21238-8765 | 9.134 | 10.625 | 0.687 |
| 64 | 21238-8770 | 20.250 | 22.500 | 0.875 |
| 64 | 21238-8778 | 11.250 | 13.250 | 0.687 |
| 64 | 21238-8791 | 40.000 | 42.500 | 0.875 |
| 64 | 21238-8793 | 29.000 | 31.500 | 1.000 |
| 64 | 21238-8903 | 45.000 | 46.625 | 1.000 |
| 64 | 21238-9010 | 74.409 | 76.929 | 0.984 |
| 64 | 21238-9082 | 22.000 | 24.250 | 0.812 |
| 64 | 21238-9084 | 17.750 | 20.078 | 0.875 |
| 64 | 21238-9176 | 7.875 | 9.375 | 0.687 |
| 64 | 21238-9271 | 15.750 | 17.312 | 0.687 |
| 64 | 21238-9280 | 14.187 | 16.732 | 0.812 |
| 64 | 21238-9402 | 26.000 | 28.125 | 0.875 |
| 64 | 21238-9411 | 37.500 | 39.000 | 0.750 |
| 64 | 21238-9425 | 9.750 | 11.750 | 0.687 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 64 | 21238-9504 | 33.500 | 35.000 | 0.875 |
| 64 | 21238-9637 | 15.000 | 17.500 | 0.812 |
| 64 | 21238-9695 | 16.937 | 19.291 | 0.812 |
| 64 | 21238-9706 | 9.250 | 11.250 | 0.687 |
| 64 | 21238-9712 | 8.125 | 10.125 | 0.687 |
| 64 | 21238-9766 | 12.687 | 14.750 | 0.812 |
| 64 | 21238-9772 | 21.000 | 23.500 | 0.875 |
| 64 | 21238-9840 | 22.437 | 24.500 | 0.750 |
| 64 | 21238-9863 | 16.500 | 18.000 | 0.687 |
| 64 | 21238-9892 | 16.250 | 18.250 | 0.687 |
| 64 | 21238-9893 | 20.625 | 22.625 | 0.812 |
| 64 | 21238-9911 | 8.750 | 10.500 | 0.687 |
| 64 | 21238-9984 | 27.000 | 30.000 | 0.875 |
| 66 | 21527-0015 | 0.375 | 0.875 | 0.250 |
| 66 | 21527-0035 | 0.438 | 0.875 | 0.312 |
| 66 | 21527-0139 | 0.750 | 1.250 | 0.312 |
| 66 | 21527-0141 | 0.750 | 1.375 | 0.312 |
| 66 | 21527-0143 | 0.750 | 1.500 | 0.312 |
| 66 | 21527-0145 | 0.750 | 1.575 | 0.312 |
| 66 | 21527-0147 | 0.750 | 1.625 | 0.312 |
| 66 | 21527-0149 | 0.750 | 1.750 | 0.375 |
| 66 | 21527-0151 | 0.750 | 1.828 | 0.375 |
| 66 | 21527-0153 | 0.750 | 1.875 | 0.375 |
| 66 | 21527-0155 | 0.750 | 1.984 | 0.375 |
| 66 | 21527-0213 | 0.875 | 1.375 | 0.312 |
| 66 | 21527-0215 | 0.875 | 1.500 | 0.312 |
| 66 | 21527-0217 | 0.875 | 1.575 | 0.312 |
| 66 | 21527-0219 | 0.875 | 1.625 | 0.312 |
| 66 | 21527-0221 | 0.875 | 1.750 | 0.375 |
| 66 | 21527-0223 | 0.875 | 1.828 | 0.375 |
| 66 | 21527-0225 | 0.875 | 1.875 | 0.375 |
| 66 | 21527-0227 | 0.875 | 1.984 | 0.375 |
| 66 | 21527-0229 | 0.875 | 2.000 | 0.375 |
| 66 | 21527-0231 | 0.875 | 2.062 | 0.375 |
| 66 | 21527-0251 | 0.938 | 1.500 | 0.312 |
| 66 | 21527-0321 | 1.062 | 1.575 | 0.312 |
| 66 | 21527-0323 | 1.062 | 1.625 | 0.312 |
| 66 | 21527-0325 | 1.062 | 1.750 | 0.375 |
| 66 | 21527-0327 | 1.062 | 1.828 | 0.375 |
| 66 | 21527-0329 | 1.062 | 1.875 | 0.375 |
| 66 | 21527-0331 | 1.062 | 1.984 | 0.375 |
| 66 | 21527-0333 | 1.062 | 2.000 | 0.375 |
| 66 | 21527-0335 | 1.062 | 2.062 | 0.375 |
| 66 | 21527-0336 | 1.062 | 2.062 | 0.437 |
| 66 | 21527-0337 | 1.093 | 1.625 | 0.312 |
| 66 | 21527-0339 | 1.093 | 1.750 | 0.375 |
| 66 | 21527-0341 | 1.093 | 1.828 | 0.375 |
| 66 | 21527-0347 | 1.093 | 2.000 | 0.375 |
| 66 | 21527-0349 | 1.093 | 2.062 | 0.375 |
| 66 | 21527-0351 | 1.125 | 1.625 | 0.312 |
| 66 | 21527-0352 | 1.125 | 1.625 | 0.375 |
| 66 | 21527-0353 | 1.125 | 1.750 | 0.375 |
| 66 | 21527-0355 | 1.125 | 1.828 | 0.375 |
| 66 | 21527-0357 | 1.125 | 1.875 | 0.375 |
| 66 | 21527-0359 | 1.125 | 2.000 | 0.375 |
| 66 | 21527-0361 | 1.125 | 2.062 | 0.375 |
| 66 | 21527-0383 | 1.187 | 1.875 | 0.375 |
| 66 | 21527-0385 | 1.187 | 1.984 | 0.375 |
| 66 | 21527-0387 | 1.187 | 2.000 | 0.375 |
| 66 | 21527-0389 | 1.187 | 2.062 | 0.375 |
| 66 | 21527-0394 | 1.187 | 2.125 | 0.375 |
| 66 | 21527-0397 | 1.187 | 2.250 | 0.375 |
| 66 | 21527-0424 | 1.250 | 1.984 | 0.375 |
| 66 | 21527-0427 | 1.250 | 2.000 | 0.375 |
| 66 | 21527-0430 | 1.250 | 2.062 | 0.375 |
| 66 | 21527-0436 | 1.250 | 2.125 | 0.375 |
| 66 | 21527-0439 | 1.250 | 2.250 | 0.375 |
| 66 | 21527-0442 | 1.250 | 2.375 | 0.375 |
| 66 | 21527-0445 | 1.250 | 2.437 | 0.375 |
| 66 | 21527-0448 | 1.281 | 1.984 | 0.375 |
| 66 | 21527-0451 | 1.281 | 2.000 | 0.375 |
| 66 | 21527-0535 | 1.375 | 2.062 | 0.375 |
| 66 | 21527-0541 | 1.375 | 2.125 | 0.375 |
| 66 | 21527-0544 | 1.375 | 2.250 | 0.375 |
| 66 | 21527-0547 | 1.375 | 2.375 | 0.375 |
| 66 | 21527-0550 | 1.375 | 2.437 | 0.375 |
| 66 | 21527-0553 | 1.375 | 2.497 | 0.375 |
| 66 | 21527-0556 | 1.375 | 2.500 | 0.375 |
| 66 | 21527-0559 | 1.375 | 2.625 | 0.375 |
| 66 | 21527-0592 | 1.437 | 2.125 | 0.375 |
| 66 | 21527-0595 | 1.437 | 2.250 | 0.375 |
| 66 | 21527-0598 | 1.437 | 2.375 | 0.375 |
| 66 | 21527-0601 | 1.437 | 2.437 | 0.375 |
| 66 | 21527-0604 | 1.437 | 2.497 | 0.375 |
| 66 | 21527-0643 | 1.500 | 2.250 | 0.375 |
| 66 | 21527-0646 | 1.500 | 2.375 | 0.375 |
| 66 | 21527-0649 | 1.500 | 2.437 | 0.375 |
| 66 | 21527-0652 | 1.500 | 2.497 | 0.375 |
| 66 | 21527-0655 | 1.500 | 2.500 | 0.375 |
| 66 | 21527-0700 | 1.562 | 2.250 | 0.375 |
| 66 | 21527-0703 | 1.562 | 2.375 | 0.375 |
| 66 | 21527-0706 | 1.562 | 2.437 | 0.375 |
| 66 | 21527-0709 | 1.562 | 2.497 | 0.375 |
| 66 | 21527-0712 | 1.562 | 2.500 | 0.375 |
| 66 | 21527-0715 | 1.562 | 2.625 | 0.375 |
| 66 | 21527-0718 | 1.562 | 2.686 | 0.375 |
| 66 | 21527-0721 | 1.562 | 2.750 | 0.375 |
| 66 | 21527-0724 | 1.562 | 2.756 | 0.375 |
| 66 | 21527-0727 | 1.562 | 2.783 | 0.375 |
| 66 | 21527-0739 | 1.594 | 2.500 | 0.375 |
| 66 | 21527-0760 | 1.625 | 2.375 | 0.375 |
| 66 | 21527-0763 | 1.625 | 2.437 | 0.375 |
| 66 | 21527-0766 | 1.625 | 2.497 | 0.375 |
| 66 | 21527-0769 | 1.625 | 2.500 | 0.375 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 66 | 21527-0772 | 1.625 | 2.625 | 0.375 |
| 66 | 21527-0775 | 1.625 | 2.686 | 0.375 |
| 66 | 21527-0778 | 1.625 | 2.750 | 0.375 |
| 66 | 21527-0781 | 1.625 | 2.756 | 0.375 |
| 66 | 21527-0784 | 1.625 | 2.783 | 0.375 |
| 66 | 21527-0787 | 1.625 | 2.875 | 0.375 |
| 66 | 21527-0826 | 1.687 | 2.375 | 0.375 |
| 66 | 21527-0829 | 1.687 | 2.437 | 0.375 |
| 66 | 21527-0832 | 1.687 | 2.497 | 0.375 |
| 66 | 21527-0835 | 1.687 | 2.500 | 0.375 |
| 66 | 21527-0838 | 1.687 | 2.625 | 0.375 |
| 66 | 21527-0841 | 1.687 | 2.686 | 0.375 |
| 66 | 21527-0844 | 1.687 | 2.750 | 0.375 |
| 66 | 21527-0847 | 1.687 | 2.756 | 0.375 |
| 66 | 21527-0853 | 1.687 | 2.875 | 0.375 |
| 66 | 21527-0859 | 1.687 | 3.000 | 0.375 |
| 66 | 21527-0898 | 1.750 | 2.437 | 0.375 |
| 66 | 21527-0901 | 1.750 | 2.497 | 0.375 |
| 66 | 21527-0904 | 1.750 | 2.500 | 0.375 |
| 66 | 21527-0907 | 1.750 | 2.625 | 0.375 |
| 66 | 21527-0910 | 1.750 | 2.686 | 0.375 |
| 66 | 21527-0913 | 1.750 | 2.750 | 0.375 |
| 66 | 21527-0916 | 1.750 | 2.756 | 0.375 |
| 66 | 21527-0919 | 1.750 | 2.783 | 0.375 |
| 66 | 21527-0922 | 1.750 | 2.875 | 0.375 |
| 66 | 21527-0925 | 1.750 | 2.997 | 0.375 |
| 66 | 21527-0928 | 1.750 | 3.000 | 0.375 |
| 66 | 21527-0931 | 1.750 | 3.062 | 0.375 |
| 66 | 21527-0934 | 1.781 | 2.497 | 0.375 |
| 66 | 21527-0937 | 1.781 | 2.500 | 0.375 |
| 66 | 21527-0940 | 1.781 | 2.625 | 0.375 |
| 66 | 21527-0946 | 1.781 | 2.750 | 0.375 |
| 66 | 21527-0955 | 1.781 | 2.875 | 0.375 |
| 66 | 21527-0964 | 1.781 | 3.062 | 0.375 |
| 66 | 21527-0967 | 1.781 | 3.125 | 0.375 |
| 66 | 21527-1042 | 1.875 | 2.625 | 0.375 |
| 66 | 21527-1045 | 1.875 | 2.686 | 0.375 |
| 66 | 21527-1048 | 1.875 | 2.750 | 0.375 |
| 66 | 21527-1051 | 1.875 | 2.756 | 0.375 |
| 66 | 21527-1054 | 1.875 | 2.783 | 0.375 |
| 66 | 21527-1057 | 1.875 | 2.875 | 0.375 |
| 66 | 21527-1060 | 1.875 | 2.997 | 0.375 |
| 66 | 21527-1063 | 1.875 | 3.000 | 0.375 |
| 66 | 21527-1066 | 1.875 | 3.062 | 0.375 |
| 66 | 21527-1069 | 1.875 | 3.125 | 0.375 |
| 66 | 21527-1075 | 1.875 | 3.189 | 0.375 |
| 66 | 21527-1114 | 1.937 | 2.625 | 0.375 |
| 66 | 21527-1117 | 1.937 | 2.686 | 0.375 |
| 66 | 21527-1120 | 1.937 | 2.750 | 0.375 |
| 66 | 21527-1123 | 1.937 | 2.756 | 0.375 |
| 66 | 21527-1129 | 1.937 | 2.875 | 0.375 |
| 66 | 21527-1132 | 1.937 | 2.997 | 0.375 |
| 66 | 21527-1135 | 1.937 | 3.000 | 0.375 |
| 66 | 21527-1138 | 1.937 | 3.062 | 0.375 |
| 66 | 21527-1141 | 1.937 | 3.125 | 0.375 |
| 66 | 21527-1144 | 1.937 | 3.147 | 0.375 |
| 66 | 21527-1147 | 1.937 | 3.189 | 0.375 |
| 66 | 21527-1150 | 1.969 | 2.686 | 0.375 |
| 66 | 21527-1153 | 1.969 | 2.750 | 0.375 |
| 66 | 21527-1156 | 1.969 | 2.756 | 0.375 |
| 66 | 21527-1162 | 1.969 | 2.875 | 0.375 |
| 66 | 21527-1168 | 1.969 | 3.000 | 0.375 |
| 66 | 21527-1174 | 1.969 | 3.125 | 0.375 |
| 66 | 21527-1177 | 1.969 | 3.147 | 0.375 |
| 66 | 21527-1180 | 1.969 | 3.189 | 0.375 |
| 66 | 21527-1183 | 1.969 | 3.246 | 0.375 |
| 66 | 21527-1186 | 2.000 | 2.686 | 0.375 |
| 66 | 21527-1189 | 2.000 | 2.750 | 0.375 |
| 66 | 21527-1192 | 2.000 | 2.756 | 0.375 |
| 66 | 21527-1195 | 2.000 | 2.783 | 0.375 |
| 66 | 21527-1198 | 2.000 | 2.875 | 0.375 |
| 66 | 21527-1201 | 2.000 | 2.997 | 0.375 |
| 66 | 21527-1204 | 2.000 | 3.000 | 0.375 |
| 66 | 21527-1207 | 2.000 | 3.062 | 0.375 |
| 66 | 21527-1210 | 2.000 | 3.125 | 0.375 |
| 66 | 21527-1213 | 2.000 | 3.147 | 0.375 |
| 66 | 21527-1216 | 2.000 | 3.189 | 0.375 |
| 66 | 21527-1219 | 2.000 | 3.246 | 0.375 |
| 66 | 21527-1252 | 2.062 | 2.875 | 0.375 |
| 66 | 21527-1255 | 2.062 | 2.997 | 0.375 |
| 66 | 21527-1258 | 2.062 | 3.000 | 0.375 |
| 66 | 21527-1261 | 2.062 | 3.062 | 0.375 |
| 66 | 21527-1264 | 2.062 | 3.125 | 0.375 |
| 66 | 21527-1267 | 2.062 | 3.147 | 0.375 |
| 66 | 21527-1270 | 2.062 | 3.189 | 0.375 |
| 66 | 21527-1276 | 2.062 | 3.250 | 0.375 |
| 66 | 21527-1279 | 2.062 | 3.350 | 0.375 |
| 66 | 21527-1321 | 2.125 | 2.875 | 0.375 |
| 66 | 21527-1324 | 2.125 | 2.997 | 0.375 |
| 66 | 21527-1327 | 2.125 | 3.000 | 0.375 |
| 66 | 21527-1330 | 2.125 | 3.062 | 0.375 |
| 66 | 21527-1333 | 2.125 | 3.125 | 0.375 |
| 66 | 21527-1336 | 2.125 | 3.147 | 0.375 |
| 66 | 21527-1339 | 2.125 | 3.189 | 0.375 |
| 66 | 21527-1345 | 2.125 | 3.250 | 0.375 |
| 66 | 21527-1348 | 2.125 | 3.350 | 0.375 |
| 66 | 21527-1351 | 2.125 | 3.372 | 0.375 |
| 66 | 21527-1357 | 2.125 | 3.500 | 0.375 |
| 66 | 21527-1402 | 2.187 | 3.000 | 0.375 |
| 66 | 21527-1405 | 2.187 | 3.062 | 0.375 |
| 66 | 21527-1408 | 2.187 | 3.125 | 0.375 |
| 66 | 21527-1411 | 2.187 | 3.147 | 0.375 |
| 66 | 21527-1414 | 2.187 | 3.189 | 0.375 |
| 66 | 21527-1417 | 2.187 | 3.246 | 0.437 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 66 | 21527-1420 | 2.187 | 3.250 | 0.375 |
| 66 | 21527-1423 | 2.187 | 3.350 | 0.375 |
| 66 | 21527-1426 | 2.187 | 3.372 | 0.375 |
| 66 | 21527-1429 | 2.187 | 3.481 | 0.375 |
| 66 | 21527-1432 | 2.187 | 3.500 | 0.375 |
| 66 | 21527-1471 | 2.250 | 2.997 | 0.375 |
| 66 | 21527-1474 | 2.250 | 3.000 | 0.375 |
| 66 | 21527-1477 | 2.250 | 3.062 | 0.375 |
| 66 | 21527-1480 | 2.250 | 3.125 | 0.375 |
| 66 | 21527-1483 | 2.250 | 3.147 | 0.375 |
| 66 | 21527-1486 | 2.250 | 3.189 | 0.375 |
| 66 | 21527-1489 | 2.250 | 3.246 | 0.375 |
| 66 | 21527-1492 | 2.250 | 3.250 | 0.375 |
| 66 | 21527-1495 | 2.250 | 3.350 | 0.375 |
| 66 | 21527-1498 | 2.250 | 3.372 | 0.375 |
| 66 | 21527-1501 | 2.250 | 3.481 | 0.375 |
| 66 | 21527-1504 | 2.250 | 3.500 | 0.375 |
| 66 | 21527-1597 | 2.344 | 3.062 | 0.375 |
| 66 | 21527-1639 | 2.375 | 3.062 | 0.375 |
| 66 | 21527-1642 | 2.375 | 3.125 | 0.375 |
| 66 | 21527-1645 | 2.375 | 3.147 | 0.375 |
| 66 | 21527-1648 | 2.375 | 3.189 | 0.375 |
| 66 | 21527-1651 | 2.375 | 3.246 | 0.375 |
| 66 | 21527-1654 | 2.375 | 3.250 | 0.375 |
| 66 | 21527-1656 | 2.375 | 3.250 | 0.500 |
| 66 | 21527-1657 | 2.375 | 3.350 | 0.375 |
| 66 | 21527-1660 | 2.375 | 3.372 | 0.375 |
| 66 | 21527-1663 | 2.375 | 3.481 | 0.375 |
| 66 | 21527-1666 | 2.375 | 3.500 | 0.375 |
| 66 | 21527-1669 | 2.375 | 3.543 | 0.375 |
| 66 | 21527-1672 | 2.375 | 3.623 | 0.375 |
| 66 | 21527-1675 | 2.375 | 3.751 | 0.375 |
| 66 | 21527-1678 | 2.375 | 3.876 | 0.375 |
| 66 | 21527-1801 | 2.500 | 3.189 | 0.375 |
| 66 | 21527-1804 | 2.500 | 3.246 | 0.375 |
| 66 | 21527-1807 | 2.500 | 3.250 | 0.375 |
| 66 | 21527-1810 | 2.500 | 3.350 | 0.375 |
| 66 | 21527-1813 | 2.500 | 3.372 | 0.375 |
| 66 | 21527-1816 | 2.500 | 3.481 | 0.375 |
| 66 | 21527-1819 | 2.500 | 3.500 | 0.375 |
| 66 | 21527-1822 | 2.500 | 3.543 | 0.375 |
| 66 | 21527-1825 | 2.500 | 3.623 | 0.375 |
| 66 | 21527-1828 | 2.500 | 3.751 | 0.375 |
| 66 | 21527-1831 | 2.500 | 3.876 | 0.375 |
| 66 | 21527-1834 | 2.500 | 4.003 | 0.375 |
| 66 | 21527-1930 | 2.625 | 3.350 | 0.375 |
| 66 | 21527-1933 | 2.625 | 3.372 | 0.375 |
| 66 | 21527-1936 | 2.625 | 3.481 | 0.375 |
| 66 | 21527-1939 | 2.625 | 3.500 | 0.375 |
| 66 | 21527-1942 | 2.625 | 3.543 | 0.375 |
| 66 | 21527-1945 | 2.625 | 3.623 | 0.375 |
| 66 | 21527-1948 | 2.625 | 3.751 | 0.375 |
| 66 | 21527-1951 | 2.625 | 3.876 | 0.375 |
| 66 | 21527-1954 | 2.625 | 4.003 | 0.375 |
| 66 | 21527-2011 | 2.719 | 3.481 | 0.375 |
| 66 | 21527-2014 | 2.719 | 3.500 | 0.375 |
| 66 | 21527-2020 | 2.719 | 3.623 | 0.375 |
| 66 | 21527-2023 | 2.719 | 3.751 | 0.375 |
| 66 | 21527-2029 | 2.719 | 4.003 | 0.375 |
| 66 | 21527-2032 | 2.750 | 3.481 | 0.375 |
| 66 | 21527-2035 | 2.750 | 3.500 | 0.375 |
| 66 | 21527-2037 | 2.750 | 3.500 | 0.500 |
| 66 | 21527-2038 | 2.750 | 3.543 | 0.375 |
| 66 | 21527-2041 | 2.750 | 3.623 | 0.375 |
| 66 | 21527-2044 | 2.750 | 3.751 | 0.375 |
| 66 | 21527-2047 | 2.750 | 3.876 | 0.375 |
| 66 | 21527-2050 | 2.750 | 4.003 | 0.375 |
| 66 | 21527-2120 | 3.000 | 3.751 | 0.500 |
| 66 | 21527-2168 | 3.000 | 3.751 | 0.375 |
| 66 | 21527-2170 | 3.000 | 3.751 | 0.500 |
| 66 | 21527-2171 | 3.000 | 3.876 | 0.375 |
| 66 | 21527-2173 | 3.000 | 3.876 | 0.500 |
| 66 | 21527-2174 | 3.000 | 4.003 | 0.375 |
| 66 | 21527-2249 | 3.187 | 4.249 | 0.500 |
| 66 | 21527-2252 | 3.187 | 4.375 | 0.500 |
| 66 | 21527-2255 | 3.187 | 4.500 | 0.500 |
| 66 | 21527-2261 | 3.187 | 4.750 | 0.500 |
| 66 | 21527-2264 | 3.187 | 4.875 | 0.500 |
| 66 | 21527-2267 | 3.187 | 4.999 | 0.500 |
| 66 | 21527-2366 | 3.500 | 4.500 | 0.500 |
| 66 | 21527-2369 | 3.500 | 4.625 | 0.500 |
| 66 | 21527-2372 | 3.500 | 4.750 | 0.500 |
| 66 | 21527-2375 | 3.500 | 4.875 | 0.500 |
| 66 | 21527-2378 | 3.500 | 4.999 | 0.500 |
| 66 | 21527-2381 | 3.500 | 5.125 | 0.500 |
| 66 | 21527-2384 | 3.500 | 5.250 | 0.500 |
| 66 | 21527-2387 | 3.500 | 5.375 | 0.500 |
| 66 | 21527-2390 | 3.500 | 5.500 | 0.500 |
| 66 | 21527-2462 | 3.750 | 4.750 | 0.500 |
| 66 | 21527-2465 | 3.750 | 4.875 | 0.500 |
| 66 | 21527-2468 | 3.750 | 4.999 | 0.500 |
| 66 | 21527-2471 | 3.750 | 5.125 | 0.500 |
| 66 | 21527-2474 | 3.750 | 5.250 | 0.500 |
| 66 | 21527-2480 | 3.750 | 5.500 | 0.500 |
| 66 | 21527-2537 | 4.000 | 4.999 | 0.500 |
| 66 | 21527-2540 | 4.000 | 5.125 | 0.500 |
| 66 | 21527-2543 | 4.000 | 5.250 | 0.500 |
| 66 | 21527-2546 | 4.000 | 5.375 | 0.500 |
| 66 | 21527-2549 | 4.000 | 5.500 | 0.500 |
| 66 | 21527-2555 | 4.000 | 5.750 | 0.500 |
| 66 | 21527-2561 | 4.000 | 6.000 | 0.500 |
| 66 | 21527-2564 | 4.000 | 6.125 | 0.500 |
| 66 | 21527-2567 | 4.000 | 6.250 | 0.500 |
| 66 | 21527-2657 | 4.250 | 5.250 | 0.500 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 66 | 21527-2660 | 4.250 | 5.375 | 0.500 |
| 66 | 21527-2663 | 4.250 | 5.500 | 0.500 |
| 66 | 21527-2729 | 4.375 | 6.250 | 0.500 |
| 66 | 21527-2753 | 4.500 | 5.500 | 0.500 |
| 66 | 21527-2756 | 4.500 | 5.625 | 0.500 |
| 66 | 21527-2762 | 4.500 | 5.875 | 0.500 |
| 66 | 21527-2771 | 4.500 | 6.250 | 0.500 |
| 66 | 21527-2879 | 4.875 | 6.250 | 0.500 |
| 66 | 21527-3125 | 5.375 | 6.500 | 0.500 |
| 66 | 21527-3128 | 5.375 | 6.625 | 0.500 |
| 66 | 21527-3134 | 5.375 | 6.875 | 0.500 |
| 66 | 21527-3275 | 5.750 | 6.750 | 0.500 |
| 66 | 21527-3278 | 5.750 | 6.875 | 0.500 |
| 66 | 21527-3281 | 5.750 | 7.000 | 0.500 |
| 66 | 21527-3293 | 5.750 | 7.500 | 0.500 |
| 66 | 21527-3319 | 5.875 | 7.000 | 0.500 |
| 66 | 21527-3580 | 7.875 | 8.875 | 0.625 |
| 66 | 21527-3582 | 7.875 | 9.000 | 0.625 |
| 66 | 21527-3584 | 7.875 | 9.125 | 0.625 |
| 66 | 21527-3586 | 7.875 | 9.250 | 0.625 |
| 66 | 21527-3588 | 7.875 | 9.375 | 0.625 |
| 66 | 21527-3865 | 0.438 | 1.375 | 0.312 |
| 66 | 21527-3872 | 1.125 | 1.984 | 0.375 |
| 66 | 21527-3876 | 1.187 | 1.828 | 0.375 |
| 66 | 21527-3877 | 1.187 | 2.048 | 0.375 |
| 66 | 21527-3880 | 1.500 | 2.441 | 0.375 |
| 66 | 21527-3883 | 1.562 | 2.875 | 0.375 |
| 66 | 21527-3888 | 1.875 | 3.149 | 0.375 |
| 66 | 21527-3897 | 2.062 | 2.783 | 0.375 |
| 66 | 21527-3900 | 2.125 | 2.882 | 0.375 |
| 66 | 21527-3904 | 2.187 | 2.997 | 0.375 |
| 66 | 21527-4605 | 0.750 | 1.375 | 0.406 |
| 66 | 21527-4606 | 1.750 | 3.625 | 0.500 |
| 66 | 21527-4640 | 3.500 | 4.500 | 0.469 |
| 66 | 21527-4645 | 1.562 | 2.561 | 0.500 |
| 66 | 21527-4899 | 1.750 | 3.543 | 0.437 |
| 66 | 21527-5502 | 0.875 | 1.375 | 0.406 |
| 66 | 21527-6471 | 2.750 | 3.750 | 0.500 |
| 66 | 21527-6486 | 1.562 | 3.544 | 0.375 |
| 66 | 21527-6656 | 1.969 | 2.835 | 0.375 |
| 66 | 21527-6658 | 1.375 | 2.441 | 0.375 |
| 66 | 21527-6686 | 1.562 | 3.150 | 0.375 |
| 66 | 21527-6724 | 1.750 | 3.125 | 0.375 |
| 66 | 21527-7242 | 1.125 | 2.125 | 0.375 |
| 66 | 21527-7246 | 1.125 | 2.250 | 0.375 |
| 66 | 21527-7249 | 3.750 | 5.375 | 0.500 |
| 66 | 21527-7282 | 1.750 | 3.189 | 0.375 |
| 66 | 21527-7852 | 1.250 | 2.047 | 0.375 |
| 66 | 21527-8033 | 0.750 | 1.260 | 0.312 |
| 66 | 21527-8066 | 1.125 | 1.654 | 0.312 |
| 66 | 21527-8097 | 2.000 | 3.150 | 0.375 |
| 66 | 21527-8258 | 1.875 | 3.000 | 0.562 |
| 66 | 21527-8347 | 0.875 | 1.378 | 0.312 |
| 66 | 21527-8369 | 2.375 | 3.150 | 0.375 |
| 66 | 21527-9620 | 1.750 | 2.441 | 0.375 |
| 66F1 | 23692-8498 | 2.250 | 2.997 | 0.750 |
| 66R1 | 23722-6795 | 2.250 | 2.997 | 0.687 |
| 66R1 | 23722-8728 | 2.500 | 3.372 | 0.687 |
| 66R2 | 23702-6599 | 2.875 | 4.003 | 0.687 |
| 66R2 | 23702-6651 | 2.625 | 3.751 | 0.687 |
| 66R2 | 23702-7197 | 3.000 | 4.003 | 0.687 |
| 66R2 | 23702-7563 | 2.000 | 2.750 | 0.687 |
| 66T2 | 23728-4819 | 0.937 | 1.500 | 0.562 |
| 66T2 | 23728-7128 | 5.750 | 7.000 | 0.969 |
| 66TF | 23763-6914 | 5.875 | 7.125 | 0.828 |
| 67 | 21528-0050 | 0.500 | 1.000 | 0.375 |
| 67 | 21528-0051 | 0.500 | 1.125 | 0.312 |
| 67 | 21528-0053 | 0.500 | 1.250 | 0.312 |
| 67 | 21528-0055 | 0.500 | 1.375 | 0.312 |
| 67 | 21528-0057 | 0.500 | 1.500 | 0.312 |
| 67 | 21528-0067 | 0.562 | 1.125 | 0.312 |
| 67 | 21528-0069 | 0.562 | 1.250 | 0.312 |
| 67 | 21528-0071 | 0.562 | 1.375 | 0.312 |
| 67 | 21528-0073 | 0.562 | 1.500 | 0.312 |
| 67 | 21528-0075 | 0.562 | 1.575 | 0.312 |
| 67 | 21528-0087 | 0.625 | 1.125 | 0.312 |
| 67 | 21528-0089 | 0.625 | 1.250 | 0.312 |
| 67 | 21528-0091 | 0.625 | 1.375 | 0.312 |
| 67 | 21528-0093 | 0.625 | 1.500 | 0.312 |
| 67 | 21528-0109 | 0.687 | 1.125 | 0.312 |
| 67 | 21528-0111 | 0.687 | 1.250 | 0.312 |
| 67 | 21528-0113 | 0.687 | 1.375 | 0.312 |
| 67 | 21528-0115 | 0.687 | 1.500 | 0.312 |
| 67 | 21528-0117 | 0.687 | 1.575 | 0.312 |
| 67 | 21528-0119 | 0.687 | 1.625 | 0.312 |
| 67 | 21528-0139 | 0.750 | 1.250 | 0.312 |
| 67 | 21528-0140 | 0.750 | 1.250 | 0.375 |
| 67 | 21528-0141 | 0.750 | 1.375 | 0.312 |
| 67 | 21528-0143 | 0.750 | 1.500 | 0.312 |
| 67 | 21528-0147 | 0.750 | 1.625 | 0.312 |
| 67 | 21528-0149 | 0.750 | 1.750 | 0.375 |
| 67 | 21528-0151 | 0.750 | 1.828 | 0.375 |
| 67 | 21528-0153 | 0.750 | 1.875 | 0.375 |
| 67 | 21528-0157 | 0.781 | 1.250 | 0.312 |
| 67 | 21528-0158 | 0.781 | 1.250 | 0.375 |
| 67 | 21528-0159 | 0.781 | 1.375 | 0.312 |
| 67 | 21528-0160 | 0.781 | 1.375 | 0.375 |
| 67 | 21528-0161 | 0.781 | 1.500 | 0.312 |
| 67 | 21528-0165 | 0.781 | 1.625 | 0.312 |
| 67 | 21528-0167 | 0.781 | 1.750 | 0.375 |
| 67 | 21528-0213 | 0.875 | 1.375 | 0.312 |
| 67 | 21528-0215 | 0.875 | 1.500 | 0.312 |
| 67 | 21528-0217 | 0.875 | 1.575 | 0.312 |
| 67 | 21528-0219 | 0.875 | 1.625 | 0.312 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 67 | 21528-0221 | 0.875 | 1.750 | 0.375 |
| 67 | 21528-0223 | 0.875 | 1.828 | 0.375 |
| 67 | 21528-0225 | 0.875 | 1.875 | 0.375 |
| 67 | 21528-0229 | 0.875 | 2.000 | 0.375 |
| 67 | 21528-0231 | 0.875 | 2.062 | 0.375 |
| 67 | 21528-0269 | 0.969 | 1.500 | 0.312 |
| 67 | 21528-0273 | 0.969 | 1.625 | 0.312 |
| 67 | 21528-0275 | 0.969 | 1.750 | 0.375 |
| 67 | 21528-0287 | 1.000 | 1.500 | 0.312 |
| 67 | 21528-0291 | 1.000 | 1.625 | 0.312 |
| 67 | 21528-0293 | 1.000 | 1.750 | 0.375 |
| 67 | 21528-0295 | 1.000 | 1.828 | 0.375 |
| 67 | 21528-0297 | 1.000 | 1.875 | 0.375 |
| 67 | 21528-0300 | 1.000 | 1.984 | 0.437 |
| 67 | 21528-0301 | 1.000 | 2.000 | 0.375 |
| 67 | 21528-0303 | 1.000 | 2.062 | 0.375 |
| 67 | 21528-0351 | 1.125 | 1.625 | 0.312 |
| 67 | 21528-0353 | 1.125 | 1.750 | 0.375 |
| 67 | 21528-0355 | 1.125 | 1.828 | 0.375 |
| 67 | 21528-0357 | 1.125 | 1.875 | 0.375 |
| 67 | 21528-0359 | 1.125 | 2.000 | 0.375 |
| 67 | 21528-0360 | 1.125 | 2.000 | 0.437 |
| 67 | 21528-0361 | 1.125 | 2.062 | 0.375 |
| 67 | 21528-0363 | 1.156 | 1.875 | 0.375 |
| 67 | 21528-0427 | 1.250 | 2.000 | 0.375 |
| 67 | 21528-0535 | 1.375 | 2.062 | 0.375 |
| 67 | 21528-0541 | 1.375 | 2.125 | 0.375 |
| 67 | 21528-0544 | 1.375 | 2.250 | 0.375 |
| 67 | 21528-0547 | 1.375 | 2.375 | 0.375 |
| 67 | 21528-0556 | 1.375 | 2.500 | 0.375 |
| 67 | 21528-0643 | 1.500 | 2.250 | 0.375 |
| 67 | 21528-0646 | 1.500 | 2.375 | 0.375 |
| 67 | 21528-0648 | 1.500 | 2.375 | 0.500 |
| 67 | 21528-0655 | 1.500 | 2.500 | 0.375 |
| 67 | 21528-0658 | 1.500 | 2.625 | 0.375 |
| 67 | 21528-0664 | 1.500 | 2.750 | 0.375 |
| 67 | 21528-0700 | 1.562 | 2.250 | 0.375 |
| 67 | 21528-0898 | 1.750 | 2.437 | 0.375 |
| 67 | 21528-0904 | 1.750 | 2.500 | 0.375 |
| 67 | 21528-0913 | 1.750 | 2.750 | 0.375 |
| 67 | 21528-0922 | 1.750 | 2.875 | 0.375 |
| 67 | 21528-0925 | 1.750 | 2.997 | 0.375 |
| 67 | 21528-0928 | 1.750 | 3.000 | 0.375 |
| 67 | 21528-1048 | 1.875 | 2.750 | 0.375 |
| 67 | 21528-1051 | 1.875 | 2.756 | 0.375 |
| 67 | 21528-1057 | 1.875 | 2.875 | 0.375 |
| 67 | 21528-1063 | 1.875 | 3.000 | 0.375 |
| 67 | 21528-1068 | 1.875 | 3.062 | 0.500 |
| 67 | 21528-1186 | 2.000 | 2.686 | 0.375 |
| 67 | 21528-1189 | 2.000 | 2.750 | 0.375 |
| 67 | 21528-1198 | 2.000 | 2.875 | 0.375 |
| 67 | 21528-1204 | 2.000 | 3.000 | 0.375 |
| 67 | 21528-1321 | 2.125 | 2.875 | 0.375 |
| 67 | 21528-1324 | 2.125 | 2.997 | 0.375 |
| 67 | 21528-1327 | 2.125 | 3.000 | 0.375 |
| 67 | 21528-1471 | 2.250 | 2.997 | 0.375 |
| 67 | 21528-1474 | 2.250 | 3.000 | 0.375 |
| 67 | 21528-1492 | 2.250 | 3.250 | 0.375 |
| 67 | 21528-1504 | 2.250 | 3.500 | 0.375 |
| 67 | 21528-1639 | 2.375 | 3.062 | 0.375 |
| 67 | 21528-1654 | 2.375 | 3.250 | 0.375 |
| 67 | 21528-1666 | 2.375 | 3.500 | 0.375 |
| 67 | 21528-1669 | 2.375 | 3.543 | 0.375 |
| 67 | 21528-1801 | 2.500 | 3.189 | 0.375 |
| 67 | 21528-1807 | 2.500 | 3.250 | 0.375 |
| 67 | 21528-1819 | 2.500 | 3.500 | 0.375 |
| 67 | 21528-1822 | 2.500 | 3.543 | 0.375 |
| 67 | 21528-1828 | 2.500 | 3.751 | 0.375 |
| 67 | 21528-1834 | 2.500 | 4.003 | 0.375 |
| 67 | 21528-2032 | 2.750 | 3.481 | 0.375 |
| 67 | 21528-2035 | 2.750 | 3.500 | 0.375 |
| 67 | 21528-2038 | 2.750 | 3.543 | 0.375 |
| 67 | 21528-2041 | 2.750 | 3.623 | 0.375 |
| 67 | 21528-2044 | 2.750 | 3.751 | 0.375 |
| 67 | 21528-2050 | 2.750 | 4.003 | 0.375 |
| 67 | 21528-2168 | 3.000 | 3.751 | 0.375 |
| 67 | 21528-2174 | 3.000 | 4.003 | 0.375 |
| 67 | 21528-3888 | 1.875 | 3.149 | 0.375 |
| 67 | 21528-4584 | 1.375 | 2.835 | 0.375 |
| 67 | 21528-5071 | 0.562 | 1.378 | 0.375 |
| 67 | 21528-5551 | 3.250 | 4.000 | 0.375 |
| 67R2 | 23683-6566 | 2.500 | 3.751 | 0.687 |
| 67R2 | 23683-6593 | 2.125 | 3.000 | 0.687 |
| 67R2 | 23683-6720 | 0.750 | 1.250 | 0.562 |
| 67T2 | 23621-6662 | 0.781 | 1.500 | 0.562 |
| 67T2 | 23621-8562 | 0.781 | 1.250 | 0.562 |
| 68 | 21823-0051 | 0.500 | 1.125 | 0.312 |
| 68 | 21823-0053 | 0.500 | 1.250 | 0.312 |
| 68 | 21823-0055 | 0.500 | 1.375 | 0.312 |
| 68 | 21823-0057 | 0.500 | 1.500 | 0.312 |
| 68 | 21823-0067 | 0.562 | 1.125 | 0.312 |
| 68 | 21823-0069 | 0.562 | 1.250 | 0.312 |
| 68 | 21823-0071 | 0.562 | 1.375 | 0.312 |
| 68 | 21823-0073 | 0.562 | 1.500 | 0.312 |
| 68 | 21823-0075 | 0.562 | 1.575 | 0.312 |
| 68 | 21823-0087 | 0.625 | 1.125 | 0.312 |
| 68 | 21823-0089 | 0.625 | 1.250 | 0.312 |
| 68 | 21823-0091 | 0.625 | 1.375 | 0.312 |
| 68 | 21823-0093 | 0.625 | 1.500 | 0.312 |
| 68 | 21823-0109 | 0.687 | 1.125 | 0.312 |
| 68 | 21823-0111 | 0.687 | 1.250 | 0.312 |
| 68 | 21823-0113 | 0.687 | 1.375 | 0.312 |
| 68 | 21823-0115 | 0.687 | 1.500 | 0.312 |
| 68 | 21823-0117 | 0.687 | 1.575 | 0.312 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 68 | 21823-0119 | 0.687 | 1.625 | 0.312 |
| 68 | 21823-0139 | 0.750 | 1.250 | 0.312 |
| 68 | 21823-0140 | 0.750 | 1.250 | 0.375 |
| 68 | 21823-0141 | 0.750 | 1.375 | 0.312 |
| 68 | 21823-0143 | 0.750 | 1.500 | 0.312 |
| 68 | 21823-0147 | 0.750 | 1.625 | 0.312 |
| 68 | 21823-0149 | 0.750 | 1.750 | 0.375 |
| 68 | 21823-0151 | 0.750 | 1.828 | 0.375 |
| 68 | 21823-0153 | 0.750 | 1.875 | 0.375 |
| 68 | 21823-0157 | 0.781 | 1.250 | 0.312 |
| 68 | 21823-0158 | 0.781 | 1.250 | 0.375 |
| 68 | 21823-0159 | 0.781 | 1.375 | 0.312 |
| 68 | 21823-0160 | 0.781 | 1.375 | 0.375 |
| 68 | 21823-0161 | 0.781 | 1.500 | 0.312 |
| 68 | 21823-0165 | 0.781 | 1.625 | 0.312 |
| 68 | 21823-0167 | 0.781 | 1.750 | 0.375 |
| 68 | 21823-0213 | 0.875 | 1.375 | 0.312 |
| 68 | 21823-0215 | 0.875 | 1.500 | 0.312 |
| 68 | 21823-0217 | 0.875 | 1.575 | 0.312 |
| 68 | 21823-0219 | 0.875 | 1.625 | 0.312 |
| 68 | 21823-0221 | 0.875 | 1.750 | 0.375 |
| 68 | 21823-0223 | 0.875 | 1.828 | 0.375 |
| 68 | 21823-0225 | 0.875 | 1.875 | 0.375 |
| 68 | 21823-0229 | 0.875 | 2.000 | 0.375 |
| 68 | 21823-0231 | 0.875 | 2.062 | 0.375 |
| 68 | 21823-0269 | 0.969 | 1.500 | 0.312 |
| 68 | 21823-0273 | 0.969 | 1.625 | 0.312 |
| 68 | 21823-0275 | 0.969 | 1.750 | 0.375 |
| 68 | 21823-0287 | 1.000 | 1.500 | 0.312 |
| 68 | 21823-0291 | 1.000 | 1.625 | 0.312 |
| 68 | 21823-0293 | 1.000 | 1.750 | 0.375 |
| 68 | 21823-0295 | 1.000 | 1.828 | 0.375 |
| 68 | 21823-0297 | 1.000 | 1.875 | 0.375 |
| 68 | 21823-0301 | 1.000 | 2.000 | 0.375 |
| 68 | 21823-0303 | 1.000 | 2.062 | 0.375 |
| 68 | 21823-0351 | 1.125 | 1.625 | 0.312 |
| 68 | 21823-0353 | 1.125 | 1.750 | 0.375 |
| 68 | 21823-0355 | 1.125 | 1.828 | 0.375 |
| 68 | 21823-0357 | 1.125 | 1.875 | 0.375 |
| 68 | 21823-0359 | 1.125 | 2.000 | 0.375 |
| 68 | 21823-0360 | 1.125 | 2.000 | 0.437 |
| 68 | 21823-0361 | 1.125 | 2.062 | 0.375 |
| 68 | 21823-0363 | 1.156 | 1.875 | 0.375 |
| 68 | 21823-0535 | 1.375 | 2.062 | 0.375 |
| 68 | 21823-0541 | 1.375 | 2.125 | 0.375 |
| 68 | 21823-0544 | 1.375 | 2.250 | 0.375 |
| 68 | 21823-0547 | 1.375 | 2.375 | 0.375 |
| 68 | 21823-0556 | 1.375 | 2.500 | 0.375 |
| 68 | 21823-0643 | 1.500 | 2.250 | 0.375 |
| 68 | 21823-0646 | 1.500 | 2.375 | 0.375 |
| 68 | 21823-0648 | 1.500 | 2.375 | 0.500 |
| 68 | 21823-0655 | 1.500 | 2.500 | 0.375 |
| 68 | 21823-0658 | 1.500 | 2.625 | 0.375 |
| 68 | 21823-0664 | 1.500 | 2.750 | 0.375 |
| 68 | 21823-0898 | 1.750 | 2.437 | 0.375 |
| 68 | 21823-0904 | 1.750 | 2.500 | 0.375 |
| 68 | 21823-0913 | 1.750 | 2.750 | 0.375 |
| 68 | 21823-0922 | 1.750 | 2.875 | 0.375 |
| 68 | 21823-0928 | 1.750 | 3.000 | 0.375 |
| 68 | 21823-1048 | 1.875 | 2.750 | 0.375 |
| 68 | 21823-1051 | 1.875 | 2.756 | 0.375 |
| 68 | 21823-1057 | 1.875 | 2.875 | 0.375 |
| 68 | 21823-1063 | 1.875 | 3.000 | 0.375 |
| 68 | 21823-1186 | 2.000 | 2.686 | 0.375 |
| 68 | 21823-1189 | 2.000 | 2.750 | 0.375 |
| 68 | 21823-1198 | 2.000 | 2.875 | 0.375 |
| 68 | 21823-1204 | 2.000 | 3.000 | 0.375 |
| 68 | 21823-1321 | 2.125 | 2.875 | 0.375 |
| 68 | 21823-1324 | 2.125 | 2.997 | 0.375 |
| 68 | 21823-1327 | 2.125 | 3.000 | 0.375 |
| 68 | 21823-1471 | 2.250 | 2.997 | 0.375 |
| 68 | 21823-1474 | 2.250 | 3.000 | 0.375 |
| 68 | 21823-1492 | 2.250 | 3.250 | 0.375 |
| 68 | 21823-1504 | 2.250 | 3.500 | 0.375 |
| 68 | 21823-1639 | 2.375 | 3.062 | 0.375 |
| 68 | 21823-1654 | 2.375 | 3.250 | 0.375 |
| 68 | 21823-1666 | 2.375 | 3.500 | 0.375 |
| 68 | 21823-1669 | 2.375 | 3.543 | 0.375 |
| 68 | 21823-1801 | 2.500 | 3.189 | 0.375 |
| 68 | 21823-1804 | 2.500 | 3.246 | 0.375 |
| 68 | 21823-1807 | 2.500 | 3.250 | 0.375 |
| 68 | 21823-1819 | 2.500 | 3.500 | 0.375 |
| 68 | 21823-1822 | 2.500 | 3.543 | 0.375 |
| 68 | 21823-1828 | 2.500 | 3.751 | 0.375 |
| 68 | 21823-1834 | 2.500 | 4.003 | 0.375 |
| 68 | 21823-2032 | 2.750 | 3.481 | 0.375 |
| 68 | 21823-2035 | 2.750 | 3.500 | 0.375 |
| 68 | 21823-2038 | 2.750 | 3.543 | 0.375 |
| 68 | 21823-2041 | 2.750 | 3.623 | 0.375 |
| 68 | 21823-2044 | 2.750 | 3.751 | 0.375 |
| 68 | 21823-2050 | 2.750 | 4.003 | 0.375 |
| 68 | 21823-2168 | 3.000 | 3.751 | 0.375 |
| 68 | 21823-2174 | 3.000 | 4.003 | 0.375 |
| 68 | 21823-3888 | 1.875 | 3.149 | 0.375 |
| 68 | 21823-4584 | 1.375 | 2.835 | 0.375 |
| 68 | 21823-5071 | 0.562 | 1.378 | 0.375 |
| 68R2 | 23727-6608 | 2.000 | 2.686 | 0.687 |
| 71 | 26001-0005 | 0.313 | 0.750 | 0.250 |
| 71 | 26001-0013 | 0.375 | 0.750 | 0.250 |
| **71** | **26001-5064** | **2.125** | **2.500** | **0.250** |
| **71** | **26001-5239** | **1.250** | **1.750** | **0.250** |
| **71** | **26001-6060** | **0.438** | **0.687** | **0.125** |
| 71 | 26001-6069 | 0.500 | 0.750 | 0.109 |
| 71 | 26001-6108 | 0.750 | 1.000 | 0.109 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 71 | 26001-6133 | 0.875 | 1.250 | 0.187 |
| **71** | **26001-6148** | **1.000** | **1.250** | **0.109** |
| **71** | **26001-6151** | **1.000** | **1.312** | **0.125** |
| **71** | **26001-6156** | **1.000** | **1.562** | **0.187** |
| 71 | 26001-6162 | 1.125 | 1.375 | 0.109 |
| **71** | **26001-6169** | **1.125** | **1.625** | **0.250** |
| **71** | **26001-6183** | **1.250** | **1.625** | **0.187** |
| 71 | 26001-6193 | 1.312 | 1.562 | 0.125 |
| 71 | 26001-6221 | 1.500 | 1.750 | 0.109 |
| 71 | 26001-6222 | 1.500 | 1.875 | 0.125 |
| **71** | **26001-6223** | **1.500** | **1.875** | **0.187** |
| **71** | **26001-6226** | **1.625** | **1.875** | **0.109** |
| 71 | 26001-6227 | 1.625 | 2.000 | 0.109 |
| 71 | 26001-6230 | 1.625 | 2.375 | 0.250 |
| 71 | 26001-6240 | 1.750 | 2.000 | 0.109 |
| 71 | 26001-6241 | 1.750 | 2.125 | 0.125 |
| **71** | **26001-6242** | **1.750** | **2.125** | **0.187** |
| 71 | 26001-6267 | 2.000 | 2.250 | 0.109 |
| **71** | **26001-6284** | **2.250** | **2.625** | **0.109** |
| **71** | **26001-6292** | **2.500** | **2.875** | **0.109** |
| **71** | **26001-6304** | **2.750** | **3.125** | **0.187** |
| **71** | **26001-6308** | **3.000** | **3.500** | **0.250** |
| 71 | 26001-6325 | 4.000 | 4.562 | 0.109 |
| 71 | 26001-6553 | 3.125 | 3.625 | 0.109 |
| **71** | **26001-7000** | **0.250** | **0.500** | **0.125** |
| **71** | **26001-7004** | **0.375** | **0.562** | **0.094** |
| **71** | **26001-7005** | **0.375** | **0.625** | **0.125** |
| 71 | 26001-7007 | 0.438 | 0.875 | 0.187 |
| 71 | 26001-7008 | 0.438 | 1.024 | 0.250 |
| 71 | 26001-7009 | 0.469 | 0.703 | 0.125 |
| **71** | **26001-7011** | **0.500** | **0.687** | **0.094** |
| 71 | 26001-7012 | 0.500 | 0.687 | 0.125 |
| **71** | **26001-7013** | **0.500** | **0.750** | **0.125** |
| **71** | **26001-7014** | **0.500** | **0.875** | **0.125** |
| 71 | 26001-7016 | 0.500 | 1.250 | 0.250 |
| **71** | **26001-7017** | **0.562** | **0.750** | **0.094** |
| **71** | **26001-7020** | **0.625** | **0.812** | **0.094** |
| 71 | 26001-7021 | 0.625 | 1.000 | 0.250 |
| 71 | 26001-7022 | 0.625 | 1.062 | 0.187 |
| **71** | **26001-7023** | **0.625** | **1.125** | **0.187** |
| **71** | **26001-7024** | **0.625** | **1.000** | **0.125** |
| 71 | 26001-7025 | 0.687 | 0.875 | 0.094 |
| **71** | **26001-7027** | **0.750** | **1.000** | **0.125** |
| **71** | **26001-7028** | **0.750** | **1.062** | **0.187** |
| 71 | 26001-7029 | 0.750 | 1.064 | 0.109 |
| **71** | **26001-7030** | **0.750** | **1.125** | **0.125** |
| 71 | 26001-7031 | 0.750 | 1.187 | 0.156 |
| **71** | **26001-7032** | **0.750** | **1.250** | **0.125** |
| 71 | 26001-7033 | 0.750 | 1.250 | 0.250 |
| 71 | 26001-7034 | 0.750 | 1.375 | 0.250 |
| 71 | 26001-7035 | 0.750 | 1.437 | 0.250 |
| 71 | 26001-7037 | 0.812 | 1.062 | 0.125 |
| **71** | **26001-7038** | **0.812** | **1.066** | **0.125** |
| **71** | **26001-7041** | **0.875** | **1.125** | **0.125** |
| 71 | 26001-7042 | 0.875 | 1.187 | 0.156 |
| **71** | **26001-7045** | **0.875** | **1.375** | **0.125** |
| 71 | 26001-7046 | 0.875 | 1.437 | 0.250 |
| 71 | 26001-7047 | 0.937 | 1.187 | 0.125 |
| **71** | **26001-7049** | **1.000** | **1.250** | **0.125** |
| **71** | **26001-7052** | **1.000** | **1.500** | **0.125** |
| 71 | 26001-7055 | 1.000 | 1.750 | 0.250 |
| 71 | 26001-7056 | 1.062 | 1.562 | 0.125 |
| **71** | **26001-7057** | **1.125** | **1.375** | **0.125** |
| 71 | 26001-7060 | 1.187 | 2.441 | 0.250 |
| 71 | 26001-7061 | 1.187 | 1.437 | 0.125 |
| **71** | **26001-7062** | **1.250** | **1.500** | **0.125** |
| **71** | **26001-7068** | **1.375** | **1.625** | **0.125** |
| 71 | 26001-7070 | 1.437 | 1.750 | 0.156 |
| 71 | 26001-7071 | 1.437 | 2.062 | 0.250 |
| 71 | 26001-7080 | 1.750 | 2.250 | 0.250 |
| 71 | 26001-7081 | 1.750 | 2.375 | 0.250 |
| 71 | 26001-7083 | 1.812 | 2.375 | 0.187 |
| 71 | 26001-7084 | 1.875 | 2.375 | 0.250 |
| **71** | **26001-7085** | **1.937** | **2.375** | **0.187** |
| **71** | **26001-7086** | **2.000** | **2.375** | **0.250** |
| 71 | 26001-7088 | 2.437 | 2.937 | 0.187 |
| 71 | 26001-7089 | 2.500 | 3.125 | 0.250 |
| 71 | 26001-7090 | 2.500 | 3.250 | 0.250 |
| 71 | 26001-7092 | 2.625 | 3.250 | 0.187 |
| 71 | 26001-7093 | 2.750 | 3.125 | 0.109 |
| 71 | 26001-7095 | 3.500 | 3.876 | 0.187 |
| 71 | 26001-7096 | 3.500 | 4.003 | 0.250 |
| 71 | 26001-7097 | 3.750 | 4.375 | 0.312 |
| **71** | **26001-7530** | **2.000** | **2.375** | **0.187** |
| 71 | 26001-7546 | 4.250 | 4.812 | 0.109 |
| 71 | 26001-7619 | 0.781 | 1.625 | 0.125 |
| 71 | 26001-7705 | 0.781 | 1.250 | 0.187 |
| 71 | 26001-7826 | 0.750 | 0.937 | 0.125 |
| 71 | 26001-7992 | 4.125 | 4.686 | 0.109 |
| 71 | 26001-8000 | 0.875 | 1.255 | 0.125 |
| 71 | 26001-8361 | 2.250 | 3.150 | 0.375 |
| 71 | 26001-8379 | 0.667 | 1.187 | 0.125 |
| 71 | 26001-8715 | 1.375 | 1.687 | 0.109 |
| 71 | 26001-8801 | 0.313 | 0.506 | 0.125 |
| 71 | 26001-8810 | 3.250 | 3.812 | 0.109 |
| 71 | 26001-8873 | 1.000 | 1.500 | 0.188 |
| 71 | 26001-9016 | 4.000 | 4.500 | 0.250 |
| 71 | 26001-9413 | 0.812 | 1.377 | 0.156 |
| **71** | **26001-9428** | **0.625** | **1.125** | **0.125** |
| 71 | 26001-9565 | 7.250 | 8.000 | 0.312 |
| 71 | 26001-9643 | 1.114 | 1.375 | 0.125 |
| 71 | 26001-9668 | 3.500 | 4.062 | 0.109 |
| 71 | 26001-9758 | 0.687 | 1.375 | 0.125 |
| 71 | 26001-9961 | 1.375 | 1.625 | 0.109 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 71 | 26001-9981 | 3.750 | 4.312 | 0.109 |
| 76 | 26193-0013 | 0.375 | 0.750 | 0.250 |
| 76 | 26193-0088 | 0.625 | 1.125 | 0.375 |
| 76 | 26193-0261 | 0.937 | 1.875 | 0.375 |
| 76 | 26193-0541 | 1.375 | 2.125 | 0.375 |
| 76 | 26193-4582 | 2.000 | 2.625 | 0.312 |
| 76 | 26193-4701 | 1.125 | 2.835 | 0.375 |
| 76 | 26193-5085 | 0.656 | 1.250 | 0.250 |
| 76 | 26193-5325 | 1.937 | 2.412 | 0.469 |
| 76 | 26193-5546 | 0.812 | 1.237 | 0.155 |
| 76 | 26193-6035 | 0.250 | 0.562 | 0.187 |
| 76 | 26193-6036 | 1.469 | 2.000 | 0.312 |
| **76** | **26193-6071** | **0.500** | **0.801** | **0.187** |
| 76 | 26193-6099 | 0.656 | 1.575 | 0.250 |
| **76** | **26193-6113** | **0.750** | **1.125** | **0.187** |
| 76 | 26193-6125 | 0.812 | 1.125 | 0.187 |
| **76** | **26193-6133** | **0.875** | **1.250** | **0.187** |
| 76 | 26193-6156 | 1.000 | 1.562 | 0.187 |
| **76** | **26193-6183** | **1.250** | **1.625** | **0.187** |
| 76 | 26193-6186 | 1.250 | 1.750 | 0.266 |
| 76 | 26193-6194 | 1.312 | 1.605 | 0.156 |
| **76** | **26193-6195** | **1.312** | **1.625** | **0.156** |
| **76** | **26193-6223** | **1.500** | **1.875** | **0.187** |
| 76 | 26193-6233 | 0.937 | 1.375 | 0.312 |
| **76** | **26193-6242** | **1.750** | **2.125** | **0.187** |
| 76 | 26193-6262 | 1.875 | 2.250 | 0.187 |
| 76 | 26193-6591 | 3.250 | 3.940 | 0.250 |
| 76 | 26193-6627 | 2.863 | 4.724 | 0.500 |
| 76 | 26193-6642 | 1.087 | 1.686 | 0.250 |
| 76 | 26193-7192 | 3.750 | 4.750 | 0.250 |
| 76 | 26193-7472 | 6.187 | 7.500 | 0.625 |
| **76** | **26193-7501** | **0.500** | **0.875** | **0.312** |
| **76** | **26193-7503** | **0.562** | **0.875** | **0.187** |
| 76 | 26193-7504 | 0.562 | 1.000 | 0.187 |
| 76 | 26193-7505 | 0.687 | 1.062 | 0.187 |
| 76 | 26193-7510 | 1.000 | 1.437 | 0.250 |
| 76 | 26193-7512 | 1.125 | 1.500 | 0.187 |
| 76 | 26193-7513 | 1.203 | 2.048 | 0.187 |
| 76 | 26193-7514 | 1.219 | 2.048 | 0.187 |
| **76** | **26193-7516** | **1.250** | **1.687** | **0.187** |
| 76 | 26193-7517 | 1.500 | 2.000 | 0.250 |
| 76 | 26193-7518 | 1.250 | 2.000 | 0.250 |
| 76 | 26193-7519 | 1.312 | 1.750 | 0.187 |
| **76** | **26193-7520** | **1.375** | **1.750** | **0.187** |
| **76** | **26193-7527** | **1.687** | **2.125** | **0.187** |
| **76** | **26193-7530** | **2.000** | **2.375** | **0.187** |
| 76 | 26193-7531 | 2.250 | 2.750 | 0.250 |
| **76** | **26193-7532** | **2.500** | **3.062** | **0.250** |
| 76 | 26193-7534 | 5.500 | 6.250 | 0.312 |
| 76 | 26193-7694 | 2.000 | 3.544 | 0.375 |
| 76 | 26193-7802 | 0.812 | 1.236 | 0.187 |
| 76 | 26193-7995 | 2.125 | 2.762 | 0.250 |

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 76 | 26193-8186 | 2.000 | 3.750 | 0.500 |
| 76 | 26193-8356 | 0.667 | 1.187 | 0.187 |
| 76 | 26193-8461 | 1.181 | 1.683 | 0.250 |
| 76 | 26193-8479 | 1.375 | 1.750 | 0.219 |
| 76 | 26193-8876 | 3.062 | 4.003 | 0.375 |
| 76 | 26193-8952 | 0.875 | 1.575 | 0.187 |
| 76 | 26193-8961 | 37.375 | 38.625 | 0.500 |
| 76 | 26193-9038 | 1.156 | 1.575 | 0.312 |
| 76 | 26193-9370 | 0.562 | 1.378 | 0.250 |
| 76 | 26193-9490 | 1.000 | 1.625 | 0.250 |
| **76** | **26193-9518** | **1.000** | **1.375** | **0.187** |
| 76 | 26193-9578 | 8.000 | 8.875 | 0.437 |
| 76 | 26193-9675 | 1.750 | 2.250 | 0.312 |
| 76 | 26193-9768 | 1.937 | 2.437 | 0.312 |
| 76 | 26193-9855 | 0.866 | 1.259 | 0.275 |
| 76 | 26193-9856 | 0.669 | 1.102 | 0.275 |
| 76 | 26193-9879 | 4.000 | 4.625 | 0.312 |
| 76 | 26193-9962 | 1.687 | 2.250 | 0.250 |
| 76 | 26193-9971 | 1.625 | 2.125 | 0.250 |
| 76 | 26193-9975 | 2.125 | 3.000 | 0.312 |
| 76 | 26193-9991 | 0.781 | 1.375 | 0.250 |
| 87 | 26080-1040 | 12.250 | 14.250 | 1.250 |
| 87 | 26080-1083 | 22.750 | 25.500 | 0.875 |
| 87 | 26080-1202 | 14.173 | 15.906 | 0.788 |
| 87 | 26080-1382 | 22.047 | 23.780 | 0.709 |
| 87 | 26080-1383 | 19.685 | 21.654 | 0.787 |
| 87 | 26080-1387 | 17.126 | 19.094 | 0.787 |
| 87 | 26080-2027 | 30.500 | 33.000 | 1.000 |
| 87 | 26080-2134 | 14.488 | 16.496 | 0.811 |
| 87 | 26080-2207 | 25.000 | 27.000 | 0.906 |
| 87 | 26080-2268 | 8.250 | 10.260 | 0.687 |
| 87 | 26080-2388 | 20.866 | 22.441 | 0.787 |
| 87 | 26080-2454 | 12.205 | 13.937 | 0.787 |
| 87 | 26080-2547 | 23.000 | 25.500 | 1.000 |
| 87 | 26080-2884 | 24.803 | 26.181 | 0.563 |
| 87 | 26080-2886 | 50.984 | 52.165 | 0.787 |
| 87 | 26080-3326 | 15.000 | 16.500 | 0.625 |
| 87 | 26080-3522 | 7.250 | 8.500 | 0.625 |
| 87 | 26080-3566 | 7.625 | 9.125 | 0.625 |
| 87 | 26080-3623 | 9.000 | 11.000 | 0.750 |
| 87 | 26080-3818 | 8.250 | 9.500 | 0.750 |
| 87 | 26080-3831 | 34.750 | 36.750 | 0.875 |
| 87 | 26080-3832 | 8.875 | 10.125 | 0.625 |
| 87 | 26080-3878 | 28.000 | 30.500 | 0.875 |
| 87 | 26080-3891 | 14.250 | 16.250 | 0.625 |
| 87 | 26080-4030 | 10.750 | 12.750 | 0.750 |
| 87 | 26080-4142 | 14.500 | 16.000 | 0.688 |
| **87** | **26080-4170** | **15.750** | **17.250** | **0.687** |
| 87 | 26080-4177 | 16.000 | 17.500 | 0.687 |
| 87 | 26080-4218 | 19.000 | 20.500 | 0.750 |
| 87 | 26080-4231 | 20.000 | 22.000 | 0.625 |
| 87 | 26080-4281 | 22.750 | 24.750 | 0.875 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 87 | 26080-4285 | 23.000 | 25.500 | 0.875 |
| 87 | 26080-4318 | 25.500 | 27.500 | 0.875 |
| 87 | 26080-4348 | 29.000 | 31.000 | 0.875 |
| 87 | 26080-4357 | 30.000 | 32.000 | 0.875 |
| 87 | 26080-4421 | 36.000 | 38.000 | 0.875 |
| 87 | 26080-4473 | 42.500 | 45.000 | 0.875 |
| 87 | 26080-4498 | 40.000 | 42.000 | 1.000 |
| 87 | 26080-4629 | 15.748 | 17.480 | 0.787 |
| 87 | 26080-4635 | 41.500 | 43.500 | 0.875 |
| 87 | 26080-4805 | 10.236 | 11.969 | 0.787 |
| 87 | 26080-4950 | 10.000 | 11.500 | 0.625 |
| 87 | 26080-5077 | 16.000 | 18.000 | 0.875 |
| 87 | 26080-5168 | 17.000 | 19.000 | 0.750 |
| 87 | 26080-5334 | 9.055 | 10.236 | 0.591 |
| 87 | 26080-6787 | 33.000 | 34.625 | 0.750 |
| 87 | 26080-6980 | 19.500 | 21.500 | 0.750 |
| 87 | 26080-9927 | 14.000 | 15.750 | 0.875 |
| 88 | 26088-1924 | 14.375 | 16.537 | 0.590 |
| 88NS | 26188-1924 | 14.375 | 16.537 | 0.590 |
| 88 | 26088-2676 | 14.500 | 16.000 | 0.562 |
| 88NS | 26188-2676 | 14.500 | 16.000 | 0.562 |
| 88 | 26088-2982 | 13.500 | 15.500 | 0.688 |
| 88NS | 26188-2982 | 13.500 | 15.500 | 0.688 |
| 88 | 26088-3067 | 5.250 | 6.500 | 0.625 |
| 88NS | 26188-3067 | 5.250 | 6.500 | 0.625 |
| 88 | 26088-3522 | 7.250 | 8.500 | 0.625 |
| 88NS | 26188-3522 | 7.250 | 8.500 | 0.625 |
| 88 | 26088-3764 | 22.250 | 24.250 | 0.875 |
| 88NS | 26188-3764 | 22.250 | 24.250 | 0.875 |
| 88 | 26088-3784 | 27.500 | 29.500 | 1.000 |
| 88NS | 26188-3784 | 27.500 | 29.500 | 1.000 |
| 88 | 26088-3878 | 28.000 | 30.500 | 0.875 |
| 88NS | 26188-3878 | 28.000 | 30.500 | 0.875 |
| 88 | 26088-3934 | 8.375 | 9.875 | 0.750 |
| 88NS | 26188-3934 | 8.375 | 9.875 | 0.750 |
| 88 | 26088-4071 | 12.000 | 14.000 | 0.750 |
| 88NS | 26188-4071 | 12.000 | 14.000 | 0.750 |
| 88 | 26088-4079 | 12.500 | 14.000 | 0.687 |
| 88NS | 26188-4079 | 12.500 | 14.000 | 0.687 |
| 88 | 26088-4121 | 13.500 | 15.000 | 0.688 |
| 88NS | 26188-4121 | 13.500 | 15.000 | 0.688 |
| 88 | 26088-4145 | 14.500 | 16.500 | 0.812 |
| 88NS | 26188-4145 | 14.500 | 16.500 | 0.812 |
| 88 | 26088-4163 | 15.500 | 17.500 | 0.812 |
| 88NS | 26188-4163 | 15.500 | 17.500 | 0.812 |
| 88 | 26088-4170 | 15.750 | 17.250 | 0.687 |
| 88NS | 26188-4170 | 15.750 | 17.250 | 0.687 |
| **88** | **26088-4181** | **16.250** | **17.750** | **0.687** |
| 88NS | 26188-4181 | 16.250 | 17.750 | 0.687 |
| 88 | 26088-4186 | 16.500 | 18.500 | 0.812 |
| 88NS | 26188-4186 | 16.500 | 18.500 | 0.812 |
| 88 | 26088-4188 | 17.000 | 18.500 | 0.687 |
| **88NS** | **26188-4188** | **17.000** | **18.500** | **0.687** |
| 88 | 26088-4210 | 18.000 | 20.000 | 0.875 |
| 88NS | 26188-4210 | 18.000 | 20.000 | 0.875 |
| **88** | **26088-4218** | **19.000** | **20.500** | **0.750** |
| 88NS | 26188-4218 | 19.000 | 20.500 | 0.750 |
| 88 | 26088-4239 | 20.250 | 21.750 | 0.750 |
| 88NS | 26188-4239 | 20.250 | 21.750 | 0.750 |
| 88 | 26088-4246 | 20.500 | 22.500 | 0.875 |
| 88NS | 26188-4246 | 20.500 | 22.500 | 0.875 |
| 88 | 26088-4248 | 20.750 | 22.750 | 0.875 |
| 88NS | 26188-4248 | 20.750 | 22.750 | 0.875 |
| 88 | 26088-4254 | 21.250 | 23.250 | 0.875 |
| 88NS | 26188-4254 | 21.250 | 23.250 | 0.875 |
| 88 | 26088-4265 | 21.750 | 23.750 | 0.875 |
| 88NS | 26188-4265 | 21.750 | 23.750 | 0.875 |
| 88 | 26088-4270 | 22.000 | 24.000 | 0.875 |
| 88NS | 26188-4270 | 22.000 | 24.000 | 0.875 |
| 88 | 26088-4308 | 25.000 | 26.500 | 0.750 |
| 88NS | 26188-4308 | 25.000 | 26.500 | 0.750 |
| 88 | 26088-4318 | 25.500 | 27.500 | 0.875 |
| 88NS | 26188-4318 | 25.500 | 27.500 | 0.875 |
| 88 | 26088-4330 | 26.125 | 28.125 | 0.875 |
| 88NS | 26188-4330 | 26.125 | 28.125 | 0.875 |
| 88 | 26088-4333 | 27.000 | 29.000 | 0.875 |
| 88NS | 26188-4333 | 27.000 | 29.000 | 0.875 |
| 88 | 26088-4346 | 28.500 | 30.500 | 0.875 |
| 88NS | 26188-4346 | 28.500 | 30.500 | 0.875 |
| **88** | **26088-4348** | **29.000** | **31.000** | **0.875** |
| 88NS | 26188-4348 | 29.000 | 31.000 | 0.875 |
| 88 | 26088-4365 | 30.500 | 32.500 | 0.875 |
| 88NS | 26188-4365 | 30.500 | 32.500 | 0.875 |
| 88 | 26088-4377 | 32.500 | 34.500 | 0.875 |
| 88NS | 26188-4377 | 32.500 | 34.500 | 0.875 |
| 88 | 26088-4382 | 33.000 | 35.000 | 0.875 |
| 88NS | 26188-4382 | 33.000 | 35.000 | 0.875 |
| **88** | **26088-4389** | **33.500** | **35.500** | **0.875** |
| 88NS | 26188-4389 | 33.500 | 35.500 | 0.875 |
| 88 | 26088-4550 | 33.500 | 36.000 | 0.875 |
| 88NS | 26188-4550 | 33.500 | 36.000 | 0.875 |
| 88 | 26088-4567 | 38.250 | 40.750 | 0.875 |
| 88NS | 26188-4567 | 38.250 | 40.750 | 0.875 |
| 88 | 26088-4637 | 43.500 | 45.500 | 0.875 |
| 88NS | 26188-4637 | 43.500 | 45.500 | 0.875 |
| 88 | 26088-4651 | 4.000 | 5.000 | 0.500 |
| 88NS | 26188-4651 | 4.000 | 5.000 | 0.500 |
| 88 | 26088-4685 | 37.812 | 40.945 | 0.875 |
| 88NS | 26188-4685 | 37.812 | 40.945 | 0.875 |
| 88 | 26088-4704 | 17.559 | 19.135 | 0.630 |
| 88NS | 26188-4704 | 17.559 | 19.135 | 0.630 |
| **88** | **26088-5116** | **16.000** | **18.000** | **0.750** |
| 88NS | 26188-5116 | 16.000 | 18.000 | 0.750 |
| **88** | **26088-5619** | **21.000** | **23.000** | **0.750** |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 88NS | 26188-5619 | 21.000 | 23.000 | 0.750 |
| 88 | 26088-5921 | 26.000 | 27.625 | 0.750 |
| 88NS | 26188-5921 | 26.000 | 27.625 | 0.750 |
| 88 | 26088-5997 | 25.000 | 27.500 | 0.875 |
| 88NS | 26188-5997 | 25.000 | 27.500 | 0.875 |
| 88 | 26088-6185 | 7.750 | 8.750 | 0.438 |
| 88NS | 26188-6185 | 7.750 | 8.750 | 0.438 |
| 88 | 26088-6264 | 13.250 | 15.250 | 0.750 |
| 88NS | 26188-6264 | 13.250 | 15.250 | 0.750 |
| 88 | 26088-6383 | 8.500 | 9.500 | 0.500 |
| 88NS | 26188-6383 | 8.500 | 9.500 | 0.500 |
| 88 | 26088-6386 | 8.750 | 10.000 | 0.625 |
| 88NS | 26188-6386 | 8.750 | 10.000 | 0.625 |
| 88 | 26088-6618 | 15.250 | 17.250 | 0.625 |
| 88NS | 26188-6618 | 15.250 | 17.250 | 0.625 |
| **88** | **26088-6829** | **12.250** | **14.250** | **0.750** |
| 88NS | 26188-6829 | 12.250 | 14.250 | 0.750 |
| **88** | **26088-6980** | **19.500** | **21.500** | **0.750** |
| 88NS | 26188-6980 | 19.500 | 21.500 | 0.750 |
| 88 | 26088-7172 | 5.750 | 6.750 | 0.438 |
| 88NS | 26188-7172 | 5.750 | 6.750 | 0.438 |
| 88 | 26088-7539 | 15.250 | 17.250 | 0.750 |
| 88NS | 26188-7539 | 15.250 | 17.250 | 0.750 |
| 88 | 26088-7788 | 29.500 | 32.000 | 0.750 |
| 88NS | 26188-7788 | 29.500 | 32.000 | 0.750 |
| 88 | 26088-7790 | 33.000 | 35.500 | 0.750 |
| 88NS | 26188-7790 | 33.000 | 35.500 | 0.750 |
| 88 | 26088-7810 | 37.500 | 39.500 | 0.750 |
| 88NS | 26188-7810 | 37.500 | 39.500 | 0.750 |
| 88 | 26088-7828 | 28.000 | 29.625 | 0.750 |
| 88NS | 26188-7828 | 28.000 | 29.625 | 0.750 |
| 88 | 26088-7870 | 30.000 | 31.625 | 0.750 |
| 88NS | 26188-7870 | 30.000 | 31.625 | 0.750 |
| 88 | 26088-8487 | 30.000 | 31.600 | 0.770 |
| 88NS | 26188-8487 | 30.000 | 31.600 | 0.770 |
| 88 | 26088-8525 | 11.811 | 13.543 | 0.807 |
| 88NS | 26188-8525 | 11.811 | 13.543 | 0.807 |
| 88 | 26088-8664 | 14.344 | 16.000 | 0.687 |
| 88NS | 26188-8664 | 14.344 | 16.000 | 0.687 |
| 88 | 26088-8794 | 14.750 | 16.500 | 0.875 |
| 88NS | 26188-8794 | 14.750 | 16.500 | 0.875 |
| 88 | 26088-9126 | 7.375 | 8.375 | 0.637 |
| 88NS | 26188-9126 | 7.375 | 8.375 | 0.637 |
| 91 | 27023-0982 | 1.812 | 2.750 | 0.375 |
| **91** | **27023-6053** | **0.313** | **0.562** | **0.156** |
| 91 | 27023-6113 | 0.750 | 1.125 | 0.187 |
| 91 | 27023-6279 | 1.187 | 1.625 | 0.250 |
| 91 | 27023-6635 | 0.438 | 0.621 | 0.125 |
| 91 | 27023-7001 | 0.281 | 0.686 | 0.125 |
| 91 | 27023-7020 | 0.625 | 0.812 | 0.094 |
| 91 | 27023-7027 | 0.750 | 1.000 | 0.125 |
| 91 | 27023-9014 | 2.500 | 3.000 | 0.250 |
| 91 | 27023-9508 | 0.625 | 1.125 | 0.250 |
| 91 | 27023-9574 | 3.000 | 3.406 | 0.203 |
| 91 | 27023-9660 | 0.469 | 0.718 | 0.125 |
| 91 | 27023-9822 | 1.750 | 2.375 | 0.312 |
| 92 | 27063-0004 | 0.394 | 0.748 | 0.276 |
| 92 | 27063-0012 | 0.394 | 0.984 | 0.276 |
| 92 | 27063-0020 | 0.472 | 0.866 | 0.276 |
| 92 | 27063-0022 | 0.472 | 0.984 | 0.276 |
| 92 | 27063-0024 | 0.472 | 1.102 | 0.276 |
| 92 | 27063-0026 | 0.551 | 0.945 | 0.276 |
| 92 | 27063-0028 | 0.591 | 0.945 | 0.276 |
| 92 | 27063-0030 | 0.591 | 1.024 | 0.276 |
| 92 | 27063-0032 | 0.591 | 1.260 | 0.276 |
| 92 | 27063-0033 | 0.591 | 1.378 | 0.276 |
| 92 | 27063-0048 | 0.630 | 1.181 | 0.276 |
| 92 | 27063-0064 | 0.669 | 1.181 | 0.276 |
| 92 | 27063-0066 | 0.669 | 1.575 | 0.276 |
| 92 | 27063-0074 | 0.709 | 1.181 | 0.276 |
| 92 | 27063-0087 | 0.625 | 1.125 | 0.312 |
| 92 | 27063-0118 | 0.748 | 1.260 | 0.276 |
| 92 | 27063-0120 | 0.787 | 1.181 | 0.276 |
| 92 | 27063-0154 | 0.787 | 1.260 | 0.276 |
| 92 | 27063-0164 | 0.787 | 1.378 | 0.276 |
| 92 | 27063-0176 | 0.812 | 1.250 | 0.375 |
| 92 | 27063-0184 | 0.787 | 1.575 | 0.276 |
| 92 | 27063-0188 | 0.787 | 1.654 | 0.276 |
| 92 | 27063-0194 | 0.787 | 1.850 | 0.276 |
| 92 | 27063-0196 | 0.787 | 2.047 | 0.394 |
| 92 | 27063-0198 | 0.866 | 1.575 | 0.276 |
| 92 | 27063-0206 | 0.866 | 1.850 | 0.276 |
| 92 | 27063-0209 | 0.945 | 1.378 | 0.276 |
| 92 | 27063-0210 | 0.945 | 1.575 | 0.276 |
| 92 | 27063-0212 | 0.984 | 1.378 | 0.276 |
| 92 | 27063-0213 | 0.875 | 1.375 | 0.312 |
| 92 | 27063-0230 | 0.984 | 1.457 | 0.276 |
| 92 | 27063-0232 | 0.984 | 1.654 | 0.276 |
| 92 | 27063-0250 | 0.984 | 1.850 | 0.276 |
| 92 | 27063-0254 | 0.984 | 2.047 | 0.276 |
| 92 | 27063-0262 | 1.024 | 1.654 | 0.276 |
| 92 | 27063-0272 | 1.024 | 1.850 | 0.276 |
| 92 | 27063-0280 | 1.102 | 1.496 | 0.276 |
| 92 | 27063-0284 | 1.102 | 1.575 | 0.276 |
| 92 | 27063-0312 | 1.181 | 1.575 | 0.276 |
| 92 | 27063-0316 | 1.181 | 1.654 | 0.276 |
| 92 | 27063-0318 | 1.181 | 1.772 | 0.315 |
| 92 | 27063-0320 | 1.181 | 1.850 | 0.276 |
| 92 | 27063-0332 | 1.181 | 1.890 | 0.315 |
| 92 | 27063-0340 | 1.181 | 2.047 | 0.276 |
| 92 | 27063-0342 | 1.181 | 2.441 | 0.276 |
| 92 | 27063-0348 | 1.181 | 2.835 | 0.315 |
| 92 | 27063-0350 | 1.260 | 1.850 | 0.276 |
| 92 | 27063-0364 | 1.260 | 2.047 | 0.276 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 92 | 27063-0366 | 1.378 | 1.850 | 0.276 |
| 92 | 27063-0368 | 1.378 | 1.969 | 0.276 |
| 92 | 27063-0371 | 1.378 | 2.165 | 0.315 |
| 92 | 27063-0376 | 1.378 | 2.441 | 0.276 |
| 92 | 27063-0378 | 1.417 | 1.850 | 0.276 |
| 92 | 27063-0379 | 1.417 | 2.126 | 0.276 |
| 92 | 27063-0381 | 1.496 | 2.165 | 0.276 |
| 92 | 27063-0382 | 1.496 | 2.441 | 0.276 |
| 92 | 27063-0391 | 1.575 | 2.047 | 0.276 |
| 92 | 27063-0392 | 1.575 | 2.165 | 0.276 |
| 92 | 27063-0393 | 1.575 | 2.205 | 0.276 |
| 92 | 27063-0406 | 1.575 | 2.283 | 0.315 |
| 92 | 27063-0423 | 1.575 | 2.441 | 0.276 |
| 92 | 27063-0435 | 1.575 | 2.835 | 0.276 |
| 92 | 27063-0449 | 1.575 | 3.150 | 0.394 |
| 92 | 27063-0452 | 1.654 | 2.362 | 0.276 |
| 92 | 27063-0488 | 1.772 | 2.362 | 0.276 |
| 92 | 27063-0512 | 1.772 | 2.835 | 0.315 |
| 92 | 27063-0516 | 1.772 | 3.150 | 0.394 |
| 92 | 27063-0520 | 1.772 | 3.346 | 0.394 |
| 92 | 27063-0522 | 1.850 | 2.559 | 0.394 |
| 92 | 27063-0533 | 1.890 | 2.441 | 0.315 |
| 92 | 27063-0534 | 1.890 | 2.559 | 0.394 |
| 92 | 27063-0535 | 1.375 | 2.062 | 0.375 |
| 92 | 27063-0558 | 1.890 | 2.835 | 0.315 |
| 92 | 27063-0563 | 1.969 | 2.559 | 0.315 |
| 92 | 27063-0567 | 1.969 | 2.677 | 0.315 |
| 92 | 27063-0571 | 1.969 | 2.835 | 0.315 |
| 92 | 27063-0572 | 2.047 | 2.677 | 0.315 |
| 92 | 27063-0573 | 2.047 | 2.835 | 0.315 |
| 92 | 27063-0574 | 2.165 | 2.756 | 0.315 |
| 92 | 27063-0575 | 2.165 | 2.953 | 0.394 |
| 92 | 27063-0576 | 2.165 | 3.150 | 0.315 |
| 92 | 27063-0585 | 2.165 | 3.346 | 0.315 |
| 92 | 27063-0588 | 2.205 | 2.756 | 0.315 |
| 92 | 27063-0606 | 2.205 | 2.835 | 0.315 |
| 92 | 27063-0629 | 2.205 | 3.150 | 0.315 |
| 92 | 27063-0633 | 2.205 | 3.346 | 0.315 |
| 92 | 27063-0635 | 2.283 | 3.150 | 0.315 |
| 92 | 27063-0642 | 2.283 | 3.346 | 0.394 |
| 92 | 27063-0653 | 2.362 | 3.150 | 0.315 |
| 92 | 27063-0672 | 2.362 | 3.346 | 0.315 |
| 92 | 27063-0683 | 2.362 | 3.543 | 0.315 |
| 92 | 27063-0684 | 2.441 | 3.543 | 0.394 |
| 92 | 27063-0698 | 2.520 | 3.150 | 0.315 |
| 92 | 27063-0710 | 2.559 | 3.346 | 0.394 |
| 92 | 27063-0729 | 2.559 | 3.543 | 0.394 |
| 92 | 27063-0733 | 2.559 | 3.740 | 0.394 |
| 92 | 27063-0735 | 2.677 | 3.543 | 0.394 |
| 92 | 27063-0745 | 2.283 | 2.835 | 0.315 |
| 92 | 27063-0749 | 2.677 | 3.937 | 0.394 |
| 92 | 27063-0759 | 2.756 | 3.937 | 0.394 |
| 92 | 27063-0770 | 2.835 | 3.543 | 0.394 |
| 92 | 27063-0776 | 2.835 | 3.740 | 0.394 |
| 92 | 27063-0791 | 2.835 | 3.937 | 0.394 |
| 92 | 27063-0793 | 2.441 | 3.346 | 0.394 |
| 92 | 27063-0797 | 2.953 | 3.740 | 0.394 |
| 92 | 27063-0809 | 2.953 | 3.937 | 0.394 |
| 92 | 27063-0819 | 2.953 | 4.331 | 0.472 |
| 92 | 27063-0824 | 2.953 | 4.724 | 0.472 |
| 92 | 27063-0825 | 3.150 | 4.134 | 0.472 |
| 92 | 27063-0831 | 3.150 | 4.331 | 0.394 |
| 92 | 27063-0833 | 3.346 | 4.528 | 0.512 |
| 92 | 27063-0834 | 3.465 | 4.331 | 0.472 |
| 92 | 27063-0835 | 1.687 | 2.500 | 0.375 |
| 92 | 27063-0850 | 3.740 | 4.528 | 0.472 |
| 92 | 27063-0851 | 3.740 | 5.118 | 0.472 |
| 92 | 27063-0852 | 3.937 | 4.724 | 0.394 |
| 92 | 27063-0860 | 3.937 | 4.921 | 0.472 |
| 92 | 27063-0866 | 4.134 | 5.512 | 0.472 |
| 92 | 27063-0869 | 4.528 | 5.709 | 0.472 |
| 92 | 27063-0873 | 4.921 | 6.299 | 0.472 |
| 92 | 27063-0875 | 5.906 | 7.087 | 0.472 |
| 92 | 27063-0876 | 6.299 | 7.283 | 0.394 |
| 92 | 27063-0904 | 1.750 | 2.500 | 0.375 |
| 92 | 27063-1010 | 3.740 | 4.921 | 0.472 |
| 92 | 27063-1718 | 5.512 | 6.693 | 0.472 |
| 92 | 27063-1871 | 0.745 | 1.357 | 0.318 |
| 92 | 27063-2887 | 4.921 | 5.906 | 0.472 |
| 92 | 27063-3863 | 0.250 | 0.750 | 0.250 |
| 92 | 27063-4656 | 5.118 | 6.299 | 0.472 |
| 92 | 27063-5249 | 1.625 | 2.623 | 0.250 |
| 92 | 27063-5306 | 1.000 | 1.500 | 0.250 |
| 92 | 27063-5774 | 2.250 | 3.125 | 0.250 |
| 92 | 27063-5965 | 0.781 | 1.250 | 0.250 |
| **92** | **27063-6050** | **0.625** | **1.375** | **0.250** |
| 92 | 27063-6055 | 0.313 | 0.687 | 0.250 |
| 92 | 27063-6077 | 0.500 | 1.125 | 0.250 |
| 92 | 27063-6100 | 1.000 | 2.000 | 0.250 |
| **92** | **27063-6113** | **0.750** | **1.125** | **0.187** |
| 92 | 27063-6167 | 1.125 | 1.437 | 0.266 |
| **92** | **27063-6169** | **1.125** | **1.625** | **0.250** |
| 92 | 27063-6197 | 1.312 | 1.750 | 0.250 |
| 92 | 27063-6218 | 1.453 | 2.047 | 0.312 |
| 92 | 27063-6289 | 0.750 | 1.575 | 0.250 |
| **92** | **27063-6308** | **3.000** | **3.500** | **0.250** |
| 92 | 27063-6313 | 3.250 | 4.263 | 0.437 |
| 92 | 27063-6983 | 0.812 | 1.250 | 0.250 |
| **92** | **27063-7021** | **0.625** | **1.000** | **0.250** |
| 92 | 27063-7034 | 0.750 | 1.375 | 0.250 |
| **92** | **27063-7082** | **1.750** | **2.500** | **0.250** |
| 92 | 27063-7376 | 4.724 | 5.906 | 0.472 |
| **92** | **27063-7518** | **1.250** | **2.000** | **0.250** |
| 92 | 27063-7521 | 1.375 | 1.875 | 0.187 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 92 | 27063-7527 | 1.687 | 2.125 | 0.187 |
| 92 | 27063-7839 | 3.543 | 4.724 | 0.472 |
| 92 | 27063-7842 | 3.937 | 5.118 | 0.472 |
| 92 | 27063-8461 | 1.181 | 1.683 | 0.250 |
| 92 | 27063-8768 | 4.134 | 5.118 | 0.472 |
| 92 | 27063-8833 | 0.594 | 1.125 | 0.250 |
| 92 | 27063-8978 | 0.984 | 1.375 | 0.187 |
| 92 | 27063-9009 | 0.969 | 1.750 | 0.312 |
| **92** | **27063-9013** | **2.000** | **2.500** | **0.250** |
| 92 | 27063-9014 | 2.500 | 3.000 | 0.250 |
| 92 | 27063-9016 | 4.000 | 4.500 | 0.250 |
| 92 | 27063-9190 | 3.740 | 4.724 | 0.472 |
| 92 | 27063-9489 | 0.875 | 1.500 | 0.250 |
| 92 | 27063-9500 | 0.313 | 0.687 | 0.219 |
| **92** | **27063-9501** | **0.375** | **0.750** | **0.187** |
| **92** | **27063-9505** | **0.500** | **1.000** | **0.250** |
| 92 | 27063-9507 | 0.562 | 1.000 | 0.250 |
| 92 | 27063-9508 | 0.625 | 1.125 | 0.250 |
| 92 | 27063-9509 | 0.625 | 1.250 | 0.250 |
| 92 | 27063-9515 | 0.875 | 1.375 | 0.250 |
| **92** | **27063-9517** | **0.984** | **2.062** | **0.375** |
| **92** | **27063-9518** | **1.000** | **1.375** | **0.187** |
| 92 | 27063-9524 | 1.250 | 1.625 | 0.250 |
| 92 | 27063-9525 | 1.250 | 1.984 | 0.250 |
| 92 | 27063-9527 | 1.312 | 1.875 | 0.219 |
| 92 | 27063-9537 | 2.062 | 2.661 | 0.187 |
| 92 | 27063-9722 | 1.500 | 2.250 | 0.250 |
| 92 | 27063-9856 | 0.669 | 1.102 | 0.276 |
| 92 | 27063-9965 | 1.453 | 1.968 | 0.312 |
| 94 | 27223-0081 | 0.594 | 1.375 | 0.312 |
| 94 | 27223-0089 | 0.625 | 1.250 | 0.312 |
| 94 | 27223-0096 | 0.625 | 1.575 | 0.375 |
| 94 | 27223-0139 | 0.750 | 1.250 | 0.312 |
| **94** | **27223-0141** | **0.750** | **1.375** | **0.312** |
| 94 | 27223-0181 | 0.812 | 1.575 | 0.312 |
| **94** | **27223-0215** | **0.875** | **1.500** | **0.312** |
| 94 | 27223-0287 | 1.000 | 1.500 | 0.312 |
| 94 | 27223-0359 | 1.125 | 2.000 | 0.375 |
| 94 | 27223-0592 | 1.437 | 2.125 | 0.375 |
| 94 | 27223-0760 | 1.625 | 2.375 | 0.375 |
| 94 | 27223-0940 | 1.781 | 2.625 | 0.375 |
| 94 | 27223-1135 | 1.937 | 3.000 | 0.375 |
| 94 | 27223-1261 | 2.062 | 3.062 | 0.375 |
| 94 | 27223-1678 | 2.375 | 3.876 | 0.375 |
| 94 | 27223-2261 | 3.187 | 4.750 | 0.500 |
| 94 | 27223-2516 | 3.875 | 5.500 | 0.500 |
| 94 | 27223-2545 | 0.984 | 1.654 | 0.276 |
| 94 | 27223-2753 | 4.500 | 5.500 | 0.500 |
| 94 | 27223-2756 | 4.500 | 5.625 | 0.500 |
| 94 | 27223-2959 | 5.062 | 6.250 | 0.625 |
| 94 | 27223-3409 | 6.375 | 7.500 | 0.500 |
| 94 | 27223-4488 | 4.331 | 6.693 | 0.500 |
| 94 | 27223-4597 | 1.187 | 2.835 | 0.375 |
| 94 | 27223-4598 | 1.781 | 3.937 | 0.375 |
| 94 | 27223-4600 | 1.187 | 2.441 | 0.375 |
| 94 | 27223-5074 | 2.953 | 4.528 | 0.375 |
| **94** | **27223-5091** | **1.375** | **2.441** | **0.312** |
| 94 | 27223-5314 | 1.000 | 1.501 | 0.312 |
| 94 | 27223-5331 | 4.250 | 5.687 | 0.500 |
| 94 | 27223-5572 | 2.750 | 3.500 | 0.562 |
| 94 | 27223-5672 | 5.750 | 8.858 | 0.750 |
| **94** | **27223-5937** | **0.969** | **2.048** | **0.375** |
| 94 | 27223-6062 | 0.438 | 0.875 | 0.234 |
| 94 | 27223-6074 | 0.500 | 0.875 | 0.234 |
| 94 | 27223-6114 | 0.750 | 1.125 | 0.234 |
| 94 | 27223-6120 | 0.750 | 1.851 | 0.375 |
| 94 | 27223-6176 | 1.125 | 2.441 | 0.375 |
| 94 | 27223-6192 | 1.250 | 2.835 | 0.375 |
| **94** | **27223-6208** | **1.375** | **1.875** | **0.312** |
| 94 | 27223-6211 | 1.437 | 1.937 | 0.250 |
| 94 | 27223-6215 | 1.437 | 3.150 | 0.375 |
| 94 | 27223-6256 | 1.750 | 3.347 | 0.375 |
| 94 | 27223-6266 | 1.937 | 3.544 | 0.375 |
| 94 | 27223-6281 | 2.187 | 4.331 | 0.375 |
| 94 | 27223-6282 | 2.187 | 5.118 | 0.375 |
| 94 | 27223-6300 | 2.562 | 3.937 | 0.375 |
| 94 | 27223-6301 | 2.562 | 4.725 | 0.375 |
| 94 | 27223-6302 | 2.562 | 5.512 | 0.375 |
| 94 | 27223-6314 | 3.346 | 5.118 | 0.500 |
| 94 | 27223-6323 | 3.937 | 5.905 | 0.500 |
| 94 | 27223-6329 | 5.062 | 7.875 | 0.500 |
| 94 | 27223-6486 | 1.562 | 3.544 | 0.375 |
| 94 | 27223-6537 | 0.937 | 2.048 | 0.312 |
| **94** | **27223-6557** | **1.375** | **3.150** | **0.375** |
| 94 | 27223-6639 | 1.375 | 2.835 | 0.312 |
| 94 | 27223-6738 | 1.156 | 2.835 | 0.375 |
| 94 | 27223-7021 | 0.625 | 1.000 | 0.250 |
| **94** | **27223-7033** | **0.750** | **1.250** | **0.250** |
| **94** | **27223-7198** | **0.781** | **1.850** | **0.375** |
| 94 | 27223-7209 | 2.165 | 3.937 | 0.375 |
| 94 | 27223-7217 | 2.687 | 4.000 | 0.375 |
| 94 | 27223-7465 | 0.875 | 1.570 | 0.312 |
| 94 | 27223-7636 | 1.625 | 3.750 | 0.375 |
| 94 | 27223-7779 | 0.969 | 2.441 | 0.375 |
| **94** | **27223-8003** | **1.562** | **3.150** | **0.312** |
| **94** | **27223-8004** | **1.766** | **2.953** | **0.312** |
| 94 | 27223-8005 | 1.969 | 4.331 | 0.375 |
| 94 | 27223-8006 | 2.165 | 3.544 | 0.375 |
| 94 | 27223-8762 | 1.761 | 3.937 | 0.375 |
| 94 | 27223-8958 | 2.165 | 3.250 | 0.375 |
| 94 | 27223-8959 | 2.531 | 4.725 | 0.375 |
| 94 | 27223-8960 | 5.500 | 8.268 | 0.500 |
| 94 | 27223-9047 | 6.937 | 9.000 | 0.500 |
| 94 | 27223-9086 | 1.937 | 3.250 | 0.375 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 94 | 27223-9274 | 1.125 | 2.441 | 0.281 |
| 94 | 27223-9307 | 7.937 | 10.125 | 0.500 |
| 94 | 27223-9372 | 4.969 | 6.375 | 0.500 |
| 94 | 27223-9543 | 4.500 | 7.000 | 0.531 |
| 94 | 27223-9622 | 3.062 | 4.062 | 0.375 |
| 94 | 27223-9670 | 2.125 | 3.623 | 0.375 |
| 94 | 27223-9967 | 1.000 | 1.851 | 0.250 |
| 94 | 27223-9977 | 2.156 | 4.725 | 0.375 |
| 111 | 21011-2542 | 4.000 | 5.125 | 0.625 |
| 111 | 21011-2545 | 4.000 | 5.250 | 0.625 |
| 111 | 21011-2568 | 4.000 | 6.250 | 0.563 |
| 111 | 21011-4498 | 40.000 | 42.000 | 1.000 |
| 111 | 21011-4559 | 5.375 | 6.687 | 0.562 |
| **113** | **21012-2464** | **3.750** | **4.750** | **0.625** |
| 113 | 21012-3355 | 6.000 | 7.000 | 0.500 |
| 113 | 21012-4347 | 29.000 | 30.500 | 0.750 |
| 113 | 21012-4495 | 10.500 | 12.000 | 0.625 |
| 113 | 21012-4496 | 12.500 | 14.000 | 0.625 |
| 113 | 21012-4557 | 3.000 | 4.000 | 0.500 |
| 113 | 21012-4558 | 3.250 | 4.812 | 0.500 |
| **113** | **21012-4560** | **6.500** | **7.500** | **0.500** |
| 113 | 21012-4561 | 7.125 | 8.125 | 0.500 |
| 113 | 21012-8800 | 3.432 | 4.624 | 0.484 |
| 113 | 21012-9553 | 9.062 | 10.562 | 0.750 |
| 123 | 21016-1210 | 2.000 | 3.125 | 0.375 |
| 123 | 21016-3835 | 35.000 | 37.000 | 0.875 |
| 123 | 21016-3885 | 1.750 | 3.189 | 0.500 |
| 123 | 21016-6880 | 24.250 | 25.750 | 0.750 |
| 123 | 21016-9736 | 31.500 | 33.000 | 0.750 |
| 142 | 21432-1715 | 12.375 | 13.500 | 1.250 |
| 142 | 21432-2015 | 17.687 | 19.187 | 1.000 |
| 142 | 21432-2512 | 15.250 | 16.375 | 1.250 |
| 142 | 21432-2986 | 12.000 | 13.125 | 1.312 |
| 142 | 21432-3099 | 14.000 | 15.125 | 1.375 |
| 142 | 21432-3545 | 7.500 | 8.500 | 0.750 |
| 142 | 21432-3615 | 9.000 | 10.000 | 0.750 |
| 142 | 21432-3628 | 9.250 | 10.250 | 0.750 |
| 142 | 21432-3668 | 10.000 | 11.000 | 0.750 |
| 142 | 21432-4453 | 38.000 | 40.000 | 1.250 |
| 142 | 21432-4463 | 7.937 | 8.937 | 0.750 |
| 142 | 21432-4483 | 8.250 | 9.250 | 0.750 |
| 142 | 21432-4543 | 24.250 | 25.250 | 0.750 |
| 142 | 21432-4547 | 32.500 | 34.500 | 1.500 |
| 142 | 21432-4696 | 29.250 | 30.250 | 0.750 |
| 142 | 21432-4716 | 17.500 | 18.625 | 1.250 |
| 142 | 21432-4753 | 15.375 | 16.500 | 1.250 |
| 142 | 21432-4829 | 36.000 | 38.000 | 1.500 |
| 142 | 21432-4859 | 21.750 | 23.250 | 1.000 |
| 142 | 21432-4896 | 37.875 | 39.875 | 1.250 |
| 142 | 21432-4918 | 29.500 | 31.000 | 1.000 |
| 142 | 21432-4928 | 29.950 | 30.950 | 0.750 |
| 142 | 21432-4964 | 40.125 | 42.125 | 1.500 |

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 142 | 21432-5113 | 45.500 | 47.500 | 1.500 |
| 142 | 21432-5147 | 18.000 | 19.125 | 1.250 |
| 142 | 21432-5218 | 32.500 | 34.500 | 1.250 |
| 142 | 21432-5243 | 49.000 | 50.500 | 1.000 |
| 142 | 21432-5272 | 28.250 | 29.750 | 1.000 |
| 142 | 21432-5275 | 30.750 | 32.750 | 1.250 |
| 142 | 21432-5422 | 67.750 | 69.750 | 1.250 |
| 142 | 21432-5440 | 24.000 | 25.500 | 1.000 |
| 142 | 21432-5471 | 55.750 | 56.750 | 0.750 |
| 142 | 21432-5515 | 37.000 | 39.000 | 1.250 |
| 142 | 21432-5521 | 47.625 | 49.625 | 1.500 |
| 142 | 21432-5529 | 75.750 | 77.750 | 1.250 |
| 142 | 21432-5566 | 31.750 | 33.250 | 1.000 |
| 142 | 21432-5583 | 37.000 | 38.500 | 1.000 |
| 142 | 21432-5588 | 31.000 | 33.000 | 1.250 |
| 142 | 21432-5648 | 55.750 | 57.750 | 1.250 |
| 142 | 21432-5762 | 39.000 | 41.000 | 1.250 |
| 142 | 21432-5870 | 24.000 | 25.125 | 1.250 |
| 142 | 21432-5871 | 29.250 | 30.750 | 1.000 |
| 142 | 21432-5924 | 47.500 | 49.500 | 1.375 |
| 142 | 21432-6430 | 15.750 | 16.875 | 1.250 |
| 142 | 21432-6458 | 24.250 | 25.750 | 1.000 |
| 142 | 21432-6514 | 41.000 | 43.000 | 1.500 |
| 142 | 21432-6617 | 44.000 | 46.000 | 1.500 |
| 142 | 21432-6722 | 36.000 | 38.000 | 1.250 |
| 142 | 21432-6737 | 18.500 | 19.625 | 1.250 |
| 142 | 21432-6796 | 22.000 | 23.500 | 1.000 |
| 142 | 21432-6931 | 10.250 | 11.250 | 0.750 |
| 142 | 21432-6996 | 37.125 | 39.125 | 1.250 |
| 142 | 21432-6997 | 41.500 | 43.500 | 1.250 |
| 142 | 21432-7222 | 36.535 | 38.535 | 1.375 |
| 142 | 21432-7265 | 30.000 | 32.000 | 1.250 |
| 142 | 21432-7422 | 24.213 | 25.213 | 0.750 |
| 142 | 21432-7445 | 12.000 | 13.125 | 1.375 |
| 142 | 21432-7479 | 41.500 | 43.500 | 1.500 |
| 142 | 21432-7536 | 16.000 | 17.000 | 0.750 |
| 142 | 21432-7552 | 44.000 | 46.000 | 1.375 |
| 142 | 21432-7579 | 34.804 | 35.804 | 0.750 |
| 142 | 21432-7584 | 34.812 | 35.812 | 0.750 |
| 142 | 21432-7605 | 40.500 | 42.500 | 1.500 |
| 142 | 21432-7607 | 18.750 | 20.250 | 1.000 |
| 142 | 21432-7615 | 18.000 | 19.500 | 1.000 |
| 142 | 21432-7681 | 25.125 | 26.250 | 1.250 |
| 142 | 21432-7685 | 26.299 | 27.795 | 1.000 |
| 142 | 21432-7706 | 20.000 | 21.125 | 1.250 |
| 142 | 21432-7724 | 23.812 | 24.937 | 1.250 |
| 142 | 21432-7729 | 13.000 | 14.125 | 1.250 |
| 142 | 21432-7819 | 35.500 | 37.500 | 1.500 |
| 142 | 21432-7885 | 22.750 | 23.875 | 1.375 |
| 142 | 21432-7886 | 16.750 | 17.875 | 1.312 |
| 142 | 21432-7918 | 35.795 | 37.795 | 1.500 |
| 142 | 21432-7993 | 47.750 | 49.750 | 1.500 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| 142 | 21432-8106 | 13.750 | 14.750 | 0.750 |
| 142 | 21432-8107 | 12.000 | 13.000 | 0.750 |
| 142 | 21432-8113 | 32.000 | 34.000 | 1.250 |
| 142 | 21432-8214 | 28.000 | 30.000 | 1.500 |
| 142 | 21432-8277 | 27.000 | 28.125 | 1.375 |
| 142 | 21432-8296 | 13.000 | 14.000 | 0.750 |
| 142 | 21432-8297 | 11.250 | 12.250 | 0.750 |
| 142 | 21432-8390 | 25.125 | 26.250 | 1.375 |
| 142 | 21432-8395 | 43.500 | 45.500 | 1.500 |
| 142 | 21432-8406 | 34.500 | 36.500 | 1.250 |
| 142 | 21432-8414 | 9.410 | 10.410 | 0.750 |
| 142 | 21432-8440 | 18.250 | 19.375 | 1.250 |
| 142 | 21432-8547 | 25.500 | 27.000 | 1.000 |
| 142 | 21432-8553 | 9.843 | 10.843 | 0.750 |
| 142 | 21432-8556 | 16.250 | 17.250 | 0.750 |
| 142 | 21432-8561 | 28.000 | 29.125 | 1.375 |
| 142 | 21432-8566 | 25.000 | 26.125 | 1.375 |
| 142 | 21432-8568 | 48.000 | 50.000 | 1.250 |
| 142 | 21432-8621 | 9.375 | 10.375 | 0.750 |
| 142 | 21432-8648 | 24.610 | 26.110 | 1.000 |
| 142 | 21432-8651 | 31.750 | 33.750 | 1.500 |
| 142 | 21432-8659 | 54.000 | 56.000 | 1.250 |
| 142 | 21432-8672 | 51.500 | 53.500 | 1.500 |
| 142 | 21432-8754 | 32.205 | 34.205 | 1.250 |
| 142 | 21432-9183 | 26.000 | 27.500 | 1.000 |
| 142 | 21432-9220 | 31.750 | 33.750 | 1.250 |
| 142 | 21432-9229 | 49.000 | 51.000 | 1.250 |
| 142 | 21432-9233 | 52.000 | 54.000 | 1.500 |
| 142 | 21432-9235 | 51.500 | 53.500 | 1.250 |
| 142 | 21432-9291 | 71.000 | 73.000 | 1.250 |
| 142 | 21432-9292 | 63.500 | 65.500 | 1.250 |
| 142 | 21432-9318 | 26.000 | 27.125 | 1.375 |
| 142 | 21432-9319 | 27.250 | 28.375 | 1.375 |
| 142 | 21432-9332 | 59.500 | 61.500 | 1.250 |
| 142 | 21432-9336 | 24.000 | 25.000 | 0.750 |
| 142 | 21432-9337 | 36.000 | 36.125 | 1.250 |
| 142 | 21432-9343 | 47.500 | 49.500 | 1.500 |
| 142 | 21432-9393 | 24.875 | 26.375 | 1.000 |
| 142 | 21432-9498 | 24.250 | 25.375 | 1.250 |
| 142 | 21432-9513 | 88.100 | 89.600 | 1.000 |
| 142 | 21432-9514 | 93.600 | 95.100 | 1.000 |
| 142 | 21432-9550 | 31.500 | 33.500 | 1.250 |
| 142 | 21432-9552 | 22.875 | 24.000 | 1.312 |
| 142 | 21432-9561 | 18.750 | 20.750 | 0.750 |
| 142 | 21432-9570 | 30.000 | 31.000 | 0.750 |
| 142 | 21432-9579 | 47.500 | 49.500 | 1.250 |
| 142 | 21432-9605 | 58.550 | 60.550 | 1.250 |
| 142 | 21432-9627 | 63.650 | 65.650 | 1.250 |
| 142 | 21432-9638 | 39.500 | 41.500 | 1.250 |
| 142 | 21432-9650 | 41.500 | 43.000 | 1.000 |
| 142 | 21432-9683 | 37.250 | 38.375 | 1.250 |
| 142 | 21432-9685 | 23.750 | 24.875 | 1.250 |
| 142 | 21432-9698 | 21.500 | 22.625 | 1.250 |
| 142 | 21432-9699 | 25.000 | 26.500 | 1.000 |
| 142 | 21432-9707 | 12.000 | 13.125 | 1.250 |
| 142 | 21432-9730 | 28.000 | 29.500 | 1.000 |
| 142 | 21432-9745 | 41.000 | 43.000 | 1.250 |
| 142 | 21432-9794 | 47.000 | 49.000 | 1.500 |
| 142 | 21432-9813 | 33.875 | 35.000 | 1.250 |
| 142 | 21432-9814 | 29.875 | 31.000 | 1.250 |
| 142 | 21432-9816 | 16.142 | 17.142 | 0.750 |
| 142 | 21432-9832 | 28.000 | 29.125 | 1.250 |
| 142 | 21432-9850 | 48.865 | 50.865 | 1.500 |
| 142 | 21432-9865 | 44.000 | 46.000 | 1.250 |
| 142 | 21432-9872 | 22.000 | 23.125 | 1.250 |
| 142 | 21432-9873 | 21.500 | 23.000 | 1.000 |
| 142 | 21432-9886 | 46.500 | 48.500 | 1.250 |
| 142 | 21432-9909 | 23.500 | 24.625 | 1.375 |
| 142 | 21432-9922 | 10.500 | 11.500 | 0.750 |
| 142 | 21432-9923 | 55.000 | 57.000 | 1.250 |
| 142 | 21432-9946 | 42.000 | 43.500 | 1.000 |
| 142 | 24132-9332 | 59.500 | 61.500 | 1.250 |
| EQ | 24082-5461 | 3.500 | 4.875 | 0.625 |
| EQ | 24801-0625 | 0.875 | 1.875 | 0.500 |
| EQ | 24801-0627 | 1.000 | 2.000 | 0.500 |
| EQ | 24801-0639 | 1.750 | 2.750 | 0.500 |
| EQ | 24801-0648 | 1.500 | 2.375 | 0.500 |
| EQ | 24801-0682 | 6.500 | 7.500 | 0.500 |
| EQ | 24801-0706 | 1.875 | 3.000 | 0.625 |
| EQ | 24801-0716 | 2.375 | 3.126 | 0.500 |
| EQ | 24801-0717 | 1.625 | 2.500 | 0.500 |
| EQ | 24801-0720 | 1.750 | 3.000 | 0.500 |
| EQ | 24801-0738 | 2.375 | 3.250 | 0.500 |
| EQ | 24801-0741 | 1.437 | 2.250 | 0.500 |
| EQ | 24801-0748 | 1.875 | 2.625 | 0.500 |
| EQ | 24801-0754 | 1.375 | 2.500 | 0.625 |
| EQ | 24801-0756 | 0.875 | 1.750 | 0.500 |
| EQ | 24801-0765 | 1.125 | 2.001 | 0.500 |
| EQ | 24801-0770 | 1.625 | 2.750 | 0.625 |
| EQ | 24801-0773 | 0.984 | 2.047 | 0.500 |
| EQ | 24801-0787 | 1.250 | 2.375 | 0.625 |
| EQ | 24801-0790 | 1.687 | 2.500 | 0.500 |
| EQ | 24801-0792 | 1.875 | 2.875 | 0.625 |
| EQ | 24801-0798 | 1.250 | 2.000 | 0.500 |
| EQ | 24801-0804 | 1.500 | 2.250 | 0.500 |
| EQ | 24801-0811 | 4.250 | 5.500 | 0.625 |
| EQ | 24801-0815 | 1.125 | 2.250 | 0.625 |
| EQ | 24801-0832 | 1.125 | 2.125 | 0.625 |
| EQ | 24801-0836 | 1.750 | 3.968 | 0.500 |
| EQ | 24801-0848 | 1.875 | 2.622 | 0.500 |
| EQ | 24801-0850 | 0.875 | 2.000 | 0.500 |
| EQ | 24801-0856 | 1.500 | 2.625 | 0.500 |
| EQ | 24801-0857 | 1.000 | 2.125 | 0.500 |
| EQ | 24801-0879 | 1.750 | 2.875 | 0.500 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| EQ | 24801-0901 | 2.750 | 3.875 | 0.500 |
| EQ | 24801-0909 | 1.750 | 2.625 | 0.500 |
| EQ | 24801-0913 | 1.378 | 3.465 | 0.500 |
| EQ | 24801-0930 | 4.000 | 5.248 | 0.500 |
| EQ | 24801-0932 | 4.125 | 5.500 | 0.500 |
| EQ | 24801-0951 | 5.125 | 6.250 | 0.500 |
| EQ | 24801-0988 | 1.125 | 2.000 | 0.625 |
| EQ | 24801-0989 | 1.875 | 2.625 | 0.625 |
| EQ | 24801-0998 | 1.750 | 2.875 | 0.625 |
| EQ | 24801-1008 | 1.375 | 2.250 | 0.500 |
| EQ | 24801-1009 | 1.000 | 1.875 | 0.500 |
| EQ | 24801-1017 | 1.375 | 2.836 | 0.500 |
| EQ | 24801-1019 | 1.334 | 2.363 | 0.500 |
| EQ | 24801-1026 | 1.750 | 2.500 | 0.625 |
| EQ | 24801-1028 | 3.250 | 4.000 | 0.625 |
| EQ | 24801-1041 | 2.750 | 3.543 | 0.500 |
| EQ | 24801-1048 | 1.250 | 2.125 | 0.500 |
| EQ | 24801-1051 | 5.000 | 5.750 | 0.500 |
| EQ | 24801-1056 | 4.000 | 5.250 | 0.438 |
| EQ | 24801-1059 | 1.875 | 2.875 | 0.500 |
| EQ | 24801-1062 | 1.750 | 2.625 | 0.625 |
| EQ | 24801-1072 | 1.875 | 2.812 | 0.500 |
| EQ | 24801-1075 | 1.875 | 2.750 | 0.625 |
| EQ | 24801-1078 | 2.953 | 3.937 | 0.500 |
| EQ | 24801-1081 | 2.875 | 3.750 | 0.625 |
| EQ | 24801-1082 | 4.331 | 5.511 | 0.625 |
| EQ | 24801-1083 | 1.000 | 2.000 | 0.625 |
| EQ | 24801-1084 | 1.181 | 2.875 | 0.500 |
| EQ | 24801-1090 | 0.875 | 1.750 | 0.625 |
| EQ | 24801-1092 | 1.375 | 2.125 | 0.625 |
| EQ | 24801-1099 | 1.500 | 2.378 | 0.500 |
| EQ | 24801-1116 | 1.438 | 2.250 | 0.625 |
| EQ | 24801-1121 | 1.375 | 2.250 | 0.625 |
| EQ | 24801-1122 | 1.181 | 2.362 | 0.500 |
| EQ | 24801-1127 | 1.968 | 2.952 | 0.500 |
| EQ | 24801-1129 | 2.562 | 3.437 | 0.500 |
| EQ | 24801-1136 | 2.313 | 3.355 | 0.625 |
| EQ | 24801-1138 | 1.375 | 2.835 | 0.625 |
| EQ | 24801-1144 | 3.938 | 4.938 | 0.625 |
| EQ | 24801-1147 | 2.750 | 3.755 | 0.500 |
| EQ | 24801-1156 | 2.500 | 3.550 | 0.625 |
| EQ | 24801-1166 | 1.500 | 2.625 | 0.625 |
| EQ | 24801-1177 | 5.625 | 6.624 | 0.625 |
| EQ | 24801-1205 | 2.875 | 4.003 | 0.625 |
| EQ | 24801-1206 | 2.000 | 3.000 | 0.625 |
| EQ | 24801-1211 | 2.375 | 3.500 | 0.625 |
| EQ | 24801-1212 | 2.500 | 3.375 | 0.625 |
| EQ | 24801-1214 | 1.500 | 2.375 | 0.625 |
| EQ | 24801-1215 | 1.250 | 2.000 | 0.625 |
| EQ | 24801-1220 | 3.000 | 4.000 | 0.625 |
| EQ | 24801-1245 | 2.250 | 3.375 | 0.625 |
| EQ | 24801-1251 | 2.562 | 3.562 | 0.625 |
| EQ | 24801-1252 | 2.500 | 3.623 | 0.625 |
| EQ | 24801-1265 | 3.000 | 3.750 | 0.625 |
| EQ | 24801-1268 | 2.875 | 3.875 | 0.625 |
| EQ | 24801-1270 | 1.625 | 2.437 | 0.625 |
| EQ | 24801-1322 | 2.125 | 2.875 | 0.625 |
| EQ | 24801-1323 | 2.125 | 3.000 | 0.625 |
| EQ | 24801-1335 | 2.125 | 3.125 | 0.500 |
| EQ | 24801-1341 | 1.688 | 2.750 | 0.625 |
| EQ | 24801-1346 | 3.937 | 5.118 | 0.625 |
| EQ | 24801-1349 | 5.905 | 7.087 | 0.625 |
| EQ | 24801-1350 | 2.000 | 3.000 | 0.625 |
| EQ | 24801-1351 | 2.313 | 3.313 | 0.625 |
| EQ | 24801-1357 | 1.000 | 2.125 | 0.625 |
| EQ | 24801-1374 | 1.772 | 2.638 | 0.500 |
| EQ | 24801-1403 | 0.875 | 1.937 | 0.625 |
| EQ | 24801-1404 | 2.188 | 3.000 | 0.500 |
| EQ | 24801-1406 | 2.000 | 2.875 | 0.625 |
| EQ | 24801-1411 | 1.334 | 2.363 | 0.625 |
| EQ | 24801-1420 | 1.250 | 2.250 | 0.625 |
| EQ | 24801-1473 | 2.250 | 2.995 | 0.625 |
| EQ | 24801-1476 | 2.250 | 3.000 | 0.500 |
| EQ | 24801-1479 | 2.250 | 3.000 | 0.625 |
| EQ | 24801-1482 | 2.250 | 3.125 | 0.500 |
| EQ | 24801-1483 | 2.250 | 3.125 | 0.625 |
| EQ | 24801-1493 | 2.250 | 3.250 | 0.625 |
| EQ | 24801-1494 | 2.250 | 3.250 | 0.500 |
| EQ | 24801-1552 | 2.312 | 3.250 | 0.500 |
| EQ | 24801-1557 | 2.327 | 3.250 | 0.500 |
| EQ | 24801-1581 | 2.375 | 3.250 | 0.625 |
| EQ | 24801-1641 | 2.438 | 3.438 | 0.625 |
| EQ | 24801-1644 | 2.375 | 3.125 | 0.500 |
| EQ | 24801-1654 | 2.375 | 3.375 | 0.625 |
| EQ | 24801-1744 | 1.750 | 2.750 | 0.625 |
| EQ | 24801-1747 | 2.598 | 3.386 | 0.500 |
| EQ | 24801-1748 | 1.625 | 2.437 | 0.500 |
| EQ | 24801-1751 | 3.625 | 4.499 | 0.468 |
| EQ | 24801-1754 | 1.000 | 1.875 | 0.625 |
| EQ | 24801-1759 | 3.187 | 4.499 | 0.468 |
| EQ | 24801-1763 | 1.500 | 2.250 | 0.625 |
| EQ | 24801-1765 | 0.875 | 2.000 | 0.625 |
| EQ | 24801-1784 | 1.771 | 2.521 | 0.500 |
| EQ | 24801-1788 | 2.500 | 3.375 | 0.500 |
| EQ | 24801-1809 | 2.500 | 3.250 | 0.500 |
| EQ | 24801-1818 | 2.500 | 3.500 | 0.625 |
| EQ | 24801-1823 | 2.500 | 3.540 | 0.500 |
| EQ | 24801-1841 | 2.625 | 3.625 | 0.625 |
| EQ | 24801-1854 | 2.125 | 3.250 | 0.625 |
| EQ | 24801-1862 | 1.937 | 2.750 | 0.625 |
| EQ | 24801-1864 | 5.375 | 6.375 | 0.750 |
| EQ | 24801-1870 | 2.362 | 3.543 | 0.500 |
| EQ | 24801-1876 | 2.362 | 3.228 | 0.625 |
| EQ | 24801-1884 | 2.165 | 3.165 | 0.625 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| EQ | 24801-1887 | 2.562 | 3.502 | 0.625 |
| EQ | 24801-1893 | 2.625 | 3.500 | 0.625 |
| EQ | 24801-1901 | 2.250 | 3.189 | 0.625 |
| EQ | 24801-1908 | 2.938 | 3.688 | 0.625 |
| EQ | 24801-1911 | 3.347 | 4.500 | 0.625 |
| EQ | 24801-1915 | 1.625 | 2.375 | 0.625 |
| EQ | 24801-1920 | 1.125 | 2.062 | 0.625 |
| EQ | 24801-1932 | 1.250 | 2.125 | 0.625 |
| EQ | 24801-1941 | 2.625 | 3.500 | 0.500 |
| EQ | 24801-1950 | 2.625 | 3.750 | 0.500 |
| EQ | 24801-1951 | 2.500 | 3.625 | 0.625 |
| EQ | 24801-1962 | 2.625 | 3.375 | 0.625 |
| EQ | 24801-1974 | 1.570 | 3.188 | 0.625 |
| EQ | 24801-1978 | 0.984 | 1.968 | 0.709 |
| EQ | 24801-1984 | 2.677 | 3.543 | 0.500 |
| EQ | 24801-1985 | 2.283 | 3.150 | 0.500 |
| EQ | 24801-1988 | 3.307 | 4.331 | 0.625 |
| EQ | 24801-2001 | 2.000 | 3.125 | 0.625 |
| EQ | 24801-2014 | 2.625 | 3.628 | 0.625 |
| EQ | 24801-2037 | 2.750 | 3.500 | 0.500 |
| EQ | 24801-2038 | 1.932 | 2.750 | 0.625 |
| EQ | 24801-2042 | 4.313 | 5.313 | 0.625 |
| EQ | 24801-2062 | 2.750 | 3.875 | 0.625 |
| EQ | 24801-2067 | 2.756 | 3.543 | 0.500 |
| EQ | 24801-2078 | 2.756 | 3.622 | 0.500 |
| EQ | 24801-2086 | 2.875 | 3.625 | 0.625 |
| EQ | 24801-2087 | 2.756 | 3.937 | 0.500 |
| EQ | 24801-2127 | 1.654 | 2.598 | 0.625 |
| EQ | 24801-2141 | 4.563 | 5.751 | 0.625 |
| EQ | 24801-2145 | 2.937 | 3.688 | 0.500 |
| EQ | 24801-2159 | 2.938 | 3.938 | 0.500 |
| EQ | 24801-2166 | 2.953 | 3.937 | 0.625 |
| EQ | 24801-2167 | 2.937 | 4.000 | 0.500 |
| EQ | 24801-2172 | 3.000 | 3.875 | 0.625 |
| EQ | 24801-2173 | 3.000 | 3.875 | 0.500 |
| EQ | 24801-2175 | 3.000 | 4.000 | 0.750 |
| EQ | 24801-2177 | 3.000 | 4.125 | 0.500 |
| EQ | 24801-2222 | 3.125 | 4.000 | 0.625 |
| EQ | 24801-2230 | 3.937 | 4.921 | 0.625 |
| EQ | 24801-2239 | 3.150 | 4.528 | 0.500 |
| EQ | 24801-2240 | 3.150 | 3.937 | 0.625 |
| EQ | 24801-2250 | 2.756 | 3.937 | 0.625 |
| EQ | 24801-2260 | 1.378 | 2.165 | 0.625 |
| EQ | 24801-2264 | 2.750 | 3.625 | 0.625 |
| EQ | 24801-2272 | 3.150 | 4.134 | 0.625 |
| EQ | 24801-2280 | 3.250 | 4.250 | 0.625 |
| EQ | 24801-2291 | 4.500 | 6.250 | 0.625 |
| EQ | 24801-2311 | 3.346 | 4.528 | 0.630 |
| EQ | 24801-2321 | 3.375 | 4.375 | 0.500 |
| EQ | 24801-2322 | 3.375 | 4.375 | 0.625 |
| EQ | 24801-2326 | 3.375 | 4.500 | 0.625 |
| EQ | 24801-2335 | 3.438 | 4.625 | 0.625 |
| EQ | 24801-2348 | 3.438 | 4.625 | 0.500 |
| EQ | 24801-2366 | 3.500 | 4.500 | 0.500 |
| EQ | 24801-2368 | 3.500 | 4.500 | 0.625 |
| EQ | 24801-2374 | 3.500 | 4.750 | 0.625 |
| EQ | 24801-2378 | 3.500 | 4.375 | 0.625 |
| EQ | 24801-2419 | 3.625 | 4.625 | 0.625 |
| EQ | 24801-2438 | 4.125 | 5.131 | 0.625 |
| EQ | 24801-2462 | 3.750 | 4.750 | 0.500 |
| EQ | 24801-2474 | 2.188 | 3.250 | 0.625 |
| EQ | 24801-2488 | 2.362 | 3.543 | 0.625 |
| EQ | 24801-2489 | 2.186 | 3.186 | 0.625 |
| EQ | 24801-2506 | 3.875 | 5.000 | 0.625 |
| EQ | 24801-2510 | 4.750 | 5.756 | 0.625 |
| EQ | 24801-2533 | 3.938 | 4.875 | 0.500 |
| EQ | 24801-2549 | 4.000 | 5.500 | 0.500 |
| EQ | 24801-2577 | 3.438 | 4.438 | 0.625 |
| EQ | 24801-2593 | 4.000 | 5.000 | 0.625 |
| EQ | 24801-2604 | 4.125 | 5.125 | 0.625 |
| EQ | 24801-2611 | 1.654 | 2.559 | 0.625 |
| EQ | 24801-2625 | 4.134 | 5.118 | 0.625 |
| EQ | 24801-2631 | 1.575 | 3.150 | 0.625 |
| EQ | 24801-2659 | 4.250 | 5.250 | 0.625 |
| EQ | 24801-2672 | 4.250 | 5.875 | 0.625 |
| EQ | 24801-2676 | 2.813 | 3.751 | 0.625 |
| EQ | 24801-2694 | 1.375 | 2.437 | 0.625 |
| EQ | 24801-2698 | 1.235 | 2.000 | 0.625 |
| EQ | 24801-2720 | 1.437 | 2.437 | 0.625 |
| EQ | 24801-2723 | 1.688 | 2.688 | 0.625 |
| EQ | 24801-2753 | 4.500 | 5.500 | 0.500 |
| EQ | 24801-2755 | 4.500 | 5.500 | 0.625 |
| EQ | 24801-2759 | 4.500 | 5.750 | 0.500 |
| EQ | 24801-2761 | 4.500 | 5.750 | 0.625 |
| EQ | 24801-2766 | 5.188 | 6.188 | 0.625 |
| EQ | 24801-2780 | 4.528 | 5.512 | 0.625 |
| EQ | 24801-2808 | 4.625 | 5.625 | 0.625 |
| EQ | 24801-2851 | 4.750 | 6.250 | 0.625 |
| EQ | 24801-2874 | 4.250 | 5.375 | 0.625 |
| EQ | 24801-2875 | 4.875 | 6.000 | 0.625 |
| EQ | 24801-2885 | 4.437 | 5.500 | 0.625 |
| EQ | 24801-2894 | 4.937 | 6.000 | 0.500 |
| EQ | 24801-2902 | 3.543 | 4.724 | 0.625 |
| EQ | 24801-2918 | 1.654 | 2.441 | 0.625 |
| EQ | 24801-2919 | 2.756 | 3.543 | 0.625 |
| EQ | 24801-2923 | 5.000 | 6.250 | 0.625 |
| EQ | 24801-2930 | 4.921 | 6.890 | 0.625 |
| EQ | 24801-2931 | 4.750 | 5.750 | 0.625 |
| EQ | 24801-2948 | 4.560 | 6.125 | 0.625 |
| EQ | 24801-2962 | 3.937 | 5.000 | 0.625 |
| EQ | 24801-2969 | 1.969 | 3.189 | 0.625 |
| EQ | 24801-2987 | 1.625 | 2.500 | 0.625 |
| EQ | 24801-3021 | 3.740 | 4.724 | 0.625 |
| EQ | 24801-3061 | 2.500 | 3.725 | 0.625 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| EQ | 24801-3063 | 5.250 | 6.256 | 0.625 |
| EQ | 24801-3071 | 1.719 | 2.625 | 0.625 |
| EQ | 24801-3143 | 1.838 | 2.750 | 0.625 |
| EQ | 24801-3161 | 3.346 | 4.331 | 0.625 |
| EQ | 24801-3164 | 4.810 | 6.000 | 0.625 |
| EQ | 24801-3165 | 4.788 | 6.000 | 0.625 |
| EQ | 24801-3184 | 5.500 | 6.750 | 0.625 |
| EQ | 24801-3223 | 2.160 | 3.250 | 0.625 |
| EQ | 24801-3225 | 1.969 | 2.756 | 0.625 |
| EQ | 24801-3239 | 2.312 | 3.062 | 0.625 |
| EQ | 24801-3241 | 1.573 | 3.250 | 0.625 |
| EQ | 24801-3247 | 2.187 | 3.062 | 0.625 |
| EQ | 24801-3263 | 0.945 | 1.732 | 0.625 |
| EQ | 24801-3267 | 2.312 | 3.750 | 0.625 |
| EQ | 24801-3270 | 1.750 | 3.750 | 0.625 |
| EQ | 24801-3357 | 6.000 | 7.000 | 0.625 |
| EQ | 24801-3366 | 2.250 | 3.625 | 0.625 |
| EQ | 24801-3398 | 1.000 | 1.750 | 0.625 |
| EQ | 24801-3430 | 6.500 | 7.750 | 0.625 |
| EQ | 24801-3455 | 2.438 | 3.431 | 0.625 |
| EQ | 24801-3464 | 6.750 | 8.250 | 0.625 |
| EQ | 24801-3474 | 3.937 | 5.250 | 0.625 |
| EQ | 24801-3491 | 2.438 | 3.500 | 0.625 |
| EQ | 24801-3506 | 1.875 | 2.758 | 0.625 |
| EQ | 24801-3518 | 7.250 | 8.250 | 0.625 |
| EQ | 24801-3584 | 3.346 | 4.528 | 0.551 |
| EQ | 24801-3588 | 7.875 | 9.375 | 0.625 |
| EQ | 24801-3593 | 3.150 | 4.331 | 0.625 |
| EQ | 24801-3596 | 8.000 | 9.250 | 0.625 |
| EQ | 24801-3628 | 1.575 | 2.500 | 0.625 |
| EQ | 24801-3632 | 0.937 | 1.837 | 0.625 |
| EQ | 24801-3642 | 3.000 | 3.937 | 0.625 |
| EQ | 24801-3679 | 10.500 | 11.750 | 0.875 |
| EQ | 24801-3785 | 5.000 | 6.375 | 0.625 |
| EQ | 24801-3790 | 4.935 | 6.000 | 0.625 |
| EQ | 24801-3796 | 1.063 | 1.938 | 0.625 |
| EQ | 24801-3830 | 3.937 | 4.875 | 0.625 |
| EQ | 24801-3913 | 6.299 | 7.480 | 0.625 |
| EQ | 24801-3915 | 1.575 | 3.425 | 0.625 |
| EQ | 24801-3964 | 0.750 | 1.575 | 0.625 |
| EQ | 24801-3971 | 1.500 | 3.045 | 0.625 |
| EQ | 24801-4195 | 2.520 | 4.250 | 0.625 |
| EQ | 24801-4444 | 2.158 | 3.150 | 0.625 |
| EQ | 24801-4461 | 3.250 | 4.999 | 0.625 |
| EQ | 24801-4563 | 0.984 | 1.850 | 0.625 |
| EQ | 24801-4568 | 0.512 | 1.606 | 0.625 |
| EQ | 24801-4631 | 2.500 | 4.250 | 0.625 |
| EQ | 24801-4639 | 1.375 | 2.828 | 0.625 |
| EQ | 24801-4651 | 4.000 | 5.000 | 0.500 |
| EQ | 24801-4682 | 4.705 | 5.750 | 0.625 |
| EQ | 24801-4741 | 2.850 | 3.650 | 0.625 |
| EQ | 24801-4947 | 1.969 | 2.835 | 0.625 |
| EQ | 24801-5047 | 3.188 | 4.249 | 0.625 |
| EQ | 24801-5048 | 4.375 | 5.500 | 0.625 |
| EQ | 24801-5088 | 5.315 | 6.496 | 0.625 |
| EQ | 24801-5089 | 4.921 | 6.102 | 0.625 |
| EQ | 24801-5140 | 5.512 | 6.496 | 0.625 |
| EQ | 24801-5164 | 4.591 | 5.508 | 0.625 |
| EQ | 24801-5223 | 0.748 | 1.496 | 0.625 |
| EQ | 24801-5269 | 3.150 | 5.118 | 0.625 |
| EQ | 24801-5309 | 4.133 | 5.511 | 0.625 |
| EQ | 24801-5325 | 0.787 | 1.654 | 0.625 |
| EQ | 24801-5416 | 0.669 | 1.575 | 0.625 |
| EQ | 24801-5431 | 2.362 | 3.150 | 0.625 |
| EQ | 24801-5446 | 1.181 | 2.030 | 0.625 |
| EQ | 24801-5488 | 2.441 | 3.346 | 0.625 |
| EQ | 24801-5521 | 3.346 | 4.724 | 0.625 |
| EQ | 24801-5593 | 0.984 | 1.969 | 0.625 |
| EQ | 24801-5732 | 2.250 | 3.312 | 0.625 |
| EQ | 24801-5785 | 2.500 | 3.438 | 0.625 |
| EQ | 24801-5792 | 5.250 | 6.250 | 0.625 |
| EQ | 24801-7682 | 3.125 | 4.250 | 0.625 |
| EQ | 24801-9724 | 3.000 | 4.250 | 0.625 |
| EQ | 24802-0706 | 1.875 | 3.000 | 0.625 |
| EQ | 24802-0709 | 2.125 | 2.875 | 0.500 |
| EQ | 24802-0748 | 1.875 | 2.625 | 0.500 |
| EQ | 24802-0754 | 1.375 | 2.500 | 0.625 |
| EQ | 24802-0765 | 1.125 | 2.001 | 0.500 |
| EQ | 24802-0770 | 1.625 | 2.750 | 0.625 |
| EQ | 24802-0787 | 1.250 | 2.375 | 0.625 |
| EQ | 24802-0792 | 1.875 | 2.875 | 0.625 |
| EQ | 24802-0811 | 4.250 | 5.500 | 0.625 |
| EQ | 24802-0815 | 1.125 | 2.250 | 0.625 |
| EQ | 24802-0819 | 1.875 | 3.125 | 0.500 |
| EQ | 24802-0832 | 1.125 | 2.125 | 0.625 |
| EQ | 24802-0879 | 1.750 | 2.875 | 0.500 |
| **EQ** | **24802-0988** | **1.125** | **2.001** | **0.625** |
| **EQ** | **24802-0989** | **1.875** | **2.625** | **0.625** |
| EQ | 24802-0990 | 1.750 | 2.625 | 0.562 |
| **EQ** | **24802-0991** | **2.500** | **3.251** | **0.625** |
| EQ | 24802-0997 | 2.937 | 4.003 | 0.625 |
| **EQ** | **24802-0998** | **1.750** | **2.875** | **0.625** |
| EQ | 24802-1010 | 2.125 | 3.189 | 0.625 |
| **EQ** | **24802-1012** | **0.875** | **1.625** | **0.625** |
| EQ | 24802-1024 | 6.000 | 7.500 | 0.625 |
| EQ | 24802-1026 | 1.750 | 2.500 | 0.625 |
| EQ | 24802-1028 | 3.250 | 4.000 | 0.625 |
| EQ | 24802-1062 | 1.750 | 2.625 | 0.625 |
| **EQ** | **24802-1075** | **1.875** | **2.750** | **0.625** |
| EQ | 24802-1080 | 3.625 | 4.375 | 0.625 |
| EQ | 24802-1081 | 2.875 | 3.750 | 0.625 |
| EQ | 24802-1082 | 4.331 | 5.512 | 0.625 |
| EQ | 24802-1083 | 1.000 | 2.000 | 0.625 |
| EQ | 24802-1086 | 2.625 | 3.677 | 0.625 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| **EQ** | **24802-1087** | **2.625** | **3.688** | **0.625** |
| EQ | 24802-1089 | 1.625 | 2.625 | 0.625 |
| EQ | 24802-1090 | 0.875 | 1.750 | 0.625 |
| EQ | 24802-1091 | 1.125 | 3.150 | 0.625 |
| EQ | 24802-1092 | 1.375 | 2.125 | 0.625 |
| EQ | 24802-1095 | 3.750 | 5.250 | 0.625 |
| EQ | 24802-1098 | 2.562 | 3.437 | 0.625 |
| EQ | 24802-1100 | 1.427 | 2.500 | 0.625 |
| EQ | 24802-1101 | 1.375 | 2.375 | 0.625 |
| EQ | 24802-1105 | 1.375 | 3.125 | 0.625 |
| EQ | 24802-1110 | 1.062 | 1.812 | 0.625 |
| EQ | 24802-1115 | 0.937 | 1.687 | 0.625 |
| EQ | 24802-1116 | 1.437 | 2.250 | 0.625 |
| EQ | 24802-1118 | 1.500 | 2.125 | 0.625 |
| EQ | 24802-1119 | 2.188 | 3.000 | 0.625 |
| EQ | 24802-1121 | 1.375 | 2.250 | 0.625 |
| EQ | 24802-1123 | 1.938 | 3.000 | 0.625 |
| **EQ** | **24802-1138** | **1.375** | **2.835** | **0.625** |
| EQ | 24802-1139 | 1.465 | 2.343 | 0.625 |
| EQ | 24802-1141 | 1.938 | 2.812 | 0.625 |
| EQ | 24802-1142 | 2.938 | 3.812 | 0.625 |
| EQ | 24802-1144 | 3.938 | 4.937 | 0.625 |
| EQ | 24802-1152 | 1.125 | 1.876 | 0.625 |
| EQ | 24802-1162 | 2.625 | 3.750 | 0.625 |
| EQ | 24802-1166 | 1.500 | 2.625 | 0.625 |
| EQ | 24802-1174 | 3.562 | 4.751 | 0.625 |
| EQ | 24802-1176 | 2.062 | 2.996 | 0.625 |
| EQ | 24802-1180 | 2.250 | 3.187 | 0.625 |
| EQ | 24802-1183 | 9.750 | 11.250 | 1.000 |
| EQ | 24802-1185 | 6.500 | 8.000 | 1.000 |
| EQ | 24802-1186 | 1.562 | 2.625 | 0.625 |
| EQ | 24802-1194 | 1.500 | 2.499 | 0.625 |
| EQ | 24802-1197 | 1.968 | 2.953 | 0.625 |
| EQ | 24802-1199 | 1.181 | 2.358 | 0.625 |
| EQ | 24802-1203 | 2.625 | 3.489 | 0.625 |
| EQ | 24802-1205 | 2.875 | 4.003 | 0.625 |
| EQ | 24802-1207 | 3.125 | 4.130 | 0.625 |
| EQ | 24802-1209 | 3.313 | 4.130 | 0.625 |
| EQ | 24802-1211 | 2.375 | 3.500 | 0.625 |
| EQ | 24802-1212 | 2.500 | 3.375 | 0.625 |
| EQ | 24802-1214 | 1.500 | 2.375 | 0.625 |
| EQ | 24802-1215 | 1.250 | 2.000 | 0.625 |
| EQ | 24802-1216 | 3.000 | 3.881 | 0.625 |
| EQ | 24802-1220 | 3.000 | 4.000 | 0.625 |
| EQ | 24802-1225 | 2.062 | 3.000 | 0.625 |
| EQ | 24802-1237 | 3.250 | 4.003 | 0.625 |
| EQ | 24802-1238 | 2.750 | 3.500 | 0.625 |
| EQ | 24802-1239 | 7.250 | 8.750 | 0.625 |
| EQ | 24802-1242 | 2.750 | 3.543 | 0.625 |
| EQ | 24802-1245 | 2.250 | 3.375 | 0.625 |
| EQ | 24802-1248 | 2.125 | 3.520 | 0.625 |
| EQ | 24802-1249 | 2.000 | 2.750 | 0.625 |
| EQ | 24802-1250 | 2.750 | 3.750 | 0.625 |
| EQ | 24802-1251 | 2.562 | 3.562 | 0.625 |
| EQ | 24802-1265 | 3.000 | 3.750 | 0.625 |
| EQ | 24802-1267 | 1.570 | 2.338 | 0.625 |
| EQ | 24802-1268 | 2.875 | 3.875 | 0.625 |
| EQ | 24802-1270 | 1.625 | 2.438 | 0.625 |
| **EQ** | **24802-1322** | **2.125** | **2.875** | **0.625** |
| EQ | 24802-1323 | 2.125 | 3.000 | 0.625 |
| EQ | 24802-1328 | 0.624 | 1.374 | 0.625 |
| EQ | 24802-1340 | 2.165 | 3.000 | 0.625 |
| EQ | 24802-1341 | 1.688 | 2.750 | 0.625 |
| EQ | 24802-1346 | 3.937 | 5.118 | 0.625 |
| EQ | 24802-1347 | 3.937 | 4.724 | 0.625 |
| EQ | 24802-1348 | 2.362 | 3.150 | 0.625 |
| EQ | 24802-1349 | 5.906 | 7.087 | 0.625 |
| EQ | 24802-1350 | 2.000 | 3.000 | 0.625 |
| EQ | 24802-1351 | 2.313 | 3.313 | 0.625 |
| EQ | 24802-1353 | 2.187 | 3.189 | 0.625 |
| EQ | 24802-1357 | 1.000 | 2.125 | 0.625 |
| EQ | 24802-1398 | 1.873 | 2.812 | 0.625 |
| EQ | 24802-1403 | 0.875 | 1.937 | 0.625 |
| EQ | 24802-1405 | 0.750 | 1.499 | 0.625 |
| EQ | 24802-1406 | 2.000 | 2.875 | 0.625 |
| EQ | 24802-1411 | 1.334 | 2.363 | 0.625 |
| EQ | 24802-1420 | 1.250 | 2.250 | 0.625 |
| EQ | 24802-1479 | 2.250 | 3.000 | 0.625 |
| EQ | 24802-1483 | 2.250 | 3.125 | 0.625 |
| EQ | 24802-1493 | 2.250 | 3.250 | 0.625 |
| EQ | 24802-1494 | 2.250 | 3.250 | 0.500 |
| EQ | 24802-1498 | 2.250 | 3.350 | 0.625 |
| EQ | 24802-1499 | 1.181 | 2.211 | 0.625 |
| EQ | 24802-1552 | 2.313 | 3.250 | 0.625 |
| **EQ** | **24802-1581** | **2.375** | **3.250** | **0.625** |
| EQ | 24802-1641 | 2.437 | 3.437 | 0.625 |
| EQ | 24802-1645 | 2.375 | 3.125 | 0.625 |
| EQ | 24802-1654 | 2.375 | 3.375 | 0.625 |
| EQ | 24802-1739 | 3.149 | 3.942 | 0.625 |
| EQ | 24802-1740 | 2.628 | 3.750 | 0.625 |
| EQ | 24802-1743 | 1.938 | 2.875 | 0.625 |
| EQ | 24802-1744 | 1.750 | 2.750 | 0.625 |
| EQ | 24802-1752 | 1.378 | 2.362 | 0.625 |
| EQ | 24802-1754 | 1.000 | 1.875 | 0.625 |
| EQ | 24802-1755 | 2.250 | 3.500 | 0.625 |
| EQ | 24802-1760 | 1.968 | 2.875 | 0.625 |
| EQ | 24802-1761 | 2.125 | 3.125 | 0.625 |
| EQ | 24802-1763 | 1.500 | 2.250 | 0.625 |
| EQ | 24802-1764 | 6.250 | 7.125 | 0.625 |
| EQ | 24802-1765 | 0.875 | 2.000 | 0.625 |
| EQ | 24802-1766 | 2.313 | 3.250 | 0.625 |
| EQ | 24802-1768 | 4.188 | 5.004 | 0.625 |
| EQ | 24802-1776 | 2.375 | 3.350 | 0.625 |
| EQ | 24802-1779 | 1.560 | 2.590 | 0.625 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| EQ | 24802-1803 | 1.574 | 2.575 | 0.625 |
| EQ | 24802-1804 | 1.771 | 2.996 | 0.625 |
| EQ | 24802-1805 | 2.165 | 3.189 | 0.625 |
| EQ | 24802-1806 | 2.362 | 3.362 | 0.625 |
| EQ | 24802-1807 | 2.559 | 3.500 | 0.625 |
| EQ | 24802-1810 | 2.755 | 3.750 | 0.625 |
| EQ | 24802-1811 | 2.952 | 4.000 | 0.625 |
| EQ | 24802-1813 | 3.149 | 4.500 | 0.625 |
| EQ | 24802-1814 | 3.346 | 4.375 | 0.625 |
| EQ | 24802-1815 | 3.543 | 4.500 | 0.625 |
| EQ | 24802-1816 | 3.740 | 4.750 | 0.625 |
| EQ | 24802-1817 | 4.330 | 5.250 | 0.625 |
| EQ | 24802-1818 | 2.500 | 3.500 | 0.625 |
| EQ | 24802-1834 | 2.500 | 4.375 | 0.625 |
| EQ | 24802-1840 | 4.443 | 5.500 | 0.625 |
| EQ | 24802-1841 | 2.625 | 3.625 | 0.625 |
| EQ | 24802-1849 | 2.125 | 3.050 | 0.625 |
| EQ | 24802-1850 | 1.187 | 2.441 | 0.625 |
| EQ | 24802-1854 | 2.125 | 3.250 | 0.625 |
| EQ | 24802-1858 | 2.559 | 3.465 | 0.625 |
| EQ | 24802-1862 | 1.937 | 2.750 | 0.625 |
| EQ | 24802-1872 | 1.500 | 2.460 | 0.625 |
| EQ | 24802-1874 | 1.500 | 2.410 | 0.625 |
| EQ | 24802-1876 | 2.362 | 3.228 | 0.625 |
| EQ | 24802-1878 | 2.875 | 4.380 | 0.625 |
| EQ | 24802-1882 | 3.500 | 4.625 | 0.625 |
| EQ | 24802-1883 | 2.559 | 3.543 | 0.625 |
| EQ | 24802-1884 | 2.165 | 3.165 | 0.625 |
| EQ | 24802-1887 | 2.563 | 3.512 | 0.625 |
| EQ | 24802-1891 | 1.875 | 2.997 | 0.625 |
| EQ | 24802-1893 | 2.625 | 3.500 | 0.625 |
| EQ | 24802-1898 | 1.781 | 3.125 | 0.625 |
| EQ | 24802-1901 | 2.250 | 3.189 | 0.625 |
| EQ | 24802-1906 | 2.165 | 3.543 | 0.625 |
| EQ | 24802-1915 | 1.625 | 2.375 | 0.625 |
| EQ | 24802-1929 | 1.375 | 2.439 | 0.625 |
| EQ | 24802-1932 | 1.250 | 2.125 | 0.625 |
| EQ | 24802-1935 | 1.890 | 2.756 | 0.625 |
| EQ | 24802-1942 | 2.438 | 3.250 | 0.625 |
| EQ | 24802-1943 | 2.356 | 3.625 | 0.625 |
| EQ | 24802-1951 | 2.500 | 3.625 | 0.625 |
| EQ | 24802-1958 | 1.438 | 2.375 | 0.625 |
| EQ | 24802-1960 | 4.187 | 5.875 | 0.625 |
| EQ | 24802-1961 | 3.875 | 5.500 | 0.625 |
| EQ | 24802-1962 | 2.625 | 3.375 | 0.625 |
| EQ | 24802-1975 | 1.969 | 3.150 | 0.625 |
| EQ | 24802-1980 | 2.937 | 3.750 | 0.625 |
| EQ | 24802-1981 | 2.244 | 3.268 | 0.625 |
| EQ | 24802-1982 | 2.812 | 3.580 | 0.625 |
| EQ | 24802-1988 | 3.307 | 4.331 | 0.625 |
| EQ | 24802-2001 | 2.000 | 3.125 | 0.625 |
| EQ | 24802-2003 | 2.687 | 3.500 | 0.625 |
| EQ | 24802-2005 | 2.165 | 3.150 | 0.625 |
| EQ | 24802-2010 | 2.717 | 3.752 | 0.625 |
| EQ | 24802-2016 | 2.500 | 3.189 | 0.625 |
| EQ | 24802-2028 | 0.807 | 2.165 | 0.625 |
| EQ | 24802-2038 | 1.932 | 2.750 | 0.625 |
| EQ | 24802-2046 | 3.938 | 5.501 | 0.625 |
| EQ | 24802-2048 | 4.875 | 5.875 | 0.625 |
| EQ | 24802-2050 | 4.375 | 5.375 | 0.625 |
| EQ | 24802-2051 | 4.563 | 5.563 | 0.625 |
| EQ | 24802-2059 | 2.756 | 3.543 | 0.625 |
| EQ | 24802-2062 | 2.750 | 3.875 | 0.625 |
| EQ | 24802-2083 | 2.938 | 3.938 | 0.625 |
| EQ | 24802-2086 | 2.875 | 3.625 | 0.625 |
| EQ | 24802-2091 | 3.000 | 4.500 | 0.625 |
| EQ | 24802-2106 | 4.187 | 5.500 | 0.625 |
| EQ | 24802-2107 | 1.437 | 2.500 | 0.625 |
| EQ | 24802-2108 | 1.937 | 3.125 | 0.625 |
| EQ | 24802-2115 | 2.062 | 3.125 | 0.625 |
| EQ | 24802-2160 | 1.000 | 2.441 | 0.625 |
| EQ | 24802-2166 | 2.953 | 3.937 | 0.625 |
| EQ | 24802-2171 | 3.000 | 4.008 | 0.625 |
| EQ | 24802-2172 | 3.000 | 3.875 | 0.625 |
| EQ | 24802-2179 | 3.000 | 4.125 | 0.625 |
| EQ | 24802-2195 | 1.250 | 2.875 | 0.625 |
| EQ | 24802-2201 | 3.062 | 4.062 | 0.625 |
| EQ | 24802-2209 | 3.122 | 4.000 | 0.625 |
| EQ | 24802-2210 | 3.750 | 4.500 | 0.625 |
| **EQ** | **24802-2223** | **3.125** | **4.125** | **0.625** |
| EQ | 24802-2224 | 3.125 | 4.375 | 0.625 |
| EQ | 24802-2230 | 3.937 | 4.921 | 0.625 |
| EQ | 24802-2240 | 3.150 | 3.937 | 0.625 |
| EQ | 24802-2250 | 2.756 | 3.937 | 0.625 |
| EQ | 24802-2260 | 1.378 | 2.165 | 0.625 |
| EQ | 24802-2261 | 3.526 | 4.526 | 0.625 |
| EQ | 24802-2264 | 2.750 | 3.625 | 0.625 |
| EQ | 24802-2270 | 5.250 | 6.250 | 0.625 |
| EQ | 24802-2280 | 3.250 | 4.250 | 0.625 |
| EQ | 24802-2286 | 3.250 | 4.375 | 0.625 |
| EQ | 24802-2288 | 1.475 | 2.335 | 0.625 |
| EQ | 24802-2292 | 1.766 | 2.750 | 0.625 |
| **EQ** | **24802-2296** | **3.313** | **4.125** | **0.625** |
| EQ | 24802-2304 | 3.313 | 4.500 | 0.625 |
| EQ | 24802-2312 | 2.280 | 3.280 | 0.625 |
| EQ | 24802-2316 | 3.375 | 4.250 | 0.625 |
| EQ | 24802-2322 | 3.375 | 4.375 | 0.625 |
| EQ | 24802-2326 | 3.375 | 4.500 | 0.625 |
| EQ | 24802-2332 | 3.408 | 4.500 | 0.625 |
| EQ | 24802-2335 | 3.438 | 4.626 | 0.625 |
| EQ | 24802-2368 | 3.500 | 4.500 | 0.625 |
| EQ | 24802-2374 | 3.500 | 4.750 | 0.625 |
| EQ | 24802-2378 | 3.500 | 4.375 | 0.625 |
| EQ | 24802-2419 | 3.625 | 4.625 | 0.625 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| EQ | 24802-2464 | 3.750 | 4.750 | 0.625 |
| EQ | 24802-2474 | 3.188 | 3.250 | 0.625 |
| EQ | 24802-2476 | 1.181 | 2.350 | 0.625 |
| EQ | 24802-2480 | 1.968 | 2.935 | 0.625 |
| EQ | 24802-2483 | 3.750 | 5.000 | 0.625 |
| EQ | 24802-2489 | 2.186 | 3.186 | 0.625 |
| EQ | 24802-2492 | 3.000 | 4.617 | 0.625 |
| EQ | 24802-2503 | 3.875 | 4.875 | 0.625 |
| EQ | 24802-2506 | 3.875 | 5.000 | 0.625 |
| EQ | 24802-2520 | 2.625 | 3.371 | 0.625 |
| EQ | 24802-2523 | 3.346 | 4.134 | 0.625 |
| EQ | 24802-2527 | 3.360 | 5.000 | 0.625 |
| EQ | 24802-2539 | 4.938 | 5.938 | 0.625 |
| EQ | 24802-2542 | 4.000 | 5.125 | 0.625 |
| EQ | 24802-2577 | 3.438 | 4.438 | 0.625 |
| EQ | 24802-2593 | 4.000 | 5.000 | 0.625 |
| EQ | 24802-2604 | 4.125 | 5.125 | 0.625 |
| EQ | 24802-2605 | 4.125 | 5.250 | 0.625 |
| EQ | 24802-2616 | 4.125 | 5.750 | 0.625 |
| EQ | 24802-2618 | 2.350 | 3.350 | 0.625 |
| EQ | 24802-2622 | 1.375 | 2.875 | 0.625 |
| EQ | 24802-2623 | 4.188 | 5.256 | 0.625 |
| EQ | 24802-2625 | 4.134 | 5.118 | 0.625 |
| EQ | 24802-2629 | 4.134 | 5.134 | 0.625 |
| EQ | 24802-2632 | 2.312 | 3.500 | 0.625 |
| EQ | 24802-2634 | 2.750 | 4.125 | 0.625 |
| EQ | 24802-2635 | 2.656 | 4.003 | 0.625 |
| EQ | 24802-2643 | 3.075 | 4.325 | 0.625 |
| EQ | 24802-2651 | 2.362 | 3.346 | 0.625 |
| EQ | 24802-2659 | 4.250 | 5.250 | 0.625 |
| EQ | 24802-2662 | 2.500 | 3.543 | 0.625 |
| EQ | 24802-2689 | 4.313 | 5.750 | 0.625 |
| EQ | 24802-2694 | 1.375 | 2.437 | 0.625 |
| EQ | 24802-2698 | 1.235 | 2.000 | 0.625 |
| EQ | 24802-2700 | 4.313 | 5.500 | 0.625 |
| EQ | 24802-2711 | 0.875 | 1.875 | 0.625 |
| EQ | 24802-2730 | 1.938 | 2.938 | 0.625 |
| EQ | 24802-2733 | 4.437 | 5.500 | 0.562 |
| EQ | 24802-2735 | 2.063 | 3.063 | 0.625 |
| EQ | 24802-2736 | 2.687 | 3.687 | 0.625 |
| EQ | 24802-2740 | 4.450 | 5.325 | 0.625 |
| EQ | 24802-2744 | 3.688 | 4.688 | 0.625 |
| EQ | 24802-2747 | 4.188 | 5.188 | 0.625 |
| EQ | 24802-2755 | 4.500 | 5.500 | 0.625 |
| EQ | 24802-2780 | 4.527 | 5.512 | 0.625 |
| EQ | 24802-2808 | 4.625 | 5.625 | 0.625 |
| EQ | 24802-2816 | 2.559 | 3.346 | 0.625 |
| EQ | 24802-2843 | 2.875 | 4.000 | 0.625 |
| EQ | 24802-2857 | 1.185 | 2.442 | 0.625 |
| EQ | 24802-2859 | 1.125 | 2.441 | 0.625 |
| EQ | 24802-2874 | 4.250 | 5.375 | 0.625 |
| EQ | 24802-2875 | 4.875 | 6.000 | 0.625 |
| EQ | 24802-2885 | 4.437 | 5.500 | 0.625 |
| EQ | 24802-2891 | 3.937 | 4.900 | 0.625 |
| EQ | 24802-2896 | 4.937 | 6.000 | 0.625 |
| EQ | 24802-2897 | 2.264 | 3.250 | 0.625 |
| EQ | 24802-2902 | 3.543 | 4.724 | 0.625 |
| EQ | 24802-2904 | 5.438 | 6.688 | 0.625 |
| EQ | 24802-2917 | 5.000 | 6.000 | 0.625 |
| EQ | 24802-2920 | 1.908 | 2.875 | 0.625 |
| EQ | 24802-2923 | 5.000 | 6.250 | 0.625 |
| EQ | 24802-2924 | 5.000 | 6.256 | 0.625 |
| EQ | 24802-2931 | 4.750 | 5.750 | 0.625 |
| EQ | 24802-2942 | 3.937 | 4.883 | 0.625 |
| EQ | 24802-2944 | 3.450 | 4.500 | 0.625 |
| EQ | 24802-2949 | 4.599 | 5.599 | 0.625 |
| EQ | 24802-2950 | 3.006 | 4.006 | 0.625 |
| EQ | 24802-2951 | 2.357 | 3.357 | 0.625 |
| EQ | 24802-2957 | 2.750 | 4.000 | 0.625 |
| EQ | 24802-2963 | 4.438 | 5.750 | 0.625 |
| EQ | 24802-2971 | 1.571 | 2.571 | 0.625 |
| EQ | 24802-2972 | 3.740 | 5.118 | 0.625 |
| EQ | 24802-2974 | 4.331 | 5.331 | 0.625 |
| EQ | 24802-2986 | 5.088 | 6.088 | 0.625 |
| EQ | 24802-2987 | 1.625 | 2.500 | 0.625 |
| EQ | 24802-2998 | 5.125 | 6.375 | 0.625 |
| EQ | 24802-2999 | 2.125 | 3.312 | 0.625 |
| EQ | 24802-3002 | 1.437 | 2.310 | 0.625 |
| EQ | 24802-3004 | 2.500 | 3.433 | 0.625 |
| EQ | 24802-3005 | 3.187 | 4.312 | 0.625 |
| EQ | 24802-3006 | 2.375 | 3.437 | 0.625 |
| EQ | 24802-3007 | 2.500 | 3.562 | 0.625 |
| EQ | 24802-3009 | 3.250 | 4.313 | 0.625 |
| EQ | 24802-3012 | 2.755 | 3.755 | 0.625 |
| EQ | 24802-3015 | 2.174 | 3.174 | 0.625 |
| EQ | 24802-3016 | 2.569 | 3.569 | 0.625 |
| EQ | 24802-3017 | 3.201 | 4.201 | 0.625 |
| EQ | 24802-3018 | 3.948 | 4.948 | 0.625 |
| EQ | 24802-3021 | 3.740 | 4.724 | 0.625 |
| EQ | 24802-3022 | 5.118 | 6.299 | 0.625 |
| EQ | 24802-3023 | 2.688 | 3.543 | 0.625 |
| EQ | 24802-3024 | 3.071 | 3.937 | 0.625 |
| EQ | 24802-3025 | 2.283 | 3.543 | 0.625 |
| EQ | 24802-3029 | 1.562 | 2.500 | 0.625 |
| EQ | 24802-3038 | 4.255 | 5.255 | 0.625 |
| EQ | 24802-3039 | 3.786 | 4.786 | 0.625 |
| EQ | 24802-3045 | 3.346 | 4.321 | 0.625 |
| EQ | 24802-3048 | 1.500 | 2.563 | 0.625 |
| EQ | 24802-3052 | 2.160 | 3.160 | 0.625 |
| EQ | 24802-3054 | 2.153 | 3.153 | 0.625 |
| EQ | 24802-3055 | 2.436 | 3.436 | 0.625 |
| EQ | 24802-3056 | 2.222 | 3.222 | 0.625 |
| EQ | 24802-3057 | 5.250 | 6.000 | 0.625 |
| EQ | 24802-3058 | 2.125 | 3.500 | 0.625 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| EQ | 24802-3062 | 4.680 | 6.000 | 0.625 |
| EQ | 24802-3064 | 2.380 | 3.380 | 0.625 |
| EQ | 24802-3067 | 5.250 | 6.500 | 0.625 |
| EQ | 24802-3072 | 3.735 | 4.735 | 0.625 |
| EQ | 24802-3073 | 5.250 | 6.750 | 0.625 |
| EQ | 24802-3083 | 2.060 | 3.060 | 0.625 |
| EQ | 24802-3086 | 2.933 | 3.750 | 0.625 |
| EQ | 24802-3087 | 1.378 | 3.150 | 0.625 |
| EQ | 24802-3088 | 0.866 | 1.969 | 0.625 |
| EQ | 24802-3093 | 2.875 | 4.625 | 0.625 |
| EQ | 24802-3094 | 4.335 | 5.335 | 0.625 |
| EQ | 24802-3095 | 5.115 | 6.115 | 0.625 |
| EQ | 24802-3096 | 3.015 | 4.015 | 0.625 |
| EQ | 24802-3099 | 2.505 | 3.505 | 0.625 |
| EQ | 24802-3101 | 3.385 | 4.385 | 0.625 |
| EQ | 24802-3104 | 3.900 | 4.900 | 0.625 |
| EQ | 24802-3105 | 4.540 | 6.150 | 0.625 |
| EQ | 24802-3107 | 2.755 | 3.741 | 0.625 |
| EQ | 24802-3108 | 2.402 | 3.290 | 0.625 |
| EQ | 24802-3109 | 3.228 | 4.448 | 0.625 |
| EQ | 24802-3137 | 2.900 | 3.900 | 0.625 |
| EQ | 24802-3138 | 3.010 | 4.010 | 0.625 |
| EQ | 24802-3139 | 3.335 | 4.335 | 0.625 |
| EQ | 24802-3153 | 2.230 | 3.230 | 0.625 |
| EQ | 24802-3154 | 2.440 | 3.440 | 0.625 |
| EQ | 24802-3161 | 3.346 | 4.330 | 0.625 |
| EQ | 24802-3162 | 5.315 | 6.693 | 0.625 |
| EQ | 24802-3168 | 4.565 | 5.565 | 0.625 |
| EQ | 24802-3169 | 2.150 | 3.150 | 0.625 |
| EQ | 24802-3170 | 2.560 | 3.560 | 0.625 |
| EQ | 24802-3174 | 2.750 | 4.375 | 0.625 |
| EQ | 24802-3179 | 4.725 | 5.905 | 0.625 |
| EQ | 24802-3180 | 6.693 | 7.874 | 0.625 |
| EQ | 24802-3184 | 5.500 | 6.750 | 0.625 |
| EQ | 24802-3185 | 3.815 | 4.815 | 0.625 |
| EQ | 24802-3210 | 4.230 | 5.230 | 0.625 |
| EQ | 24802-3221 | 2.998 | 3.998 | 0.625 |
| EQ | 24802-3224 | 4.245 | 5.245 | 0.625 |
| EQ | 24802-3234 | 2.550 | 3.550 | 0.625 |
| EQ | 24802-3236 | 5.625 | 6.875 | 0.625 |
| EQ | 24802-3240 | 3.562 | 4.500 | 0.625 |
| EQ | 24802-3244 | 2.562 | 4.125 | 0.625 |
| EQ | 24802-3251 | 4.425 | 5.626 | 0.625 |
| EQ | 24802-3257 | 1.750 | 2.716 | 0.625 |
| EQ | 24802-3263 | 0.945 | 1.732 | 0.625 |
| EQ | 24802-3264 | 1.886 | 2.886 | 0.625 |
| EQ | 24802-3265 | 3.543 | 4.331 | 0.625 |
| EQ | 24802-3266 | 1.967 | 2.967 | 0.625 |
| EQ | 24802-3268 | 1.562 | 2.437 | 0.625 |
| EQ | 24802-3277 | 5.750 | 6.750 | 0.625 |
| EQ | 24802-3282 | 4.245 | 5.626 | 0.625 |
| EQ | 24802-3284 | 1.493 | 2.493 | 0.625 |

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| EQ | 24802-3290 | 1.932 | 2.932 | 0.625 |
| EQ | 24802-3294 | 2.438 | 3.350 | 0.625 |
| EQ | 24802-3299 | 3.345 | 4.304 | 0.625 |
| EQ | 24802-3309 | 2.362 | 3.346 | 0.625 |
| EQ | 24802-3316 | 2.953 | 3.740 | 0.625 |
| EQ | 24802-3318 | 4.331 | 5.118 | 0.625 |
| EQ | 24802-3321 | 1.625 | 2.374 | 0.625 |
| EQ | 24802-3334 | 3.402 | 4.375 | 0.625 |
| EQ | 24802-3344 | 3.438 | 4.313 | 0.625 |
| EQ | 24802-3349 | 2.000 | 3.000 | 0.750 |
| EQ | 24802-3357 | 6.000 | 7.000 | 0.625 |
| EQ | 24802-3366 | 2.250 | 3.625 | 0.625 |
| EQ | 24802-3380 | 2.437 | 4.509 | 0.625 |
| EQ | 24802-3381 | 2.750 | 4.533 | 0.625 |
| EQ | 24802-3388 | 1.181 | 2.181 | 0.625 |
| EQ | 24802-3398 | 1.000 | 1.750 | 0.625 |
| EQ | 24802-3424 | 6.437 | 7.687 | 0.625 |
| EQ | 24802-3474 | 3.938 | 5.251 | 0.625 |
| EQ | 24802-3480 | 2.312 | 3.371 | 0.625 |
| EQ | 24802-3491 | 2.438 | 3.500 | 0.625 |
| EQ | 24802-3493 | 2.932 | 3.806 | 0.625 |
| EQ | 24802-3498 | 1.574 | 3.937 | 0.625 |
| EQ | 24802-3506 | 1.875 | 2.758 | 0.625 |
| EQ | 24802-3513 | 2.932 | 3.932 | 0.625 |
| EQ | 24802-3514 | 2.650 | 3.630 | 0.625 |
| EQ | 24802-3519 | 2.950 | 3.960 | 0.625 |
| EQ | 24802-3524 | 1.980 | 2.875 | 0.625 |
| EQ | 24802-3540 | 2.360 | 4.090 | 0.625 |
| EQ | 24802-3541 | 2.000 | 2.884 | 0.625 |
| EQ | 24802-3552 | 7.500 | 9.000 | 0.625 |
| EQ | 24802-3560 | 2.000 | 2.855 | 0.625 |
| EQ | 24802-3568 | 2.480 | 3.543 | 0.625 |
| EQ | 24802-3570 | 3.000 | 4.003 | 0.625 |
| EQ | 24802-3576 | 1.625 | 2.800 | 0.625 |
| EQ | 24802-3577 | 2.307 | 4.331 | 0.625 |
| EQ | 24802-3582 | 2.312 | 3.438 | 0.625 |
| EQ | 24802-3593 | 3.150 | 4.331 | 0.625 |
| EQ | 24802-3600 | 1.969 | 3.543 | 0.625 |
| EQ | 24802-3646 | 3.375 | 5.290 | 0.625 |
| EQ | 24802-3650 | 2.625 | 3.683 | 0.625 |
| EQ | 24802-3727 | 5.181 | 6.118 | 0.625 |
| EQ | 24802-3728 | 5.512 | 6.512 | 0.625 |
| EQ | 24802-3735 | 2.559 | 3.620 | 0.625 |
| EQ | 24802-3736 | 2.950 | 4.250 | 0.625 |
| EQ | 24802-3745 | 1.889 | 2.889 | 0.625 |
| EQ | 24802-3753 | 3.437 | 5.125 | 0.625 |
| EQ | 24802-3772 | 1.161 | 2.000 | 0.625 |
| EQ | 24802-3777 | 3.188 | 5.000 | 0.625 |
| EQ | 24802-3785 | 5.000 | 6.375 | 0.625 |
| EQ | 24802-3962 | 3.185 | 4.185 | 0.625 |
| EQ | 24802-3966 | 3.312 | 4.375 | 0.625 |
| EQ | 24802-3975 | 1.750 | 3.125 | 0.625 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| EQ | 24802-3983 | 3.934 | 4.934 | 0.625 |
| EQ | 24802-3986 | 2.428 | 3.428 | 0.625 |
| EQ | 24802-3989 | 2.756 | 4.331 | 0.625 |
| EQ | 24802-4057 | 2.062 | 3.625 | 0.625 |
| EQ | 24802-4084 | 1.428 | 2.375 | 0.625 |
| EQ | 24802-4085 | 2.375 | 3.875 | 0.625 |
| EQ | 24802-4091 | 3.938 | 5.315 | 0.625 |
| EQ | 24802-4096 | 1.378 | 2.545 | 0.625 |
| EQ | 24802-4102 | 1.496 | 2.496 | 0.625 |
| EQ | 24802-4103 | 2.065 | 3.065 | 0.625 |
| EQ | 24802-4201 | 2.205 | 3.150 | 0.625 |
| EQ | 24802-4202 | 1.562 | 2.750 | 0.625 |
| EQ | 24802-4341 | 1.772 | 2.441 | 0.625 |
| EQ | 24802-4342 | 1.177 | 2.500 | 0.625 |
| EQ | 24802-4346 | 1.500 | 2.545 | 0.625 |
| EQ | 24802-4358 | 2.437 | 3.481 | 0.625 |
| EQ | 24802-4390 | 4.250 | 5.625 | 0.625 |
| EQ | 24802-4392 | 2.312 | 3.625 | 0.625 |
| EQ | 24802-4415 | 1.125 | 2.188 | 0.625 |
| EQ | 24802-4442 | 2.244 | 3.250 | 0.625 |
| EQ | 24802-4447 | 2.166 | 3.937 | 0.625 |
| EQ | 24802-4456 | 1.437 | 2.125 | 0.625 |
| EQ | 24802-4469 | 2.726 | 3.726 | 0.625 |
| EQ | 24802-4482 | 2.187 | 5.125 | 0.625 |
| EQ | 24802-4521 | 1.932 | 2.806 | 0.625 |
| EQ | 24802-4563 | 0.984 | 1.850 | 0.625 |
| EQ | 24802-4568 | 0.512 | 1.606 | 0.625 |
| EQ | 24802-4596 | 0.787 | 1.575 | 0.625 |
| EQ | 24802-4597 | 2.433 | 4.049 | 0.625 |
| EQ | 24802-4607 | 6.750 | 8.750 | 0.875 |
| EQ | 24802-4653 | 1.188 | 2.358 | 0.625 |
| EQ | 24802-4660 | 2.047 | 2.953 | 0.625 |
| EQ | 24802-4685 | 1.469 | 2.375 | 0.625 |
| EQ | 24802-4696 | 3.777 | 4.732 | 0.625 |
| EQ | 24802-4697 | 3.934 | 5.120 | 0.625 |
| EQ | 24802-4743 | 4.438 | 5.890 | 0.625 |
| EQ | 24802-4896 | 2.435 | 4.094 | 0.625 |
| EQ | 24802-4935 | 1.496 | 2.441 | 0.625 |
| EQ | 24802-4943 | 1.890 | 2.835 | 0.625 |
| EQ | 24802-5047 | 3.188 | 4.249 | 0.625 |
| EQ | 24802-5069 | 2.875 | 4.375 | 0.625 |
| EQ | 24802-5095 | 2.756 | 3.622 | 0.625 |
| EQ | 24802-5096 | 2.000 | 3.500 | 0.625 |
| EQ | 24802-5110 | 3.346 | 5.118 | 0.625 |
| EQ | 24802-5309 | 4.133 | 5.511 | 0.625 |
| EQ | 24802-5360 | 1.625 | 2.125 | 0.625 |
| EQ | 24802-5368 | 2.125 | 3.875 | 0.625 |
| EQ | 24802-5369 | 2.125 | 4.000 | 0.625 |
| EQ | 24802-5371 | 1.125 | 2.043 | 0.625 |
| EQ | 24802-5382 | 3.544 | 4.565 | 0.625 |
| EQ | 24802-5434 | 1.187 | 2.437 | 0.625 |
| EQ | 24802-5434 | 1.187 | 2.437 | 0.625 |

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| EQ | 24802-5448 | 1.654 | 4.193 | 0.625 |
| EQ | 24802-5448 | 1.654 | 4.193 | 0.625 |
| EQ | 24802-5449 | 3.562 | 4.625 | 0.625 |
| EQ | 24802-5449 | 3.562 | 4.625 | 0.625 |
| EQ | 24802-5461 | 3.500 | 4.875 | 0.625 |
| EQ | 24802-5490 | 2.375 | 3.365 | 0.625 |
| EQ | 24802-5494 | 1.725 | 2.625 | 0.625 |
| EQ | 24802-5510 | 4.646 | 5.906 | 0.625 |
| EQ | 24802-5573 | 1.125 | 2.437 | 0.625 |
| EQ | 24802-5593 | 0.984 | 1.969 | 0.625 |
| EQ | 24802-5625 | 7.087 | 8.465 | 0.625 |
| EQ | 24802-5917 | 1.378 | 2.441 | 0.625 |
| EQ | 24807-1025 | 1.156 | 1.875 | 0.690 |
| EQ | 24807-1352 | 1.125 | 1.624 | 0.690 |
| EQ | 24807-1359 | 1.575 | 2.047 | 0.690 |
| EQ | 24807-1361 | 2.000 | 2.710 | 0.690 |
| EQ | 24807-1363 | 0.969 | 1.499 | 0.690 |
| EQ | 24807-1780 | 1.750 | 2.437 | 0.690 |
| EQ | 24807-1782 | 1.250 | 1.750 | 0.690 |
| EQ | 24807-1783 | 1.438 | 1.938 | 0.690 |
| EQ | 24807-1786 | 0.750 | 1.379 | 0.690 |
| EQ | 24807-1802 | 2.250 | 2.750 | 0.690 |
| EQ | 24807-1846 | 1.969 | 2.677 | 0.690 |
| EQ | 24807-1876 | 2.360 | 3.228 | 0.690 |
| EQ | 24807-1888 | 1.438 | 2.125 | 0.690 |
| EQ | 24807-1903 | 1.781 | 2.500 | 0.690 |
| EQ | 24807-1905 | 0.787 | 1.260 | 0.690 |
| EQ | 24807-1912 | 2.438 | 3.125 | 0.690 |
| EQ | 24807-1923 | 1.772 | 2.441 | 0.690 |
| EQ | 24807-1955 | 0.875 | 1.500 | 0.690 |
| EQ | 24807-1970 | 1.375 | 2.000 | 0.690 |
| EQ | 24807-2025 | 2.500 | 3.189 | 0.690 |
| EQ | 24807-2045 | 3.000 | 3.500 | 0.690 |
| EQ | 24807-2124 | 0.375 | 0.875 | 0.690 |
| EQ | 24807-2138 | 2.937 | 3.623 | 0.690 |
| EQ | 24807-2153 | 2.937 | 3.625 | 0.690 |
| EQ | 24807-2155 | 1.969 | 2.638 | 0.690 |
| EQ | 24807-2164 | 1.625 | 2.250 | 0.690 |
| EQ | 24807-2165 | 2.998 | 3.515 | 0.690 |
| EQ | 24807-2200 | 1.750 | 2.375 | 0.690 |
| EQ | 24807-2287 | 4.125 | 4.750 | 0.690 |
| EQ | 24807-2329 | 1.062 | 1.656 | 0.690 |
| EQ | 24807-2336 | 2.000 | 2.500 | 0.690 |
| EQ | 24807-2485 | 2.165 | 2.874 | 0.690 |
| EQ | 24807-2495 | 1.932 | 2.625 | 0.690 |
| EQ | 24807-2512 | 1.375 | 1.874 | 0.690 |
| EQ | 24807-2522 | 1.688 | 2.125 | 0.690 |
| EQ | 24807-2524 | 1.313 | 2.000 | 0.690 |
| EQ | 24807-2537 | 2.147 | 2.875 | 0.690 |
| EQ | 24807-2563 | 0.937 | 1.500 | 0.690 |
| EQ | 24807-2567 | 2.250 | 2.625 | 0.690 |
| EQ | 24807-2578 | 1.500 | 2.000 | 0.690 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| EQ | 24807-2667 | 2.250 | 2.875 | 0.690 |
| EQ | 24807-2675 | 2.165 | 2.756 | 0.690 |
| EQ | 24807-2681 | 1.890 | 2.559 | 0.690 |
| EQ | 24807-2688 | 1.000 | 1.500 | 0.690 |
| EQ | 24807-2692 | 1.375 | 2.062 | 0.690 |
| EQ | 24807-2693 | 1.750 | 2.500 | 0.690 |
| EQ | 24807-2695 | 1.000 | 1.750 | 0.690 |
| EQ | 24807-2806 | 1.181 | 1.625 | 0.690 |
| EQ | 24807-2828 | 0.625 | 1.250 | 0.690 |
| EQ | 24807-2829 | 1.125 | 1.625 | 0.690 |
| EQ | 24807-2830 | 2.750 | 3.560 | 0.690 |
| EQ | 24807-2831 | 2.375 | 3.125 | 0.690 |
| EQ | 24807-2839 | 1.496 | 2.165 | 0.690 |
| EQ | 24807-2842 | 1.103 | 1.850 | 0.690 |
| EQ | 24807-2846 | 3.312 | 4.125 | 0.690 |
| EQ | 24807-2852 | 1.125 | 1.562 | 0.690 |
| EQ | 24807-2855 | 3.250 | 4.000 | 0.690 |
| EQ | 24807-2858 | 1.375 | 2.125 | 0.690 |
| EQ | 24807-2861 | 0.875 | 1.625 | 0.690 |
| EQ | 24807-2866 | 2.155 | 2.875 | 0.690 |
| EQ | 24807-2874 | 2.359 | 2.734 | 0.690 |
| EQ | 24807-2882 | 1.938 | 2.438 | 0.690 |
| EQ | 24807-2968 | 1.125 | 1.875 | 0.690 |
| EQ | 24807-2973 | 3.380 | 4.000 | 0.690 |
| EQ | 24807-2993 | 0.875 | 1.375 | 0.690 |
| EQ | 24807-2994 | 1.125 | 1.750 | 0.690 |
| EQ | 24807-2996 | 1.250 | 1.875 | 0.690 |
| EQ | 24807-3000 | 3.937 | 4.937 | 0.690 |
| EQ | 24807-3084 | 1.610 | 2.000 | 0.690 |
| EQ | 24807-3110 | 1.438 | 2.062 | 0.690 |
| EQ | 24807-3144 | 1.468 | 2.343 | 0.690 |
| EQ | 24807-3149 | 1.772 | 2.362 | 0.690 |
| EQ | 24807-3159 | 1.687 | 2.375 | 0.690 |
| **EQ** | **24807-3196** | **0.875** | **1.250** | **0.690** |
| EQ | 24807-3198 | 2.375 | 3.062 | 0.690 |
| EQ | 24807-3229 | 1.969 | 2.756 | 0.690 |
| EQ | 24807-3237 | 2.312 | 3.062 | 0.690 |
| EQ | 24807-3238 | 2.125 | 2.763 | 0.690 |
| EQ | 24807-3242 | 0.438 | 1.124 | 0.690 |
| EQ | 24807-3249 | 2.188 | 3.062 | 0.690 |
| EQ | 24807-3271 | 3.937 | 4.562 | 0.690 |
| EQ | 24807-3297 | 2.000 | 2.690 | 0.690 |
| EQ | 24807-3298 | 2.250 | 3.000 | 0.690 |
| EQ | 24807-3312 | 2.953 | 3.740 | 0.690 |
| EQ | 24807-3315 | 4.331 | 5.118 | 0.690 |
| EQ | 24807-3319 | 1.875 | 2.562 | 0.690 |
| EQ | 24807-3343 | 1.875 | 2.625 | 0.690 |
| EQ | 24807-3410 | 1.500 | 2.125 | 0.690 |
| EQ | 24807-3413 | 1.938 | 2.500 | 0.690 |
| EQ | 24807-3431 | 1.969 | 2.559 | 0.690 |
| EQ | 24807-3495 | 1.687 | 2.062 | 0.690 |
| EQ | 24807-3504 | 2.932 | 3.806 | 0.690 |
| EQ | 24807-3505 | 2.165 | 2.952 | 0.690 |
| EQ | 24807-3533 | 1.250 | 2.250 | 0.690 |
| EQ | 24807-3557 | 3.937 | 4.687 | 0.690 |
| EQ | 24807-3565 | 1.875 | 2.500 | 0.690 |
| EQ | 24807-3622 | 1.250 | 1.687 | 0.690 |
| EQ | 24807-3638 | 1.181 | 1.850 | 0.690 |
| EQ | 24807-3639 | 2.362 | 3.150 | 0.690 |
| EQ | 24807-3645 | 2.312 | 3.187 | 0.690 |
| EQ | 24807-3657 | 2.283 | 3.835 | 0.690 |
| EQ | 24807-3674 | 3.150 | 3.937 | 0.690 |
| EQ | 24807-3700 | 1.500 | 2.250 | 0.690 |
| EQ | 24807-3739 | 1.750 | 2.625 | 0.690 |
| EQ | 24807-3748 | 2.438 | 2.938 | 0.690 |
| EQ | 24807-3752 | 3.876 | 4.313 | 0.690 |
| EQ | 24807-3767 | 3.375 | 4.125 | 0.690 |
| EQ | 24807-3778 | 2.250 | 3.190 | 0.690 |
| EQ | 24807-3779 | 2.750 | 3.500 | 0.690 |
| EQ | 24807-3781 | 3.750 | 4.750 | 0.690 |
| EQ | 24807-3782 | 4.500 | 5.500 | 0.690 |
| EQ | 24807-3784 | 1.720 | 2.250 | 0.690 |
| EQ | 24807-3831 | 2.622 | 3.046 | 0.690 |
| EQ | 24807-3835 | 2.622 | 3.346 | 0.690 |
| EQ | 24807-3877 | 1.125 | 1.801 | 0.690 |
| EQ | 24807-3878 | 2.145 | 2.865 | 0.690 |
| EQ | 24807-3907 | 1.063 | 1.624 | 0.690 |
| EQ | 24807-3912 | 1.875 | 2.375 | 0.690 |
| EQ | 24807-3952 | 1.750 | 2.250 | 0.690 |
| EQ | 24807-4078 | 1.375 | 1.750 | 0.690 |
| EQ | 24807-4079 | 1.625 | 2.125 | 0.690 |
| EQ | 24807-4132 | 2.530 | 3.287 | 0.690 |
| EQ | 24807-4200 | 2.205 | 2.837 | 0.690 |
| EQ | 24807-4471 | 4.003 | 4.500 | 0.690 |
| EQ | 24807-4523 | 3.750 | 4.375 | 0.690 |
| EQ | 24807-4579 | 1.562 | 2.375 | 0.690 |
| EQ | 24807-4652 | 4.938 | 5.500 | 0.690 |
| EQ | 24807-4677 | 2.000 | 2.716 | 0.690 |
| EQ | 24807-4713 | 2.047 | 2.750 | 0.690 |
| EQ | 24807-4851 | 2.000 | 2.670 | 0.690 |
| EQ | 24807-5104 | 3.346 | 3.937 | 0.690 |
| EQ | 24807-5379 | 0.984 | 1.750 | 0.690 |
| EQ | 24807-5590 | 2.188 | 2.837 | 0.690 |
| EQ | 24807-5752 | 0.984 | 1.496 | 0.690 |
| EQ | 24807-5796 | 1.062 | 1.500 | 0.690 |
| EQ | 24807-5797 | 1.156 | 2.000 | 0.690 |
| EQ | 24807-5809 | 2.500 | 3.000 | 0.690 |
| EQSPB | 24816-2564 | 2.438 | 3.187 | 1.125 |
| EQSPB | 24816-3982 | 1.438 | 2.063 | 0.875 |
| EQSPB | 24816-4446 | 1.750 | 2.776 | 0.750 |
| EQSPB | 24816-7004 | 2.438 | 3.192 | 1.062 |
| EQSPB | 24816-7005 | 3.062 | 3.810 | 1.062 |
| EQSPB | 24816-7006 | 4.187 | 5.243 | 1.375 |
| EQSPB | 24816-7007 | 4.875 | 5.983 | 1.375 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| EQSPB | 24816-7010 | 3.000 | 3.825 | 1.062 |
| EQSPB | 24816-7014 | 6.062 | 7.349 | 1.375 |
| EQSPB | 24816-7015 | 7.000 | 8.375 | 1.375 |
| EQSPB | 24816-7017 | 2.938 | 3.956 | 1.375 |
| EQSPB | 24816-7018 | 3.938 | 4.986 | 1.375 |
| EQSPB | 24816-7019 | 1.937 | 2.567 | 0.876 |
| EQSPB | 24816-7020 | 2.188 | 2.825 | 1.125 |
| EQSPB | 24816-7021 | 2.688 | 3.574 | 1.062 |
| EQSPB | 24816-7022 | 2.937 | 3.817 | 1.062 |
| EQSPB | 24816-7023 | 3.000 | 3.818 | 1.375 |
| EQSPB | 24816-7024 | 4.125 | 5.025 | 1.375 |
| EQSPB | 24816-7025 | 3.438 | 4.458 | 1.312 |
| EQSPB | 24816-7026 | 3.938 | 4.957 | 1.375 |
| EQSPB | 24816-7027 | 4.187 | 5.230 | 1.375 |
| EQSPB | 24816-7028 | 4.437 | 5.548 | 1.375 |
| EQSPB | 24816-7029 | 4.937 | 5.982 | 1.375 |
| EQSPB | 24816-7030 | 5.000 | 5.982 | 1.375 |
| EQSPB | 24816-7031 | 3.937 | 5.328 | 1.375 |
| EQSPB | 24816-7032 | 2.812 | 3.569 | 1.375 |
| EQSPB | 24816-7033 | 3.438 | 4.338 | 1.375 |
| EQSPB | 24816-7035 | 2.500 | 3.192 | 1.062 |
| EQSPB | 24816-7036 | 3.500 | 4.458 | 1.312 |
| EQSPB | 24816-7039 | 6.625 | 8.390 | 1.375 |
| EQSPB | 24816-7040 | 6.000 | 7.340 | 1.375 |
| EQSPB | 24816-7041 | 1.937 | 2.563 | 0.875 |
| EQSPB | 24816-7042 | 2.750 | 3.772 | 1.000 |
| EQSPB | 24816-7043 | 6.437 | 7.780 | 1.375 |
| EQSPB | 24816-7044 | 3.812 | 4.773 | 1.375 |
| EQSPB | 24816-7047 | 3.938 | 5.643 | 1.125 |
| EQSPB | 24816-7048 | 3.937 | 4.955 | 1.252 |
| EQSPB | 24816-7049 | 5.438 | 6.750 | 1.250 |
| EQSPB | 24816-7050 | 3.250 | 4.335 | 1.312 |
| EQSPB | 24816-7052 | 8.937 | 10.443 | 1.562 |
| EQSPB | 24816-7054 | 6.625 | 7.718 | 1.250 |
| EQSPB | 24816-7055 | 5.750 | 6.938 | 1.250 |
| EQSPB | 24816-7056 | 3.875 | 5.085 | 1.375 |
| EQSPB | 24816-7057 | 3.938 | 5.085 | 1.375 |
| EQSPB | 24816-7058 | 2.362 | 3.366 | 0.750 |
| EQSPB | 24816-7060 | 2.937 | 4.480 | 1.062 |
| EQSPB | 24816-7061 | 1.378 | 2.146 | 0.748 |
| EQSPB | 24816-7062 | 1.378 | 2.539 | 0.748 |
| EQSPB | 24816-7063 | 1.772 | 2.539 | 0.748 |
| EQSPB | 24816-7064 | 1.772 | 2.972 | 0.748 |
| EQSPB | 24816-7065 | 2.165 | 2.972 | 0.748 |
| EQSPB | 24816-7067 | 1.438 | 2.063 | 0.975 |
| EQSPB | 24816-7068 | 6.000 | 7.343 | 1.375 |
| EQSPB | 24816-7111 | 7.437 | 8.945 | 1.375 |
| EQSPB | 24816-7118 | 5.875 | 6.938 | 1.523 |
| EQSPB | 24816-7119 | 3.188 | 4.335 | 1.298 |
| EQSPB | 24816-7120 | 7.437 | 8.945 | 1.540 |
| EQSPB | 24816-7124 | 1.438 | 2.063 | 0.609 |
| EQSPB | 24816-7131 | 3.188 | 4.335 | 1.312 |
| EQSPB | 24816-7132 | 7.188 | 8.570 | 0.980 |
| EQSPB | 24816-7147 | 3.437 | 4.523 | 1.312 |
| IG | 29500-2175 | 3.000 | 4.000 | 0.750 |
| IG | 29500-3349 | 2.000 | 3.000 | 0.750 |
| IG | 29500-3370 | 6.000 | 7.500 | 0.750 |
| IG | 29500-3462 | 6.750 | 8.125 | 0.750 |
| IG | 29500-3465 | 6.750 | 8.250 | 0.750 |
| IG | 29500-3467 | 6.750 | 8.000 | 0.750 |
| IG | 29500-3501 | 7.000 | 8.500 | 0.750 |
| IG | 29500-3553 | 7.500 | 9.000 | 0.750 |
| IG | 29500-3585 | 1.875 | 2.875 | 0.750 |
| IG | 29500-3589 | 7.875 | 9.375 | 0.750 |
| IG | 29500-4107 | 1.750 | 2.875 | 0.750 |
| IG | 29500-4109 | 2.125 | 2.875 | 0.750 |
| IG | 29500-4110 | 1.875 | 2.750 | 0.750 |
| IG | 29500-4111 | 2.500 | 3.250 | 0.750 |
| IG | 29500-4112 | 2.375 | 3.250 | 0.750 |
| IG | 29500-4113 | 3.313 | 4.125 | 0.750 |
| IG | 29500-4115 | 4.313 | 5.500 | 0.750 |
| IG | 29500-4116 | 4.125 | 5.250 | 0.750 |
| IG | 29500-4124 | 1.875 | 2.625 | 0.750 |
| IG | 29500-4140 | 1.250 | 2.250 | 0.750 |
| IG | 29500-4141 | 1.375 | 2.375 | 0.750 |
| IG | 29500-4143 | 1.500 | 2.500 | 0.750 |
| IG | 29500-4144 | 1.625 | 2.625 | 0.750 |
| IG | 29500-4145 | 1.750 | 2.750 | 0.750 |
| IG | 29500-4146 | 2.125 | 3.125 | 0.750 |
| IG | 29500-4148 | 2.250 | 3.250 | 0.750 |
| IG | 29500-4149 | 2.375 | 3.375 | 0.750 |
| IG | 29500-4150 | 2.500 | 3.500 | 0.750 |
| IG | 29500-4152 | 2.750 | 3.750 | 0.750 |
| IG | 29500-4154 | 3.250 | 4.250 | 0.750 |
| IG | 29500-4156 | 3.500 | 4.500 | 0.750 |
| IG | 29500-4158 | 3.750 | 4.750 | 0.750 |
| IG | 29500-4160 | 4.000 | 5.000 | 0.750 |
| IG | 29500-4163 | 4.250 | 5.250 | 0.750 |
| IG | 29500-4174 | 5.750 | 6.750 | 0.750 |
| IG | 29500-4181 | 1.125 | 2.441 | 0.750 |
| IG | 29500-4193 | 3.346 | 4.331 | 0.750 |
| IG | 29500-4212 | 4.500 | 6.000 | 0.750 |
| IG | 29500-4214 | 3.500 | 4.375 | 0.750 |
| IG | 29500-4280 | 2.438 | 3.438 | 0.750 |
| IG | 29500-4292 | 3.937 | 4.937 | 0.750 |
| IG | 29500-4310 | 6.125 | 7.125 | 0.750 |
| IG | 29500-4312 | 6.250 | 7.250 | 0.750 |
| IG | 29500-4331 | 2.875 | 4.000 | 0.750 |
| IG | 29500-4361 | 3.000 | 4.125 | 0.750 |
| IG | 29500-4366 | 4.188 | 5.250 | 0.750 |
| IG | 29500-4374 | 2.500 | 3.750 | 0.750 |
| IG | 29500-4379 | 3.375 | 4.500 | 0.750 |
| IG | 29500-4391 | 4.500 | 5.750 | 0.750 |
| IG | 29500-4425 | 3.250 | 4.500 | 0.750 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| IG | 29500-4464 | 4.284 | 5.284 | 0.750 |
| IG | 29500-4472 | 4.938 | 6.000 | 0.750 |
| IG | 29500-4476 | 2.441 | 3.948 | 0.750 |
| IG | 29500-4480 | 4.250 | 5.500 | 0.750 |
| IG | 29500-4485 | 2.188 | 5.125 | 0.750 |
| IG | 29500-4495 | 4.437 | 5.500 | 0.750 |
| IG | 29500-4497 | 4.166 | 5.500 | 0.750 |
| IG | 29500-4502 | 1.100 | 2.625 | 0.750 |
| IG | 29500-4504 | 5.438 | 6.875 | 0.750 |
| IG | 29500-4506 | 3.740 | 4.740 | 0.750 |
| IG | 29500-4507 | 3.000 | 4.375 | 0.750 |
| IG | 29500-4538 | 1.188 | 2.250 | 0.750 |
| IG | 29500-4542 | 6.375 | 7.498 | 0.750 |
| IG | 29500-4559 | 1.188 | 2.000 | 0.750 |
| IG | 29500-4560 | 1.812 | 2.875 | 0.750 |
| IG | 29500-4562 | 3.688 | 4.750 | 0.750 |
| IG | 29500-4571 | 1.875 | 3.250 | 0.750 |
| IG | 29500-4592 | 2.500 | 4.937 | 0.750 |
| IG | 29500-4619 | 2.375 | 3.875 | 0.750 |
| IG | 29500-4640 | 3.937 | 6.375 | 0.750 |
| IG | 29500-4641 | 3.937 | 4.999 | 0.750 |
| IG | 29500-4647 | 4.938 | 7.000 | 0.750 |
| IG | 29500-4648 | 2.937 | 4.000 | 0.750 |
| IG | 29500-4649 | 3.937 | 4.921 | 0.750 |
| IG | 29500-4656 | 1.770 | 2.875 | 0.750 |
| IG | 29500-4675 | 2.990 | 4.000 | 0.750 |
| IG | 29500-4678 | 1.771 | 3.937 | 0.750 |
| IG | 29500-4683 | 2.500 | 3.543 | 0.750 |
| IG | 29500-4694 | 2.875 | 4.134 | 0.750 |
| IG | 29500-4704 | 1.875 | 3.938 | 0.750 |
| IG | 29500-4709 | 3.000 | 3.750 | 0.750 |
| IG | 29500-4721 | 2.559 | 3.543 | 0.750 |
| IG | 29500-4744 | 2.165 | 3.542 | 0.750 |
| IG | 29500-4747 | 2.520 | 3.740 | 0.750 |
| IG | 29500-4748 | 3.386 | 5.118 | 0.750 |
| IG | 29500-4750 | 3.386 | 5.315 | 0.750 |
| IG | 29500-4751 | 3.740 | 5.512 | 0.750 |
| IG | 29500-4756 | 7.480 | 8.661 | 0.750 |
| IG | 29500-4758 | 3.543 | 4.724 | 0.750 |
| IG | 29500-4816 | 3.346 | 4.921 | 0.750 |
| IG | 29500-4820 | 1.000 | 2.441 | 0.750 |
| IG | 29500-4822 | 2.953 | 3.740 | 0.750 |
| IG | 29500-4830 | 5.625 | 6.875 | 0.750 |
| IG | 29500-4831 | 5.906 | 6.906 | 0.750 |
| IG | 29500-4834 | 2.812 | 4.002 | 0.750 |
| IG | 29500-4835 | 4.213 | 5.827 | 0.750 |
| IG | 29500-4841 | 4.449 | 6.378 | 0.750 |
| IG | 29500-4842 | 4.429 | 6.297 | 0.750 |
| IG | 29500-4844 | 3.543 | 4.960 | 0.750 |
| IG | 29500-4845 | 3.938 | 5.188 | 0.750 |
| IG | 29500-4861 | 2.312 | 3.812 | 0.750 |
| IG | 29500-4865 | 6.250 | 7.500 | 0.750 |
| IG | 29500-4872 | 2.437 | 4.725 | 0.725 |
| IG | 29500-4874 | 2.250 | 3.625 | 0.750 |
| IG | 29500-4883 | 2.360 | 3.360 | 0.750 |
| IG | 29500-4895 | 1.575 | 2.575 | 0.750 |
| IG | 29500-4979 | 3.740 | 4.921 | 0.750 |
| IG | 29500-4981 | 4.134 | 5.118 | 0.750 |
| IG | 29500-4984 | 4.331 | 5.512 | 0.750 |
| IG | 29500-4994 | 5.512 | 6.693 | 0.750 |
| IG | 29500-5066 | 3.125 | 4.250 | 0.750 |
| IG | 29500-5087 | 3.335 | 4.335 | 0.750 |
| IG | 29500-5119 | 4.875 | 7.000 | 0.750 |
| IG | 29500-5158 | 7.874 | 8.874 | 0.750 |
| IG | 29500-5159 | 4.724 | 5.724 | 0.750 |
| IG | 29500-5293 | 3.150 | 4.724 | 0.750 |
| IG | 29500-5328 | 1.810 | 2.875 | 0.750 |
| IG | 29500-5367 | 2.559 | 4.331 | 0.750 |
| IG | 29500-5383 | 4.331 | 5.331 | 0.750 |
| IG | 29500-5479 | 3.543 | 4.543 | 0.750 |
| IG | 29500-5481 | 6.000 | 7.375 | 0.750 |
| IG | 29500-5487 | 3.149 | 4.724 | 0.750 |
| IG | 29500-5512 | 2.362 | 3.362 | 0.750 |
| IG | 29500-5522 | 6.625 | 7.625 | 0.750 |
| IG | 29500-5567 | 1.890 | 2.890 | 0.750 |
| IG | 29500-5569 | 2.480 | 3.480 | 0.750 |
| IG | 29500-5645 | 5.000 | 7.000 | 0.750 |
| IG | 29500-5699 | 4.375 | 5.500 | 0.750 |
| IG | 29500-5700 | 3.500 | 4.381 | 0.750 |
| IG | 29500-5716 | 4.250 | 5.376 | 0.750 |
| IG | 29500-5722 | 2.188 | 2.937 | 0.750 |
| IG | 29500-5772 | 2.625 | 3.750 | 0.750 |
| IG | 29500-5808 | 8.625 | 10.250 | 0.750 |
| IG | 29502-0774 | 3.375 | 4.375 | 0.750 |
| IG | 29502-0815 | 1.125 | 2.250 | 0.625 |
| IG | 29502-1745 | 2.125 | 3.625 | 0.750 |
| IG | 29502-1864 | 5.375 | 6.375 | 0.750 |
| IG | 29502-2051 | 4.563 | 5.563 | 0.750 |
| IG | 29502-2141 | 2.438 | 3.313 | 0.750 |
| IG | 29502-2175 | 3.000 | 4.000 | 0.750 |
| IG | 29502-2573 | 5.250 | 6.750 | 0.750 |
| IG | 29502-3349 | 2.000 | 3.000 | 0.750 |
| IG | 29502-3362 | 6.000 | 7.000 | 0.750 |
| IG | 29502-3370 | 6.000 | 7.500 | 0.750 |
| IG | 29502-3405 | 6.250 | 7.750 | 0.750 |
| IG | 29502-3453 | 7.000 | 8.000 | 0.750 |
| IG | 29502-3465 | 6.750 | 8.250 | 0.750 |
| IG | 29502-3467 | 6.750 | 8.000 | 0.750 |
| IG | 29502-3497 | 7.000 | 8.250 | 0.750 |
| IG | 29502-3553 | 7.500 | 9.000 | 0.750 |
| **IG** | **29502-3585** | **1.875** | **2.875** | **0.750** |
| IG | 29502-3601 | 8.000 | 9.500 | 0.750 |
| **IG** | **29502-4104** | **1.375** | **2.835** | **0.750** |
| **IG** | **29502-4107** | **1.750** | **2.875** | **0.750** |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| **IG** | **29502-4108** | **1.125** | **2.000** | **0.750** |
| IG | 29502-4109 | 2.125 | 2.875 | 0.750 |
| IG | 29502-4110 | 1.875 | 2.750 | 0.750 |
| **IG** | **29502-4111** | **2.500** | **3.250** | **0.750** |
| **IG** | **29502-4112** | **2.375** | **3.250** | **0.750** |
| IG | 29502-4113 | 3.313 | 4.125 | 0.750 |
| IG | 29502-4114 | 3.125 | 4.125 | 0.750 |
| IG | 29502-4115 | 4.312 | 5.500 | 0.750 |
| IG | 29502-4116 | 4.125 | 5.250 | 0.750 |
| IG | 29502-4117 | 1.438 | 2.250 | 0.750 |
| IG | 29502-4118 | 1.375 | 2.125 | 0.750 |
| IG | 29502-4119 | 2.062 | 3.000 | 0.750 |
| IG | 29502-4120 | 1.937 | 3.000 | 0.750 |
| IG | 29502-4123 | 0.875 | 1.625 | 0.750 |
| **IG** | **29502-4124** | **1.875** | **2.625** | **0.750** |
| **IG** | **29502-4125** | **2.625** | **3.677** | **0.750** |
| IG | 29502-4126 | 2.625 | 3.688 | 0.750 |
| IG | 29502-4138 | 1.000 | 2.000 | 0.750 |
| **IG** | **29502-4139** | **1.125** | **2.125** | **0.750** |
| IG | 29502-4140 | 1.250 | 2.250 | 0.750 |
| IG | 29502-4141 | 1.375 | 2.375 | 0.750 |
| IG | 29502-4143 | 1.500 | 2.500 | 0.750 |
| IG | 29502-4144 | 1.625 | 2.625 | 0.750 |
| IG | 29502-4145 | 1.750 | 2.750 | 0.750 |
| IG | 29502-4146 | 2.125 | 3.125 | 0.750 |
| IG | 29502-4148 | 2.250 | 3.250 | 0.750 |
| IG | 29502-4149 | 2.375 | 3.375 | 0.750 |
| IG | 29502-4150 | 2.500 | 3.500 | 0.750 |
| IG | 29502-4151 | 2.625 | 3.625 | 0.750 |
| IG | 29502-4152 | 2.750 | 3.750 | 0.750 |
| IG | 29502-4153 | 2.875 | 3.875 | 0.750 |
| IG | 29502-4154 | 3.250 | 4.250 | 0.750 |
| IG | 29502-4156 | 3.500 | 4.500 | 0.750 |
| IG | 29502-4157 | 3.625 | 4.625 | 0.750 |
| IG | 29502-4158 | 3.750 | 4.750 | 0.750 |
| IG | 29502-4159 | 3.875 | 4.875 | 0.750 |
| IG | 29502-4160 | 4.000 | 5.000 | 0.750 |
| IG | 29502-4161 | 4.125 | 5.125 | 0.750 |
| IG | 29502-4163 | 4.250 | 5.250 | 0.750 |
| IG | 29502-4164 | 4.375 | 5.375 | 0.750 |
| IG | 29502-4165 | 4.500 | 5.500 | 0.750 |
| IG | 29502-4166 | 4.625 | 5.625 | 0.750 |
| IG | 29502-4167 | 4.750 | 5.750 | 0.750 |
| IG | 29502-4168 | 4.875 | 5.875 | 0.750 |
| IG | 29502-4169 | 5.000 | 6.000 | 0.750 |
| IG | 29502-4170 | 5.125 | 6.125 | 0.750 |
| IG | 29502-4171 | 5.250 | 6.250 | 0.750 |
| IG | 29502-4172 | 5.500 | 6.500 | 0.750 |
| IG | 29502-4173 | 5.625 | 6.625 | 0.750 |
| IG | 29502-4174 | 5.750 | 6.750 | 0.750 |
| IG | 29502-4175 | 5.875 | 6.875 | 0.750 |
| IG | 29502-4177 | 1.437 | 2.437 | 0.750 |

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| IG | 29502-4179 | 2.625 | 3.675 | 0.750 |
| **IG** | **29502-4181** | **1.125** | **2.441** | **0.750** |
| IG | 29502-4182 | 1.000 | 1.750 | 0.750 |
| IG | 29502-4185 | 1.250 | 2.000 | 0.750 |
| IG | 29502-4186 | 3.250 | 4.000 | 0.750 |
| IG | 29502-4187 | 2.750 | 3.500 | 0.750 |
| IG | 29502-4189 | 1.890 | 2.756 | 0.750 |
| IG | 29502-4190 | 2.165 | 3.150 | 0.750 |
| IG | 29502-4191 | 2.362 | 3.346 | 0.750 |
| IG | 29502-4192 | 2.756 | 3.740 | 0.750 |
| IG | 29502-4193 | 3.346 | 4.331 | 0.750 |
| IG | 29502-4203 | 5.000 | 6.250 | 0.750 |
| IG | 29502-4204 | 2.187 | 3.000 | 0.750 |
| IG | 29502-4205 | 2.125 | 3.000 | 0.750 |
| IG | 29502-4208 | 5.250 | 6.500 | 0.750 |
| IG | 29502-4209 | 4.000 | 5.375 | 0.750 |
| IG | 29502-4211 | 5.875 | 7.125 | 0.750 |
| IG | 29502-4212 | 4.500 | 6.000 | 0.750 |
| IG | 29502-4213 | 4.500 | 5.250 | 0.750 |
| IG | 29502-4214 | 3.500 | 4.375 | 0.750 |
| IG | 29502-4215 | 2.875 | 4.125 | 0.750 |
| IG | 29502-4217 | 2.000 | 3.125 | 0.750 |
| IG | 29502-4218 | 4.750 | 6.000 | 0.750 |
| IG | 29502-4235 | 1.500 | 2.250 | 0.750 |
| IG | 29502-4257 | 2.313 | 3.313 | 0.750 |
| IG | 29502-4266 | 0.625 | 1.625 | 0.750 |
| IG | 29502-4267 | 0.875 | 1.875 | 0.750 |
| IG | 29502-4270 | 0.938 | 1.938 | 0.750 |
| IG | 29502-4271 | 1.063 | 2.063 | 0.750 |
| IG | 29502-4272 | 1.188 | 2.188 | 0.750 |
| IG | 29502-4273 | 1.313 | 2.313 | 0.750 |
| IG | 29502-4274 | 1.563 | 2.563 | 0.750 |
| IG | 29502-4275 | 1.688 | 2.688 | 0.750 |
| IG | 29502-4276 | 1.812 | 2.812 | 0.750 |
| IG | 29502-4277 | 1.938 | 2.938 | 0.750 |
| IG | 29502-4278 | 2.063 | 3.063 | 0.750 |
| IG | 29502-4279 | 2.187 | 3.187 | 0.750 |
| IG | 29502-4280 | 2.437 | 3.437 | 0.750 |
| IG | 29502-4281 | 2.562 | 3.562 | 0.750 |
| IG | 29502-4282 | 2.688 | 3.688 | 0.750 |
| IG | 29502-4283 | 2.812 | 3.812 | 0.750 |
| IG | 29502-4284 | 2.938 | 3.938 | 0.750 |
| IG | 29502-4285 | 3.063 | 4.063 | 0.750 |
| IG | 29502-4286 | 3.188 | 4.188 | 0.750 |
| IG | 29502-4287 | 3.313 | 4.313 | 0.750 |
| IG | 29502-4288 | 3.438 | 4.438 | 0.750 |
| IG | 29502-4289 | 3.563 | 4.563 | 0.750 |
| IG | 29502-4290 | 3.688 | 4.688 | 0.750 |
| IG | 29502-4291 | 3.812 | 4.812 | 0.750 |
| IG | 29502-4292 | 3.938 | 4.938 | 0.750 |
| IG | 29502-4293 | 4.063 | 5.063 | 0.750 |
| IG | 29502-4295 | 4.188 | 5.188 | 0.750 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| IG | 29502-4296 | 4.313 | 5.313 | 0.750 |
| IG | 29502-4297 | 4.438 | 5.438 | 0.750 |
| IG | 29502-4298 | 4.688 | 5.688 | 0.750 |
| IG | 29502-4299 | 4.812 | 5.812 | 0.750 |
| IG | 29502-4300 | 4.938 | 5.938 | 0.750 |
| IG | 29502-4301 | 5.063 | 6.063 | 0.750 |
| IG | 29502-4302 | 5.188 | 6.188 | 0.750 |
| IG | 29502-4303 | 5.313 | 6.313 | 0.750 |
| IG | 29502-4304 | 5.438 | 6.438 | 0.750 |
| IG | 29502-4305 | 5.563 | 6.563 | 0.750 |
| IG | 29502-4306 | 5.688 | 6.688 | 0.750 |
| IG | 29502-4307 | 5.812 | 6.812 | 0.750 |
| IG | 29502-4308 | 5.938 | 6.938 | 0.750 |
| IG | 29502-4309 | 6.063 | 7.063 | 0.750 |
| IG | 29502-4310 | 6.125 | 7.125 | 0.750 |
| IG | 29502-4311 | 6.188 | 7.188 | 0.750 |
| IG | 29502-4312 | 6.250 | 7.250 | 0.750 |
| IG | 29502-4313 | 6.313 | 7.313 | 0.750 |
| IG | 29502-4314 | 6.375 | 7.375 | 0.750 |
| IG | 29502-4315 | 6.438 | 7.438 | 0.750 |
| IG | 29502-4316 | 6.500 | 7.500 | 0.750 |
| IG | 29502-4319 | 1.750 | 2.500 | 0.750 |
| IG | 29502-4320 | 1.375 | 2.437 | 0.750 |
| IG | 29502-4322 | 1.125 | 1.875 | 0.750 |
| IG | 29502-4323 | 1.750 | 2.625 | 0.750 |
| IG | 29502-4324 | 2.375 | 3.125 | 0.750 |
| IG | 29502-4325 | 3.400 | 4.400 | 0.750 |
| IG | 29502-4326 | 2.000 | 2.750 | 0.750 |
| IG | 29502-4327 | 1.625 | 2.500 | 0.750 |
| IG | 29502-4328 | 3.000 | 3.875 | 0.750 |
| IG | 29502-4329 | 1.375 | 3.125 | 0.750 |
| IG | 29502-4330 | 1.875 | 2.686 | 0.750 |
| IG | 29502-4331 | 2.875 | 4.000 | 0.750 |
| IG | 29502-4332 | 2.625 | 3.484 | 0.750 |
| IG | 29502-4335 | 2.065 | 3.000 | 0.750 |
| IG | 29502-4336 | 1.185 | 2.442 | 0.750 |
| IG | 29502-4338 | 2.280 | 3.280 | 0.750 |
| IG | 29502-4348 | 1.750 | 3.938 | 0.750 |
| IG | 29502-4350 | 1.766 | 2.750 | 0.750 |
| IG | 29502-4351 | 2.355 | 3.870 | 0.750 |
| IG | 29502-4352 | 3.000 | 4.910 | 0.750 |
| IG | 29502-4353 | 2.500 | 4.375 | 0.750 |
| IG | 29502-4354 | 3.375 | 5.250 | 0.750 |
| IG | 29502-4356 | 1.900 | 3.500 | 0.750 |
| IG | 29502-4366 | 4.187 | 5.250 | 0.750 |
| IG | 29502-4367 | 2.250 | 3.190 | 0.750 |
| IG | 29502-4368 | 2.246 | 4.500 | 0.750 |
| IG | 29502-4374 | 2.500 | 3.750 | 0.750 |
| IG | 29502-4379 | 3.375 | 4.500 | 0.750 |
| IG | 29502-4385 | 3.375 | 4.125 | 0.750 |
| IG | 29502-4386 | 2.875 | 4.625 | 0.750 |
| IG | 29502-4391 | 4.500 | 5.750 | 0.750 |

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| IG | 29502-4402 | 1.127 | 2.000 | 0.750 |
| IG | 29502-4403 | 2.159 | 3.000 | 0.750 |
| IG | 29502-4408 | 2.250 | 2.997 | 0.750 |
| IG | 29502-4422 | 1.180 | 2.835 | 0.750 |
| IG | 29502-4425 | 3.250 | 4.500 | 0.750 |
| IG | 29502-4438 | 2.625 | 3.500 | 0.750 |
| IG | 29502-4439 | 1.654 | 2.625 | 0.750 |
| IG | 29502-4440 | 1.457 | 2.500 | 0.750 |
| IG | 29502-4441 | 1.575 | 3.071 | 0.750 |
| IG | 29502-4448 | 0.787 | 1.575 | 0.750 |
| IG | 29502-4457 | 2.990 | 3.750 | 0.750 |
| IG | 29502-4462 | 2.250 | 3.000 | 0.750 |
| IG | 29502-4470 | 1.562 | 2.502 | 0.750 |
| IG | 29502-4477 | 3.313 | 4.375 | 0.750 |
| IG | 29502-4478 | 2.312 | 3.250 | 0.750 |
| IG | 29502-4479 | 2.875 | 3.750 | 0.750 |
| IG | 29502-4480 | 4.250 | 5.500 | 0.750 |
| IG | 29502-4483 | 2.530 | 3.287 | 0.750 |
| IG | 29502-4489 | 2.053 | 3.000 | 0.750 |
| IG | 29502-4490 | 1.772 | 2.756 | 0.750 |
| IG | 29502-4491 | 3.535 | 4.500 | 0.750 |
| IG | 29502-4492 | 2.165 | 2.953 | 0.750 |
| IG | 29502-4529 | 1.378 | 2.165 | 0.750 |
| IG | 29502-4532 | 2.559 | 3.346 | 0.750 |
| IG | 29502-4541 | 2.685 | 3.998 | 0.750 |
| IG | 29502-4542 | 6.375 | 7.498 | 0.750 |
| IG | 29502-4544 | 2.938 | 4.125 | 0.750 |
| IG | 29502-4546 | 1.755 | 3.358 | 0.750 |
| IG | 29502-4548 | 2.875 | 3.625 | 0.750 |
| IG | 29502-4550 | 3.188 | 4.250 | 0.750 |
| IG | 29502-4553 | 1.969 | 3.543 | 0.750 |
| IG | 29502-4559 | 1.188 | 2.000 | 0.750 |
| IG | 29502-4560 | 1.812 | 2.875 | 0.750 |
| IG | 29502-4572 | 4.062 | 5.125 | 0.750 |
| IG | 29502-4574 | 3.150 | 4.250 | 0.750 |
| IG | 29502-4581 | 1.772 | 2.953 | 0.750 |
| IG | 29502-4589 | 2.746 | 3.746 | 0.750 |
| IG | 29502-4590 | 2.158 | 3.158 | 0.750 |
| IG | 29502-4591 | 1.962 | 2.962 | 0.750 |
| IG | 29502-4594 | 2.938 | 4.000 | 0.750 |
| IG | 29502-4595 | 1.500 | 2.254 | 0.750 |
| IG | 29502-4601 | 2.352 | 3.375 | 0.750 |
| IG | 29502-4602 | 3.825 | 4.875 | 0.750 |
| IG | 29502-4603 | 3.420 | 4.500 | 0.750 |
| IG | 29502-4604 | 4.520 | 5.500 | 0.750 |
| IG | 29502-4609 | 2.350 | 3.350 | 0.750 |
| IG | 29502-4615 | 1.625 | 2.375 | 0.750 |
| IG | 29502-4617 | 2.125 | 3.187 | 0.750 |
| IG | 29502-4622 | 3.850 | 4.875 | 0.750 |
| IG | 29502-4623 | 2.400 | 3.375 | 0.750 |
| IG | 29502-4630 | 2.558 | 3.558 | 0.750 |
| IG | 29502-4638 | 2.160 | 3.195 | 0.750 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| IG | 29502-4641 | 3.937 | 4.999 | 0.750 |
| IG | 29502-4649 | 3.937 | 4.921 | 0.750 |
| IG | 29502-4650 | 3.438 | 4.500 | 0.750 |
| IG | 29502-4655 | 3.156 | 4.250 | 0.750 |
| IG | 29502-4658 | 2.997 | 3.831 | 0.750 |
| IG | 29502-4664 | 1.925 | 3.000 | 0.750 |
| IG | 29502-4665 | 1.965 | 3.000 | 0.750 |
| IG | 29502-4666 | 2.400 | 3.500 | 0.750 |
| IG | 29502-4679 | 1.625 | 2.437 | 0.750 |
| IG | 29502-4680 | 1.250 | 2.438 | 0.750 |
| IG | 29502-4683 | 2.500 | 3.543 | 0.750 |
| IG | 29502-4684 | 1.181 | 2.362 | 0.750 |
| IG | 29502-4687 | 2.350 | 3.375 | 0.750 |
| IG | 29502-4688 | 1.950 | 3.000 | 0.750 |
| IG | 29502-4689 | 1.370 | 2.375 | 0.750 |
| IG | 29502-4692 | 1.760 | 2.875 | 0.750 |
| IG | 29502-4693 | 2.360 | 3.375 | 0.750 |
| IG | 29502-4700 | 1.969 | 2.953 | 0.750 |
| IG | 29502-4704 | 1.875 | 3.938 | 0.750 |
| IG | 29502-4705 | 2.420 | 3.355 | 0.750 |
| IG | 29502-4706 | 2.750 | 4.000 | 0.750 |
| IG | 29502-4708 | 2.750 | 3.625 | 0.750 |
| IG | 29502-4709 | 3.000 | 3.750 | 0.750 |
| IG | 29502-4714 | 1.938 | 2.875 | 0.750 |
| IG | 29502-4715 | 3.550 | 4.550 | 0.750 |
| IG | 29502-4716 | 1.920 | 3.000 | 0.750 |
| IG | 29502-4720 | 1.173 | 2.441 | 0.750 |
| IG | 29502-4721 | 2.559 | 3.543 | 0.750 |
| IG | 29502-4722 | 3.345 | 4.320 | 0.750 |
| IG | 29502-4728 | 3.150 | 4.135 | 0.750 |
| IG | 29502-4731 | 0.875 | 2.750 | 0.750 |
| IG | 29502-4735 | 5.500 | 10.250 | 0.750 |
| IG | 29502-4742 | 1.450 | 2.360 | 0.750 |
| IG | 29502-4749 | 2.953 | 3.937 | 0.750 |
| IG | 29502-4758 | 3.543 | 4.724 | 0.750 |
| IG | 29502-4769 | 4.298 | 5.298 | 0.750 |
| IG | 29502-4770 | 2.942 | 3.942 | 0.750 |
| IG | 29502-4771 | 1.563 | 2.623 | 0.750 |
| IG | 29502-4772 | 2.554 | 3.554 | 0.750 |
| IG | 29502-4775 | 3.125 | 3.875 | 0.750 |
| IG | 29502-4777 | 3.125 | 3.938 | 0.750 |
| IG | 29502-4786 | 2.165 | 3.189 | 0.750 |
| IG | 29502-4798 | 3.150 | 3.937 | 0.750 |
| IG | 29502-4806 | 2.375 | 3.500 | 0.750 |
| IG | 29502-4807 | 2.125 | 3.250 | 0.750 |
| IG | 29502-4808 | 1.575 | 2.441 | 0.750 |
| IG | 29502-4809 | 1.875 | 3.000 | 0.750 |
| IG | 29502-4810 | 1.500 | 2.375 | 0.750 |
| IG | 29502-4812 | 2.228 | 3.228 | 0.750 |
| IG | 29502-4813 | 2.258 | 3.258 | 0.750 |
| IG | 29502-4818 | 2.710 | 3.710 | 0.750 |
| IG | 29502-4819 | 1.969 | 2.756 | 0.750 |

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| IG | 29502-4822 | 2.953 | 3.740 | 0.750 |
| IG | 29502-4825 | 1.614 | 2.402 | 0.750 |
| IG | 29502-4826 | 3.312 | 4.213 | 0.750 |
| IG | 29502-4828 | 1.625 | 2.525 | 0.750 |
| IG | 29502-4831 | 5.906 | 6.906 | 0.750 |
| IG | 29502-4837 | 4.851 | 5.886 | 0.750 |
| IG | 29502-4838 | 2.938 | 4.295 | 0.750 |
| IG | 29502-4843 | 1.562 | 2.500 | 0.750 |
| IG | 29502-4846 | 2.441 | 3.441 | 0.750 |
| IG | 29502-4847 | 2.432 | 3.432 | 0.750 |
| IG | 29502-4850 | 2.938 | 3.750 | 0.750 |
| IG | 29502-4859 | 3.937 | 5.118 | 0.750 |
| IG | 29502-4860 | 1.260 | 2.165 | 0.750 |
| IG | 29502-4874 | 2.250 | 3.625 | 0.750 |
| IG | 29502-4877 | 1.562 | 2.441 | 0.750 |
| IG | 29502-4880 | 1.968 | 2.718 | 0.750 |
| IG | 29502-4883 | 2.360 | 3.360 | 0.750 |
| IG | 29502-4884 | 4.125 | 5.375 | 0.750 |
| IG | 29502-4887 | 2.450 | 3.450 | 0.750 |
| IG | 29502-4888 | 3.140 | 4.140 | 0.750 |
| IG | 29502-4966 | 2.559 | 3.937 | 0.750 |
| IG | 29502-4969 | 2.756 | 3.543 | 0.750 |
| IG | 29502-4980 | 3.938 | 4.724 | 0.750 |
| IG | 29502-4981 | 4.134 | 5.118 | 0.750 |
| IG | 29502-4982 | 4.134 | 5.512 | 0.750 |
| IG | 29502-4984 | 4.331 | 5.512 | 0.750 |
| IG | 29502-5001 | 2.540 | 3.540 | 0.750 |
| IG | 29502-5003 | 2.125 | 3.375 | 0.750 |
| IG | 29502-5005 | 2.750 | 3.720 | 0.750 |
| IG | 29502-5007 | 1.187 | 2.437 | 0.750 |
| IG | 29502-5024 | 1.375 | 2.625 | 0.750 |
| IG | 29502-5039 | 1.125 | 2.375 | 0.750 |
| IG | 29502-5042 | 2.500 | 3.623 | 0.750 |
| IG | 29502-5043 | 2.380 | 3.375 | 0.750 |
| IG | 29502-5044 | 3.188 | 4.312 | 0.750 |
| IG | 29502-5045 | 2.500 | 3.875 | 0.750 |
| IG | 29502-5049 | 0.983 | 1.983 | 0.750 |
| IG | 29502-5051 | 1.573 | 2.572 | 0.750 |
| IG | 29502-5053 | 2.161 | 3.161 | 0.750 |
| IG | 29502-5055 | 3.142 | 4.142 | 0.750 |
| IG | 29502-5056 | 2.240 | 3.240 | 0.750 |
| IG | 29502-5057 | 3.731 | 4.731 | 0.750 |
| IG | 29502-5058 | 3.375 | 4.625 | 0.750 |
| IG | 29502-5059 | 2.317 | 3.375 | 0.750 |
| IG | 29502-5065 | 2.625 | 4.003 | 0.750 |
| IG | 29502-5066 | 3.125 | 4.250 | 0.750 |
| IG | 29502-5071 | 1.125 | 2.050 | 0.750 |
| IG | 29502-5072 | 3.937 | 4.960 | 0.750 |
| IG | 29502-5073 | 2.625 | 4.000 | 0.750 |
| IG | 29502-5076 | 2.354 | 3.354 | 0.750 |
| IG | 29502-5080 | 2.625 | 3.670 | 0.750 |
| IG | 29502-5081 | 2.375 | 3.255 | 0.750 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| IG | 29502-5090 | 3.464 | 4.500 | 0.750 |
| IG | 29502-5094 | 6.438 | 7.687 | 0.750 |
| IG | 29502-5101 | 1.250 | 2.875 | 0.750 |
| IG | 29502-5123 | 4.313 | 5.687 | 0.750 |
| IG | 29502-5127 | 2.938 | 4.003 | 0.750 |
| IG | 29502-5128 | 3.938 | 5.250 | 0.750 |
| IG | 29502-5132 | 4.450 | 5.437 | 0.750 |
| IG | 29502-5133 | 3.420 | 4.375 | 0.750 |
| IG | 29502-5135 | 1.772 | 2.622 | 0.750 |
| IG | 29502-5141 | 3.150 | 4.150 | 0.750 |
| IG | 29502-5143 | 2.500 | 4.000 | 0.750 |
| IG | 29502-5148 | 1.200 | 2.000 | 0.750 |
| IG | 29502-5149 | 1.180 | 2.000 | 0.750 |
| IG | 29502-5154 | 2.619 | 3.682 | 0.750 |
| IG | 29502-5160 | 2.015 | 3.000 | 0.750 |
| IG | 29502-5161 | 2.375 | 3.371 | 0.750 |
| IG | 29502-5163 | 2.625 | 3.543 | 0.750 |
| IG | 29502-5165 | 3.563 | 4.500 | 0.750 |
| IG | 29502-5166 | 1.180 | 2.180 | 0.750 |
| IG | 29502-5167 | 1.754 | 2.754 | 0.750 |
| IG | 29502-5168 | 1.967 | 2.967 | 0.750 |
| IG | 29502-5169 | 3.158 | 4.158 | 0.750 |
| IG | 29502-5203 | 4.000 | 4.875 | 0.750 |
| IG | 29502-5210 | 3.605 | 4.625 | 0.750 |
| IG | 29502-5211 | 2.248 | 3.150 | 0.750 |
| IG | 29502-5213 | 3.189 | 4.252 | 0.750 |
| IG | 29502-5214 | 1.250 | 3.150 | 0.750 |
| IG | 29502-5215 | 3.000 | 5.875 | 0.750 |
| IG | 29502-5258 | 3.687 | 4.560 | 0.750 |
| IG | 29502-5268 | 1.437 | 2.694 | 0.750 |
| IG | 29502-5274 | 1.937 | 2.750 | 0.750 |
| IG | 29502-5279 | 5.500 | 6.693 | 0.750 |
| IG | 29502-5285 | 6.000 | 6.750 | 0.750 |
| IG | 29502-5287 | 6.750 | 7.750 | 0.750 |
| IG | 29502-5288 | 2.437 | 3.750 | 0.750 |
| IG | 29502-5289 | 2.400 | 3.438 | 0.750 |
| IG | 29502-5292 | 1.562 | 3.548 | 0.750 |
| IG | 29502-5296 | 3.634 | 4.625 | 0.750 |
| IG | 29502-5307 | 2.188 | 3.251 | 0.750 |
| IG | 29502-5312 | 2.875 | 4.250 | 0.750 |
| IG | 29502-5313 | 3.149 | 4.122 | 0.750 |
| IG | 29502-5314 | 3.580 | 4.916 | 0.750 |
| IG | 29502-5329 | 2.819 | 3.813 | 0.750 |
| IG | 29502-5333 | 3.000 | 4.500 | 0.750 |
| IG | 29502-5334 | 1.375 | 2.500 | 0.750 |
| IG | 29502-5342 | 2.165 | 3.165 | 0.750 |
| IG | 29502-5362 | 3.125 | 4.003 | 0.750 |
| IG | 29502-5364 | 3.750 | 5.000 | 0.750 |
| IG | 29502-5372 | 1.496 | 2.362 | 0.750 |
| IG | 29502-5381 | 3.500 | 5.250 | 0.750 |
| IG | 29502-5383 | 4.331 | 5.331 | 0.750 |
| IG | 29502-5385 | 5.187 | 7.000 | 0.750 |
| IG | 29502-5386 | 1.375 | 2.812 | 0.750 |
| IG | 29502-5395 | 3.071 | 4.331 | 0.750 |
| IG | 29502-5396 | 2.820 | 3.843 | 0.750 |
| IG | 29502-5397 | 3.937 | 4.990 | 0.750 |
| IG | 29502-5398 | 3.346 | 4.335 | 0.750 |
| IG | 29502-5403 | 3.008 | 4.008 | 0.750 |
| IG | 29502-5404 | 2.718 | 3.700 | 0.750 |
| IG | 29502-5410 | 4.750 | 5.500 | 0.750 |
| IG | 29502-5413 | 2.938 | 4.500 | 0.750 |
| IG | 29502-5415 | 1.688 | 2.625 | 0.750 |
| IG | 29502-5419 | 2.250 | 3.125 | 0.750 |
| IG | 29502-5420 | 2.726 | 3.500 | 0.750 |
| IG | 29502-5423 | 3.000 | 5.000 | 0.750 |
| IG | 29502-5424 | 5.250 | 6.000 | 0.750 |
| IG | 29502-5436 | 1.438 | 2.500 | 0.750 |
| IG | 29502-5443 | 2.345 | 3.375 | 0.750 |
| IG | 29502-5455 | 3.016 | 4.016 | 0.750 |
| IG | 29502-5463 | 2.225 | 3.225 | 0.750 |
| IG | 29502-5469 | 2.925 | 3.925 | 0.750 |
| IG | 29502-5470 | 1.125 | 2.062 | 0.750 |
| IG | 29502-5471 | 1.750 | 2.700 | 0.750 |
| IG | 29502-5472 | 2.625 | 4.050 | 0.750 |
| IG | 29502-5473 | 2.356 | 3.780 | 0.750 |
| IG | 29502-5476 | 3.812 | 4.875 | 0.750 |
| IG | 29502-5480 | 4.000 | 5.250 | 0.750 |
| IG | 29502-5481 | 6.000 | 7.375 | 0.750 |
| IG | 29502-5489 | 1.438 | 2.375 | 0.750 |
| IG | 29502-5498 | 3.250 | 4.030 | 0.750 |
| IG | 29502-5511 | 1.168 | 2.437 | 0.750 |
| IG | 29502-5513 | 4.120 | 5.000 | 0.750 |
| IG | 29502-5517 | 1.145 | 2.000 | 0.750 |
| IG | 29502-5520 | 1.375 | 2.250 | 0.750 |
| IG | 29502-5524 | 6.218 | 8.062 | 0.750 |
| IG | 29502-5526 | 1.171 | 2.250 | 0.750 |
| IG | 29502-5533 | 2.047 | 3.150 | 0.750 |
| IG | 29502-5534 | 0.984 | 1.890 | 0.750 |
| IG | 29502-5535 | 2.362 | 3.111 | 0.750 |
| IG | 29502-5538 | 2.160 | 3.160 | 0.750 |
| IG | 29502-5539 | 1.575 | 2.362 | 0.750 |
| IG | 29502-5540 | 1.654 | 2.441 | 0.750 |
| IG | 29502-5541 | 1.772 | 2.559 | 0.750 |
| IG | 29502-5542 | 2.165 | 3.071 | 0.750 |
| IG | 29502-5543 | 2.362 | 3.150 | 0.750 |
| IG | 29502-5545 | 2.205 | 3.150 | 0.750 |
| IG | 29502-5548 | 4.331 | 5.562 | 0.750 |
| IG | 29502-5549 | 5.591 | 6.378 | 0.750 |
| IG | 29502-5550 | 4.724 | 5.512 | 0.750 |
| IG | 29502-5555 | 6.000 | 7.059 | 0.750 |
| IG | 29502-5558 | 2.500 | 4.724 | 0.750 |
| IG | 29502-5565 | 6.875 | 7.875 | 0.750 |
| IG | 29502-5569 | 2.480 | 3.480 | 0.750 |
| IG | 29502-5570 | 1.938 | 3.149 | 0.750 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| IG | 29502-5578 | 1.500 | 2.864 | 0.750 |
| IG | 29502-5579 | 2.500 | 5.118 | 0.750 |
| IG | 29502-5583 | 6.125 | 7.625 | 0.750 |
| IG | 29502-5584 | 1.181 | 2.441 | 0.750 |
| IG | 29502-5585 | 2.375 | 3.130 | 0.750 |
| IG | 29502-5589 | 2.953 | 4.175 | 0.750 |
| IG | 29502-5592 | 3.438 | 5.000 | 0.750 |
| IG | 29502-5594 | 1.772 | 2.750 | 0.750 |
| IG | 29502-5596 | 1.468 | 2.375 | 0.750 |
| IG | 29502-5619 | 2.000 | 3.250 | 0.750 |
| IG | 29502-5621 | 1.250 | 3.125 | 0.750 |
| IG | 29502-5622 | 3.150 | 4.500 | 0.750 |
| IG | 29502-5628 | 2.498 | 3.368 | 0.750 |
| IG | 29502-5632 | 1.969 | 2.992 | 0.750 |
| IG | 29502-5634 | 2.062 | 3.125 | 0.750 |
| IG | 29502-5636 | 4.640 | 5.640 | 0.750 |
| IG | 29502-5646 | 2.559 | 4.134 | 0.750 |
| IG | 29502-5647 | 2.775 | 3.775 | 0.750 |
| IG | 29502-5648 | 3.925 | 4.925 | 0.750 |
| IG | 29502-5653 | 2.312 | 3.500 | 0.750 |
| IG | 29502-5654 | 2.134 | 3.066 | 0.750 |
| IG | 29502-5657 | 3.100 | 4.100 | 0.750 |
| IG | 29502-5658 | 3.600 | 4.600 | 0.750 |
| IG | 29502-5687 | 2.430 | 3.623 | 0.750 |
| IG | 29502-5689 | 1.241 | 2.253 | 0.750 |
| IG | 29502-5692 | 1.688 | 3.437 | 0.750 |
| IG | 29502-5697 | 2.950 | 3.950 | 0.750 |
| IG | 29502-5701 | 3.346 | 4.134 | 0.750 |
| IG | 29502-5702 | 6.430 | 7.500 | 0.750 |
| IG | 29502-5705 | 2.062 | 2.875 | 0.750 |
| IG | 29502-5706 | 2.554 | 3.375 | 0.750 |
| IG | 29502-5707 | 4.438 | 5.562 | 0.750 |
| IG | 29502-5712 | 6.063 | 7.500 | 0.750 |
| IG | 29502-5713 | 1.938 | 2.688 | 0.750 |
| IG | 29502-5717 | 4.362 | 5.362 | 0.750 |
| IG | 29502-5718 | 2.550 | 3.550 | 0.750 |
| IG | 29502-5719 | 4.100 | 5.100 | 0.750 |
| IG | 29502-5721 | 3.790 | 4.790 | 0.750 |
| IG | 29502-5723 | 3.125 | 4.312 | 0.750 |
| IG | 29502-5729 | 2.341 | 3.151 | 0.750 |
| IG | 29502-5730 | 3.725 | 4.725 | 0.750 |
| IG | 29502-5731 | 1.562 | 2.598 | 0.750 |
| IG | 29502-5734 | 2.275 | 3.275 | 0.750 |
| IG | 29502-5735 | 4.325 | 5.325 | 0.750 |
| IG | 29502-5739 | 2.953 | 4.331 | 0.750 |
| IG | 29502-5742 | 2.950 | 4.000 | 0.750 |
| IG | 29502-5743 | 1.500 | 2.750 | 0.750 |
| IG | 29502-5745 | 5.375 | 6.125 | 0.750 |
| IG | 29502-5746 | 7.375 | 8.625 | 0.750 |
| IG | 29502-5748 | 3.540 | 4.540 | 0.750 |
| IG | 29502-5749 | 3.535 | 4.535 | 0.750 |
| IG | 29502-5751 | 3.685 | 4.685 | 0.750 |
| IG | 29502-5753 | 1.906 | 2.752 | 0.750 |
| IG | 29502-5754 | 4.515 | 5.515 | 0.750 |
| IG | 29502-5755 | 3.420 | 4.420 | 0.750 |
| IG | 29502-5757 | 3.750 | 5.500 | 0.750 |
| IG | 29502-5763 | 3.110 | 4.331 | 0.750 |
| IG | 29502-5766 | 1.772 | 3.021 | 0.750 |
| IG | 29502-5767 | 4.331 | 5.125 | 0.750 |
| IG | 29502-5769 | 2.125 | 3.500 | 0.750 |
| IG | 29502-5772 | 2.625 | 3.750 | 0.750 |
| IG | 29502-5773 | 2.677 | 4.000 | 0.750 |
| IG | 29502-5774 | 5.635 | 6.874 | 0.750 |
| IG | 29502-5775 | 1.375 | 3.150 | 0.750 |
| IG | 29502-5778 | 2.500 | 4.875 | 0.750 |
| IG | 29502-5793 | 2.500 | 3.625 | 0.750 |
| IG | 29502-5794 | 0.866 | 1.969 | 0.750 |
| IG | 29502-5795 | 2.559 | 3.583 | 0.750 |
| IG | 29502-5798 | 1.378 | 2.835 | 0.750 |
| IG | 29502-5801 | 2.335 | 3.335 | 0.750 |
| IG | 29502-5803 | 2.559 | 4.724 | 0.750 |
| IG | 29502-5807 | 1.772 | 3.543 | 0.750 |
| IG | 29502-5810 | 6.498 | 9.125 | 0.750 |
| IG | 29502-5813 | 4.488 | 5.512 | 0.750 |
| IG | 29502-5815 | 2.625 | 5.250 | 0.750 |
| IG | 29502-5816 | 3.250 | 5.250 | 0.750 |
| IG | 29502-5818 | 2.312 | 3.750 | 0.750 |
| IG | 29502-5819 | 1.772 | 3.346 | 0.750 |
| IG | 29502-5820 | 2.250 | 3.500 | 0.750 |
| IG | 29502-5821 | 4.375 | 5.312 | 0.750 |
| IG | 29502-5825 | 2.300 | 3.300 | 0.750 |
| IG | 29502-5912 | 4.375 | 6.000 | 0.750 |
| IG | 29502-5930 | 1.772 | 2.835 | 0.750 |
| IG | 29502-5931 | 2.283 | 4.409 | 0.750 |
| IG | 29502-5933 | 3.500 | 4.721 | 0.750 |
| IG | 29502-6231 | 2.363 | 3.150 | 0.750 |
| IG | 29502-6574 | 5.500 | 6.750 | 0.750 |
| IG | 29502-9354 | 8.000 | 9.250 | 0.750 |
| IG | 29507-0706 | 1.875 | 3.000 | 0.625 |
| IG | 29507-0988 | 1.125 | 2.000 | 0.625 |
| IG | 29507-0989 | 1.875 | 2.625 | 0.625 |
| IG | 29507-0991 | 2.500 | 3.250 | 0.625 |
| IG | 29507-0998 | 1.750 | 2.875 | 0.625 |
| IG | 29507-1012 | 0.875 | 1.625 | 0.625 |
| IG | 29507-1062 | 1.750 | 2.625 | 0.625 |
| IG | 29507-1075 | 1.875 | 2.750 | 0.625 |
| IG | 29507-1089 | 1.625 | 2.625 | 0.625 |
| IG | 29507-1092 | 1.375 | 2.125 | 0.625 |
| IG | 29507-1118 | 1.500 | 2.125 | 0.625 |
| IG | 29507-1146 | 1.312 | 2.000 | 0.625 |
| IG | 29507-1152 | 1.125 | 1.876 | 0.625 |
| IG | 29507-1194 | 1.500 | 2.500 | 0.625 |
| IG | 29507-1214 | 1.500 | 2.375 | 0.625 |
| IG | 29507-1215 | 1.250 | 2.000 | 0.625 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| IG | 29507-1238 | 2.750 | 3.500 | 0.625 |
| IG | 29507-1249 | 2.000 | 2.750 | 0.625 |
| IG | 29507-1251 | 2.562 | 3.562 | 0.625 |
| IG | 29507-1322 | 2.125 | 2.875 | 0.625 |
| IG | 29507-1348 | 2.362 | 3.150 | 0.625 |
| IG | 29507-1350 | 2.000 | 3.000 | 0.625 |
| IG | 29507-1581 | 2.375 | 3.250 | 0.625 |
| IG | 29507-1744 | 1.750 | 2.750 | 0.625 |
| IG | 29507-1818 | 2.500 | 3.500 | 0.625 |
| IG | 29507-1958 | 1.437 | 2.375 | 0.625 |
| IG | 29507-1976 | 2.625 | 3.250 | 0.625 |
| IG | 29507-1976 | 2.625 | 3.250 | 0.625 |
| IG | 29507-2016 | 2.500 | 3.189 | 0.625 |
| IG | 29507-2182 | 0.875 | 1.375 | 0.625 |
| IG | 29507-2222 | 3.125 | 4.000 | 0.625 |
| IG | 29507-2273 | 1.125 | 1.625 | 0.625 |
| IG | 29507-2405 | 3.543 | 4.543 | 0.625 |
| IG | 29507-2604 | 4.125 | 5.125 | 0.625 |
| IG | 29507-2659 | 4.250 | 5.250 | 0.625 |
| IG | 29507-2684 | 1.000 | 1.500 | 0.625 |
| IG | 29507-2711 | 0.875 | 1.875 | 0.625 |
| IG | 29507-2714 | 0.938 | 1.938 | 0.625 |
| IG | 29507-2755 | 4.500 | 5.500 | 0.625 |
| IG | 29507-2940 | 1.375 | 2.000 | 0.625 |
| IG | 29507-2971 | 1.571 | 2.571 | 0.625 |
| IG | 29507-3029 | 1.562 | 2.500 | 0.625 |
| IG | 29507-3052 | 2.160 | 3.160 | 0.625 |
| IG | 29507-3107 | 2.755 | 3.741 | 0.625 |
| IG | 29507-3266 | 1.967 | 2.967 | 0.625 |
| IG | 29507-3316 | 2.953 | 3.740 | 0.625 |
| IG | 29507-3388 | 1.181 | 2.181 | 0.625 |
| IG | 29507-3398 | 1.000 | 1.750 | 0.625 |
| IG | 29507-3534 | 1.250 | 1.687 | 0.625 |
| **IG** | **29507-4106** | **0.875** | **1.250** | **0.625** |
| IG | 29507-4121 | 1.062 | 1.624 | 0.625 |
| IG | 29507-4122 | 0.937 | 1.500 | 0.625 |
| **IG** | **29507-4123** | **0.875** | **1.625** | **0.625** |
| IG | 29507-4130 | 1.500 | 2.000 | 0.625 |
| IG | 29507-4176 | 1.375 | 1.875 | 0.625 |
| IG | 29507-4183 | 1.750 | 2.375 | 0.625 |
| IG | 29507-4184 | 1.125 | 1.750 | 0.625 |
| IG | 29507-4206 | 1.063 | 1.643 | 0.625 |
| IG | 29507-4317 | 0.625 | 1.250 | 0.625 |
| IG | 29507-4318 | 1.370 | 2.060 | 0.625 |
| IG | 29507-4333 | 1.060 | 1.625 | 0.625 |
| IG | 29507-4334 | 1.125 | 1.562 | 0.625 |
| IG | 29507-4337 | 2.155 | 2.875 | 0.625 |
| IG | 29507-4339 | 0.875 | 1.500 | 0.625 |
| IG | 29507-4340 | 1.250 | 1.750 | 0.625 |
| IG | 29507-4398 | 2.950 | 3.460 | 0.625 |
| IG | 29507-4414 | 1.812 | 2.312 | 0.625 |
| IG | 29507-4456 | 1.438 | 2.125 | 0.625 |
| IG | 29507-4458 | 2.362 | 2.953 | 0.625 |
| IG | 29507-4484 | 2.676 | 3.362 | 0.625 |
| IG | 29507-4522 | 2.938 | 3.623 | 0.625 |
| IG | 29507-4533 | 0.938 | 2.048 | 0.625 |
| IG | 29507-4539 | 2.000 | 2.625 | 0.625 |
| IG | 29507-4545 | 1.570 | 2.250 | 0.625 |
| IG | 29507-4547 | 2.375 | 3.062 | 0.625 |
| IG | 29507-4551 | 0.750 | 1.875 | 0.625 |
| IG | 29507-4554 | 1.772 | 2.165 | 0.625 |
| IG | 29507-4563 | 0.984 | 1.850 | 0.625 |
| IG | 29507-4564 | 2.875 | 3.500 | 0.625 |
| IG | 29507-4586 | 1.750 | 2.250 | 0.625 |
| IG | 29507-4637 | 0.625 | 1.300 | 0.625 |
| IG | 29507-4659 | 0.500 | 1.500 | 0.625 |
| IG | 29507-4667 | 2.149 | 2.875 | 0.625 |
| IG | 29507-4711 | 1.063 | 1.875 | 0.625 |
| IG | 29507-4718 | 1.575 | 2.047 | 0.625 |
| IG | 29507-4724 | 0.687 | 1.125 | 0.625 |
| IG | 29507-4793 | 2.750 | 3.250 | 0.625 |
| IG | 29507-4815 | 1.375 | 2.103 | 0.625 |
| IG | 29507-4839 | 2.145 | 2.871 | 0.625 |
| IG | 29507-4840 | 1.125 | 1.855 | 0.625 |
| IG | 29507-4864 | 1.732 | 2.250 | 0.625 |
| IG | 29507-4868 | 0.787 | 1.378 | 0.625 |
| IG | 29507-4889 | 1.936 | 2.367 | 0.625 |
| IG | 29507-4890 | 2.437 | 2.930 | 0.625 |
| IG | 29507-4893 | 3.500 | 4.125 | 0.625 |
| IG | 29507-4920 | 1.181 | 1.654 | 0.625 |
| IG | 29507-4922 | 1.260 | 1.850 | 0.625 |
| IG | 29507-4924 | 1.378 | 1.850 | 0.625 |
| IG | 29507-4925 | 1.378 | 1.969 | 0.625 |
| IG | 29507-4926 | 1.378 | 2.047 | 0.625 |
| IG | 29507-4934 | 1.496 | 2.165 | 0.625 |
| IG | 29507-4938 | 1.654 | 2.165 | 0.625 |
| IG | 29507-4945 | 1.969 | 2.677 | 0.625 |
| IG | 29507-4948 | 2.047 | 2.677 | 0.625 |
| IG | 29507-4951 | 2.165 | 2.756 | 0.625 |
| IG | 29507-4952 | 2.165 | 2.835 | 0.625 |
| IG | 29507-5004 | 2.955 | 3.500 | 0.625 |
| IG | 29507-5006 | 4.130 | 4.505 | 0.625 |
| IG | 29507-5012 | 2.188 | 2.832 | 0.625 |
| IG | 29507-5013 | 2.543 | 3.543 | 0.625 |
| IG | 29507-5014 | 2.746 | 3.746 | 0.625 |
| IG | 29507-5016 | 2.556 | 3.556 | 0.625 |
| IG | 29507-5062 | 2.875 | 3.375 | 0.625 |
| IG | 29507-5063 | 2.375 | 2.938 | 0.625 |
| IG | 29507-5068 | 1.575 | 2.283 | 0.625 |
| IG | 29507-5093 | 2.200 | 2.750 | 0.625 |
| IG | 29507-5097 | 1.375 | 2.263 | 0.625 |
| IG | 29507-5098 | 2.125 | 3.129 | 0.625 |
| IG | 29507-5112 | 1.156 | 1.875 | 0.625 |
| IG | 29507-5126 | 2.362 | 3.308 | 0.625 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| IG | 29507-5129 | 1.938 | 2.623 | 0.625 |
| IG | 29507-5136 | 3.188 | 3.688 | 0.625 |
| IG | 29507-5137 | 4.000 | 4.500 | 0.625 |
| IG | 29507-5138 | 1.766 | 2.323 | 0.625 |
| IG | 29507-5139 | 2.441 | 2.992 | 0.625 |
| IG | 29507-5151 | 2.000 | 2.712 | 0.625 |
| IG | 29507-5153 | 2.938 | 3.544 | 0.625 |
| IG | 29507-5171 | 0.983 | 1.983 | 0.625 |
| IG | 29507-5199 | 2.185 | 3.185 | 0.625 |
| IG | 29507-5200 | 1.685 | 2.685 | 0.625 |
| IG | 29507-5201 | 1.745 | 2.745 | 0.625 |
| IG | 29507-5204 | 1.181 | 1.772 | 0.625 |
| IG | 29507-5205 | 0.984 | 1.486 | 0.625 |
| IG | 29507-5207 | 1.125 | 1.500 | 0.625 |
| IG | 29507-5215 | 3.000 | 5.875 | 0.750 |
| IG | 29507-5217 | 1.754 | 2.754 | 0.625 |
| IG | 29507-5218 | 3.158 | 4.158 | 0.625 |
| IG | 29507-5225 | 1.726 | 2.250 | 0.625 |
| IG | 29507-5265 | 2.375 | 3.000 | 0.625 |
| IG | 29507-5266 | 4.331 | 4.961 | 0.625 |
| IG | 29507-5270 | 1.889 | 2.874 | 0.625 |
| IG | 29507-5282 | 0.785 | 1.750 | 0.625 |
| IG | 29507-5283 | 0.750 | 1.125 | 0.625 |
| IG | 29507-5290 | 1.625 | 2.250 | 0.625 |
| IG | 29507-5291 | 1.773 | 2.500 | 0.625 |
| IG | 29507-5295 | 2.147 | 2.875 | 0.625 |
| IG | 29507-5308 | 1.813 | 2.750 | 0.625 |
| IG | 29507-5316 | 2.490 | 2.875 | 0.625 |
| IG | 29507-5318 | 1.998 | 2.500 | 0.625 |
| IG | 29507-5319 | 1.750 | 2.312 | 0.625 |
| IG | 29507-5322 | 0.781 | 1.375 | 0.625 |
| IG | 29507-5326 | 4.646 | 5.039 | 0.625 |
| IG | 29507-5360 | 1.625 | 2.125 | 0.625 |
| IG | 29507-5363 | 1.878 | 2.754 | 0.625 |
| IG | 29507-5373 | 1.500 | 2.219 | 0.625 |
| IG | 29507-5384 | 0.750 | 1.378 | 0.625 |
| IG | 29507-5394 | 1.125 | 1.875 | 0.625 |
| IG | 29507-5401 | 1.750 | 2.437 | 0.625 |
| IG | 29507-5406 | 2.438 | 2.813 | 0.625 |
| IG | 29507-5408 | 1.688 | 2.506 | 0.625 |
| IG | 29507-5412 | 1.000 | 1.687 | 0.625 |
| IG | 29507-5435 | 0.906 | 1.500 | 0.625 |
| IG | 29507-5478 | 2.148 | 2.875 | 0.625 |
| IG | 29507-5482 | 1.570 | 2.000 | 0.625 |
| IG | 29507-5502 | 2.000 | 2.500 | 0.625 |
| IG | 29507-5518 | 1.880 | 2.625 | 0.625 |
| IG | 29507-5519 | 1.685 | 3.185 | 0.625 |
| IG | 29507-5536 | 1.260 | 1.654 | 0.625 |
| IG | 29507-5544 | 2.559 | 3.228 | 0.625 |
| IG | 29507-5547 | 1.938 | 2.412 | 0.625 |
| IG | 29507-5552 | 1.417 | 2.125 | 0.625 |
| IG | 29507-5554 | 1.969 | 2.690 | 0.625 |
| IG | 29507-5563 | 4.938 | 5.500 | 0.625 |
| IG | 29507-5564 | 2.250 | 2.875 | 0.625 |
| IG | 29507-5586 | 0.984 | 1.929 | 0.625 |
| IG | 29507-5624 | 1.438 | 1.938 | 0.625 |
| IG | 29507-5649 | 2.500 | 3.000 | 0.625 |
| IG | 29507-5650 | 3.000 | 3.500 | 0.625 |
| IG | 29507-5651 | 2.027 | 2.626 | 0.625 |
| IG | 29507-5685 | 1.062 | 1.500 | 0.625 |
| IG | 29507-5703 | 1.938 | 2.500 | 0.625 |
| IG | 29507-5724 | 7.250 | 7.625 | 0.625 |
| IG | 29507-5737 | 1.716 | 2.219 | 0.625 |
| IG | 29507-5738 | 1.768 | 2.193 | 0.625 |
| IG | 29507-5744 | 2.000 | 2.375 | 0.625 |
| IG | 29507-5747 | 1.875 | 2.250 | 0.625 |
| IG | 29507-5812 | 1.156 | 2.000 | 0.625 |
| IG | 29507-5817 | 0.590 | 1.375 | 0.625 |
| IG | 29507-5824 | 1.875 | 2.500 | 0.625 |
| IG | 29507-5922 | 2.125 | 2.750 | 0.625 |
| IGSPB | 29516-4832 | 2.938 | 3.817 | 1.000 |
| IGSPB | 29516-5113 | 3.938 | 5.807 | 0.828 |
| IGSPB | 29516-5124 | 3.375 | 4.335 | 0.770 |
| IGSPB | 29516-5125 | 4.125 | 5.085 | 0.770 |
| IGSPB | 29516-5131 | 3.188 | 4.335 | 1.000 |
| IGSPB | 29516-5271 | 4.125 | 5.085 | 1.051 |
| IGSPB | 29516-5272 | 3.375 | 4.335 | 0.990 |
| IGSPB | 29516-5411 | 2.559 | 3.760 | 0.788 |
| IGSPB | 29516-5432 | 1.438 | 2.063 | 0.820 |
| IGSPB | 29516-5504 | 6.000 | 7.343 | 0.983 |
| IGSPB | 29516-7069 | 2.438 | 3.188 | 0.945 |
| IGSPB | 29516-7070 | 3.000 | 3.813 | 1.007 |
| IGSPB | 29516-7071 | 3.625 | 4.333 | 1.102 |
| IGSPB | 29516-7072 | 5.313 | 6.375 | 1.187 |
| IGSPB | 29516-7073 | 6.250 | 7.343 | 1.187 |
| IGSPB | 29516-7074 | 6.063 | 7.343 | 1.187 |
| IGSPB | 29516-7075 | 7.000 | 8.383 | 1.062 |
| IGSPB | 29516-7076 | 2.250 | 2.938 | 1.007 |
| IGSPB | 29516-7077 | 2.875 | 3.563 | 1.102 |
| IGSPB | 29516-7078 | 2.063 | 2.823 | 0.974 |
| IGSPB | 29516-7079 | 2.563 | 3.198 | 0.974 |
| IGSPB | 29516-7080 | 1.875 | 2.563 | 0.974 |
| IGSPB | 29516-7081 | 2.375 | 2.948 | 0.974 |
| **IGSPB** | **29516-7082** | **2.438** | **3.188** | **1.102** |
| IGSPB | 29516-7083 | 2.500 | 3.188 | 1.102 |
| IGSPB | 29516-7084 | 3.063 | 3.813 | 1.007 |
| IGSPB | 29516-7085 | 2.813 | 3.563 | 1.102 |
| IGSPB | 29516-7086 | 3.438 | 4.333 | 1.102 |
| IGSPB | 29516-7087 | 3.813 | 4.773 | 1.062 |
| IGSPB | 29516-7088 | 4.188 | 5.230 | 1.062 |
| IGSPB | 29516-7089 | 4.875 | 5.980 | 1.062 |
| IGSPB | 29516-7090 | 4.563 | 5.543 | 1.062 |
| IGSPB | 29516-7091 | 5.313 | 6.375 | 1.062 |
| IGSPB | 29516-7092 | 1.938 | 2.563 | 0.974 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO | PART NO | SHAFT | BORE | WIDTH |
|---|---|---|---|---|
| IGSPB | 29516-7093 | 2.188 | 2.823 | 0.974 |
| IGSPB | 29516-7094 | 2.688 | 3.563 | 1.102 |
| **IGSPB** | **29516-7095** | **2.938** | **3.813** | **1.007** |
| IGSPB | 29516-7096 | 3.250 | 4.335 | 1.124 |
| **IGSPB** | **29516-7097** | **3.500** | **4.523** | **1.124** |
| IGSPB | 29516-7098 | 3.938 | 4.960 | 1.062 |
| **IGSPB** | **29516-7099** | **4.438** | **5.543** | **1.062** |
| **IGSPB** | **29516-7100** | **4.938** | **5.980** | **1.062** |
| IGSPB | 29516-7102 | 5.000 | 5.980 | 1.062 |
| IGSPB | 29516-7103 | 5.438 | 6.750 | 0.983 |
| IGSPB | 29516-7104 | 6.438 | 7.780 | 1.187 |
| IGSPB | 29516-7105 | 2.188 | 2.938 | 1.007 |
| IGSPB | 29516-7106 | 2.938 | 3.940 | 1.062 |
| IGSPB | 29516-7107 | 6.938 | 8.383 | 1.249 |
| IGSPB | 29516-7108 | 3.188 | 4.335 | 1.124 |
| IGSPB | 29516-7109 | 6.938 | 8.383 | 1.312 |
| IGSPB | 29516-7110 | 5.938 | 7.343 | 1.200 |
| IGSPB | 29516-7112 | 3.438 | 4.460 | 1.124 |
| IGSPB | 29516-7113 | 3.438 | 4.523 | 1.124 |
| IGSPB | 29516-7114 | 3.500 | 5.807 | 0.828 |
| IGSPB | 29516-7115 | 2.938 | 4.173 | 0.879 |
| IGSPB | 29516-7116 | 3.437 | 5.807 | 0.828 |
| IGSPB | 29516-7117 | 3.937 | 6.201 | 0.988 |
| IGSPB | 29516-7121 | 5.188 | 6.375 | 1.116 |
| IGSPB | 29516-7122 | 4.437 | 6.201 | 0.828 |
| IGSPB | 29516-7123 | 4.938 | 6.988 | 0.827 |
| IGSPB | 29516-7125 | 5.875 | 6.938 | 1.116 |
| IGSPB | 29516-7126 | 5.750 | 6.938 | 1.116 |
| IGSPB | 29516-7127 | 6.625 | 7.718 | 1.116 |
| IGSPB | 29516-7128 | 1.500 | 2.063 | 0.820 |
| IGSPB | 29516-7129 | 1.688 | 2.313 | 0.820 |
| IGSPB | 29516-7130 | 1.772 | 3.228 | 0.710 |
| IGSPB | 29516-7133 | 3.938 | 5.085 | 1.050 |
| IGSPB | 29516-7134 | 4.938 | 7.382 | 0.918 |
| IGSPB | 29516-7135 | 4.500 | 5.543 | 1.050 |
| IGSPB | 29516-7136 | 2.362 | 3.366 | 0.788 |
| IGSPB | 29516-7137 | 4.125 | 5.230 | 0.963 |
| IGSPB | 29516-7139 | 2.438 | 3.876 | 0.700 |
| IGSPB | 29516-7142 | 3.346 | 4.370 | 0.694 |
| IGSPB | 29516-7146 | 7.437 | 8.945 | 1.115 |
| IGSPB | 29516-7148 | 4.500 | 6.988 | 0.807 |
| IGSPB | 29516-7150 | 5.500 | 6.750 | 1.062 |
| IGSPB | 29516-7152 | 2.953 | 3.976 | 0.696 |
| IG | 29519-0988 | 1.125 | 2.000 | 0.625 |
| IG | 29519-0989 | 1.875 | 2.625 | 0.625 |
| IG | 29519-0998 | 1.750 | 2.875 | 0.625 |
| IG | 29519-1075 | 1.875 | 2.750 | 0.625 |
| IG | 29519-1083 | 1.000 | 2.000 | 0.625 |
| IG | 29519-1092 | 1.375 | 2.125 | 0.625 |
| IG | 29519-1220 | 3.000 | 4.000 | 0.625 |
| IG | 29519-1238 | 2.750 | 3.500 | 0.625 |
| IG | 29519-1265 | 3.000 | 3.750 | 0.625 |
| IG | 29519-1479 | 2.250 | 3.000 | 0.625 |
| IG | 29519-1818 | 2.500 | 3.500 | 0.625 |
| IG | 29519-2923 | 5.000 | 6.250 | 0.625 |
| IG | 29519-3114 | 2.559 | 3.583 | 0.625 |
| IG | 29519-3125 | 4.332 | 5.354 | 0.625 |
| IG | 29519-3294 | 2.438 | 3.350 | 0.625 |
| IG | 29519-3426 | 6.500 | 7.500 | 0.625 |
| IG | 29519-3462 | 6.750 | 8.125 | 0.625 |
| IG | 29519-3552 | 7.500 | 9.000 | 0.625 |
| IG | 29519-5126 | 2.362 | 3.308 | 0.625 |
| IG | 29519-5641 | 3.150 | 4.375 | 0.625 |
| IG | 29519-5643 | 2.500 | 3.625 | 0.640 |
| IG | 29519-5655 | 6.442 | 7.500 | 0.625 |
| IG | 29519-5736 | 0.984 | 1.772 | 0.625 |
| IG | 29519-5741 | 6.430 | 7.500 | 0.625 |
| IG | 29519-5750 | 8.661 | 9.912 | 0.625 |
| IG | 29519-5756 | 2.480 | 3.268 | 0.625 |
| IG | 29519-5783 | 7.087 | 8.071 | 0.625 |
| IG | 29519-5806 | 2.938 | 3.875 | 0.625 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO. | GARLOCK PART NO. | SHAFT DIAMETER |
|---|---|---|
| 145A-1 | 21700-0450 | 17.72 - 17.91 |
| 145A-1 | 21700-0455 | 17.91 - 18.11 |
| 145A-1 | 21700-0460 | 18.11 - 18.31 |
| 145A-1 | 21700-0465 | 18.31 - 18.50 |
| 145A-1 | 21700-0470 | 18.50 - 18.70 |
| 145A-1 | 21700-0475 | 18.70 - 18.90 |
| 145A-1 | 21700-0480 | 18.90 - 19.09 |
| 145A-1 | 21700-0485 | 19.09 - 19.29 |
| 145A-1 | 21700-0490 | 19.29 - 19.49 |
| 145A-1 | 21700-0495 | 19.49 - 19.69 |
| 145A-1 | 21700-0500 | 19.69 - 19.88 |
| 145A-1 | 21700-0505 | 19.88 - 20.08 |
| 145A-1 | 21700-0510 | 20.08 - 20.28 |
| 145A-1 | 21700-0515 | 20.28 - 20.47 |
| 145A-1 | 21700-0520 | 20.47 - 20.67 |
| 145A-1 | 21700-0525 | 20.67 - 20.87 |
| 145A-1 | 21700-0530 | 20.87 - 21.06 |
| 145A-1 | 21700-0535 | 21.06 - 21.26 |
| 145A-1 | 21700-0540 | 21.26 - 21.46 |
| 145A-1 | 21700-0545 | 21.46 - 21.65 |
| 145A-1 | 21700-0550 | 21.65 - 21.85 |
| 145A-1 | 21700-0555 | 21.85 - 22.05 |
| 145A-1 | 21700-0560 | 22.05 - 22.24 |
| 145A-1 | 21700-0565 | 22.24 - 22.44 |
| 145A-1 | 21700-0570 | 22.44 - 22.64 |
| 145A-1 | 21700-0575 | 22.64 - 22.84 |
| 145A-1 | 21700-0580 | 22.84 - 23.03 |
| 145A-1 | 21700-0585 | 23.03 - 23.23 |
| 145A-1 | 21700-0590 | 23.23 - 23.62 |
| 145A-1 | 21700-0600 | 23.62 - 24.02 |
| 145A-1 | 21700-0610 | 24.02 - 24.41 |
| 145A-1 | 21700-0620 | 24.41 - 24.80 |
| 145A-1 | 21700-0630 | 24.80 - 25.20 |
| 145A-1 | 21700-0640 | 25.20 - 25.59 |
| 145A-1 | 21700-0650 | 25.59 - 25.98 |
| 145A-1 | 21700-0660 | 25.98 - 26.38 |
| 145A-1 | 21700-0670 | 26.38 - 26.77 |
| 145A-1 | 21700-0680 | 26.77 - 27.17 |
| 145A-1 | 21700-0690 | 21.17 - 27.56 |
| 145A-1 | 21700-0700 | 27.56 - 27.95 |
| 145A-1 | 21700-0710 | 27.95 - 28.35 |
| 145A-1 | 21700-0720 | 28.35 - 28.74 |
| 145A-1 | 21700-0730 | 28.74 - 29.13 |
| 145A-1 | 21700-0740 | 29.13 - 29.53 |
| 145A-1 | 21700-0750 | 29.53 - 29.84 |
| 145A-1 | 21700-0760 | 29.84 - 30.16 |
| 145A-1 | 21700-0770 | 30.16 - 30.47 |
| 145A-1 | 21700-0780 | 30.47 - 30.83 |
| 145A-1 | 21700-0790 | 30.83 - 31.18 |
| 145A-1 | 21700-0800 | 31.18 - 31.54 |
| 145A-1 | 21700-0810 | 31.54 - 31.89 |
| 145A-1 | 21700-0820 | 31.89 - 32.32 |
| 145A-1 | 21700-0830 | 32.32 - 32.72 |
| 145A-1 | 21700-0840 | 32.72 - 33.11 |
| 145A-1 | 21700-0850 | 33.11 - 33.50 |
| 145A-1 | 21700-0860 | 33.50 - 33.90 |
| 145A-1 | 21700-0870 | 33.90 - 34.29 |
| 145A-1 | 21700-0880 | 34.29 - 34.72 |
| 145A-1 | 21700-0890 | 34.72 - 35.12 |
| 145A-1 | 21700-0900 | 35.12 - 35.91 |
| 145A-1 | 21700-0920 | 35.91 - 36.30 |
| 145A-1 | 21700-0930 | 36.30 - 36.73 |
| 145A-1 | 21700-0940 | 36.73 - 37.17 |
| 145A-1 | 21700-0950 | 37.17 - 37.60 |
| 145A-1 | 21700-0960 | 37.60 - 38.03 |
| 145A-1 | 21700-0970 | 38.03 - 38.47 |
| 145A-1 | 21700-0980 | 38.47 - 38.90 |
| 145A-1 | 21700-0990 | 38.90 - 39.33 |
| 145A-1 | 21700-1000 | 39.33 - 39.76 |
| 145A-1 | 21700-1020 | 39.76 - 40.35 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO. | GARLOCK PART NO. | SHAFT DIAMETER |
|---|---|---|
| 145A-1 | 21700-1040 | 40.35 - 41.14 |
| 145A-1 | 21700-1060 | 41.14 - 41.93 |
| 145A-1 | 21700-1080 | 41.93 - 42.72 |
| 145A-1 | 21700-1100 | 42.72 - 43.50 |
| 145A-1 | 21700-1120 | 43.50 - 44.29 |
| 145A-1 | 21700-1140 | 44.29 - 45.08 |
| 145A-1 | 21700-1160 | 45.08 - 45.87 |
| 145A-1 | 21700-1180 | 45.87 - 46.65 |
| 145A-1 | 21700-1200 | 46.65 - 47.44 |
| 145A-1 | 21700-1220 | 47.44 - 48.23 |
| 145A-1 | 21700-1240 | 48.23 - 49.02 |
| 145A-1 | 21700-1260 | 49.02 - 50.00 |
| 145A-1 | 21700-1280 | 50.00 - 50.98 |
| 145A-1 | 21700-1300 | 50.98 - 51.77 |
| 145A-1 | 21700-1325 | 51.77 - 52.76 |
| 145A-1 | 21700-1350 | 52.76 - 53.74 |
| 145A-1 | 21700-1375 | 53.74 - 54.72 |
| 145A-1 | 21700-1400 | 54.72 - 55.71 |
| 145A-1 | 21700-1425 | 55.71 - 56.69 |
| 145A-1 | 21700-1450 | 56.69 - 57.68 |
| 145A-1 | 21700-1475 | 57.68 - 58.66 |
| 145A-1 | 21700-1500 | 58.66 - 59.65 |
| 145A-1 | 21700-1525 | 59.65 - 60.63 |
| 145A-1 | 21700-1550 | 60.63 - 61.81 |
| 145A-1 | 21700-1575 | 61.81 - 62.99 |
| 145A-1 | 21700-1600 | 62.99 - 64.57 |
| 145A-1 | 21700-1650 | 64.57 - 66.14 |
| 145A-1 | 21700-1700 | 66.14 - 67.72 |
| 145A-1 | 21700-1750 | 67.72 - 69.49 |
| 145A-1 | 21700-1800 | 69.49 - 71.26 |
| 145A-1 | 21700-1850 | 71.26 - 73.03 |
| 145A-1 | 21700-1900 | 73.03 - 75.00 |
| 145A-1 | 21700-1950 | 75.00 - 76.97 |
| 145A-1 | 21700-2000 | 76.97 - 79.13 |

| MODEL NO. | GARLOCK PART NO. | SHAFT DIAMETER |
|---|---|---|
| 145A-2 | 21750-0200 | 7.48 - 8.27 |
| 145A-2 | 21750-0220 | 8.27 - 9.25 |
| 145A-2 | 21750-0250 | 9.25 - 10.43 |
| 145A-2 | 21750-0275 | 10.43 - 11.42 |
| 145A-2 | 21750-0300 | 11.42 - 12.20 |
| 145A-2 | 21750-0325 | 12.20 - 13.19 |
| 145A-2 | 21750-0350 | 13.19 - 14.37 |
| 145A-2 | 21750-0375 | 14.37 - 15.35 |
| 145A-2 | 21750-0400 | 15.35 - 16.93 |
| 145A-2 | 21750-0450 | 16.93 - 18.90 |
| 145A-2 | 21750-0500 | 18.90 - 20.87 |
| 145A-2 | 21750-0550 | 20.87 - 22.83 |
| 145A-2 | 21750-0600 | 22.83 - 24.80 |
| 145A-2 | 21750-0650 | 24.80 - 26.18 |
| 145A-2 | 21750-0700 | 26.18 - 27.76 |
| 145A-2 | 21750-0725 | 27.76 - 29.33 |
| 145A-2 | 21750-0750 | 29.33 - 30.91 |
| 145A-2 | 21750-0800 | 30.91 - 32.68 |
| 145A-2 | 21750-0850 | 32.68 - 34.45 |
| 145A-2 | 21750-0900 | 34.45 - 36.22 |
| 145A-2 | 21750-0950 | 36.22 - 37.99 |
| 145A-2 | 21750-1000 | 37.99 - 39.96 |
| 145A-2 | 21750-1050 | 39.96 - 41.39 |
| 145A-2 | 21750-1100 | 41.93 - 43.90 |
| 145A-2 | 21750-1150 | 43.90 - 45.87 |
| 145A-2 | 21750-1200 | 45.87 - 47.84 |
| 145A-2 | 21750-1250 | 47.84 - 50.00 |
| 145A-2 | 21750-1300 | 50.00 - 51.97 |
| 145A-2 | 21750-1350 | 51.97 - 53.94 |
| 145A-2 | 21750-1400 | 53.94 - 55.91 |
| 145A-2 | 21750-1450 | 55.91 - 57.87 |
| 145A-2 | 21750-1500 | 57.87 - 59.84 |
| 145A-2 | 21750-1550 | 59.84 - 61.81 |
| 145A-2 | 21750-1600 | 61.81 - 63.78 |
| 145A-2 | 21750-1650 | 63.78 - 65.75 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| MODEL NO. | GARLOCK PART NO. | SHAFT DIAMETER |
|---|---|---|
| 145A-2 | 21750-1700 | 65.75 - 67.72 |
| 145A-2 | 21750-1750 | 67.72 - 69.69 |
| 145A-2 | 21750-1800 | 69.69 - 71.65 |
| 145A-2 | 21750-1850 | 71.65 - 73.62 |
| 145A-2 | 21750-1900 | 73.62 - 75.59 |
| 145A-2 | 21750-1950 | 75.59 - 77.56 |
| 145A-2 | 21750-2000 | 77.56 - 79.53 |

| MODEL NO. | GARLOCK PART NO. | SHAFT DIAMETER |
|---|---|---|

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 0.188 | 0.750 | 0.250 | 61 | 24060-7727 |
| 0.188 | 0.750 | 0.250 | 63 | 21158-7727 |
| **0.250** | **0.500** | **0.125** | **71** | **26001-7000** |
| 0.250 | 0.562 | 0.187 | 76 | 26193-6035 |
| 0.250 | 0.750 | 0.250 | 61 | 24060-3863 |
| **0.250** | **0.750** | **0.250** | **63** | **21158-3863** |
| 0.250 | 0.750 | 0.250 | 92 | 27063-3863 |
| 0.250 | 0.750 | 0.469 | 63R1 | 23547-7146 |
| 0.250 | 0.750 | 0.469 | 63R2 | 23548-7146 |
| **0.250** | **0.750** | **0.469** | **63T2** | **23550-7146** |
| 0.250 | 0.875 | 0.250 | 63 | 21158-3864 |
| 0.281 | 0.686 | 0.125 | 91 | 27023-7001 |
| 0.281 | 0.750 | 0.250 | 63 | 21158-0001 |
| 0.313 | 0.506 | 0.125 | 71 | 26001-8801 |
| **0.313** | **0.562** | **0.156** | **91** | **27023-6053** |
| 0.313 | 0.687 | 0.219 | 92 | 27063-9500 |
| 0.313 | 0.687 | 0.250 | 92 | 27063-6055 |
| 0.313 | 0.750 | 0.250 | 61 | 24060-0005 |
| **0.313** | **0.750** | **0.250** | **63** | **21158-0005** |
| 0.313 | 0.750 | 0.250 | 71 | 26001-0005 |
| 0.313 | 0.750 | 0.312 | 63 | 21158-0006 |
| **0.313** | **0.875** | **0.250** | **63** | **21158-0007** |
| 0.313 | 0.875 | 0.312 | 63 | 21158-0008 |
| 0.315 | 0.709 | 0.197 | 61 | 24060-1748 |
| 0.343 | 0.750 | 0.250 | 63 | 21158-0009 |
| 0.343 | 0.750 | 0.312 | 63 | 21158-0010 |
| 0.343 | 0.875 | 0.250 | 63 | 21158-0011 |
| **0.375** | **0.562** | **0.094** | **71** | **26001-7004** |
| **0.375** | **0.625** | **0.125** | **71** | **26001-7005** |
| **0.375** | **0.750** | **0.187** | **92** | **27063-9501** |
| 0.375 | 0.750 | 0.250 | 61 | 24060-0013 |
| **0.375** | **0.750** | **0.250** | **63** | **21158-0013** |
| 0.375 | 0.750 | 0.250 | 71 | 26001-0013 |
| 0.375 | 0.750 | 0.250 | 76 | 26193-0013 |
| 0.375 | 0.750 | 0.312 | 63 | 21158-0014 |
| 0.375 | 0.750 | 0.469 | 63R2 | 23548-6733 |
| 0.375 | 0.875 | 0.250 | 61 | 24060-0015 |
| **0.375** | **0.875** | **0.250** | **63** | **21158-0015** |
| 0.375 | 0.875 | 0.250 | 66 | 21527-0015 |
| 0.375 | 0.875 | 0.312 | 63 | 21158-0016 |
| 0.375 | 0.875 | 0.469 | 63R2 | 23548-8496 |
| 0.375 | 0.875 | 0.690 | EQ | 24807-2124 |
| 0.375 | 1.000 | 0.312 | 61 | 24060-0017 |
| **0.375** | **1.000** | **0.312** | **63** | **21158-0017** |
| 0.375 | 1.000 | 0.375 | 63 | 21158-0018 |
| 0.375 | 1.000 | 0.375 | 63F1 | 23078-0018 |
| **0.375** | **1.125** | **0.312** | **63** | **21158-0019** |
| 0.375 | 1.125 | 0.375 | 63 | 21158-0020 |
| 0.375 | 1.182 | 0.312 | 63 | 21158-8008 |
| **0.375** | **1.250** | **0.312** | **63** | **21158-0021** |
| 0.375 | 1.260 | 0.312 | 63 | 21158-8007 |
| 0.375 | 1.375 | 0.312 | 61 | 24060-0023 |
| 0.375 | 1.375 | 0.312 | 63 | 21158-0023 |
| 0.375 | 1.378 | 0.312 | 63 | 21158-8335 |
| 0.394 | 0.748 | 0.276 | 92 | 27063-0004 |
| 0.394 | 0.984 | 0.276 | 92 | 27063-0012 |
| 0.406 | 0.875 | 0.312 | 62 | 21702-0025 |
| 0.406 | 1.000 | 0.312 | 63 | 21158-0027 |
| 0.406 | 1.125 | 0.312 | 63 | 21158-0029 |
| 0.406 | 1.182 | 0.312 | 63 | 21158-8009 |
| 0.406 | 1.250 | 0.312 | 62 | 21702-0031 |
| 0.406 | 1.250 | 0.312 | 63 | 21158-0031 |
| 0.406 | 1.260 | 0.312 | 63 | 21158-8010 |
| 0.406 | 1.375 | 0.375 | 63 | 21158-0034 |
| 0.406 | 1.378 | 0.312 | 63 | 21158-8336 |
| 0.438 | 0.621 | 0.125 | 91 | 27023-6635 |
| **0.438** | **0.687** | **0.125** | **71** | **26001-6060** |
| 0.438 | 0.875 | 0.187 | 71 | 26001-7007 |
| 0.438 | 0.875 | 0.234 | 94 | 27223-6062 |
| 0.438 | 0.875 | 0.312 | 62 | 21702-0035 |
| **0.438** | **0.875** | **0.312** | **63** | **21158-0035** |
| 0.438 | 0.875 | 0.312 | 66 | 21527-0035 |
| 0.438 | 0.875 | 0.375 | 63 | 21158-0036 |
| 0.438 | 0.875 | 0.437 | 63F1 | 23078-7122 |
| 0.438 | 0.875 | 0.594 | 63R1 | 23547-5893 |
| 0.438 | 0.875 | 0.594 | 63T2 | 23550-5893 |
| 0.438 | 1.000 | 0.312 | 62 | 21702-0037 |
| 0.438 | 1.000 | 0.312 | 63 | 21158-0037 |
| 0.438 | 1.000 | 0.375 | 62 | 21702-0038 |
| 0.438 | 1.000 | 0.375 | 63 | 21158-0038 |
| 0.438 | 1.024 | 0.250 | 71 | 26001-7008 |
| 0.438 | 1.124 | 0.690 | EQ | 24807-3242 |
| 0.438 | 1.125 | 0.312 | 62 | 21702-0039 |
| 0.438 | 1.125 | 0.312 | 63 | 21158-0039 |
| 0.438 | 1.125 | 0.375 | 63 | 21158-0040 |
| 0.438 | 1.182 | 0.312 | 63 | 21158-8101 |
| 0.438 | 1.250 | 0.312 | 63 | 21158-0041 |
| 0.438 | 1.250 | 0.375 | 63 | 21158-0042 |
| 0.438 | 1.260 | 0.312 | 63 | 21158-8011 |
| 0.438 | 1.375 | 0.312 | 63 | 21158-3865 |
| 0.438 | 1.375 | 0.312 | 66 | 21527-3865 |
| 0.438 | 1.378 | 0.312 | 63 | 21158-8337 |
| 0.469 | 0.703 | 0.125 | 71 | 26001-7009 |
| 0.469 | 0.718 | 0.125 | 91 | 27023-9660 |
| **0.469** | **1.000** | **0.312** | **63** | **21158-0043** |
| 0.469 | 1.000 | 0.375 | 63 | 21158-0044 |
| 0.469 | 1.125 | 0.312 | 63 | 21158-0045 |
| 0.469 | 1.125 | 0.375 | 63 | 21158-0046 |
| 0.469 | 1.182 | 0.312 | 63 | 21158-8012 |
| 0.469 | 1.250 | 0.312 | 62 | 21702-0047 |
| 0.469 | 1.250 | 0.312 | 63 | 21158-0047 |
| 0.469 | 1.260 | 0.312 | 63 | 21158-6623 |
| 0.469 | 1.375 | 0.312 | 63 | 21158-3867 |
| 0.469 | 1.378 | 0.312 | 63 | 21158-8338 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 0.472 | 0.866 | 0.276 | 92 | 27063-0020 |
| 0.472 | 0.984 | 0.276 | 92 | 27063-0022 |
| 0.472 | 1.102 | 0.276 | 61 | 24060-0024 |
| 0.472 | 1.102 | 0.276 | 92 | 27063-0024 |
| **0.500** | **0.687** | **0.094** | **71** | **26001-7011** |
| 0.500 | 0.687 | 0.125 | 71 | 26001-7012 |
| 0.500 | 0.750 | 0.109 | 71 | 26001-6069 |
| **0.500** | **0.750** | **0.125** | **71** | **26001-7013** |
| **0.500** | **0.801** | **0.187** | **76** | **26193-6071** |
| **0.500** | **0.875** | **0.125** | **71** | **26001-7014** |
| 0.500 | 0.875 | 0.234 | 94 | 27223-6074 |
| **0.500** | **0.875** | **0.312** | **76** | **26193-7501** |
| 0.500 | 0.999 | 0.250 | 3 | 28003-0060 |
| 0.500 | 1.000 | 0.250 | 61 | 24060-9505 |
| 0.500 | 1.000 | 0.250 | 92 | 27063-9505 |
| 0.500 | 1.000 | 0.312 | 25 | 25058-0049 |
| 0.500 | 1.000 | 0.312 | 61 | 24060-0049 |
| 0.500 | 1.000 | 0.312 | 61 | 24061-0049 |
| 0.500 | 1.000 | 0.312 | 62 | 21702-0049 |
| **0.500** | **1.000** | **0.312** | **63** | **21158-0049** |
| 0.500 | 1.000 | 0.375 | 61 | 24062-0050 |
| 0.500 | 1.000 | 0.375 | 62 | 21702-0050 |
| **0.500** | **1.000** | **0.375** | **63** | **21158-0050** |
| 0.500 | 1.000 | 0.375 | 67 | 21528-0050 |
| 0.500 | 1.000 | 0.594 | 63R1 | 23547-6442 |
| 0.500 | 1.000 | 0.594 | 63R2 | 23548-6442 |
| 0.500 | 1.124 | 0.250 | 3 | 28003-0072 |
| 0.500 | 1.125 | 0.250 | 61 | 24060-6077 |
| 0.500 | 1.125 | 0.250 | 92 | 27063-6077 |
| 0.500 | 1.125 | 0.312 | 62 | 21702-0051 |
| **0.500** | **1.125** | **0.312** | **63** | **21158-0051** |
| 0.500 | 1.125 | 0.312 | 67 | 21528-0051 |
| 0.500 | 1.125 | 0.312 | 68 | 21823-0051 |
| 0.500 | 1.125 | 0.375 | 62 | 21702-0052 |
| 0.500 | 1.125 | 0.375 | 63 | 21158-0052 |
| 0.500 | 1.125 | 0.531 | 63F1 | 23078-5391 |
| 0.500 | 1.125 | 0.562 | 63F1 | 23078-6986 |
| 0.500 | 1.125 | 0.562 | 63R1 | 23547-6986 |
| 0.500 | 1.182 | 0.312 | 63 | 21158-7345 |
| 0.500 | 1.250 | 0.250 | 3 | 28003-0081 |
| 0.500 | 1.250 | 0.250 | 61 | 24060-7016 |
| 0.500 | 1.250 | 0.250 | 71 | 26001-7016 |
| 0.500 | 1.250 | 0.312 | 62 | 21702-0053 |
| 0.500 | 1.250 | 0.312 | 63 | 21158-0053 |
| 0.500 | 1.250 | 0.312 | 67 | 21528-0053 |
| 0.500 | 1.250 | 0.312 | 68 | 21823-0053 |
| 0.500 | 1.250 | 0.375 | 63 | 21158-0054 |
| 0.500 | 1.250 | 0.562 | 63R1 | 23547-8272 |
| 0.500 | 1.260 | 0.312 | 63 | 21158-8013 |
| 0.500 | 1.375 | 0.312 | 62 | 21702-0055 |
| **0.500** | **1.375** | **0.312** | **63** | **21158-0055** |
| 0.500 | 1.375 | 0.312 | 67 | 21528-0055 |
| 0.500 | 1.375 | 0.312 | 68 | 21823-0055 |
| 0.500 | 1.375 | 0.375 | 63 | 21158-0056 |
| 0.500 | 1.375 | 0.562 | 63T2 | 23550-4781 |
| 0.500 | 1.378 | 0.312 | 62 | 21702-8102 |
| 0.500 | 1.378 | 0.312 | 63 | 21158-8102 |
| 0.500 | 1.500 | 0.312 | 62 | 21702-0057 |
| **0.500** | **1.500** | **0.312** | **63** | **21158-0057** |
| 0.500 | 1.500 | 0.312 | 67 | 21528-0057 |
| 0.500 | 1.500 | 0.312 | 68 | 21823-0057 |
| 0.500 | 1.500 | 0.375 | 63 | 21158-0058 |
| 0.500 | 1.500 | 0.625 | IG | 29507-4659 |
| 0.512 | 1.606 | 0.625 | EQ | 24801-4568 |
| 0.512 | 1.606 | 0.625 | EQ | 24802-4568 |
| 0.531 | 1.125 | 0.312 | 63 | 21158-0059 |
| 0.531 | 1.125 | 0.375 | 63 | 21158-0060 |
| 0.531 | 1.182 | 0.312 | 63 | 21158-8015 |
| 0.531 | 1.250 | 0.312 | 63 | 21158-0061 |
| 0.531 | 1.250 | 0.375 | 62 | 21702-0062 |
| 0.531 | 1.250 | 0.375 | 63 | 21158-0062 |
| 0.531 | 1.260 | 0.312 | 63 | 21158-8016 |
| 0.531 | 1.375 | 0.312 | 63 | 21158-0063 |
| 0.531 | 1.378 | 0.312 | 63 | 21158-8340 |
| 0.531 | 1.500 | 0.312 | 63 | 21158-0065 |
| 0.551 | 0.945 | 0.276 | 92 | 27063-0026 |
| **0.562** | **0.750** | **0.094** | **71** | **26001-7017** |
| **0.562** | **0.875** | **0.187** | **76** | **26193-7503** |
| 0.562 | 1.000 | 0.187 | 76 | 26193-7504 |
| 0.562 | 1.000 | 0.250 | 92 | 27063-9507 |
| 0.562 | 1.000 | 0.312 | 62 | 21702-3869 |
| 0.562 | 1.000 | 0.312 | 63 | 21158-3869 |
| 0.562 | 1.000 | 0.594 | 63R2 | 23548-4852 |
| 0.562 | 1.125 | 0.312 | 62 | 21702-0067 |
| **0.562** | **1.125** | **0.312** | **63** | **21158-0067** |
| 0.562 | 1.125 | 0.312 | 67 | 21528-0067 |
| 0.562 | 1.125 | 0.312 | 68 | 21823-0067 |
| 0.562 | 1.125 | 0.375 | 63 | 21158-0068 |
| 0.562 | 1.125 | 0.437 | 63F1 | 23078-8763 |
| 0.562 | 1.125 | 0.562 | 63R2 | 23548-6567 |
| 0.562 | 1.182 | 0.312 | 63 | 21158-8018 |
| **0.562** | **1.250** | **0.312** | **63** | **21158-0069** |
| 0.562 | 1.250 | 0.312 | 67 | 21528-0069 |
| 0.562 | 1.250 | 0.312 | 68 | 21823-0069 |
| 0.562 | 1.250 | 0.375 | 63 | 21158-0070 |
| 0.562 | 1.250 | 0.562 | 63F1 | 23078-7201 |
| 0.562 | 1.260 | 0.312 | 63 | 21158-6643 |
| 0.562 | 1.375 | 0.312 | 63 | 21158-0071 |
| 0.562 | 1.375 | 0.312 | 67 | 21528-0071 |
| 0.562 | 1.375 | 0.312 | 68 | 21823-0071 |
| 0.562 | 1.375 | 0.375 | 63 | 21158-0072 |
| 0.562 | 1.375 | 0.406 | 63 | 21158-5396 |
| 0.562 | 1.375 | 0.562 | 63T2 | 23550-8267 |
| 0.562 | 1.378 | 0.250 | 76 | 26193-9370 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 0.562 | 1.378 | 0.312 | 63 | 21158-8341 |
| 0.562 | 1.378 | 0.375 | 67 | 21528-5071 |
| 0.562 | 1.378 | 0.375 | 68 | 21823-5071 |
| 0.562 | 1.500 | 0.312 | 63 | 21158-0073 |
| 0.562 | 1.500 | 0.312 | 67 | 21528-0073 |
| 0.562 | 1.500 | 0.312 | 68 | 21823-0073 |
| 0.562 | 1.575 | 0.312 | 63 | 21158-0075 |
| 0.562 | 1.575 | 0.312 | 67 | 21528-0075 |
| 0.562 | 1.575 | 0.312 | 68 | 21823-0075 |
| 0.590 | 1.375 | 0.625 | IG | 29507-5817 |
| 0.591 | 0.945 | 0.276 | 92 | 27063-0028 |
| 0.591 | 1.024 | 0.276 | 92 | 27063-0030 |
| 0.591 | 1.260 | 0.276 | 92 | 27063-0032 |
| 0.591 | 1.378 | 0.276 | 92 | 27063-0033 |
| 0.594 | 1.125 | 0.250 | 92 | 27063-8833 |
| 0.594 | 1.125 | 0.312 | 62 | 21702-0077 |
| **0.594** | **1.125** | **0.312** | **63** | **21158-0077** |
| 0.594 | 1.125 | 0.375 | 63 | 21158-0078 |
| 0.594 | 1.125 | 0.437 | 63F1 | 23078-8318 |
| 0.594 | 1.182 | 0.312 | 61 | 24060-8020 |
| 0.594 | 1.182 | 0.312 | 63 | 21158-8020 |
| 0.594 | 1.250 | 0.312 | 63 | 21158-0079 |
| 0.594 | 1.250 | 0.375 | 62 | 21702-0080 |
| 0.594 | 1.250 | 0.375 | 63 | 21158-0080 |
| 0.594 | 1.260 | 0.312 | 63 | 21158-8021 |
| **0.594** | **1.375** | **0.312** | **63** | **21158-0081** |
| 0.594 | 1.375 | 0.312 | 94 | 27223-0081 |
| 0.594 | 1.375 | 0.375 | 63 | 21158-0082 |
| 0.594 | 1.375 | 0.562 | 63R2 | 23548-6971 |
| 0.594 | 1.375 | 0.562 | 63T2 | 23550-6971 |
| 0.594 | 1.378 | 0.312 | 63 | 21158-8109 |
| 0.594 | 1.500 | 0.312 | 63 | 21158-0083 |
| 0.594 | 1.500 | 0.375 | 63 | 21158-0084 |
| 0.594 | 1.575 | 0.312 | 62 | 21702-0085 |
| 0.594 | 1.575 | 0.312 | 63 | 21158-0085 |
| 0.624 | 1.374 | 0.625 | EQ | 24802-1328 |
| **0.625** | **0.812** | **0.094** | **71** | **26001-7020** |
| 0.625 | 0.812 | 0.094 | 91 | 27023-7020 |
| **0.625** | **1.000** | **0.125** | **71** | **26001-7024** |
| 0.625 | 1.000 | 0.250 | 71 | 26001-7021 |
| **0.625** | **1.000** | **0.250** | **92** | **27063-7021** |
| 0.625 | 1.000 | 0.250 | 94 | 27223-7021 |
| 0.625 | 1.062 | 0.187 | 71 | 26001-7022 |
| 0.625 | 1.124 | 0.250 | 3 | 28003-0201 |
| **0.625** | **1.125** | **0.125** | **71** | **26001-9428** |
| **0.625** | **1.125** | **0.187** | **71** | **26001-7023** |
| 0.625 | 1.125 | 0.250 | 91 | 27023-9508 |
| 0.625 | 1.125 | 0.250 | 92 | 27063-9508 |
| 0.625 | 1.125 | 0.312 | 61 | 24060-0087 |
| 0.625 | 1.125 | 0.312 | 61 | 24061-0087 |
| 0.625 | 1.125 | 0.312 | 62 | 21702-0087 |
| **0.625** | **1.125** | **0.312** | **63** | **21158-0087** |
| 0.625 | 1.125 | 0.312 | 67 | 21528-0087 |
| 0.625 | 1.125 | 0.312 | 68 | 21823-0087 |
| 0.625 | 1.125 | 0.312 | 92 | 27063-0087 |
| 0.625 | 1.125 | 0.375 | 63 | 21158-0088 |
| 0.625 | 1.125 | 0.375 | 76 | 26193-0088 |
| 0.625 | 1.125 | 0.500 | 63F1 | 23078-5657 |
| 0.625 | 1.125 | 0.562 | 63R2 | 23548-6637 |
| 0.625 | 1.125 | 0.562 | 63T2 | 23550-6637 |
| 0.625 | 1.182 | 0.312 | 63 | 21158-8023 |
| 0.625 | 1.250 | 0.250 | 3 | 28003-0213 |
| 0.625 | 1.250 | 0.250 | 61 | 24060-9509 |
| 0.625 | 1.250 | 0.250 | 92 | 27063-9509 |
| 0.625 | 1.250 | 0.312 | 61 | 24060-0089 |
| 0.625 | 1.250 | 0.312 | 62 | 21702-0089 |
| **0.625** | **1.250** | **0.312** | **63** | **21158-0089** |
| 0.625 | 1.250 | 0.312 | 67 | 21528-0089 |
| 0.625 | 1.250 | 0.312 | 68 | 21823-0089 |
| 0.625 | 1.250 | 0.312 | 94 | 27223-0089 |
| 0.625 | 1.250 | 0.375 | 61 | 24060-0090 |
| 0.625 | 1.250 | 0.375 | 62 | 21702-0090 |
| 0.625 | 1.250 | 0.375 | 63 | 21158-0090 |
| 0.625 | 1.250 | 0.437 | 63F1 | 23078-7662 |
| 0.625 | 1.250 | 0.531 | 63F1 | 23078-5311 |
| 0.625 | 1.250 | 0.562 | 63R1 | 23547-7150 |
| 0.625 | 1.250 | 0.562 | 63T2 | 23550-7150 |
| 0.625 | 1.250 | 0.625 | IG | 29507-4317 |
| 0.625 | 1.250 | 0.690 | EQ | 24807-2828 |
| 0.625 | 1.260 | 0.312 | 63 | 21158-4680 |
| 0.625 | 1.300 | 0.625 | IG | 29507-4637 |
| 0.625 | 1.375 | 0.250 | 3 | 28003-0225 |
| 0.625 | 1.375 | 0.250 | 25 | 25058-6050 |
| **0.625** | **1.375** | **0.250** | **92** | **27063-6050** |
| 0.625 | 1.375 | 0.312 | 61 | 24060-0091 |
| 0.625 | 1.375 | 0.312 | 62 | 21702-0091 |
| **0.625** | **1.375** | **0.312** | **63** | **21158-0091** |
| 0.625 | 1.375 | 0.312 | 67 | 21528-0091 |
| 0.625 | 1.375 | 0.312 | 68 | 21823-0091 |
| 0.625 | 1.375 | 0.375 | 63 | 21158-0092 |
| 0.625 | 1.375 | 0.562 | 63R2 | 23548-6856 |
| 0.625 | 1.375 | 0.562 | 63T2 | 23550-6856 |
| 0.625 | 1.378 | 0.312 | 63 | 21158-8342 |
| 0.625 | 1.500 | 0.312 | 61 | 24060-0093 |
| 0.625 | 1.500 | 0.312 | 61 | 24061-0093 |
| **0.625** | **1.500** | **0.312** | **63** | **21158-0093** |
| 0.625 | 1.500 | 0.312 | 67 | 21528-0093 |
| 0.625 | 1.500 | 0.312 | 68 | 21823-0093 |
| 0.625 | 1.500 | 0.375 | 63 | 21158-0094 |
| 0.625 | 1.500 | 0.562 | 63R2 | 23548-8339 |
| **0.625** | **1.575** | **0.312** | **63** | **21158-0095** |
| 0.625 | 1.575 | 0.375 | 62 | 21702-0096 |
| 0.625 | 1.575 | 0.375 | 63 | 21158-0096 |
| 0.625 | 1.575 | 0.375 | 94 | 27223-0096 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 0.625 | 1.625 | 0.312 | 61 | 24060-1251 |
| 0.625 | 1.625 | 0.750 | IG | 29502-4266 |
| 0.630 | 1.181 | 0.276 | 92 | 27063-0048 |
| 0.630 | 1.181 | 0.315 | 61 | 24060-2280 |
| 0.630 | 1.181 | 0.315 | 61 | 24062-2280 |
| 0.656 | 1.125 | 0.312 | 62 | 21702-0097 |
| 0.656 | 1.125 | 0.312 | 63 | 21158-0097 |
| 0.656 | 1.125 | 0.375 | 63 | 21158-0098 |
| 0.656 | 1.182 | 0.312 | 63 | 21158-8025 |
| 0.656 | 1.250 | 0.250 | 76 | 26193-5085 |
| **0.656** | **1.250** | **0.312** | **63** | **21158-0099** |
| 0.656 | 1.250 | 0.375 | 63 | 21158-0100 |
| 0.656 | 1.260 | 0.312 | 63 | 21158-8026 |
| 0.656 | 1.375 | 0.312 | 63 | 21158-0101 |
| 0.656 | 1.375 | 0.375 | 63 | 21158-0102 |
| 0.656 | 1.378 | 0.312 | 63 | 21158-4793 |
| 0.656 | 1.500 | 0.312 | 63 | 21158-0103 |
| 0.656 | 1.500 | 0.375 | 63 | 21158-0104 |
| 0.656 | 1.575 | 0.250 | 76 | 26193-6099 |
| **0.656** | **1.575** | **0.312** | **63** | **21158-0105** |
| 0.656 | 1.575 | 0.375 | 63 | 21158-0106 |
| 0.656 | 1.625 | 0.312 | 63 | 21158-0107 |
| 0.656 | 1.625 | 0.375 | 63 | 21158-0108 |
| 0.667 | 1.187 | 0.125 | 71 | 26001-8379 |
| 0.667 | 1.187 | 0.187 | 76 | 26193-8356 |
| 0.669 | 1.102 | 0.275 | 76 | 26193-9856 |
| 0.669 | 1.102 | 0.276 | 92 | 27063-9856 |
| 0.669 | 1.102 | 0.315 | 61 | 24060-1754 |
| 0.669 | 1.181 | 0.276 | 92 | 27063-0064 |
| 0.669 | 1.375 | 0.312 | 62 | 21702-5105 |
| 0.669 | 1.575 | 0.276 | 92 | 27063-0066 |
| 0.669 | 1.575 | 0.562 | 63T2 | 23550-7405 |
| 0.669 | 1.575 | 0.625 | EQ | 24801-5416 |
| 0.687 | 0.875 | 0.094 | 71 | 26001-7025 |
| 0.687 | 1.062 | 0.187 | 76 | 26193-7505 |
| 0.687 | 1.125 | 0.312 | 61 | 24060-0109 |
| **0.687** | **1.125** | **0.312** | **63** | **21158-0109** |
| 0.687 | 1.125 | 0.312 | 67 | 21528-0109 |
| 0.687 | 1.125 | 0.312 | 68 | 21823-0109 |
| 0.687 | 1.125 | 0.375 | 62 | 21702-0110 |
| 0.687 | 1.125 | 0.375 | 63 | 21158-0110 |
| 0.687 | 1.125 | 0.437 | 63F1 | 23078-4908 |
| 0.687 | 1.125 | 0.562 | 63R2 | 23548-7299 |
| 0.687 | 1.125 | 0.562 | 63T2 | 23550-7299 |
| 0.687 | 1.125 | 0.625 | IG | 29507-4724 |
| 0.687 | 1.182 | 0.312 | 63 | 21158-8028 |
| 0.687 | 1.250 | 0.312 | 62 | 21702-0111 |
| 0.687 | 1.250 | 0.312 | 63 | 21158-0111 |
| 0.687 | 1.250 | 0.312 | 67 | 21528-0111 |
| 0.687 | 1.250 | 0.312 | 68 | 21823-0111 |
| 0.687 | 1.250 | 0.375 | 63 | 21158-0112 |
| 0.687 | 1.250 | 0.437 | 63F1 | 23078-5041 |

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 0.687 | 1.260 | 0.312 | 63 | 21158-8029 |
| 0.687 | 1.375 | 0.125 | 71 | 26001-9758 |
| 0.687 | 1.375 | 0.312 | 62 | 21702-0113 |
| **0.687** | **1.375** | **0.312** | **63** | **21158-0113** |
| 0.687 | 1.375 | 0.312 | 67 | 21528-0113 |
| 0.687 | 1.375 | 0.312 | 68 | 21823-0113 |
| 0.687 | 1.375 | 0.375 | 63 | 21158-0114 |
| 0.687 | 1.375 | 0.406 | 63 | 21158-5238 |
| 0.687 | 1.378 | 0.312 | 63 | 21158-8343 |
| 0.687 | 1.500 | 0.312 | 63 | 21158-0115 |
| 0.687 | 1.500 | 0.312 | 67 | 21528-0115 |
| 0.687 | 1.500 | 0.312 | 68 | 21823-0115 |
| 0.687 | 1.500 | 0.375 | 63 | 21158-0116 |
| 0.687 | 1.575 | 0.312 | 67 | 21528-0117 |
| 0.687 | 1.575 | 0.312 | 68 | 21823-0117 |
| 0.687 | 1.625 | 0.312 | 67 | 21528-0119 |
| 0.687 | 1.625 | 0.312 | 68 | 21823-0119 |
| 0.709 | 1.181 | 0.276 | 92 | 27063-0074 |
| 0.719 | 1.250 | 0.312 | 63 | 21158-0121 |
| 0.719 | 1.260 | 0.312 | 63 | 21158-7753 |
| 0.719 | 1.375 | 0.312 | 62 | 21702-0123 |
| 0.719 | 1.375 | 0.312 | 63 | 21158-0123 |
| 0.719 | 1.375 | 0.375 | 63 | 21158-0124 |
| 0.719 | 1.378 | 0.312 | 63 | 21158-7763 |
| 0.719 | 1.500 | 0.312 | 63 | 21158-0125 |
| 0.719 | 1.500 | 0.375 | 63 | 21158-0126 |
| 0.719 | 1.575 | 0.312 | 63 | 21158-0127 |
| **0.719** | **1.625** | **0.312** | **63** | **21158-0129** |
| 0.719 | 1.654 | 0.312 | 63 | 21158-8032 |
| 0.719 | 1.750 | 0.375 | 63 | 21158-0131 |
| 0.719 | 1.828 | 0.375 | 62 | 21702-0133 |
| 0.719 | 1.828 | 0.375 | 63 | 21158-0133 |
| 0.719 | 1.850 | 0.375 | 63 | 21158-8110 |
| 0.719 | 1.875 | 0.375 | 63 | 21158-0135 |
| 0.719 | 1.984 | 0.375 | 63 | 21158-0137 |
| 0.745 | 1.357 | 0.318 | 92 | 27063-1871 |
| 0.748 | 1.260 | 0.276 | 92 | 27063-0118 |
| 0.748 | 1.496 | 0.625 | EQ | 24801-5223 |
| 0.750 | 0.937 | 0.125 | 71 | 26001-7826 |
| 0.750 | 1.000 | 0.109 | 71 | 26001-6108 |
| **0.750** | **1.000** | **0.125** | **71** | **26001-7027** |
| 0.750 | 1.000 | 0.125 | 91 | 27023-7027 |
| **0.750** | **1.062** | **0.187** | **71** | **26001-7028** |
| 0.750 | 1.064 | 0.109 | 71 | 26001-7029 |
| **0.750** | **1.125** | **0.125** | **71** | **26001-7030** |
| **0.750** | **1.125** | **0.187** | **76** | **26193-6113** |
| 0.750 | 1.125 | 0.187 | 91 | 27023-6113 |
| **0.750** | **1.125** | **0.187** | **92** | **27063-6113** |
| 0.750 | 1.125 | 0.234 | 94 | 27223-6114 |
| 0.750 | 1.125 | 0.625 | IG | 29507-5283 |
| 0.750 | 1.187 | 0.156 | 71 | 26001-7031 |
| **0.750** | **1.250** | **0.125** | **71** | **26001-7032** |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 0.750 | 1.250 | 0.250 | 3 | 28003-0427 |
| 0.750 | 1.250 | 0.250 | 25 | 25058-7033 |
| 0.750 | 1.250 | 0.250 | 26 | 24600-7033 |
| 0.750 | 1.250 | 0.250 | 71 | 26001-7033 |
| **0.750** | **1.250** | **0.250** | **94** | **27223-7033** |
| 0.750 | 1.250 | 0.312 | 61 | 24060-0139 |
| 0.750 | 1.250 | 0.312 | 61 | 24061-0139 |
| 0.750 | 1.250 | 0.312 | 62 | 21702-0139 |
| **0.750** | **1.250** | **0.312** | **63** | **21158-0139** |
| 0.750 | 1.250 | 0.312 | 66 | 21527-0139 |
| 0.750 | 1.250 | 0.312 | 67 | 21528-0139 |
| 0.750 | 1.250 | 0.312 | 68 | 21823-0139 |
| 0.750 | 1.250 | 0.312 | 94 | 27223-0139 |
| 0.750 | 1.250 | 0.375 | 63 | 21158-0140 |
| 0.750 | 1.250 | 0.375 | 67 | 21528-0140 |
| 0.750 | 1.250 | 0.375 | 68 | 21823-0140 |
| 0.750 | 1.250 | 0.437 | 63F1 | 23078-6612 |
| 0.750 | 1.250 | 0.562 | 63R2 | 23548-6720 |
| 0.750 | 1.250 | 0.562 | 63T2 | 23550-6720 |
| 0.750 | 1.250 | 0.562 | 67R2 | 23683-6720 |
| 0.750 | 1.260 | 0.312 | 63 | 21158-8033 |
| 0.750 | 1.260 | 0.312 | 66 | 21527-8033 |
| 0.750 | 1.260 | 0.406 | 63 | 21158-3870 |
| 0.750 | 1.375 | 0.250 | 3 | 28003-0446 |
| 0.750 | 1.375 | 0.250 | 26R1 | 24620-8881 |
| 0.750 | 1.375 | 0.250 | 71 | 26001-7034 |
| 0.750 | 1.375 | 0.250 | 92 | 27063-7034 |
| 0.750 | 1.375 | 0.312 | 61 | 24060-0141 |
| 0.750 | 1.375 | 0.312 | 61 | 24061-0141 |
| 0.750 | 1.375 | 0.312 | 62 | 21702-0141 |
| **0.750** | **1.375** | **0.312** | **63** | **21158-0141** |
| 0.750 | 1.375 | 0.312 | 66 | 21527-0141 |
| 0.750 | 1.375 | 0.312 | 67 | 21528-0141 |
| 0.750 | 1.375 | 0.312 | 68 | 21823-0141 |
| **0.750** | **1.375** | **0.312** | **94** | **27223-0141** |
| 0.750 | 1.375 | 0.375 | 62 | 21702-0142 |
| 0.750 | 1.375 | 0.375 | 63 | 21158-0142 |
| 0.750 | 1.375 | 0.406 | 63 | 21158-4605 |
| 0.750 | 1.375 | 0.406 | 66 | 21527-4605 |
| 0.750 | 1.375 | 0.437 | 63F1 | 23078-6927 |
| 0.750 | 1.375 | 0.562 | 63R1 | 23547-4754 |
| 0.750 | 1.375 | 0.562 | 63R2 | 23548-4754 |
| 0.750 | 1.375 | 0.562 | 63T2 | 23550-4754 |
| 0.750 | 1.378 | 0.312 | 63 | 21158-8344 |
| 0.750 | 1.378 | 0.625 | IG | 29507-5384 |
| 0.750 | 1.379 | 0.690 | EQ | 24807-1786 |
| 0.750 | 1.437 | 0.250 | 71 | 26001-7035 |
| 0.750 | 1.499 | 0.250 | 3 | 28003-0458 |
| 0.750 | 1.499 | 0.625 | EQ | 24802-1405 |
| 0.750 | 1.500 | 0.312 | 61 | 24060-0143 |
| 0.750 | 1.500 | 0.312 | 61 | 24061-0143 |
| 0.750 | 1.500 | 0.312 | 62 | 21702-0143 |
| **0.750** | **1.500** | **0.312** | **63** | **21158-0143** |
| 0.750 | 1.500 | 0.312 | 66 | 21527-0143 |
| 0.750 | 1.500 | 0.312 | 67 | 21528-0143 |
| 0.750 | 1.500 | 0.312 | 68 | 21823-0143 |
| 0.750 | 1.500 | 0.375 | 62 | 21702-0144 |
| 0.750 | 1.500 | 0.375 | 63 | 21158-0144 |
| 0.750 | 1.500 | 0.437 | 63F1 | 23078-6985 |
| 0.750 | 1.500 | 0.562 | 63R1 | 23547-7184 |
| 0.750 | 1.500 | 0.562 | 63T2 | 23550-7184 |
| 0.750 | 1.575 | 0.250 | 92 | 27063-6289 |
| 0.750 | 1.575 | 0.312 | 63 | 21158-0145 |
| 0.750 | 1.575 | 0.312 | 66 | 21527-0145 |
| 0.750 | 1.575 | 0.375 | 63 | 21158-0146 |
| 0.750 | 1.575 | 0.562 | 63T2 | 23550-5214 |
| 0.750 | 1.575 | 0.625 | EQ | 24801-3964 |
| 0.750 | 1.624 | 0.250 | 3 | 28003-0488 |
| 0.750 | 1.625 | 0.312 | 26 | 24600-9535 |
| 0.750 | 1.625 | 0.312 | 61 | 24060-0147 |
| 0.750 | 1.625 | 0.312 | 62 | 21702-0147 |
| **0.750** | **1.625** | **0.312** | **63** | **21158-0147** |
| 0.750 | 1.625 | 0.312 | 66 | 21527-0147 |
| 0.750 | 1.625 | 0.312 | 67 | 21528-0147 |
| 0.750 | 1.625 | 0.312 | 68 | 21823-0147 |
| 0.750 | 1.625 | 0.375 | 62 | 21702-0148 |
| 0.750 | 1.625 | 0.375 | 63 | 21158-0148 |
| 0.750 | 1.625 | 0.562 | 63T2 | 23550-6977 |
| 0.750 | 1.654 | 0.312 | 63 | 21158-8035 |
| 0.750 | 1.750 | 0.312 | 61 | 24060-1247 |
| 0.750 | 1.750 | 0.375 | 61 | 24060-0149 |
| 0.750 | 1.750 | 0.375 | 62 | 21702-0149 |
| **0.750** | **1.750** | **0.375** | **63** | **21158-0149** |
| 0.750 | 1.750 | 0.375 | 66 | 21527-0149 |
| 0.750 | 1.750 | 0.375 | 67 | 21528-0149 |
| 0.750 | 1.750 | 0.375 | 68 | 21823-0149 |
| 0.750 | 1.750 | 0.437 | 63 | 21158-0150 |
| 0.750 | 1.750 | 0.687 | 63T2 | 23550-2577 |
| 0.750 | 1.828 | 0.375 | 63 | 21158-0151 |
| 0.750 | 1.828 | 0.375 | 66 | 21527-0151 |
| 0.750 | 1.828 | 0.375 | 67 | 21528-0151 |
| 0.750 | 1.828 | 0.375 | 68 | 21823-0151 |
| 0.750 | 1.828 | 0.437 | 63 | 21158-0152 |
| 0.750 | 1.850 | 0.312 | 63 | 21158-4935 |
| 0.750 | 1.851 | 0.375 | 63 | 21158-6120 |
| 0.750 | 1.851 | 0.375 | 94 | 27223-6120 |
| 0.750 | 1.875 | 0.312 | 61 | 24060-1257 |
| 0.750 | 1.875 | 0.375 | 63 | 21158-0153 |
| 0.750 | 1.875 | 0.375 | 66 | 21527-0153 |
| 0.750 | 1.875 | 0.375 | 67 | 21528-0153 |
| 0.750 | 1.875 | 0.375 | 68 | 21823-0153 |
| 0.750 | 1.875 | 0.625 | IG | 29507-4551 |
| 0.750 | 1.875 | 0.687 | 63T2 | 23550-5248 |
| 0.750 | 1.984 | 0.375 | 63 | 21158-0155 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 0.750 | 1.984 | 0.375 | 66 | 21527-0155 |
| 0.750 | 1.984 | 0.437 | 63 | 21158-0156 |
| 0.781 | 1.250 | 0.187 | 71 | 26001-7705 |
| 0.781 | 1.250 | 0.250 | 92 | 27063-5965 |
| 0.781 | 1.250 | 0.312 | 62 | 21702-0157 |
| 0.781 | 1.250 | 0.312 | 63 | 21158-0157 |
| 0.781 | 1.250 | 0.312 | 67 | 21528-0157 |
| 0.781 | 1.250 | 0.312 | 68 | 21823-0157 |
| 0.781 | 1.250 | 0.375 | 63 | 21158-0158 |
| 0.781 | 1.250 | 0.375 | 67 | 21528-0158 |
| 0.781 | 1.250 | 0.375 | 68 | 21823-0158 |
| 0.781 | 1.250 | 0.562 | 63T2 | 23550-8562 |
| 0.781 | 1.250 | 0.562 | 67T2 | 23621-8562 |
| 0.781 | 1.260 | 0.312 | 63 | 21158-8036 |
| 0.781 | 1.375 | 0.250 | 76 | 26193-9991 |
| 0.781 | 1.375 | 0.312 | 62 | 21702-0159 |
| 0.781 | 1.375 | 0.312 | 63 | 21158-0159 |
| 0.781 | 1.375 | 0.312 | 67 | 21528-0159 |
| 0.781 | 1.375 | 0.312 | 68 | 21823-0159 |
| 0.781 | 1.375 | 0.375 | 62 | 21702-0160 |
| 0.781 | 1.375 | 0.375 | 63 | 21158-0160 |
| 0.781 | 1.375 | 0.375 | 67 | 21528-0160 |
| 0.781 | 1.375 | 0.375 | 68 | 21823-0160 |
| 0.781 | 1.375 | 0.625 | IG | 29507-5322 |
| 0.781 | 1.378 | 0.312 | 63 | 21158-4965 |
| 0.781 | 1.500 | 0.312 | 63 | 21158-0161 |
| 0.781 | 1.500 | 0.312 | 67 | 21528-0161 |
| 0.781 | 1.500 | 0.312 | 68 | 21823-0161 |
| 0.781 | 1.500 | 0.375 | 63 | 21158-0162 |
| 0.781 | 1.500 | 0.562 | 63T2 | 23550-6662 |
| 0.781 | 1.500 | 0.562 | 67T2 | 23621-6662 |
| 0.781 | 1.575 | 0.312 | 63 | 21158-0163 |
| 0.781 | 1.625 | 0.125 | 71 | 26001-7619 |
| 0.781 | 1.625 | 0.312 | 63 | 21158-0165 |
| 0.781 | 1.625 | 0.312 | 67 | 21528-0165 |
| 0.781 | 1.625 | 0.312 | 68 | 21823-0165 |
| 0.781 | 1.625 | 0.375 | 63 | 21158-0166 |
| 0.781 | 1.654 | 0.312 | 63 | 21158-8038 |
| **0.781** | **1.750** | **0.375** | **63** | **21158-0167** |
| 0.781 | 1.750 | 0.375 | 67 | 21528-0167 |
| 0.781 | 1.750 | 0.375 | 68 | 21823-0167 |
| 0.781 | 1.828 | 0.375 | 63 | 21158-0169 |
| 0.781 | 1.828 | 0.437 | 63 | 21158-0170 |
| 0.781 | 1.850 | 0.375 | 63 | 21158-7198 |
| **0.781** | **1.850** | **0.375** | **94** | **27223-7198** |
| 0.781 | 1.851 | 0.312 | 63 | 21158-7846 |
| 0.781 | 1.875 | 0.375 | 63 | 21158-0171 |
| 0.781 | 1.875 | 0.437 | 63 | 21158-0172 |
| **0.781** | **1.984** | **0.375** | **63** | **21158-0173** |
| 0.785 | 1.750 | 0.625 | IG | 29507-5282 |
| 0.787 | 1.181 | 0.276 | 92 | 27063-0120 |
| 0.787 | 1.260 | 0.276 | 92 | 27063-0154 |
| 0.787 | 1.260 | 0.690 | EQ | 24807-1905 |
| 0.787 | 1.378 | 0.276 | 92 | 27063-0164 |
| 0.787 | 1.378 | 0.315 | 61 | 24060-1760 |
| 0.787 | 1.378 | 0.625 | IG | 29507-4868 |
| 0.787 | 1.575 | 0.276 | 92 | 27063-0184 |
| 0.787 | 1.575 | 0.625 | EQ | 24802-4596 |
| 0.787 | 1.575 | 0.750 | IG | 29502-4448 |
| 0.787 | 1.654 | 0.276 | 92 | 27063-0188 |
| 0.787 | 1.654 | 0.625 | EQ | 24801-5325 |
| 0.787 | 1.850 | 0.276 | 92 | 27063-0194 |
| 0.787 | 2.047 | 0.394 | 92 | 27063-0196 |
| 0.807 | 2.165 | 0.625 | EQ | 24802-2028 |
| 0.812 | 1.062 | 0.125 | 71 | 26001-7037 |
| **0.812** | **1.066** | **0.125** | **71** | **26001-7038** |
| 0.812 | 1.125 | 0.187 | 76 | 26193-6125 |
| 0.812 | 1.236 | 0.187 | 76 | 26193-7802 |
| 0.812 | 1.237 | 0.155 | 76 | 26193-5546 |
| 0.812 | 1.250 | 0.250 | 92 | 27063-6983 |
| 0.812 | 1.250 | 0.312 | 62 | 21702-0175 |
| **0.812** | **1.250** | **0.312** | **63** | **21158-0175** |
| 0.812 | 1.250 | 0.375 | 63 | 21158-0176 |
| 0.812 | 1.250 | 0.375 | 92 | 27063-0176 |
| 0.812 | 1.260 | 0.312 | 63 | 21158-8039 |
| 0.812 | 1.375 | 0.312 | 63 | 21158-0177 |
| 0.812 | 1.375 | 0.375 | 63 | 21158-0178 |
| 0.812 | 1.377 | 0.156 | 71 | 26001-9413 |
| 0.812 | 1.378 | 0.312 | 63 | 21158-8345 |
| 0.812 | 1.500 | 0.312 | 63 | 21158-0179 |
| 0.812 | 1.500 | 0.375 | 63 | 21158-0180 |
| 0.812 | 1.575 | 0.312 | 63 | 21158-0181 |
| 0.812 | 1.575 | 0.312 | 94 | 27223-0181 |
| 0.812 | 1.575 | 0.375 | 63 | 21158-0182 |
| 0.812 | 1.625 | 0.312 | 62 | 21702-0183 |
| **0.812** | **1.625** | **0.312** | **63** | **21158-0183** |
| 0.812 | 1.654 | 0.312 | 63 | 21158-8041 |
| 0.812 | 1.750 | 0.375 | 63 | 21158-0185 |
| 0.812 | 1.750 | 0.437 | 63 | 21158-0186 |
| 0.812 | 1.828 | 0.375 | 63 | 21158-0187 |
| 0.812 | 1.850 | 0.375 | 63 | 21158-8042 |
| **0.812** | **1.875** | **0.375** | **63** | **21158-0189** |
| 0.812 | 1.984 | 0.375 | 63 | 21158-0191 |
| 0.812 | 1.984 | 0.437 | 63 | 21158-0192 |
| 0.844 | 1.375 | 0.312 | 63 | 21158-0193 |
| 0.844 | 1.378 | 0.312 | 63 | 21158-8346 |
| 0.844 | 1.500 | 0.312 | 63 | 21158-0195 |
| 0.844 | 1.575 | 0.312 | 63 | 21158-0197 |
| **0.844** | **1.625** | **0.312** | **63** | **21158-0199** |
| 0.844 | 1.654 | 0.312 | 63 | 21158-8044 |
| 0.844 | 1.750 | 0.375 | 63 | 21158-0201 |
| 0.844 | 1.828 | 0.437 | 63 | 21158-0204 |
| 0.844 | 1.850 | 0.375 | 63 | 21158-8045 |
| 0.844 | 1.984 | 0.375 | 63 | 21158-0207 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 0.844 | 2.047 | 0.312 | 63 | 21158-8046 |
| 0.844 | 2.062 | 0.375 | 63 | 21158-0211 |
| 0.866 | 1.259 | 0.275 | 76 | 26193-9855 |
| 0.866 | 1.378 | 0.276 | 26R1 | 24620-0209 |
| 0.866 | 1.575 | 0.276 | 92 | 27063-0198 |
| 0.866 | 1.575 | 0.315 | 61 | 24060-1470 |
| 0.866 | 1.575 | 0.315 | 61 | 24064-1470 |
| 0.866 | 1.850 | 0.276 | 92 | 27063-0206 |
| 0.866 | 1.969 | 0.625 | EQ | 24802-3088 |
| 0.866 | 1.969 | 0.750 | IG | 29502-5794 |
| **0.875** | **1.125** | **0.125** | **71** | **26001-7041** |
| 0.875 | 1.187 | 0.156 | 71 | 26001-7042 |
| 0.875 | 1.250 | 0.187 | 71 | 26001-6133 |
| **0.875** | **1.250** | **0.187** | **76** | **26193-6133** |
| **0.875** | **1.250** | **0.625** | **IG** | **29507-4106** |
| **0.875** | **1.250** | **0.690** | **EQ** | **24807-3196** |
| 0.875 | 1.255 | 0.125 | 71 | 26001-8000 |
| **0.875** | **1.375** | **0.125** | **71** | **26001-7045** |
| 0.875 | 1.375 | 0.250 | 3 | 28003-0678 |
| 0.875 | 1.375 | 0.250 | 61 | 24060-9515 |
| 0.875 | 1.375 | 0.250 | 92 | 27063-9515 |
| 0.875 | 1.375 | 0.312 | 61 | 24060-0213 |
| 0.875 | 1.375 | 0.312 | 62 | 21702-0213 |
| **0.875** | **1.375** | **0.312** | **63** | **21158-0213** |
| 0.875 | 1.375 | 0.312 | 66 | 21527-0213 |
| 0.875 | 1.375 | 0.312 | 67 | 21528-0213 |
| 0.875 | 1.375 | 0.312 | 68 | 21823-0213 |
| 0.875 | 1.375 | 0.312 | 92 | 27063-0213 |
| 0.875 | 1.375 | 0.375 | 26 | 24600-1275 |
| 0.875 | 1.375 | 0.375 | 63 | 21158-0214 |
| 0.875 | 1.375 | 0.406 | 63 | 21158-5502 |
| 0.875 | 1.375 | 0.406 | 66 | 21527-5502 |
| **0.875** | **1.375** | **0.437** | **63F1** | **23078-6523** |
| 0.875 | 1.375 | 0.562 | 63T2 | 23550-6500 |
| 0.875 | 1.375 | 0.625 | IG | 29507-2182 |
| 0.875 | 1.375 | 0.690 | EQ | 24807-2993 |
| 0.875 | 1.378 | 0.312 | 63 | 21158-8347 |
| 0.875 | 1.378 | 0.312 | 66 | 21527-8347 |
| 0.875 | 1.437 | 0.250 | 71 | 26001-7046 |
| 0.875 | 1.499 | 0.250 | 3 | 28003-0687 |
| 0.875 | 1.500 | 0.250 | 92 | 27063-9489 |
| 0.875 | 1.500 | 0.312 | 61 | 24060-0215 |
| 0.875 | 1.500 | 0.312 | 62 | 21702-0215 |
| **0.875** | **1.500** | **0.312** | **63** | **21158-0215** |
| 0.875 | 1.500 | 0.312 | 66 | 21527-0215 |
| 0.875 | 1.500 | 0.312 | 67 | 21528-0215 |
| 0.875 | 1.500 | 0.312 | 68 | 21823-0215 |
| **0.875** | **1.500** | **0.312** | **94** | **27223-0215** |
| 0.875 | 1.500 | 0.375 | 26 | 24600-0784 |
| 0.875 | 1.500 | 0.375 | 62 | 21702-0216 |
| 0.875 | 1.500 | 0.375 | 63 | 21158-0216 |
| 0.875 | 1.500 | 0.562 | 63R1 | 23547-4700 |
| 0.875 | 1.500 | 0.562 | 63R2 | 23548-4700 |
| 0.875 | 1.500 | 0.625 | IG | 29507-4339 |
| 0.875 | 1.500 | 0.690 | EQ | 24807-1955 |
| 0.875 | 1.570 | 0.312 | 94 | 27223-7465 |
| 0.875 | 1.575 | 0.187 | 76 | 26193-8952 |
| **0.875** | **1.575** | **0.312** | **63** | **21158-0217** |
| 0.875 | 1.575 | 0.312 | 66 | 21527-0217 |
| 0.875 | 1.575 | 0.312 | 67 | 21528-0217 |
| 0.875 | 1.575 | 0.312 | 68 | 21823-0217 |
| 0.875 | 1.575 | 0.375 | 63 | 21158-0218 |
| 0.875 | 1.624 | 0.250 | 3 | 28003-0715 |
| 0.875 | 1.625 | 0.312 | 62 | 21702-0219 |
| **0.875** | **1.625** | **0.312** | **63** | **21158-0219** |
| 0.875 | 1.625 | 0.312 | 66 | 21527-0219 |
| 0.875 | 1.625 | 0.312 | 67 | 21528-0219 |
| 0.875 | 1.625 | 0.312 | 68 | 21823-0219 |
| 0.875 | 1.625 | 0.375 | 26 | 24600-1277 |
| 0.875 | 1.625 | 0.375 | 63 | 21158-0220 |
| 0.875 | 1.625 | 0.500 | 61 | 24062-1265 |
| 0.875 | 1.625 | 0.562 | 63R1 | 23547-6476 |
| **0.875** | **1.625** | **0.625** | **EQ** | **24802-1012** |
| 0.875 | 1.625 | 0.625 | IG | 29507-1012 |
| **0.875** | **1.625** | **0.625** | **IG** | **29507-4123** |
| 0.875 | 1.625 | 0.690 | EQ | 24807-2861 |
| 0.875 | 1.625 | 0.750 | IG | 29502-4123 |
| 0.875 | 1.654 | 0.312 | 63 | 21158-8048 |
| 0.875 | 1.750 | 0.312 | 61 | 24060-1268 |
| **0.875** | **1.750** | **0.375** | **63** | **21158-0221** |
| 0.875 | 1.750 | 0.375 | 66 | 21527-0221 |
| 0.875 | 1.750 | 0.375 | 67 | 21528-0221 |
| 0.875 | 1.750 | 0.375 | 68 | 21823-0221 |
| 0.875 | 1.750 | 0.437 | 63 | 21158-0222 |
| 0.875 | 1.750 | 0.437 | 63F1 | 23078-0222 |
| 0.875 | 1.750 | 0.500 | EQ | 24801-0756 |
| 0.875 | 1.750 | 0.625 | EQ | 24801-1090 |
| 0.875 | 1.750 | 0.625 | EQ | 24802-1090 |
| 0.875 | 1.828 | 0.375 | 63 | 21158-0223 |
| 0.875 | 1.828 | 0.375 | 66 | 21527-0223 |
| 0.875 | 1.828 | 0.375 | 67 | 21528-0223 |
| 0.875 | 1.828 | 0.375 | 68 | 21823-0223 |
| 0.875 | 1.828 | 0.437 | 62 | 21702-0224 |
| 0.875 | 1.828 | 0.437 | 63 | 21158-0224 |
| 0.875 | 1.828 | 0.438 | 26 | 24600-1276 |
| 0.875 | 1.828 | 0.687 | 63R2 | 23548-5401 |
| 0.875 | 1.851 | 0.375 | 63 | 21158-4748 |
| 0.875 | 1.875 | 0.312 | 26 | 24600-4657 |
| 0.875 | 1.875 | 0.312 | 61 | 24060-1271 |
| 0.875 | 1.875 | 0.375 | 63 | 21158-0225 |
| 0.875 | 1.875 | 0.375 | 66 | 21527-0225 |
| 0.875 | 1.875 | 0.375 | 67 | 21528-0225 |
| 0.875 | 1.875 | 0.375 | 68 | 21823-0225 |
| 0.875 | 1.875 | 0.437 | 62 | 21702-0226 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 0.875 | 1.875 | 0.437 | 63 | 21158-0226 |
| 0.875 | 1.875 | 0.500 | EQ | 24801-0625 |
| 0.875 | 1.875 | 0.625 | EQ | 24802-2711 |
| 0.875 | 1.875 | 0.625 | IG | 29507-2711 |
| 0.875 | 1.875 | 0.750 | IG | 29502-4267 |
| 0.875 | 1.937 | 0.625 | EQ | 24801-1403 |
| 0.875 | 1.937 | 0.625 | EQ | 24802-1403 |
| 0.875 | 1.984 | 0.375 | 63 | 21158-0227 |
| 0.875 | 1.984 | 0.375 | 66 | 21527-0227 |
| 0.875 | 1.984 | 0.437 | 63 | 21158-0228 |
| **0.875** | **2.000** | **0.375** | **63** | **21158-0229** |
| 0.875 | 2.000 | 0.375 | 66 | 21527-0229 |
| 0.875 | 2.000 | 0.375 | 67 | 21528-0229 |
| 0.875 | 2.000 | 0.375 | 68 | 21823-0229 |
| 0.875 | 2.000 | 0.500 | EQ | 24801-0850 |
| 0.875 | 2.000 | 0.625 | EQ | 24801-1765 |
| 0.875 | 2.000 | 0.625 | EQ | 24802-1765 |
| 0.875 | 2.047 | 0.375 | 63 | 21158-4849 |
| 0.875 | 2.062 | 0.375 | 63 | 21158-0231 |
| 0.875 | 2.062 | 0.375 | 66 | 21527-0231 |
| 0.875 | 2.062 | 0.375 | 67 | 21528-0231 |
| 0.875 | 2.062 | 0.375 | 68 | 21823-0231 |
| 0.875 | 2.750 | 0.750 | IG | 29502-4731 |
| 0.906 | 1.500 | 0.312 | 62 | 21702-0233 |
| **0.906** | **1.500** | **0.312** | **63** | **21158-0233** |
| 0.906 | 1.500 | 0.375 | 63 | 21158-0234 |
| 0.906 | 1.500 | 0.625 | IG | 29507-5435 |
| 0.906 | 1.575 | 0.312 | 62 | 21702-0235 |
| **0.906** | **1.575** | **0.312** | **63** | **21158-0235** |
| 0.906 | 1.575 | 0.375 | 63 | 21158-0236 |
| 0.906 | 1.625 | 0.312 | 63 | 21158-0237 |
| 0.906 | 1.625 | 0.437 | 63 | 21158-5434 |
| 0.906 | 1.654 | 0.312 | 63 | 21158-8050 |
| 0.906 | 1.750 | 0.375 | 63 | 21158-0239 |
| 0.906 | 1.850 | 0.375 | 63 | 21158-8051 |
| 0.906 | 1.875 | 0.375 | 63 | 21158-0243 |
| 0.906 | 1.984 | 0.375 | 63 | 21158-0245 |
| 0.906 | 2.000 | 0.375 | 63 | 21158-0247 |
| 0.906 | 2.047 | 0.375 | 63 | 21158-8052 |
| 0.937 | 1.187 | 0.125 | 71 | 26001-7047 |
| 0.937 | 1.375 | 0.312 | 62 | 21702-6233 |
| 0.937 | 1.375 | 0.312 | 76 | 26193-6233 |
| 0.937 | 1.500 | 0.312 | 62 | 21702-0251 |
| **0.937** | **1.500** | **0.312** | **63** | **21158-0251** |
| 0.937 | 1.500 | 0.375 | 63 | 21158-0252 |
| 0.937 | 1.500 | 0.562 | 63R1 | 23547-4819 |
| 0.937 | 1.500 | 0.562 | 63T2 | 23550-4819 |
| 0.937 | 1.500 | 0.562 | 66T2 | 23728-4819 |
| 0.937 | 1.500 | 0.625 | IG | 29507-4122 |
| 0.937 | 1.500 | 0.690 | EQ | 24807-2563 |
| 0.937 | 1.575 | 0.312 | 62 | 21702-0253 |
| 0.937 | 1.575 | 0.312 | 63 | 21158-0253 |
| 0.937 | 1.625 | 0.312 | 62 | 21702-0255 |
| **0.937** | **1.625** | **0.312** | **63** | **21158-0255** |
| 0.937 | 1.625 | 0.375 | 63 | 21158-0256 |
| 0.937 | 1.625 | 0.437 | 63 | 21158-0264 |
| 0.937 | 1.625 | 0.562 | 63R2 | 23548-4721 |
| 0.937 | 1.654 | 0.312 | 63 | 21158-8054 |
| 0.937 | 1.687 | 0.625 | EQ | 24802-1115 |
| **0.937** | **1.750** | **0.375** | **63** | **21158-0257** |
| 0.937 | 1.750 | 0.437 | 63 | 21158-0258 |
| 0.937 | 1.750 | 0.687 | 63R2 | 23548-9624 |
| 0.937 | 1.828 | 0.375 | 63 | 21158-0259 |
| 0.937 | 1.828 | 0.437 | 63 | 21158-0260 |
| 0.937 | 1.837 | 0.625 | EQ | 24801-3632 |
| 0.937 | 1.850 | 0.375 | 63 | 21158-8055 |
| **0.937** | **1.875** | **0.375** | **63** | **21158-0261** |
| 0.937 | 1.875 | 0.375 | 76 | 26193-0261 |
| 0.937 | 1.875 | 0.625 | 63R2 | 23548-5653 |
| 0.937 | 1.984 | 0.375 | 63 | 21158-0263 |
| 0.937 | 2.000 | 0.375 | 63 | 21158-0265 |
| 0.937 | 2.000 | 0.437 | 63 | 21158-0266 |
| 0.937 | 2.047 | 0.375 | 63 | 21158-5046 |
| 0.937 | 2.048 | 0.312 | 94 | 27223-6537 |
| **0.937** | **2.062** | **0.375** | **63** | **21158-0267** |
| 0.937 | 2.062 | 0.437 | 63 | 21158-0268 |
| 0.938 | 1.500 | 0.312 | 66 | 21527-0251 |
| 0.938 | 1.500 | 0.375 | 26 | 24600-0785 |
| 0.938 | 1.938 | 0.625 | IG | 29507-2714 |
| 0.938 | 1.938 | 0.750 | IG | 29502-4270 |
| 0.938 | 2.048 | 0.625 | IG | 29507-4533 |
| 0.945 | 1.378 | 0.276 | 92 | 27063-0209 |
| 0.945 | 1.575 | 0.276 | 92 | 27063-0210 |
| 0.945 | 1.732 | 0.625 | EQ | 24801-3263 |
| 0.945 | 1.732 | 0.625 | EQ | 24802-3263 |
| 0.945 | 1.929 | 0.472 | 26R1 | 24620-3712 |
| 0.969 | 1.499 | 0.690 | EQ | 24807-1363 |
| **0.969** | **1.500** | **0.312** | **63** | **21158-0269** |
| 0.969 | 1.500 | 0.312 | 67 | 21528-0269 |
| 0.969 | 1.500 | 0.312 | 68 | 21823-0269 |
| 0.969 | 1.500 | 0.375 | 62 | 21702-0270 |
| 0.969 | 1.500 | 0.375 | 63 | 21158-0270 |
| 0.969 | 1.575 | 0.312 | 63 | 21158-0271 |
| 0.969 | 1.625 | 0.312 | 62 | 21702-0273 |
| 0.969 | 1.625 | 0.312 | 63 | 21158-0273 |
| 0.969 | 1.625 | 0.312 | 67 | 21528-0273 |
| 0.969 | 1.625 | 0.312 | 68 | 21823-0273 |
| 0.969 | 1.625 | 0.375 | 63 | 21158-0274 |
| 0.969 | 1.654 | 0.312 | 63 | 21158-8056 |
| 0.969 | 1.686 | 0.312 | 63 | 21158-0282 |
| 0.969 | 1.750 | 0.312 | 92 | 27063-9009 |
| 0.969 | 1.750 | 0.375 | 63 | 21158-0275 |
| 0.969 | 1.750 | 0.375 | 67 | 21528-0275 |
| 0.969 | 1.750 | 0.375 | 68 | 21823-0275 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 0.969 | 1.750 | 0.437 | 63 | 21158-0276 |
| 0.969 | 1.828 | 0.375 | 63 | 21158-0277 |
| 0.969 | 1.828 | 0.437 | 63 | 21158-0278 |
| 0.969 | 1.850 | 0.375 | 63 | 21158-4802 |
| **0.969** | **1.875** | **0.375** | **63** | **21158-0279** |
| 0.969 | 1.984 | 0.375 | 63 | 21158-0281 |
| 0.969 | 2.000 | 0.375 | 26 | 24600-1282 |
| 0.969 | 2.000 | 0.375 | 62 | 21702-0283 |
| **0.969** | **2.000** | **0.375** | **63** | **21158-0283** |
| 0.969 | 2.048 | 0.375 | 63 | 21158-5937 |
| **0.969** | **2.048** | **0.375** | **94** | **27223-5937** |
| 0.969 | 2.062 | 0.375 | 62 | 21702-0285 |
| **0.969** | **2.062** | **0.375** | **63** | **21158-0285** |
| 0.969 | 2.062 | 0.437 | 63 | 21158-0286 |
| 0.969 | 2.062 | 0.687 | 63R2 | 23548-7100 |
| 0.969 | 2.441 | 0.375 | 94 | 27223-7779 |
| 0.983 | 1.983 | 0.625 | IG | 29507-5171 |
| 0.983 | 1.983 | 0.750 | IG | 29502-5049 |
| 0.984 | 1.375 | 0.187 | 92 | 27063-8978 |
| 0.984 | 1.378 | 0.276 | 92 | 27063-0212 |
| 0.984 | 1.378 | 0.315 | 61 | 24060-1478 |
| 0.984 | 1.457 | 0.276 | 92 | 27063-0230 |
| 0.984 | 1.486 | 0.625 | IG | 29507-5205 |
| 0.984 | 1.496 | 0.276 | 26R1 | 24620-0280 |
| 0.984 | 1.496 | 0.690 | EQ | 24807-5752 |
| 0.984 | 1.500 | 0.375 | 61 | 24060-2241 |
| 0.984 | 1.653 | 0.315 | 61 | 24060-1761 |
| 0.984 | 1.654 | 0.276 | 92 | 27063-0232 |
| 0.984 | 1.654 | 0.276 | 94 | 27223-2545 |
| 0.984 | 1.750 | 0.690 | EQ | 24807-5379 |
| 0.984 | 1.772 | 0.625 | IG | 29519-5736 |
| 0.984 | 1.850 | 0.276 | 92 | 27063-0250 |
| 0.984 | 1.850 | 0.375 | 61 | 24060-6859 |
| 0.984 | 1.850 | 0.375 | 63 | 21158-6859 |
| 0.984 | 1.850 | 0.625 | EQ | 24801-4563 |
| 0.984 | 1.850 | 0.625 | EQ | 24802-4563 |
| 0.984 | 1.850 | 0.625 | IG | 29507-4563 |
| 0.984 | 1.890 | 0.750 | IG | 29502-5534 |
| 0.984 | 1.929 | 0.625 | IG | 29507-5586 |
| 0.984 | 1.968 | 0.709 | EQ | 24801-1978 |
| 0.984 | 1.969 | 0.625 | EQ | 24801-5593 |
| 0.984 | 1.969 | 0.625 | EQ | 24802-5593 |
| 0.984 | 2.047 | 0.276 | 92 | 27063-0254 |
| 0.984 | 2.047 | 0.500 | EQ | 24801-0773 |
| 0.984 | 2.048 | 0.375 | 62 | 21702-4687 |
| 0.984 | 2.048 | 0.375 | 63 | 21158-4687 |
| **0.984** | **2.062** | **0.375** | **92** | **27063-9517** |
| **1.000** | **1.250** | **0.109** | **71** | **26001-6148** |
| **1.000** | **1.250** | **0.125** | **71** | **26001-7049** |
| **1.000** | **1.312** | **0.125** | **71** | **26001-6151** |
| **1.000** | **1.375** | **0.187** | **76** | **26193-9518** |
| **1.000** | **1.375** | **0.187** | **92** | **27063-9518** |
| 1.000 | 1.437 | 0.250 | 76 | 26193-7510 |
| 1.000 | 1.499 | 0.250 | 3 | 28003-1004 |
| **1.000** | **1.500** | **0.125** | **71** | **26001-7052** |
| 1.000 | 1.500 | 0.188 | 71 | 26001-8873 |
| 1.000 | 1.500 | 0.250 | 61 | 24063-5306 |
| 1.000 | 1.500 | 0.250 | 92 | 27063-5306 |
| 1.000 | 1.500 | 0.281 | 25 | 25058-7293 |
| 1.000 | 1.500 | 0.312 | 61 | 24060-0287 |
| 1.000 | 1.500 | 0.312 | 62 | 21702-0287 |
| **1.000** | **1.500** | **0.312** | **63** | **21158-0287** |
| 1.000 | 1.500 | 0.312 | 67 | 21528-0287 |
| 1.000 | 1.500 | 0.312 | 68 | 21823-0287 |
| 1.000 | 1.500 | 0.312 | 94 | 27223-0287 |
| 1.000 | 1.500 | 0.313 | 26 | 24600-0287 |
| 1.000 | 1.500 | 0.375 | 61 | 24060-0288 |
| 1.000 | 1.500 | 0.375 | 61 | 24062-0288 |
| 1.000 | 1.500 | 0.375 | 62 | 21702-0288 |
| 1.000 | 1.500 | 0.375 | 63 | 21158-0288 |
| **1.000** | **1.500** | **0.437** | **63F1** | **23078-6755** |
| 1.000 | 1.500 | 0.562 | 63R2 | 23548-6694 |
| 1.000 | 1.500 | 0.562 | 63T2 | 23550-6694 |
| 1.000 | 1.500 | 0.625 | IG | 29507-2684 |
| 1.000 | 1.500 | 0.690 | EQ | 24807-2688 |
| 1.000 | 1.501 | 0.312 | 94 | 27223-5314 |
| **1.000** | **1.562** | **0.187** | **71** | **26001-6156** |
| 1.000 | 1.562 | 0.187 | 76 | 26193-6156 |
| **1.000** | **1.575** | **0.312** | **63** | **21158-0289** |
| 1.000 | 1.575 | 0.375 | 61 | 24060-0290 |
| 1.000 | 1.575 | 0.375 | 63 | 21158-0290 |
| 1.000 | 1.624 | 0.250 | 3 | 28003-1020 |
| 1.000 | 1.625 | 0.250 | 61 | 24060-9490 |
| 1.000 | 1.625 | 0.250 | 76 | 26193-9490 |
| 1.000 | 1.625 | 0.312 | 61 | 24060-0291 |
| 1.000 | 1.625 | 0.312 | 62 | 21702-0291 |
| **1.000** | **1.625** | **0.312** | **63** | **21158-0291** |
| 1.000 | 1.625 | 0.312 | 67 | 21528-0291 |
| 1.000 | 1.625 | 0.312 | 68 | 21823-0291 |
| 1.000 | 1.625 | 0.375 | 61 | 24060-0292 |
| 1.000 | 1.625 | 0.375 | 61 | 24061-0292 |
| 1.000 | 1.625 | 0.375 | 61 | 24062-0292 |
| 1.000 | 1.625 | 0.375 | 61 | 24064-0292 |
| 1.000 | 1.625 | 0.375 | 63 | 21158-0292 |
| 1.000 | 1.625 | 0.437 | 63F1 | 23078-6524 |
| 1.000 | 1.625 | 0.562 | 63R1 | 23547-6477 |
| 1.000 | 1.625 | 0.562 | 63R2 | 23548-6477 |
| 1.000 | 1.625 | 0.562 | 63T2 | 23550-6477 |
| 1.000 | 1.654 | 0.312 | 63 | 21158-8057 |
| 1.000 | 1.686 | 0.312 | 63 | 21158-0310 |
| 1.000 | 1.687 | 0.625 | IG | 29507-5412 |
| 1.000 | 1.750 | 0.250 | 61 | 24061-7055 |
| 1.000 | 1.750 | 0.250 | 71 | 26001-7055 |
| 1.000 | 1.750 | 0.312 | 62 | 21702-9808 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 1.000 | 1.750 | 0.375 | 26 | 24600-1283 |
| 1.000 | 1.750 | 0.375 | 61 | 24060-0293 |
| 1.000 | 1.750 | 0.375 | 61 | 24061-0293 |
| 1.000 | 1.750 | 0.375 | 62 | 21702-0293 |
| **1.000** | **1.750** | **0.375** | **63** | **21158-0293** |
| 1.000 | 1.750 | 0.375 | 67 | 21528-0293 |
| 1.000 | 1.750 | 0.375 | 68 | 21823-0293 |
| **1.000** | **1.750** | **0.437** | **63** | **21158-0294** |
| 1.000 | 1.750 | 0.500 | 63 | 21158-6470 |
| 1.000 | 1.750 | 0.500 | 63F1 | 23078-6470 |
| 1.000 | 1.750 | 0.625 | 63R1 | 23547-9417 |
| 1.000 | 1.750 | 0.625 | EQ | 24801-3398 |
| 1.000 | 1.750 | 0.625 | EQ | 24802-3398 |
| 1.000 | 1.750 | 0.625 | IG | 29507-3398 |
| **1.000** | **1.750** | **0.687** | **63R1** | **23547-7215** |
| 1.000 | 1.750 | 0.687 | 63R2 | 23548-7215 |
| 1.000 | 1.750 | 0.690 | EQ | 24807-2695 |
| 1.000 | 1.750 | 0.750 | IG | 29502-4182 |
| 1.000 | 1.752 | 0.250 | 3 | 28003-1028 |
| **1.000** | **1.828** | **0.375** | **63** | **21158-0295** |
| 1.000 | 1.828 | 0.375 | 67 | 21528-0295 |
| 1.000 | 1.828 | 0.375 | 68 | 21823-0295 |
| 1.000 | 1.828 | 0.437 | 63 | 21158-0296 |
| 1.000 | 1.828 | 0.687 | 63R2 | 23548-6580 |
| 1.000 | 1.851 | 0.250 | 94 | 27223-9967 |
| 1.000 | 1.851 | 0.375 | 63 | 21158-6906 |
| 1.000 | 1.875 | 0.312 | 63 | 21158-9345 |
| 1.000 | 1.875 | 0.375 | 61 | 24060-0297 |
| 1.000 | 1.875 | 0.375 | 62 | 21702-0297 |
| **1.000** | **1.875** | **0.375** | **63** | **21158-0297** |
| 1.000 | 1.875 | 0.375 | 67 | 21528-0297 |
| 1.000 | 1.875 | 0.375 | 68 | 21823-0297 |
| 1.000 | 1.875 | 0.437 | 63 | 21158-0298 |
| 1.000 | 1.875 | 0.500 | EQ | 24801-1009 |
| 1.000 | 1.875 | 0.625 | EQ | 24801-1754 |
| 1.000 | 1.875 | 0.625 | EQ | 24802-1754 |
| 1.000 | 1.875 | 0.687 | 63R2 | 23548-4887 |
| 1.000 | 1.983 | 0.500 | 63 | 21158-5295 |
| 1.000 | 1.984 | 0.375 | 63 | 21158-0299 |
| 1.000 | 1.984 | 0.437 | 63 | 21158-0300 |
| 1.000 | 1.984 | 0.437 | 67 | 21528-0300 |
| 1.000 | 2.000 | 0.250 | 92 | 27063-6100 |
| 1.000 | 2.000 | 0.312 | 61 | 24060-1272 |
| 1.000 | 2.000 | 0.375 | 62 | 21702-0301 |
| **1.000** | **2.000** | **0.375** | **63** | **21158-0301** |
| 1.000 | 2.000 | 0.375 | 67 | 21528-0301 |
| 1.000 | 2.000 | 0.375 | 68 | 21823-0301 |
| 1.000 | 2.000 | 0.437 | 62 | 21702-0302 |
| **1.000** | **2.000** | **0.437** | **63** | **21158-0302** |
| 1.000 | 2.000 | 0.500 | EQ | 24801-0627 |
| 1.000 | 2.000 | 0.625 | 63F1 | 23078-5703 |
| 1.000 | 2.000 | 0.625 | EQ | 24801-1083 |
| 1.000 | 2.000 | 0.625 | EQ | 24802-1083 |
| 1.000 | 2.000 | 0.625 | IG | 29519-1083 |
| 1.000 | 2.000 | 0.687 | 63F1 | 23078-7186 |
| 1.000 | 2.000 | 0.687 | 63T2 | 23550-7186 |
| 1.000 | 2.000 | 0.750 | IG | 29502-4138 |
| 1.000 | 2.047 | 0.312 | 61 | 24060-2503 |
| 1.000 | 2.047 | 0.375 | 63 | 21158-6654 |
| 1.000 | 2.062 | 0.375 | 26 | 24600-0303 |
| **1.000** | **2.062** | **0.375** | **63** | **21158-0303** |
| 1.000 | 2.062 | 0.375 | 67 | 21528-0303 |
| 1.000 | 2.062 | 0.375 | 68 | 21823-0303 |
| 1.000 | 2.062 | 0.437 | 63 | 21158-0304 |
| 1.000 | 2.125 | 0.375 | 61 | 24060-1274 |
| 1.000 | 2.125 | 0.500 | EQ | 24801-0857 |
| 1.000 | 2.125 | 0.625 | EQ | 24801-1357 |
| 1.000 | 2.125 | 0.625 | EQ | 24802-1357 |
| 1.000 | 2.441 | 0.625 | EQ | 24802-2160 |
| 1.000 | 2.441 | 0.750 | IG | 29500-4820 |
| 1.024 | 1.654 | 0.276 | 92 | 27063-0262 |
| 1.024 | 1.850 | 0.276 | 92 | 27063-0272 |
| 1.031 | 1.575 | 0.312 | 63 | 21158-0305 |
| 1.031 | 1.575 | 0.375 | 63 | 21158-0306 |
| 1.031 | 1.625 | 0.312 | 62 | 21702-0307 |
| 1.031 | 1.625 | 0.312 | 63 | 21158-0307 |
| 1.031 | 1.625 | 0.375 | 63 | 21158-0308 |
| 1.031 | 1.654 | 0.312 | 63 | 21158-8059 |
| 1.031 | 1.750 | 0.375 | 63 | 21158-0309 |
| 1.031 | 1.850 | 0.375 | 63 | 21158-8060 |
| 1.031 | 1.875 | 0.375 | 63 | 21158-0313 |
| 1.031 | 1.984 | 0.375 | 63 | 21158-0315 |
| 1.031 | 2.000 | 0.375 | 63 | 21158-0317 |
| 1.031 | 2.047 | 0.375 | 63 | 21158-8061 |
| 1.031 | 2.062 | 0.375 | 63 | 21158-0319 |
| 1.060 | 1.625 | 0.625 | IG | 29507-4333 |
| 1.062 | 1.499 | 0.312 | 63 | 21158-0314 |
| 1.062 | 1.500 | 0.625 | IG | 29507-5685 |
| 1.062 | 1.500 | 0.690 | EQ | 24807-5796 |
| 1.062 | 1.562 | 0.125 | 71 | 26001-7056 |
| **1.062** | **1.575** | **0.312** | **63** | **21158-0321** |
| 1.062 | 1.575 | 0.312 | 66 | 21527-0321 |
| 1.062 | 1.575 | 0.375 | 63 | 21158-0322 |
| 1.062 | 1.624 | 0.625 | IG | 29507-4121 |
| 1.062 | 1.625 | 0.312 | 62 | 21702-0323 |
| **1.062** | **1.625** | **0.312** | **63** | **21158-0323** |
| 1.062 | 1.625 | 0.312 | 66 | 21527-0323 |
| 1.062 | 1.625 | 0.375 | 26 | 24600-1285 |
| 1.062 | 1.625 | 0.375 | 63 | 21158-0324 |
| 1.062 | 1.654 | 0.312 | 63 | 21158-8062 |
| 1.062 | 1.656 | 0.690 | EQ | 24807-2329 |
| 1.062 | 1.686 | 0.312 | 63 | 21158-0311 |
| 1.062 | 1.750 | 0.375 | 62 | 21702-0325 |
| **1.062** | **1.750** | **0.375** | **63** | **21158-0325** |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 1.062 | 1.750 | 0.375 | 66 | 21527-0325 |
| 1.062 | 1.750 | 0.437 | 63 | 21158-0326 |
| 1.062 | 1.812 | 0.625 | EQ | 24802-1110 |
| 1.062 | 1.828 | 0.375 | 63 | 21158-0327 |
| 1.062 | 1.828 | 0.375 | 66 | 21527-0327 |
| 1.062 | 1.828 | 0.437 | 63 | 21158-0328 |
| 1.062 | 1.828 | 0.453 | 63F1 | 23078-5791 |
| 1.062 | 1.850 | 0.375 | 63 | 21158-8063 |
| 1.062 | 1.875 | 0.375 | 63 | 21158-0329 |
| 1.062 | 1.875 | 0.375 | 66 | 21527-0329 |
| 1.062 | 1.875 | 0.437 | 63 | 21158-0330 |
| 1.062 | 1.979 | 0.375 | 63 | 21158-8644 |
| **1.062** | **1.984** | **0.375** | **63** | **21158-0331** |
| 1.062 | 1.984 | 0.375 | 66 | 21527-0331 |
| 1.062 | 1.984 | 0.500 | 63 | 21158-3871 |
| 1.062 | 2.000 | 0.375 | 63 | 21158-0333 |
| 1.062 | 2.000 | 0.375 | 66 | 21527-0333 |
| 1.062 | 2.000 | 0.437 | 63 | 21158-0334 |
| 1.062 | 2.047 | 0.375 | 63 | 21158-8064 |
| 1.062 | 2.062 | 0.375 | 63 | 21158-0335 |
| 1.062 | 2.062 | 0.375 | 66 | 21527-0335 |
| 1.062 | 2.062 | 0.437 | 63 | 21158-0336 |
| 1.062 | 2.062 | 0.437 | 66 | 21527-0336 |
| 1.063 | 1.624 | 0.690 | EQ | 24807-3907 |
| 1.063 | 1.625 | 0.250 | 61 | 24060-1281 |
| 1.063 | 1.643 | 0.625 | IG | 29507-4206 |
| 1.063 | 1.750 | 0.375 | 61 | 24060-0325 |
| 1.063 | 1.875 | 0.625 | IG | 29507-4711 |
| 1.063 | 1.938 | 0.625 | EQ | 24801-3796 |
| 1.063 | 2.063 | 0.750 | IG | 29502-4271 |
| 1.087 | 1.686 | 0.250 | 76 | 26193-6642 |
| 1.093 | 1.625 | 0.312 | 63 | 21158-0337 |
| 1.093 | 1.625 | 0.312 | 66 | 21527-0337 |
| 1.093 | 1.625 | 0.375 | 62 | 21702-0338 |
| 1.093 | 1.654 | 0.312 | 63 | 21158-7599 |
| 1.093 | 1.750 | 0.375 | 63 | 21158-0339 |
| 1.093 | 1.750 | 0.375 | 66 | 21527-0339 |
| 1.093 | 1.828 | 0.375 | 63 | 21158-0341 |
| 1.093 | 1.828 | 0.375 | 66 | 21527-0341 |
| 1.093 | 1.850 | 0.375 | 63 | 21158-7173 |
| 1.093 | 1.875 | 0.437 | 63 | 21158-0344 |
| 1.093 | 1.984 | 0.437 | 63 | 21158-0346 |
| 1.093 | 2.000 | 0.375 | 63 | 21158-0347 |
| 1.093 | 2.000 | 0.375 | 66 | 21527-0347 |
| 1.093 | 2.047 | 0.375 | 63 | 21158-8065 |
| 1.093 | 2.062 | 0.375 | 63 | 21158-0349 |
| 1.093 | 2.062 | 0.375 | 66 | 21527-0349 |
| 1.100 | 2.625 | 0.750 | IG | 29500-4502 |
| 1.102 | 1.496 | 0.276 | 92 | 27063-0280 |
| 1.102 | 1.575 | 0.276 | 92 | 27063-0284 |
| 1.102 | 1.575 | 0.394 | 61 | 24060-2715 |
| 1.102 | 1.850 | 0.394 | 61 | 24060-5562 |
| 1.102 | 1.850 | 0.394 | 61 | 24064-5562 |
| 1.103 | 1.850 | 0.690 | EQ | 24807-2842 |
| 1.108 | 1.850 | 0.375 | 63 | 21158-5562 |
| 1.114 | 1.375 | 0.125 | 71 | 26001-9643 |
| 1.125 | 1.375 | 0.109 | 71 | 26001-6162 |
| **1.125** | **1.375** | **0.125** | **71** | **26001-7057** |
| 1.125 | 1.437 | 0.266 | 92 | 27063-6167 |
| 1.125 | 1.500 | 0.187 | 76 | 26193-7512 |
| 1.125 | 1.500 | 0.625 | IG | 29507-5207 |
| 1.125 | 1.562 | 0.625 | IG | 29507-4334 |
| 1.125 | 1.562 | 0.690 | EQ | 24807-2852 |
| 1.125 | 1.624 | 0.250 | 3 | 28003-1113 |
| 1.125 | 1.624 | 0.690 | EQ | 24807-1352 |
| **1.125** | **1.625** | **0.250** | **71** | **26001-6169** |
| **1.125** | **1.625** | **0.250** | **92** | **27063-6169** |
| 1.125 | 1.625 | 0.312 | 62 | 21702-0351 |
| **1.125** | **1.625** | **0.312** | **63** | **21158-0351** |
| 1.125 | 1.625 | 0.312 | 66 | 21527-0351 |
| 1.125 | 1.625 | 0.312 | 67 | 21528-0351 |
| 1.125 | 1.625 | 0.312 | 68 | 21823-0351 |
| 1.125 | 1.625 | 0.313 | 26 | 24600-0351 |
| 1.125 | 1.625 | 0.375 | 61 | 24060-0352 |
| 1.125 | 1.625 | 0.375 | 63 | 21158-0352 |
| 1.125 | 1.625 | 0.375 | 66 | 21527-0352 |
| 1.125 | 1.625 | 0.437 | 61 | 24062-1307 |
| 1.125 | 1.625 | 0.562 | 63R2 | 23548-6452 |
| 1.125 | 1.625 | 0.562 | 63T2 | 23550-6452 |
| 1.125 | 1.625 | 0.625 | IG | 29507-2273 |
| 1.125 | 1.625 | 0.690 | EQ | 24807-2829 |
| 1.125 | 1.654 | 0.312 | 63 | 21158-8066 |
| 1.125 | 1.654 | 0.312 | 66 | 21527-8066 |
| 1.125 | 1.750 | 0.375 | 25 | 25058-0353 |
| 1.125 | 1.750 | 0.375 | 26 | 24600-0353 |
| 1.125 | 1.750 | 0.375 | 61 | 24060-0353 |
| 1.125 | 1.750 | 0.375 | 62 | 21702-0353 |
| **1.125** | **1.750** | **0.375** | **63** | **21158-0353** |
| 1.125 | 1.750 | 0.375 | 66 | 21527-0353 |
| 1.125 | 1.750 | 0.375 | 67 | 21528-0353 |
| 1.125 | 1.750 | 0.375 | 68 | 21823-0353 |
| 1.125 | 1.750 | 0.437 | 63 | 21158-0354 |
| 1.125 | 1.750 | 0.562 | 63R1 | 23547-7208 |
| 1.125 | 1.750 | 0.625 | IG | 29507-4184 |
| 1.125 | 1.750 | 0.687 | 63R1 | 23547-6857 |
| 1.125 | 1.750 | 0.687 | 63T2 | 23550-6857 |
| 1.125 | 1.750 | 0.690 | EQ | 24807-2994 |
| 1.125 | 1.781 | 0.437 | 63 | 21158-9564 |
| 1.125 | 1.801 | 0.690 | EQ | 24807-3877 |
| 1.125 | 1.828 | 0.375 | 26 | 24600-1288 |
| 1.125 | 1.828 | 0.375 | 62 | 21702-0355 |
| **1.125** | **1.828** | **0.375** | **63** | **21158-0355** |
| 1.125 | 1.828 | 0.375 | 66 | 21527-0355 |
| 1.125 | 1.828 | 0.375 | 67 | 21528-0355 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 1.125 | 1.828 | 0.375 | 68 | 21823-0355 |
| 1.125 | 1.828 | 0.437 | 63 | 21158-0356 |
| 1.125 | 1.850 | 0.312 | 63 | 21158-7650 |
| 1.125 | 1.850 | 0.375 | 63 | 21158-4813 |
| 1.125 | 1.851 | 0.437 | 63 | 21158-5891 |
| 1.125 | 1.855 | 0.625 | IG | 29507-4840 |
| 1.125 | 1.874 | 0.250 | 3 | 28003-1128 |
| 1.125 | 1.875 | 0.375 | 26 | 24600-1394 |
| 1.125 | 1.875 | 0.375 | 61 | 24060-0357 |
| 1.125 | 1.875 | 0.375 | 61 | 24061-0357 |
| 1.125 | 1.875 | 0.375 | 61 | 24062-0357 |
| 1.125 | 1.875 | 0.375 | 62 | 21702-0357 |
| **1.125** | **1.875** | **0.375** | **63** | **21158-0357** |
| 1.125 | 1.875 | 0.375 | 66 | 21527-0357 |
| 1.125 | 1.875 | 0.375 | 67 | 21528-0357 |
| 1.125 | 1.875 | 0.375 | 68 | 21823-0357 |
| 1.125 | 1.875 | 0.437 | 63 | 21158-0358 |
| 1.125 | 1.875 | 0.625 | IG | 29507-5394 |
| 1.125 | 1.875 | 0.687 | 63T2 | 23550-6688 |
| 1.125 | 1.875 | 0.690 | EQ | 24807-2968 |
| 1.125 | 1.875 | 0.750 | IG | 29502-4322 |
| 1.125 | 1.876 | 0.625 | EQ | 24802-1152 |
| 1.125 | 1.876 | 0.625 | IG | 29507-1152 |
| **1.125** | **1.984** | **0.375** | **63** | **21158-3872** |
| 1.125 | 1.984 | 0.375 | 66 | 21527-3872 |
| 1.125 | 1.984 | 0.437 | 63 | 21158-3873 |
| 1.125 | 1.984 | 0.438 | 26 | 24600-1289 |
| 1.125 | 1.984 | 0.500 | 63 | 21158-3874 |
| 1.125 | 2.000 | 0.375 | 61 | 24060-0359 |
| 1.125 | 2.000 | 0.375 | 62 | 21702-0359 |
| **1.125** | **2.000** | **0.375** | **63** | **21158-0359** |
| 1.125 | 2.000 | 0.375 | 66 | 21527-0359 |
| 1.125 | 2.000 | 0.375 | 67 | 21528-0359 |
| 1.125 | 2.000 | 0.375 | 68 | 21823-0359 |
| 1.125 | 2.000 | 0.375 | 94 | 27223-0359 |
| 1.125 | 2.000 | 0.437 | 63 | 21158-0360 |
| 1.125 | 2.000 | 0.437 | 67 | 21528-0360 |
| 1.125 | 2.000 | 0.437 | 68 | 21823-0360 |
| 1.125 | 2.000 | 0.625 | EQ | 24801-0988 |
| 1.125 | 2.000 | 0.625 | IG | 29507-0988 |
| 1.125 | 2.000 | 0.625 | IG | 29519-0988 |
| 1.125 | 2.000 | 0.687 | 63T2 | 23550-6466 |
| **1.125** | **2.000** | **0.750** | **IG** | **29502-4108** |
| 1.125 | 2.001 | 0.375 | 26 | 24600-0842 |
| 1.125 | 2.001 | 0.500 | EQ | 24801-0765 |
| 1.125 | 2.001 | 0.500 | EQ | 24802-0765 |
| **1.125** | **2.001** | **0.625** | **EQ** | **24802-0988** |
| 1.125 | 2.043 | 0.625 | EQ | 24802-5371 |
| 1.125 | 2.047 | 0.375 | 63 | 21158-8067 |
| 1.125 | 2.050 | 0.750 | IG | 29502-5071 |
| 1.125 | 2.062 | 0.375 | 26 | 24600-0814 |
| **1.125** | **2.062** | **0.375** | **63** | **21158-0361** |
| 1.125 | 2.062 | 0.375 | 66 | 21527-0361 |
| 1.125 | 2.062 | 0.375 | 67 | 21528-0361 |
| 1.125 | 2.062 | 0.375 | 68 | 21823-0361 |
| 1.125 | 2.062 | 0.437 | 62 | 21702-0362 |
| 1.125 | 2.062 | 0.437 | 63 | 21158-0362 |
| 1.125 | 2.062 | 0.625 | EQ | 24801-1920 |
| 1.125 | 2.062 | 0.750 | IG | 29502-5470 |
| 1.125 | 2.125 | 0.375 | 66 | 21527-7242 |
| 1.125 | 2.125 | 0.625 | EQ | 24801-0832 |
| 1.125 | 2.125 | 0.625 | EQ | 24802-0832 |
| **1.125** | **2.125** | **0.750** | **IG** | **29502-4139** |
| 1.125 | 2.188 | 0.625 | EQ | 24802-4415 |
| 1.125 | 2.250 | 0.375 | 61 | 24060-7246 |
| 1.125 | 2.250 | 0.375 | 66 | 21527-7246 |
| 1.125 | 2.250 | 0.625 | EQ | 24801-0815 |
| 1.125 | 2.250 | 0.625 | EQ | 24802-0815 |
| 1.125 | 2.250 | 0.625 | IG | 29502-0815 |
| 1.125 | 2.375 | 0.750 | IG | 29502-5039 |
| 1.125 | 2.437 | 0.625 | EQ | 24802-5573 |
| 1.125 | 2.441 | 0.281 | 94 | 27223-9274 |
| 1.125 | 2.441 | 0.375 | 94 | 27223-6176 |
| 1.125 | 2.441 | 0.625 | EQ | 24802-2859 |
| 1.125 | 2.441 | 0.750 | IG | 29500-4181 |
| **1.125** | **2.441** | **0.750** | **IG** | **29502-4181** |
| 1.125 | 2.750 | 0.375 | 26 | 24600-3885 |
| 1.125 | 2.835 | 0.375 | 76 | 26193-4701 |
| 1.125 | 2.844 | 0.500 | 26 | 24600-1290 |
| 1.125 | 3.150 | 0.625 | EQ | 24802-1091 |
| 1.125 | 3.192 | 0.500 | 26 | 24600-0817 |
| 1.127 | 2.000 | 0.750 | IG | 29502-4402 |
| 1.142 | 1.575 | 0.250 | 61 | 24060-2218 |
| 1.145 | 2.000 | 0.750 | IG | 29502-5517 |
| 1.156 | 1.575 | 0.312 | 76 | 26193-9038 |
| 1.156 | 1.828 | 0.437 | 63 | 21158-5491 |
| **1.156** | **1.875** | **0.375** | **63** | **21158-0363** |
| 1.156 | 1.875 | 0.375 | 67 | 21528-0363 |
| 1.156 | 1.875 | 0.375 | 68 | 21823-0363 |
| 1.156 | 1.875 | 0.625 | IG | 29507-5112 |
| 1.156 | 1.875 | 0.690 | EQ | 24807-1025 |
| 1.156 | 1.984 | 0.375 | 63 | 21158-0365 |
| 1.156 | 2.000 | 0.375 | 63 | 21158-0367 |
| 1.156 | 2.000 | 0.625 | IG | 29507-5812 |
| 1.156 | 2.000 | 0.690 | IG | 24807-5797 |
| 1.156 | 2.047 | 0.375 | 63 | 21158-7914 |
| 1.156 | 2.062 | 0.375 | 63 | 21158-0369 |
| 1.156 | 2.062 | 0.437 | 63 | 21158-0370 |
| 1.156 | 2.106 | 0.437 | 63 | 21158-0372 |
| 1.156 | 2.125 | 0.375 | 63 | 21158-0374 |
| **1.156** | **2.250** | **0.375** | **63** | **21158-0377** |
| 1.156 | 2.250 | 0.687 | 63R1 | 23547-8514 |
| 1.156 | 2.375 | 0.375 | 63 | 21158-0380 |
| **1.156** | **2.441** | **0.375** | **63** | **21158-3875** |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 1.156 | 2.835 | 0.375 | 94 | 27223-6738 |
| 1.161 | 2.000 | 0.625 | EQ | 24802-3772 |
| 1.168 | 2.437 | 0.750 | IG | 29502-5511 |
| 1.171 | 2.250 | 0.750 | IG | 29502-5526 |
| 1.173 | 2.441 | 0.750 | IG | 29502-4720 |
| 1.177 | 2.500 | 0.625 | EQ | 24802-4342 |
| 1.180 | 2.000 | 0.750 | IG | 29502-5149 |
| 1.180 | 2.180 | 0.750 | IG | 29502-5166 |
| 1.180 | 2.835 | 0.750 | IG | 29502-4422 |
| 1.181 | 1.575 | 0.276 | 61 | 24060-0312 |
| 1.181 | 1.575 | 0.276 | 92 | 27063-0312 |
| 1.181 | 1.625 | 0.690 | EQ | 24807-2806 |
| 1.181 | 1.654 | 0.276 | 92 | 27063-0316 |
| 1.181 | 1.654 | 0.315 | 61 | 24060-1763 |
| 1.181 | 1.654 | 0.315 | 61 | 24061-1763 |
| 1.181 | 1.654 | 0.625 | IG | 29507-4920 |
| 1.181 | 1.683 | 0.250 | 76 | 26193-8461 |
| 1.181 | 1.683 | 0.250 | 92 | 27063-8461 |
| 1.181 | 1.772 | 0.315 | 92 | 27063-0318 |
| 1.181 | 1.772 | 0.625 | IG | 29507-5204 |
| 1.181 | 1.850 | 0.276 | 61 | 24060-0320 |
| 1.181 | 1.850 | 0.276 | 92 | 27063-0320 |
| 1.181 | 1.850 | 0.375 | 61 | 24060-9342 |
| 1.181 | 1.850 | 0.375 | 63 | 21158-9342 |
| 1.181 | 1.850 | 0.690 | EQ | 24807-3638 |
| 1.181 | 1.890 | 0.315 | 92 | 27063-0332 |
| 1.181 | 1.968 | 0.276 | 26 | 24600-0378 |
| 1.181 | 1.968 | 0.434 | 26R1 | 24620-0379 |
| 1.181 | 2.030 | 0.625 | EQ | 24801-5446 |
| 1.181 | 2.047 | 0.276 | 92 | 27063-0340 |
| 1.181 | 2.047 | 0.394 | 61 | 24060-2803 |
| 1.181 | 2.181 | 0.625 | EQ | 24802-3388 |
| 1.181 | 2.181 | 0.625 | IG | 29507-3388 |
| 1.181 | 2.211 | 0.625 | EQ | 24802-1499 |
| 1.181 | 2.350 | 0.625 | EQ | 24802-2476 |
| 1.181 | 2.358 | 0.625 | EQ | 24802-1199 |
| 1.181 | 2.362 | 0.500 | EQ | 24801-1122 |
| 1.181 | 2.362 | 0.750 | IG | 29502-4684 |
| 1.181 | 2.441 | 0.276 | 92 | 27063-0342 |
| 1.181 | 2.441 | 0.750 | IG | 29502-5584 |
| 1.181 | 2.500 | 0.375 | 26 | 24600-0393 |
| 1.181 | 2.835 | 0.315 | 92 | 27063-0348 |
| 1.181 | 2.875 | 0.500 | EQ | 24801-1084 |
| 1.185 | 2.442 | 0.625 | EQ | 24802-2857 |
| 1.185 | 2.442 | 0.750 | IG | 29502-4336 |
| 1.187 | 1.437 | 0.125 | 71 | 26001-7061 |
| 1.187 | 1.625 | 0.250 | 91 | 27023-6279 |
| **1.187** | **1.828** | **0.375** | **63** | **21158-3876** |
| 1.187 | 1.828 | 0.375 | 66 | 21527-3876 |
| 1.187 | 1.828 | 0.687 | 63T2 | 23550-9748 |
| 1.187 | 1.850 | 0.375 | 63 | 21158-6659 |
| 1.187 | 1.875 | 0.375 | 62 | 21702-0383 |
| **1.187** | **1.875** | **0.375** | **63** | **21158-0383** |
| 1.187 | 1.875 | 0.375 | 66 | 21527-0383 |
| 1.187 | 1.875 | 0.437 | 63 | 21158-0384 |
| 1.187 | 1.875 | 0.594 | 63F1 | 23078-7341 |
| 1.187 | 1.875 | 0.687 | 63R1 | 23547-8187 |
| 1.187 | 1.875 | 0.687 | 63R2 | 23548-8187 |
| 1.187 | 1.875 | 0.687 | 63T2 | 23550-8187 |
| 1.187 | 1.984 | 0.375 | 62 | 21702-0385 |
| 1.187 | 1.984 | 0.375 | 63 | 21158-0385 |
| 1.187 | 1.984 | 0.375 | 66 | 21527-0385 |
| 1.187 | 1.984 | 0.437 | 63 | 21158-0386 |
| 1.187 | 1.984 | 0.500 | 63 | 21158-5656 |
| 1.187 | 2.000 | 0.375 | 62 | 21702-0387 |
| **1.187** | **2.000** | **0.375** | **63** | **21158-0387** |
| 1.187 | 2.000 | 0.375 | 66 | 21527-0387 |
| 1.187 | 2.000 | 0.437 | 62 | 21702-0388 |
| 1.187 | 2.000 | 0.437 | 63 | 21158-0388 |
| 1.187 | 2.000 | 0.594 | 63F1 | 23078-6993 |
| 1.187 | 2.048 | 0.375 | 62 | 21702-3877 |
| **1.187** | **2.048** | **0.375** | **63** | **21158-3877** |
| 1.187 | 2.048 | 0.375 | 66 | 21527-3877 |
| **1.187** | **2.062** | **0.375** | **63** | **21158-0389** |
| 1.187 | 2.062 | 0.375 | 66 | 21527-0389 |
| 1.187 | 2.062 | 0.437 | 62 | 21702-0390 |
| 1.187 | 2.062 | 0.437 | 63 | 21158-0390 |
| 1.187 | 2.062 | 0.687 | 63R1 | 23547-9585 |
| 1.187 | 2.125 | 0.375 | 63 | 21158-0394 |
| 1.187 | 2.125 | 0.375 | 66 | 21527-0394 |
| 1.187 | 2.125 | 0.437 | 63 | 21158-0395 |
| **1.187** | **2.250** | **0.375** | **63** | **21158-0397** |
| 1.187 | 2.250 | 0.375 | 66 | 21527-0397 |
| 1.187 | 2.250 | 0.437 | 63 | 21158-0398 |
| 1.187 | 2.250 | 0.500 | 26 | 24600-1431 |
| 1.187 | 2.250 | 0.500 | 63 | 21158-0399 |
| 1.187 | 2.375 | 0.375 | 63 | 21158-0400 |
| 1.187 | 2.375 | 0.437 | 63 | 21158-0401 |
| 1.187 | 2.375 | 0.500 | 63 | 21158-0402 |
| 1.187 | 2.375 | 0.687 | 63R2 | 23548-7333 |
| 1.187 | 2.437 | 0.625 | EQ | 24802-5434 |
| 1.187 | 2.437 | 0.625 | EQ | 24802-5434 |
| 1.187 | 2.437 | 0.750 | IG | 29502-5007 |
| 1.187 | 2.441 | 0.250 | 71 | 26001-7060 |
| 1.187 | 2.441 | 0.375 | 26R1 | 24620-4620 |
| 1.187 | 2.441 | 0.375 | 63 | 21158-4600 |
| 1.187 | 2.441 | 0.375 | 94 | 27223-4600 |
| 1.187 | 2.441 | 0.625 | EQ | 24802-1850 |
| 1.187 | 2.500 | 0.500 | 63 | 21158-6011 |
| 1.187 | 2.835 | 0.375 | 26R1 | 24620-4549 |
| 1.187 | 2.835 | 0.375 | 63 | 21158-4597 |
| 1.187 | 2.835 | 0.375 | 94 | 27223-4597 |
| 1.188 | 1.750 | 0.312 | 61 | 24060-1319 |
| 1.188 | 1.750 | 0.375 | 61 | 24060-2334 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 1.188 | 1.875 | 0.312 | 61 | 24060-1325 |
| 1.188 | 1.875 | 0.375 | 26 | 24600-0383 |
| 1.188 | 1.875 | 0.375 | 61 | 24061-0383 |
| 1.188 | 2.000 | 0.375 | 61 | 24060-0387 |
| 1.188 | 2.000 | 0.750 | IG | 29500-4559 |
| 1.188 | 2.000 | 0.750 | IG | 29502-4559 |
| 1.188 | 2.188 | 0.750 | IG | 29502-4272 |
| 1.188 | 2.250 | 0.750 | IG | 29500-4538 |
| 1.188 | 2.358 | 0.625 | EQ | 24802-4653 |
| 1.200 | 2.000 | 0.750 | IG | 29502-5148 |
| 1.203 | 2.048 | 0.187 | 76 | 26193-7513 |
| 1.219 | 1.984 | 0.375 | 63 | 21158-0403 |
| 1.219 | 2.000 | 0.375 | 63 | 21158-0405 |
| 1.219 | 2.047 | 0.375 | 63 | 21158-8068 |
| 1.219 | 2.048 | 0.187 | 76 | 26193-7514 |
| 1.219 | 2.125 | 0.437 | 63 | 21158-0413 |
| 1.219 | 2.250 | 0.375 | 63 | 21158-0415 |
| 1.219 | 2.437 | 0.375 | 63 | 21158-0421 |
| 1.235 | 2.000 | 0.625 | EQ | 24801-2698 |
| 1.235 | 2.000 | 0.625 | EQ | 24802-2698 |
| 1.241 | 2.253 | 0.750 | IG | 29502-5689 |
| **1.250** | **1.500** | **0.125** | **71** | **26001-7062** |
| **1.250** | **1.625** | **0.187** | **71** | **26001-6183** |
| **1.250** | **1.625** | **0.187** | **76** | **26193-6183** |
| 1.250 | 1.625 | 0.250 | 92 | 27063-9524 |
| **1.250** | **1.687** | **0.187** | **76** | **26193-7516** |
| 1.250 | 1.687 | 0.625 | IG | 29507-3534 |
| 1.250 | 1.687 | 0.690 | EQ | 24807-3622 |
| 1.250 | 1.750 | 0.250 | 26 | 24600-5239 |
| 1.250 | 1.750 | 0.250 | 61 | 24060-5239 |
| **1.250** | **1.750** | **0.250** | **71** | **26001-5239** |
| 1.250 | 1.750 | 0.266 | 76 | 26193-6186 |
| 1.250 | 1.750 | 0.375 | 61 | 24060-8887 |
| 1.250 | 1.750 | 0.375 | 61 | 24062-8887 |
| 1.250 | 1.750 | 0.625 | IG | 29507-4340 |
| 1.250 | 1.750 | 0.690 | EQ | 24807-1782 |
| 1.250 | 1.752 | 0.250 | 3 | 28003-1224 |
| 1.250 | 1.874 | 0.250 | 3 | 28003-1232 |
| 1.250 | 1.875 | 0.312 | 61 | 24060-1337 |
| 1.250 | 1.875 | 0.375 | 61 | 24060-5704 |
| 1.250 | 1.875 | 0.375 | 63 | 21158-5704 |
| 1.250 | 1.875 | 0.688 | 63T2 | 23550-1452 |
| 1.250 | 1.875 | 0.690 | EQ | 24807-2996 |
| 1.250 | 1.984 | 0.250 | 92 | 27063-9525 |
| 1.250 | 1.984 | 0.375 | 62 | 21702-0424 |
| **1.250** | **1.984** | **0.375** | **63** | **21158-0424** |
| 1.250 | 1.984 | 0.375 | 66 | 21527-0424 |
| 1.250 | 1.984 | 0.437 | 62 | 21702-0425 |
| 1.250 | 1.984 | 0.437 | 63 | 21158-0425 |
| 1.250 | 1.984 | 0.500 | 63 | 21158-0426 |
| 1.250 | 1.984 | 0.594 | 63F1 | 23078-8312 |
| 1.250 | 1.984 | 0.687 | 63T2 | 23550-7595 |

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 1.250 | 2.000 | 0.250 | 3 | 28003-1246 |
| 1.250 | 2.000 | 0.250 | 76 | 26193-7518 |
| **1.250** | **2.000** | **0.250** | **92** | **27063-7518** |
| 1.250 | 2.000 | 0.375 | 25 | 25058-0427 |
| 1.250 | 2.000 | 0.375 | 26 | 24600-2128 |
| 1.250 | 2.000 | 0.375 | 61 | 24060-0427 |
| 1.250 | 2.000 | 0.375 | 61 | 24064-0427 |
| 1.250 | 2.000 | 0.375 | 62 | 21702-0427 |
| **1.250** | **2.000** | **0.375** | **63** | **21158-0427** |
| 1.250 | 2.000 | 0.375 | 66 | 21527-0427 |
| 1.250 | 2.000 | 0.375 | 67 | 21528-0427 |
| **1.250** | **2.000** | **0.437** | **63** | **21158-0428** |
| 1.250 | 2.000 | 0.500 | EQ | 24801-0798 |
| 1.250 | 2.000 | 0.594 | 63F1 | 23078-7390 |
| 1.250 | 2.000 | 0.625 | EQ | 24801-1215 |
| 1.250 | 2.000 | 0.625 | EQ | 24802-1215 |
| 1.250 | 2.000 | 0.625 | IG | 29507-1215 |
| 1.250 | 2.000 | 0.687 | 63R1 | 23547-6745 |
| **1.250** | **2.000** | **0.687** | **63R2** | **23548-6745** |
| **1.250** | **2.000** | **0.687** | **63T2** | **23550-6745** |
| 1.250 | 2.000 | 0.750 | IG | 29502-4185 |
| 1.250 | 2.047 | 0.375 | 63 | 21158-7852 |
| 1.250 | 2.047 | 0.375 | 66 | 21527-7852 |
| 1.250 | 2.062 | 0.375 | 62 | 21702-0430 |
| **1.250** | **2.062** | **0.375** | **63** | **21158-0430** |
| 1.250 | 2.062 | 0.375 | 66 | 21527-0430 |
| 1.250 | 2.062 | 0.437 | 63 | 21158-0431 |
| 1.250 | 2.062 | 0.687 | 63T2 | 23550-6624 |
| 1.250 | 2.063 | 0.312 | 61 | 24060-1338 |
| **1.250** | **2.106** | **0.375** | **63** | **21158-0433** |
| 1.250 | 2.125 | 0.250 | 3 | 28003-1262 |
| 1.250 | 2.125 | 0.312 | 61 | 24060-1343 |
| 1.250 | 2.125 | 0.375 | 26 | 24600-1295 |
| 1.250 | 2.125 | 0.375 | 61 | 24060-0436 |
| **1.250** | **2.125** | **0.375** | **63** | **21158-0436** |
| 1.250 | 2.125 | 0.375 | 66 | 21527-0436 |
| 1.250 | 2.125 | 0.437 | 63 | 21158-0437 |
| 1.250 | 2.125 | 0.500 | 63 | 21158-0438 |
| 1.250 | 2.125 | 0.500 | EQ | 24801-1048 |
| 1.250 | 2.125 | 0.625 | EQ | 24801-1932 |
| 1.250 | 2.125 | 0.625 | EQ | 24802-1932 |
| 1.250 | 2.125 | 0.687 | 63R1 | 23547-6674 |
| 1.250 | 2.125 | 0.687 | 63TB | 23549-6674 |
| 1.250 | 2.250 | 0.312 | 61 | 24060-1344 |
| 1.250 | 2.250 | 0.375 | 25 | 25058-0439 |
| 1.250 | 2.250 | 0.375 | 61 | 24060-0439 |
| 1.250 | 2.250 | 0.375 | 62 | 21702-0439 |
| **1.250** | **2.250** | **0.375** | **63** | **21158-0439** |
| 1.250 | 2.250 | 0.375 | 66 | 21527-0439 |
| 1.250 | 2.250 | 0.437 | 63 | 21158-0440 |
| 1.250 | 2.250 | 0.500 | 26 | 24600-0631 |
| 1.250 | 2.250 | 0.500 | 62 | 21702-0441 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 1.250 | 2.250 | 0.500 | 63 | 21158-0441 |
| 1.250 | 2.250 | 0.625 | EQ | 24801-1420 |
| 1.250 | 2.250 | 0.625 | EQ | 24802-1420 |
| 1.250 | 2.250 | 0.687 | 63R1 | 23547-6675 |
| 1.250 | 2.250 | 0.687 | 63R2 | 23548-6675 |
| 1.250 | 2.250 | 0.687 | 63T2 | 23550-6675 |
| 1.250 | 2.250 | 0.690 | EQ | 24807-3533 |
| 1.250 | 2.250 | 0.750 | IG | 29500-4140 |
| 1.250 | 2.250 | 0.750 | IG | 29502-4140 |
| 1.250 | 2.375 | 0.375 | 61 | 24060-0442 |
| **1.250** | **2.375** | **0.375** | **63** | **21158-0442** |
| 1.250 | 2.375 | 0.375 | 66 | 21527-0442 |
| 1.250 | 2.375 | 0.437 | 63 | 21158-0443 |
| 1.250 | 2.375 | 0.500 | 63 | 21158-0444 |
| 1.250 | 2.375 | 0.594 | 63F1 | 23078-7372 |
| 1.250 | 2.375 | 0.625 | EQ | 24801-0787 |
| 1.250 | 2.375 | 0.625 | EQ | 24802-0787 |
| 1.250 | 2.375 | 0.687 | 63R2 | 23548-6517 |
| 1.250 | 2.375 | 0.687 | 63T2 | 23550-6517 |
| 1.250 | 2.437 | 0.375 | 62 | 21702-0445 |
| **1.250** | **2.437** | **0.375** | **63** | **21158-0445** |
| 1.250 | 2.437 | 0.375 | 66 | 21527-0445 |
| 1.250 | 2.437 | 0.437 | 63 | 21158-0446 |
| 1.250 | 2.437 | 0.500 | 63 | 21158-0447 |
| 1.250 | 2.437 | 0.687 | 63R1 | 23547-8569 |
| 1.250 | 2.438 | 0.438 | 26 | 24600-1296 |
| 1.250 | 2.438 | 0.750 | IG | 29502-4680 |
| 1.250 | 2.500 | 0.375 | 25 | 25058-6502 |
| 1.250 | 2.835 | 0.375 | 94 | 27223-6192 |
| 1.250 | 2.875 | 0.625 | EQ | 24802-2195 |
| 1.250 | 2.875 | 0.750 | IG | 29502-5101 |
| 1.250 | 3.125 | 0.750 | IG | 29502-5621 |
| 1.250 | 3.150 | 0.750 | IG | 29502-5214 |
| 1.260 | 1.654 | 0.625 | IG | 29507-5536 |
| 1.260 | 1.693 | 0.394 | 26 | 24600-0449 |
| 1.260 | 1.772 | 0.315 | 61 | 24060-2224 |
| 1.260 | 1.850 | 0.276 | 92 | 27063-0350 |
| 1.260 | 1.850 | 0.315 | 61 | 24060-1776 |
| 1.260 | 1.850 | 0.625 | IG | 29507-4922 |
| 1.260 | 2.047 | 0.276 | 92 | 27063-0364 |
| 1.260 | 2.047 | 0.354 | 61 | 24060-2212 |
| 1.260 | 2.126 | 0.394 | 61 | 24060-2784 |
| 1.260 | 2.165 | 0.750 | IG | 29502-4860 |
| 1.266 | 2.048 | 0.375 | 63 | 21158-7316 |
| **1.281** | **1.984** | **0.375** | **63** | **21158-0448** |
| 1.281 | 1.984 | 0.375 | 66 | 21527-0448 |
| 1.281 | 2.000 | 0.375 | 63 | 21158-0451 |
| 1.281 | 2.000 | 0.375 | 66 | 21527-0451 |
| 1.281 | 2.047 | 0.375 | 63 | 21158-7715 |
| 1.281 | 2.062 | 0.375 | 63 | 21158-0454 |
| 1.281 | 2.106 | 0.375 | 63 | 21158-0457 |
| 1.281 | 2.125 | 0.500 | 63 | 21158-0462 |
| 1.281 | 2.250 | 0.375 | 63 | 21158-0463 |
| 1.281 | 2.250 | 0.500 | 63 | 21158-0465 |
| 1.281 | 2.437 | 0.500 | 63 | 21158-0471 |
| 1.281 | 2.441 | 0.375 | 63 | 21158-8070 |
| 1.281 | 2.497 | 0.500 | 63 | 21158-0474 |
| 1.281 | 2.497 | 0.687 | 63R1 | 23547-9551 |
| 1.281 | 2.497 | 0.687 | 63T2 | 23550-9551 |
| 1.281 | 2.500 | 0.375 | 63 | 21158-0475 |
| 1.299 | 1.772 | 0.315 | 61 | 24060-1784 |
| 1.312 | 1.562 | 0.125 | 71 | 26001-6193 |
| 1.312 | 1.605 | 0.156 | 76 | 26193-6194 |
| **1.312** | **1.625** | **0.156** | **76** | **26193-6195** |
| 1.312 | 1.750 | 0.187 | 76 | 26193-7519 |
| 1.312 | 1.750 | 0.250 | 92 | 27063-6197 |
| 1.312 | 1.875 | 0.219 | 92 | 27063-9527 |
| 1.312 | 1.984 | 0.375 | 63 | 21158-0478 |
| **1.312** | **2.000** | **0.375** | **63** | **21158-0481** |
| 1.312 | 2.000 | 0.437 | 63 | 21158-0482 |
| 1.312 | 2.000 | 0.625 | IG | 29507-1146 |
| 1.312 | 2.047 | 0.375 | 63 | 21158-4821 |
| 1.312 | 2.062 | 0.375 | 26 | 24600-1297 |
| 1.312 | 2.062 | 0.375 | 62 | 21702-0484 |
| **1.312** | **2.062** | **0.375** | **63** | **21158-0484** |
| 1.312 | 2.062 | 0.437 | 63 | 21158-0485 |
| 1.312 | 2.106 | 0.375 | 63 | 21158-0487 |
| 1.312 | 2.106 | 0.687 | 63T2 | 23550-9381 |
| 1.312 | 2.125 | 0.375 | 62 | 21702-0490 |
| **1.312** | **2.125** | **0.375** | **63** | **21158-0490** |
| 1.312 | 2.125 | 0.437 | 63 | 21158-0491 |
| 1.312 | 2.125 | 0.500 | 63 | 21158-0492 |
| 1.312 | 2.250 | 0.375 | 63 | 21158-0493 |
| 1.312 | 2.250 | 0.437 | 63 | 21158-0494 |
| 1.312 | 2.250 | 0.500 | 63 | 21158-0495 |
| 1.312 | 2.375 | 0.375 | 62 | 21702-0496 |
| **1.312** | **2.375** | **0.375** | **63** | **21158-0496** |
| 1.312 | 2.375 | 0.437 | 63 | 21158-0497 |
| 1.312 | 2.375 | 0.500 | 63 | 21158-0498 |
| 1.312 | 2.437 | 0.375 | 63 | 21158-0499 |
| 1.312 | 2.441 | 0.375 | 63 | 21158-8071 |
| 1.312 | 2.500 | 0.375 | 62 | 21702-0505 |
| **1.312** | **2.500** | **0.375** | **63** | **21158-0505** |
| 1.312 | 2.500 | 0.500 | 62 | 21702-0507 |
| 1.312 | 2.500 | 0.500 | 63 | 21158-0507 |
| 1.312 | 2.875 | 0.500 | 63 | 21158-3879 |
| 1.313 | 2.000 | 0.690 | EQ | 24807-2524 |
| 1.313 | 2.313 | 0.750 | IG | 29502-4273 |
| 1.334 | 2.363 | 0.500 | EQ | 24801-1019 |
| 1.334 | 2.363 | 0.625 | EQ | 24801-1411 |
| 1.334 | 2.363 | 0.625 | EQ | 24802-1411 |
| 1.337 | 2.165 | 0.315 | 26R1 | 24620-0574 |
| 1.344 | 2.062 | 0.375 | 63 | 21158-0508 |
| 1.344 | 2.106 | 0.375 | 63 | 21158-0511 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 1.344 | 2.125 | 0.375 | 63 | 21158-0514 |
| 1.344 | 2.125 | 0.437 | 63 | 21158-0515 |
| 1.344 | 2.250 | 0.375 | 62 | 21702-0517 |
| **1.344** | **2.250** | **0.375** | **63** | **21158-0517** |
| 1.344 | 2.375 | 0.375 | 63 | 21158-0520 |
| 1.344 | 2.437 | 0.375 | 63 | 21158-0523 |
| 1.344 | 2.437 | 0.500 | 63 | 21158-0525 |
| 1.344 | 2.441 | 0.375 | 63 | 21158-8072 |
| 1.344 | 2.497 | 0.375 | 63 | 21158-0526 |
| 1.344 | 2.500 | 0.375 | 62 | 21702-0529 |
| 1.344 | 2.500 | 0.375 | 63 | 21158-0529 |
| 1.344 | 2.625 | 0.375 | 63 | 21158-0532 |
| 1.370 | 2.060 | 0.625 | IG | 29507-4318 |
| 1.370 | 2.375 | 0.750 | IG | 29502-4689 |
| 1.375 | 1.625 | 0.109 | 71 | 26001-9961 |
| **1.375** | **1.625** | **0.125** | **71** | **26001-7068** |
| 1.375 | 1.687 | 0.109 | 71 | 26001-8715 |
| **1.375** | **1.750** | **0.187** | **76** | **26193-7520** |
| 1.375 | 1.750 | 0.219 | 76 | 26193-8479 |
| 1.375 | 1.750 | 0.690 | EQ | 24807-4078 |
| 1.375 | 1.874 | 0.690 | EQ | 24807-2512 |
| 1.375 | 1.875 | 0.187 | 92 | 27063-7521 |
| 1.375 | 1.875 | 0.250 | 26 | 24600-6207 |
| **1.375** | **1.875** | **0.312** | **94** | **27223-6208** |
| 1.375 | 1.875 | 0.625 | IG | 29507-4176 |
| 1.375 | 2.000 | 0.312 | 3 | 28003-1348 |
| 1.375 | 2.000 | 0.312 | 26 | 24600-1454 |
| 1.375 | 2.000 | 0.312 | 61 | 24060-1354 |
| 1.375 | 2.000 | 0.375 | 61 | 24060-7386 |
| 1.375 | 2.000 | 0.375 | 61 | 24064-7386 |
| 1.375 | 2.000 | 0.375 | 62 | 21702-7386 |
| 1.375 | 2.000 | 0.375 | 63 | 21158-7386 |
| 1.375 | 2.000 | 0.500 | 61 | 24063-0857 |
| 1.375 | 2.000 | 0.625 | IG | 29507-2940 |
| 1.375 | 2.000 | 0.690 | EQ | 24807-1970 |
| 1.375 | 2.047 | 0.375 | 62 | 21702-6655 |
| 1.375 | 2.047 | 0.375 | 63 | 21158-6655 |
| 1.375 | 2.062 | 0.375 | 61 | 24060-0535 |
| 1.375 | 2.062 | 0.375 | 62 | 21702-0535 |
| **1.375** | **2.062** | **0.375** | **63** | **21158-0535** |
| 1.375 | 2.062 | 0.375 | 66 | 21527-0535 |
| 1.375 | 2.062 | 0.375 | 67 | 21528-0535 |
| 1.375 | 2.062 | 0.375 | 68 | 21823-0535 |
| 1.375 | 2.062 | 0.375 | 92 | 27063-0535 |
| 1.375 | 2.062 | 0.437 | 63 | 21158-0536 |
| 1.375 | 2.062 | 0.500 | 63 | 21158-0537 |
| 1.375 | 2.062 | 0.687 | 63R1 | 23547-6576 |
| 1.375 | 2.062 | 0.687 | 63T2 | 23550-6576 |
| 1.375 | 2.062 | 0.690 | EQ | 24807-2692 |
| 1.375 | 2.064 | 0.500 | 26 | 24600-0705 |
| 1.375 | 2.103 | 0.625 | IG | 29507-4815 |
| 1.375 | 2.106 | 0.375 | 63 | 21158-0538 |
| 1.375 | 2.106 | 0.437 | 63 | 21158-0539 |
| 1.375 | 2.106 | 0.500 | 63 | 21158-0540 |
| 1.375 | 2.106 | 0.687 | 63T2 | 23550-5007 |
| 1.375 | 2.125 | 0.312 | 3 | 28003-1360 |
| 1.375 | 2.125 | 0.375 | 26 | 24600-1829 |
| 1.375 | 2.125 | 0.375 | 61 | 24060-0541 |
| 1.375 | 2.125 | 0.375 | 61 | 24061-0541 |
| 1.375 | 2.125 | 0.375 | 62 | 21702-0541 |
| **1.375** | **2.125** | **0.375** | **63** | **21158-0541** |
| 1.375 | 2.125 | 0.375 | 66 | 21527-0541 |
| 1.375 | 2.125 | 0.375 | 67 | 21528-0541 |
| 1.375 | 2.125 | 0.375 | 68 | 21823-0541 |
| 1.375 | 2.125 | 0.375 | 76 | 26193-0541 |
| 1.375 | 2.125 | 0.437 | 62 | 21702-0542 |
| **1.375** | **2.125** | **0.437** | **63** | **21158-0542** |
| 1.375 | 2.125 | 0.500 | 62 | 21702-0543 |
| 1.375 | 2.125 | 0.500 | 63 | 21158-0543 |
| 1.375 | 2.125 | 0.594 | 63F1 | 23078-7567 |
| 1.375 | 2.125 | 0.625 | 63F1 | 23078-9833 |
| 1.375 | 2.125 | 0.625 | EQ | 24801-1092 |
| 1.375 | 2.125 | 0.625 | EQ | 24802-1092 |
| 1.375 | 2.125 | 0.625 | IG | 29507-1092 |
| 1.375 | 2.125 | 0.625 | IG | 29519-1092 |
| 1.375 | 2.125 | 0.687 | 63R1 | 23547-6479 |
| 1.375 | 2.125 | 0.687 | 63R2 | 23548-6479 |
| 1.375 | 2.125 | 0.687 | 63T2 | 23550-6479 |
| 1.375 | 2.125 | 0.690 | EQ | 24807-2858 |
| 1.375 | 2.125 | 0.750 | IG | 29502-4118 |
| 1.375 | 2.250 | 0.312 | 3 | 28003-1368 |
| 1.375 | 2.250 | 0.375 | 25 | 25058-0544 |
| 1.375 | 2.250 | 0.375 | 61 | 24060-0544 |
| 1.375 | 2.250 | 0.375 | 62 | 21702-0544 |
| **1.375** | **2.250** | **0.375** | **63** | **21158-0544** |
| 1.375 | 2.250 | 0.375 | 66 | 21527-0544 |
| 1.375 | 2.250 | 0.375 | 67 | 21528-0544 |
| 1.375 | 2.250 | 0.375 | 68 | 21823-0544 |
| 1.375 | 2.250 | 0.437 | 63 | 21158-0545 |
| 1.375 | 2.250 | 0.500 | 25 | 25058-0546 |
| 1.375 | 2.250 | 0.500 | 62 | 21702-0546 |
| 1.375 | 2.250 | 0.500 | 63 | 21158-0546 |
| 1.375 | 2.250 | 0.500 | EQ | 24801-1008 |
| 1.375 | 2.250 | 0.594 | 63F1 | 23078-6701 |
| 1.375 | 2.250 | 0.625 | EQ | 24801-1121 |
| 1.375 | 2.250 | 0.625 | EQ | 24802-1121 |
| 1.375 | 2.250 | 0.687 | 63R1 | 23547-6774 |
| 1.375 | 2.250 | 0.687 | 63T2 | 23550-6774 |
| 1.375 | 2.250 | 0.750 | IG | 29502-5520 |
| 1.375 | 2.263 | 0.625 | IG | 29507-5097 |
| 1.375 | 2.374 | 0.312 | 3 | 28003-1378 |
| 1.375 | 2.375 | 0.375 | 26 | 24600-0547 |
| **1.375** | **2.375** | **0.375** | **63** | **21158-0547** |
| 1.375 | 2.375 | 0.375 | 66 | 21527-0547 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 1.375 | 2.375 | 0.375 | 67 | 21528-0547 |
| 1.375 | 2.375 | 0.375 | 68 | 21823-0547 |
| 1.375 | 2.375 | 0.437 | 62 | 21702-0548 |
| 1.375 | 2.375 | 0.437 | 63 | 21158-0548 |
| **1.375** | **2.375** | **0.500** | **63** | **21158-0549** |
| 1.375 | 2.375 | 0.625 | EQ | 24802-1101 |
| 1.375 | 2.375 | 0.750 | IG | 29500-4141 |
| 1.375 | 2.375 | 0.750 | IG | 29502-4141 |
| 1.375 | 2.437 | 0.375 | 62 | 21702-0550 |
| **1.375** | **2.437** | **0.375** | **63** | **21158-0550** |
| 1.375 | 2.437 | 0.375 | 66 | 21527-0550 |
| 1.375 | 2.437 | 0.437 | 62 | 21702-0551 |
| 1.375 | 2.437 | 0.437 | 63 | 21158-0551 |
| 1.375 | 2.437 | 0.500 | 62 | 21702-0552 |
| 1.375 | 2.437 | 0.500 | 63 | 21158-0552 |
| 1.375 | 2.437 | 0.625 | EQ | 24801-2694 |
| 1.375 | 2.437 | 0.625 | EQ | 24802-2694 |
| 1.375 | 2.437 | 0.750 | IG | 29502-4320 |
| 1.375 | 2.438 | 0.250 | 61 | 24060-1355 |
| 1.375 | 2.439 | 0.500 | 26 | 24600-0708 |
| 1.375 | 2.439 | 0.625 | EQ | 24802-1929 |
| **1.375** | **2.441** | **0.312** | **94** | **27223-5091** |
| 1.375 | 2.441 | 0.375 | 63 | 21158-6658 |
| 1.375 | 2.441 | 0.375 | 66 | 21527-6658 |
| 1.375 | 2.497 | 0.375 | 63 | 21158-0553 |
| 1.375 | 2.497 | 0.375 | 66 | 21527-0553 |
| 1.375 | 2.497 | 0.437 | 63 | 21158-0554 |
| 1.375 | 2.497 | 0.500 | 63 | 21158-0555 |
| 1.375 | 2.500 | 0.375 | 26 | 24600-0556 |
| 1.375 | 2.500 | 0.375 | 61 | 24060-0556 |
| **1.375** | **2.500** | **0.375** | **63** | **21158-0556** |
| 1.375 | 2.500 | 0.375 | 66 | 21527-0556 |
| 1.375 | 2.500 | 0.375 | 67 | 21528-0556 |
| 1.375 | 2.500 | 0.375 | 68 | 21823-0556 |
| 1.375 | 2.500 | 0.437 | 63 | 21158-0557 |
| 1.375 | 2.500 | 0.625 | 26 | 24600-0754 |
| 1.375 | 2.500 | 0.625 | EQ | 24801-0754 |
| 1.375 | 2.500 | 0.625 | EQ | 24802-0754 |
| 1.375 | 2.500 | 0.687 | 63T2 | 23550-6475 |
| 1.375 | 2.500 | 0.750 | IG | 29502-5334 |
| 1.375 | 2.561 | 0.375 | 63 | 21158-0562 |
| 1.375 | 2.562 | 0.500 | 58 | 21003-2295 |
| 1.375 | 2.625 | 0.375 | 63 | 21158-0559 |
| 1.375 | 2.625 | 0.375 | 66 | 21527-0559 |
| 1.375 | 2.625 | 0.437 | 63 | 21158-0560 |
| 1.375 | 2.625 | 0.500 | 63 | 21158-0561 |
| 1.375 | 2.625 | 0.687 | 63R2 | 23548-4976 |
| 1.375 | 2.625 | 0.687 | 63T2 | 23550-4976 |
| 1.375 | 2.625 | 0.750 | IG | 29502-5024 |
| 1.375 | 2.688 | 0.500 | 26 | 24600-1298 |
| 1.375 | 2.750 | 0.375 | 61 | 24060-1356 |
| 1.375 | 2.812 | 0.750 | IG | 29502-5386 |
| 1.375 | 2.828 | 0.625 | EQ | 24801-4639 |
| 1.375 | 2.835 | 0.312 | 94 | 27223-6639 |
| 1.375 | 2.835 | 0.375 | 63 | 21158-4584 |
| 1.375 | 2.835 | 0.375 | 67 | 21528-4584 |
| 1.375 | 2.835 | 0.375 | 68 | 21823-4584 |
| 1.375 | 2.835 | 0.625 | EQ | 24801-1138 |
| **1.375** | **2.835** | **0.625** | **EQ** | **24802-1138** |
| **1.375** | **2.835** | **0.750** | **IG** | **29502-4104** |
| 1.375 | 2.836 | 0.500 | EQ | 24801-1017 |
| 1.375 | 2.875 | 0.375 | 61 | 24060-9612 |
| 1.375 | 2.875 | 0.375 | 63 | 21158-9612 |
| 1.375 | 2.875 | 0.625 | EQ | 24802-2622 |
| 1.375 | 3.125 | 0.625 | EQ | 24802-1105 |
| 1.375 | 3.125 | 0.750 | IG | 29502-4329 |
| **1.375** | **3.150** | **0.375** | **94** | **27223-6557** |
| 1.375 | 3.150 | 0.750 | IG | 29502-5775 |
| 1.378 | 1.850 | 0.276 | 92 | 27063-0366 |
| 1.378 | 1.850 | 0.315 | 61 | 24060-1787 |
| 1.378 | 1.850 | 0.625 | IG | 29507-4924 |
| 1.378 | 1.969 | 0.276 | 61 | 24060-2119 |
| 1.378 | 1.969 | 0.276 | 61 | 24061-2119 |
| 1.378 | 1.969 | 0.276 | 92 | 27063-0368 |
| 1.378 | 1.969 | 0.315 | 26R1 | 24620-0572 |
| 1.378 | 1.969 | 0.394 | 61 | 24060-1789 |
| 1.378 | 1.969 | 0.625 | IG | 29507-4925 |
| 1.378 | 2.047 | 0.276 | 26 | 24600-1139 |
| 1.378 | 2.047 | 0.625 | IG | 29507-4926 |
| 1.378 | 2.146 | 0.748 | EQSPB | 24816-7061 |
| 1.378 | 2.165 | 0.315 | 92 | 27063-0371 |
| 1.378 | 2.165 | 0.434 | 26R1 | 24620-0573 |
| 1.378 | 2.165 | 0.625 | EQ | 24801-2260 |
| 1.378 | 2.165 | 0.625 | EQ | 24802-2260 |
| 1.378 | 2.165 | 0.750 | IG | 29502-4529 |
| 1.378 | 2.244 | 0.394 | 26 | 24600-0575 |
| 1.378 | 2.362 | 0.625 | EQ | 24802-1752 |
| 1.378 | 2.441 | 0.276 | 92 | 27063-0376 |
| 1.378 | 2.441 | 0.625 | EQ | 24802-5917 |
| 1.378 | 2.539 | 0.748 | EQSPB | 24816-7062 |
| 1.378 | 2.545 | 0.625 | EQ | 24802-4096 |
| 1.378 | 2.835 | 0.750 | IG | 29502-5798 |
| 1.378 | 3.150 | 0.625 | EQ | 24802-3087 |
| 1.378 | 3.465 | 0.500 | 26 | 24600-0913 |
| 1.378 | 3.465 | 0.500 | EQ | 24801-0913 |
| 1.387 | 1.850 | 0.394 | 61 | 24064-1788 |
| 1.399 | 2.292 | 0.315 | 61 | 24060-2460 |
| 1.406 | 2.125 | 0.375 | 62 | 21702-0565 |
| **1.406** | **2.125** | **0.375** | **63** | **21158-0565** |
| 1.406 | 2.125 | 0.437 | 63 | 21158-0566 |
| 1.406 | 2.250 | 0.375 | 63 | 21158-0568 |
| 1.406 | 2.375 | 0.375 | 61 | 24060-0571 |
| 1.406 | 2.375 | 0.375 | 63 | 21158-0571 |
| 1.406 | 2.441 | 0.375 | 63 | 21158-8073 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 1.406 | 2.500 | 0.375 | 63 | 21158-0580 |
| 1.406 | 2.625 | 0.375 | 63 | 21158-0583 |
| **1.417** | **1.850** | **0.276** | **92** | **27063-0378** |
| 1.417 | 2.047 | 0.374 | 63 | 21158-7748 |
| 1.417 | 2.125 | 0.625 | IG | 29507-5552 |
| 1.417 | 2.126 | 0.276 | 92 | 27063-0379 |
| 1.427 | 2.500 | 0.625 | EQ | 24802-1100 |
| 1.428 | 2.375 | 0.625 | EQ | 24802-4084 |
| 1.437 | 1.750 | 0.156 | 71 | 26001-7070 |
| 1.437 | 1.937 | 0.250 | 94 | 27223-6211 |
| 1.437 | 2.062 | 0.250 | 71 | 26001-7071 |
| 1.437 | 2.125 | 0.375 | 62 | 21702-0592 |
| **1.437** | **2.125** | **0.375** | **63** | **21158-0592** |
| 1.437 | 2.125 | 0.375 | 66 | 21527-0592 |
| 1.437 | 2.125 | 0.375 | 94 | 27223-0592 |
| 1.437 | 2.125 | 0.437 | 63 | 21158-0593 |
| 1.437 | 2.125 | 0.500 | 63 | 21158-0594 |
| 1.437 | 2.125 | 0.625 | EQ | 24802-4456 |
| 1.437 | 2.125 | 0.687 | 63T2 | 23550-9122 |
| 1.437 | 2.250 | 0.375 | 62 | 21702-0595 |
| **1.437** | **2.250** | **0.375** | **63** | **21158-0595** |
| 1.437 | 2.250 | 0.375 | 66 | 21527-0595 |
| 1.437 | 2.250 | 0.437 | 63 | 21158-0596 |
| 1.437 | 2.250 | 0.500 | 62 | 21702-0597 |
| 1.437 | 2.250 | 0.500 | 63 | 21158-0597 |
| 1.437 | 2.250 | 0.500 | EQ | 24801-0741 |
| 1.437 | 2.250 | 0.625 | EQ | 24802-1116 |
| 1.437 | 2.250 | 0.687 | 63R2 | 23548-6569 |
| 1.437 | 2.250 | 0.687 | 63T2 | 23550-6569 |
| 1.437 | 2.310 | 0.625 | EQ | 24802-3002 |
| 1.437 | 2.375 | 0.375 | 62 | 21702-0598 |
| **1.437** | **2.375** | **0.375** | **63** | **21158-0598** |
| 1.437 | 2.375 | 0.375 | 66 | 21527-0598 |
| 1.437 | 2.375 | 0.437 | 63 | 21158-0599 |
| 1.437 | 2.375 | 0.500 | 62 | 21702-0600 |
| 1.437 | 2.375 | 0.500 | 63 | 21158-0600 |
| 1.437 | 2.375 | 0.625 | IG | 29507-1958 |
| 1.437 | 2.437 | 0.375 | 63 | 21158-0601 |
| 1.437 | 2.437 | 0.375 | 66 | 21527-0601 |
| 1.437 | 2.437 | 0.437 | 63 | 21158-0602 |
| 1.437 | 2.437 | 0.500 | 63 | 21158-0603 |
| 1.437 | 2.437 | 0.594 | 63F1 | 23078-6961 |
| 1.437 | 2.437 | 0.625 | EQ | 24801-2720 |
| 1.437 | 2.437 | 0.687 | 63T2 | 23550-7226 |
| 1.437 | 2.437 | 0.750 | IG | 29502-4177 |
| 1.437 | 2.441 | 0.375 | 63 | 21158-9294 |
| 1.437 | 2.497 | 0.375 | 63 | 21158-0604 |
| 1.437 | 2.497 | 0.375 | 66 | 21527-0604 |
| 1.437 | 2.497 | 0.437 | 63 | 21158-0605 |
| **1.437** | **2.500** | **0.375** | **63** | **21158-0607** |
| 1.437 | 2.500 | 0.437 | 63 | 21158-0608 |
| 1.437 | 2.500 | 0.500 | 62 | 21702-0609 |
| 1.437 | 2.500 | 0.500 | 63 | 21158-0609 |
| 1.437 | 2.500 | 0.625 | EQ | 24802-2107 |
| 1.437 | 2.500 | 0.687 | 63R2 | 23548-4861 |
| 1.437 | 2.625 | 0.375 | 63 | 21158-0610 |
| 1.437 | 2.625 | 0.500 | 63 | 21158-0612 |
| 1.437 | 2.686 | 0.375 | 63 | 21158-0613 |
| 1.437 | 2.686 | 0.500 | 63 | 21158-0615 |
| 1.437 | 2.686 | 0.687 | 63R1 | 23547-4891 |
| 1.437 | 2.694 | 0.750 | IG | 29502-5268 |
| 1.437 | 3.150 | 0.375 | 94 | 27223-6215 |
| 1.438 | 1.938 | 0.375 | 61 | 24060-2335 |
| 1.438 | 1.938 | 0.625 | IG | 29507-5624 |
| 1.438 | 1.938 | 0.690 | EQ | 24807-1783 |
| 1.438 | 2.000 | 0.312 | 61 | 24060-1358 |
| 1.438 | 2.000 | 0.313 | 26 | 24600-1465 |
| 1.438 | 2.062 | 0.690 | EQ | 24807-3110 |
| 1.438 | 2.063 | 0.312 | 61 | 24060-1361 |
| 1.438 | 2.063 | 0.313 | 26 | 24600-1466 |
| 1.438 | 2.063 | 0.609 | EQSPB | 24816-7124 |
| 1.438 | 2.063 | 0.820 | IGSPB | 29516-5432 |
| 1.438 | 2.063 | 0.875 | EQSPB | 24816-3982 |
| 1.438 | 2.063 | 0.975 | EQSPB | 24816-7067 |
| 1.438 | 2.125 | 0.375 | 26 | 24600-0737 |
| 1.438 | 2.125 | 0.375 | 61 | 24060-0592 |
| 1.438 | 2.125 | 0.625 | IG | 29507-4456 |
| 1.438 | 2.125 | 0.690 | EQ | 24807-1888 |
| 1.438 | 2.188 | 0.375 | 61 | 24060-1362 |
| 1.438 | 2.250 | 0.500 | 26 | 24600-0741 |
| 1.438 | 2.250 | 0.625 | EQ | 24801-1116 |
| 1.438 | 2.250 | 0.750 | IG | 29502-4117 |
| 1.438 | 2.375 | 0.375 | 26 | 24600-0598 |
| 1.438 | 2.375 | 0.375 | 61 | 24060-0598 |
| 1.438 | 2.375 | 0.625 | EQ | 24802-1958 |
| 1.438 | 2.375 | 0.750 | IG | 29502-5489 |
| 1.438 | 2.438 | 0.500 | 26 | 24600-0634 |
| 1.438 | 2.500 | 0.375 | 61 | 24060-0595 |
| 1.438 | 2.500 | 0.500 | 26 | 24600-0609 |
| 1.438 | 2.500 | 0.750 | IG | 29502-5436 |
| 1.450 | 2.360 | 0.750 | IG | 29502-4742 |
| 1.453 | 1.968 | 0.312 | 92 | 27063-9965 |
| 1.453 | 2.047 | 0.312 | 92 | 27063-6218 |
| 1.457 | 2.500 | 0.750 | IG | 29502-4440 |
| 1.465 | 2.343 | 0.625 | EQ | 24802-1139 |
| 1.468 | 2.343 | 0.690 | EQ | 24807-3144 |
| 1.468 | 2.375 | 0.750 | IG | 29502-5596 |
| 1.469 | 2.000 | 0.312 | 76 | 26193-6036 |
| **1.469** | **2.250** | **0.375** | **63** | **21158-0616** |
| 1.469 | 2.250 | 0.594 | 63F1 | 23078-8432 |
| 1.469 | 2.375 | 0.375 | 63 | 21158-0619 |
| 1.469 | 2.375 | 0.500 | 63 | 21158-0621 |
| 1.469 | 2.375 | 0.625 | EQ | 24802-4685 |
| 1.469 | 2.375 | 0.687 | 63R2 | 23548-9081 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 1.469 | 2.437 | 0.375 | 63 | 21158-0622 |
| 1.469 | 2.437 | 0.469 | 63 | 21158-5496 |
| 1.469 | 2.437 | 0.500 | 62 | 21702-0624 |
| 1.469 | 2.437 | 0.500 | 63 | 21158-0624 |
| 1.469 | 2.441 | 0.375 | 63 | 21158-8075 |
| 1.469 | 2.500 | 0.375 | 63 | 21158-0628 |
| 1.469 | 2.686 | 0.375 | 63 | 21158-0634 |
| 1.469 | 2.750 | 0.437 | 63 | 21158-0638 |
| 1.469 | 2.750 | 0.687 | 63R2 | 23548-4818 |
| 1.469 | 2.750 | 0.687 | 63T2 | 23550-4818 |
| 1.469 | 2.756 | 0.375 | 63 | 21158-0640 |
| 1.475 | 2.335 | 0.625 | EQ | 24802-2288 |
| 1.493 | 2.493 | 0.625 | EQ | 24802-3284 |
| 1.496 | 2.126 | 0.394 | 61 | 24061-1794 |
| 1.496 | 2.165 | 0.276 | 92 | 27063-0381 |
| 1.496 | 2.165 | 0.394 | 61 | 24060-1484 |
| 1.496 | 2.165 | 0.625 | IG | 29507-4934 |
| 1.496 | 2.165 | 0.690 | EQ | 24807-2839 |
| 1.496 | 2.362 | 0.750 | IG | 29502-5372 |
| 1.496 | 2.441 | 0.276 | 92 | 27063-0382 |
| 1.496 | 2.441 | 0.625 | EQ | 24802-4935 |
| 1.496 | 2.496 | 0.625 | EQ | 24802-4102 |
| 1.500 | 1.750 | 0.109 | 71 | 26001-6221 |
| 1.500 | 1.875 | 0.125 | 71 | 26001-6222 |
| **1.500** | **1.875** | **0.187** | **71** | **26001-6223** |
| **1.500** | **1.875** | **0.187** | **76** | **26193-6223** |
| 1.500 | 2.000 | 0.250 | 76 | 26193-7517 |
| 1.500 | 2.000 | 0.625 | IG | 29507-4130 |
| 1.500 | 2.000 | 0.690 | EQ | 24807-2578 |
| 1.500 | 2.063 | 0.820 | IGSPB | 29516-7128 |
| 1.500 | 2.125 | 0.312 | 3 | 28003-1454 |
| 1.500 | 2.125 | 0.312 | 61 | 24060-1364 |
| 1.500 | 2.125 | 0.375 | 61 | 24060-4798 |
| 1.500 | 2.125 | 0.375 | 62 | 21702-4798 |
| 1.500 | 2.125 | 0.437 | 61 | 24062-5713 |
| 1.500 | 2.125 | 0.437 | 61 | 24063-5713 |
| 1.500 | 2.125 | 0.437 | 62 | 21702-5713 |
| 1.500 | 2.125 | 0.437 | 63 | 21158-5713 |
| 1.500 | 2.125 | 0.625 | EQ | 24802-1118 |
| 1.500 | 2.125 | 0.625 | IG | 29507-1118 |
| 1.500 | 2.125 | 0.690 | EQ | 24807-3410 |
| 1.500 | 2.219 | 0.625 | IG | 29507-5373 |
| 1.500 | 2.250 | 0.250 | 26 | 24600-9722 |
| 1.500 | 2.250 | 0.250 | 61 | 24060-9722 |
| 1.500 | 2.250 | 0.250 | 92 | 27063-9722 |
| 1.500 | 2.250 | 0.312 | 3 | 28003-1462 |
| 1.500 | 2.250 | 0.312 | 62 | 21702-5246 |
| 1.500 | 2.250 | 0.375 | 26 | 24600-0643 |
| 1.500 | 2.250 | 0.375 | 61 | 24060-0643 |
| 1.500 | 2.250 | 0.375 | 62 | 21702-0643 |
| 1.500 | 2.250 | 0.375 | 63 | 21158-0643 |
| 1.500 | 2.250 | 0.375 | 66 | 21527-0643 |
| 1.500 | 2.250 | 0.375 | 67 | 21528-0643 |
| 1.500 | 2.250 | 0.375 | 68 | 21823-0643 |
| 1.500 | 2.250 | 0.437 | 62 | 21702-0644 |
| 1.500 | 2.250 | 0.437 | 63 | 21158-0644 |
| 1.500 | 2.250 | 0.438 | 26 | 24600-0644 |
| 1.500 | 2.250 | 0.500 | 61 | 24062-0645 |
| 1.500 | 2.250 | 0.500 | 61 | 24063-0645 |
| 1.500 | 2.250 | 0.500 | 62 | 21702-0645 |
| **1.500** | **2.250** | **0.500** | **63** | **21158-0645** |
| 1.500 | 2.250 | 0.500 | EQ | 24801-0804 |
| 1.500 | 2.250 | 0.531 | 63R1 | 23547-8704 |
| **1.500** | **2.250** | **0.594** | **63F1** | **23078-7568** |
| 1.500 | 2.250 | 0.625 | EQ | 24801-1763 |
| 1.500 | 2.250 | 0.625 | EQ | 24802-1763 |
| 1.500 | 2.250 | 0.687 | 63R1 | 23547-6937 |
| **1.500** | **2.250** | **0.687** | **63T2** | **23550-6937** |
| 1.500 | 2.250 | 0.690 | EQ | 24807-3700 |
| 1.500 | 2.250 | 0.750 | IG | 29502-4235 |
| 1.500 | 2.254 | 0.750 | IG | 29502-4595 |
| 1.500 | 2.313 | 0.312 | 61 | 24060-1367 |
| 1.500 | 2.374 | 0.312 | 3 | 28003-1472 |
| 1.500 | 2.375 | 0.312 | 61 | 24060-2410 |
| 1.500 | 2.375 | 0.375 | 61 | 24060-0646 |
| 1.500 | 2.375 | 0.375 | 62 | 21702-0646 |
| **1.500** | **2.375** | **0.375** | **63** | **21158-0646** |
| 1.500 | 2.375 | 0.375 | 66 | 21527-0646 |
| 1.500 | 2.375 | 0.375 | 67 | 21528-0646 |
| 1.500 | 2.375 | 0.375 | 68 | 21823-0646 |
| 1.500 | 2.375 | 0.437 | 63 | 21158-0647 |
| 1.500 | 2.375 | 0.500 | 62 | 21702-0648 |
| **1.500** | **2.375** | **0.500** | **63** | **21158-0648** |
| 1.500 | 2.375 | 0.500 | 67 | 21528-0648 |
| 1.500 | 2.375 | 0.500 | 68 | 21823-0648 |
| 1.500 | 2.375 | 0.500 | EQ | 24801-0648 |
| 1.500 | 2.375 | 0.625 | EQ | 24801-1214 |
| 1.500 | 2.375 | 0.625 | EQ | 24802-1214 |
| 1.500 | 2.375 | 0.625 | IG | 29507-1214 |
| **1.500** | **2.375** | **0.687** | **63R1** | **23547-6667** |
| 1.500 | 2.375 | 0.687 | 63R2 | 23548-6667 |
| 1.500 | 2.375 | 0.687 | 63T2 | 23550-6667 |
| 1.500 | 2.375 | 0.750 | IG | 29502-4810 |
| 1.500 | 2.378 | 0.500 | EQ | 24801-1099 |
| 1.500 | 2.410 | 0.625 | EQ | 24802-1874 |
| 1.500 | 2.437 | 0.375 | 63 | 21158-0649 |
| 1.500 | 2.437 | 0.375 | 66 | 21527-0649 |
| 1.500 | 2.437 | 0.437 | 63 | 21158-0650 |
| 1.500 | 2.437 | 0.500 | 63 | 21158-0651 |
| **1.500** | **2.441** | **0.375** | **63** | **21158-3880** |
| 1.500 | 2.441 | 0.375 | 66 | 21527-3880 |
| 1.500 | 2.460 | 0.625 | EQ | 24802-1872 |
| **1.500** | **2.497** | **0.375** | **63** | **21158-0652** |
| 1.500 | 2.497 | 0.375 | 66 | 21527-0652 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 1.500 | 2.497 | 0.500 | 63 | 21158-0654 |
| 1.500 | 2.499 | 0.625 | EQ | 24802-1194 |
| 1.500 | 2.500 | 0.375 | 25 | 25058-0655 |
| 1.500 | 2.500 | 0.375 | 61 | 24060-0655 |
| 1.500 | 2.500 | 0.375 | 61 | 24061-0655 |
| 1.500 | 2.500 | 0.375 | 62 | 21702-0655 |
| **1.500** | **2.500** | **0.375** | **63** | **21158-0655** |
| 1.500 | 2.500 | 0.375 | 66 | 21527-0655 |
| 1.500 | 2.500 | 0.375 | 67 | 21528-0655 |
| 1.500 | 2.500 | 0.375 | 68 | 21823-0655 |
| 1.500 | 2.500 | 0.437 | 63 | 21158-0656 |
| 1.500 | 2.500 | 0.500 | 26 | 24600-0635 |
| 1.500 | 2.500 | 0.500 | 62 | 21702-0657 |
| 1.500 | 2.500 | 0.500 | 63 | 21158-0657 |
| 1.500 | 2.500 | 0.625 | IG | 29507-1194 |
| 1.500 | 2.500 | 0.687 | 63R1 | 23547-6551 |
| 1.500 | 2.500 | 0.687 | 63R2 | 23548-6551 |
| **1.500** | **2.500** | **0.687** | **63T2** | **23550-6551** |
| 1.500 | 2.500 | 0.687 | 63TB | 23549-6551 |
| 1.500 | 2.500 | 0.750 | IG | 29500-4143 |
| 1.500 | 2.500 | 0.750 | IG | 29502-4143 |
| 1.500 | 2.502 | 0.312 | 3 | 28003-1492 |
| 1.500 | 2.545 | 0.625 | EQ | 24802-4346 |
| 1.500 | 2.563 | 0.625 | EQ | 24802-3048 |
| 1.500 | 2.625 | 0.375 | 61 | 24060-0658 |
| **1.500** | **2.625** | **0.375** | **63** | **21158-0658** |
| 1.500 | 2.625 | 0.375 | 67 | 21528-0658 |
| 1.500 | 2.625 | 0.375 | 68 | 21823-0658 |
| 1.500 | 2.625 | 0.437 | 63 | 21158-0659 |
| 1.500 | 2.625 | 0.500 | 63 | 21158-0660 |
| 1.500 | 2.625 | 0.500 | EQ | 24801-0856 |
| 1.500 | 2.625 | 0.594 | 63F1 | 23078-5004 |
| 1.500 | 2.625 | 0.625 | EQ | 24801-1166 |
| 1.500 | 2.625 | 0.625 | EQ | 24802-1166 |
| 1.500 | 2.625 | 0.687 | 63T2 | 23550-6448 |
| 1.500 | 2.686 | 0.375 | 63 | 21158-0661 |
| 1.500 | 2.750 | 0.375 | 61 | 24060-0664 |
| 1.500 | 2.750 | 0.375 | 62 | 21702-0664 |
| 1.500 | 2.750 | 0.375 | 63 | 21158-0664 |
| 1.500 | 2.750 | 0.375 | 67 | 21528-0664 |
| 1.500 | 2.750 | 0.375 | 68 | 21823-0664 |
| 1.500 | 2.750 | 0.437 | 63 | 21158-0665 |
| 1.500 | 2.750 | 0.500 | 63 | 21158-0666 |
| 1.500 | 2.750 | 0.594 | 63F1 | 23078-5268 |
| 1.500 | 2.750 | 0.750 | IG | 29502-5743 |
| 1.500 | 2.756 | 0.375 | 61 | 24060-0667 |
| **1.500** | **2.756** | **0.375** | **63** | **21158-0667** |
| 1.500 | 2.756 | 0.437 | 63 | 21158-0668 |
| 1.500 | 2.756 | 0.500 | 63 | 21158-0669 |
| 1.500 | 2.864 | 0.750 | IG | 29502-5578 |
| 1.500 | 2.875 | 0.375 | 61 | 24060-1368 |
| 1.500 | 2.875 | 0.406 | 63 | 21158-5501 |
| **1.500** | **2.882** | **0.375** | **63** | **21158-3881** |
| 1.500 | 3.000 | 0.500 | 26 | 24600-0874 |
| 1.500 | 3.045 | 0.625 | EQ | 24801-3971 |
| 1.500 | 3.250 | 0.500 | 26R1 | 24620-4228 |
| 1.500 | 3.500 | 0.437 | 61 | 24061-1369 |
| 1.531 | 2.250 | 0.375 | 62 | 21702-0670 |
| **1.531** | **2.250** | **0.375** | **63** | **21158-0670** |
| 1.531 | 2.375 | 0.375 | 63 | 21158-0673 |
| 1.531 | 2.441 | 0.375 | 63 | 21158-8076 |
| 1.531 | 2.497 | 0.375 | 63 | 21158-0679 |
| 1.531 | 2.500 | 0.375 | 63 | 21158-0682 |
| 1.531 | 2.500 | 0.438 | 26 | 24600-3993 |
| 1.531 | 2.625 | 0.375 | 63 | 21158-0685 |
| 1.531 | 2.750 | 0.500 | 63 | 21158-0693 |
| 1.531 | 2.756 | 0.375 | 63 | 21158-0694 |
| 1.552 | 2.500 | 0.500 | 61 | 24060-2574 |
| 1.560 | 2.590 | 0.625 | EQ | 24802-1779 |
| 1.562 | 2.188 | 0.312 | 26 | 24600-0698 |
| 1.562 | 2.250 | 0.375 | 26 | 24600-1234 |
| 1.562 | 2.250 | 0.375 | 62 | 21702-0700 |
| **1.562** | **2.250** | **0.375** | **63** | **21158-0700** |
| 1.562 | 2.250 | 0.375 | 66 | 21527-0700 |
| 1.562 | 2.250 | 0.375 | 67 | 21528-0700 |
| 1.562 | 2.250 | 0.437 | 63 | 21158-0701 |
| 1.562 | 2.250 | 0.500 | 63 | 21158-0702 |
| 1.562 | 2.250 | 0.594 | 63F1 | 23078-7116 |
| 1.562 | 2.375 | 0.375 | 62 | 21702-0703 |
| **1.562** | **2.375** | **0.375** | **63** | **21158-0703** |
| 1.562 | 2.375 | 0.375 | 66 | 21527-0703 |
| 1.562 | 2.375 | 0.437 | 63 | 21158-0704 |
| 1.562 | 2.375 | 0.500 | 62 | 21702-0705 |
| 1.562 | 2.375 | 0.687 | 63R1 | 23547-8104 |
| 1.562 | 2.375 | 0.687 | 63R2 | 23548-8104 |
| 1.562 | 2.375 | 0.690 | EQ | 24807-4579 |
| 1.562 | 2.437 | 0.375 | 62 | 21702-0706 |
| **1.562** | **2.437** | **0.375** | **63** | **21158-0706** |
| 1.562 | 2.437 | 0.375 | 66 | 21527-0706 |
| 1.562 | 2.437 | 0.437 | 62 | 21702-0707 |
| 1.562 | 2.437 | 0.437 | 63 | 21158-0707 |
| 1.562 | 2.437 | 0.500 | 63 | 21158-0708 |
| 1.562 | 2.437 | 0.625 | EQ | 24802-3268 |
| 1.562 | 2.437 | 0.687 | 63R1 | 23547-7280 |
| 1.562 | 2.441 | 0.375 | 63 | 21158-8077 |
| 1.562 | 2.441 | 0.437 | 63 | 21158-8326 |
| 1.562 | 2.441 | 0.750 | IG | 29502-4877 |
| 1.562 | 2.497 | 0.375 | 63 | 21158-0709 |
| 1.562 | 2.497 | 0.375 | 66 | 21527-0709 |
| 1.562 | 2.500 | 0.375 | 62 | 21702-0712 |
| **1.562** | **2.500** | **0.375** | **63** | **21158-0712** |
| 1.562 | 2.500 | 0.375 | 66 | 21527-0712 |
| 1.562 | 2.500 | 0.437 | 63 | 21158-0713 |
| 1.562 | 2.500 | 0.500 | 63 | 21158-0714 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 1.562 | 2.500 | 0.594 | 63F1 | 23078-6271 |
| 1.562 | 2.500 | 0.625 | EQ | 24802-3029 |
| 1.562 | 2.500 | 0.625 | IG | 29507-3029 |
| 1.562 | 2.500 | 0.687 | 63R2 | 23548-6899 |
| 1.562 | 2.500 | 0.750 | IG | 29502-4843 |
| 1.562 | 2.502 | 0.750 | IG | 29502-4470 |
| 1.562 | 2.561 | 0.500 | 63 | 21158-4645 |
| 1.562 | 2.561 | 0.500 | 66 | 21527-4645 |
| 1.562 | 2.598 | 0.750 | IG | 29502-5731 |
| **1.562** | **2.625** | **0.375** | **63** | **21158-0715** |
| 1.562 | 2.625 | 0.375 | 66 | 21527-0715 |
| 1.562 | 2.625 | 0.500 | 62 | 21702-0717 |
| 1.562 | 2.625 | 0.500 | 63 | 21158-0717 |
| 1.562 | 2.625 | 0.625 | EQ | 24802-1186 |
| 1.562 | 2.686 | 0.375 | 63 | 21158-0718 |
| 1.562 | 2.686 | 0.375 | 66 | 21527-0718 |
| 1.562 | 2.686 | 0.687 | 63T2 | 23550-7130 |
| **1.562** | **2.750** | **0.375** | **63** | **21158-0721** |
| 1.562 | 2.750 | 0.375 | 66 | 21527-0721 |
| 1.562 | 2.750 | 0.437 | 63 | 21158-0722 |
| 1.562 | 2.750 | 0.500 | 63 | 21158-0723 |
| 1.562 | 2.750 | 0.625 | EQ | 24802-4202 |
| 1.562 | 2.756 | 0.375 | 63 | 21158-0724 |
| 1.562 | 2.756 | 0.375 | 66 | 21527-0724 |
| 1.562 | 2.756 | 0.437 | 63 | 21158-0725 |
| 1.562 | 2.783 | 0.375 | 63 | 21158-0727 |
| 1.562 | 2.783 | 0.375 | 66 | 21527-0727 |
| 1.562 | 2.783 | 0.437 | 63 | 21158-0728 |
| 1.562 | 2.783 | 0.687 | 63T2 | 23550-7261 |
| 1.562 | 2.835 | 0.375 | 63 | 21158-8078 |
| 1.562 | 2.875 | 0.375 | 63 | 21158-3883 |
| 1.562 | 2.875 | 0.375 | 66 | 21527-3883 |
| **1.562** | **3.150** | **0.312** | **94** | **27223-8003** |
| 1.562 | 3.150 | 0.375 | 66 | 21527-6686 |
| 1.562 | 3.544 | 0.375 | 66 | 21527-6486 |
| 1.562 | 3.544 | 0.375 | 94 | 27223-6486 |
| 1.562 | 3.548 | 0.750 | IG | 29502-5292 |
| 1.563 | 2.375 | 0.375 | 61 | 24060-0703 |
| 1.563 | 2.438 | 0.375 | 61 | 24060-0706 |
| 1.563 | 2.500 | 0.375 | 61 | 24060-0712 |
| 1.563 | 2.563 | 0.500 | 61 | 24060-1370 |
| 1.563 | 2.563 | 0.750 | IG | 29502-4274 |
| 1.563 | 2.623 | 0.750 | IG | 29502-4771 |
| 1.570 | 2.000 | 0.625 | IG | 29507-5482 |
| 1.570 | 2.250 | 0.625 | IG | 29507-4545 |
| 1.570 | 2.338 | 0.625 | EQ | 24802-1267 |
| 1.570 | 3.188 | 0.625 | EQ | 24801-1974 |
| 1.571 | 2.571 | 0.625 | EQ | 24802-2971 |
| 1.571 | 2.571 | 0.625 | IG | 29507-2971 |
| 1.573 | 2.572 | 0.750 | IG | 29502-5051 |
| 1.573 | 3.250 | 0.625 | EQ | 24801-3241 |
| 1.574 | 2.440 | 0.433 | 26R1 | 24620-0729 |
| 1.574 | 2.448 | 0.314 | 26 | 24600-4632 |
| 1.574 | 2.575 | 0.625 | EQ | 24802-1803 |
| 1.574 | 3.937 | 0.625 | EQ | 24802-3498 |
| 1.575 | 2.047 | 0.276 | 26 | 24600-5918 |
| 1.575 | 2.047 | 0.276 | 92 | 27063-0391 |
| 1.575 | 2.047 | 0.625 | IG | 29507-4718 |
| 1.575 | 2.047 | 0.690 | EQ | 24807-1359 |
| 1.575 | 2.165 | 0.276 | 92 | 27063-0392 |
| 1.575 | 2.165 | 0.315 | 61 | 24063-2055 |
| 1.575 | 2.165 | 0.394 | 61 | 24060-1931 |
| 1.575 | 2.165 | 0.394 | 61 | 24064-1931 |
| 1.575 | 2.205 | 0.276 | 92 | 27063-0393 |
| 1.575 | 2.283 | 0.315 | 92 | 27063-0406 |
| 1.575 | 2.283 | 0.394 | 61 | 24062-2136 |
| 1.575 | 2.283 | 0.625 | IG | 29507-5068 |
| 1.575 | 2.362 | 0.354 | 26 | 24600-0733 |
| 1.575 | 2.362 | 0.394 | 61 | 24060-1912 |
| 1.575 | 2.362 | 0.750 | IG | 29502-5539 |
| 1.575 | 2.441 | 0.276 | 92 | 27063-0423 |
| 1.575 | 2.441 | 0.315 | 61 | 24060-0132 |
| 1.575 | 2.441 | 0.375 | 61 | 24060-8610 |
| 1.575 | 2.441 | 0.375 | 63 | 21158-8610 |
| 1.575 | 2.441 | 0.394 | 63 | 21158-7884 |
| 1.575 | 2.441 | 0.750 | IG | 29502-4808 |
| 1.575 | 2.500 | 0.625 | EQ | 24801-3628 |
| 1.575 | 2.559 | 0.276 | 26 | 24600-1228 |
| 1.575 | 2.559 | 0.472 | 26R1 | 24620-1030 |
| 1.575 | 2.575 | 0.750 | IG | 29500-4895 |
| 1.575 | 2.835 | 0.276 | 92 | 27063-0435 |
| 1.575 | 3.071 | 0.750 | IG | 29502-4441 |
| 1.575 | 3.150 | 0.394 | 92 | 27063-0449 |
| 1.575 | 3.150 | 0.625 | EQ | 24801-2631 |
| 1.575 | 3.425 | 0.625 | EQ | 24801-3915 |
| 1.578 | 2.687 | 0.375 | 62 | 21702-9488 |
| 1.594 | 2.375 | 0.375 | 62 | 21702-0730 |
| **1.594** | **2.375** | **0.375** | **63** | **21158-0730** |
| 1.594 | 2.437 | 0.437 | 63 | 21158-0734 |
| 1.594 | 2.441 | 0.375 | 63 | 21158-8079 |
| 1.594 | 2.500 | 0.375 | 63 | 21158-0739 |
| 1.594 | 2.500 | 0.375 | 66 | 21527-0739 |
| 1.594 | 2.625 | 0.375 | 63 | 21158-0742 |
| 1.594 | 2.625 | 0.500 | 63 | 21158-0744 |
| 1.594 | 2.686 | 0.500 | 63 | 21158-0747 |
| 1.594 | 2.750 | 0.375 | 63 | 21158-0748 |
| 1.594 | 2.750 | 0.500 | 63 | 21158-0750 |
| 1.594 | 2.756 | 0.375 | 63 | 21158-0751 |
| 1.594 | 2.835 | 0.375 | 63 | 21158-8080 |
| 1.594 | 2.875 | 0.375 | 63 | 21158-0757 |
| 1.610 | 2.000 | 0.690 | EQ | 24807-3084 |
| 1.614 | 2.402 | 0.750 | IG | 29502-4825 |
| **1.625** | **1.875** | **0.109** | **71** | **26001-6226** |
| 1.625 | 2.000 | 0.109 | 71 | 26001-6227 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 1.625 | 2.125 | 0.250 | 76 | 26193-9971 |
| 1.625 | 2.125 | 0.625 | EQ | 24802-5360 |
| 1.625 | 2.125 | 0.625 | IG | 29507-5360 |
| 1.625 | 2.125 | 0.690 | EQ | 24807-4079 |
| 1.625 | 2.187 | 0.375 | 61 | 24060-0758 |
| 1.625 | 2.188 | 0.375 | 26 | 24600-0758 |
| 1.625 | 2.250 | 0.312 | 61 | 24060-1371 |
| 1.625 | 2.250 | 0.375 | 61 | 24060-1092 |
| 1.625 | 2.250 | 0.375 | 61 | 24061-1092 |
| 1.625 | 2.250 | 0.625 | IG | 29507-5290 |
| 1.625 | 2.250 | 0.690 | EQ | 24807-2164 |
| 1.625 | 2.374 | 0.312 | 3 | 28003-1576 |
| 1.625 | 2.374 | 0.625 | EQ | 24802-3321 |
| 1.625 | 2.375 | 0.250 | 71 | 26001-6230 |
| 1.625 | 2.375 | 0.312 | 61 | 24060-1372 |
| 1.625 | 2.375 | 0.375 | 26 | 24600-0760 |
| 1.625 | 2.375 | 0.375 | 26R1 | 24620-0760 |
| 1.625 | 2.375 | 0.375 | 61 | 24060-0760 |
| 1.625 | 2.375 | 0.375 | 61 | 24061-0760 |
| 1.625 | 2.375 | 0.375 | 61 | 24062-0760 |
| 1.625 | 2.375 | 0.375 | 62 | 21702-0760 |
| **1.625** | **2.375** | **0.375** | **63** | **21158-0760** |
| 1.625 | 2.375 | 0.375 | 66 | 21527-0760 |
| 1.625 | 2.375 | 0.375 | 94 | 27223-0760 |
| 1.625 | 2.375 | 0.437 | 63 | 21158-0761 |
| 1.625 | 2.375 | 0.500 | 62 | 21702-0762 |
| 1.625 | 2.375 | 0.500 | 63 | 21158-0762 |
| 1.625 | 2.375 | 0.625 | EQ | 24801-1915 |
| 1.625 | 2.375 | 0.625 | EQ | 24802-1915 |
| 1.625 | 2.375 | 0.687 | 63R2 | 23548-6516 |
| 1.625 | 2.375 | 0.750 | IG | 29502-4615 |
| **1.625** | **2.437** | **0.375** | **63** | **21158-0763** |
| 1.625 | 2.437 | 0.375 | 66 | 21527-0763 |
| 1.625 | 2.437 | 0.437 | 63 | 21158-0764 |
| 1.625 | 2.437 | 0.469 | 63 | 21158-5393 |
| 1.625 | 2.437 | 0.500 | 63 | 21158-0765 |
| 1.625 | 2.437 | 0.500 | EQ | 24801-1748 |
| 1.625 | 2.437 | 0.594 | 63F1 | 23078-7152 |
| 1.625 | 2.437 | 0.625 | EQ | 24801-1270 |
| 1.625 | 2.437 | 0.687 | 63T2 | 23550-7044 |
| 1.625 | 2.437 | 0.750 | IG | 29502-4679 |
| 1.625 | 2.438 | 0.375 | 26 | 24600-1301 |
| 1.625 | 2.438 | 0.625 | EQ | 24802-1270 |
| 1.625 | 2.441 | 0.375 | 63 | 21158-7767 |
| 1.625 | 2.441 | 0.594 | 63F1 | 23078-9943 |
| **1.625** | **2.497** | **0.375** | **63** | **21158-0766** |
| 1.625 | 2.497 | 0.375 | 66 | 21527-0766 |
| 1.625 | 2.497 | 0.437 | 63 | 21158-0767 |
| 1.625 | 2.497 | 0.500 | 63 | 21158-0768 |
| 1.625 | 2.500 | 0.312 | 61 | 24060-1373 |
| 1.625 | 2.500 | 0.375 | 62 | 21702-0769 |
| **1.625** | **2.500** | **0.375** | **63** | **21158-0769** |
| 1.625 | 2.500 | 0.375 | 66 | 21527-0769 |
| 1.625 | 2.500 | 0.500 | 63 | 21158-0771 |
| 1.625 | 2.500 | 0.500 | EQ | 24801-0717 |
| 1.625 | 2.500 | 0.625 | EQ | 24801-2987 |
| 1.625 | 2.500 | 0.625 | EQ | 24802-2987 |
| 1.625 | 2.500 | 0.687 | 63R1 | 23547-6860 |
| 1.625 | 2.500 | 0.687 | 63T2 | 23550-6860 |
| 1.625 | 2.500 | 0.750 | IG | 29502-4327 |
| 1.625 | 2.502 | 0.312 | 3 | 28003-1590 |
| 1.625 | 2.525 | 0.750 | IG | 29502-4828 |
| 1.625 | 2.562 | 0.500 | 63 | 21158-8615 |
| 1.625 | 2.623 | 0.250 | 92 | 27063-5249 |
| 1.625 | 2.623 | 0.312 | 3 | 28003-1598 |
| 1.625 | 2.625 | 0.375 | 61 | 24060-0772 |
| 1.625 | 2.625 | 0.375 | 62 | 21702-0772 |
| **1.625** | **2.625** | **0.375** | **63** | **21158-0772** |
| 1.625 | 2.625 | 0.375 | 66 | 21527-0772 |
| 1.625 | 2.625 | 0.437 | 63 | 21158-0773 |
| 1.625 | 2.625 | 0.500 | 62 | 21702-0774 |
| 1.625 | 2.625 | 0.500 | 63 | 21158-0774 |
| 1.625 | 2.625 | 0.625 | EQ | 24802-1089 |
| 1.625 | 2.625 | 0.625 | IG | 29507-1089 |
| 1.625 | 2.625 | 0.687 | 63R1 | 23547-4766 |
| 1.625 | 2.625 | 0.750 | IG | 29500-4144 |
| 1.625 | 2.625 | 0.750 | IG | 29502-4144 |
| 1.625 | 2.656 | 0.375 | 63 | 21158-3884 |
| 1.625 | 2.686 | 0.375 | 63 | 21158-0775 |
| 1.625 | 2.686 | 0.375 | 66 | 21527-0775 |
| 1.625 | 2.686 | 0.500 | 63 | 21158-0777 |
| 1.625 | 2.687 | 0.500 | 26 | 24600-1302 |
| 1.625 | 2.750 | 0.375 | 26 | 24600-0778 |
| 1.625 | 2.750 | 0.375 | 63 | 21158-0778 |
| 1.625 | 2.750 | 0.375 | 66 | 21527-0778 |
| 1.625 | 2.750 | 0.500 | 63 | 21158-0780 |
| 1.625 | 2.750 | 0.594 | 63F1 | 23078-9739 |
| 1.625 | 2.750 | 0.625 | EQ | 24801-0770 |
| 1.625 | 2.750 | 0.625 | EQ | 24802-0770 |
| 1.625 | 2.756 | 0.375 | 63 | 21158-0781 |
| 1.625 | 2.756 | 0.375 | 66 | 21527-0781 |
| 1.625 | 2.756 | 0.437 | 63 | 21158-0782 |
| 1.625 | 2.783 | 0.375 | 63 | 21158-0784 |
| 1.625 | 2.783 | 0.375 | 66 | 21527-0784 |
| 1.625 | 2.800 | 0.625 | EQ | 24802-3576 |
| 1.625 | 2.835 | 0.375 | 63 | 21158-8081 |
| **1.625** | **2.875** | **0.375** | **63** | **21158-0787** |
| 1.625 | 2.875 | 0.375 | 66 | 21527-0787 |
| 1.625 | 2.875 | 0.437 | 61 | 24060-0788 |
| 1.625 | 2.875 | 0.437 | 63 | 21158-0788 |
| 1.625 | 2.875 | 0.500 | 26 | 24600-0876 |
| 1.625 | 2.875 | 0.500 | 63 | 21158-0789 |
| 1.625 | 2.875 | 0.687 | 63R1 | 23547-8266 |
| 1.625 | 2.875 | 0.687 | 63T2 | 23550-8266 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 1.625 | 3.750 | 0.375 | 94 | 27223-7636 |
| 1.653 | 2.165 | 0.354 | 26 | 24600-0759 |
| 1.653 | 2.165 | 0.393 | 26 | 24600-0791 |
| 1.653 | 2.441 | 0.315 | 26 | 24600-1096 |
| 1.654 | 2.165 | 0.625 | IG | 29507-4938 |
| 1.654 | 2.362 | 0.276 | 92 | 27063-0452 |
| 1.654 | 2.362 | 0.394 | 61 | 24060-1792 |
| 1.654 | 2.441 | 0.394 | 61 | 24060-1793 |
| 1.654 | 2.441 | 0.625 | EQ | 24801-2918 |
| 1.654 | 2.441 | 0.750 | IG | 29502-5540 |
| 1.654 | 2.559 | 0.625 | EQ | 24801-2611 |
| 1.654 | 2.598 | 0.625 | EQ | 24801-2127 |
| 1.654 | 2.625 | 0.750 | IG | 29502-4439 |
| 1.654 | 4.193 | 0.625 | EQ | 24802-5448 |
| 1.654 | 4.193 | 0.625 | EQ | 24802-5448 |
| 1.656 | 2.375 | 0.375 | 63 | 21158-0790 |
| 1.656 | 2.441 | 0.375 | 63 | 21158-8082 |
| 1.656 | 2.500 | 0.375 | 63 | 21158-0799 |
| 1.656 | 2.500 | 0.594 | 63F1 | 23078-5362 |
| 1.656 | 2.625 | 0.500 | 63 | 21158-0804 |
| **1.656** | **2.686** | **0.375** | **63** | **21158-0805** |
| 1.656 | 2.686 | 0.500 | 63 | 21158-0807 |
| 1.656 | 2.750 | 0.375 | 63 | 21158-0808 |
| 1.656 | 2.750 | 0.500 | 63 | 21158-0810 |
| 1.656 | 2.835 | 0.375 | 63 | 21158-8083 |
| 1.656 | 2.875 | 0.375 | 63 | 21158-0817 |
| 1.656 | 2.997 | 0.375 | 63 | 21158-0820 |
| 1.685 | 2.685 | 0.625 | IG | 29507-5200 |
| 1.685 | 3.185 | 0.625 | IG | 29507-5519 |
| 1.687 | 2.062 | 0.690 | EQ | 24807-3495 |
| **1.687** | **2.125** | **0.187** | **76** | **26193-7527** |
| 1.687 | 2.125 | 0.187 | 92 | 27063-7527 |
| 1.687 | 2.250 | 0.250 | 76 | 26193-9962 |
| 1.687 | 2.375 | 0.375 | 62 | 21702-0826 |
| **1.687** | **2.375** | **0.375** | **63** | **21158-0826** |
| 1.687 | 2.375 | 0.375 | 66 | 21527-0826 |
| 1.687 | 2.375 | 0.437 | 63 | 21158-0827 |
| 1.687 | 2.375 | 0.500 | 63 | 21158-0828 |
| 1.687 | 2.375 | 0.687 | 63R1 | 23547-7569 |
| 1.687 | 2.375 | 0.687 | 63T2 | 23550-7569 |
| 1.687 | 2.375 | 0.690 | EQ | 24807-3159 |
| 1.687 | 2.437 | 0.375 | 62 | 21702-0829 |
| **1.687** | **2.437** | **0.375** | **63** | **21158-0829** |
| 1.687 | 2.437 | 0.375 | 66 | 21527-0829 |
| 1.687 | 2.437 | 0.437 | 63 | 21158-0830 |
| 1.687 | 2.437 | 0.625 | 63F1 | 23078-9234 |
| 1.687 | 2.441 | 0.375 | 63 | 21158-7456 |
| 1.687 | 2.497 | 0.375 | 63 | 21158-0832 |
| 1.687 | 2.497 | 0.375 | 66 | 21527-0832 |
| 1.687 | 2.500 | 0.375 | 62 | 21702-0835 |
| **1.687** | **2.500** | **0.375** | **63** | **21158-0835** |
| 1.687 | 2.500 | 0.375 | 66 | 21527-0835 |
| 1.687 | 2.500 | 0.375 | 92 | 27063-0835 |
| 1.687 | 2.500 | 0.437 | 63 | 21158-0836 |
| 1.687 | 2.500 | 0.500 | 62 | 21702-0837 |
| 1.687 | 2.500 | 0.500 | 63 | 21158-0837 |
| 1.687 | 2.500 | 0.500 | EQ | 24801-0790 |
| 1.687 | 2.500 | 0.594 | 63F1 | 23078-7254 |
| 1.687 | 2.561 | 0.500 | 26 | 24600-0833 |
| 1.687 | 2.625 | 0.375 | 63 | 21158-0838 |
| 1.687 | 2.625 | 0.375 | 66 | 21527-0838 |
| 1.687 | 2.625 | 0.500 | 63 | 21158-0840 |
| 1.687 | 2.625 | 0.688 | 63T2 | 23550-6934 |
| 1.687 | 2.686 | 0.375 | 62 | 21702-0841 |
| 1.687 | 2.686 | 0.375 | 63 | 21158-0841 |
| 1.687 | 2.686 | 0.375 | 66 | 21527-0841 |
| 1.687 | 2.686 | 0.437 | 63 | 21158-0842 |
| 1.687 | 2.686 | 0.500 | 62 | 21702-0843 |
| 1.687 | 2.686 | 0.500 | 63 | 21158-0843 |
| 1.687 | 2.686 | 0.687 | 63R2 | 23548-6753 |
| 1.687 | 2.686 | 0.687 | 63T2 | 23550-6753 |
| **1.687** | **2.750** | **0.375** | **63** | **21158-0844** |
| 1.687 | 2.750 | 0.375 | 66 | 21527-0844 |
| 1.687 | 2.750 | 0.437 | 26 | 24600-1305 |
| 1.687 | 2.750 | 0.437 | 63 | 21158-0845 |
| 1.687 | 2.750 | 0.500 | 63 | 21158-0846 |
| 1.687 | 2.750 | 0.687 | 63R2 | 23548-6554 |
| 1.687 | 2.750 | 0.687 | 63T2 | 23550-6554 |
| 1.687 | 2.756 | 0.375 | 63 | 21158-0847 |
| 1.687 | 2.756 | 0.375 | 66 | 21527-0847 |
| 1.687 | 2.756 | 0.437 | 63 | 21158-0848 |
| 1.687 | 2.756 | 0.500 | 63 | 21158-0849 |
| 1.687 | 2.835 | 0.375 | 63 | 21158-7126 |
| **1.687** | **2.875** | **0.375** | **63** | **21158-0853** |
| 1.687 | 2.875 | 0.375 | 66 | 21527-0853 |
| 1.687 | 2.875 | 0.437 | 63 | 21158-0854 |
| 1.687 | 2.875 | 0.500 | 63 | 21158-0855 |
| 1.687 | 2.875 | 0.594 | 63F1 | 23078-9667 |
| 1.687 | 3.000 | 0.375 | 62 | 21702-0859 |
| **1.687** | **3.000** | **0.375** | **63** | **21158-0859** |
| 1.687 | 3.000 | 0.375 | 66 | 21527-0859 |
| 1.687 | 3.000 | 0.500 | 63 | 21158-0861 |
| 1.687 | 3.000 | 0.594 | 63F1 | 23078-6744 |
| 1.687 | 3.000 | 0.687 | 63R1 | 23547-6751 |
| 1.688 | 2.125 | 0.690 | EQ | 24807-2522 |
| 1.688 | 2.313 | 0.820 | IGSPB | 29516-7129 |
| 1.688 | 2.438 | 0.375 | 61 | 24060-0829 |
| 1.688 | 2.500 | 0.375 | 26 | 24600-0835 |
| 1.688 | 2.500 | 0.375 | 61 | 24060-0835 |
| 1.688 | 2.502 | 0.375 | 26 | 24600-0834 |
| 1.688 | 2.506 | 0.625 | IG | 29507-5408 |
| 1.688 | 2.625 | 0.500 | 26 | 24600-0840 |
| 1.688 | 2.625 | 0.750 | IG | 29502-5415 |
| 1.688 | 2.688 | 0.625 | EQ | 24801-2723 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 1.688 | 2.688 | 0.750 | IG | 29502-4275 |
| 1.688 | 2.750 | 0.375 | 61 | 24060-0844 |
| 1.688 | 2.750 | 0.625 | EQ | 24801-1341 |
| 1.688 | 2.750 | 0.625 | EQ | 24802-1341 |
| 1.688 | 2.875 | 0.375 | 61 | 24060-0853 |
| 1.688 | 3.000 | 0.375 | 61 | 24060-0859 |
| 1.688 | 3.437 | 0.750 | IG | 29502-5692 |
| 1.693 | 2.756 | 0.315 | 61 | 24060-2532 |
| 1.700 | 2.437 | 0.375 | 62 | 21702-5315 |
| 1.716 | 2.219 | 0.625 | IG | 29507-5737 |
| 1.718 | 2.561 | 0.500 | 63 | 21158-8484 |
| **1.719** | **2.437** | **0.375** | **63** | **21158-0862** |
| 1.719 | 2.441 | 0.375 | 63 | 21158-8084 |
| 1.719 | 2.497 | 0.375 | 63 | 21158-0865 |
| 1.719 | 2.497 | 0.500 | 63 | 21158-0867 |
| 1.719 | 2.500 | 0.375 | 63 | 21158-0868 |
| 1.719 | 2.500 | 0.500 | 63 | 21158-0870 |
| 1.719 | 2.625 | 0.375 | 63 | 21158-0871 |
| 1.719 | 2.625 | 0.625 | EQ | 24801-3071 |
| 1.719 | 2.625 | 0.687 | 63R2 | 23548-8646 |
| 1.719 | 2.686 | 0.375 | 62 | 21702-0874 |
| 1.719 | 2.686 | 0.375 | 63 | 21158-0874 |
| 1.719 | 2.750 | 0.375 | 63 | 21158-0877 |
| 1.719 | 2.750 | 0.437 | 63 | 21158-0878 |
| 1.719 | 2.783 | 0.375 | 63 | 21158-0883 |
| 1.719 | 2.835 | 0.375 | 63 | 21158-5963 |
| **1.719** | **2.875** | **0.375** | **63** | **21158-0886** |
| 1.719 | 2.875 | 0.437 | 63 | 21158-0887 |
| 1.719 | 2.875 | 0.500 | 63 | 21158-0888 |
| 1.719 | 3.000 | 0.375 | 63 | 21158-0892 |
| 1.719 | 3.000 | 0.500 | 63 | 21158-0894 |
| 1.720 | 2.250 | 0.690 | EQ | 24807-3784 |
| 1.725 | 2.625 | 0.625 | EQ | 24802-5494 |
| 1.726 | 2.250 | 0.625 | IG | 29507-5225 |
| 1.732 | 2.250 | 0.625 | IG | 29507-4864 |
| 1.732 | 2.362 | 0.354 | 26R1 | 24620-0895 |
| 1.732 | 2.835 | 0.375 | 63 | 21158-7865 |
| 1.745 | 2.745 | 0.625 | IG | 29507-5201 |
| 1.750 | 2.000 | 0.109 | 71 | 26001-6240 |
| 1.750 | 2.125 | 0.125 | 71 | 26001-6241 |
| **1.750** | **2.125** | **0.187** | **71** | **26001-6242** |
| **1.750** | **2.125** | **0.187** | **76** | **26193-6242** |
| 1.750 | 2.250 | 0.250 | 71 | 26001-7080 |
| 1.750 | 2.250 | 0.312 | 76 | 26193-9675 |
| 1.750 | 2.250 | 0.625 | IG | 29507-4586 |
| 1.750 | 2.250 | 0.690 | EQ | 24807-3952 |
| 1.750 | 2.312 | 0.625 | IG | 29507-5319 |
| 1.750 | 2.375 | 0.250 | 71 | 26001-7081 |
| 1.750 | 2.375 | 0.312 | 61 | 24060-9822 |
| **1.750** | **2.375** | **0.312** | **63** | **21158-9822** |
| 1.750 | 2.375 | 0.312 | 91 | 27023-9822 |
| 1.750 | 2.375 | 0.375 | 61 | 24060-0813 |
| 1.750 | 2.375 | 0.500 | 61 | 24062-1377 |
| 1.750 | 2.375 | 0.625 | IG | 29507-4183 |
| 1.750 | 2.375 | 0.690 | EQ | 24807-2200 |
| 1.750 | 2.437 | 0.375 | 62 | 21702-0898 |
| **1.750** | **2.437** | **0.375** | **63** | **21158-0898** |
| 1.750 | 2.437 | 0.375 | 66 | 21527-0898 |
| 1.750 | 2.437 | 0.375 | 67 | 21528-0898 |
| 1.750 | 2.437 | 0.375 | 68 | 21823-0898 |
| 1.750 | 2.437 | 0.437 | 63 | 21158-0899 |
| 1.750 | 2.437 | 0.500 | 63 | 21158-0900 |
| 1.750 | 2.437 | 0.625 | IG | 29507-5401 |
| **1.750** | **2.437** | **0.687** | **63R2** | **23548-4671** |
| 1.750 | 2.437 | 0.687 | 63T2 | 23550-4671 |
| 1.750 | 2.437 | 0.690 | EQ | 24807-1780 |
| 1.750 | 2.438 | 0.312 | 61 | 24060-1386 |
| 1.750 | 2.438 | 0.375 | 26 | 24600-0898 |
| 1.750 | 2.441 | 0.375 | 62 | 21702-9620 |
| 1.750 | 2.441 | 0.375 | 63 | 21158-9620 |
| 1.750 | 2.441 | 0.375 | 66 | 21527-9620 |
| 1.750 | 2.497 | 0.375 | 62 | 21702-0901 |
| **1.750** | **2.497** | **0.375** | **63** | **21158-0901** |
| 1.750 | 2.497 | 0.375 | 66 | 21527-0901 |
| 1.750 | 2.497 | 0.437 | 63 | 21158-0902 |
| 1.750 | 2.497 | 0.500 | 63 | 21158-0903 |
| **1.750** | **2.500** | **0.250** | **92** | **27063-7082** |
| 1.750 | 2.500 | 0.375 | 23 | 25003-0904 |
| **1.750** | **2.500** | **0.375** | **26** | **24600-0904** |
| 1.750 | 2.500 | 0.375 | 61 | 24060-0904 |
| 1.750 | 2.500 | 0.375 | 62 | 21702-0904 |
| **1.750** | **2.500** | **0.375** | **63** | **21158-0904** |
| 1.750 | 2.500 | 0.375 | 66 | 21527-0904 |
| 1.750 | 2.500 | 0.375 | 67 | 21528-0904 |
| 1.750 | 2.500 | 0.375 | 68 | 21823-0904 |
| 1.750 | 2.500 | 0.375 | 92 | 27063-0904 |
| 1.750 | 2.500 | 0.437 | 63 | 21158-0905 |
| 1.750 | 2.500 | 0.500 | 62 | 21702-0906 |
| 1.750 | 2.500 | 0.500 | 63 | 21158-0906 |
| 1.750 | 2.500 | 0.594 | 63F1 | 23078-7307 |
| 1.750 | 2.500 | 0.625 | EQ | 24801-1026 |
| 1.750 | 2.500 | 0.625 | EQ | 24802-1026 |
| 1.750 | 2.500 | 0.687 | 63T2 | 23550-4672 |
| 1.750 | 2.500 | 0.690 | EQ | 24807-2693 |
| 1.750 | 2.500 | 0.750 | IG | 29502-4319 |
| 1.750 | 2.502 | 0.312 | 3 | 28003-1704 |
| 1.750 | 2.563 | 0.500 | 61 | 24060-1409 |
| 1.750 | 2.623 | 0.312 | 3 | 28003-1714 |
| 1.750 | 2.625 | 0.312 | 26 | 24600-2456 |
| 1.750 | 2.625 | 0.375 | 61 | 24060-0907 |
| 1.750 | 2.625 | 0.375 | 62 | 21702-0907 |
| **1.750** | **2.625** | **0.375** | **63** | **21158-0907** |
| 1.750 | 2.625 | 0.375 | 66 | 21527-0907 |
| 1.750 | 2.625 | 0.437 | 63 | 21158-0908 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 1.750 | 2.625 | 0.500 | 26R1 | 24620-0909 |
| 1.750 | 2.625 | 0.500 | 62 | 21702-0909 |
| 1.750 | 2.625 | 0.500 | 63 | 21158-0909 |
| 1.750 | 2.625 | 0.500 | EQ | 24801-0909 |
| 1.750 | 2.625 | 0.562 | EQ | 24802-0990 |
| 1.750 | 2.625 | 0.594 | 63F1 | 23078-6028 |
| 1.750 | 2.625 | 0.625 | EQ | 24801-1062 |
| 1.750 | 2.625 | 0.625 | EQ | 24802-1062 |
| 1.750 | 2.625 | 0.625 | IG | 29507-1062 |
| 1.750 | 2.625 | 0.687 | 63R2 | 23548-7228 |
| 1.750 | 2.625 | 0.690 | EQ | 24807-3739 |
| 1.750 | 2.625 | 0.750 | IG | 29502-4323 |
| 1.750 | 2.656 | 0.625 | 23 | 25003-8721 |
| **1.750** | **2.686** | **0.375** | **63** | **21158-0910** |
| 1.750 | 2.686 | 0.375 | 66 | 21527-0910 |
| 1.750 | 2.686 | 0.437 | 63 | 21158-0911 |
| 1.750 | 2.686 | 0.500 | 63 | 21158-0912 |
| 1.750 | 2.700 | 0.750 | IG | 29502-5471 |
| 1.750 | 2.716 | 0.625 | EQ | 24802-3257 |
| 1.750 | 2.718 | 0.359 | 63 | 21158-7459 |
| 1.750 | 2.750 | 0.312 | 3 | 28003-1726 |
| 1.750 | 2.750 | 0.312 | 26R1 | 24620-0896 |
| 1.750 | 2.750 | 0.375 | 26 | 24600-1767 |
| 1.750 | 2.750 | 0.375 | 61 | 24060-0913 |
| 1.750 | 2.750 | 0.375 | 61 | 24061-0913 |
| 1.750 | 2.750 | 0.375 | 62 | 21702-0913 |
| **1.750** | **2.750** | **0.375** | **63** | **21158-0913** |
| 1.750 | 2.750 | 0.375 | 66 | 21527-0913 |
| 1.750 | 2.750 | 0.375 | 67 | 21528-0913 |
| 1.750 | 2.750 | 0.375 | 68 | 21823-0913 |
| 1.750 | 2.750 | 0.437 | 63 | 21158-0914 |
| **1.750** | **2.750** | **0.500** | **26** | **24600-0639** |
| 1.750 | 2.750 | 0.500 | 62 | 21702-0915 |
| **1.750** | **2.750** | **0.500** | **63** | **21158-0915** |
| 1.750 | 2.750 | 0.500 | EQ | 24801-0639 |
| 1.750 | 2.750 | 0.594 | 63F1 | 23078-5005 |
| 1.750 | 2.750 | 0.625 | EQ | 24801-1744 |
| 1.750 | 2.750 | 0.625 | EQ | 24802-1744 |
| 1.750 | 2.750 | 0.625 | IG | 29507-1744 |
| 1.750 | 2.750 | 0.687 | 63R1 | 23547-6832 |
| 1.750 | 2.750 | 0.687 | 63R2 | 23548-6832 |
| 1.750 | 2.750 | 0.687 | 63T2 | 23550-6832 |
| 1.750 | 2.750 | 0.750 | 63F1 | 23078-5256 |
| 1.750 | 2.750 | 0.750 | IG | 29500-4145 |
| 1.750 | 2.750 | 0.750 | IG | 29502-4145 |
| **1.750** | **2.756** | **0.375** | **63** | **21158-0916** |
| 1.750 | 2.756 | 0.375 | 66 | 21527-0916 |
| 1.750 | 2.756 | 0.500 | 63 | 21158-0918 |
| 1.750 | 2.776 | 0.750 | EQSPB | 24816-4446 |
| 1.750 | 2.783 | 0.375 | 63 | 21158-0919 |
| 1.750 | 2.783 | 0.375 | 66 | 21527-0919 |
| 1.750 | 2.783 | 0.500 | 63 | 21158-0921 |
| 1.750 | 2.812 | 0.312 | 61 | 24061-2223 |
| 1.750 | 2.812 | 0.375 | 61 | 24061-2434 |
| 1.750 | 2.835 | 0.375 | 63 | 21158-6725 |
| **1.750** | **2.875** | **0.375** | **63** | **21158-0922** |
| 1.750 | 2.875 | 0.375 | 66 | 21527-0922 |
| 1.750 | 2.875 | 0.375 | 67 | 21528-0922 |
| 1.750 | 2.875 | 0.375 | 68 | 21823-0922 |
| 1.750 | 2.875 | 0.437 | 63 | 21158-0923 |
| 1.750 | 2.875 | 0.500 | 61 | 24060-0924 |
| 1.750 | 2.875 | 0.500 | 63 | 21158-0924 |
| 1.750 | 2.875 | 0.500 | EQ | 24801-0879 |
| 1.750 | 2.875 | 0.500 | EQ | 24802-0879 |
| 1.750 | 2.875 | 0.625 | EQ | 24801-0998 |
| **1.750** | **2.875** | **0.625** | **EQ** | **24802-0998** |
| 1.750 | 2.875 | 0.625 | IG | 29507-0998 |
| 1.750 | 2.875 | 0.625 | IG | 29519-0998 |
| 1.750 | 2.875 | 0.750 | IG | 29500-4107 |
| **1.750** | **2.875** | **0.750** | **IG** | **29502-4107** |
| 1.750 | 2.997 | 0.375 | 63 | 21158-0925 |
| 1.750 | 2.997 | 0.375 | 66 | 21527-0925 |
| 1.750 | 2.997 | 0.375 | 67 | 21528-0925 |
| 1.750 | 2.997 | 0.500 | 63 | 21158-0927 |
| 1.750 | 3.000 | 0.375 | 61 | 24060-0928 |
| 1.750 | 3.000 | 0.375 | 62 | 21702-0928 |
| **1.750** | **3.000** | **0.375** | **63** | **21158-0928** |
| 1.750 | 3.000 | 0.375 | 66 | 21527-0928 |
| 1.750 | 3.000 | 0.375 | 67 | 21528-0928 |
| 1.750 | 3.000 | 0.375 | 68 | 21823-0928 |
| 1.750 | 3.000 | 0.500 | 63 | 21158-0930 |
| 1.750 | 3.000 | 0.500 | EQ | 24801-0720 |
| 1.750 | 3.000 | 0.594 | 63F1 | 23078-7555 |
| 1.750 | 3.000 | 0.687 | 63R1 | 23547-6522 |
| 1.750 | 3.000 | 0.687 | 63R2 | 23548-6522 |
| 1.750 | 3.000 | 0.687 | 63T2 | 23550-6522 |
| 1.750 | 3.062 | 0.375 | 62 | 21702-0931 |
| **1.750** | **3.062** | **0.375** | **63** | **21158-0931** |
| 1.750 | 3.062 | 0.375 | 66 | 21527-0931 |
| 1.750 | 3.062 | 0.500 | 63 | 21158-0933 |
| 1.750 | 3.125 | 0.375 | 63 | 21158-6724 |
| 1.750 | 3.125 | 0.375 | 66 | 21527-6724 |
| 1.750 | 3.125 | 0.625 | EQ | 24802-3975 |
| 1.750 | 3.150 | 0.375 | 63 | 21158-8085 |
| 1.750 | 3.189 | 0.375 | 66 | 21527-7282 |
| 1.750 | 3.189 | 0.500 | 23 | 25003-3885 |
| 1.750 | 3.189 | 0.500 | 63 | 21158-3885 |
| 1.750 | 3.189 | 0.500 | 123 | 21016-3885 |
| 1.750 | 3.347 | 0.375 | 94 | 27223-6256 |
| 1.750 | 3.543 | 0.437 | 66 | 21527-4899 |
| 1.750 | 3.625 | 0.437 | 63 | 21158-8456 |
| 1.750 | 3.625 | 0.500 | 66 | 21527-4606 |
| 1.750 | 3.750 | 0.625 | EQ | 24801-3270 |
| 1.750 | 3.938 | 0.750 | IG | 29502-4348 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 1.750 | 3.968 | 0.500 | EQ | 24801-0836 |
| 1.754 | 2.754 | 0.625 | IG | 29507-5217 |
| 1.754 | 2.754 | 0.750 | IG | 29502-5167 |
| 1.755 | 3.358 | 0.750 | IG | 29502-4546 |
| 1.760 | 2.875 | 0.750 | IG | 29502-4692 |
| 1.761 | 3.937 | 0.375 | 94 | 27223-8762 |
| 1.766 | 2.323 | 0.625 | IG | 29507-5138 |
| 1.766 | 2.559 | 0.375 | 63 | 21158-9223 |
| 1.766 | 2.750 | 0.625 | EQ | 24802-2292 |
| 1.766 | 2.750 | 0.750 | IG | 29502-4350 |
| **1.766** | **2.953** | **0.312** | **94** | **27223-8004** |
| 1.768 | 2.193 | 0.625 | IG | 29507-5738 |
| 1.770 | 2.834 | 0.375 | 26 | 24600-9538 |
| 1.770 | 2.875 | 0.750 | IG | 29500-4656 |
| 1.771 | 2.521 | 0.500 | EQ | 24801-1784 |
| 1.771 | 2.568 | 0.398 | 26 | 24600-4633 |
| 1.771 | 2.996 | 0.625 | EQ | 24802-1804 |
| 1.771 | 3.937 | 0.750 | IG | 29500-4678 |
| 1.772 | 2.165 | 0.625 | IG | 29507-4554 |
| 1.772 | 2.362 | 0.276 | 92 | 27063-0488 |
| 1.772 | 2.362 | 0.315 | 61 | 24060-1796 |
| 1.772 | 2.362 | 0.690 | EQ | 24807-3149 |
| 1.772 | 2.441 | 0.312 | 26R1 | 24620-0935 |
| 1.772 | 2.441 | 0.394 | 26 | 24600-1097 |
| 1.772 | 2.441 | 0.394 | 58 | 21003-1797 |
| 1.772 | 2.441 | 0.394 | 61 | 24060-1797 |
| 1.772 | 2.441 | 0.625 | EQ | 24802-4341 |
| 1.772 | 2.441 | 0.690 | EQ | 24807-1923 |
| 1.772 | 2.539 | 0.748 | EQSPB | 24816-7063 |
| 1.772 | 2.559 | 0.315 | 61 | 24064-1799 |
| 1.772 | 2.559 | 0.394 | 26 | 24600-4044 |
| 1.772 | 2.559 | 0.394 | 61 | 24060-9223 |
| 1.772 | 2.559 | 0.394 | 61 | 24061-9223 |
| 1.772 | 2.559 | 0.394 | 61 | 24062-9223 |
| 1.772 | 2.559 | 0.750 | IG | 29502-5541 |
| 1.772 | 2.622 | 0.500 | 26 | 24600-1579 |
| 1.772 | 2.622 | 0.750 | IG | 29502-5135 |
| 1.772 | 2.638 | 0.500 | EQ | 24801-1374 |
| 1.772 | 2.750 | 0.750 | IG | 29502-5594 |
| 1.772 | 2.756 | 0.750 | IG | 29502-4490 |
| 1.772 | 2.835 | 0.315 | 92 | 27063-0512 |
| 1.772 | 2.835 | 0.750 | IG | 29502-5930 |
| 1.772 | 2.953 | 0.750 | IG | 29502-4581 |
| 1.772 | 2.972 | 0.748 | EQSPB | 24816-7064 |
| 1.772 | 3.021 | 0.750 | IG | 29502-5766 |
| 1.772 | 3.150 | 0.394 | 92 | 27063-0516 |
| 1.772 | 3.228 | 0.710 | IGSPB | 29516-7130 |
| 1.772 | 3.346 | 0.394 | 92 | 27063-0520 |
| 1.772 | 3.346 | 0.750 | IG | 29502-5819 |
| 1.772 | 3.543 | 0.750 | IG | 29502-5807 |
| 1.773 | 2.500 | 0.625 | IG | 29507-5291 |
| 1.781 | 2.437 | 0.375 | 63 | 21158-8405 |
| 1.781 | 2.441 | 0.375 | 63 | 21158-7761 |
| 1.781 | 2.497 | 0.375 | 63 | 21158-0934 |
| 1.781 | 2.497 | 0.375 | 66 | 21527-0934 |
| 1.781 | 2.500 | 0.375 | 62 | 21702-0937 |
| **1.781** | **2.500** | **0.375** | **63** | **21158-0937** |
| 1.781 | 2.500 | 0.375 | 66 | 21527-0937 |
| 1.781 | 2.500 | 0.690 | EQ | 24807-1903 |
| 1.781 | 2.625 | 0.375 | 63 | 21158-0940 |
| 1.781 | 2.625 | 0.375 | 66 | 21527-0940 |
| 1.781 | 2.625 | 0.375 | 94 | 27223-0940 |
| 1.781 | 2.686 | 0.500 | 63 | 21158-0945 |
| 1.781 | 2.750 | 0.375 | 63 | 21158-0946 |
| 1.781 | 2.750 | 0.375 | 66 | 21527-0946 |
| 1.781 | 2.756 | 0.500 | 63 | 21158-0951 |
| 1.781 | 2.835 | 0.375 | 63 | 21158-8086 |
| 1.781 | 2.875 | 0.375 | 63 | 21158-0955 |
| 1.781 | 2.875 | 0.375 | 66 | 21527-0955 |
| 1.781 | 3.062 | 0.375 | 63 | 21158-0964 |
| 1.781 | 3.062 | 0.375 | 66 | 21527-0964 |
| 1.781 | 3.125 | 0.375 | 63 | 21158-0967 |
| 1.781 | 3.125 | 0.375 | 66 | 21527-0967 |
| 1.781 | 3.125 | 0.500 | 63 | 21158-0969 |
| 1.781 | 3.125 | 0.625 | EQ | 24802-1898 |
| 1.781 | 3.937 | 0.375 | 94 | 27223-4598 |
| 1.810 | 2.875 | 0.750 | IG | 29500-5328 |
| 1.812 | 2.312 | 0.625 | IG | 29507-4414 |
| 1.812 | 2.375 | 0.187 | 71 | 26001-7083 |
| **1.812** | **2.497** | **0.375** | **63** | **21158-0970** |
| 1.812 | 2.497 | 0.500 | 62 | 21702-0972 |
| 1.812 | 2.497 | 0.500 | 63 | 21158-0972 |
| 1.812 | 2.500 | 0.375 | 26 | 24600-0973 |
| **1.812** | **2.500** | **0.375** | **63** | **21158-0973** |
| 1.812 | 2.500 | 0.437 | 63 | 21158-0974 |
| 1.812 | 2.500 | 0.500 | 63 | 21158-0975 |
| 1.812 | 2.625 | 0.375 | 26 | 24600-0976 |
| **1.812** | **2.625** | **0.375** | **63** | **21158-0976** |
| 1.812 | 2.625 | 0.500 | 63 | 21158-0978 |
| 1.812 | 2.686 | 0.375 | 63 | 21158-0979 |
| 1.812 | 2.750 | 0.375 | 63 | 21158-0982 |
| 1.812 | 2.750 | 0.375 | 91 | 27023-0982 |
| 1.812 | 2.750 | 0.500 | 63 | 21158-0984 |
| 1.812 | 2.756 | 0.500 | 63 | 21158-0987 |
| 1.812 | 2.758 | 0.500 | 63 | 21158-9633 |
| 1.812 | 2.783 | 0.375 | 63 | 21158-0988 |
| 1.812 | 2.812 | 0.750 | IG | 29502-4276 |
| 1.812 | 2.835 | 0.375 | 63 | 21158-8088 |
| **1.812** | **2.875** | **0.375** | **63** | **21158-0991** |
| 1.812 | 2.875 | 0.594 | 63F1 | 23078-6592 |
| 1.812 | 2.875 | 0.750 | IG | 29500-4560 |
| 1.812 | 2.875 | 0.750 | IG | 29502-4560 |
| 1.812 | 3.000 | 0.375 | 63 | 21158-0997 |
| **1.812** | **3.125** | **0.375** | **63** | **21158-1003** |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 1.812 | 3.125 | 0.500 | 63 | 21158-1005 |
| 1.812 | 3.150 | 0.375 | 63 | 21158-8089 |
| 1.812 | 3.544 | 0.500 | 26 | 24600-1002 |
| 1.813 | 2.625 | 0.375 | 61 | 24060-0976 |
| 1.813 | 2.750 | 0.625 | IG | 29507-5308 |
| 1.838 | 2.750 | 0.625 | EQ | 24801-3143 |
| **1.844** | **2.500** | **0.375** | **63** | **21158-3887** |
| 1.844 | 2.625 | 0.375 | 63 | 21158-1006 |
| 1.844 | 2.686 | 0.375 | 63 | 21158-1009 |
| 1.844 | 2.750 | 0.375 | 63 | 21158-1012 |
| 1.844 | 2.756 | 0.375 | 63 | 21158-1015 |
| 1.844 | 2.835 | 0.375 | 63 | 21158-8090 |
| 1.844 | 2.875 | 0.375 | 63 | 21158-1021 |
| 1.844 | 2.875 | 0.500 | 63 | 21158-1023 |
| 1.844 | 3.150 | 0.375 | 63 | 21158-8091 |
| 1.850 | 2.559 | 0.394 | 92 | 27063-0522 |
| 1.873 | 2.812 | 0.625 | EQ | 24802-1398 |
| 1.875 | 2.250 | 0.187 | 76 | 26193-6262 |
| 1.875 | 2.250 | 0.625 | IG | 29507-5747 |
| 1.875 | 2.375 | 0.250 | 71 | 26001-7084 |
| 1.875 | 2.375 | 0.690 | EQ | 24807-3912 |
| 1.875 | 2.500 | 0.312 | 61 | 24060-1412 |
| 1.875 | 2.500 | 0.312 | 61 | 24061-1412 |
| 1.875 | 2.500 | 0.375 | 61 | 24060-1418 |
| 1.875 | 2.500 | 0.375 | 61 | 24061-1418 |
| 1.875 | 2.500 | 0.500 | 61 | 24060-1419 |
| 1.875 | 2.500 | 0.500 | 61 | 24062-1419 |
| 1.875 | 2.500 | 0.625 | IG | 29507-5824 |
| 1.875 | 2.500 | 0.690 | EQ | 24807-3565 |
| 1.875 | 2.562 | 0.690 | EQ | 24807-3319 |
| 1.875 | 2.563 | 0.974 | IGSPB | 29516-7080 |
| 1.875 | 2.622 | 0.500 | EQ | 24801-0848 |
| 1.875 | 2.623 | 0.312 | 3 | 28003-1802 |
| **1.875** | **2.625** | **0.312** | **26** | **24600-5844** |
| 1.875 | 2.625 | 0.313 | 26R1 | 24620-5844 |
| 1.875 | 2.625 | 0.375 | 23 | 25003-1042 |
| 1.875 | 2.625 | 0.375 | 61 | 24060-1042 |
| 1.875 | 2.625 | 0.375 | 62 | 21702-1042 |
| **1.875** | **2.625** | **0.375** | **63** | **21158-1042** |
| 1.875 | 2.625 | 0.375 | 66 | 21527-1042 |
| 1.875 | 2.625 | 0.437 | 63 | 21158-1043 |
| 1.875 | 2.625 | 0.500 | 63 | 21158-1044 |
| 1.875 | 2.625 | 0.500 | EQ | 24801-0748 |
| 1.875 | 2.625 | 0.500 | EQ | 24802-0748 |
| 1.875 | 2.625 | 0.594 | 63F1 | 23078-8650 |
| 1.875 | 2.625 | 0.625 | EQ | 24801-0989 |
| **1.875** | **2.625** | **0.625** | **EQ** | **24802-0989** |
| 1.875 | 2.625 | 0.625 | IG | 29507-0989 |
| 1.875 | 2.625 | 0.625 | IG | 29519-0989 |
| 1.875 | 2.625 | 0.687 | 63R2 | 23548-6546 |
| 1.875 | 2.625 | 0.687 | 63T2 | 23550-6546 |
| 1.875 | 2.625 | 0.690 | EQ | 24807-3343 |
| 1.875 | 2.625 | 0.750 | IG | 29500-4124 |
| **1.875** | **2.625** | **0.750** | **IG** | **29502-4124** |
| **1.875** | **2.686** | **0.375** | **63** | **21158-1045** |
| 1.875 | 2.686 | 0.375 | 66 | 21527-1045 |
| 1.875 | 2.686 | 0.437 | 62 | 21702-1046 |
| 1.875 | 2.686 | 0.500 | 63 | 21158-1047 |
| 1.875 | 2.686 | 0.687 | 63T2 | 23550-5652 |
| 1.875 | 2.686 | 0.750 | IG | 29502-4330 |
| 1.875 | 2.750 | 0.312 | 3 | 28003-1814 |
| 1.875 | 2.750 | 0.375 | 61 | 24060-1048 |
| 1.875 | 2.750 | 0.375 | 62 | 21702-1048 |
| **1.875** | **2.750** | **0.375** | **63** | **21158-1048** |
| 1.875 | 2.750 | 0.375 | 66 | 21527-1048 |
| 1.875 | 2.750 | 0.375 | 67 | 21528-1048 |
| 1.875 | 2.750 | 0.375 | 68 | 21823-1048 |
| 1.875 | 2.750 | 0.500 | 26 | 24600-1039 |
| 1.875 | 2.750 | 0.500 | 62 | 21702-1050 |
| 1.875 | 2.750 | 0.500 | 63 | 21158-1050 |
| 1.875 | 2.750 | 0.625 | EQ | 24801-1075 |
| **1.875** | **2.750** | **0.625** | **EQ** | **24802-1075** |
| 1.875 | 2.750 | 0.625 | IG | 29507-1075 |
| 1.875 | 2.750 | 0.625 | IG | 29519-1075 |
| 1.875 | 2.750 | 0.687 | 63R2 | 23548-8643 |
| 1.875 | 2.750 | 0.750 | IG | 29500-4110 |
| 1.875 | 2.750 | 0.750 | IG | 29502-4110 |
| 1.875 | 2.756 | 0.375 | 63 | 21158-1051 |
| 1.875 | 2.756 | 0.375 | 66 | 21527-1051 |
| 1.875 | 2.756 | 0.375 | 67 | 21528-1051 |
| 1.875 | 2.756 | 0.375 | 68 | 21823-1051 |
| 1.875 | 2.756 | 0.437 | 63 | 21158-1052 |
| 1.875 | 2.756 | 0.500 | 63 | 21158-1053 |
| 1.875 | 2.758 | 0.625 | EQ | 24801-3506 |
| 1.875 | 2.758 | 0.625 | EQ | 24802-3506 |
| 1.875 | 2.783 | 0.375 | 63 | 21158-1054 |
| 1.875 | 2.783 | 0.375 | 66 | 21527-1054 |
| 1.875 | 2.812 | 0.500 | EQ | 24801-1072 |
| 1.875 | 2.835 | 0.375 | 26R1 | 24620-7164 |
| **1.875** | **2.835** | **0.375** | **63** | **21158-7164** |
| 1.875 | 2.875 | 0.312 | 3 | 28003-1826 |
| 1.875 | 2.875 | 0.312 | 26 | 24600-0622 |
| 1.875 | 2.875 | 0.375 | 61 | 24060-1057 |
| 1.875 | 2.875 | 0.375 | 62 | 21702-1057 |
| **1.875** | **2.875** | **0.375** | **63** | **21158-1057** |
| 1.875 | 2.875 | 0.375 | 66 | 21527-1057 |
| 1.875 | 2.875 | 0.375 | 67 | 21528-1057 |
| 1.875 | 2.875 | 0.375 | 68 | 21823-1057 |
| 1.875 | 2.875 | 0.437 | 61 | 24062-1058 |
| 1.875 | 2.875 | 0.437 | 63 | 21158-1058 |
| 1.875 | 2.875 | 0.500 | 61 | 24060-1059 |
| 1.875 | 2.875 | 0.500 | 62 | 21702-1059 |
| 1.875 | 2.875 | 0.500 | 63 | 21158-1059 |
| 1.875 | 2.875 | 0.500 | EQ | 24801-1059 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 1.875 | 2.875 | 0.625 | EQ | 24801-0792 |
| 1.875 | 2.875 | 0.625 | EQ | 24802-0792 |
| 1.875 | 2.875 | 0.687 | 63R2 | 23548-8293 |
| 1.875 | 2.875 | 0.750 | IG | 29500-3585 |
| **1.875** | **2.875** | **0.750** | **IG** | **29502-3585** |
| 1.875 | 2.997 | 0.375 | 63 | 21158-1060 |
| 1.875 | 2.997 | 0.375 | 66 | 21527-1060 |
| 1.875 | 2.997 | 0.500 | 63 | 21158-1062 |
| 1.875 | 2.997 | 0.625 | EQ | 24802-1891 |
| 1.875 | 3.000 | 0.375 | 26 | 24600-1063 |
| 1.875 | 3.000 | 0.375 | 62 | 21702-1063 |
| **1.875** | **3.000** | **0.375** | **63** | **21158-1063** |
| 1.875 | 3.000 | 0.375 | 66 | 21527-1063 |
| 1.875 | 3.000 | 0.375 | 67 | 21528-1063 |
| 1.875 | 3.000 | 0.375 | 68 | 21823-1063 |
| 1.875 | 3.000 | 0.500 | 61 | 24062-1065 |
| 1.875 | 3.000 | 0.500 | 63 | 21158-1065 |
| 1.875 | 3.000 | 0.562 | 63 | 21158-8258 |
| 1.875 | 3.000 | 0.562 | 66 | 21527-8258 |
| 1.875 | 3.000 | 0.594 | 63F1 | 23078-2967 |
| 1.875 | 3.000 | 0.625 | EQ | 24801-0706 |
| 1.875 | 3.000 | 0.625 | EQ | 24802-0706 |
| 1.875 | 3.000 | 0.625 | IG | 29507-0706 |
| 1.875 | 3.000 | 0.687 | 63T2 | 23550-8732 |
| 1.875 | 3.000 | 0.750 | IG | 29502-4809 |
| 1.875 | 3.062 | 0.375 | 63 | 21158-1066 |
| 1.875 | 3.062 | 0.375 | 66 | 21527-1066 |
| 1.875 | 3.062 | 0.500 | 67 | 21528-1068 |
| 1.875 | 3.125 | 0.375 | 62 | 21702-1069 |
| 1.875 | 3.125 | 0.375 | 63 | 21158-1069 |
| 1.875 | 3.125 | 0.375 | 66 | 21527-1069 |
| 1.875 | 3.125 | 0.500 | 63 | 21158-1071 |
| 1.875 | 3.125 | 0.500 | EQ | 24802-0819 |
| **1.875** | **3.149** | **0.375** | **63** | **21158-3888** |
| 1.875 | 3.149 | 0.375 | 66 | 21527-3888 |
| 1.875 | 3.149 | 0.375 | 67 | 21528-3888 |
| 1.875 | 3.149 | 0.375 | 68 | 21823-3888 |
| 1.875 | 3.189 | 0.375 | 62 | 21702-1075 |
| 1.875 | 3.189 | 0.375 | 63 | 21158-1075 |
| 1.875 | 3.189 | 0.375 | 66 | 21527-1075 |
| 1.875 | 3.189 | 0.437 | 61 | 24060-1076 |
| 1.875 | 3.189 | 0.437 | 63 | 21158-1076 |
| 1.875 | 3.189 | 0.687 | 63TB | 23549-8292 |
| 1.875 | 3.250 | 0.750 | IG | 29500-4571 |
| 1.875 | 3.543 | 0.375 | 26 | 24600-1067 |
| 1.875 | 3.938 | 0.750 | IG | 29500-4704 |
| 1.875 | 3.938 | 0.750 | IG | 29502-4704 |
| 1.878 | 2.754 | 0.625 | IG | 29507-5363 |
| 1.880 | 2.625 | 0.625 | IG | 29507-5518 |
| 1.885 | 2.700 | 0.500 | 26R1 | 24620-5451 |
| 1.886 | 2.886 | 0.625 | EQ | 24802-3264 |
| 1.889 | 2.874 | 0.625 | IG | 29507-5270 |
| 1.889 | 2.889 | 0.625 | EQ | 24802-3745 |
| 1.890 | 2.441 | 0.315 | 92 | 27063-0533 |
| 1.890 | 2.559 | 0.394 | 92 | 27063-0534 |
| 1.890 | 2.559 | 0.690 | EQ | 24807-2681 |
| 1.890 | 2.750 | 0.470 | 26R1 | 24620-1079 |
| 1.890 | 2.756 | 0.625 | EQ | 24802-1935 |
| 1.890 | 2.756 | 0.750 | IG | 29502-4189 |
| 1.890 | 2.835 | 0.315 | 92 | 27063-0558 |
| 1.890 | 2.835 | 0.625 | EQ | 24802-4943 |
| 1.890 | 2.890 | 0.750 | IG | 29500-5567 |
| 1.900 | 3.500 | 0.750 | IG | 29502-4356 |
| 1.906 | 2.625 | 0.375 | 63 | 21158-1078 |
| 1.906 | 2.750 | 0.375 | 63 | 21158-1084 |
| 1.906 | 2.752 | 0.750 | IG | 29502-5753 |
| 1.906 | 2.835 | 0.375 | 63 | 21158-8092 |
| 1.906 | 2.875 | 0.375 | 63 | 21158-1093 |
| 1.906 | 2.875 | 0.437 | 63 | 21158-1094 |
| 1.906 | 3.125 | 0.375 | 63 | 21158-1105 |
| 1.906 | 3.150 | 0.375 | 63 | 21158-8093 |
| 1.908 | 2.875 | 0.625 | EQ | 24802-2920 |
| 1.920 | 3.000 | 0.750 | IG | 29502-4716 |
| 1.922 | 2.875 | 0.438 | 61 | 24060-2514 |
| 1.925 | 3.000 | 0.750 | IG | 29502-4664 |
| 1.932 | 2.625 | 0.690 | EQ | 24807-2495 |
| 1.932 | 2.750 | 0.625 | EQ | 24801-2038 |
| 1.932 | 2.750 | 0.625 | EQ | 24802-2038 |
| 1.932 | 2.806 | 0.625 | EQ | 24802-4521 |
| 1.932 | 2.932 | 0.625 | EQ | 24802-3290 |
| 1.936 | 2.367 | 0.625 | IG | 29507-4889 |
| **1.937** | **2.375** | **0.187** | **71** | **26001-7085** |
| 1.937 | 2.412 | 0.469 | 76 | 26193-5325 |
| 1.937 | 2.437 | 0.312 | 76 | 26193-9768 |
| 1.937 | 2.563 | 0.875 | EQSPB | 24816-7041 |
| 1.937 | 2.567 | 0.876 | EQSPB | 24816-7019 |
| 1.937 | 2.625 | 0.375 | 26 | 24600-1114 |
| 1.937 | 2.625 | 0.375 | 62 | 21702-1114 |
| **1.937** | **2.625** | **0.375** | **63** | **21158-1114** |
| 1.937 | 2.625 | 0.375 | 66 | 21527-1114 |
| 1.937 | 2.625 | 0.500 | 63 | 21158-1116 |
| 1.937 | 2.625 | 0.687 | 63R2 | 23548-7223 |
| **1.937** | **2.625** | **0.687** | **63T2** | **23550-7223** |
| 1.937 | 2.686 | 0.375 | 61 | 24060-1117 |
| 1.937 | 2.686 | 0.375 | 62 | 21702-1117 |
| **1.937** | **2.686** | **0.375** | **63** | **21158-1117** |
| 1.937 | 2.686 | 0.375 | 66 | 21527-1117 |
| 1.937 | 2.686 | 0.500 | 63 | 21158-1119 |
| 1.937 | 2.686 | 0.687 | 63R2 | 23548-7248 |
| 1.937 | 2.750 | 0.375 | 26 | 24600-1120 |
| **1.937** | **2.750** | **0.375** | **63** | **21158-1120** |
| 1.937 | 2.750 | 0.375 | 66 | 21527-1120 |
| 1.937 | 2.750 | 0.406 | 23 | 25003-9519 |
| 1.937 | 2.750 | 0.500 | 63 | 21158-1122 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 1.937 | 2.750 | 0.625 | EQ | 24801-1862 |
| 1.937 | 2.750 | 0.625 | EQ | 24802-1862 |
| 1.937 | 2.750 | 0.750 | IG | 29502-5274 |
| 1.937 | 2.756 | 0.375 | 63 | 21158-1123 |
| 1.937 | 2.756 | 0.375 | 66 | 21527-1123 |
| 1.937 | 2.783 | 0.500 | 63 | 21158-1128 |
| 1.937 | 2.835 | 0.375 | 63 | 21158-4930 |
| 1.937 | 2.875 | 0.375 | 62 | 21702-1129 |
| **1.937** | **2.875** | **0.375** | **63** | **21158-1129** |
| 1.937 | 2.875 | 0.375 | 66 | 21527-1129 |
| 1.937 | 2.875 | 0.437 | 63 | 21158-1130 |
| 1.937 | 2.875 | 0.500 | 63 | 21158-1131 |
| 1.937 | 2.875 | 0.687 | 63R2 | 23548-4693 |
| 1.937 | 2.875 | 0.687 | 63T2 | 23550-4693 |
| 1.937 | 2.997 | 0.375 | 63 | 21158-1132 |
| 1.937 | 2.997 | 0.375 | 66 | 21527-1132 |
| 1.937 | 2.997 | 0.500 | 63 | 21158-1134 |
| 1.937 | 2.997 | 0.687 | 63R1 | 23547-9430 |
| 1.937 | 3.000 | 0.375 | 62 | 21702-1135 |
| **1.937** | **3.000** | **0.375** | **63** | **21158-1135** |
| 1.937 | 3.000 | 0.375 | 66 | 21527-1135 |
| 1.937 | 3.000 | 0.375 | 94 | 27223-1135 |
| 1.937 | 3.000 | 0.437 | 63 | 21158-1136 |
| 1.937 | 3.000 | 0.500 | 26 | 24600-1137 |
| 1.937 | 3.000 | 0.500 | 63 | 21158-1137 |
| 1.937 | 3.000 | 0.687 | 63R1 | 23547-6469 |
| 1.937 | 3.000 | 0.687 | 63T2 | 23550-6469 |
| 1.937 | 3.000 | 0.750 | IG | 29502-4120 |
| 1.937 | 3.062 | 0.375 | 63 | 21158-1138 |
| 1.937 | 3.062 | 0.375 | 66 | 21527-1138 |
| 1.937 | 3.062 | 0.437 | 63 | 21158-1139 |
| 1.937 | 3.062 | 0.500 | 63 | 21158-1140 |
| **1.937** | **3.125** | **0.375** | **63** | **21158-1141** |
| 1.937 | 3.125 | 0.375 | 66 | 21527-1141 |
| 1.937 | 3.125 | 0.437 | 63 | 21158-1142 |
| 1.937 | 3.125 | 0.500 | 63 | 21158-1143 |
| 1.937 | 3.125 | 0.625 | EQ | 24802-2108 |
| 1.937 | 3.147 | 0.375 | 63 | 21158-1144 |
| 1.937 | 3.147 | 0.375 | 66 | 21527-1144 |
| 1.937 | 3.150 | 0.375 | 63 | 21158-8094 |
| 1.937 | 3.189 | 0.375 | 63 | 21158-1147 |
| 1.937 | 3.189 | 0.375 | 66 | 21527-1147 |
| 1.937 | 3.189 | 0.437 | 63 | 21158-1148 |
| 1.937 | 3.189 | 0.500 | 63 | 21158-1149 |
| 1.937 | 3.250 | 0.375 | 26 | 24600-3308 |
| 1.937 | 3.250 | 0.375 | 26R1 | 24620-3308 |
| 1.937 | 3.250 | 0.375 | 94 | 27223-9086 |
| 1.937 | 3.350 | 0.500 | 63 | 21158-3889 |
| 1.937 | 3.350 | 0.687 | 63R2 | 23548-6792 |
| 1.937 | 3.544 | 0.375 | 94 | 27223-6266 |
| 1.937 | 3.548 | 0.375 | 26R1 | 24620-1109 |
| 1.938 | 2.412 | 0.625 | IG | 29507-5547 |
| 1.938 | 2.438 | 0.690 | EQ | 24807-2882 |
| 1.938 | 2.500 | 0.375 | 26 | 24600-1111 |
| 1.938 | 2.500 | 0.375 | 61 | 24060-2478 |
| 1.938 | 2.500 | 0.625 | IG | 29507-5703 |
| 1.938 | 2.500 | 0.690 | EQ | 24807-3413 |
| 1.938 | 2.563 | 0.974 | IGSPB | 29516-7092 |
| 1.938 | 2.623 | 0.625 | IG | 29507-5129 |
| 1.938 | 2.625 | 0.375 | 61 | 24063-1114 |
| 1.938 | 2.688 | 0.750 | IG | 29502-5713 |
| 1.938 | 2.750 | 0.375 | 61 | 24060-1120 |
| 1.938 | 2.812 | 0.625 | EQ | 24802-1141 |
| 1.938 | 2.875 | 0.375 | 61 | 24060-1129 |
| 1.938 | 2.875 | 0.437 | 26 | 24600-1130 |
| 1.938 | 2.875 | 0.625 | EQ | 24802-1743 |
| 1.938 | 2.875 | 0.750 | IG | 29502-4714 |
| 1.938 | 2.938 | 0.625 | EQ | 24802-2730 |
| 1.938 | 2.938 | 0.750 | IG | 29502-4277 |
| 1.938 | 2.996 | 0.438 | 26 | 24600-1124 |
| 1.938 | 3.000 | 0.437 | 26 | 24600-1125 |
| 1.938 | 3.000 | 0.625 | EQ | 24802-1123 |
| 1.938 | 3.149 | 0.750 | IG | 29502-5570 |
| 1.938 | 3.188 | 0.469 | 26 | 24600-1126 |
| 1.938 | 3.188 | 0.500 | 26 | 24600-1149 |
| 1.949 | 3.031 | 0.709 | 26R1 | 24620-3715 |
| 1.950 | 3.000 | 0.750 | IG | 29502-4688 |
| 1.962 | 2.962 | 0.750 | IG | 29502-4591 |
| 1.962 | 3.188 | 0.469 | 26 | 24600-1155 |
| 1.962 | 3.188 | 0.469 | 62 | 21702-1155 |
| 1.963 | 3.544 | 0.500 | 26 | 24600-1157 |
| 1.965 | 3.000 | 0.750 | IG | 29502-4665 |
| 1.967 | 2.967 | 0.625 | EQ | 24802-3266 |
| 1.967 | 2.967 | 0.625 | IG | 29507-3266 |
| 1.967 | 2.967 | 0.750 | IG | 29502-5168 |
| 1.968 | 2.718 | 0.750 | IG | 29502-4880 |
| 1.968 | 2.834 | 0.472 | 26R1 | 24620-1107 |
| 1.968 | 2.875 | 0.625 | EQ | 24802-1760 |
| 1.968 | 2.935 | 0.625 | EQ | 24802-2480 |
| 1.968 | 2.952 | 0.500 | EQ | 24801-1127 |
| 1.968 | 2.953 | 0.625 | EQ | 24802-1197 |
| 1.969 | 2.441 | 0.276 | 26R1 | 24620-1106 |
| 1.969 | 2.559 | 0.315 | 92 | 27063-0563 |
| 1.969 | 2.559 | 0.354 | 26R1 | 24620-7654 |
| 1.969 | 2.559 | 0.394 | 61 | 24060-1814 |
| 1.969 | 2.559 | 0.394 | 61 | 24061-1814 |
| 1.969 | 2.559 | 0.690 | EQ | 24807-3431 |
| 1.969 | 2.638 | 0.690 | EQ | 24807-2155 |
| 1.969 | 2.677 | 0.315 | 92 | 27063-0567 |
| 1.969 | 2.677 | 0.354 | 26R1 | 24620-1108 |
| 1.969 | 2.677 | 0.625 | IG | 29507-4945 |
| 1.969 | 2.677 | 0.690 | EQ | 24807-1846 |
| 1.969 | 2.686 | 0.375 | 62 | 21702-1150 |
| **1.969** | **2.686** | **0.375** | **63** | **21158-1150** |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 1.969 | 2.686 | 0.375 | 66 | 21527-1150 |
| 1.969 | 2.686 | 0.594 | 63F1 | 23078-5544 |
| 1.969 | 2.688 | 0.375 | 61 | 24061-2258 |
| 1.969 | 2.690 | 0.625 | IG | 29507-5554 |
| 1.969 | 2.750 | 0.375 | 61 | 24060-1153 |
| 1.969 | 2.750 | 0.375 | 62 | 21702-1153 |
| **1.969** | **2.750** | **0.375** | **63** | **21158-1153** |
| 1.969 | 2.750 | 0.375 | 66 | 21527-1153 |
| 1.969 | 2.750 | 0.437 | 63 | 21158-1154 |
| 1.969 | 2.756 | 0.375 | 61 | 24060-1156 |
| **1.969** | **2.756** | **0.375** | **63** | **21158-1156** |
| 1.969 | 2.756 | 0.375 | 66 | 21527-1156 |
| 1.969 | 2.756 | 0.394 | 26 | 24600-1104 |
| 1.969 | 2.756 | 0.625 | EQ | 24801-3225 |
| 1.969 | 2.756 | 0.690 | EQ | 24807-3229 |
| 1.969 | 2.756 | 0.750 | IG | 29502-4819 |
| 1.969 | 2.835 | 0.315 | 92 | 27063-0571 |
| 1.969 | 2.835 | 0.375 | 61 | 24060-6656 |
| 1.969 | 2.835 | 0.375 | 61 | 24064-6656 |
| 1.969 | 2.835 | 0.375 | 63 | 21158-6656 |
| 1.969 | 2.835 | 0.375 | 66 | 21527-6656 |
| 1.968 | 2.835 | 0.394 | 58 | 21003-2902 |
| 1.969 | 2.835 | 0.625 | EQ | 24801-4947 |
| 1.969 | 2.875 | 0.375 | 62 | 21702-1162 |
| 1.969 | 2.875 | 0.375 | 63 | 21158-1162 |
| 1.969 | 2.875 | 0.375 | 66 | 21527-1162 |
| 1.969 | 2.875 | 0.500 | 63 | 21158-1164 |
| 1.969 | 2.875 | 0.687 | 63F1 | 23078-5215 |
| 1.969 | 2.953 | 0.315 | 61 | 24061-2422 |
| 1.969 | 2.953 | 0.750 | IG | 29502-4700 |
| 1.969 | 2.992 | 0.750 | IG | 29502-5632 |
| 1.969 | 2.997 | 0.437 | 63 | 21158-1166 |
| 1.969 | 2.997 | 0.500 | 63 | 21158-1167 |
| 1.969 | 3.000 | 0.375 | 62 | 21702-1168 |
| **1.969** | **3.000** | **0.375** | **63** | **21158-1168** |
| 1.969 | 3.000 | 0.375 | 66 | 21527-1168 |
| 1.969 | 3.000 | 0.500 | 63 | 21158-1170 |
| **1.969** | **3.125** | **0.375** | **63** | **21158-1174** |
| 1.969 | 3.125 | 0.375 | 66 | 21527-1174 |
| 1.969 | 3.147 | 0.375 | 63 | 21158-1177 |
| 1.969 | 3.147 | 0.375 | 66 | 21527-1177 |
| 1.969 | 3.150 | 0.315 | 26 | 24600-1103 |
| 1.969 | 3.150 | 0.375 | 61 | 24060-7415 |
| 1.969 | 3.150 | 0.375 | 61 | 24061-7415 |
| 1.969 | 3.150 | 0.375 | 63 | 21158-7415 |
| 1.969 | 3.150 | 0.625 | EQ | 24802-1975 |
| 1.969 | 3.189 | 0.375 | 63 | 21158-1180 |
| 1.969 | 3.189 | 0.375 | 66 | 21527-1180 |
| 1.969 | 3.189 | 0.625 | EQ | 24801-2969 |
| **1.969** | **3.246** | **0.375** | **63** | **21158-1183** |
| 1.969 | 3.246 | 0.375 | 66 | 21527-1183 |
| 1.969 | 3.246 | 0.500 | 63 | 21158-1185 |

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 1.969 | 3.250 | 0.437 | 61 | 24060-2082 |
| 1.969 | 3.543 | 0.394 | 26R1 | 24620-1953 |
| 1.969 | 3.543 | 0.625 | EQ | 24802-3600 |
| 1.969 | 3.543 | 0.750 | IG | 29502-4553 |
| 1.969 | 4.331 | 0.375 | 26 | 24600-2621 |
| 1.969 | 4.331 | 0.375 | 26R1 | 24620-2621 |
| 1.969 | 4.331 | 0.375 | 94 | 27223-8005 |
| 1.980 | 2.875 | 0.625 | EQ | 24802-3524 |
| 1.998 | 2.500 | 0.625 | IG | 29507-5318 |
| 2.000 | 2.250 | 0.109 | 71 | 26001-6267 |
| **2.000** | **2.375** | **0.187** | **71** | **26001-7530** |
| **2.000** | **2.375** | **0.187** | **76** | **26193-7530** |
| 2.000 | 2.375 | 0.250 | 61 | 24060-7086 |
| **2.000** | **2.375** | **0.250** | **71** | **26001-7086** |
| 2.000 | 2.375 | 0.625 | IG | 29507-5744 |
| **2.000** | **2.500** | **0.250** | **92** | **27063-9013** |
| 2.000 | 2.500 | 0.375 | 61 | 24060-1421 |
| 2.000 | 2.500 | 0.625 | IG | 29507-5502 |
| 2.000 | 2.500 | 0.690 | EQ | 24807-2336 |
| 2.000 | 2.625 | 0.312 | 26 | 24600-4582 |
| 2.000 | 2.625 | 0.312 | 61 | 24060-4582 |
| 2.000 | 2.625 | 0.312 | 76 | 26193-4582 |
| 2.000 | 2.625 | 0.375 | 61 | 24060-1429 |
| 2.000 | 2.625 | 0.375 | 61 | 24061-1429 |
| 2.000 | 2.625 | 0.625 | IG | 29507-4539 |
| 2.000 | 2.670 | 0.690 | EQ | 24807-4851 |
| 2.000 | 2.686 | 0.375 | 62 | 21702-1186 |
| **2.000** | **2.686** | **0.375** | **63** | **21158-1186** |
| 2.000 | 2.686 | 0.375 | 66 | 21527-1186 |
| 2.000 | 2.686 | 0.375 | 67 | 21528-1186 |
| 2.000 | 2.686 | 0.375 | 68 | 21823-1186 |
| 2.000 | 2.686 | 0.437 | 63 | 21158-1187 |
| 2.000 | 2.686 | 0.500 | 63 | 21158-1188 |
| 2.000 | 2.686 | 0.687 | 63R2 | 23548-6608 |
| 2.000 | 2.686 | 0.687 | 68R2 | 23727-6608 |
| 2.000 | 2.690 | 0.690 | EQ | 24807-3297 |
| 2.000 | 2.710 | 0.690 | EQ | 24807-1361 |
| 2.000 | 2.712 | 0.625 | IG | 29507-5151 |
| 2.000 | 2.715 | 0.438 | 26 | 24600-1173 |
| 2.000 | 2.716 | 0.375 | 63 | 21158-1197 |
| 2.000 | 2.716 | 0.690 | EQ | 24807-4677 |
| 2.000 | 2.745 | 0.375 | 63 | 21158-1211 |
| 2.000 | 2.750 | 0.312 | 3 | 28003-2023 |
| 2.000 | 2.750 | 0.312 | 61 | 24060-1431 |
| 2.000 | 2.750 | 0.375 | 25 | 25058-1189 |
| 2.000 | 2.750 | 0.375 | 26 | 24600-1972 |
| 2.000 | 2.750 | 0.375 | 26R1 | 24620-1189 |
| 2.000 | 2.750 | 0.375 | 61 | 24060-1189 |
| 2.000 | 2.750 | 0.375 | 62 | 21702-1189 |
| **2.000** | **2.750** | **0.375** | **63** | **21158-1189** |
| 2.000 | 2.750 | 0.375 | 66 | 21527-1189 |
| 2.000 | 2.750 | 0.375 | 67 | 21528-1189 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 2.000 | 2.750 | 0.375 | 68 | 21823-1189 |
| 2.000 | 2.750 | 0.437 | 61 | 24060-1190 |
| 2.000 | 2.750 | 0.437 | 61 | 24062-1190 |
| 2.000 | 2.750 | 0.437 | 63 | 21158-1190 |
| 2.000 | 2.750 | 0.438 | 26 | 24600-1190 |
| 2.000 | 2.750 | 0.500 | 26 | 24600-1191 |
| 2.000 | 2.750 | 0.500 | 61 | 24062-1191 |
| 2.000 | 2.750 | 0.500 | 61 | 24063-1191 |
| 2.000 | 2.750 | 0.500 | 62 | 21702-1191 |
| 2.000 | 2.750 | 0.500 | 63 | 21158-1191 |
| 2.000 | 2.750 | 0.625 | 63F1 | 23078-5283 |
| 2.000 | 2.750 | 0.625 | EQ | 24802-1249 |
| 2.000 | 2.750 | 0.625 | IG | 29507-1249 |
| 2.000 | 2.750 | 0.687 | 63F1 | 23078-7563 |
| 2.000 | 2.750 | 0.687 | 63R1 | 23547-7563 |
| 2.000 | 2.750 | 0.687 | 63R2 | 23548-7563 |
| 2.000 | 2.750 | 0.687 | 63T2 | 23550-7563 |
| 2.000 | 2.750 | 0.687 | 66R2 | 23702-7563 |
| 2.000 | 2.750 | 0.750 | IG | 29502-4326 |
| **2.000** | **2.756** | **0.375** | **63** | **21158-1192** |
| 2.000 | 2.756 | 0.375 | 66 | 21527-1192 |
| 2.000 | 2.756 | 0.437 | 63 | 21158-1193 |
| 2.000 | 2.756 | 0.500 | 63 | 21158-1194 |
| 2.000 | 2.783 | 0.375 | 26 | 24600-1195 |
| 2.000 | 2.783 | 0.375 | 63 | 21158-1195 |
| 2.000 | 2.783 | 0.375 | 66 | 21527-1195 |
| 2.000 | 2.783 | 0.437 | 63 | 21158-1196 |
| 2.000 | 2.835 | 0.375 | 63 | 21158-8111 |
| 2.000 | 2.855 | 0.625 | EQ | 24802-3560 |
| 2.000 | 2.875 | 0.312 | 3 | 28003-2035 |
| 2.000 | 2.875 | 0.375 | 26 | 24600-1198 |
| 2.000 | 2.875 | 0.375 | 61 | 24060-1198 |
| **2.000** | **2.875** | **0.375** | **63** | **21158-1198** |
| 2.000 | 2.875 | 0.375 | 66 | 21527-1198 |
| 2.000 | 2.875 | 0.375 | 67 | 21528-1198 |
| 2.000 | 2.875 | 0.375 | 68 | 21823-1198 |
| 2.000 | 2.875 | 0.437 | 63 | 21158-1199 |
| 2.000 | 2.875 | 0.500 | 63 | 21158-1200 |
| 2.000 | 2.875 | 0.594 | 63F1 | 23078-7099 |
| 2.000 | 2.875 | 0.625 | EQ | 24801-1406 |
| 2.000 | 2.875 | 0.625 | EQ | 24802-1406 |
| **2.000** | **2.875** | **0.687** | **63R2** | **23548-4670** |
| 2.000 | 2.875 | 0.687 | 63T2 | 23550-4670 |
| 2.000 | 2.882 | 0.687 | 63T2 | 23550-5778 |
| 2.000 | 2.884 | 0.625 | EQ | 24802-3541 |
| 2.000 | 2.997 | 0.375 | 26R1 | 24620-1201 |
| 2.000 | 2.997 | 0.375 | 62 | 21702-1201 |
| **2.000** | **2.997** | **0.375** | **63** | **21158-1201** |
| 2.000 | 2.997 | 0.375 | 66 | 21527-1201 |
| 2.000 | 2.997 | 0.500 | 63 | 21158-1203 |
| 2.000 | 2.997 | 0.687 | 63R1 | 23547-5568 |
| 2.000 | 3.000 | 0.375 | 23 | 25003-1204 |
| 2.000 | 3.000 | 0.375 | 25 | 25058-1204 |
| 2.000 | 3.000 | 0.375 | 26 | 24600-1204 |
| 2.000 | 3.000 | 0.375 | 61 | 24060-1204 |
| 2.000 | 3.000 | 0.375 | 62 | 21702-1204 |
| **2.000** | **3.000** | **0.375** | **63** | **21158-1204** |
| 2.000 | 3.000 | 0.375 | 66 | 21527-1204 |
| 2.000 | 3.000 | 0.375 | 67 | 21528-1204 |
| 2.000 | 3.000 | 0.375 | 68 | 21823-1204 |
| 2.000 | 3.000 | 0.437 | 25 | 25058-1205 |
| 2.000 | 3.000 | 0.437 | 61 | 24060-1205 |
| 2.000 | 3.000 | 0.437 | 61 | 24061-1205 |
| 2.000 | 3.000 | 0.437 | 63 | 21158-1205 |
| 2.000 | 3.000 | 0.500 | 23 | 25003-1206 |
| 2.000 | 3.000 | 0.500 | 26 | 24600-1206 |
| 2.000 | 3.000 | 0.500 | 62 | 21702-1206 |
| **2.000** | **3.000** | **0.500** | **63** | **21158-1206** |
| 2.000 | 3.000 | 0.594 | 63F1 | 23078-6904 |
| 2.000 | 3.000 | 0.594 | 63T2 | 23550-6904 |
| 2.000 | 3.000 | 0.625 | EQ | 24801-1206 |
| 2.000 | 3.000 | 0.625 | EQ | 24801-1350 |
| 2.000 | 3.000 | 0.625 | EQ | 24802-1350 |
| 2.000 | 3.000 | 0.625 | IG | 29507-1350 |
| 2.000 | 3.000 | 0.687 | 63R1 | 23547-6438 |
| 2.000 | 3.000 | 0.687 | 63R2 | 23548-6438 |
| 2.000 | 3.000 | 0.687 | 63T2 | 23550-6438 |
| 2.000 | 3.000 | 0.750 | EQ | 24802-3349 |
| 2.000 | 3.000 | 0.750 | IG | 29500-3349 |
| 2.000 | 3.000 | 0.750 | IG | 29502-3349 |
| 2.000 | 3.062 | 0.375 | 63 | 21158-1207 |
| 2.000 | 3.062 | 0.375 | 66 | 21527-1207 |
| 2.000 | 3.062 | 0.500 | 63 | 21158-1209 |
| 2.000 | 3.062 | 0.594 | 63F1 | 23078-9666 |
| 2.000 | 3.125 | 0.375 | 62 | 21702-1210 |
| 2.000 | 3.125 | 0.375 | 63 | 21158-1210 |
| 2.000 | 3.125 | 0.375 | 66 | 21527-1210 |
| 2.000 | 3.125 | 0.375 | 123 | 21016-1210 |
| 2.000 | 3.125 | 0.500 | 63 | 21158-1212 |
| 2.000 | 3.125 | 0.625 | EQ | 24801-2001 |
| 2.000 | 3.125 | 0.625 | EQ | 24802-2001 |
| 2.000 | 3.125 | 0.687 | 63T2 | 23550-5053 |
| 2.000 | 3.125 | 0.750 | IG | 29502-4217 |
| 2.000 | 3.147 | 0.375 | 63 | 21158-1213 |
| 2.000 | 3.147 | 0.375 | 66 | 21527-1213 |
| 2.000 | 3.147 | 0.500 | 63 | 21158-1215 |
| 2.000 | 3.150 | 0.375 | 63 | 21158-8097 |
| 2.000 | 3.150 | 0.375 | 66 | 21527-8097 |
| 2.000 | 3.188 | 0.438 | 26 | 24600-1217 |
| 2.000 | 3.189 | 0.375 | 63 | 21158-1216 |
| 2.000 | 3.189 | 0.375 | 66 | 21527-1216 |
| 2.000 | 3.189 | 0.437 | 63 | 21158-1217 |
| 2.000 | 3.189 | 0.500 | 63 | 21158-1218 |
| 2.000 | 3.189 | 0.687 | 63R2 | 23548-6706 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| **2.000** | **3.246** | **0.375** | **63** | **21158-1219** |
| 2.000 | 3.246 | 0.375 | 66 | 21527-1219 |
| 2.000 | 3.246 | 0.500 | 63 | 21158-1221 |
| 2.000 | 3.246 | 0.687 | 63R2 | 23548-4866 |
| 2.000 | 3.246 | 0.687 | 63T2 | 23550-4866 |
| 2.000 | 3.250 | 0.437 | 61 | 24060-1446 |
| 2.000 | 3.250 | 0.750 | IG | 29502-5619 |
| 2.000 | 3.347 | 0.375 | 63 | 21158-8098 |
| **2.000** | **3.375** | **0.375** | **26** | **24600-1182** |
| 2.000 | 3.375 | 0.500 | 61 | 24060-3892 |
| **2.000** | **3.375** | **0.500** | **63** | **21158-3892** |
| 2.000 | 3.375 | 0.687 | 63R2 | 23548-6536 |
| 2.000 | 3.500 | 0.375 | 61 | 24060-1458 |
| 2.000 | 3.500 | 0.625 | EQ | 24802-5096 |
| 2.000 | 3.544 | 0.375 | 76 | 26193-7694 |
| 2.000 | 3.750 | 0.500 | 76 | 26193-8186 |
| 2.015 | 3.000 | 0.750 | IG | 29502-5160 |
| 2.027 | 2.626 | 0.625 | IG | 29507-5651 |
| 2.031 | 2.783 | 0.375 | 63 | 21158-3893 |
| 2.031 | 2.835 | 0.375 | 63 | 21158-8099 |
| 2.031 | 2.997 | 0.375 | 63 | 21158-1225 |
| 2.031 | 3.000 | 0.375 | 63 | 21158-1228 |
| 2.031 | 3.062 | 0.375 | 63 | 21158-1231 |
| 2.031 | 3.125 | 0.375 | 63 | 21158-1234 |
| 2.031 | 3.150 | 0.344 | 63 | 21158-3896 |
| 2.031 | 3.150 | 0.375 | 63 | 21158-8348 |
| 2.031 | 3.189 | 0.375 | 63 | 21158-1240 |
| 2.031 | 3.347 | 0.375 | 63 | 21158-8349 |
| 2.031 | 3.350 | 0.375 | 63 | 21158-1249 |
| 2.047 | 2.677 | 0.315 | 92 | 27063-0572 |
| 2.047 | 2.677 | 0.625 | IG | 29507-4948 |
| 2.047 | 2.750 | 0.690 | EQ | 24807-4713 |
| 2.047 | 2.835 | 0.315 | 92 | 27063-0573 |
| 2.047 | 2.953 | 0.625 | EQ | 24802-4660 |
| 2.047 | 3.150 | 0.750 | IG | 29502-5533 |
| 2.053 | 3.000 | 0.750 | IG | 29502-4489 |
| 2.060 | 3.060 | 0.625 | EQ | 24802-3083 |
| 2.062 | 2.661 | 0.187 | 92 | 27063-9537 |
| 2.062 | 2.783 | 0.375 | 63 | 21158-3897 |
| 2.062 | 2.783 | 0.375 | 66 | 21527-3897 |
| 2.062 | 2.835 | 0.375 | 63 | 21158-8100 |
| 2.062 | 2.875 | 0.375 | 62 | 21702-1252 |
| **2.062** | **2.875** | **0.375** | **63** | **21158-1252** |
| 2.062 | 2.875 | 0.375 | 66 | 21527-1252 |
| 2.062 | 2.875 | 0.437 | 63 | 21158-1253 |
| 2.062 | 2.875 | 0.468 | 26 | 24600-1224 |
| 2.062 | 2.875 | 0.500 | 63 | 21158-1254 |
| 2.062 | 2.875 | 0.687 | 63R1 | 23547-7346 |
| 2.062 | 2.875 | 0.750 | IG | 29502-5705 |
| 2.062 | 2.996 | 0.625 | EQ | 24802-1176 |
| 2.062 | 2.997 | 0.375 | 23 | 25003-1255 |
| 2.062 | 2.997 | 0.375 | 63 | 21158-1255 |
| 2.062 | 2.997 | 0.375 | 66 | 21527-1255 |
| 2.062 | 2.997 | 0.687 | 63R2 | 23548-9621 |
| 2.062 | 3.000 | 0.375 | 26 | 24600-1258 |
| 2.062 | 3.000 | 0.375 | 26R1 | 24620-1258 |
| **2.062** | **3.000** | **0.375** | **63** | **21158-1258** |
| 2.062 | 3.000 | 0.375 | 66 | 21527-1258 |
| 2.062 | 3.000 | 0.500 | 26 | 24600-1260 |
| 2.062 | 3.000 | 0.500 | 63 | 21158-1260 |
| 2.062 | 3.000 | 0.594 | 63F1 | 23078-7145 |
| 2.062 | 3.000 | 0.625 | EQ | 24802-1225 |
| 2.062 | 3.000 | 0.750 | IG | 29502-4119 |
| 2.062 | 3.062 | 0.375 | 26 | 24600-1261 |
| **2.062** | **3.062** | **0.375** | **63** | **21158-1261** |
| 2.062 | 3.062 | 0.375 | 66 | 21527-1261 |
| 2.062 | 3.062 | 0.375 | 94 | 27223-1261 |
| 2.062 | 3.062 | 0.500 | 63 | 21158-1263 |
| 2.062 | 3.062 | 0.687 | 63R1 | 23547-5476 |
| **2.062** | **3.125** | **0.375** | **63** | **21158-1264** |
| 2.062 | 3.125 | 0.375 | 66 | 21527-1264 |
| 2.062 | 3.125 | 0.500 | 63 | 21158-1266 |
| 2.062 | 3.125 | 0.625 | EQ | 24802-2115 |
| 2.062 | 3.125 | 0.750 | IG | 29502-5634 |
| 2.062 | 3.147 | 0.375 | 63 | 21158-1267 |
| 2.062 | 3.147 | 0.375 | 66 | 21527-1267 |
| 2.062 | 3.150 | 0.375 | 63 | 21158-8350 |
| 2.062 | 3.187 | 0.703 | 63R1 | 23547-5702 |
| 2.062 | 3.189 | 0.375 | 63 | 21158-1270 |
| 2.062 | 3.189 | 0.375 | 66 | 21527-1270 |
| 2.062 | 3.189 | 0.594 | 63F1 | 23078-4945 |
| 2.062 | 3.250 | 0.375 | 63 | 21158-1276 |
| 2.062 | 3.250 | 0.375 | 66 | 21527-1276 |
| 2.062 | 3.250 | 0.500 | 63 | 21158-1278 |
| 2.062 | 3.347 | 0.375 | 63 | 21158-4975 |
| 2.062 | 3.350 | 0.375 | 63 | 21158-1279 |
| 2.062 | 3.350 | 0.375 | 66 | 21527-1279 |
| 2.062 | 3.500 | 0.375 | 63 | 21158-9571 |
| 2.062 | 3.625 | 0.625 | EQ | 24802-4057 |
| 2.063 | 2.625 | 0.375 | 61 | 24060-1464 |
| 2.063 | 2.823 | 0.974 | IGSPB | 29516-7078 |
| 2.063 | 2.875 | 0.375 | 61 | 24060-1466 |
| 2.063 | 3.063 | 0.625 | EQ | 24802-2735 |
| 2.063 | 3.063 | 0.750 | IG | 29502-4278 |
| 2.065 | 3.000 | 0.750 | IG | 29502-4335 |
| 2.065 | 3.065 | 0.625 | EQ | 24802-4103 |
| 2.075 | 3.189 | 0.375 | 62 | 21702-1648 |
| 2.094 | 2.875 | 0.375 | 63 | 21158-1282 |
| 2.094 | 2.997 | 0.375 | 63 | 21158-1285 |
| 2.094 | 3.062 | 0.375 | 63 | 21158-1291 |
| 2.094 | 3.147 | 0.375 | 63 | 21158-1297 |
| 2.094 | 3.150 | 0.375 | 63 | 21158-8351 |
| 2.094 | 3.250 | 0.375 | 63 | 21158-1306 |
| 2.094 | 3.347 | 0.375 | 63 | 21158-8352 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 2.094 | 3.350 | 0.375 | 63 | 21158-1309 |
| 2.094 | 3.372 | 0.437 | 63 | 21158-1313 |
| 2.094 | 3.481 | 0.375 | 63 | 21158-1315 |
| 2.094 | 3.500 | 0.375 | 63 | 21158-1318 |
| **2.125** | **2.500** | **0.250** | **71** | **26001-5064** |
| 2.125 | 2.625 | 0.375 | 61 | 24060-2073 |
| 2.125 | 2.750 | 0.312 | 61 | 24060-1467 |
| 2.125 | 2.750 | 0.375 | 61 | 24060-4892 |
| 2.125 | 2.750 | 0.625 | IG | 29507-5922 |
| 2.125 | 2.762 | 0.250 | 76 | 26193-7995 |
| 2.125 | 2.763 | 0.690 | EQ | 24807-3238 |
| 2.125 | 2.833 | 0.438 | 26 | 24600-1319 |
| 2.125 | 2.835 | 0.375 | 63 | 21158-8112 |
| 2.125 | 2.875 | 0.375 | 3 | 28003-2171 |
| 2.125 | 2.875 | 0.375 | 25 | 25058-1321 |
| 2.125 | 2.875 | 0.375 | 26 | 24600-1321 |
| 2.125 | 2.875 | 0.375 | 61 | 24060-1321 |
| 2.125 | 2.875 | 0.375 | 62 | 21702-1321 |
| **2.125** | **2.875** | **0.375** | **63** | **21158-1321** |
| 2.125 | 2.875 | 0.375 | 66 | 21527-1321 |
| 2.125 | 2.875 | 0.375 | 67 | 21528-1321 |
| 2.125 | 2.875 | 0.375 | 68 | 21823-1321 |
| 2.125 | 2.875 | 0.437 | 26 | 24600-1320 |
| 2.125 | 2.875 | 0.437 | 61 | 24060-1320 |
| 2.125 | 2.875 | 0.437 | 63 | 21158-1322 |
| 2.125 | 2.875 | 0.469 | 63 | 21158-5688 |
| 2.125 | 2.875 | 0.500 | 62 | 21702-1323 |
| 2.125 | 2.875 | 0.500 | 63 | 21158-1323 |
| 2.125 | 2.875 | 0.500 | EQ | 24802-0709 |
| 2.125 | 2.875 | 0.594 | 63F1 | 23078-4916 |
| 2.125 | 2.875 | 0.625 | EQ | 24801-1322 |
| **2.125** | **2.875** | **0.625** | **EQ** | **24802-1322** |
| 2.125 | 2.875 | 0.625 | IG | 29507-1322 |
| 2.125 | 2.875 | 0.687 | 63F1 | 23078-4592 |
| 2.125 | 2.875 | 0.687 | 63R1 | 23547-4592 |
| 2.125 | 2.875 | 0.687 | 63R2 | 23548-4592 |
| 2.125 | 2.875 | 0.687 | 63T2 | 23550-4592 |
| 2.125 | 2.875 | 0.750 | IG | 29500-4109 |
| 2.125 | 2.875 | 0.750 | IG | 29502-4109 |
| 2.125 | 2.878 | 0.375 | 26R1 | 24620-1321 |
| 2.125 | 2.882 | 0.375 | 62 | 21702-3900 |
| 2.125 | 2.882 | 0.375 | 63 | 21158-3900 |
| 2.125 | 2.882 | 0.375 | 66 | 21527-3900 |
| 2.125 | 2.997 | 0.375 | 63 | 21158-1324 |
| 2.125 | 2.997 | 0.375 | 66 | 21527-1324 |
| 2.125 | 2.997 | 0.375 | 67 | 21528-1324 |
| 2.125 | 2.997 | 0.375 | 68 | 21823-1324 |
| 2.125 | 2.997 | 0.500 | 62 | 21702-1326 |
| 2.125 | 2.997 | 0.500 | 63 | 21158-1326 |
| 2.125 | 3.000 | 0.312 | 76 | 26193-9975 |
| 2.125 | 3.000 | 0.375 | 3 | 28003-2186 |
| 2.125 | 3.000 | 0.375 | 62 | 21702-1327 |
| **2.125** | **3.000** | **0.375** | **63** | **21158-1327** |
| 2.125 | 3.000 | 0.375 | 66 | 21527-1327 |
| 2.125 | 3.000 | 0.375 | 67 | 21528-1327 |
| 2.125 | 3.000 | 0.375 | 68 | 21823-1327 |
| 2.125 | 3.000 | 0.437 | 61 | 24060-1328 |
| 2.125 | 3.000 | 0.437 | 63 | 21158-1328 |
| 2.125 | 3.000 | 0.500 | 26 | 24600-1325 |
| 2.125 | 3.000 | 0.500 | 62 | 21702-1329 |
| 2.125 | 3.000 | 0.500 | 63 | 21158-1329 |
| 2.125 | 3.000 | 0.625 | EQ | 24801-1323 |
| 2.125 | 3.000 | 0.625 | EQ | 24802-1323 |
| 2.125 | 3.000 | 0.687 | 63F1 | 23078-6593 |
| 2.125 | 3.000 | 0.687 | 63R2 | 23548-6593 |
| 2.125 | 3.000 | 0.687 | 63T2 | 23550-6593 |
| 2.125 | 3.000 | 0.687 | 67R2 | 23683-6593 |
| 2.125 | 3.000 | 0.750 | IG | 29502-4205 |
| 2.125 | 3.050 | 0.625 | EQ | 24802-1849 |
| 2.125 | 3.061 | 0.687 | 63F1 | 23078-6794 |
| 2.125 | 3.062 | 0.375 | 63 | 21158-1330 |
| 2.125 | 3.062 | 0.375 | 66 | 21527-1330 |
| 2.125 | 3.062 | 0.437 | 63 | 21158-1331 |
| 2.125 | 3.062 | 0.500 | 62 | 21702-1332 |
| 2.125 | 3.062 | 0.500 | 63 | 21158-1332 |
| 2.125 | 3.062 | 0.750 | 63F1 | 23078-5687 |
| 2.125 | 3.125 | 0.375 | 26 | 24600-1333 |
| 2.125 | 3.125 | 0.375 | 62 | 21702-1333 |
| **2.125** | **3.125** | **0.375** | **63** | **21158-1333** |
| 2.125 | 3.125 | 0.375 | 66 | 21527-1333 |
| 2.125 | 3.125 | 0.437 | 61 | 24060-1334 |
| 2.125 | 3.125 | 0.437 | 61 | 24061-1334 |
| 2.125 | 3.125 | 0.437 | 63 | 21158-1334 |
| 2.125 | 3.125 | 0.438 | 26 | 24600-1334 |
| 2.125 | 3.125 | 0.500 | 23 | 25003-1335 |
| 2.125 | 3.125 | 0.500 | 63 | 21158-1335 |
| 2.125 | 3.125 | 0.500 | EQ | 24801-1335 |
| 2.125 | 3.125 | 0.594 | 63F1 | 23078-7484 |
| 2.125 | 3.125 | 0.625 | EQ | 24802-1761 |
| 2.125 | 3.125 | 0.687 | 63R2 | 23548-7160 |
| 2.125 | 3.125 | 0.687 | 63T2 | 23550-7160 |
| 2.125 | 3.125 | 0.750 | IG | 29500-4146 |
| 2.125 | 3.125 | 0.750 | IG | 29502-4146 |
| 2.125 | 3.129 | 0.625 | IG | 29507-5098 |
| 2.125 | 3.147 | 0.375 | 63 | 21158-1336 |
| 2.125 | 3.147 | 0.375 | 66 | 21527-1336 |
| 2.125 | 3.150 | 0.375 | 63 | 21158-8353 |
| 2.125 | 3.187 | 0.750 | IG | 29502-4617 |
| 2.125 | 3.189 | 0.375 | 63 | 21158-1339 |
| 2.125 | 3.189 | 0.375 | 66 | 21527-1339 |
| 2.125 | 3.189 | 0.437 | 62 | 21702-1340 |
| 2.125 | 3.189 | 0.500 | 63 | 21158-1341 |
| 2.125 | 3.189 | 0.625 | EQ | 24802-1010 |
| 2.125 | 3.189 | 0.750 | 63F1 | 23078-7787 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 2.125 | 3.250 | 0.375 | 26 | 24600-1345 |
| 2.125 | 3.250 | 0.375 | 61 | 24062-1345 |
| **2.125** | **3.250** | **0.375** | **63** | **21158-1345** |
| 2.125 | 3.250 | 0.375 | 66 | 21527-1345 |
| 2.125 | 3.250 | 0.437 | 63 | 21158-1346 |
| 2.125 | 3.250 | 0.438 | 61 | 24062-1346 |
| 2.125 | 3.250 | 0.500 | 63 | 21158-1347 |
| 2.125 | 3.250 | 0.594 | 63F1 | 23078-6605 |
| 2.125 | 3.250 | 0.625 | EQ | 24801-1854 |
| 2.125 | 3.250 | 0.625 | EQ | 24802-1854 |
| 2.125 | 3.250 | 0.750 | IG | 29502-4807 |
| 2.125 | 3.312 | 0.625 | EQ | 24802-2999 |
| 2.125 | 3.347 | 0.375 | 63 | 21158-8354 |
| 2.125 | 3.350 | 0.375 | 63 | 21158-1348 |
| 2.125 | 3.350 | 0.375 | 66 | 21527-1348 |
| 2.125 | 3.350 | 0.437 | 63 | 21158-1349 |
| 2.125 | 3.350 | 0.500 | 63 | 21158-1350 |
| 2.125 | 3.350 | 0.594 | 63F1 | 23078-4838 |
| 2.125 | 3.350 | 0.687 | 63R2 | 23548-8404 |
| 2.125 | 3.372 | 0.375 | 63 | 21158-1351 |
| 2.125 | 3.372 | 0.375 | 66 | 21527-1351 |
| 2.125 | 3.372 | 0.437 | 63 | 21158-1352 |
| 2.125 | 3.372 | 0.469 | 63 | 21158-1342 |
| 2.125 | 3.372 | 0.500 | 63 | 21158-1353 |
| 2.125 | 3.375 | 0.750 | IG | 29502-5003 |
| **2.125** | **3.500** | **0.375** | **63** | **21158-1357** |
| 2.125 | 3.500 | 0.375 | 66 | 21527-1357 |
| 2.125 | 3.500 | 0.500 | 63 | 21158-1359 |
| 2.125 | 3.500 | 0.625 | EQ | 24802-3058 |
| 2.125 | 3.500 | 0.750 | IG | 29502-5769 |
| 2.125 | 3.520 | 0.625 | EQ | 24802-1248 |
| 2.125 | 3.545 | 0.438 | 26 | 24600-1355 |
| 2.125 | 3.545 | 0.438 | 26R1 | 24620-1355 |
| 2.125 | 3.623 | 0.375 | 94 | 27223-9670 |
| 2.125 | 3.623 | 0.437 | 63 | 21158-3902 |
| 2.125 | 3.625 | 0.750 | IG | 29502-1745 |
| 2.125 | 3.875 | 0.625 | EQ | 24802-5368 |
| 2.125 | 4.000 | 0.625 | EQ | 24802-5369 |
| 2.134 | 3.066 | 0.750 | IG | 29520-5654 |
| 2.145 | 2.865 | 0.690 | EQ | 24807-3878 |
| 2.145 | 2.871 | 0.625 | IG | 29507-4839 |
| 2.147 | 2.875 | 0.625 | IG | 29507-5295 |
| 2.147 | 2.875 | 0.690 | EQ | 24807-2537 |
| 2.148 | 2.875 | 0.625 | IG | 29507-5478 |
| 2.149 | 2.875 | 0.625 | IG | 29507-4667 |
| 2.150 | 3.150 | 0.625 | EQ | 24802-3169 |
| 2.153 | 3.153 | 0.625 | EQ | 24802-3054 |
| 2.155 | 2.875 | 0.625 | IG | 29507-4337 |
| 2.155 | 2.875 | 0.690 | EQ | 24807-2866 |
| 2.156 | 2.835 | 0.375 | 63 | 21158-7667 |
| **2.156** | **2.875** | **0.375** | **63** | **21158-1360** |
| 2.156 | 2.882 | 0.375 | 63 | 21158-9407 |
| 2.156 | 2.997 | 0.375 | 63 | 21158-1363 |
| 2.156 | 2.997 | 0.500 | 63 | 21158-1365 |
| 2.156 | 3.000 | 0.375 | 62 | 21702-1366 |
| **2.156** | **3.000** | **0.375** | **63** | **21158-1366** |
| 2.156 | 3.147 | 0.375 | 63 | 21158-1375 |
| 2.156 | 3.150 | 0.375 | 63 | 21158-8355 |
| 2.156 | 3.189 | 0.375 | 61 | 24060-1378 |
| 2.156 | 3.189 | 0.375 | 63 | 21158-1378 |
| **2.156** | **3.250** | **0.375** | **63** | **21158-1384** |
| 2.156 | 3.250 | 0.437 | 63 | 21158-1385 |
| 2.156 | 3.347 | 0.375 | 63 | 21158-8117 |
| 2.156 | 3.350 | 0.500 | 63 | 21158-1389 |
| 2.156 | 3.372 | 0.375 | 63 | 21158-1390 |
| 2.156 | 3.372 | 0.687 | 63T2 | 23550-6929 |
| 2.156 | 3.500 | 0.375 | 63 | 21158-1396 |
| 2.156 | 3.500 | 0.500 | 63 | 21158-1398 |
| 2.156 | 3.544 | 0.375 | 63 | 21158-7218 |
| 2.156 | 4.725 | 0.375 | 26R1 | 24620-2122 |
| 2.156 | 4.725 | 0.375 | 94 | 27223-9977 |
| 2.158 | 3.150 | 0.625 | EQ | 24801-4444 |
| 2.158 | 3.158 | 0.750 | IG | 29502-4590 |
| 2.159 | 3.000 | 0.750 | IG | 29502-4403 |
| 2.160 | 3.160 | 0.625 | EQ | 24802-3052 |
| 2.160 | 3.160 | 0.625 | IG | 29507-3052 |
| 2.160 | 3.160 | 0.750 | IG | 29502-5538 |
| 2.160 | 3.195 | 0.750 | IG | 29502-4638 |
| 2.160 | 3.250 | 0.625 | EQ | 24801-3223 |
| 2.161 | 3.161 | 0.750 | IG | 29502-5053 |
| 2.165 | 2.756 | 0.315 | 61 | 24060-0574 |
| 2.165 | 2.756 | 0.315 | 92 | 27063-0574 |
| 2.165 | 2.756 | 0.625 | IG | 29507-4951 |
| 2.165 | 2.756 | 0.690 | EQ | 24807-2675 |
| 2.165 | 2.835 | 0.315 | 26R1 | 24620-1369 |
| 2.165 | 2.835 | 0.315 | 61 | 24060-0882 |
| 2.165 | 2.835 | 0.315 | 61 | 24064-0882 |
| 2.165 | 2.835 | 0.394 | 61 | 24060-1835 |
| 2.165 | 2.835 | 0.625 | IG | 29507-4952 |
| 2.165 | 2.874 | 0.690 | EQ | 24807-2485 |
| 2.165 | 2.952 | 0.690 | EQ | 24807-3505 |
| 2.165 | 2.953 | 0.394 | 92 | 27063-0575 |
| 2.165 | 2.953 | 0.750 | IG | 29502-4492 |
| 2.165 | 2.972 | 0.748 | EQSPB | 24816-7065 |
| 2.165 | 3.000 | 0.625 | EQ | 24802-1340 |
| 2.165 | 3.070 | 0.354 | 26R1 | 24620-1371 |
| 2.165 | 3.070 | 0.472 | 26R1 | 24620-1370 |
| 2.165 | 3.071 | 0.750 | IG | 29502-5542 |
| 2.165 | 3.150 | 0.315 | 92 | 27063-0576 |
| 2.165 | 3.150 | 0.394 | 26 | 24600-3587 |
| 2.165 | 3.150 | 0.625 | EQ | 24802-2005 |
| 2.165 | 3.150 | 0.750 | IG | 29502-4190 |
| 2.165 | 3.165 | 0.625 | EQ | 24801-1884 |
| 2.165 | 3.165 | 0.625 | EQ | 24802-1884 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 2.165 | 3.165 | 0.750 | IG | 29502-5342 |
| 2.165 | 3.189 | 0.625 | EQ | 24802-1805 |
| 2.165 | 3.189 | 0.750 | IG | 29502-4786 |
| 2.165 | 3.250 | 0.375 | 94 | 27223-8958 |
| 2.165 | 3.346 | 0.315 | 92 | 27063-0585 |
| 2.165 | 3.542 | 0.750 | IG | 29500-4744 |
| 2.165 | 3.543 | 0.625 | EQ | 24802-1906 |
| 2.165 | 3.544 | 0.375 | 94 | 27223-8006 |
| 2.165 | 3.937 | 0.375 | 26 | 24600-7209 |
| 2.165 | 3.937 | 0.375 | 94 | 27223-7209 |
| 2.166 | 3.937 | 0.625 | EQ | 24802-4447 |
| 2.174 | 3.174 | 0.625 | EQ | 24802-3015 |
| 2.185 | 3.185 | 0.625 | IG | 29507-5199 |
| 2.186 | 3.186 | 0.625 | EQ | 24801-2489 |
| 2.186 | 3.186 | 0.625 | EQ | 24802-2489 |
| 2.187 | 2.875 | 0.375 | 62 | 21702-1399 |
| **2.187** | **2.875** | **0.375** | **63** | **21158-1399** |
| 2.187 | 2.875 | 0.437 | 63 | 21158-1400 |
| 2.187 | 2.875 | 0.500 | 63 | 21158-1401 |
| 2.187 | 2.875 | 0.594 | 63F1 | 23078-6141 |
| 2.187 | 2.875 | 0.687 | 63T2 | 23550-4659 |
| 2.187 | 2.882 | 0.375 | 63 | 21158-3903 |
| 2.187 | 2.997 | 0.375 | 63 | 21158-3904 |
| 2.187 | 2.997 | 0.375 | 66 | 21527-3904 |
| 2.187 | 3.000 | 0.375 | 62 | 21702-1402 |
| **2.187** | **3.000** | **0.375** | **63** | **21158-1402** |
| 2.187 | 3.000 | 0.375 | 66 | 21527-1402 |
| 2.187 | 3.000 | 0.437 | 63 | 21158-1403 |
| 2.187 | 3.000 | 0.500 | 25 | 25058-1404 |
| 2.187 | 3.000 | 0.500 | 63 | 21158-1404 |
| 2.187 | 3.000 | 0.750 | IG | 29502-4204 |
| 2.187 | 3.062 | 0.375 | 63 | 21158-1405 |
| 2.187 | 3.062 | 0.375 | 66 | 21527-1405 |
| 2.187 | 3.062 | 0.437 | 63 | 21158-1406 |
| 2.187 | 3.062 | 0.500 | 63 | 21158-1407 |
| 2.187 | 3.062 | 0.625 | EQ | 24801-3247 |
| 2.187 | 3.125 | 0.375 | 62 | 21702-1408 |
| 2.187 | 3.125 | 0.375 | 63 | 21158-1408 |
| 2.187 | 3.125 | 0.375 | 66 | 21527-1408 |
| 2.187 | 3.125 | 0.500 | 63 | 21158-1410 |
| 2.187 | 3.147 | 0.375 | 63 | 21158-1411 |
| 2.187 | 3.147 | 0.375 | 66 | 21527-1411 |
| 2.187 | 3.147 | 0.500 | 63 | 21158-1413 |
| 2.187 | 3.147 | 0.687 | 63TB | 23549-6699 |
| 2.187 | 3.150 | 0.375 | 63 | 21158-8357 |
| 2.187 | 3.187 | 0.750 | IG | 29502-4279 |
| **2.187** | **3.189** | **0.375** | **63** | **21158-1414** |
| 2.187 | 3.189 | 0.375 | 66 | 21527-1414 |
| 2.187 | 3.189 | 0.437 | 63 | 21158-1415 |
| 2.187 | 3.189 | 0.500 | 63 | 21158-1416 |
| 2.187 | 3.189 | 0.625 | EQ | 24802-1353 |
| 2.187 | 3.246 | 0.437 | 63 | 21158-1417 |
| 2.187 | 3.246 | 0.437 | 66 | 21527-1417 |
| 2.187 | 3.250 | 0.375 | 62 | 21702-1420 |
| **2.187** | **3.250** | **0.375** | **63** | **21158-1420** |
| 2.187 | 3.250 | 0.375 | 66 | 21527-1420 |
| 2.187 | 3.250 | 0.500 | 63 | 21158-1422 |
| 2.187 | 3.347 | 0.375 | 63 | 21158-8358 |
| 2.187 | 3.350 | 0.375 | 63 | 21158-1423 |
| 2.187 | 3.350 | 0.375 | 66 | 21527-1423 |
| 2.187 | 3.350 | 0.437 | 63 | 21158-1424 |
| 2.187 | 3.350 | 0.500 | 63 | 21158-1425 |
| 2.187 | 3.372 | 0.375 | 63 | 21158-1426 |
| 2.187 | 3.372 | 0.375 | 66 | 21527-1426 |
| 2.187 | 3.372 | 0.500 | 63 | 21158-1428 |
| 2.187 | 3.481 | 0.375 | 63 | 21158-1429 |
| 2.187 | 3.481 | 0.375 | 66 | 21527-1429 |
| **2.187** | **3.500** | **0.375** | **63** | **21158-1432** |
| 2.187 | 3.500 | 0.375 | 66 | 21527-1432 |
| 2.187 | 3.500 | 0.500 | 63 | 21158-1434 |
| 2.187 | 3.500 | 0.687 | 63R2 | 23548-4848 |
| 2.187 | 4.331 | 0.375 | 94 | 27223-6281 |
| 2.187 | 5.118 | 0.375 | 94 | 27223-6282 |
| 2.187 | 5.125 | 0.625 | EQ | 24802-4482 |
| 2.188 | 2.823 | 0.974 | IGSPB | 29516-7093 |
| 2.188 | 2.825 | 1.125 | EQSPB | 24816-7020 |
| 2.188 | 2.832 | 0.625 | IG | 29507-5012 |
| 2.188 | 2.837 | 0.690 | EQ | 24807-5590 |
| 2.188 | 2.875 | 0.375 | 61 | 24060-1399 |
| 2.188 | 2.938 | 0.750 | IG | 29500-5722 |
| 2.188 | 2.938 | 1.007 | IGSPB | 29516-7105 |
| 2.188 | 3.000 | 0.500 | 26 | 24600-1404 |
| 2.188 | 3.000 | 0.500 | 62 | 21702-1404 |
| 2.188 | 3.000 | 0.500 | EQ | 24801-1404 |
| 2.188 | 3.000 | 0.625 | EQ | 24802-1119 |
| 2.188 | 3.062 | 0.690 | EQ | 24807-3249 |
| 2.188 | 3.125 | 0.375 | 26 | 24600-1408 |
| 2.188 | 3.250 | 0.625 | EQ | 24801-2474 |
| 2.188 | 3.251 | 0.750 | IG | 29502-5307 |
| 2.188 | 3.350 | 0.469 | 26 | 24600-1427 |
| 2.188 | 5.125 | 0.750 | IG | 29500-4485 |
| 2.200 | 2.750 | 0.625 | IG | 29507-5093 |
| 2.205 | 2.756 | 0.315 | 92 | 27063-0588 |
| 2.205 | 2.835 | 0.315 | 92 | 27063-0606 |
| 2.205 | 2.837 | 0.690 | EQ | 24807-4200 |
| 2.205 | 3.150 | 0.315 | 92 | 27063-0629 |
| 2.205 | 3.150 | 0.625 | EQ | 24802-4201 |
| 2.205 | 3.150 | 0.750 | IG | 29502-5545 |
| 2.205 | 3.346 | 0.315 | 92 | 27063-0633 |
| 2.219 | 2.997 | 0.375 | 63 | 21158-1435 |
| 2.219 | 2.997 | 0.594 | 63F1 | 23078-1437 |
| 2.219 | 3.000 | 0.375 | 62 | 21702-1438 |
| 2.219 | 3.000 | 0.375 | 63 | 21158-1438 |
| 2.219 | 3.150 | 0.375 | 63 | 21158-8359 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 2.219 | 3.250 | 0.375 | 63 | 21158-1456 |
| 2.219 | 3.347 | 0.375 | 63 | 21158-8360 |
| 2.219 | 3.372 | 0.375 | 63 | 21158-1462 |
| 2.219 | 3.500 | 0.375 | 63 | 21158-1468 |
| 2.222 | 3.222 | 0.625 | EQ | 24802-3056 |
| 2.225 | 3.225 | 0.750 | IG | 29502-5463 |
| 2.228 | 3.228 | 0.750 | IG | 29502-4812 |
| 2.230 | 3.230 | 0.625 | EQ | 24802-3153 |
| 2.232 | 3.543 | 0.375 | 63 | 21158-7702 |
| 2.240 | 3.240 | 0.750 | IG | 29502-5056 |
| 2.244 | 3.250 | 0.625 | EQ | 24802-4442 |
| 2.244 | 3.268 | 0.625 | EQ | 24802-1981 |
| 2.246 | 4.500 | 0.750 | IG | 29502-4368 |
| 2.248 | 3.150 | 0.750 | IG | 29502-5211 |
| **2.250** | **2.625** | **0.109** | **71** | **26001-6284** |
| 2.250 | 2.625 | 0.690 | EQ | 24807-2567 |
| 2.250 | 2.750 | 0.250 | 76 | 26193-7531 |
| 2.250 | 2.750 | 0.690 | EQ | 24807-1802 |
| 2.250 | 2.875 | 0.312 | 26 | 24600-1469 |
| 2.250 | 2.875 | 0.312 | 61 | 24060-1503 |
| 2.250 | 2.875 | 0.375 | 61 | 24060-1507 |
| 2.250 | 2.875 | 0.438 | 61 | 24060-2797 |
| 2.250 | 2.875 | 0.625 | IG | 29507-5564 |
| 2.250 | 2.875 | 0.690 | EQ | 24807-2667 |
| 2.250 | 2.938 | 1.007 | IG | 29516-7076 |
| 2.250 | 2.995 | 0.625 | EQ | 24801-1473 |
| 2.250 | 2.997 | 0.375 | 62 | 21702-1471 |
| **2.250** | **2.997** | **0.375** | **63** | **21158-1471** |
| 2.250 | 2.997 | 0.375 | 66 | 21527-1471 |
| 2.250 | 2.997 | 0.375 | 67 | 21528-1471 |
| 2.250 | 2.997 | 0.375 | 68 | 21823-1471 |
| 2.250 | 2.997 | 0.437 | 62 | 21702-1472 |
| 2.250 | 2.997 | 0.500 | 62 | 21702-1473 |
| 2.250 | 2.997 | 0.500 | 63 | 21158-1473 |
| 2.250 | 2.997 | 0.594 | 63F1 | 23078-5208 |
| 2.250 | 2.997 | 0.687 | 63F1 | 23078-6795 |
| 2.250 | 2.997 | 0.687 | 63R2 | 23548-6795 |
| 2.250 | 2.997 | 0.687 | 66R1 | 23722-6795 |
| 2.250 | 2.997 | 0.750 | 63F1 | 23078-8498 |
| 2.250 | 2.997 | 0.750 | 66F1 | 23692-8498 |
| 2.250 | 2.997 | 0.750 | IG | 29502-4408 |
| 2.250 | 3.000 | 0.375 | 3 | 28003-2303 |
| **2.250** | **3.000** | **0.375** | **26** | **24600-1474** |
| 2.250 | 3.000 | 0.375 | 61 | 24060-1474 |
| 2.250 | 3.000 | 0.375 | 62 | 21702-1474 |
| **2.250** | **3.000** | **0.375** | **63** | **21158-1474** |
| 2.250 | 3.000 | 0.375 | 66 | 21527-1474 |
| 2.250 | 3.000 | 0.375 | 67 | 21528-1474 |
| 2.250 | 3.000 | 0.375 | 68 | 21823-1474 |
| 2.250 | 3.000 | 0.437 | 61 | 24060-1475 |
| 2.250 | 3.000 | 0.437 | 61 | 24061-1475 |
| 2.250 | 3.000 | 0.437 | 62 | 21702-1475 |
| 2.250 | 3.000 | 0.437 | 63 | 21158-1475 |
| 2.250 | 3.000 | 0.500 | 61 | 24062-1476 |
| 2.250 | 3.000 | 0.500 | 62 | 21702-1476 |
| 2.250 | 3.000 | 0.500 | 63 | 21158-1476 |
| 2.250 | 3.000 | 0.500 | EQ | 24801-1476 |
| 2.250 | 3.000 | 0.625 | EQ | 24801-1479 |
| 2.250 | 3.000 | 0.625 | EQ | 24802-1479 |
| 2.250 | 3.000 | 0.625 | IG | 29519-1479 |
| 2.250 | 3.000 | 0.687 | 63F1 | 23078-6478 |
| **2.250** | **3.000** | **0.687** | **63R2** | **23548-6478** |
| 2.250 | 3.000 | 0.687 | 63T2 | 23550-6478 |
| 2.250 | 3.000 | 0.690 | EQ | 24807-3298 |
| 2.250 | 3.000 | 0.750 | IG | 29502-4462 |
| **2.250** | **3.062** | **0.375** | **63** | **21158-1477** |
| 2.250 | 3.062 | 0.375 | 66 | 21527-1477 |
| 2.250 | 3.062 | 0.437 | 26 | 24600-1470 |
| 2.250 | 3.062 | 0.500 | 63 | 21158-1479 |
| 2.250 | 3.125 | 0.250 | 92 | 27063-5774 |
| 2.250 | 3.125 | 0.375 | 3 | 28003-2317 |
| 2.250 | 3.125 | 0.375 | 23 | 25003-1480 |
| **2.250** | **3.125** | **0.375** | **63** | **21158-1480** |
| 2.250 | 3.125 | 0.375 | 66 | 21527-1480 |
| 2.250 | 3.125 | 0.437 | 61 | 24060-1508 |
| 2.250 | 3.125 | 0.437 | 63 | 21158-1481 |
| 2.250 | 3.125 | 0.500 | 23 | 25003-1482 |
| 2.250 | 3.125 | 0.500 | 26 | 24600-1482 |
| 2.250 | 3.125 | 0.500 | 63 | 21158-1482 |
| 2.250 | 3.125 | 0.500 | EQ | 24801-1482 |
| 2.250 | 3.125 | 0.625 | EQ | 24801-1483 |
| 2.250 | 3.125 | 0.625 | EQ | 24802-1483 |
| 2.250 | 3.125 | 0.687 | 63T2 | 23550-6995 |
| 2.250 | 3.125 | 0.750 | IG | 29502-5419 |
| 2.250 | 3.147 | 0.375 | 62 | 21702-1483 |
| **2.250** | **3.147** | **0.375** | **63** | **21158-1483** |
| 2.250 | 3.147 | 0.375 | 66 | 21527-1483 |
| 2.250 | 3.147 | 0.500 | 63 | 21158-1485 |
| 2.250 | 3.147 | 0.594 | 63F1 | 23078-7142 |
| 2.250 | 3.147 | 0.687 | 63R1 | 23547-4905 |
| 2.250 | 3.150 | 0.375 | 63 | 21158-8361 |
| 2.250 | 3.150 | 0.375 | 71 | 26001-8361 |
| 2.250 | 3.187 | 0.625 | EQ | 24802-1180 |
| **2.250** | **3.189** | **0.375** | **63** | **21158-1486** |
| 2.250 | 3.189 | 0.375 | 66 | 21527-1486 |
| 2.250 | 3.189 | 0.437 | 63 | 21158-1487 |
| 2.250 | 3.189 | 0.625 | EQ | 24801-1901 |
| 2.250 | 3.189 | 0.625 | EQ | 24802-1901 |
| 2.250 | 3.190 | 0.690 | EQ | 24807-3778 |
| 2.250 | 3.190 | 0.750 | IG | 29502-4367 |
| 2.250 | 3.246 | 0.375 | 62 | 21702-1489 |
| **2.250** | **3.246** | **0.375** | **63** | **21158-1489** |
| 2.250 | 3.246 | 0.375 | 66 | 21527-1489 |
| 2.250 | 3.246 | 0.500 | 63 | 21158-1491 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 2.250 | 3.246 | 0.687 | 63R1 | 23547-7691 |
| 2.250 | 3.250 | 0.375 | 23 | 25003-1492 |
| **2.250** | **3.250** | **0.375** | **26** | **24600-1492** |
| 2.250 | 3.250 | 0.375 | 62 | 21702-1492 |
| **2.250** | **3.250** | **0.375** | **63** | **21158-1492** |
| 2.250 | 3.250 | 0.375 | 66 | 21527-1492 |
| 2.250 | 3.250 | 0.375 | 67 | 21528-1492 |
| 2.250 | 3.250 | 0.375 | 68 | 21823-1492 |
| 2.250 | 3.250 | 0.437 | 61 | 24060-1493 |
| 2.250 | 3.250 | 0.437 | 61 | 24063-1493 |
| 2.250 | 3.250 | 0.437 | 63 | 21158-1493 |
| 2.250 | 3.250 | 0.438 | 23 | 25003-1493 |
| 2.250 | 3.250 | 0.500 | 23 | 25003-1494 |
| 2.250 | 3.250 | 0.500 | 25 | 25058-1494 |
| 2.250 | 3.250 | 0.500 | 61 | 24062-1494 |
| 2.250 | 3.250 | 0.500 | 62 | 21702-1494 |
| **2.250** | **3.250** | **0.500** | **63** | **21158-1494** |
| 2.250 | 3.250 | 0.500 | EQ | 24801-1494 |
| 2.250 | 3.250 | 0.500 | EQ | 24802-1494 |
| 2.250 | 3.250 | 0.625 | EQ | 24801-1493 |
| 2.250 | 3.250 | 0.625 | EQ | 24802-1493 |
| 2.250 | 3.250 | 0.687 | 63R2 | 23548-4665 |
| 2.250 | 3.250 | 0.687 | 63T2 | 23550-4665 |
| 2.250 | 3.250 | 0.687 | 63TF | 23735-4665 |
| 2.250 | 3.250 | 0.750 | IG | 29500-4148 |
| 2.250 | 3.250 | 0.750 | IG | 29502-4148 |
| 2.250 | 3.251 | 0.375 | 3 | 28003-2329 |
| 2.250 | 3.312 | 0.625 | EQ | 24801-5732 |
| 2.250 | 3.347 | 0.375 | 63 | 21158-8362 |
| 2.250 | 3.350 | 0.375 | 62 | 21702-1495 |
| **2.250** | **3.350** | **0.375** | **63** | **21158-1495** |
| 2.250 | 3.350 | 0.375 | 66 | 21527-1495 |
| 2.250 | 3.350 | 0.437 | 63 | 21158-1496 |
| 2.250 | 3.350 | 0.469 | 63 | 21158-5560 |
| 2.250 | 3.350 | 0.500 | 63 | 21158-1497 |
| 2.250 | 3.350 | 0.625 | EQ | 24802-1498 |
| 2.250 | 3.350 | 0.687 | 63R1 | 23547-7382 |
| 2.250 | 3.353 | 0.375 | 26 | 24600-1508 |
| 2.250 | 3.372 | 0.375 | 63 | 21158-1498 |
| 2.250 | 3.372 | 0.375 | 66 | 21527-1498 |
| 2.250 | 3.372 | 0.437 | 63 | 21158-1499 |
| 2.250 | 3.372 | 0.500 | 63 | 21158-1500 |
| 2.250 | 3.372 | 0.594 | 63F1 | 23078-4938 |
| 2.250 | 3.372 | 0.687 | 63T2 | 23550-9844 |
| 2.250 | 3.372 | 0.687 | 63TB | 23549-9844 |
| 2.250 | 3.375 | 0.437 | 61 | 24060-1509 |
| 2.250 | 3.375 | 0.500 | 26 | 24600-1509 |
| 2.250 | 3.375 | 0.625 | EQ | 24801-1245 |
| 2.250 | 3.375 | 0.625 | EQ | 24802-1245 |
| 2.250 | 3.481 | 0.375 | 63 | 21158-1501 |
| 2.250 | 3.481 | 0.375 | 66 | 21527-1501 |
| 2.250 | 3.500 | 0.375 | 26 | 24600-1504 |
| 2.250 | 3.500 | 0.375 | 62 | 21702-1504 |
| **2.250** | **3.500** | **0.375** | **63** | **21158-1504** |
| 2.250 | 3.500 | 0.375 | 66 | 21527-1504 |
| 2.250 | 3.500 | 0.375 | 67 | 21528-1504 |
| 2.250 | 3.500 | 0.375 | 68 | 21823-1504 |
| 2.250 | 3.500 | 0.437 | 61 | 24060-1505 |
| 2.250 | 3.500 | 0.437 | 62 | 21702-1505 |
| 2.250 | 3.500 | 0.437 | 63 | 21158-1505 |
| 2.250 | 3.500 | 0.500 | 63 | 21158-1506 |
| 2.250 | 3.500 | 0.594 | 63F1 | 23078-4735 |
| 2.250 | 3.500 | 0.625 | EQ | 24802-1755 |
| 2.250 | 3.500 | 0.687 | 63R1 | 23547-6757 |
| 2.250 | 3.500 | 0.687 | 63T2 | 23550-6757 |
| 2.250 | 3.500 | 0.703 | 63R1 | 23547-5528 |
| 2.250 | 3.500 | 0.750 | IG | 29502-5820 |
| 2.250 | 3.625 | 0.437 | 61 | 24060-1511 |
| 2.250 | 3.625 | 0.625 | EQ | 24801-3366 |
| 2.250 | 3.625 | 0.625 | EQ | 24802-3366 |
| 2.250 | 3.625 | 0.750 | IG | 29500-4874 |
| 2.250 | 3.625 | 0.750 | IG | 29502-4874 |
| 2.250 | 3.750 | 0.500 | 26 | 24600-1511 |
| 2.258 | 3.258 | 0.750 | IG | 29502-4813 |
| 2.264 | 3.250 | 0.625 | EQ | 24802-2897 |
| 2.275 | 3.275 | 0.750 | IG | 29502-5734 |
| 2.280 | 3.280 | 0.625 | EQ | 24802-2312 |
| 2.280 | 3.280 | 0.750 | IG | 29502-4338 |
| 2.281 | 3.000 | 0.375 | 63 | 21158-1510 |
| 2.281 | 3.062 | 0.375 | 63 | 21158-1513 |
| 2.281 | 3.147 | 0.437 | 63 | 21158-1520 |
| 2.281 | 3.150 | 0.375 | 63 | 21158-8363 |
| 2.281 | 3.154 | 0.375 | 63 | 21158-8904 |
| 2.281 | 3.347 | 0.375 | 63 | 21158-8364 |
| 2.281 | 3.500 | 0.375 | 63 | 21158-1540 |
| **2.281** | **3.543** | **0.375** | **63** | **21158-1543** |
| 2.281 | 3.623 | 0.375 | 63 | 21158-1546 |
| 2.281 | 3.623 | 0.500 | 63 | 21158-1548 |
| 2.283 | 2.835 | 0.315 | 92 | 27063-0745 |
| 2.283 | 3.150 | 0.315 | 92 | 27063-0635 |
| 2.283 | 3.150 | 0.500 | EQ | 24801-1985 |
| 2.283 | 3.346 | 0.394 | 92 | 27063-0642 |
| 2.283 | 3.543 | 0.625 | EQ | 24802-3025 |
| 2.283 | 3.835 | 0.690 | EQ | 24807-3657 |
| 2.283 | 4.409 | 0.750 | IG | 29502-5931 |
| 2.300 | 3.300 | 0.750 | IG | 29502-5825 |
| 2.307 | 4.331 | 0.625 | EQ | 24802-3577 |
| **2.312** | **2.997** | **0.375** | **63** | **21158-1552** |
| **2.312** | **3.000** | **0.375** | **63** | **21158-1555** |
| 2.312 | 3.000 | 0.500 | 63 | 21158-1557 |
| 2.312 | 3.000 | 0.687 | 63R2 | 23548-9604 |
| 2.312 | 3.062 | 0.375 | 26 | 24600-3300 |
| 2.312 | 3.062 | 0.375 | 63 | 21158-1558 |
| 2.312 | 3.062 | 0.625 | EQ | 24801-3239 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 2.312 | 3.062 | 0.690 | EQ | 24807-3237 |
| 2.312 | 3.125 | 0.375 | 26 | 24600-1561 |
| **2.312** | **3.125** | **0.375** | **63** | **21158-1561** |
| 2.312 | 3.125 | 0.500 | 61 | 24062-1563 |
| 2.312 | 3.125 | 0.500 | 63 | 21158-1563 |
| 2.312 | 3.150 | 0.375 | 63 | 21158-8365 |
| 2.312 | 3.187 | 0.690 | EQ | 24807-3645 |
| 2.312 | 3.189 | 0.375 | 63 | 21158-1567 |
| 2.312 | 3.246 | 0.375 | 63 | 21158-1570 |
| 2.312 | 3.250 | 0.375 | 63 | 21158-1573 |
| 2.312 | 3.250 | 0.500 | 25 | 25058-1575 |
| 2.312 | 3.250 | 0.500 | 26R1 | 24620-1575 |
| 2.312 | 3.250 | 0.500 | 63 | 21158-1575 |
| 2.312 | 3.250 | 0.500 | EQ | 24801-1552 |
| 2.312 | 3.250 | 0.687 | 61 | 24062-4958 |
| 2.312 | 3.250 | 0.687 | 63R2 | 23548-4958 |
| 2.312 | 3.250 | 0.687 | 63T2 | 23550-4958 |
| 2.312 | 3.250 | 0.750 | IG | 29502-4478 |
| 2.312 | 3.347 | 0.375 | 63 | 21158-8366 |
| 2.312 | 3.350 | 0.375 | 63 | 21158-1576 |
| 2.312 | 3.350 | 0.500 | 63 | 21158-1578 |
| 2.312 | 3.371 | 0.625 | EQ | 24802-3480 |
| 2.312 | 3.372 | 0.375 | 63 | 21158-1579 |
| 2.312 | 3.372 | 0.500 | 63 | 21158-1581 |
| 2.312 | 3.438 | 0.625 | EQ | 24802-3582 |
| 2.312 | 3.481 | 0.375 | 63 | 21158-1582 |
| 2.312 | 3.481 | 0.500 | 63 | 21158-1584 |
| 2.312 | 3.500 | 0.375 | 63 | 21158-1585 |
| 2.312 | 3.500 | 0.500 | 62 | 21702-1587 |
| 2.312 | 3.500 | 0.500 | 63 | 21158-1587 |
| 2.312 | 3.500 | 0.625 | EQ | 24802-2632 |
| 2.312 | 3.500 | 0.750 | IG | 29502-5653 |
| 2.312 | 3.543 | 0.375 | 63 | 21158-1588 |
| 2.312 | 3.625 | 0.625 | EQ | 24802-4392 |
| 2.312 | 3.750 | 0.625 | EQ | 24801-3267 |
| 2.312 | 3.750 | 0.750 | IG | 29502-5818 |
| 2.312 | 3.751 | 0.375 | 63 | 21158-1594 |
| 2.312 | 3.751 | 0.500 | 63 | 21158-1596 |
| 2.312 | 3.751 | 0.687 | 63R1 | 23547-6043 |
| 2.312 | 3.812 | 0.750 | IG | 29500-4861 |
| 2.313 | 3.250 | 0.625 | EQ | 24802-1552 |
| 2.313 | 3.250 | 0.625 | EQ | 24802-1766 |
| 2.313 | 3.313 | 0.625 | EQ | 24801-1351 |
| 2.313 | 3.313 | 0.625 | EQ | 24802-1351 |
| 2.313 | 3.313 | 0.750 | IG | 29502-4257 |
| 2.313 | 3.355 | 0.625 | EQ | 24801-1136 |
| 2.317 | 3.375 | 0.750 | IG | 29502-5059 |
| 2.327 | 3.250 | 0.500 | EQ | 24801-1557 |
| 2.335 | 3.335 | 0.750 | IG | 29502-5801 |
| 2.341 | 3.151 | 0.750 | IG | 29502-5729 |
| 2.344 | 3.062 | 0.375 | 63 | 21158-1597 |
| 2.344 | 3.062 | 0.375 | 66 | 21527-1597 |
| **2.344** | **3.125** | **0.375** | **63** | **21158-1600** |
| 2.344 | 3.125 | 0.500 | 26 | 24600-1602 |
| 2.344 | 3.125 | 0.500 | 63 | 21158-1602 |
| 2.344 | 3.147 | 0.375 | 63 | 21158-1603 |
| 2.344 | 3.150 | 0.375 | 63 | 21158-8367 |
| 2.344 | 3.219 | 0.625 | 23 | 25003-8276 |
| **2.344** | **3.250** | **0.375** | **63** | **21158-1612** |
| 2.344 | 3.347 | 0.375 | 63 | 21158-8368 |
| 2.344 | 3.350 | 0.375 | 63 | 21158-1615 |
| 2.344 | 3.350 | 0.687 | 63R1 | 23547-6941 |
| 2.344 | 3.372 | 0.375 | 63 | 21158-1618 |
| 2.344 | 3.372 | 0.500 | 63 | 21158-1620 |
| 2.344 | 3.481 | 0.375 | 63 | 21158-1621 |
| 2.344 | 3.500 | 0.375 | 61 | 24060-1624 |
| 2.344 | 3.500 | 0.375 | 63 | 21158-1624 |
| 2.344 | 3.500 | 0.500 | 63 | 21158-1626 |
| 2.344 | 3.543 | 0.375 | 63 | 21158-1627 |
| 2.344 | 3.543 | 0.500 | 63 | 21158-1629 |
| 2.344 | 3.623 | 0.375 | 63 | 21158-1630 |
| 2.344 | 3.751 | 0.375 | 63 | 21158-1633 |
| **2.344** | **3.876** | **0.375** | **63** | **21158-1636** |
| 2.344 | 3.876 | 0.500 | 63 | 21158-1638 |
| 2.345 | 3.375 | 0.750 | IG | 29502-5443 |
| 2.350 | 3.350 | 0.625 | EQ | 24802-2618 |
| 2.350 | 3.350 | 0.750 | IG | 29502-4609 |
| 2.350 | 3.375 | 0.750 | IG | 29502-4687 |
| 2.352 | 3.375 | 0.750 | IG | 29502-4601 |
| 2.354 | 3.354 | 0.750 | IG | 29502-5076 |
| 2.355 | 3.870 | 0.750 | IG | 29502-4351 |
| 2.356 | 3.625 | 0.625 | EQ | 24802-1943 |
| 2.356 | 3.780 | 0.750 | IG | 29502-5473 |
| 2.357 | 3.357 | 0.625 | EQ | 24802-2951 |
| 2.359 | 2.734 | 0.690 | EQ | 24807-2874 |
| 2.360 | 3.150 | 0.375 | 61 | 24060-0653 |
| 2.360 | 3.228 | 0.690 | EQ | 24807-1876 |
| 2.360 | 3.360 | 0.750 | IG | 29500-4883 |
| 2.360 | 3.360 | 0.750 | IG | 29502-4883 |
| 2.360 | 3.375 | 0.750 | IG | 29502-4693 |
| 2.360 | 4.090 | 0.625 | EQ | 24802-3540 |
| 2.362 | 2.953 | 0.315 | 26R1 | 24620-1605 |
| 2.362 | 2.953 | 0.315 | 58 | 21003-1490 |
| 2.362 | 2.953 | 0.315 | 61 | 24060-1490 |
| 2.362 | 2.953 | 0.625 | IG | 29507-4458 |
| 2.362 | 3.071 | 0.394 | 26 | 24600-1565 |
| 2.362 | 3.111 | 0.750 | IG | 29502-5535 |
| 2.362 | 3.112 | 0.375 | 23 | 25003-8905 |
| 2.362 | 3.150 | 0.315 | 92 | 27063-0653 |
| 2.362 | 3.150 | 0.394 | 26 | 24600-5115 |
| 2.362 | 3.150 | 0.394 | 61 | 24060-1839 |
| 2.362 | 3.150 | 0.625 | EQ | 24801-5431 |
| 2.362 | 3.150 | 0.625 | EQ | 24802-1348 |
| 2.362 | 3.150 | 0.625 | IG | 29507-1348 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 2.362 | 3.150 | 0.690 | EQ | 24807-3639 |
| 2.362 | 3.150 | 0.750 | IG | 29502-5543 |
| 2.362 | 3.228 | 0.472 | 26R1 | 24620-1606 |
| 2.362 | 3.228 | 0.625 | EQ | 24801-1876 |
| 2.362 | 3.228 | 0.625 | EQ | 24802-1876 |
| 2.362 | 3.308 | 0.625 | IG | 29507-5126 |
| 2.362 | 3.308 | 0.625 | IG | 29519-5126 |
| 2.362 | 3.346 | 0.315 | 92 | 27063-0672 |
| 2.362 | 3.346 | 0.625 | EQ | 24802-2651 |
| 2.362 | 3.346 | 0.625 | EQ | 24802-3309 |
| 2.362 | 3.346 | 0.750 | IG | 29502-4191 |
| 2.362 | 3.362 | 0.625 | EQ | 24802-1806 |
| 2.362 | 3.362 | 0.750 | IG | 29500-5512 |
| 2.362 | 3.366 | 0.750 | EQSPB | 24816-7058 |
| 2.362 | 3.366 | 0.788 | IGSPB | 29516-7136 |
| 2.362 | 3.543 | 0.315 | 92 | 27063-0683 |
| 2.362 | 3.543 | 0.500 | EQ | 24801-1870 |
| 2.362 | 3.543 | 0.551 | 26R1 | 24620-1031 |
| 2.362 | 3.543 | 0.625 | EQ | 24801-2488 |
| 2.362 | 4.331 | 0.512 | 58 | 21003-2488 |
| 2.363 | 3.127 | 0.375 | 26 | 24600-1568 |
| 2.363 | 3.150 | 0.750 | IG | 29502-6231 |
| 2.375 | 2.875 | 0.312 | 61 | 24060-1512 |
| 2.375 | 2.938 | 0.625 | IG | 29507-5063 |
| 2.375 | 2.948 | 0.974 | IGSPB | 29516-7081 |
| 2.375 | 3.000 | 0.312 | 61 | 24060-1514 |
| 2.375 | 3.000 | 0.437 | 61 | 24060-1523 |
| 2.375 | 3.000 | 0.625 | IG | 29507-5265 |
| 2.375 | 3.062 | 0.375 | 62 | 21702-1639 |
| **2.375** | **3.062** | **0.375** | **63** | **21158-1639** |
| 2.375 | 3.062 | 0.375 | 66 | 21527-1639 |
| 2.375 | 3.062 | 0.375 | 67 | 21528-1639 |
| 2.375 | 3.062 | 0.375 | 68 | 21823-1639 |
| 2.375 | 3.062 | 0.500 | 26 | 24600-1639 |
| 2.375 | 3.062 | 0.500 | 63 | 21158-1641 |
| 2.375 | 3.062 | 0.625 | IG | 29507-4547 |
| 2.375 | 3.062 | 0.687 | 63R2 | 23548-5968 |
| 2.375 | 3.062 | 0.690 | EQ | 24807-3198 |
| 2.375 | 3.125 | 0.375 | 23 | 25003-1642 |
| 2.375 | 3.125 | 0.375 | 26 | 24600-1642 |
| 2.375 | 3.125 | 0.375 | 26R1 | 24620-1642 |
| 2.375 | 3.125 | 0.375 | 61 | 24060-1642 |
| 2.375 | 3.125 | 0.375 | 61 | 24061-1642 |
| 2.375 | 3.125 | 0.375 | 62 | 21702-1642 |
| **2.375** | **3.125** | **0.375** | **63** | **21158-1642** |
| 2.375 | 3.125 | 0.375 | 66 | 21527-1642 |
| 2.375 | 3.125 | 0.500 | 62 | 21702-1644 |
| 2.375 | 3.125 | 0.500 | 63 | 21158-1644 |
| 2.375 | 3.125 | 0.500 | EQ | 24801-1644 |
| 2.375 | 3.125 | 0.594 | 63F1 | 23078-6459 |
| 2.375 | 3.125 | 0.625 | EQ | 24802-1645 |
| 2.375 | 3.125 | 0.687 | 63R1 | 23547-6898 |
| 2.375 | 3.125 | 0.690 | EQ | 24807-2831 |
| 2.375 | 3.125 | 0.750 | IG | 29502-4324 |
| 2.375 | 3.126 | 0.500 | EQ | 24801-0716 |
| 2.375 | 3.130 | 0.750 | IG | 29502-5585 |
| **2.375** | **3.147** | **0.375** | **63** | **21158-1645** |
| 2.375 | 3.147 | 0.375 | 66 | 21527-1645 |
| 2.375 | 3.147 | 0.500 | 63 | 21158-1647 |
| 2.375 | 3.150 | 0.375 | 63 | 21158-8369 |
| 2.375 | 3.150 | 0.375 | 66 | 21527-8369 |
| 2.375 | 3.188 | 0.438 | 26 | 24600-1572 |
| 2.375 | 3.189 | 0.375 | 63 | 21158-1648 |
| 2.375 | 3.189 | 0.375 | 66 | 21527-1648 |
| 2.375 | 3.189 | 0.500 | 63 | 21158-1650 |
| 2.375 | 3.246 | 0.375 | 63 | 21158-1651 |
| 2.375 | 3.246 | 0.375 | 66 | 21527-1651 |
| 2.375 | 3.246 | 0.500 | 63 | 21158-1653 |
| 2.375 | 3.246 | 0.594 | 63F1 | 23078-4746 |
| 2.375 | 3.250 | 0.328 | 26 | 24600-1580 |
| 2.375 | 3.250 | 0.375 | 62 | 21702-1654 |
| **2.375** | **3.250** | **0.375** | **63** | **21158-1654** |
| 2.375 | 3.250 | 0.375 | 66 | 21527-1654 |
| 2.375 | 3.250 | 0.375 | 67 | 21528-1654 |
| 2.375 | 3.250 | 0.375 | 68 | 21823-1654 |
| 2.375 | 3.250 | 0.437 | 61 | 24060-1655 |
| 2.375 | 3.250 | 0.437 | 63 | 21158-1655 |
| 2.375 | 3.250 | 0.500 | 62 | 21702-1656 |
| 2.375 | 3.250 | 0.500 | 63 | 21158-1656 |
| 2.375 | 3.250 | 0.500 | 66 | 21527-1656 |
| 2.375 | 3.250 | 0.500 | EQ | 24801-0738 |
| 2.375 | 3.250 | 0.625 | EQ | 24801-1581 |
| **2.375** | **3.250** | **0.625** | **EQ** | **24802-1581** |
| 2.375 | 3.250 | 0.625 | IG | 29507-1581 |
| 2.375 | 3.250 | 0.750 | IG | 29500-4112 |
| **2.375** | **3.250** | **0.750** | **IG** | **29502-4112** |
| 2.375 | 3.255 | 0.750 | IG | 29502-5081 |
| 2.375 | 3.347 | 0.375 | 63 | 21158-8370 |
| 2.375 | 3.350 | 0.375 | 23 | 25003-1657 |
| **2.375** | **3.350** | **0.375** | **63** | **21158-1657** |
| 2.375 | 3.350 | 0.375 | 66 | 21527-1657 |
| 2.375 | 3.350 | 0.437 | 62 | 21702-1658 |
| 2.375 | 3.350 | 0.437 | 63 | 21158-1658 |
| 2.375 | 3.350 | 0.469 | 63 | 21158-4646 |
| 2.375 | 3.350 | 0.500 | 62 | 21702-1659 |
| 2.375 | 3.350 | 0.500 | 63 | 21158-1659 |
| 2.375 | 3.350 | 0.625 | EQ | 24802-1776 |
| 2.375 | 3.350 | 0.687 | 63R2 | 23548-5980 |
| 2.375 | 3.350 | 0.687 | 63T2 | 23550-5980 |
| 2.375 | 3.365 | 0.625 | EQ | 24802-5490 |
| 2.375 | 3.371 | 0.750 | IG | 29502-5161 |
| **2.375** | **3.372** | **0.375** | **63** | **21158-1660** |
| 2.375 | 3.372 | 0.375 | 66 | 21527-1660 |
| 2.375 | 3.372 | 0.437 | 63 | 21158-1661 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 2.375 | 3.372 | 0.438 | 26R1 | 24620-1857 |
| 2.375 | 3.372 | 0.500 | 63 | 21158-1662 |
| 2.375 | 3.375 | 0.437 | 61 | 24060-1529 |
| 2.375 | 3.375 | 0.437 | 61 | 24061-1529 |
| 2.375 | 3.375 | 0.468 | 25 | 25058-1637 |
| 2.375 | 3.375 | 0.500 | 26 | 24600-1652 |
| 2.375 | 3.375 | 0.625 | EQ | 24801-1654 |
| 2.375 | 3.375 | 0.625 | EQ | 24802-1654 |
| 2.375 | 3.375 | 0.750 | IG | 29500-4149 |
| 2.375 | 3.375 | 0.750 | IG | 29502-4149 |
| 2.375 | 3.437 | 0.625 | EQ | 24802-3006 |
| 2.375 | 3.481 | 0.375 | 63 | 21158-1663 |
| 2.375 | 3.481 | 0.375 | 66 | 21527-1663 |
| 2.375 | 3.500 | 0.375 | 61 | 24060-1666 |
| 2.375 | 3.500 | 0.375 | 62 | 21702-1666 |
| **2.375** | **3.500** | **0.375** | **63** | **21158-1666** |
| 2.375 | 3.500 | 0.375 | 66 | 21527-1666 |
| 2.375 | 3.500 | 0.375 | 67 | 21528-1666 |
| 2.375 | 3.500 | 0.375 | 68 | 21823-1666 |
| 2.375 | 3.500 | 0.500 | 26 | 24600-1668 |
| 2.375 | 3.500 | 0.500 | 62 | 21702-1668 |
| 2.375 | 3.500 | 0.500 | 63 | 21158-1668 |
| 2.375 | 3.500 | 0.625 | EQ | 24801-1211 |
| 2.375 | 3.500 | 0.625 | EQ | 24802-1211 |
| 2.375 | 3.500 | 0.687 | 63R1 | 23547-4914 |
| 2.375 | 3.500 | 0.750 | 63F1 | 23078-7406 |
| 2.375 | 3.500 | 0.750 | IG | 29502-4806 |
| **2.375** | **3.543** | **0.375** | **63** | **21158-1669** |
| 2.375 | 3.543 | 0.375 | 66 | 21527-1669 |
| 2.375 | 3.543 | 0.375 | 67 | 21528-1669 |
| 2.375 | 3.543 | 0.375 | 68 | 21823-1669 |
| 2.375 | 3.543 | 0.438 | 26R1 | 24620-4020 |
| 2.375 | 3.543 | 0.500 | 63 | 21158-1671 |
| **2.375** | **3.623** | **0.375** | **63** | **21158-1672** |
| 2.375 | 3.623 | 0.375 | 66 | 21527-1672 |
| 2.375 | 3.623 | 0.437 | 62 | 21702-1673 |
| 2.375 | 3.623 | 0.437 | 63 | 21158-1673 |
| 2.375 | 3.751 | 0.375 | 62 | 21702-1675 |
| **2.375** | **3.751** | **0.375** | **63** | **21158-1675** |
| 2.375 | 3.751 | 0.375 | 66 | 21527-1675 |
| 2.375 | 3.751 | 0.500 | 63 | 21158-1677 |
| 2.375 | 3.751 | 0.687 | 63R2 | 23548-6468 |
| 2.375 | 3.875 | 0.625 | EQ | 24802-4085 |
| 2.375 | 3.875 | 0.750 | IG | 29500-4619 |
| 2.375 | 3.876 | 0.375 | 63 | 21158-1678 |
| 2.375 | 3.876 | 0.375 | 66 | 21527-1678 |
| 2.375 | 3.876 | 0.375 | 94 | 27223-1678 |
| 2.375 | 3.876 | 0.500 | 62 | 21702-1680 |
| 2.375 | 3.876 | 0.500 | 63 | 21158-1680 |
| 2.375 | 4.000 | 0.500 | 25 | 25058-5240 |
| 2.375 | 5.125 | 0.625 | 54 | 21140-6003 |
| 2.380 | 3.375 | 0.750 | IG | 29502-5043 |
| 2.380 | 3.380 | 0.625 | EQ | 24802-3064 |
| 2.400 | 3.375 | 0.750 | IG | 29502-4623 |
| 2.400 | 3.438 | 0.750 | IG | 29502-5289 |
| 2.400 | 3.500 | 0.750 | IG | 29502-4666 |
| 2.402 | 3.290 | 0.625 | EQ | 24802-3108 |
| **2.406** | **3.125** | **0.375** | **63** | **21158-1681** |
| 2.406 | 3.125 | 0.687 | 63T2 | 23550-2494 |
| 2.406 | 3.150 | 0.375 | 63 | 21158-8371 |
| 2.406 | 3.250 | 0.375 | 63 | 21158-1693 |
| 2.406 | 3.347 | 0.375 | 63 | 21158-8372 |
| 2.406 | 3.350 | 0.375 | 63 | 21158-1696 |
| 2.406 | 3.372 | 0.687 | 63R1 | 23547-9029 |
| 2.406 | 3.543 | 0.375 | 63 | 21158-1708 |
| 2.406 | 3.623 | 0.375 | 62 | 21702-1711 |
| **2.406** | **3.623** | **0.375** | **63** | **21158-1711** |
| 2.406 | 3.751 | 0.375 | 63 | 21158-1714 |
| 2.406 | 3.937 | 0.375 | 63 | 21158-7926 |
| 2.406 | 4.003 | 0.375 | 63 | 21158-1720 |
| 2.420 | 3.355 | 0.750 | IG | 29502-4705 |
| 2.428 | 3.428 | 0.625 | EQ | 24802-3986 |
| 2.430 | 3.623 | 0.750 | IG | 29502-5687 |
| 2.431 | 3.400 | 0.500 | 23 | 25003-3207 |
| 2.432 | 3.432 | 0.750 | IG | 29502-4847 |
| 2.433 | 4.049 | 0.625 | EQ | 24802-4597 |
| 2.435 | 4.094 | 0.625 | EQ | 24802-4896 |
| 2.436 | 3.436 | 0.625 | EQ | 24802-3055 |
| 2.437 | 2.930 | 0.625 | IG | 29507-4890 |
| 2.437 | 2.937 | 0.187 | 71 | 26001-7088 |
| 2.437 | 3.125 | 0.375 | 62 | 21702-1723 |
| **2.437** | **3.125** | **0.375** | **63** | **21158-1723** |
| 2.437 | 3.125 | 0.500 | 62 | 21702-1725 |
| 2.437 | 3.125 | 0.500 | 63 | 21158-1725 |
| 2.437 | 3.125 | 0.594 | 63F1 | 23078-7633 |
| 2.437 | 3.125 | 0.687 | 63T2 | 23550-6487 |
| 2.437 | 3.147 | 0.375 | 26R1 | 24620-1726 |
| **2.437** | **3.147** | **0.375** | **63** | **21158-1726** |
| 2.437 | 3.150 | 0.375 | 62 | 21702-8373 |
| 2.437 | 3.150 | 0.375 | 63 | 21158-8373 |
| **2.437** | **3.189** | **0.375** | **63** | **21158-1729** |
| 2.437 | 3.189 | 0.687 | 63R2 | 23548-7136 |
| 2.437 | 3.246 | 0.375 | 63 | 21158-1732 |
| 2.437 | 3.250 | 0.375 | 26R1 | 24620-1735 |
| 2.437 | 3.250 | 0.375 | 62 | 21702-1735 |
| **2.437** | **3.250** | **0.375** | **63** | **21158-1735** |
| 2.437 | 3.250 | 0.500 | 63 | 21158-1737 |
| 2.437 | 3.250 | 0.687 | 63R2 | 23548-8521 |
| 2.437 | 3.312 | 0.375 | 23 | 25003-1736 |
| 2.437 | 3.347 | 0.375 | 63 | 21158-8374 |
| 2.437 | 3.350 | 0.375 | 62 | 21702-1738 |
| 2.437 | 3.350 | 0.375 | 63 | 21158-1738 |
| 2.437 | 3.350 | 0.500 | 63 | 21158-1740 |
| 2.437 | 3.372 | 0.375 | 62 | 21702-1741 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 2.437 | 3.372 | 0.375 | 63 | 21158-1741 |
| 2.437 | 3.372 | 0.437 | 63 | 21158-1742 |
| 2.437 | 3.372 | 0.500 | 63 | 21158-1743 |
| 2.437 | 3.372 | 0.594 | 63F1 | 23078-6270 |
| 2.437 | 3.437 | 0.625 | EQ | 24802-1641 |
| 2.437 | 3.437 | 0.750 | IG | 29502-4280 |
| **2.437** | **3.481** | **0.375** | **63** | **21158-1744** |
| 2.437 | 3.481 | 0.437 | 63 | 21158-1745 |
| 2.437 | 3.481 | 0.500 | 63 | 21158-1746 |
| 2.437 | 3.481 | 0.625 | EQ | 24802-4358 |
| 2.437 | 3.481 | 0.687 | 63R2 | 23548-7238 |
| 2.437 | 3.500 | 0.375 | 62 | 21702-1747 |
| **2.437** | **3.500** | **0.375** | **63** | **21158-1747** |
| 2.437 | 3.500 | 0.500 | 63 | 21158-1749 |
| 2.437 | 3.500 | 0.594 | 63F1 | 23078-7285 |
| 2.437 | 3.500 | 0.687 | 63T2 | 23550-6541 |
| 2.437 | 3.543 | 0.375 | 62 | 21702-1750 |
| 2.437 | 3.543 | 0.375 | 63 | 21158-1750 |
| 2.437 | 3.543 | 0.437 | 63 | 21158-1751 |
| 2.437 | 3.543 | 0.500 | 62 | 21702-1752 |
| 2.437 | 3.543 | 0.500 | 63 | 21158-1752 |
| 2.437 | 3.547 | 0.500 | 26 | 24600-1621 |
| 2.437 | 3.623 | 0.375 | 63 | 21158-1753 |
| 2.437 | 3.750 | 0.750 | IG | 29502-5288 |
| **2.437** | **3.751** | **0.375** | **63** | **21158-1756** |
| 2.437 | 3.751 | 0.500 | 63 | 21158-1758 |
| 2.437 | 3.751 | 0.687 | 63T2 | 23550-7167 |
| 2.437 | 3.876 | 0.375 | 63 | 21158-1759 |
| 2.437 | 3.937 | 0.375 | 63 | 21158-7927 |
| **2.437** | **4.003** | **0.375** | **63** | **21158-1762** |
| 2.437 | 4.003 | 0.500 | 62 | 21702-1764 |
| 2.437 | 4.003 | 0.500 | 63 | 21158-1764 |
| 2.437 | 4.509 | 0.625 | EQ | 24802-3380 |
| 2.437 | 4.725 | 0.725 | IG | 29500-4872 |
| 2.438 | 2.813 | 0.625 | IG | 29507-5406 |
| 2.438 | 2.938 | 0.690 | EQ | 24807-3748 |
| 2.438 | 3.125 | 0.690 | EQ | 24807-1912 |
| 2.438 | 3.187 | 1.125 | EQSPB | 24816-2564 |
| 2.438 | 3.188 | 0.945 | IGSPB | 29516-7069 |
| **2.438** | **3.188** | **1.102** | **IGSPB** | **29516-7082** |
| 2.438 | 3.192 | 1.062 | EQSPB | 24816-7004 |
| 2.438 | 3.250 | 0.375 | 23 | 25003-1735 |
| 2.438 | 3.250 | 0.625 | EQ | 24802-1942 |
| 2.438 | 3.313 | 0.750 | IG | 29502-2141 |
| 2.438 | 3.350 | 0.625 | EQ | 24802-3294 |
| 2.438 | 3.350 | 0.625 | IG | 29519-3294 |
| 2.438 | 3.375 | 0.375 | 61 | 24060-1537 |
| 2.438 | 3.375 | 0.500 | 61 | 24062-1538 |
| 2.438 | 3.431 | 0.625 | EQ | 24801-3455 |
| 2.438 | 3.438 | 0.625 | EQ | 24801-1641 |
| 2.438 | 3.438 | 0.750 | IG | 29500-4280 |
| **2.438** | **3.481** | **0.500** | **26** | **24600-1746** |
| 2.438 | 3.500 | 0.375 | 61 | 24060-1747 |
| 2.438 | 3.500 | 0.437 | 61 | 24060-1539 |
| 2.438 | 3.500 | 0.500 | 23 | 25003-1749 |
| 2.438 | 3.500 | 0.500 | 26 | 24600-1749 |
| 2.438 | 3.500 | 0.625 | EQ | 24801-3491 |
| 2.438 | 3.500 | 0.625 | EQ | 24802-3491 |
| 2.438 | 3.876 | 0.700 | IGSPB | 29516-7139 |
| 2.440 | 3.250 | 0.500 | 26 | 24600-1685 |
| 2.440 | 3.440 | 0.625 | EQ | 24802-3154 |
| 2.441 | 2.992 | 0.625 | IG | 29507-5139 |
| 2.441 | 3.150 | 0.394 | 61 | 24060-8373 |
| 2.441 | 3.150 | 0.394 | 61 | 24064-8373 |
| 2.441 | 3.346 | 0.394 | 23 | 25003-0793 |
| 2.441 | 3.346 | 0.394 | 92 | 27063-0793 |
| 2.441 | 3.346 | 0.625 | EQ | 24801-5488 |
| 2.441 | 3.441 | 0.750 | IG | 29502-4846 |
| 2.441 | 3.543 | 0.394 | 92 | 27063-0684 |
| 2.441 | 3.948 | 0.750 | IG | 29500-4476 |
| 2.450 | 3.450 | 0.750 | IG | 29502-4887 |
| 2.469 | 3.189 | 0.375 | 63 | 21158-1765 |
| 2.469 | 3.250 | 0.375 | 63 | 21158-1771 |
| 2.469 | 3.347 | 0.375 | 63 | 21158-8375 |
| 2.469 | 3.350 | 0.375 | 63 | 21158-1774 |
| 2.469 | 3.350 | 0.437 | 63 | 21158-1775 |
| 2.469 | 3.500 | 0.375 | 63 | 21158-1783 |
| 2.469 | 3.500 | 0.594 | 63F1 | 23078-8105 |
| 2.469 | 3.543 | 0.375 | 63 | 21158-1786 |
| 2.469 | 3.937 | 0.375 | 63 | 21158-7928 |
| 2.480 | 3.268 | 0.625 | IG | 29519-5756 |
| 2.480 | 3.480 | 0.750 | IG | 29500-5569 |
| 2.480 | 3.480 | 0.750 | IG | 29502-5569 |
| 2.480 | 3.543 | 0.625 | EQ | 24802-3568 |
| 2.489 | 3.250 | 0.312 | 26 | 24600-1757 |
| 2.490 | 2.875 | 0.625 | IG | 29507-5316 |
| 2.498 | 3.368 | 0.750 | IG | 29502-5628 |
| 2.499 | 3.542 | 0.500 | 26 | 24600-1623 |
| **2.500** | **2.875** | **0.109** | **71** | **26001-6292** |
| 2.500 | 3.000 | 0.250 | 91 | 27023-9014 |
| 2.500 | 3.000 | 0.250 | 92 | 27063-9014 |
| 2.500 | 3.000 | 0.375 | 61 | 24063-2239 |
| 2.500 | 3.000 | 0.625 | IG | 29507-5649 |
| 2.500 | 3.000 | 0.690 | EQ | 24807-5809 |
| **2.500** | **3.062** | **0.250** | **76** | **26193-7532** |
| 2.500 | 3.125 | 0.250 | 71 | 26001-7089 |
| **2.500** | **3.125** | **0.312** | **26** | **24600-1686** |
| 2.500 | 3.125 | 0.312 | 26R1 | 24620-1686 |
| 2.500 | 3.125 | 0.312 | 61 | 24060-1541 |
| 2.500 | 3.125 | 0.500 | 61 | 24060-1542 |
| 2.500 | 3.125 | 0.500 | 61 | 24061-1542 |
| 2.500 | 3.188 | 0.375 | 26 | 24600-1801 |
| 2.500 | 3.188 | 1.102 | IGSPB | 29516-7083 |
| 2.500 | 3.189 | 0.375 | 62 | 21702-1801 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| **2.500** | **3.189** | **0.375** | **63** | **21158-1801** |
| 2.500 | 3.189 | 0.375 | 66 | 21527-1801 |
| 2.500 | 3.189 | 0.375 | 67 | 21528-1801 |
| 2.500 | 3.189 | 0.375 | 68 | 21823-1801 |
| 2.500 | 3.189 | 0.437 | 63 | 21158-1802 |
| 2.500 | 3.189 | 0.500 | 63 | 21158-1803 |
| 2.500 | 3.189 | 0.625 | EQ | 24802-2016 |
| 2.500 | 3.189 | 0.625 | IG | 29507-2016 |
| 2.500 | 3.189 | 0.690 | EQ | 24807-2025 |
| 2.500 | 3.192 | 1.062 | EQSPB | 24816-7035 |
| 2.500 | 3.194 | 0.375 | 23 | 25003-4599 |
| 2.500 | 3.228 | 0.315 | 26 | 24600-3216 |
| 2.500 | 3.246 | 0.375 | 23 | 25003-1804 |
| **2.500** | **3.246** | **0.375** | **63** | **21158-1804** |
| 2.500 | 3.246 | 0.375 | 66 | 21527-1804 |
| 2.500 | 3.246 | 0.375 | 68 | 21823-1804 |
| 2.500 | 3.246 | 0.437 | 63 | 21158-1805 |
| 2.500 | 3.246 | 0.500 | 63 | 21158-1806 |
| 2.500 | 3.250 | 0.250 | 71 | 26001-7090 |
| 2.500 | 3.250 | 0.375 | 23 | 25003-1807 |
| 2.500 | 3.250 | 0.375 | 25 | 25058-1807 |
| 2.500 | 3.250 | 0.375 | 62 | 21702-1807 |
| **2.500** | **3.250** | **0.375** | **63** | **21158-1807** |
| 2.500 | 3.250 | 0.375 | 66 | 21527-1807 |
| 2.500 | 3.250 | 0.375 | 67 | 21528-1807 |
| 2.500 | 3.250 | 0.375 | 68 | 21823-1807 |
| 2.500 | 3.250 | 0.437 | 61 | 24060-1808 |
| 2.500 | 3.250 | 0.437 | 63 | 21158-1808 |
| 2.500 | 3.250 | 0.500 | 25 | 25058-1809 |
| 2.500 | 3.250 | 0.500 | 63 | 21158-1809 |
| 2.500 | 3.250 | 0.500 | EQ | 24801-1809 |
| 2.500 | 3.250 | 0.594 | 63F1 | 23078-6506 |
| 2.500 | 3.250 | 0.625 | IG | 29507-0991 |
| **2.500** | **3.250** | **0.687** | **63R2** | **23548-7564** |
| 2.500 | 3.250 | 0.687 | 63T2 | 23550-7564 |
| 2.500 | 3.250 | 0.750 | IG | 29500-4111 |
| **2.500** | **3.250** | **0.750** | **IG** | **29502-4111** |
| 2.500 | 3.251 | 0.375 | 3 | 28003-2536 |
| **2.500** | **3.251** | **0.625** | **EQ** | **24802-0991** |
| 2.500 | 3.347 | 0.375 | 63 | 21158-8376 |
| 2.500 | 3.350 | 0.250 | 26 | 24600-1787 |
| **2.500** | **3.350** | **0.375** | **63** | **21158-1810** |
| 2.500 | 3.350 | 0.375 | 66 | 21527-1810 |
| 2.500 | 3.350 | 0.469 | 63 | 21158-1811 |
| 2.500 | 3.350 | 0.500 | 63 | 21158-1812 |
| 2.500 | 3.372 | 0.375 | 62 | 21702-1813 |
| **2.500** | **3.372** | **0.375** | **63** | **21158-1813** |
| 2.500 | 3.372 | 0.375 | 66 | 21527-1813 |
| 2.500 | 3.372 | 0.500 | 63 | 21158-1815 |
| 2.500 | 3.372 | 0.594 | 63F1 | 23078-9093 |
| 2.500 | 3.372 | 0.687 | 66R1 | 23722-8728 |
| 2.500 | 3.375 | 0.375 | 23 | 25003-9691 |
| 2.500 | 3.375 | 0.437 | 61 | 24060-1544 |
| 2.500 | 3.375 | 0.500 | EQ | 24801-1788 |
| 2.500 | 3.375 | 0.625 | EQ | 24801-1212 |
| 2.500 | 3.375 | 0.625 | EQ | 24802-1212 |
| 2.500 | 3.418 | 0.438 | 23 | 25003-4882 |
| 2.500 | 3.433 | 0.625 | EQ | 24802-3004 |
| 2.500 | 3.438 | 0.625 | EQ | 24801-5785 |
| 2.500 | 3.481 | 0.375 | 62 | 21702-1816 |
| **2.500** | **3.481** | **0.375** | **63** | **21158-1816** |
| 2.500 | 3.481 | 0.375 | 66 | 21527-1816 |
| 2.500 | 3.481 | 0.437 | 63 | 21158-1817 |
| 2.500 | 3.481 | 0.500 | 63 | 21158-1818 |
| 2.500 | 3.500 | 0.312 | 61 | 24060-1545 |
| 2.500 | 3.500 | 0.375 | 23 | 25003-1819 |
| 2.500 | 3.500 | 0.375 | 26R1 | 24620-1819 |
| 2.500 | 3.500 | 0.375 | 62 | 21702-1819 |
| **2.500** | **3.500** | **0.375** | **63** | **21158-1819** |
| 2.500 | 3.500 | 0.375 | 66 | 21527-1819 |
| 2.500 | 3.500 | 0.375 | 67 | 21528-1819 |
| 2.500 | 3.500 | 0.375 | 68 | 21823-1819 |
| 2.500 | 3.500 | 0.437 | 23 | 25003-1820 |
| 2.500 | 3.500 | 0.437 | 26 | 24600-1820 |
| 2.500 | 3.500 | 0.437 | 61 | 24060-1820 |
| 2.500 | 3.500 | 0.437 | 63 | 21158-1820 |
| 2.500 | 3.500 | 0.500 | 23 | 25003-1821 |
| 2.500 | 3.500 | 0.500 | 26 | 24600-1821 |
| 2.500 | 3.500 | 0.500 | 62 | 21702-1821 |
| **2.500** | **3.500** | **0.500** | **63** | **21158-1821** |
| 2.500 | 3.500 | 0.625 | EQ | 24801-1818 |
| 2.500 | 3.500 | 0.625 | EQ | 24802-1818 |
| 2.500 | 3.500 | 0.625 | IG | 29507-1818 |
| 2.500 | 3.500 | 0.625 | IG | 29519-1818 |
| 2.500 | 3.500 | 0.687 | 63R1 | 23547-6465 |
| 2.500 | 3.500 | 0.687 | 63R2 | 23548-6465 |
| 2.500 | 3.500 | 0.687 | 63T2 | 23550-6465 |
| 2.500 | 3.500 | 0.750 | 63F1 | 23078-5387 |
| 2.500 | 3.500 | 0.750 | 63R1 | 23547-5387 |
| 2.500 | 3.500 | 0.750 | IG | 29500-4150 |
| 2.500 | 3.500 | 0.750 | IG | 29502-4150 |
| 2.500 | 3.540 | 0.500 | EQ | 24801-1823 |
| **2.500** | **3.543** | **0.375** | **63** | **21158-1822** |
| 2.500 | 3.543 | 0.375 | 66 | 21527-1822 |
| 2.500 | 3.543 | 0.375 | 67 | 21528-1822 |
| 2.500 | 3.543 | 0.375 | 68 | 21823-1822 |
| 2.500 | 3.543 | 0.437 | 63 | 21158-1823 |
| 2.500 | 3.543 | 0.500 | 63 | 21158-1824 |
| 2.500 | 3.543 | 0.594 | 63F1 | 23078-8573 |
| 2.500 | 3.543 | 0.625 | EQ | 24802-2662 |
| 2.500 | 3.543 | 0.687 | 63R2 | 23548-4844 |
| 2.500 | 3.543 | 0.687 | 63T2 | 23550-4844 |
| 2.500 | 3.543 | 0.750 | IG | 29500-4683 |
| 2.500 | 3.543 | 0.750 | IG | 29502-4683 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 2.500 | 3.550 | 0.625 | EQ | 24801-1156 |
| 2.500 | 3.562 | 0.625 | EQ | 24802-3007 |
| **2.500** | **3.623** | **0.375** | **63** | **21158-1825** |
| 2.500 | 3.623 | 0.375 | 66 | 21527-1825 |
| **2.500** | **3.623** | **0.437** | **26** | **24600-1826** |
| 2.500 | 3.623 | 0.437 | 63 | 21158-1826 |
| 2.500 | 3.623 | 0.500 | 63 | 21158-1827 |
| 2.500 | 3.623 | 0.625 | EQ | 24801-1252 |
| 2.500 | 3.623 | 0.750 | IG | 29502-5042 |
| 2.500 | 3.625 | 0.625 | EQ | 24801-1951 |
| 2.500 | 3.625 | 0.625 | EQ | 24802-1951 |
| 2.500 | 3.625 | 0.640 | IG | 29519-5643 |
| 2.500 | 3.625 | 0.687 | 63R2 | 23548-8930 |
| 2.500 | 3.625 | 0.750 | IG | 29502-5793 |
| 2.500 | 3.671 | 0.375 | 63 | 21158-5080 |
| 2.500 | 3.725 | 0.625 | EQ | 24801-3061 |
| **2.500** | **3.750** | **0.375** | **26** | **24600-1828** |
| 2.500 | 3.750 | 0.375 | 61 | 24060-1828 |
| 2.500 | 3.750 | 0.687 | 26R1 | 24620-3987 |
| 2.500 | 3.750 | 0.750 | IG | 29500-4374 |
| 2.500 | 3.750 | 0.750 | IG | 29502-4374 |
| 2.500 | 3.751 | 0.375 | 62 | 21702-1828 |
| **2.500** | **3.751** | **0.375** | **63** | **21158-1828** |
| 2.500 | 3.751 | 0.375 | 66 | 21527-1828 |
| 2.500 | 3.751 | 0.375 | 67 | 21528-1828 |
| 2.500 | 3.751 | 0.375 | 68 | 21823-1828 |
| 2.500 | 3.751 | 0.437 | 63 | 21158-1829 |
| 2.500 | 3.751 | 0.500 | 63 | 21158-1830 |
| 2.500 | 3.751 | 0.687 | 63R2 | 23548-6566 |
| 2.500 | 3.751 | 0.687 | 63T2 | 23550-6566 |
| 2.500 | 3.751 | 0.687 | 67R2 | 23683-6566 |
| 2.500 | 3.875 | 0.468 | 26R1 | 24620-5758 |
| 2.500 | 3.875 | 0.750 | IG | 29502-5045 |
| **2.500** | **3.876** | **0.375** | **63** | **21158-1831** |
| 2.500 | 3.876 | 0.375 | 66 | 21527-1831 |
| 2.500 | 3.876 | 0.687 | 63R2 | 23548-4734 |
| 2.500 | 3.937 | 0.375 | 62 | 21702-4845 |
| 2.500 | 3.937 | 0.375 | 63 | 21158-4845 |
| 2.500 | 4.000 | 0.500 | 26 | 24600-1794 |
| 2.500 | 4.000 | 0.750 | IG | 29502-5143 |
| 2.500 | 4.003 | 0.375 | 26 | 24600-3988 |
| 2.500 | 4.003 | 0.375 | 62 | 21702-1834 |
| **2.500** | **4.003** | **0.375** | **63** | **21158-1834** |
| 2.500 | 4.003 | 0.375 | 66 | 21527-1834 |
| 2.500 | 4.003 | 0.375 | 67 | 21528-1834 |
| 2.500 | 4.003 | 0.375 | 68 | 21823-1834 |
| 2.500 | 4.003 | 0.500 | 63 | 21158-1836 |
| **2.500** | **4.003** | **0.687** | **63R2** | **23548-6966** |
| 2.500 | 4.250 | 0.625 | EQ | 24801-4631 |
| 2.500 | 4.375 | 0.625 | EQ | 24802-1834 |
| 2.500 | 4.375 | 0.750 | IG | 29502-4353 |
| 2.500 | 4.500 | 0.437 | 61 | 24060-1547 |
| 2.500 | 4.724 | 0.750 | IG | 29502-5558 |
| 2.500 | 4.875 | 0.750 | IG | 29502-5778 |
| 2.500 | 4.937 | 0.750 | IG | 29500-4592 |
| 2.500 | 5.118 | 0.750 | IG | 29502-5579 |
| 2.505 | 3.505 | 0.625 | EQ | 24802-3099 |
| 2.519 | 3.464 | 0.472 | 26 | 24600-0829 |
| 2.520 | 3.150 | 0.315 | 92 | 27063-0698 |
| 2.520 | 3.740 | 0.750 | IG | 29500-4747 |
| 2.520 | 4.250 | 0.625 | EQ | 24801-4195 |
| 2.530 | 3.287 | 0.690 | EQ | 24807-4132 |
| 2.530 | 3.287 | 0.750 | IG | 29502-4483 |
| 2.531 | 3.246 | 0.375 | 63 | 21158-1837 |
| **2.531** | **3.250** | **0.375** | **63** | **21158-1840** |
| 2.531 | 3.250 | 0.437 | 63 | 21158-1841 |
| 2.531 | 3.347 | 0.375 | 63 | 21158-8377 |
| 2.531 | 3.372 | 0.375 | 63 | 21158-1846 |
| 2.531 | 3.481 | 0.375 | 63 | 21158-1849 |
| **2.531** | **3.500** | **0.375** | **63** | **21158-1852** |
| 2.531 | 3.543 | 0.375 | 63 | 21158-1855 |
| 2.531 | 3.543 | 0.500 | 63 | 21158-1857 |
| 2.531 | 3.623 | 0.375 | 63 | 21158-1858 |
| 2.531 | 3.751 | 0.500 | 63 | 21158-1863 |
| 2.531 | 3.876 | 0.375 | 63 | 21158-1864 |
| 2.531 | 3.937 | 0.375 | 63 | 21158-7929 |
| 2.531 | 4.003 | 0.375 | 63 | 21158-1867 |
| 2.531 | 4.725 | 0.375 | 26R1 | 24620-3459 |
| 2.531 | 4.725 | 0.375 | 94 | 27223-8959 |
| 2.540 | 3.540 | 0.750 | IG | 29502-5001 |
| 2.543 | 3.543 | 0.625 | IG | 29507-5013 |
| 2.550 | 3.550 | 0.625 | EQ | 24802-3234 |
| 2.550 | 3.550 | 0.750 | IG | 29502-5718 |
| 2.554 | 3.375 | 0.750 | IG | 29502-5706 |
| 2.554 | 3.554 | 0.750 | IG | 29502-4772 |
| 2.556 | 3.556 | 0.625 | IG | 29507-5016 |
| 2.558 | 3.558 | 0.750 | IG | 29502-4630 |
| 2.559 | 3.150 | 0.394 | 61 | 24060-1847 |
| 2.559 | 3.228 | 0.625 | IG | 29507-5544 |
| 2.559 | 3.346 | 0.394 | 23 | 25003-0710 |
| 2.559 | 3.346 | 0.394 | 61 | 24060-0710 |
| 2.559 | 3.346 | 0.394 | 92 | 27063-0710 |
| 2.559 | 3.346 | 0.625 | EQ | 24802-2816 |
| 2.559 | 3.346 | 0.750 | IG | 29502-4532 |
| 2.559 | 3.464 | 0.472 | 26R1 | 24620-1859 |
| 2.559 | 3.465 | 0.625 | EQ | 24802-1858 |
| 2.559 | 3.500 | 0.625 | EQ | 24802-1807 |
| 2.559 | 3.543 | 0.375 | 23 | 25003-9162 |
| 2.559 | 3.543 | 0.394 | 61 | 24060-0729 |
| 2.559 | 3.543 | 0.394 | 92 | 27063-0729 |
| 2.559 | 3.543 | 0.625 | EQ | 24802-1883 |
| 2.559 | 3.543 | 0.750 | IG | 29500-4721 |
| 2.559 | 3.543 | 0.750 | IG | 29502-4721 |
| 2.559 | 3.583 | 0.625 | IG | 29519-3114 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 2.559 | 3.583 | 0.750 | IG | 29502-5795 |
| 2.559 | 3.620 | 0.625 | EQ | 24802-3735 |
| 2.559 | 3.740 | 0.394 | 92 | 27063-0733 |
| 2.559 | 3.760 | 0.788 | IGSPB | 29516-5411 |
| 2.559 | 3.937 | 0.750 | IG | 29502-4966 |
| 2.559 | 4.134 | 0.750 | IG | 29502-5646 |
| 2.559 | 4.331 | 0.750 | IG | 29500-5367 |
| 2.559 | 4.724 | 0.750 | IG | 29502-5803 |
| 2.560 | 3.544 | 0.315 | 63 | 21158-1861 |
| 2.560 | 3.560 | 0.625 | EQ | 24802-3170 |
| **2.562** | **3.246** | **0.375** | **63** | **21158-1870** |
| **2.562** | **3.250** | **0.375** | **63** | **21158-1873** |
| 2.562 | 3.250 | 0.687 | 63R2 | 23548-6641 |
| 2.562 | 3.347 | 0.375 | 63 | 21158-8378 |
| **2.562** | **3.372** | **0.375** | **63** | **21158-1879** |
| 2.562 | 3.437 | 0.500 | EQ | 24801-1129 |
| 2.562 | 3.437 | 0.625 | EQ | 24802-1098 |
| 2.562 | 3.439 | 0.375 | 23 | 25003-2617 |
| 2.562 | 3.481 | 0.375 | 62 | 21072-1882 |
| 2.562 | 3.481 | 0.375 | 63 | 21158-1882 |
| 2.562 | 3.500 | 0.375 | 23 | 25003-1885 |
| **2.562** | **3.500** | **0.375** | **63** | **21158-1885** |
| 2.562 | 3.500 | 0.437 | 63 | 21158-1886 |
| 2.562 | 3.500 | 0.500 | 63 | 21158-1887 |
| 2.562 | 3.500 | 0.594 | 63F1 | 23078-6700 |
| 2.562 | 3.502 | 0.625 | EQ | 24801-1887 |
| 2.562 | 3.543 | 0.375 | 63 | 21158-1888 |
| 2.562 | 3.543 | 0.500 | 63 | 21158-1890 |
| 2.562 | 3.562 | 0.625 | EQ | 24801-1251 |
| 2.562 | 3.562 | 0.625 | EQ | 24802-1251 |
| 2.562 | 3.562 | 0.625 | IG | 29507-1251 |
| 2.562 | 3.562 | 0.750 | IG | 29502-4281 |
| 2.562 | 3.623 | 0.375 | 63 | 21158-1891 |
| 2.562 | 3.623 | 0.437 | 62 | 21702-1892 |
| 2.562 | 3.623 | 0.437 | 63 | 21158-1892 |
| 2.562 | 3.623 | 0.500 | 63 | 21158-1893 |
| 2.562 | 3.751 | 0.375 | 23 | 25003-1894 |
| **2.562** | **3.751** | **0.375** | **63** | **21158-1894** |
| 2.562 | 3.751 | 0.500 | 63 | 21158-1896 |
| 2.562 | 3.876 | 0.375 | 63 | 21158-1897 |
| 2.562 | 3.876 | 0.500 | 63 | 21158-1899 |
| 2.562 | 3.937 | 0.375 | 63 | 21158-6300 |
| 2.562 | 3.937 | 0.375 | 94 | 27223-6300 |
| **2.562** | **4.003** | **0.375** | **63** | **21158-1900** |
| 2.562 | 4.003 | 0.500 | 63 | 21158-1902 |
| 2.562 | 4.125 | 0.625 | EQ | 24802-3244 |
| 2.562 | 4.725 | 0.375 | 94 | 27223-6301 |
| 2.562 | 5.512 | 0.375 | 94 | 27223-6302 |
| 2.563 | 3.198 | 0.974 | IGSPB | 29516-7079 |
| 2.563 | 3.500 | 0.375 | 26 | 24600-1627 |
| 2.563 | 3.512 | 0.625 | EQ | 24802-1887 |
| 2.569 | 3.569 | 0.625 | EQ | 24802-3016 |
| 2.570 | 3.250 | 0.375 | 61 | 24060-2266 |
| 2.594 | 3.350 | 0.375 | 62 | 21702-1903 |
| 2.598 | 3.386 | 0.500 | EQ | 24801-1747 |
| 2.619 | 3.682 | 0.750 | IG | 29502-5154 |
| 2.622 | 3.046 | 0.690 | EQ | 24807-3831 |
| 2.622 | 3.346 | 0.690 | EQ | 24807-3835 |
| 2.625 | 3.250 | 0.187 | 71 | 26001-7092 |
| 2.625 | 3.250 | 0.312 | 61 | 24060-1549 |
| 2.625 | 3.250 | 0.375 | 61 | 24060-1550 |
| 2.625 | 3.250 | 0.375 | 61 | 24061-1550 |
| 2.625 | 3.250 | 0.625 | IG | 29507-1976 |
| 2.625 | 3.250 | 0.625 | IG | 29507-1976 |
| **2.625** | **3.350** | **0.375** | **63** | **21158-1930** |
| 2.625 | 3.350 | 0.375 | 66 | 21527-1930 |
| 2.625 | 3.350 | 0.469 | 63 | 21158-5398 |
| 2.625 | 3.350 | 0.500 | 63 | 21158-1932 |
| 2.625 | 3.350 | 0.594 | 63F1 | 23078-6866 |
| 2.625 | 3.371 | 0.625 | EQ | 24802-2520 |
| 2.625 | 3.372 | 0.375 | 62 | 21702-1933 |
| **2.625** | **3.372** | **0.375** | **63** | **21158-1933** |
| 2.625 | 3.372 | 0.375 | 66 | 21527-1933 |
| 2.625 | 3.372 | 0.500 | 63 | 21158-1935 |
| 2.625 | 3.374 | 0.719 | 63F1 | 23078-5686 |
| 2.625 | 3.375 | 0.375 | 63 | 21158-5407 |
| 2.625 | 3.375 | 0.437 | 26 | 24600-1838 |
| 2.625 | 3.375 | 0.437 | 61 | 24060-1551 |
| 2.625 | 3.375 | 0.625 | EQ | 24801-1962 |
| 2.625 | 3.375 | 0.625 | EQ | 24802-1962 |
| 2.625 | 3.481 | 0.375 | 63 | 21158-1936 |
| 2.625 | 3.481 | 0.375 | 66 | 21527-1936 |
| 2.625 | 3.484 | 0.750 | IG | 29502-4332 |
| 2.625 | 3.489 | 0.625 | EQ | 24802-1203 |
| 2.625 | 3.500 | 0.375 | 23 | 25003-1939 |
| 2.625 | 3.500 | 0.375 | 25 | 25058-1939 |
| 2.625 | 3.500 | 0.375 | 26 | 24600-1939 |
| 2.625 | 3.500 | 0.375 | 61 | 24060-1939 |
| 2.625 | 3.500 | 0.375 | 62 | 21702-1939 |
| **2.625** | **3.500** | **0.375** | **63** | **21158-1939** |
| 2.625 | 3.500 | 0.375 | 66 | 21527-1939 |
| 2.625 | 3.500 | 0.500 | 23 | 25003-1941 |
| 2.625 | 3.500 | 0.500 | 63 | 21158-1941 |
| 2.625 | 3.500 | 0.500 | EQ | 24801-1941 |
| 2.625 | 3.500 | 0.625 | EQ | 24801-1893 |
| 2.625 | 3.500 | 0.625 | EQ | 24802-1893 |
| 2.625 | 3.500 | 0.687 | 63R1 | 23547-7187 |
| 2.625 | 3.500 | 0.687 | 63R2 | 23548-7187 |
| 2.625 | 3.500 | 0.687 | 63T2 | 23550-7187 |
| 2.625 | 3.500 | 0.750 | 63T2 | 23550-5257 |
| 2.625 | 3.500 | 0.750 | IG | 29502-4438 |
| 2.625 | 3.543 | 0.375 | 23 | 25003-1942 |
| 2.625 | 3.543 | 0.375 | 63 | 21158-1942 |
| 2.625 | 3.543 | 0.375 | 66 | 21527-1942 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 2.625 | 3.543 | 0.500 | 63 | 21158-1944 |
| 2.625 | 3.543 | 0.750 | IG | 29502-5163 |
| 2.625 | 3.623 | 0.375 | 25 | 25058-1945 |
| 2.625 | 3.623 | 0.375 | 62 | 21702-1945 |
| **2.625** | **3.623** | **0.375** | **63** | **21158-1945** |
| 2.625 | 3.623 | 0.375 | 66 | 21527-1945 |
| 2.625 | 3.623 | 0.437 | 63 | 21158-1946 |
| 2.625 | 3.623 | 0.469 | 63 | 21158-5581 |
| 2.625 | 3.623 | 0.500 | 62 | 21702-1947 |
| **2.625** | **3.623** | **0.500** | **63** | **21158-1947** |
| 2.625 | 3.623 | 0.594 | 63F1 | 23078-7776 |
| 2.625 | 3.625 | 0.375 | 23 | 25003-1958 |
| 2.625 | 3.625 | 0.437 | 61 | 24060-1842 |
| 2.625 | 3.625 | 0.438 | 26 | 24600-1842 |
| 2.625 | 3.625 | 0.500 | 23 | 25003-1844 |
| 2.625 | 3.625 | 0.625 | EQ | 24801-1841 |
| 2.625 | 3.625 | 0.625 | EQ | 24802-1841 |
| 2.625 | 3.625 | 0.687 | 63R1 | 23547-5483 |
| 2.625 | 3.625 | 0.687 | 63R2 | 23548-5483 |
| 2.625 | 3.625 | 0.750 | IG | 29502-4151 |
| 2.625 | 3.628 | 0.625 | EQ | 24801-2014 |
| 2.625 | 3.670 | 0.750 | IG | 29502-5080 |
| 2.625 | 3.675 | 0.750 | IG | 29502-4179 |
| 2.625 | 3.677 | 0.625 | EQ | 24802-1086 |
| **2.625** | **3.677** | **0.750** | **IG** | **29502-4125** |
| 2.625 | 3.683 | 0.625 | EQ | 24802-3650 |
| **2.625** | **3.688** | **0.625** | **EQ** | **24802-1087** |
| 2.625 | 3.688 | 0.750 | IG | 29502-4126 |
| 2.625 | 3.750 | 0.500 | 26 | 24600-1950 |
| 2.625 | 3.750 | 0.500 | EQ | 24801-1950 |
| 2.625 | 3.750 | 0.625 | EQ | 24802-1162 |
| 2.625 | 3.750 | 0.750 | IG | 29500-5772 |
| 2.625 | 3.750 | 0.750 | IG | 29502-5772 |
| 2.625 | 3.751 | 0.375 | 62 | 21702-1948 |
| **2.625** | **3.751** | **0.375** | **63** | **21158-1948** |
| 2.625 | 3.751 | 0.375 | 66 | 21527-1948 |
| 2.625 | 3.751 | 0.500 | 63 | 21158-1950 |
| 2.625 | 3.751 | 0.687 | 63R2 | 23548-6651 |
| 2.625 | 3.751 | 0.687 | 63T2 | 23550-6651 |
| 2.625 | 3.751 | 0.687 | 66R2 | 23702-6651 |
| **2.625** | **3.876** | **0.375** | **63** | **21158-1951** |
| 2.625 | 3.876 | 0.375 | 66 | 21527-1951 |
| 2.625 | 3.876 | 0.437 | 63 | 21158-1952 |
| 2.625 | 3.937 | 0.375 | 63 | 21158-7800 |
| 2.625 | 4.000 | 0.750 | IG | 29502-5073 |
| 2.625 | 4.003 | 0.375 | 63 | 21158-1954 |
| 2.625 | 4.003 | 0.375 | 66 | 21527-1954 |
| 2.625 | 4.003 | 0.437 | 63 | 21158-1955 |
| 2.625 | 4.003 | 0.500 | 63 | 21158-1956 |
| **2.625** | **4.003** | **0.687** | **63R2** | **23548-6800** |
| 2.625 | 4.003 | 0.750 | IG | 29502-5065 |
| 2.625 | 4.050 | 0.750 | IG | 29502-5472 |
| 2.625 | 5.250 | 0.750 | IG | 29502-5815 |
| 2.628 | 3.750 | 0.625 | EQ | 24802-1740 |
| 2.650 | 3.630 | 0.625 | EQ | 24802-3514 |
| 2.656 | 3.543 | 0.375 | 63 | 21158-1969 |
| 2.656 | 3.623 | 0.375 | 63 | 21158-1972 |
| 2.656 | 3.751 | 0.375 | 63 | 21158-1975 |
| 2.656 | 3.937 | 0.375 | 63 | 21158-7931 |
| 2.656 | 4.003 | 0.375 | 63 | 21158-1981 |
| 2.656 | 4.003 | 0.625 | EQ | 24802-2635 |
| 2.675 | 3.350 | 0.375 | 61 | 24060-2451 |
| 2.676 | 3.362 | 0.625 | IG | 29507-4484 |
| 2.677 | 3.543 | 0.394 | 92 | 27063-0735 |
| 2.677 | 3.543 | 0.500 | EQ | 24801-1984 |
| 2.677 | 3.937 | 0.394 | 92 | 27063-0749 |
| 2.677 | 4.000 | 0.750 | IG | 29502-5773 |
| 2.685 | 3.998 | 0.750 | IG | 29502-4541 |
| 2.687 | 3.372 | 0.375 | 62 | 21702-1987 |
| **2.687** | **3.372** | **0.375** | **63** | **21158-1987** |
| 2.687 | 3.375 | 0.375 | 61 | 24060-2920 |
| 2.687 | 3.481 | 0.375 | 63 | 21158-1990 |
| 2.687 | 3.500 | 0.375 | 62 | 21702-1993 |
| **2.687** | **3.500** | **0.375** | **63** | **21158-1993** |
| 2.687 | 3.500 | 0.437 | 63 | 21158-1994 |
| 2.687 | 3.500 | 0.594 | 63F1 | 23078-6244 |
| 2.687 | 3.500 | 0.625 | EQ | 24802-2003 |
| 2.687 | 3.543 | 0.375 | 63 | 21158-1996 |
| 2.687 | 3.623 | 0.375 | 63 | 21158-1999 |
| 2.687 | 3.623 | 0.500 | 63 | 21158-2001 |
| 2.687 | 3.623 | 0.687 | 63R2 | 23548-9040 |
| 2.687 | 3.687 | 0.375 | 23 | 25003-9510 |
| 2.687 | 3.687 | 0.625 | EQ | 24802-2736 |
| 2.687 | 3.751 | 0.375 | 63 | 21158-2002 |
| 2.687 | 3.751 | 0.437 | 63 | 21158-2003 |
| **2.687** | **3.751** | **0.500** | **26** | **24600-2004** |
| 2.687 | 3.751 | 0.500 | 62 | 21702-2004 |
| **2.687** | **3.751** | **0.500** | **63** | **21158-2004** |
| 2.687 | 3.751 | 0.594 | 63F1 | 23078-8679 |
| 2.687 | 3.751 | 0.687 | 63R1 | 23547-7210 |
| 2.687 | 3.876 | 0.375 | 63 | 21158-2005 |
| 2.687 | 3.876 | 0.437 | 63 | 21158-2006 |
| 2.687 | 3.876 | 0.500 | 63 | 21158-2007 |
| 2.687 | 3.876 | 0.594 | 63F1 | 23078-9694 |
| 2.687 | 3.876 | 0.687 | 63T2 | 23550-5886 |
| 2.687 | 3.881 | 0.468 | 23 | 25003-2013 |
| 2.687 | 3.937 | 0.375 | 63 | 21158-7932 |
| 2.687 | 4.000 | 0.375 | 94 | 27223-7217 |
| 2.687 | 4.003 | 0.375 | 62 | 21702-2008 |
| **2.687** | **4.003** | **0.375** | **63** | **21158-2008** |
| 2.687 | 4.003 | 0.500 | 63 | 21158-2010 |
| 2.687 | 4.003 | 0.687 | 63T2 | 23550-6589 |
| 2.688 | 3.372 | 0.375 | 26 | 24600-1987 |
| 2.688 | 3.500 | 0.375 | 61 | 24060-1993 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 2.688 | 3.543 | 0.625 | EQ | 24802-3023 |
| 2.688 | 3.563 | 1.102 | IGSPB | 29516-7094 |
| 2.688 | 3.574 | 1.062 | EQSPB | 24816-7021 |
| 2.688 | 3.625 | 0.500 | 61 | 24063-1230 |
| 2.688 | 3.688 | 0.750 | IG | 29502-4282 |
| 2.688 | 3.875 | 0.468 | 26 | 24600-1848 |
| 2.710 | 3.710 | 0.750 | IG | 29502-4818 |
| 2.717 | 3.752 | 0.625 | EQ | 24802-2010 |
| 2.718 | 3.700 | 0.750 | IG | 29502-5404 |
| 2.719 | 3.481 | 0.375 | 63 | 21158-2011 |
| 2.719 | 3.481 | 0.375 | 66 | 21527-2011 |
| 2.719 | 3.500 | 0.375 | 63 | 21158-2014 |
| 2.719 | 3.500 | 0.375 | 66 | 21527-2014 |
| 2.719 | 3.543 | 0.375 | 63 | 21158-2017 |
| 2.719 | 3.623 | 0.375 | 63 | 21158-2020 |
| 2.719 | 3.623 | 0.375 | 66 | 21527-2020 |
| **2.719** | **3.751** | **0.375** | **63** | **21158-2023** |
| 2.719 | 3.751 | 0.375 | 66 | 21527-2023 |
| 2.719 | 3.751 | 0.500 | 63 | 21158-2025 |
| 2.719 | 3.876 | 0.500 | 63 | 21158-2028 |
| 2.719 | 3.937 | 0.375 | 63 | 21158-7933 |
| 2.719 | 4.003 | 0.375 | 63 | 21158-2029 |
| 2.719 | 4.003 | 0.375 | 66 | 21527-2029 |
| 2.719 | 4.003 | 0.500 | 63 | 21158-2031 |
| 2.719 | 4.003 | 0.594 | 63F1 | 23078-5693 |
| 2.726 | 3.500 | 0.750 | IG | 29502-5420 |
| 2.726 | 3.726 | 0.625 | EQ | 24802-4469 |
| 2.746 | 3.746 | 0.625 | IG | 29507-5014 |
| 2.746 | 3.746 | 0.750 | IG | 29502-4589 |
| 2.750 | 3.125 | 0.109 | 71 | 26001-7093 |
| **2.750** | **3.125** | **0.187** | **71** | **26001-6304** |
| 2.750 | 3.250 | 0.625 | IG | 29507-4793 |
| 2.750 | 3.375 | 0.312 | 26 | 24600-2020 |
| 2.750 | 3.375 | 0.312 | 61 | 24060-1553 |
| 2.750 | 3.375 | 0.437 | 61 | 24060-1554 |
| 2.750 | 3.481 | 0.375 | 62 | 21702-2032 |
| **2.750** | **3.481** | **0.375** | **63** | **21158-2032** |
| 2.750 | 3.481 | 0.375 | 66 | 21527-2032 |
| 2.750 | 3.481 | 0.375 | 67 | 21528-2032 |
| 2.750 | 3.481 | 0.375 | 68 | 21823-2032 |
| 2.750 | 3.481 | 0.500 | 63 | 21158-2034 |
| 2.750 | 3.500 | 0.250 | 26 | 24600-0795 |
| 2.750 | 3.500 | 0.375 | 3 | 28003-2683 |
| 2.750 | 3.500 | 0.375 | 23 | 25003-2035 |
| **2.750** | **3.500** | **0.375** | **26** | **24600-2035** |
| 2.750 | 3.500 | 0.375 | 26R1 | 24620-2035 |
| 2.750 | 3.500 | 0.375 | 61 | 24060-2035 |
| 2.750 | 3.500 | 0.375 | 62 | 21702-2035 |
| **2.750** | **3.500** | **0.375** | **63** | **21158-2035** |
| 2.750 | 3.500 | 0.375 | 66 | 21527-2035 |
| 2.750 | 3.500 | 0.375 | 67 | 21528-2035 |
| 2.750 | 3.500 | 0.375 | 68 | 21823-2035 |
| 2.750 | 3.500 | 0.437 | 63 | 21158-2036 |
| 2.750 | 3.500 | 0.500 | 26 | 24600-2037 |
| 2.750 | 3.500 | 0.500 | 26R1 | 24620-2037 |
| 2.750 | 3.500 | 0.500 | 61 | 24060-2037 |
| 2.750 | 3.500 | 0.500 | 61 | 24061-2037 |
| 2.750 | 3.500 | 0.500 | 63 | 21158-2037 |
| 2.750 | 3.500 | 0.500 | 66 | 21527-2037 |
| 2.750 | 3.500 | 0.500 | EQ | 24801-2037 |
| 2.750 | 3.500 | 0.562 | 94 | 27223-5572 |
| 2.750 | 3.500 | 0.594 | 63F1 | 23078-7829 |
| 2.750 | 3.500 | 0.625 | EQ | 24802-1238 |
| 2.750 | 3.500 | 0.625 | IG | 29507-1238 |
| 2.750 | 3.500 | 0.625 | IG | 29519-1238 |
| 2.750 | 3.500 | 0.687 | 63R2 | 23548-6716 |
| 2.750 | 3.500 | 0.690 | EQ | 24807-3779 |
| 2.750 | 3.500 | 0.750 | IG | 29502-4187 |
| 2.750 | 3.543 | 0.375 | 62 | 21702-2038 |
| **2.750** | **3.543** | **0.375** | **63** | **21158-2038** |
| 2.750 | 3.543 | 0.375 | 66 | 21527-2038 |
| 2.750 | 3.543 | 0.375 | 67 | 21528-2038 |
| 2.750 | 3.543 | 0.375 | 68 | 21823-2038 |
| 2.750 | 3.543 | 0.437 | 26 | 24600-2039 |
| 2.750 | 3.543 | 0.437 | 63 | 21158-2039 |
| 2.750 | 3.543 | 0.500 | 63 | 21158-2040 |
| 2.750 | 3.543 | 0.500 | EQ | 24801-1041 |
| 2.750 | 3.543 | 0.625 | EQ | 24802-1242 |
| 2.750 | 3.560 | 0.690 | EQ | 24807-2830 |
| 2.750 | 3.623 | 0.375 | 62 | 21702-2041 |
| **2.750** | **3.623** | **0.375** | **63** | **21158-2041** |
| 2.750 | 3.623 | 0.375 | 66 | 21527-2041 |
| 2.750 | 3.623 | 0.375 | 67 | 21528-2041 |
| 2.750 | 3.623 | 0.375 | 68 | 21823-2041 |
| 2.750 | 3.623 | 0.437 | 63 | 21158-2042 |
| 2.750 | 3.623 | 0.500 | 63 | 21158-2043 |
| 2.750 | 3.625 | 0.438 | 23 | 25003-2054 |
| 2.750 | 3.625 | 0.438 | 26 | 24600-2054 |
| 2.750 | 3.625 | 0.438 | 26R1 | 24620-2054 |
| 2.750 | 3.625 | 0.625 | EQ | 24801-2264 |
| 2.750 | 3.625 | 0.625 | EQ | 24802-2264 |
| 2.750 | 3.625 | 0.750 | IG | 29502-4708 |
| 2.750 | 3.720 | 0.750 | IG | 29502-5005 |
| 2.750 | 3.750 | 0.375 | 23 | 25003-2057 |
| 2.750 | 3.750 | 0.375 | 61 | 24060-2057 |
| 2.750 | 3.750 | 0.438 | 26 | 24600-2058 |
| 2.750 | 3.750 | 0.438 | 26R1 | 24620-2058 |
| 2.750 | 3.750 | 0.500 | 23 | 25003-6471 |
| 2.750 | 3.750 | 0.500 | 25 | 25058-6471 |
| 2.750 | 3.750 | 0.500 | 26 | 24600-6471 |
| 2.750 | 3.750 | 0.500 | 61 | 24060-6471 |
| 2.750 | 3.750 | 0.500 | 66 | 21527-6471 |
| 2.750 | 3.750 | 0.625 | EQ | 24802-1250 |
| 2.750 | 3.750 | 0.750 | IG | 29500-4152 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 2.750 | 3.750 | 0.750 | IG | 29502-4152 |
| 2.750 | 3.751 | 0.375 | 3 | 28003-2710 |
| 2.750 | 3.751 | 0.375 | 23 | 25003-2044 |
| 2.750 | 3.751 | 0.375 | 62 | 21702-2044 |
| **2.750** | **3.751** | **0.375** | **63** | **21158-2044** |
| 2.750 | 3.751 | 0.375 | 66 | 21527-2044 |
| 2.750 | 3.751 | 0.375 | 67 | 21528-2044 |
| 2.750 | 3.751 | 0.375 | 68 | 21823-2044 |
| 2.750 | 3.751 | 0.437 | 62 | 21702-2045 |
| 2.750 | 3.751 | 0.437 | 63 | 21158-2045 |
| 2.750 | 3.751 | 0.500 | 62 | 21702-2046 |
| 2.750 | 3.751 | 0.500 | 63 | 21158-2046 |
| 2.750 | 3.751 | 0.687 | 26 | 24600-2033 |
| 2.750 | 3.751 | 0.687 | 63R1 | 23547-6467 |
| 2.750 | 3.751 | 0.687 | 63R2 | 23548-6467 |
| 2.750 | 3.751 | 0.687 | 63T2 | 23550-6467 |
| 2.750 | 3.751 | 0.750 | 63F1 | 23078-7339 |
| 2.750 | 3.755 | 0.500 | EQ | 24801-1147 |
| 2.750 | 3.772 | 1.000 | EQSPB | 24816-7042 |
| 2.750 | 3.875 | 0.375 | 3 | 28003-2719 |
| 2.750 | 3.875 | 0.500 | 61 | 24060-2049 |
| 2.750 | 3.875 | 0.500 | EQ | 24801-0901 |
| 2.750 | 3.875 | 0.625 | EQ | 24801-2062 |
| 2.750 | 3.875 | 0.625 | EQ | 24802-2062 |
| 2.750 | 3.876 | 0.375 | 62 | 21702-2047 |
| **2.750** | **3.876** | **0.375** | **63** | **21158-2047** |
| 2.750 | 3.876 | 0.375 | 66 | 21527-2047 |
| 2.750 | 3.876 | 0.437 | 62 | 21702-2048 |
| 2.750 | 3.876 | 0.437 | 63 | 21158-2048 |
| 2.750 | 3.876 | 0.500 | 62 | 21702-2049 |
| 2.750 | 3.876 | 0.500 | 63 | 21158-2049 |
| 2.750 | 3.881 | 0.750 | 26R1 | 24620-9094 |
| 2.750 | 3.937 | 0.375 | 63 | 21158-7934 |
| 2.750 | 3.983 | 0.500 | 23 | 25003-1086 |
| 2.750 | 4.000 | 0.500 | 23 | 25003-2030 |
| 2.750 | 4.000 | 0.625 | EQ | 24802-2957 |
| 2.750 | 4.000 | 0.750 | IG | 29502-4706 |
| **2.750** | **4.003** | **0.375** | **63** | **21158-2050** |
| 2.750 | 4.003 | 0.375 | 66 | 21527-2050 |
| 2.750 | 4.003 | 0.375 | 67 | 21528-2050 |
| 2.750 | 4.003 | 0.375 | 68 | 21823-2050 |
| 2.750 | 4.003 | 0.469 | 26 | 24600-2065 |
| 2.750 | 4.003 | 0.500 | 62 | 21702-2052 |
| 2.750 | 4.003 | 0.500 | 63 | 21158-2052 |
| 2.750 | 4.003 | 0.687 | 63R2 | 23548-7177 |
| 2.750 | 4.125 | 0.438 | 26 | 24600-2068 |
| 2.750 | 4.125 | 0.625 | EQ | 24802-2634 |
| 2.750 | 4.375 | 0.625 | EQ | 24802-3174 |
| 2.750 | 4.533 | 0.625 | EQ | 24802-3381 |
| 2.750 | 4.625 | 0.625 | 26 | 24600-2021 |
| 2.750 | 5.000 | 0.500 | 61 | 24060-1559 |
| 2.750 | 6.000 | 0.625 | 54 | 21140-6005 |
| 2.755 | 3.543 | 0.375 | 23 | 25003-4765 |
| 2.755 | 3.622 | 0.472 | 26R1 | 24620-2027 |
| 2.755 | 3.741 | 0.625 | EQ | 24802-3107 |
| 2.755 | 3.741 | 0.625 | IG | 29507-3107 |
| 2.755 | 3.750 | 0.625 | EQ | 24802-1810 |
| 2.755 | 3.755 | 0.625 | EQ | 24802-3012 |
| 2.756 | 3.346 | 0.315 | 26R1 | 24620-2026 |
| 2.756 | 3.543 | 0.237 | 26 | 24600-2071 |
| 2.756 | 3.543 | 0.394 | 26 | 24600-2070 |
| 2.756 | 3.543 | 0.394 | 61 | 24060-2038 |
| 2.756 | 3.543 | 0.472 | 26R1 | 24620-1032 |
| 2.756 | 3.543 | 0.472 | 61 | 24060-2814 |
| 2.756 | 3.543 | 0.500 | EQ | 24801-2067 |
| 2.756 | 3.543 | 0.625 | EQ | 24801-2919 |
| 2.756 | 3.543 | 0.625 | EQ | 24802-2059 |
| 2.756 | 3.543 | 0.750 | IG | 29502-4969 |
| 2.756 | 3.622 | 0.500 | EQ | 24801-2078 |
| 2.756 | 3.622 | 0.625 | EQ | 24802-5095 |
| 2.756 | 3.740 | 0.750 | IG | 29502-4192 |
| 2.756 | 3.937 | 0.394 | 92 | 27063-0759 |
| 2.756 | 3.937 | 0.500 | EQ | 24801-2087 |
| 2.756 | 3.937 | 0.625 | EQ | 24801-2250 |
| 2.756 | 3.937 | 0.625 | EQ | 24802-2250 |
| 2.756 | 4.331 | 0.500 | 26 | 24600-2274 |
| 2.756 | 4.331 | 0.625 | EQ | 24802-3989 |
| 2.775 | 3.775 | 0.750 | IG | 29502-5647 |
| 2.781 | 3.500 | 0.375 | 26 | 24600-0845 |
| 2.795 | 3.465 | 0.472 | 26 | 24600-2077 |
| 2.812 | 3.500 | 0.375 | 62 | 21702-2077 |
| **2.812** | **3.500** | **0.375** | **63** | **21158-2077** |
| 2.812 | 3.543 | 0.375 | 63 | 21158-2080 |
| 2.812 | 3.560 | 0.375 | 23 | 25003-0806 |
| 2.812 | 3.569 | 1.375 | EQSPB | 24816-7032 |
| 2.812 | 3.580 | 0.625 | EQ | 24802-1982 |
| 2.812 | 3.623 | 0.375 | 63 | 21158-2083 |
| 2.812 | 3.623 | 0.500 | 63 | 21158-2085 |
| 2.812 | 3.751 | 0.375 | 62 | 21702-2086 |
| **2.812** | **3.751** | **0.375** | **63** | **21158-2086** |
| 2.812 | 3.751 | 0.500 | 62 | 21702-2088 |
| 2.812 | 3.751 | 0.500 | 63 | 21158-2088 |
| 2.812 | 3.751 | 0.687 | 63R2 | 23548-7159 |
| 2.812 | 3.812 | 0.750 | IG | 29502-4283 |
| 2.812 | 3.875 | 0.469 | 63 | 21158-7143 |
| 2.812 | 3.876 | 0.375 | 63 | 21158-2089 |
| 2.812 | 3.876 | 0.437 | 23 | 25003-2090 |
| 2.812 | 3.876 | 0.437 | 63 | 21158-2090 |
| 2.812 | 3.876 | 0.500 | 63 | 21158-2091 |
| 2.812 | 3.937 | 0.375 | 63 | 21158-7936 |
| 2.812 | 4.002 | 0.750 | IG | 29500-4834 |
| 2.812 | 4.003 | 0.375 | 63 | 21158-2092 |
| 2.812 | 4.003 | 0.437 | 63 | 21158-2093 |
| 2.812 | 4.003 | 0.500 | 63 | 21158-2094 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 2.812 | 4.003 | 0.594 | 63F1 | 23078-9070 |
| 2.813 | 3.563 | 1.102 | IGSPB | 29516-7085 |
| 2.813 | 3.750 | 0.375 | 61 | 24060-7159 |
| 2.813 | 3.751 | 0.438 | 61 | 24060-2526 |
| 2.813 | 3.751 | 0.625 | EQ | 24801-2676 |
| 2.819 | 3.813 | 0.750 | IG | 29502-5329 |
| 2.820 | 3.843 | 0.750 | IG | 29502-5396 |
| 2.835 | 3.543 | 0.394 | 92 | 27063-0770 |
| 2.835 | 3.740 | 0.375 | 23 | 25003-1039 |
| 2.835 | 3.740 | 0.394 | 92 | 27063-0776 |
| 2.835 | 3.937 | 0.394 | 92 | 27063-0791 |
| 2.844 | 3.623 | 0.375 | 62 | 21702-2098 |
| **2.844** | **3.623** | **0.375** | **63** | **21158-2098** |
| 2.844 | 3.623 | 0.500 | 63 | 21158-2100 |
| 2.844 | 3.751 | 0.375 | 62 | 21702-2101 |
| 2.844 | 3.751 | 0.375 | 63 | 21158-2101 |
| 2.844 | 3.751 | 0.500 | 62 | 21702-2103 |
| 2.844 | 3.751 | 0.500 | 63 | 21158-2103 |
| 2.844 | 3.937 | 0.375 | 63 | 21158-7937 |
| 2.844 | 4.003 | 0.375 | 63 | 21158-2107 |
| 2.850 | 3.650 | 0.625 | EQ | 24801-4741 |
| 2.857 | 3.857 | 0.375 | 23 | 25003-0128 |
| 2.863 | 4.724 | 0.500 | 63 | 21158-6627 |
| 2.863 | 4.724 | 0.500 | 76 | 26193-6627 |
| 2.874 | 3.543 | 0.393 | 61 | 24060-2508 |
| 2.875 | 3.375 | 0.625 | IG | 29507-5062 |
| 2.875 | 3.500 | 0.312 | 26 | 24600-2114 |
| 2.875 | 3.500 | 0.312 | 61 | 24060-1556 |
| 2.875 | 3.500 | 0.625 | IG | 29507-4564 |
| 2.875 | 3.563 | 1.102 | IG | 29516-7077 |
| 2.875 | 3.623 | 0.375 | 23 | 25003-2115 |
| 2.875 | 3.623 | 0.375 | 62 | 21702-2115 |
| **2.875** | **3.623** | **0.375** | **63** | **21158-2115** |
| 2.875 | 3.623 | 0.437 | 63 | 21158-2116 |
| 2.875 | 3.623 | 0.500 | 63 | 21158-2117 |
| 2.875 | 3.625 | 0.375 | 23 | 25003-2110 |
| 2.875 | 3.625 | 0.438 | 23 | 25003-2111 |
| 2.875 | 3.625 | 0.625 | EQ | 24801-2086 |
| 2.875 | 3.625 | 0.625 | EQ | 24802-2086 |
| 2.875 | 3.625 | 0.750 | IG | 29502-4548 |
| 2.875 | 3.750 | 0.375 | 23 | 25003-2118 |
| 2.875 | 3.750 | 0.625 | EQ | 24801-1081 |
| 2.875 | 3.750 | 0.625 | EQ | 24802-1081 |
| 2.875 | 3.750 | 0.750 | IG | 29502-4479 |
| 2.875 | 3.751 | 0.250 | 26R1 | 24620-4021 |
| 2.875 | 3.751 | 0.375 | 3 | 28003-2782 |
| 2.875 | 3.751 | 0.375 | 62 | 21702-2118 |
| **2.875** | **3.751** | **0.375** | **63** | **21158-2118** |
| **2.875** | **3.751** | **0.500** | **26** | **24600-2120** |
| 2.875 | 3.751 | 0.500 | 62 | 21702-2120 |
| 2.875 | 3.751 | 0.500 | 63 | 21158-2120 |
| 2.875 | 3.751 | 0.687 | 63R1 | 23547-6730 |
| **2.875** | **3.751** | **0.687** | **63R2** | **23548-6730** |
| 2.875 | 3.875 | 0.375 | 3 | 28003-2791 |
| 2.875 | 3.875 | 0.375 | 23 | 25003-2121 |
| 2.875 | 3.875 | 0.375 | 26 | 24600-2121 |
| 2.875 | 3.875 | 0.500 | 61 | 24060-2123 |
| 2.875 | 3.875 | 0.625 | EQ | 24801-1268 |
| 2.875 | 3.875 | 0.625 | EQ | 24802-1268 |
| 2.875 | 3.875 | 0.750 | IG | 29502-4153 |
| **2.875** | **3.876** | **0.375** | **63** | **21158-2121** |
| 2.875 | 3.876 | 0.437 | 63 | 21158-2122 |
| 2.875 | 3.876 | 0.500 | 63 | 21158-2123 |
| 2.875 | 3.876 | 0.687 | 63R2 | 23548-1171 |
| 2.875 | 3.937 | 0.375 | 63 | 21158-7938 |
| 2.875 | 4.000 | 0.468 | 26 | 24600-2113 |
| 2.875 | 4.000 | 0.500 | 61 | 24060-1560 |
| 2.875 | 4.000 | 0.625 | EQ | 24802-2843 |
| 2.875 | 4.000 | 0.750 | IG | 29500-4331 |
| 2.875 | 4.000 | 0.750 | IG | 29502-4331 |
| 2.875 | 4.003 | 0.375 | 62 | 21702-2124 |
| **2.875** | **4.003** | **0.375** | **63** | **21158-2124** |
| 2.875 | 4.003 | 0.437 | 63 | 21158-2125 |
| 2.875 | 4.003 | 0.500 | 63 | 21158-2126 |
| 2.875 | 4.003 | 0.594 | 63F1 | 23078-6680 |
| 2.875 | 4.003 | 0.625 | EQ | 24801-1205 |
| 2.875 | 4.003 | 0.625 | EQ | 24802-1205 |
| 2.875 | 4.003 | 0.687 | 63R2 | 23548-6599 |
| 2.875 | 4.003 | 0.687 | 63T2 | 23550-6599 |
| 2.875 | 4.003 | 0.687 | 66R2 | 23702-6599 |
| 2.875 | 4.125 | 0.406 | 63 | 21158-2127 |
| 2.875 | 4.125 | 0.469 | 63 | 21158-2128 |
| 2.875 | 4.125 | 0.500 | 23 | 25003-5127 |
| 2.875 | 4.125 | 0.719 | 63F1 | 23078-6762 |
| 2.875 | 4.125 | 0.750 | IG | 29502-4215 |
| 2.875 | 4.134 | 0.750 | IG | 29500-4694 |
| 2.875 | 4.250 | 0.750 | IG | 29502-5312 |
| 2.875 | 4.375 | 0.625 | EQ | 24802-5069 |
| 2.875 | 4.380 | 0.625 | EQ | 24802-1878 |
| 2.875 | 4.625 | 0.625 | EQ | 24802-3093 |
| 2.875 | 4.625 | 0.750 | IG | 29502-4386 |
| 2.880 | 3.625 | 0.375 | 61 | 24060-2059 |
| 2.880 | 3.625 | 0.375 | 61 | 24061-2059 |
| 2.883 | 3.633 | 0.375 | 23 | 25003-0993 |
| 2.900 | 3.900 | 0.625 | EQ | 24802-3137 |
| 2.901 | 3.601 | 0.232 | 26 | 24600-2137 |
| 2.906 | 3.623 | 0.375 | 63 | 21158-2129 |
| 2.906 | 3.751 | 0.437 | 63 | 21158-2133 |
| 2.906 | 3.876 | 0.375 | 63 | 21158-2135 |
| 2.906 | 3.937 | 0.375 | 63 | 21158-7939 |
| 2.906 | 4.003 | 0.375 | 63 | 21158-2138 |
| 2.906 | 4.125 | 0.406 | 63 | 21158-2141 |
| 2.906 | 4.125 | 0.469 | 63 | 21158-2142 |
| 2.925 | 3.925 | 0.750 | IG | 29502-5469 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 2.932 | 3.806 | 0.625 | EQ | 24802-3493 |
| 2.932 | 3.806 | 0.690 | EQ | 24807-3504 |
| 2.932 | 3.932 | 0.625 | EQ | 24802-3513 |
| 2.933 | 3.750 | 0.625 | EQ | 24802-3086 |
| 2.937 | 3.623 | 0.375 | 62 | 21702-2143 |
| **2.937** | **3.623** | **0.375** | **63** | **21158-2143** |
| 2.937 | 3.623 | 0.500 | 63 | 21158-2145 |
| 2.937 | 3.623 | 0.687 | 63R2 | 23548-8863 |
| 2.937 | 3.623 | 0.690 | EQ | 24807-2138 |
| 2.937 | 3.625 | 0.375 | 26 | 24600-2144 |
| 2.937 | 3.625 | 0.690 | EQ | 24807-2153 |
| 2.937 | 3.687 | 0.375 | 23 | 25003-7833 |
| 2.937 | 3.688 | 0.500 | EQ | 24801-2145 |
| 2.937 | 3.750 | 0.625 | EQ | 24802-1980 |
| 2.937 | 3.751 | 0.375 | 62 | 21702-2146 |
| **2.937** | **3.751** | **0.375** | **63** | **21158-2146** |
| 2.937 | 3.751 | 0.437 | 62 | 21702-2147 |
| 2.937 | 3.751 | 0.437 | 63 | 21158-2147 |
| 2.937 | 3.751 | 0.500 | 63 | 21158-2148 |
| 2.937 | 3.817 | 1.062 | EQSPB | 24816-7022 |
| 2.937 | 3.875 | 0.500 | 26 | 24600-2151 |
| 2.937 | 3.876 | 0.375 | 23 | 25003-2149 |
| 2.937 | 3.876 | 0.375 | 63 | 21158-2149 |
| 2.937 | 3.876 | 0.437 | 63 | 21158-2150 |
| 2.937 | 3.876 | 0.500 | 63 | 21158-2151 |
| 2.937 | 3.876 | 0.687 | 63R1 | 23547-8470 |
| 2.937 | 3.906 | 0.484 | 23 | 25003-8488 |
| 2.937 | 3.937 | 0.375 | 23 | 25003-7596 |
| 2.937 | 3.937 | 0.375 | 61 | 24060-7596 |
| 2.937 | 3.937 | 0.375 | 62 | 21702-7596 |
| 2.937 | 3.937 | 0.375 | 63 | 21158-7596 |
| 2.937 | 3.937 | 0.500 | 23 | 25003-2140 |
| 2.937 | 3.937 | 0.500 | 23 | 25003-6351 |
| 2.937 | 4.000 | 0.375 | 23 | 25003-8385 |
| 2.937 | 4.000 | 0.500 | 23 | 25003-0917 |
| 2.937 | 4.000 | 0.500 | EQ | 24801-2167 |
| 2.937 | 4.000 | 0.750 | IG | 29500-4648 |
| 2.937 | 4.003 | 0.375 | 25 | 25058-2152 |
| **2.937** | **4.003** | **0.375** | **63** | **21158-2152** |
| 2.937 | 4.003 | 0.437 | 23 | 25003-2153 |
| 2.937 | 4.003 | 0.437 | 63 | 21158-2153 |
| 2.937 | 4.003 | 0.500 | 25 | 25058-2154 |
| 2.937 | 4.003 | 0.500 | 62 | 21702-2154 |
| 2.937 | 4.003 | 0.500 | 63 | 21158-2154 |
| 2.937 | 4.003 | 0.594 | 63F1 | 23078-6585 |
| 2.937 | 4.003 | 0.625 | EQ | 24802-0997 |
| 2.937 | 4.003 | 0.687 | 63R1 | 23547-6588 |
| 2.937 | 4.003 | 0.687 | 63TF | 23735-6588 |
| **2.937** | **4.125** | **0.406** | **63** | **21158-2155** |
| 2.937 | 4.125 | 0.562 | 63 | 21158-9481 |
| 2.937 | 4.125 | 0.719 | 63F1 | 23078-7722 |
| 2.937 | 4.125 | 0.719 | 63T2 | 23550-7722 |
| 2.937 | 4.480 | 1.062 | EQSPB | 24816-7060 |
| 2.938 | 3.544 | 0.625 | IG | 29507-5153 |
| 2.938 | 3.623 | 0.625 | IG | 29507-4522 |
| 2.938 | 3.625 | 0.312 | 61 | 24060-1562 |
| 2.938 | 3.688 | 0.625 | EQ | 24801-1908 |
| 2.938 | 3.750 | 0.375 | 23 | 25003-2146 |
| 2.938 | 3.750 | 0.375 | 26 | 24600-2146 |
| 2.938 | 3.750 | 0.375 | 61 | 24060-2146 |
| 2.938 | 3.750 | 0.500 | 61 | 24060-2148 |
| 2.938 | 3.750 | 0.750 | IG | 29502-4850 |
| 2.938 | 3.812 | 0.625 | EQ | 24802-1142 |
| **2.938** | **3.813** | **1.007** | **IGSPB** | **29516-7095** |
| 2.938 | 3.817 | 1.000 | IGSPB | 29516-4832 |
| 2.938 | 3.875 | 0.375 | 61 | 24060-2149 |
| 2.938 | 3.875 | 0.437 | 61 | 24060-2150 |
| 2.938 | 3.875 | 0.500 | 61 | 24060-2151 |
| 2.938 | 3.875 | 0.625 | IG | 29519-5806 |
| 2.938 | 3.905 | 0.484 | 23 | 25003-1256 |
| 2.938 | 3.938 | 0.500 | EQ | 24801-2159 |
| 2.938 | 3.938 | 0.625 | EQ | 24802-2083 |
| 2.938 | 3.938 | 0.750 | IG | 29502-4284 |
| 2.938 | 3.940 | 1.062 | IGSPB | 29516-7106 |
| 2.938 | 3.956 | 1.375 | EQSPB | 24816-7017 |
| 2.938 | 4.000 | 0.500 | 23 | 25003-0895 |
| 2.938 | 4.000 | 0.500 | 61 | 24060-0917 |
| 2.938 | 4.000 | 0.750 | IG | 29502-4594 |
| 2.938 | 4.003 | 0.375 | 23 | 25003-2152 |
| 2.938 | 4.003 | 0.750 | IG | 29502-5127 |
| 2.938 | 4.008 | 0.468 | 26 | 24600-2081 |
| 2.938 | 4.064 | 0.500 | 23 | 25003-2946 |
| 2.938 | 4.125 | 0.750 | IG | 29502-4544 |
| 2.938 | 4.173 | 0.879 | IGSPB | 29516-7115 |
| 2.938 | 4.295 | 0.750 | IG | 29502-4838 |
| 2.938 | 4.500 | 0.750 | IG | 29502-5413 |
| 2.942 | 3.942 | 0.750 | IG | 29502-4770 |
| 2.950 | 3.460 | 0.625 | IG | 29507-4398 |
| 2.950 | 3.950 | 0.750 | IG | 29502-5697 |
| 2.950 | 3.960 | 0.625 | EQ | 24802-3519 |
| 2.950 | 4.000 | 0.750 | IG | 29502-5742 |
| 2.950 | 4.250 | 0.625 | EQ | 24802-3736 |
| 2.952 | 4.000 | 0.625 | EQ | 24802-1811 |
| 2.953 | 3.543 | 0.394 | 61 | 24062-2377 |
| 2.953 | 3.740 | 0.394 | 92 | 27063-0797 |
| 2.953 | 3.740 | 0.511 | 26 | 24600-3663 |
| 2.953 | 3.740 | 0.512 | 61 | 24060-1848 |
| 2.953 | 3.740 | 0.625 | EQ | 24802-3316 |
| 2.953 | 3.740 | 0.625 | IG | 29507-3316 |
| 2.953 | 3.740 | 0.690 | EQ | 24807-3312 |
| 2.953 | 3.740 | 0.750 | IG | 29500-4822 |
| 2.953 | 3.740 | 0.750 | IG | 29502-4822 |
| 2.953 | 3.937 | 0.375 | 23 | 25003-2966 |
| 2.953 | 3.937 | 0.375 | 61 | 24060-2966 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 2.953 | 3.937 | 0.394 | 61 | 24060-0809 |
| 2.953 | 3.937 | 0.394 | 92 | 27063-0809 |
| 2.953 | 3.937 | 0.500 | EQ | 24801-1078 |
| 2.953 | 3.937 | 0.512 | 26 | 24600-0827 |
| 2.953 | 3.937 | 0.512 | 58 | 21003-1921 |
| 2.953 | 3.937 | 0.625 | EQ | 24801-2166 |
| 2.953 | 3.937 | 0.625 | EQ | 24802-2166 |
| 2.953 | 3.937 | 0.750 | IG | 29502-4749 |
| 2.953 | 3.976 | 0.696 | IGSPB | 29516-7152 |
| 2.953 | 4.175 | 0.750 | IG | 29502-5589 |
| 2.953 | 4.213 | 0.492 | 23 | 25003-2105 |
| 2.953 | 4.213 | 0.492 | 26 | 24600-2105 |
| 2.953 | 4.213 | 0.500 | 23 | 25003-2331 |
| 2.953 | 4.331 | 0.472 | 92 | 27063-0819 |
| 2.953 | 4.331 | 0.750 | IG | 29502-5739 |
| 2.953 | 4.528 | 0.375 | 94 | 27223-5074 |
| 2.953 | 4.528 | 0.472 | 26R1 | 24620-2908 |
| 2.953 | 4.724 | 0.472 | 92 | 27063-0824 |
| 2.955 | 3.500 | 0.625 | IG | 29507-5004 |
| **2.969** | **3.751** | **0.375** | **63** | **21158-2157** |
| 2.969 | 3.751 | 0.687 | 63T2 | 23550-4648 |
| 2.969 | 3.876 | 0.375 | 63 | 21158-2160 |
| 2.969 | 3.937 | 0.375 | 63 | 21158-7940 |
| 2.969 | 4.003 | 0.375 | 63 | 21158-2163 |
| 2.969 | 4.125 | 0.406 | 63 | 21158-2166 |
| 2.977 | 3.959 | 0.500 | 23 | 25003-4442 |
| 2.990 | 3.750 | 0.750 | IG | 29502-4457 |
| 2.990 | 4.000 | 0.750 | IG | 29500-4675 |
| 2.997 | 3.831 | 0.750 | IG | 29502-4658 |
| 2.998 | 3.515 | 0.690 | EQ | 24807-2165 |
| 2.998 | 3.998 | 0.625 | EQ | 24802-3221 |
| 3.000 | 3.406 | 0.203 | 91 | 27023-9574 |
| **3.000** | **3.500** | **0.250** | **71** | **26001-6308** |
| **3.000** | **3.500** | **0.250** | **92** | **27063-6308** |
| 3.000 | 3.500 | 0.625 | IG | 29507-5650 |
| 3.000 | 3.500 | 0.690 | EQ | 24807-2045 |
| 3.000 | 3.625 | 0.312 | 61 | 24060-1564 |
| 3.000 | 3.625 | 0.437 | 61 | 24060-1469 |
| 3.000 | 3.750 | 0.375 | 61 | 24060-2168 |
| 3.000 | 3.750 | 0.438 | 61 | 24060-2169 |
| 3.000 | 3.750 | 0.500 | 61 | 24060-2170 |
| 3.000 | 3.750 | 0.625 | EQ | 24801-1265 |
| 3.000 | 3.750 | 0.625 | EQ | 24802-1265 |
| 3.000 | 3.750 | 0.625 | IG | 29519-1265 |
| 3.000 | 3.750 | 0.750 | IG | 29500-4709 |
| 3.000 | 3.750 | 0.750 | IG | 29502-4709 |
| 3.000 | 3.751 | 0.375 | 23 | 25003-2168 |
| 3.000 | 3.751 | 0.375 | 25 | 25058-2168 |
| 3.000 | 3.751 | 0.375 | 26 | 24600-2168 |
| 3.000 | 3.751 | 0.375 | 62 | 21702-2168 |
| **3.000** | **3.751** | **0.375** | **63** | **21158-2168** |
| 3.000 | 3.751 | 0.375 | 66 | 21527-2168 |
| 3.000 | 3.751 | 0.375 | 67 | 21528-2168 |
| 3.000 | 3.751 | 0.375 | 68 | 21823-2168 |
| 3.000 | 3.751 | 0.438 | 63 | 21158-2169 |
| 3.000 | 3.751 | 0.500 | 62 | 21702-2170 |
| 3.000 | 3.751 | 0.500 | 63 | 21158-2170 |
| 3.000 | 3.751 | 0.500 | 66 | 21527-2120 |
| 3.000 | 3.751 | 0.500 | 66 | 21527-2170 |
| 3.000 | 3.751 | 0.594 | 63F1 | 23078-7542 |
| 3.000 | 3.751 | 0.687 | 63R2 | 23548-6543 |
| 3.000 | 3.813 | 1.007 | IGSPB | 29516-7070 |
| 3.000 | 3.818 | 1.375 | EQSPB | 24816-7023 |
| 3.000 | 3.825 | 1.062 | EQSPB | 24816-7010 |
| 3.000 | 3.875 | 0.500 | 23 | 25003-2173 |
| 3.000 | 3.875 | 0.500 | 61 | 24060-2173 |
| 3.000 | 3.875 | 0.500 | EQ | 24801-2173 |
| 3.000 | 3.875 | 0.625 | EQ | 24801-2172 |
| 3.000 | 3.875 | 0.625 | EQ | 24802-2172 |
| 3.000 | 3.875 | 0.750 | IG | 29502-4328 |
| 3.000 | 3.876 | 0.375 | 23 | 25003-2171 |
| 3.000 | 3.876 | 0.375 | 26 | 24600-2171 |
| 3.000 | 3.876 | 0.375 | 62 | 21702-2171 |
| **3.000** | **3.876** | **0.375** | **63** | **21158-2171** |
| 3.000 | 3.876 | 0.375 | 66 | 21527-2171 |
| 3.000 | 3.876 | 0.438 | 62 | 21702-2172 |
| 3.000 | 3.876 | 0.438 | 63 | 21158-2172 |
| 3.000 | 3.876 | 0.500 | 63 | 21158-2173 |
| 3.000 | 3.876 | 0.500 | 66 | 21527-2173 |
| 3.000 | 3.876 | 0.687 | 63T2 | 23550-7153 |
| 3.000 | 3.880 | 0.594 | 26R1 | 24620-4946 |
| 3.000 | 3.881 | 0.625 | EQ | 24802-1216 |
| 3.000 | 3.937 | 0.375 | 23 | 25003-7941 |
| 3.000 | 3.937 | 0.375 | 63 | 21158-7941 |
| 3.000 | 3.937 | 0.500 | 62 | 21702-1937 |
| 3.000 | 3.937 | 0.625 | EQ | 24801-3642 |
| 3.000 | 3.937 | 0.687 | 63T2 | 23550-9654 |
| 3.000 | 4.000 | 0.375 | 21 | 25001-5023 |
| 3.000 | 4.000 | 0.375 | 23 | 25003-5023 |
| 3.000 | 4.000 | 0.375 | 25 | 25058-5023 |
| 3.000 | 4.000 | 0.375 | 61 | 24060-5023 |
| 3.000 | 4.000 | 0.406 | 23 | 25003-2565 |
| 3.000 | 4.000 | 0.437 | 23 | 25003-9915 |
| 3.000 | 4.000 | 0.437 | 25 | 25058-9915 |
| 3.000 | 4.000 | 0.500 | 23 | 25003-4557 |
| 3.000 | 4.000 | 0.500 | 25 | 25058-4557 |
| **3.000** | **4.000** | **0.500** | **26** | **24600-4557** |
| 3.000 | 4.000 | 0.500 | 61 | 24060-4557 |
| 3.000 | 4.000 | 0.500 | 61 | 24062-4557 |
| 3.000 | 4.000 | 0.500 | 61 | 24063-4557 |
| 3.000 | 4.000 | 0.500 | 62 | 21702-4557 |
| 3.000 | 4.000 | 0.500 | 113 | 21012-4557 |
| 3.000 | 4.000 | 0.625 | EQ | 24801-1220 |
| 3.000 | 4.000 | 0.625 | EQ | 24802-1220 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 3.000 | 4.000 | 0.625 | IG | 29519-1220 |
| 3.000 | 4.000 | 0.750 | EQ | 24801-2175 |
| 3.000 | 4.000 | 0.750 | IG | 29500-2175 |
| 3.000 | 4.000 | 0.750 | IG | 29502-2175 |
| 3.000 | 4.003 | 0.375 | 23 | 25003-2174 |
| 3.000 | 4.003 | 0.375 | 26 | 24600-2174 |
| 3.000 | 4.003 | 0.375 | 62 | 21702-2174 |
| **3.000** | **4.003** | **0.375** | **63** | **21158-2174** |
| 3.000 | 4.003 | 0.375 | 66 | 21527-2174 |
| 3.000 | 4.003 | 0.375 | 67 | 21528-2174 |
| 3.000 | 4.003 | 0.375 | 68 | 21823-2174 |
| 3.000 | 4.003 | 0.437 | 62 | 21702-2175 |
| **3.000** | **4.003** | **0.438** | **63** | **21158-2175** |
| 3.000 | 4.003 | 0.500 | 23 | 25003-2176 |
| 3.000 | 4.003 | 0.500 | 25 | 25058-2176 |
| 3.000 | 4.003 | 0.500 | 62 | 21702-2176 |
| 3.000 | 4.003 | 0.500 | 63 | 21158-2176 |
| 3.000 | 4.003 | 0.594 | 63F1 | 23078-7328 |
| 3.000 | 4.003 | 0.625 | EQ | 24802-3570 |
| 3.000 | 4.003 | 0.687 | 63R1 | 23547-7197 |
| 3.000 | 4.003 | 0.687 | 63R2 | 23548-7197 |
| 3.000 | 4.003 | 0.687 | 63T2 | 23550-7197 |
| 3.000 | 4.003 | 0.687 | 63TB | 23549-7197 |
| 3.000 | 4.003 | 0.687 | 66R2 | 23702-7197 |
| 3.000 | 4.008 | 0.625 | EQ | 24802-2171 |
| 3.000 | 4.062 | 0.375 | 23 | 25003-9230 |
| 3.000 | 4.070 | 0.500 | 23 | 25003-4607 |
| 3.000 | 4.125 | 0.375 | 23 | 25003-6868 |
| 3.000 | 4.125 | 0.437 | 26 | 24600-2187 |
| 3.000 | 4.125 | 0.438 | 26R1 | 24620-2187 |
| 3.000 | 4.125 | 0.500 | 23 | 25003-2177 |
| **3.000** | **4.125** | **0.500** | **53** | **21086-2177** |
| 3.000 | 4.125 | 0.500 | 26R1 | 24620-2177 |
| 3.000 | 4.125 | 0.500 | 62 | 21702-2177 |
| 3.000 | 4.125 | 0.500 | EQ | 24801-2177 |
| 3.000 | 4.125 | 0.563 | 53 | 21086-2178 |
| 3.000 | 4.125 | 0.625 | EQ | 24802-2179 |
| 3.000 | 4.125 | 0.719 | 53F1 | 22987-5059 |
| 3.000 | 4.125 | 0.750 | IG | 29500-4361 |
| 3.000 | 4.125 | 0.906 | 53R1 | 22537-7255 |
| 3.000 | 4.125 | 0.906 | 53R2 | 22627-7255 |
| **3.000** | **4.249** | **0.500** | **53** | **21086-2180** |
| 3.000 | 4.249 | 0.500 | 62 | 21702-2180 |
| 3.000 | 4.249 | 0.625 | 53 | 21086-2182 |
| 3.000 | 4.250 | 0.375 | 24 | 25005-8245 |
| 3.000 | 4.250 | 0.500 | 23 | 25003-4804 |
| 3.000 | 4.250 | 0.500 | 25 | 25058-4804 |
| 3.000 | 4.250 | 0.500 | 26 | 24600-2180 |
| 3.000 | 4.250 | 0.500 | 61 | 24060-4804 |
| 3.000 | 4.250 | 0.625 | 23 | 25003-9724 |
| 3.000 | 4.250 | 0.625 | 53 | 21086-9724 |
| 3.000 | 4.250 | 0.625 | 58 | 21003-9724 |
| 3.000 | 4.250 | 0.625 | EQ | 24801-9724 |
| 3.000 | 4.331 | 0.500 | 53 | 21086-6435 |
| 3.000 | 4.375 | 0.375 | 23 | 25003-9649 |
| 3.000 | 4.375 | 0.500 | 23 | 25003-2183 |
| **3.000** | **4.375** | **0.500** | **53** | **21086-2183** |
| 3.000 | 4.375 | 0.500 | 62 | 21702-2183 |
| 3.000 | 4.375 | 0.562 | 53 | 21086-2184 |
| 3.000 | 4.375 | 0.750 | IG | 29500-4507 |
| 3.000 | 4.500 | 0.500 | 23 | 25003-2186 |
| 3.000 | 4.500 | 0.500 | 26 | 24600-2186 |
| **3.000** | **4.500** | **0.500** | **53** | **21086-2186** |
| 3.000 | 4.500 | 0.500 | 62 | 21702-2186 |
| 3.000 | 4.500 | 0.562 | 53 | 21086-4546 |
| 3.000 | 4.500 | 0.625 | 25 | 25058-2188 |
| 3.000 | 4.500 | 0.625 | 53 | 21086-2188 |
| 3.000 | 4.500 | 0.625 | EQ | 24802-2091 |
| 3.000 | 4.500 | 0.719 | 53F1 | 22987-7402 |
| 3.000 | 4.500 | 0.750 | IG | 29502-5333 |
| 3.000 | 4.500 | 0.906 | 53T2 | 22897-6511 |
| 3.000 | 4.500 | 0.937 | 53T2 | 22897-5758 |
| 3.000 | 4.500 | 0.969 | 53T2 | 22897-7551 |
| 3.000 | 4.617 | 0.625 | EQ | 24802-2492 |
| **3.000** | **4.625** | **0.500** | **53** | **21086-2189** |
| 3.000 | 4.724 | 0.500 | 53 | 21086-7942 |
| 3.000 | 4.750 | 0.500 | 25 | 25058-2192 |
| **3.000** | **4.750** | **0.500** | **53** | **21086-2192** |
| **3.000** | **4.875** | **0.500** | **53** | **21086-2195** |
| 3.000 | 4.910 | 0.750 | IG | 29502-4352 |
| 3.000 | 4.922 | 0.500 | 53 | 21086-7879 |
| 3.000 | 4.922 | 0.625 | 53 | 21086-6649 |
| 3.000 | 4.999 | 0.500 | 53 | 21086-2198 |
| 3.000 | 4.999 | 0.500 | 62 | 21702-2198 |
| 3.000 | 5.000 | 0.500 | 26 | 24600-2198 |
| 3.000 | 5.000 | 0.750 | IG | 29502-5423 |
| 3.000 | 5.875 | 0.750 | IG | 29502-5215 |
| 3.000 | 5.875 | 0.750 | IG | 29507-5215 |
| 3.006 | 4.006 | 0.625 | EQ | 24802-2950 |
| 3.008 | 4.008 | 0.750 | IG | 29502-5403 |
| 3.010 | 4.010 | 0.625 | EQ | 24802-3138 |
| 3.015 | 4.015 | 0.625 | EQ | 24802-3096 |
| 3.016 | 4.016 | 0.750 | IG | 29502-5455 |
| 3.062 | 3.810 | 1.062 | EQSPB | 24816-7005 |
| 3.062 | 4.000 | 0.500 | 23 | 25003-2108 |
| 3.062 | 4.003 | 0.375 | 62 | 21702-8876 |
| 3.062 | 4.003 | 0.375 | 76 | 26193-8876 |
| 3.062 | 4.062 | 0.375 | 94 | 27223-9622 |
| 3.062 | 4.062 | 0.625 | EQ | 24802-2201 |
| 3.062 | 4.125 | 0.437 | 23 | 25003-1895 |
| **3.062** | **4.125** | **0.500** | **53** | **21086-2201** |
| 3.062 | 4.125 | 0.500 | 62 | 21702-2201 |
| 3.062 | 4.125 | 0.562 | 53 | 21086-2202 |
| 3.062 | 4.249 | 0.500 | 53 | 21086-2204 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 3.062 | 4.331 | 0.500 | 53 | 21086-7944 |
| 3.062 | 4.500 | 0.500 | 53 | 21086-2210 |
| 3.062 | 4.625 | 0.500 | 53 | 21086-2213 |
| 3.062 | 4.724 | 0.500 | 53 | 21086-7945 |
| 3.062 | 4.875 | 0.500 | 53 | 21086-2219 |
| 3.062 | 4.875 | 0.625 | 53 | 21086-2221 |
| 3.062 | 4.999 | 0.500 | 53 | 21086-2222 |
| 3.063 | 3.813 | 1.007 | IGSPB | 29516-7084 |
| 3.063 | 4.063 | 0.500 | 23 | 25003-2200 |
| 3.063 | 4.063 | 0.750 | IG | 29502-4285 |
| **3.063** | **4.125** | **0.500** | **23** | **25003-2201** |
| 3.063 | 4.125 | 0.500 | 61 | 24060-2177 |
| 3.070 | 3.937 | 0.437 | 23 | 25003-4769 |
| 3.071 | 3.937 | 0.625 | EQ | 24802-3024 |
| 3.071 | 4.071 | 0.500 | 23 | 25003-7144 |
| 3.071 | 4.331 | 0.750 | IG | 29502-5395 |
| 3.071 | 4.571 | 0.500 | 23 | 25003-4954 |
| 3.075 | 4.325 | 0.625 | EQ | 24802-2643 |
| 3.100 | 4.100 | 0.750 | IG | 29502-5657 |
| 3.110 | 4.331 | 0.750 | IG | 29502-5763 |
| 3.122 | 4.000 | 0.625 | EQ | 24802-2209 |
| 3.125 | 3.625 | 0.109 | 71 | 26001-6553 |
| 3.125 | 3.750 | 0.312 | 61 | 24060-1565 |
| 3.125 | 3.750 | 0.500 | 61 | 24060-1566 |
| 3.125 | 3.875 | 0.375 | 21 | 25001-7213 |
| 3.125 | 3.875 | 0.375 | 23 | 25003-7213 |
| 3.125 | 3.875 | 0.375 | 26 | 24600-7213 |
| 3.125 | 3.875 | 0.500 | 61 | 24060-1568 |
| 3.125 | 3.875 | 0.750 | IG | 29502-4775 |
| 3.125 | 3.938 | 0.750 | IG | 29502-4777 |
| 3.125 | 4.000 | 0.375 | 61 | 24060-1569 |
| 3.125 | 4.000 | 0.500 | 23 | 25003-5209 |
| 3.125 | 4.000 | 0.625 | EQ | 24801-2222 |
| 3.125 | 4.000 | 0.625 | IG | 29507-2222 |
| 3.125 | 4.003 | 0.750 | IG | 29502-5362 |
| 3.125 | 4.008 | 0.375 | 23 | 25003-3172 |
| 3.125 | 4.125 | 0.375 | 3 | 28003-3104 |
| 3.125 | 4.125 | 0.437 | 23 | 25003-6102 |
| 3.125 | 4.125 | 0.500 | 23 | 25003-2225 |
| 3.125 | 4.125 | 0.500 | 26 | 24600-2225 |
| **3.125** | **4.125** | **0.500** | **53** | **21086-2225** |
| 3.125 | 4.125 | 0.500 | 58 | 21003-2225 |
| 3.125 | 4.125 | 0.500 | 61 | 24060-2225 |
| 3.125 | 4.125 | 0.500 | 62 | 21702-2225 |
| 3.125 | 4.125 | 0.562 | 53 | 21086-2226 |
| **3.125** | **4.125** | **0.625** | **EQ** | **24802-2223** |
| 3.125 | 4.125 | 0.750 | IG | 29502-4114 |
| 3.125 | 4.125 | 0.906 | 53R2 | 22627-6739 |
| 3.125 | 4.125 | 0.906 | 53T2 | 22897-6739 |
| 3.125 | 4.130 | 0.625 | EQ | 24802-1207 |
| 3.125 | 4.188 | 0.500 | 23 | 25003-2685 |
| 3.125 | 4.249 | 0.438 | 26R1 | 24620-2216 |
| 3.125 | 4.249 | 0.500 | 23 | 25003-2228 |
| 3.125 | 4.249 | 0.562 | 53 | 21086-2229 |
| 3.125 | 4.249 | 0.625 | 53 | 21086-2230 |
| 3.125 | 4.249 | 0.719 | 53F1 | 22987-5162 |
| **3.125** | **4.249** | **0. 500** | **53** | **21086-2228** |
| 3.125 | 4.250 | 0.375 | 23 | 25003-6862 |
| 3.125 | 4.250 | 0.500 | 23 | 25003-5025 |
| 3.125 | 4.250 | 0.500 | 26 | 24600-0914 |
| 3.125 | 4.250 | 0.625 | 23 | 25003-7682 |
| 3.125 | 4.250 | 0.625 | 26 | 24600-7682 |
| 3.125 | 4.250 | 0.625 | EQ | 24801-7682 |
| 3.125 | 4.250 | 0.750 | IG | 29500-5066 |
| 3.125 | 4.250 | 0.750 | IG | 29502-5066 |
| 3.125 | 4.312 | 0.750 | IG | 29502-5723 |
| 3.125 | 4.331 | 0.500 | 53 | 21086-7947 |
| 3.125 | 4.375 | 0.500 | 23 | 25003-2231 |
| 3.125 | 4.375 | 0.500 | 53 | 21086-2231 |
| 3.125 | 4.375 | 0.500 | 61 | 24060-2231 |
| 3.125 | 4.375 | 0.500 | 62 | 21702-2231 |
| 3.125 | 4.375 | 0.625 | EQ | 24802-2224 |
| 3.125 | 4.500 | 0.438 | 23 | 25003-2358 |
| 3.125 | 4.500 | 0.500 | 23 | 25003-2234 |
| **3.125** | **4.500** | **0.500** | **53** | **21086-2234** |
| 3.125 | 4.500 | 0.500 | 61 | 24060-2234 |
| 3.125 | 4.500 | 0.625 | 53 | 21086-2236 |
| 3.125 | 4.506 | 0.500 | 26R1 | 24620-2217 |
| 3.125 | 4.625 | 0.500 | 26 | 24600-2237 |
| 3.125 | 4.625 | 0.500 | 53 | 21086-2237 |
| 3.125 | 4.625 | 0.500 | 62 | 21702-2237 |
| 3.125 | 4.724 | 0.500 | 53 | 21086-7948 |
| 3.125 | 4.750 | 0.500 | 53 | 21086-2240 |
| 3.125 | 4.875 | 0.500 | 53 | 21086-2243 |
| 3.125 | 4.875 | 0.969 | 53F1 | 22987-7181 |
| 3.125 | 4.875 | 0.969 | 53T2 | 22897-7181 |
| **3.125** | **4.999** | **0.500** | **53** | **21086-2246** |
| 3.125 | 4.999 | 0.906 | 53R2 | 22627-6968 |
| 3.140 | 4.140 | 0.750 | IG | 29502-4888 |
| 3.142 | 4.142 | 0.750 | IG | 29502-5055 |
| 3.149 | 3.942 | 0.625 | EQ | 24802-1739 |
| 3.149 | 4.122 | 0.750 | IG | 29502-5313 |
| 3.149 | 4.500 | 0.625 | EQ | 24802-1813 |
| 3.149 | 4.724 | 0.750 | IG | 29500-5487 |
| 3.150 | 3.937 | 0.394 | 23 | 25003-1033 |
| 3.150 | 3.937 | 0.394 | 26R1 | 24620-1033 |
| 3.150 | 3.937 | 0.394 | 61 | 24060-1033 |
| 3.150 | 3.937 | 0.394 | 61 | 24064-1033 |
| 3.150 | 3.937 | 0.500 | 62 | 21702-1938 |
| 3.150 | 3.937 | 0.512 | 26 | 24600-2238 |
| 3.150 | 3.937 | 0.625 | EQ | 24801-2240 |
| 3.150 | 3.937 | 0.625 | EQ | 24802-2240 |
| 3.150 | 3.937 | 0.690 | EQ | 24807-3674 |
| 3.150 | 3.937 | 0.750 | IG | 29502-4798 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 3.150 | 4.134 | 0.394 | 61 | 24060-2411 |
| 3.150 | 4.134 | 0.472 | 92 | 27063-0825 |
| 3.150 | 4.134 | 0.512 | 26 | 24600-2215 |
| 3.150 | 4.134 | 0.512 | 26R1 | 24620-2215 |
| 3.150 | 4.134 | 0.625 | EQ | 24801-2272 |
| 3.150 | 4.135 | 0.750 | IG | 29502-4728 |
| 3.150 | 4.150 | 0.750 | IG | 29502-5141 |
| 3.150 | 4.249 | 0.438 | 23 | 25003-4768 |
| 3.150 | 4.250 | 0.750 | IG | 29502-4574 |
| 3.150 | 4.330 | 0.237 | 26 | 24600-2243 |
| 3.150 | 4.331 | 0.394 | 92 | 27063-0831 |
| 3.150 | 4.331 | 0.472 | 23 | 25003-7426 |
| 3.150 | 4.331 | 0.472 | 53 | 21086-7426 |
| 3.150 | 4.331 | 0.500 | 23 | 25003-1998 |
| 3.150 | 4.331 | 0.625 | EQ | 24801-3593 |
| 3.150 | 4.331 | 0.625 | EQ | 24802-3593 |
| 3.150 | 4.375 | 0.625 | IG | 29519-5641 |
| 3.150 | 4.500 | 0.750 | IG | 29502-5622 |
| 3.150 | 4.528 | 0.500 | EQ | 24801-2239 |
| 3.150 | 4.724 | 0.750 | IG | 29500-5293 |
| 3.150 | 5.118 | 0.625 | EQ | 24801-5269 |
| 3.156 | 4.250 | 0.750 | IG | 29502-4655 |
| 3.158 | 4.158 | 0.625 | IG | 29507-5218 |
| 3.158 | 4.158 | 0.750 | IG | 29502-5169 |
| 3.167 | 4.167 | 0.500 | 23 | 25003-9704 |
| 3.185 | 4.185 | 0.625 | EQ | 24802-3962 |
| 3.187 | 4.132 | 0.500 | 23 | 25003-5132 |
| 3.187 | 4.187 | 0.375 | 23 | 25003-7656 |
| 3.187 | 4.187 | 0.500 | 23 | 25003-4948 |
| 3.187 | 4.249 | 0.500 | 23 | 25003-2249 |
| **3.187** | **4.249** | **0.500** | **53** | **21086-2249** |
| 3.187 | 4.249 | 0.500 | 66 | 21527-2249 |
| 3.187 | 4.249 | 0.562 | 53 | 21086-2250 |
| 3.187 | 4.249 | 0.625 | 53 | 21086-2251 |
| 3.187 | 4.249 | 0.906 | 53R1 | 22537-6461 |
| 3.187 | 4.249 | 0.906 | 53R2 | 22627-6461 |
| 3.187 | 4.249 | 0.969 | 53T2 | 22897-5941 |
| 3.187 | 4.312 | 0.625 | EQ | 24802-3005 |
| 3.187 | 4.331 | 0.500 | 53 | 21086-7950 |
| 3.187 | 4.375 | 0.500 | 23 | 25003-2252 |
| **3.187** | **4.375** | **0.500** | **53** | **21086-2252** |
| 3.187 | 4.375 | 0.500 | 66 | 21527-2252 |
| 3.187 | 4.375 | 0.562 | 53 | 21086-2253 |
| 3.187 | 4.375 | 0.625 | 53 | 21086-2254 |
| 3.187 | 4.437 | 0.375 | 23 | 25003-0521 |
| 3.187 | 4.447 | 0.500 | 23 | 25003-2632 |
| 3.187 | 4.499 | 0.468 | EQ | 24801-1759 |
| **3.187** | **4.500** | **0.500** | **26** | **24600-3415** |
| **3.187** | **4.500** | **0.500** | **53** | **21086-2255** |
| 3.187 | 4.500 | 0.500 | 58 | 21003-2255 |
| 3.187 | 4.500 | 0.500 | 66 | 21527-2255 |
| 3.187 | 4.500 | 0.562 | 53 | 21086-2257 |
| 3.187 | 4.625 | 0.625 | 53 | 21086-2260 |
| 3.187 | 4.724 | 0.500 | 53 | 21086-8121 |
| **3.187** | **4.750** | **0.500** | **53** | **21086-2261** |
| 3.187 | 4.750 | 0.500 | 62 | 21702-2261 |
| 3.187 | 4.750 | 0.500 | 66 | 21527-2261 |
| 3.187 | 4.750 | 0.500 | 94 | 27223-2261 |
| 3.187 | 4.875 | 0.500 | 53 | 21086-2264 |
| 3.187 | 4.875 | 0.500 | 66 | 21527-2264 |
| 3.187 | 4.999 | 0.500 | 53 | 21086-2267 |
| 3.187 | 4.999 | 0.500 | 66 | 21527-2267 |
| 3.187 | 4.999 | 0.969 | 53T2 | 22897-8608 |
| 3.187 | 5.000 | 0.500 | 26 | 24600-2267 |
| 3.188 | 3.250 | 0.625 | EQ | 24802-2474 |
| 3.188 | 3.688 | 0.625 | IG | 29507-5136 |
| 3.188 | 4.188 | 0.750 | IG | 29502-4286 |
| 3.188 | 4.249 | 0.625 | EQ | 24801-5047 |
| 3.188 | 4.249 | 0.625 | EQ | 24802-5047 |
| 3.188 | 4.250 | 0.375 | 61 | 24060-1571 |
| 3.188 | 4.250 | 0.750 | IG | 29502-4550 |
| 3.188 | 4.312 | 0.750 | IG | 29502-5044 |
| 3.188 | 4.335 | 1.000 | IGSPB | 29516-5131 |
| 3.188 | 4.335 | 1.124 | IGSPB | 29516-7108 |
| 3.188 | 4.335 | 1.298 | EQSPB | 24816-7119 |
| 3.188 | 4.335 | 1.312 | EQSPB | 24816-7131 |
| 3.188 | 4.340 | 0.305 | 26 | 24600-2218 |
| 3.188 | 4.500 | 0.500 | 23 | 25003-2255 |
| 3.188 | 4.999 | 0.438 | 26R1 | 24620-2669 |
| 3.188 | 5.000 | 0.625 | EQ | 24802-3777 |
| 3.189 | 4.252 | 0.750 | IG | 29502-5213 |
| 3.201 | 4.201 | 0.625 | EQ | 24802-3017 |
| 3.206 | 4.250 | 0.500 | 23 | 25003-8586 |
| 3.218 | 4.468 | 0.500 | 23 | 25003-9830 |
| 3.225 | 3.975 | 0.375 | 26 | 24600-2111 |
| 3.228 | 4.102 | 0.375 | 23 | 25003-1986 |
| 3.228 | 4.448 | 0.625 | EQ | 24802-3109 |
| 3.228 | 4.488 | 0.500 | 23 | 25003-1590 |
| 3.238 | 4.180 | 0.500 | 23 | 25003-2385 |
| 3.250 | 3.812 | 0.109 | 71 | 26001-8810 |
| 3.250 | 3.875 | 0.312 | 61 | 24060-1572 |
| 3.250 | 3.875 | 0.312 | 61 | 24061-1572 |
| 3.250 | 3.875 | 0.375 | 61 | 24062-2318 |
| 3.250 | 3.940 | 0.250 | 76 | 26193-6591 |
| 3.250 | 4.000 | 0.250 | 26 | 24600-2262 |
| 3.250 | 4.000 | 0.375 | 67 | 21528-5551 |
| 3.250 | 4.000 | 0.437 | 61 | 24060-1574 |
| 3.250 | 4.000 | 0.438 | 26 | 24600-2265 |
| 3.250 | 4.000 | 0.500 | 61 | 24060-1577 |
| 3.250 | 4.000 | 0.625 | EQ | 24801-1028 |
| 3.250 | 4.000 | 0.625 | EQ | 24802-1028 |
| 3.250 | 4.000 | 0.690 | EQ | 24807-2855 |
| 3.250 | 4.000 | 0.750 | IG | 29502-4186 |
| 3.250 | 4.003 | 0.625 | EQ | 24802-1237 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 3.250 | 4.030 | 0.750 | IG | 29502-5498 |
| 3.250 | 4.125 | 0.437 | 23 | 25003-6121 |
| 3.250 | 4.125 | 0.500 | 23 | 25003-5426 |
| 3.250 | 4.125 | 0.562 | 26 | 24600-2269 |
| 3.250 | 4.225 | 0.375 | 23 | 25003-1586 |
| 3.250 | 4.249 | 0.375 | 3 | 28003-3221 |
| 3.250 | 4.249 | 0.375 | 23 | 25003-8233 |
| 3.250 | 4.249 | 0.375 | 26 | 24600-8233 |
| 3.250 | 4.249 | 0.500 | 23 | 25003-2270 |
| **3.250** | **4.249** | **0.500** | **53** | **21086-2270** |
| 3.250 | 4.249 | 0.500 | 62 | 21702-2270 |
| 3.250 | 4.249 | 0.562 | 53 | 21086-2271 |
| 3.250 | 4.249 | 0.625 | 53 | 21086-2272 |
| 3.250 | 4.249 | 0.719 | 53F1 | 22987-6584 |
| 3.250 | 4.249 | 0.750 | 53F1 | 22987-7670 |
| 3.250 | 4.249 | 0.906 | 53R1 | 22537-6708 |
| 3.250 | 4.249 | 0.906 | 53R2 | 22627-6708 |
| 3.250 | 4.249 | 0.937 | 53F1 | 22987-5512 |
| 3.250 | 4.250 | 0.375 | 21 | 25001-6356 |
| 3.250 | 4.250 | 0.375 | 23 | 25003-6356 |
| 3.250 | 4.250 | 0.375 | 25 | 25058-6356 |
| 3.250 | 4.250 | 0.437 | 23 | 25003-6839 |
| 3.250 | 4.250 | 0.437 | 26 | 24600-6839 |
| 3.250 | 4.250 | 0.500 | 23 | 25003-7374 |
| **3.250** | **4.250** | **0.500** | **26** | **24600-7374** |
| 3.250 | 4.250 | 0.500 | 61 | 24060-7374 |
| 3.250 | 4.250 | 0.500 | 61 | 24063-7374 |
| 3.250 | 4.250 | 0.625 | 23 | 25003-2272 |
| 3.250 | 4.250 | 0.625 | EQ | 24801-2280 |
| 3.250 | 4.250 | 0.625 | EQ | 24802-2280 |
| 3.250 | 4.250 | 0.750 | IG | 29500-4154 |
| 3.250 | 4.250 | 0.750 | IG | 29502-4154 |
| **3.250** | **4.250** | **0.969** | **53R2** | **22627-7419** |
| 3.250 | 4.250 | 0.969 | 53T2 | 22897-7419 |
| 3.250 | 4.263 | 0.437 | 92 | 27063-6313 |
| 3.250 | 4.312 | 0.500 | 23 | 25003-1589 |
| 3.250 | 4.313 | 0.625 | EQ | 24802-3009 |
| 3.250 | 4.331 | 0.500 | 53 | 21086-7952 |
| 3.250 | 4.335 | 1.124 | IGSPB | 29516-7096 |
| 3.250 | 4.335 | 1.312 | EQSPB | 24816-7050 |
| 3.250 | 4.375 | 0.500 | 23 | 25003-2273 |
| **3.250** | **4.375** | **0.500** | **53** | **21086-2273** |
| 3.250 | 4.375 | 0.500 | 61 | 24060-2273 |
| 3.250 | 4.375 | 0.500 | 62 | 21702-2273 |
| 3.250 | 4.375 | 0.625 | EQ | 24802-2286 |
| 3.250 | 4.375 | 0.906 | 53TF | 22994-7784 |
| 3.250 | 4.500 | 0.375 | 3 | 28003-3254 |
| 3.250 | 4.500 | 0.438 | 23 | 25003-5460 |
| 3.250 | 4.500 | 0.500 | 23 | 25003-2276 |
| **3.250** | **4.500** | **0.500** | **53** | **21086-2276** |
| 3.250 | 4.500 | 0.500 | 61 | 24060-2276 |
| 3.250 | 4.500 | 0.500 | 62 | 21702-2276 |
| 3.250 | 4.500 | 0.562 | 53 | 21086-2277 |
| 3.250 | 4.500 | 0.625 | 53 | 21086-2278 |
| 3.250 | 4.500 | 0.718 | 53F1 | 22987-7313 |
| 3.250 | 4.500 | 0.750 | IG | 29500-4425 |
| 3.250 | 4.500 | 0.750 | IG | 29502-4425 |
| 3.250 | 4.500 | 0.843 | 53R2 | 22627-8700 |
| 3.250 | 4.500 | 0.906 | 53R2 | 22627-6528 |
| 3.250 | 4.543 | 0.500 | 23 | 25003-1778 |
| 3.250 | 4.625 | 0.500 | 23 | 25003-2279 |
| **3.250** | **4.625** | **0.500** | **53** | **21086-2279** |
| 3.250 | 4.724 | 0.500 | 53 | 21086-7953 |
| 3.250 | 4.750 | 0.437 | 23 | 25003-5160 |
| 3.250 | 4.750 | 0.500 | 23 | 25003-2282 |
| **3.250** | **4.750** | **0.500** | **53** | **21086-2282** |
| 3.250 | 4.750 | 0.500 | 61 | 24060-2282 |
| 3.250 | 4.750 | 0.500 | 62 | 21702-2282 |
| 3.250 | 4.750 | 0.562 | 53 | 21086-2283 |
| 3.250 | 4.750 | 0.625 | 53 | 21086-2284 |
| 3.250 | 4.812 | 0.500 | 113 | 21012-4558 |
| 3.250 | 4.875 | 0.500 | 53 | 21086-2285 |
| 3.250 | 4.875 | 0.625 | 53 | 21086-2287 |
| 3.250 | 4.999 | 0.500 | 53 | 21086-2288 |
| 3.250 | 4.999 | 0.625 | EQ | 24801-4461 |
| 3.250 | 4.999 | 0.906 | 53R2 | 22627-8441 |
| 3.250 | 5.250 | 0.750 | IG | 29502-5816 |
| 3.280 | 4.280 | 0.375 | 23 | 25003-5682 |
| 3.307 | 4.331 | 0.551 | 26 | 24600-2562 |
| 3.307 | 4.331 | 0.625 | EQ | 24801-1988 |
| 3.307 | 4.331 | 0.625 | EQ | 24802-1988 |
| 3.312 | 4.125 | 0.438 | 23 | 25003-9539 |
| 3.312 | 4.125 | 0.500 | 23 | 25003-4879 |
| 3.312 | 4.125 | 0.690 | EQ | 24807-2846 |
| 3.312 | 4.213 | 0.750 | IG | 29502-4826 |
| 3.312 | 4.250 | 0.437 | 23 | 25003-6128 |
| 3.312 | 4.250 | 0.500 | 23 | 25003-1628 |
| 3.312 | 4.312 | 0.375 | 23 | 25003-7591 |
| 3.312 | 4.312 | 0.500 | 23 | 25003-7841 |
| 3.312 | 4.331 | 0.500 | 53 | 21086-6903 |
| 3.312 | 4.375 | 0.500 | 23 | 25003-2297 |
| **3.312** | **4.375** | **0.500** | **26** | **24600-2297** |
| **3.312** | **4.375** | **0.500** | **53** | **21086-2297** |
| 3.312 | 4.375 | 0.500 | 62 | 21702-2297 |
| 3.312 | 4.375 | 0.625 | 53 | 21086-2299 |
| 3.312 | 4.375 | 0.625 | EQ | 24802-3966 |
| 3.312 | 4.500 | 0.468 | 23 | 25003-2301 |
| **3.312** | **4.500** | **0.500** | **53** | **21086-2300** |
| 3.312 | 4.500 | 0.625 | 53 | 21086-2302 |
| 3.312 | 4.500 | 0.719 | 53F1 | 22987-0238 |
| 3.312 | 4.625 | 0.500 | 53 | 21086-2303 |
| 3.312 | 4.724 | 0.500 | 53 | 21086-6628 |
| 3.312 | 4.725 | 0.500 | 53 | 21086-7906 |
| 3.312 | 4.750 | 0.500 | 53 | 21086-2306 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 3.312 | 4.875 | 0.500 | 53 | 21086-2309 |
| **3.312** | **4.999** | **0.500** | **53** | **21086-2312** |
| 3.312 | 5.000 | 0.468 | 26 | 24600-2305 |
| 3.312 | 5.118 | 0.500 | 53 | 21086-7957 |
| **3.312** | **5.125** | **0.500** | **53** | **21086-2315** |
| 3.312 | 5.250 | 0.500 | 53 | 21086-0989 |
| **3.313** | **4.125** | **0.625** | **EQ** | **24802-2296** |
| 3.313 | 4.125 | 0.750 | IG | 29500-4113 |
| 3.313 | 4.125 | 0.750 | IG | 29502-4113 |
| 3.313 | 4.130 | 0.625 | EQ | 24802-1209 |
| 3.313 | 4.313 | 0.750 | IG | 29502-4287 |
| 3.313 | 4.375 | 0.500 | 61 | 24060-2297 |
| 3.313 | 4.375 | 0.750 | IG | 29502-4477 |
| 3.313 | 4.500 | 0.500 | 23 | 25003-2300 |
| 3.313 | 4.500 | 0.625 | EQ | 24802-2304 |
| 3.320 | 4.132 | 0.450 | 61 | 24060-2562 |
| 3.335 | 4.335 | 0.625 | EQ | 24802-3139 |
| 3.335 | 4.335 | 0.750 | IG | 29500-5087 |
| 3.343 | 4.343 | 0.375 | 23 | 25003-8693 |
| 3.343 | 4.343 | 0.500 | 23 | 25003-6752 |
| 3.345 | 4.304 | 0.625 | EQ | 24802-3299 |
| 3.345 | 4.320 | 0.750 | IG | 29502-4722 |
| 3.346 | 3.937 | 0.690 | EQ | 24807-5104 |
| 3.346 | 4.134 | 0.500 | 26 | 24600-2310 |
| 3.346 | 4.134 | 0.625 | EQ | 24802-2523 |
| 3.346 | 4.134 | 0.750 | IG | 29502-5701 |
| 3.346 | 4.321 | 0.625 | EQ | 24802-3045 |
| 3.346 | 4.330 | 0.625 | EQ | 24802-3161 |
| 3.346 | 4.331 | 0.394 | 61 | 24060-1854 |
| 3.346 | 4.331 | 0.394 | 61 | 24064-1854 |
| 3.346 | 4.331 | 0.472 | 23 | 25003-2214 |
| 3.346 | 4.331 | 0.472 | 26 | 24600-2214 |
| 3.346 | 4.331 | 0.492 | 23 | 25003-2137 |
| 3.346 | 4.331 | 0.500 | 23 | 25003-5650 |
| 3.346 | 4.331 | 0.512 | 26 | 24600-5343 |
| 3.346 | 4.331 | 0.625 | EQ | 24801-3161 |
| 3.346 | 4.331 | 0.750 | IG | 29500-4193 |
| 3.346 | 4.331 | 0.750 | IG | 29502-4193 |
| 3.346 | 4.335 | 0.750 | IG | 29502-5398 |
| 3.346 | 4.370 | 0.694 | IGSPB | 29516-7142 |
| 3.346 | 4.375 | 0.625 | EQ | 24802-1814 |
| 3.346 | 4.437 | 0.500 | 23 | 25003-5777 |
| 3.346 | 4.528 | 0.512 | 92 | 27063-0833 |
| 3.346 | 4.528 | 0.551 | EQ | 24801-3584 |
| 3.346 | 4.528 | 0.630 | EQ | 24801-2311 |
| 3.346 | 4.724 | 0.472 | 23 | 25003-7394 |
| 3.346 | 4.724 | 0.472 | 53 | 21086-7394 |
| 3.346 | 4.724 | 0.472 | 26R1 | 24620-7394 |
| 3.346 | 4.724 | 0.625 | EQ | 24801-5521 |
| 3.346 | 4.921 | 0.472 | 53 | 21086-7399 |
| 3.346 | 4.921 | 0.750 | IG | 29500-4816 |
| 3.346 | 5.118 | 0.500 | 94 | 27223-6314 |
| 3.346 | 5.118 | 0.625 | EQ | 24802-5110 |
| 3.347 | 4.500 | 0.625 | EQ | 24801-1911 |
| 3.360 | 5.000 | 0.625 | EQ | 24802-2527 |
| 3.375 | 4.000 | 0.312 | 61 | 24060-1580 |
| 3.375 | 4.125 | 0.690 | EQ | 24807-3767 |
| 3.375 | 4.125 | 0.750 | IG | 29502-4385 |
| **3.375** | **4.250** | **0.375** | **26** | **24600-0839** |
| 3.375 | 4.250 | 0.500 | 23 | 25003-7642 |
| 3.375 | 4.250 | 0.625 | EQ | 24802-2316 |
| 3.375 | 4.335 | 0.770 | IGSPB | 29516-5124 |
| 3.375 | 4.335 | 0.990 | IGSPB | 29516-5272 |
| 3.375 | 4.355 | 0.375 | 26 | 24600-1375 |
| 3.375 | 4.375 | 0.375 | 23 | 25003-9056 |
| 3.375 | 4.375 | 0.438 | 23 | 25003-4688 |
| 3.375 | 4.375 | 0.500 | 23 | 25003-2321 |
| **3.375** | **4.375** | **0.500** | **26** | **24600-2321** |
| **3.375** | **4.375** | **0.500** | **53** | **21086-2321** |
| 3.375 | 4.375 | 0.500 | 61 | 24060-2321 |
| 3.375 | 4.375 | 0.500 | 62 | 21702-2321 |
| 3.375 | 4.375 | 0.500 | EQ | 24801-2321 |
| 3.375 | 4.375 | 0.625 | 53 | 21086-2323 |
| 3.375 | 4.375 | 0.625 | EQ | 24801-2322 |
| 3.375 | 4.375 | 0.625 | EQ | 24802-2322 |
| 3.375 | 4.375 | 0.687 | 53F1 | 22987-9209 |
| 3.375 | 4.375 | 0.750 | IG | 29502-0774 |
| 3.375 | 4.375 | 0.906 | 53T2 | 22897-7357 |
| 3.375 | 4.437 | 0.375 | 23 | 25003-4797 |
| 3.375 | 4.500 | 0.375 | 23 | 25003-9614 |
| 3.375 | 4.500 | 0.500 | 23 | 25003-2324 |
| 3.375 | 4.500 | 0.500 | 25 | 25058-2324 |
| 3.375 | 4.500 | 0.500 | 26 | 24600-2324 |
| **3.375** | **4.500** | **0.500** | **53** | **21086-2324** |
| 3.375 | 4.500 | 0.500 | 61 | 24060-2324 |
| 3.375 | 4.500 | 0.500 | 62 | 21702-2324 |
| 3.375 | 4.500 | 0.562 | 53 | 21086-2325 |
| 3.375 | 4.500 | 0.625 | 53 | 21086-2326 |
| 3.375 | 4.500 | 0.625 | EQ | 24801-2326 |
| 3.375 | 4.500 | 0.625 | EQ | 24802-2326 |
| 3.375 | 4.500 | 0.719 | 53F1 | 22987-7289 |
| 3.375 | 4.500 | 0.750 | IG | 29500-4379 |
| 3.375 | 4.500 | 0.750 | IG | 29502-4379 |
| 3.375 | 4.625 | 0.375 | 23 | 25003-9954 |
| 3.375 | 4.625 | 0.500 | 23 | 25003-2327 |
| 3.375 | 4.625 | 0.500 | 53 | 21086-2327 |
| 3.375 | 4.625 | 0.500 | 62 | 21702-2327 |
| 3.375 | 4.625 | 0.625 | 53 | 21086-2329 |
| 3.375 | 4.625 | 0.750 | IG | 29502-5058 |
| 3.375 | 4.626 | 0.563 | 26 | 24600-2318 |
| 3.375 | 4.724 | 0.500 | 53 | 21086-7868 |
| 3.375 | 4.750 | 0.500 | 23 | 25003-2330 |
| 3.375 | 4.750 | 0.500 | 53 | 21086-2330 |
| 3.375 | 4.750 | 0.750 | 53F1 | 22987-5332 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 3.375 | 4.875 | 0.500 | 23 | 25003-2333 |
| **3.375** | **4.875** | **0.500** | **53** | **21086-2333** |
| 3.375 | 4.999 | 0.500 | 53 | 21086-2336 |
| 3.375 | 4.999 | 0.500 | 61 | 24063-2336 |
| 3.375 | 4.999 | 0.500 | 62 | 21702-2336 |
| 3.375 | 5.000 | 0.468 | 61 | 24060-2368 |
| 3.375 | 5.000 | 0.469 | 26 | 24600-2319 |
| 3.375 | 5.118 | 0.500 | 53 | 21086-7959 |
| 3.375 | 5.125 | 0.500 | 53 | 21086-2339 |
| **3.375** | **5.250** | **0.500** | **53** | **21086-2342** |
| 3.375 | 5.250 | 0.750 | IG | 29502-4354 |
| 3.375 | 5.290 | 0.625 | EQ | 24802-3646 |
| 3.375 | 6.500 | 0.625 | 54 | 21140-9733 |
| 3.380 | 4.000 | 0.690 | EQ | 24807-2973 |
| 3.385 | 4.385 | 0.625 | EQ | 24802-3101 |
| 3.386 | 5.118 | 0.750 | IG | 29500-4748 |
| 3.386 | 5.315 | 0.750 | IG | 29500-4750 |
| 3.400 | 4.400 | 0.750 | IG | 29502-4325 |
| 3.402 | 4.375 | 0.625 | EQ | 24802-3334 |
| 3.408 | 4.500 | 0.625 | EQ | 24802-2332 |
| 3.420 | 4.375 | 0.750 | IG | 29502-5133 |
| 3.420 | 4.420 | 0.750 | IG | 29502-5755 |
| 3.420 | 4.500 | 0.750 | IG | 29502-4603 |
| 3.425 | 4.685 | 0.492 | 26 | 24600-4224 |
| 3.430 | 4.625 | 0.458 | 23 | 25003-1087 |
| 3.432 | 4.624 | 0.484 | 113 | 21012-8800 |
| 3.435 | 5.000 | 0.500 | 26 | 24600-4710 |
| 3.437 | 4.437 | 0.375 | 23 | 25003-7075 |
| 3.437 | 4.437 | 0.437 | 23 | 25003-7438 |
| 3.437 | 4.437 | 0.500 | 23 | 25003-6355 |
| 3.437 | 4.500 | 0.375 | 23 | 25003-0996 |
| 3.437 | 4.500 | 0.437 | 23 | 25003-1440 |
| 3.437 | 4.500 | 0.437 | 61 | 24060-1440 |
| 3.437 | 4.500 | 0.500 | 26 | 24600-2345 |
| **3.437** | **4.500** | **0.500** | **53** | **21086-2345** |
| 3.437 | 4.500 | 0.500 | 62 | 21702-2345 |
| 3.437 | 4.500 | 0.719 | 53F1 | 22987-5319 |
| 3.437 | 4.500 | 0.906 | 53R1 | 22537-5183 |
| 3.437 | 4.500 | 0.906 | 53R2 | 22627-5183 |
| 3.437 | 4.523 | 1.312 | EQSPB | 24816-7147 |
| 3.437 | 4.625 | 0.500 | 23 | 25003-2348 |
| **3.437** | **4.625** | **0.500** | **53** | **21086-2348** |
| 3.437 | 4.625 | 0.500 | 61 | 24060-2348 |
| 3.437 | 4.625 | 0.500 | 62 | 21702-2348 |
| 3.437 | 4.687 | 0.500 | 23 | 25003-6357 |
| 3.437 | 4.724 | 0.500 | 53 | 21086-7960 |
| 3.437 | 4.750 | 0.500 | 53 | 21086-2351 |
| 3.437 | 4.750 | 0.625 | 53 | 21086-2353 |
| 3.437 | 4.875 | 0.437 | 23 | 25003-2943 |
| 3.437 | 4.875 | 0.500 | 53 | 21086-2354 |
| 3.437 | 4.875 | 0.625 | 53 | 21086-2356 |
| 3.437 | 4.875 | 0.719 | 53F1 | 22987-6159 |
| 3.437 | 4.921 | 0.625 | 53 | 21086-5535 |
| 3.437 | 4.937 | 0.500 | 23 | 25003-9944 |
| **3.437** | **4.999** | **0.500** | **53** | **21086-2357** |
| 3.437 | 5.000 | 0.500 | 23 | 25003-4710 |
| 3.437 | 5.000 | 0.500 | 25 | 25058-4710 |
| 3.437 | 5.118 | 0.500 | 53 | 21086-7962 |
| 3.437 | 5.125 | 0.500 | 53 | 21086-2360 |
| 3.437 | 5.125 | 0.625 | 53 | 21086-2362 |
| 3.437 | 5.125 | 0.625 | EQ | 24802-3753 |
| 3.437 | 5.250 | 0.500 | 53 | 21086-2363 |
| 3.437 | 5.250 | 0.625 | 53 | 21086-2365 |
| 3.437 | 5.807 | 0.828 | IGSPB | 29516-7116 |
| 3.438 | 4.125 | 0.437 | 61 | 24060-1583 |
| 3.438 | 4.313 | 0.625 | EQ | 24802-3344 |
| 3.438 | 4.333 | 1.102 | IGSPB | 29516-7086 |
| 3.438 | 4.338 | 1.375 | EQSPB | 24816-7033 |
| 3.438 | 4.438 | 0.625 | EQ | 24801-2577 |
| 3.438 | 4.438 | 0.625 | EQ | 24802-2577 |
| 3.438 | 4.438 | 0.750 | IG | 29502-4288 |
| 3.438 | 4.458 | 1.312 | EQSPB | 24816-7025 |
| 3.438 | 4.460 | 0.500 | 23 | 25003-2965 |
| 3.438 | 4.460 | 1.124 | IGSPB | 29516-7112 |
| 3.438 | 4.500 | 0.500 | 23 | 25003-2345 |
| 3.438 | 4.500 | 0.500 | 61 | 24060-2345 |
| 3.438 | 4.500 | 0.750 | IG | 29502-4650 |
| 3.438 | 4.523 | 1.124 | IGSPB | 29516-7113 |
| 3.438 | 4.562 | 0.375 | 23 | 25003-0823 |
| 3.438 | 4.600 | 0.500 | 23 | 25003-1906 |
| 3.438 | 4.625 | 0.500 | 26 | 24600-2348 |
| 3.438 | 4.625 | 0.500 | EQ | 24801-2348 |
| 3.438 | 4.625 | 0.625 | EQ | 24801-2335 |
| 3.438 | 4.626 | 0.625 | EQ | 24802-2335 |
| 3.438 | 4.875 | 0.625 | 26 | 24600-2356 |
| 3.438 | 5.000 | 0.750 | IG | 29502-5592 |
| 3.450 | 4.500 | 0.625 | EQ | 24802-2944 |
| 3.464 | 4.331 | 0.500 | 23 | 25003-1772 |
| 3.464 | 4.500 | 0.750 | IG | 29502-5090 |
| 3.465 | 4.331 | 0.472 | 92 | 27063-0834 |
| 3.465 | 4.331 | 0.591 | 26R1 | 24620-0846 |
| 3.465 | 4.729 | 0.500 | 23 | 25003-1768 |
| 3.469 | 4.500 | 0.500 | 23 | 25003-9015 |
| 3.469 | 4.500 | 0.500 | 62 | 21702-9015 |
| 3.469 | 4.500 | 0.625 | 23 | 25003-7468 |
| 3.475 | 4.500 | 0.375 | 23 | 25003-4686 |
| 3.500 | 3.876 | 0.187 | 71 | 26001-7095 |
| 3.500 | 4.003 | 0.250 | 71 | 26001-7096 |
| 3.500 | 4.062 | 0.109 | 71 | 26001-9668 |
| 3.500 | 4.125 | 0.312 | 61 | 24060-1591 |
| 3.500 | 4.125 | 0.500 | 61 | 24060-1595 |
| 3.500 | 4.125 | 0.625 | IG | 29507-4893 |
| 3.500 | 4.250 | 0.500 | 61 | 24060-1599 |
| 3.500 | 4.375 | 0.375 | 23 | 25003-2364 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 3.500 | 4.375 | 0.375 | 26 | 24600-2364 |
| 3.500 | 4.375 | 0.500 | 23 | 25003-6285 |
| 3.500 | 4.375 | 0.500 | 25 | 25058-6285 |
| 3.500 | 4.375 | 0.500 | 61 | 24060-6285 |
| 3.500 | 4.375 | 0.625 | EQ | 24801-2378 |
| 3.500 | 4.375 | 0.625 | EQ | 24802-2378 |
| 3.500 | 4.375 | 0.750 | IG | 29500-4214 |
| 3.500 | 4.375 | 0.750 | IG | 29502-4214 |
| 3.500 | 4.376 | 0.375 | 3 | 28003-3460 |
| 3.500 | 4.381 | 0.750 | IG | 29500-5700 |
| 3.500 | 4.390 | 0.336 | 21 | 25001-6559 |
| 3.500 | 4.437 | 0.312 | 26 | 24600-3981 |
| 3.500 | 4.437 | 0.500 | 23 | 25003-1296 |
| 3.500 | 4.458 | 1.312 | EQSPB | 24816-7036 |
| 3.500 | 4.475 | 0.500 | 23 | 25003-1444 |
| 3.500 | 4.500 | 0.375 | 3 | 28003-3478 |
| 3.500 | 4.500 | 0.375 | 23 | 25003-6358 |
| 3.500 | 4.500 | 0.437 | 26 | 24600-2377 |
| 3.500 | 4.500 | 0.468 | 23 | 25003-4640 |
| 3.500 | 4.500 | 0.469 | 66 | 21527-4640 |
| 3.500 | 4.500 | 0.500 | 23 | 25003-2366 |
| 3.500 | 4.500 | 0.500 | 25 | 25058-2366 |
| **3.500** | **4.500** | **0.500** | **26** | **24600-2366** |
| **3.500** | **4.500** | **0.500** | **53** | **21086-2366** |
| 3.500 | 4.500 | 0.500 | 61 | 24060-2366 |
| 3.500 | 4.500 | 0.500 | 61 | 24062-2366 |
| 3.500 | 4.500 | 0.500 | 61 | 24064-2366 |
| 3.500 | 4.500 | 0.500 | 62 | 21702-2366 |
| 3.500 | 4.500 | 0.500 | 66 | 21527-2366 |
| 3.500 | 4.500 | 0.500 | EQ | 24801-2366 |
| 3.500 | 4.500 | 0.562 | 53 | 21086-2367 |
| 3.500 | 4.500 | 0.562 | 62 | 21702-2367 |
| 3.500 | 4.500 | 0.625 | 26 | 24600-2368 |
| 3.500 | 4.500 | 0.625 | 53 | 21086-2368 |
| 3.500 | 4.500 | 0.625 | EQ | 24801-2368 |
| 3.500 | 4.500 | 0.625 | EQ | 24802-2368 |
| 3.500 | 4.500 | 0.719 | 53F1 | 22987-7115 |
| 3.500 | 4.500 | 0.750 | IG | 29500-4156 |
| 3.500 | 4.500 | 0.750 | IG | 29502-4156 |
| 3.500 | 4.500 | 0.812 | 53R1 | 22537-5300 |
| 3.500 | 4.500 | 0.906 | 53R1 | 22537-6534 |
| **3.500** | **4.500** | **0.906** | **53R2** | **22627-6534** |
| 3.500 | 4.500 | 0.906 | 53T2 | 22897-6534 |
| **3.500** | **4.523** | **1.124** | **IGSPB** | **29516-7097** |
| 3.500 | 4.625 | 0.375 | 23 | 25003-5122 |
| **3.500** | **4.625** | **0.500** | **53** | **21086-2369** |
| 3.500 | 4.625 | 0.500 | 62 | 21702-2369 |
| 3.500 | 4.625 | 0.500 | 66 | 21527-2369 |
| 3.500 | 4.625 | 0.562 | 53 | 21086-2370 |
| 3.500 | 4.625 | 0.625 | 53 | 21086-2371 |
| 3.500 | 4.625 | 0.625 | EQ | 24802-1882 |
| 3.500 | 4.721 | 0.375 | 26R1 | 24620-2862 |
| 3.500 | 4.721 | 0.750 | IG | 29502-5933 |
| 3.500 | 4.724 | 0.500 | 53 | 21086-7963 |
| 3.500 | 4.750 | 0.375 | 23 | 25003-7578 |
| 3.500 | 4.750 | 0.375 | 24 | 25005-7578 |
| 3.500 | 4.750 | 0.500 | 23 | 25003-2372 |
| 3.500 | 4.750 | 0.500 | 25 | 25058-2372 |
| **3.500** | **4.750** | **0.500** | **53** | **21086-2372** |
| 3.500 | 4.750 | 0.500 | 61 | 24060-2372 |
| 3.500 | 4.750 | 0.500 | 62 | 21702-2372 |
| 3.500 | 4.750 | 0.500 | 66 | 21527-2372 |
| 3.500 | 4.750 | 0.562 | 53 | 21086-2373 |
| 3.500 | 4.750 | 0.625 | 53 | 21086-2374 |
| 3.500 | 4.750 | 0.625 | EQ | 24801-2374 |
| 3.500 | 4.750 | 0.625 | EQ | 24802-2374 |
| 3.500 | 4.750 | 0.843 | 53R1 | 22537-7269 |
| 3.500 | 4.750 | 0.906 | 53R1 | 22537-5008 |
| 3.500 | 4.750 | 0.906 | 53TF | 22994-5008 |
| 3.500 | 4.750 | 0.969 | 53TB | 22807-7230 |
| 3.500 | 4.812 | 0.500 | 23 | 25003-1034 |
| **3.500** | **4.875** | **0.500** | **53** | **21086-2375** |
| 3.500 | 4.875 | 0.500 | 66 | 21527-2375 |
| 3.500 | 4.875 | 0.625 | EQ | 24082-5461 |
| 3.500 | 4.875 | 0.625 | EQ | 24802-5461 |
| 3.500 | 4.875 | 0.969 | 53R1 | 22537-7611 |
| 3.500 | 4.875 | 0.969 | 53T2 | 22897-7611 |
| 3.500 | 4.921 | 0.562 | 53 | 21086-8877 |
| 3.500 | 4.999 | 0.375 | 23 | 25003-4745 |
| **3.500** | **4.999** | **0.500** | **53** | **21086-2378** |
| 3.500 | 4.999 | 0.500 | 66 | 21527-2378 |
| 3.500 | 4.999 | 0.625 | 53 | 21086-2380 |
| 3.500 | 4.999 | 0.719 | 53F1 | 22987-7332 |
| **3.500** | **4.999** | **0.906** | **53R2** | **22627-7324** |
| 3.500 | 5.000 | 0.500 | 23 | 25003-7253 |
| 3.500 | 5.000 | 0.500 | 53 | 21086-7253 |
| 3.500 | 5.118 | 0.500 | 53 | 21086-7965 |
| 3.500 | 5.125 | 0.500 | 53 | 21086-2381 |
| 3.500 | 5.125 | 0.500 | 66 | 21527-2381 |
| 3.500 | 5.250 | 0.500 | 53 | 21086-2384 |
| 3.500 | 5.250 | 0.500 | 58 | 21003-2384 |
| 3.500 | 5.250 | 0.500 | 66 | 21527-2384 |
| 3.500 | 5.250 | 0.625 | 53 | 21086-2386 |
| 3.500 | 5.250 | 0.750 | IG | 29502-5381 |
| **3.500** | **5.375** | **0.500** | **53** | **21086-2387** |
| 3.500 | 5.375 | 0.500 | 66 | 21527-2387 |
| 3.500 | 5.500 | 0.500 | 53 | 21086-2390 |
| 3.500 | 5.500 | 0.500 | 66 | 21527-2390 |
| 3.500 | 5.500 | 0.625 | 53 | 21086-2392 |
| 3.500 | 5.807 | 0.828 | IGSPB | 29516-7114 |
| 3.500 | 6.375 | 0.375 | 26 | 24600-1665 |
| 3.526 | 4.526 | 0.625 | EQ | 24802-2261 |
| 3.535 | 4.500 | 0.750 | IG | 29502-4491 |
| 3.535 | 4.535 | 0.750 | IG | 29502-5749 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 3.537 | 4.500 | 0.500 | 26 | 24600-1968 |
| 3.540 | 4.540 | 0.750 | IG | 29502-5748 |
| 3.542 | 4.542 | 0.375 | 23 | 25003-5100 |
| 3.543 | 4.330 | 0.472 | 26R1 | 24620-2437 |
| 3.543 | 4.330 | 0.511 | 26 | 24600-5002 |
| 3.543 | 4.331 | 0.394 | 61 | 24060-1856 |
| 3.543 | 4.331 | 0.394 | 61 | 24063-1856 |
| 3.543 | 4.331 | 0.394 | 61 | 24064-1856 |
| 3.543 | 4.331 | 0.625 | EQ | 24802-3265 |
| 3.543 | 4.500 | 0.625 | EQ | 24802-1815 |
| 3.543 | 4.527 | 0.491 | 23 | 25003-8803 |
| 3.543 | 4.527 | 0.500 | 23 | 25003-4846 |
| 3.543 | 4.527 | 0.512 | 26R1 | 24620-5344 |
| 3.543 | 4.528 | 0.472 | 23 | 25003-9963 |
| 3.543 | 4.528 | 0.472 | 61 | 24060-9963 |
| 3.543 | 4.528 | 0.512 | 26 | 24600-5344 |
| 3.543 | 4.543 | 0.625 | IG | 29507-2405 |
| 3.543 | 4.543 | 0.750 | IG | 29500-5479 |
| 3.543 | 4.724 | 0.472 | 23 | 25003-7839 |
| 3.543 | 4.724 | 0.472 | 53 | 21086-7839 |
| 3.543 | 4.724 | 0.472 | 61 | 24060-7839 |
| 3.543 | 4.724 | 0.472 | 92 | 27063-7839 |
| 3.543 | 4.724 | 0.500 | 23 | 25003-8429 |
| 3.543 | 4.724 | 0.500 | 53 | 21086-8429 |
| 3.543 | 4.724 | 0.511 | 26 | 24600-2457 |
| 3.543 | 4.724 | 0.625 | EQ | 24801-2902 |
| 3.543 | 4.724 | 0.625 | EQ | 24802-2902 |
| 3.543 | 4.724 | 0.750 | IG | 29500-4758 |
| 3.543 | 4.724 | 0.750 | IG | 29502-4758 |
| 3.543 | 4.960 | 0.750 | IG | 29500-4844 |
| 3.544 | 4.565 | 0.625 | EQ | 24802-5382 |
| 3.550 | 4.550 | 0.750 | IG | 29502-4715 |
| 3.562 | 4.438 | 0.438 | 23 | 25003-2406 |
| 3.562 | 4.500 | 0.625 | EQ | 24802-3240 |
| 3.562 | 4.562 | 0.375 | 23 | 25003-1988 |
| 3.562 | 4.625 | 0.375 | 23 | 25003-6923 |
| 3.562 | 4.625 | 0.500 | 23 | 25003-2393 |
| **3.562** | **4.625** | **0.500** | **53** | **21086-2393** |
| 3.562 | 4.625 | 0.500 | 62 | 21702-2393 |
| 3.562 | 4.625 | 0.625 | EQ | 24802-5449 |
| 3.562 | 4.625 | 0.625 | EQ | 24802-5449 |
| 3.562 | 4.625 | 0.906 | 53R1 | 22537-6545 |
| **3.562** | **4.625** | **0.906** | **53R2** | **22627-6545** |
| 3.562 | 4.724 | 0.500 | 53 | 21086-8126 |
| 3.562 | 4.750 | 0.500 | 23 | 25003-2396 |
| **3.562** | **4.750** | **0.500** | **53** | **21086-2396** |
| 3.562 | 4.750 | 0.500 | 62 | 21702-2396 |
| 3.562 | 4.750 | 0.562 | 53 | 21086-2397 |
| 3.562 | 4.750 | 0.625 | 53 | 21086-2398 |
| 3.562 | 4.751 | 0.625 | EQ | 24802-1174 |
| 3.562 | 4.812 | 0.500 | 23 | 25003-5933 |
| 3.562 | 4.812 | 0.500 | 24 | 25005-5933 |
| 3.562 | 4.875 | 0.500 | 53 | 21086-2399 |
| 3.562 | 4.999 | 0.500 | 53 | 21086-2402 |
| 3.562 | 4.999 | 0.500 | 62 | 21702-2402 |
| 3.562 | 5.118 | 0.500 | 53 | 21086-7967 |
| 3.562 | 5.125 | 0.500 | 53 | 21086-2405 |
| 3.562 | 5.250 | 0.500 | 53 | 21086-2408 |
| 3.562 | 5.250 | 0.500 | 62 | 21702-2408 |
| 3.562 | 5.250 | 0.906 | 53R1 | 22537-7905 |
| 3.562 | 5.500 | 0.500 | 53 | 21086-2414 |
| **3.562** | **7.250** | **0.562** | **54** | **21140-6008** |
| 3.563 | 4.500 | 0.437 | 61 | 24060-1601 |
| 3.563 | 4.500 | 0.469 | 23 | 25003-1029 |
| 3.563 | 4.500 | 0.500 | 61 | 24060-1604 |
| 3.563 | 4.500 | 0.750 | IG | 29502-5165 |
| 3.563 | 4.563 | 0.500 | 23 | 25003-5051 |
| 3.563 | 4.563 | 0.750 | IG | 29502-4289 |
| 3.580 | 4.916 | 0.750 | IG | 29502-5314 |
| 3.600 | 4.600 | 0.750 | IG | 29502-5658 |
| 3.605 | 4.625 | 0.750 | IG | 29502-5210 |
| 3.625 | 4.250 | 0.312 | 61 | 24060-1605 |
| 3.625 | 4.333 | 1.102 | IGSPB | 29516-7071 |
| 3.625 | 4.375 | 0.625 | EQ | 24802-1080 |
| 3.625 | 4.499 | 0.468 | EQ | 24801-1751 |
| 3.625 | 4.500 | 0.500 | 23 | 25003-5313 |
| 3.625 | 4.609 | 0.492 | 23 | 25003-1515 |
| 3.625 | 4.625 | 0.375 | 23 | 25003-6359 |
| 3.625 | 4.625 | 0.437 | 23 | 25003-1022 |
| 3.625 | 4.625 | 0.500 | 23 | 25003-2417 |
| 3.625 | 4.625 | 0.500 | 26 | 24600-2417 |
| **3.625** | **4.625** | **0.500** | **53** | **21086-2417** |
| 3.625 | 4.625 | 0.500 | 58 | 21003-2417 |
| 3.625 | 4.625 | 0.500 | 61 | 24060-2417 |
| 3.625 | 4.625 | 0.500 | 62 | 21702-2417 |
| 3.625 | 4.625 | 0.562 | 53 | 21086-2418 |
| 3.625 | 4.625 | 0.625 | 53 | 21086-2419 |
| 3.625 | 4.625 | 0.625 | EQ | 24801-2419 |
| 3.625 | 4.625 | 0.625 | EQ | 24802-2419 |
| 3.625 | 4.625 | 0.719 | 53F1 | 22987-6590 |
| 3.625 | 4.625 | 0.719 | 53F1 | 22987-6950 |
| 3.625 | 4.625 | 0.750 | IG | 29502-4157 |
| 3.625 | 4.625 | 0.906 | 53R2 | 22627-6901 |
| 3.625 | 4.626 | 0.375 | 3 | 28003-3568 |
| 3.625 | 4.724 | 0.500 | 53 | 21086-7968 |
| 3.625 | 4.750 | 0.375 | 23 | 25003-0692 |
| 3.625 | 4.750 | 0.500 | 23 | 25003-2420 |
| **3.625** | **4.750** | **0.500** | **53** | **21086-2420** |
| 3.625 | 4.750 | 0.500 | 61 | 24060-2420 |
| 3.625 | 4.750 | 0.562 | 53 | 21086-2421 |
| 3.625 | 4.750 | 0.562 | 62 | 21702-2421 |
| 3.625 | 4.750 | 0.625 | 26 | 24600-2412 |
| 3.625 | 4.750 | 0.906 | 53R1 | 22537-8396 |
| 3.625 | 4.750 | 0.906 | 53R2 | 22627-8396 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 3.625 | 4.751 | 0.500 | 26R1 | 24620-2420 |
| 3.625 | 4.875 | 0.375 | 23 | 25003-4864 |
| 3.625 | 4.875 | 0.500 | 23 | 25003-2423 |
| 3.625 | 4.875 | 0.500 | 53 | 21086-2423 |
| 3.625 | 4.875 | 0.562 | 53 | 21086-2424 |
| 3.625 | 4.875 | 0.625 | 53 | 21086-2425 |
| 3.625 | 4.875 | 0.844 | 53R1 | 22537-9401 |
| 3.625 | 4.999 | 0.500 | 23 | 25003-2426 |
| **3.625** | **4.999** | **0.500** | **53** | **21086-2426** |
| 3.625 | 4.999 | 0.625 | 53 | 21086-2428 |
| 3.625 | 5.000 | 0.500 | 23 | 25003-2415 |
| 3.625 | 5.000 | 0.562 | 53 | 21086-5582 |
| 3.625 | 5.000 | 0.719 | 53F1 | 22987-5646 |
| 3.625 | 5.118 | 0.500 | 53 | 21086-7970 |
| 3.625 | 5.125 | 0.500 | 23 | 25003-2429 |
| 3.625 | 5.125 | 0.500 | 53 | 21086-2429 |
| 3.625 | 5.250 | 0.500 | 26 | 24600-2432 |
| 3.625 | 5.250 | 0.500 | 53 | 21086-2432 |
| 3.625 | 5.250 | 0.500 | 26R1 | 24620-2432 |
| 3.625 | 5.375 | 0.500 | 53 | 21086-2435 |
| 3.625 | 5.500 | 0.500 | 53 | 21086-2438 |
| 3.625 | 5.500 | 0.969 | 53T2 | 22897-6505 |
| 3.634 | 4.625 | 0.750 | IG | 29502-5296 |
| 3.681 | 4.681 | 0.500 | 23 | 25003-1901 |
| 3.681 | 5.000 | 0.500 | 23 | 25003-2095 |
| 3.685 | 4.685 | 0.750 | IG | 29502-5751 |
| 3.687 | 4.560 | 0.750 | IG | 29502-5258 |
| 3.687 | 4.687 | 0.375 | 23 | 25003-8639 |
| 3.687 | 4.687 | 0.500 | 23 | 25003-9104 |
| 3.687 | 4.687 | 0.500 | 25 | 25058-9104 |
| 3.687 | 4.750 | 0.375 | 23 | 25003-5749 |
| 3.687 | 4.750 | 0.500 | 23 | 25003-2441 |
| 3.687 | 4.750 | 0.500 | 26 | 24600-2441 |
| **3.687** | **4.750** | **0.500** | **53** | **21086-2441** |
| 3.687 | 4.750 | 0.562 | 53 | 21086-2442 |
| 3.687 | 4.875 | 0.500 | 23 | 25003-2444 |
| 3.687 | 4.875 | 0.500 | 53 | 21086-2444 |
| 3.687 | 4.937 | 0.500 | 23 | 25003-8159 |
| 3.687 | 4.999 | 0.500 | 23 | 25003-2447 |
| 3.687 | 4.999 | 0.500 | 53 | 21086-2447 |
| 3.687 | 5.118 | 0.500 | 53 | 21086-7972 |
| 3.687 | 5.125 | 0.500 | 23 | 25003-2450 |
| 3.687 | 5.125 | 0.500 | 53 | 21086-2450 |
| 3.687 | 5.250 | 0.500 | 53 | 21086-2453 |
| 3.687 | 5.250 | 0.781 | 53F1 | 22987-8531 |
| 3.687 | 5.375 | 0.500 | 53 | 21086-2456 |
| 3.687 | 5.500 | 0.500 | 53 | 21086-2459 |
| 3.688 | 4.688 | 0.625 | EQ | 24802-2744 |
| 3.688 | 4.688 | 0.750 | IG | 29502-4290 |
| 3.688 | 4.750 | 0.438 | 26 | 24600-3037 |
| 3.688 | 4.750 | 0.750 | IG | 29500-4562 |
| 3.688 | 4.999 | 0.500 | 26 | 24600-2447 |
| 3.688 | 5.000 | 0.500 | 23 | 25003-5097 |
| 3.712 | 4.712 | 0.500 | 23 | 25003-9547 |
| 3.719 | 5.094 | 0.500 | 23 | 25003-4742 |
| 3.720 | 4.720 | 0.500 | 23 | 25003-1041 |
| 3.725 | 4.725 | 0.750 | IG | 29502-5730 |
| 3.731 | 4.731 | 0.750 | IG | 29502-5057 |
| 3.735 | 4.735 | 0.625 | EQ | 24802-3072 |
| 3.740 | 4.528 | 0.472 | 92 | 27063-0850 |
| 3.740 | 4.724 | 0.394 | 61 | 24060-1859 |
| 3.740 | 4.724 | 0.472 | 23 | 25003-9190 |
| 3.740 | 4.724 | 0.472 | 92 | 27063-9190 |
| 3.740 | 4.724 | 0.511 | 26R1 | 24620-6061 |
| 3.740 | 4.724 | 0.625 | EQ | 24801-3021 |
| 3.740 | 4.724 | 0.625 | EQ | 24802-3021 |
| **3.740** | **4.725** | **0.472** | **26R1** | **24620-9190** |
| 3.740 | 4.740 | 0.375 | 23 | 25003-1110 |
| 3.740 | 4.740 | 0.500 | 23 | 25003-6896 |
| 3.740 | 4.740 | 0.750 | IG | 29500-4506 |
| 3.740 | 4.750 | 0.625 | EQ | 24802-1816 |
| 3.740 | 4.921 | 0.472 | 23 | 25003-1010 |
| 3.740 | 4.921 | 0.472 | 92 | 27063-1010 |
| 3.740 | 4.921 | 0.750 | IG | 29500-4979 |
| 3.740 | 4.990 | 0.375 | 24 | 25005-5741 |
| 3.740 | 4.990 | 0.500 | 23 | 25003-7464 |
| 3.740 | 5.118 | 0.472 | 92 | 27063-0851 |
| 3.740 | 5.118 | 0.625 | EQ | 24802-2972 |
| 3.740 | 5.512 | 0.750 | IG | 29500-4751 |
| 3.741 | 5.240 | 0.500 | 23 | 25003-6250 |
| 3.741 | 5.240 | 0.500 | 24 | 25005-6250 |
| 3.750 | 4.312 | 0.109 | 71 | 26001-9981 |
| 3.750 | 4.375 | 0.312 | 61 | 24060-7097 |
| 3.750 | 4.375 | 0.312 | 71 | 26001-7097 |
| 3.750 | 4.375 | 0.500 | 61 | 24060-1606 |
| 3.750 | 4.375 | 0.690 | EQ | 24807-4523 |
| 3.750 | 4.500 | 0.375 | 61 | 24063-2235 |
| 3.750 | 4.500 | 0.625 | EQ | 24802-2210 |
| 3.750 | 4.625 | 0.375 | 23 | 25003-9174 |
| 3.750 | 4.732 | 0.405 | 23 | 25003-1713 |
| 3.750 | 4.750 | 0.250 | 76 | 26193-7192 |
| 3.750 | 4.750 | 0.375 | 23 | 25003-7389 |
| 3.750 | 4.750 | 0.375 | 25 | 25058-7389 |
| 3.750 | 4.750 | 0.438 | 23 | 25003-4455 |
| 3.750 | 4.750 | 0.500 | 23 | 25003-2462 |
| 3.750 | 4.750 | 0.500 | 25 | 25058-2462 |
| **3.750** | **4.750** | **0.500** | **26** | **24600-2462** |
| **3.750** | **4.750** | **0.500** | **53** | **21086-2462** |
| 3.750 | 4.750 | 0.500 | 58 | 21003-2462 |
| 3.750 | 4.750 | 0.500 | 61 | 24060-2462 |
| 3.750 | 4.750 | 0.500 | 61 | 24063-2462 |
| 3.750 | 4.750 | 0.500 | 62 | 21702-2462 |
| 3.750 | 4.750 | 0.500 | 66 | 21527-2462 |
| 3.750 | 4.750 | 0.500 | EQ | 24801-2462 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 3.750 | 4.750 | 0.562 | 53 | 21086-2463 |
| 3.750 | 4.750 | 0.625 | 53 | 21086-2464 |
| **3.750** | **4.750** | **0.625** | **113** | **21012-2464** |
| 3.750 | 4.750 | 0.625 | EQ | 24802-2464 |
| 3.750 | 4.750 | 0.690 | EQ | 24807-3781 |
| 3.750 | 4.750 | 0.750 | IG | 29500-4158 |
| 3.750 | 4.750 | 0.750 | IG | 29502-4158 |
| 3.750 | 4.750 | 0.906 | 53R2 | 22627-7440 |
| 3.750 | 4.812 | 0.500 | 23 | 25003-6960 |
| 3.750 | 4.875 | 0.375 | 23 | 25003-6619 |
| 3.750 | 4.875 | 0.500 | 23 | 25003-2465 |
| **3.750** | **4.875** | **0.500** | **53** | **21086-2465** |
| 3.750 | 4.875 | 0.500 | 66 | 21527-2465 |
| 3.750 | 4.875 | 0.562 | 53 | 21086-2466 |
| 3.750 | 4.885 | 0.500 | 62 | 21702-8168 |
| 3.750 | 4.999 | 0.500 | 23 | 25003-2468 |
| **3.750** | **4.999** | **0.500** | **53** | **21086-2468** |
| 3.750 | 4.999 | 0.500 | 26R1 | 24620-4654 |
| 3.750 | 4.999 | 0.500 | 66 | 21527-2468 |
| 3.750 | 4.999 | 0.562 | 53 | 21086-2469 |
| 3.750 | 4.999 | 0.625 | 53 | 21086-2470 |
| 3.750 | 4.999 | 0.906 | 53R2 | 22627-6806 |
| 3.750 | 5.000 | 0.375 | 23 | 25003-9089 |
| 3.750 | 5.000 | 0.437 | 23 | 25003-0802 |
| 3.750 | 5.000 | 0.438 | 26 | 24600-2477 |
| 3.750 | 5.000 | 0.500 | 23 | 25003-5079 |
| 3.750 | 5.000 | 0.500 | 26 | 24600-2478 |
| 3.750 | 5.000 | 0.500 | 61 | 24060-5079 |
| 3.750 | 5.000 | 0.625 | EQ | 24802-2483 |
| 3.750 | 5.000 | 0.750 | IG | 29502-5364 |
| 3.750 | 5.062 | 0.375 | 23 | 25003-2016 |
| **3.750** | **5.118** | **0.500** | **53** | **21086-7974** |
| 3.750 | 5.125 | 0.500 | 23 | 25003-2471 |
| 3.750 | 5.125 | 0.500 | 53 | 21086-2471 |
| 3.750 | 5.125 | 0.500 | 66 | 21527-2471 |
| 3.750 | 5.250 | 0.438 | 23 | 25003-3256 |
| 3.750 | 5.250 | 0.500 | 23 | 25003-2474 |
| 3.750 | 5.250 | 0.500 | 53 | 21086-2474 |
| 3.750 | 5.250 | 0.500 | 62 | 21702-2474 |
| 3.750 | 5.250 | 0.500 | 66 | 21527-2474 |
| 3.750 | 5.250 | 0.625 | 53 | 21086-2476 |
| 3.750 | 5.250 | 0.625 | EQ | 24802-1095 |
| 3.750 | 5.375 | 0.500 | 66 | 21527-7249 |
| 3.750 | 5.500 | 0.500 | 53 | 21086-2480 |
| 3.750 | 5.500 | 0.500 | 66 | 21527-2480 |
| 3.750 | 5.500 | 0.750 | IG | 29502-5757 |
| 3.777 | 4.732 | 0.625 | EQ | 24802-4696 |
| 3.786 | 4.786 | 0.625 | EQ | 24802-3039 |
| 3.790 | 4.790 | 0.750 | IG | 29502-5721 |
| 3.812 | 4.773 | 1.375 | EQSPB | 24816-7044 |
| 3.812 | 4.812 | 0.500 | 23 | 25003-6464 |
| 3.812 | 4.812 | 0.750 | IG | 29502-4291 |
| 3.812 | 4.875 | 0.500 | 23 | 25003-2483 |
| **3.812** | **4.875** | **0.500** | **53** | **21086-2483** |
| 3.812 | 4.875 | 0.750 | IG | 29502-5476 |
| 3.812 | 4.999 | 0.500 | 23 | 25003-2486 |
| **3.812** | **4.999** | **0.500** | **53** | **21086-2486** |
| 3.812 | 5.118 | 0.500 | 53 | 21086-7976 |
| 3.812 | 5.125 | 0.500 | 53 | 21086-2489 |
| 3.812 | 5.250 | 0.500 | 53 | 21086-2492 |
| 3.812 | 5.312 | 0.500 | 23 | 25003-9817 |
| 3.812 | 5.375 | 0.500 | 23 | 25003-2495 |
| 3.812 | 5.375 | 0.500 | 53 | 21086-2495 |
| 3.812 | 5.500 | 0.500 | 26 | 24600-2498 |
| **3.812** | **5.500** | **0.500** | **53** | **21086-2498** |
| 3.813 | 4.773 | 1.062 | IGSPB | 29516-7087 |
| 3.815 | 4.815 | 0.625 | EQ | 24802-3185 |
| 3.820 | 5.042 | 0.375 | 23 | 25003-3096 |
| 3.825 | 4.875 | 0.750 | IG | 29502-4602 |
| 3.847 | 5.063 | 0.375 | 23 | 25003-0422 |
| 3.850 | 4.875 | 0.750 | IG | 29502-4622 |
| 3.875 | 4.500 | 0.312 | 61 | 24060-1607 |
| 3.875 | 4.500 | 0.500 | 61 | 24060-1611 |
| 3.875 | 4.625 | 0.500 | 61 | 24060-1613 |
| 3.875 | 4.750 | 0.375 | 23 | 25003-7746 |
| 3.875 | 4.750 | 0.375 | 26 | 24600-5637 |
| 3.875 | 4.750 | 0.500 | 61 | 24060-1614 |
| 3.875 | 4.843 | 0.484 | 23 | 25003-5959 |
| 3.875 | 4.875 | 0.437 | 23 | 25003-8592 |
| 3.875 | 4.875 | 0.437 | 26 | 24600-8592 |
| 3.875 | 4.875 | 0.500 | 23 | 25003-2501 |
| **3.875** | **4.875** | **0.500** | **53** | **21086-2501** |
| 3.875 | 4.875 | 0.500 | 62 | 21702-2501 |
| 3.875 | 4.875 | 0.625 | EQ | 24802-2503 |
| 3.875 | 4.875 | 0.719 | 53F1 | 22987-5201 |
| 3.875 | 4.875 | 0.750 | IG | 29502-4159 |
| 3.875 | 4.875 | 0.906 | 53R2 | 22627-5645 |
| 3.875 | 4.876 | 0.375 | 3 | 28003-3721 |
| **3.875** | **4.999** | **0.500** | **53** | **21086-2504** |
| 3.875 | 4.999 | 0.500 | 62 | 21702-2504 |
| 3.875 | 4.999 | 0.625 | 53 | 21086-2506 |
| 3.875 | 5.000 | 0.375 | 23 | 25003-9298 |
| 3.875 | 5.000 | 0.468 | 26 | 24600-2514 |
| 3.875 | 5.000 | 0.500 | 23 | 25003-4772 |
| 3.875 | 5.000 | 0.625 | EQ | 24801-2506 |
| 3.875 | 5.000 | 0.625 | EQ | 24802-2506 |
| 3.875 | 5.062 | 0.375 | 23 | 25003-4426 |
| 3.875 | 5.085 | 1.375 | EQSPB | 24816-7056 |
| 3.875 | 5.118 | 0.500 | 53 | 21086-7978 |
| 3.875 | 5.125 | 0.500 | 23 | 25003-2507 |
| 3.875 | 5.125 | 0.500 | 53 | 21086-2507 |
| 3.875 | 5.250 | 0.500 | 23 | 25003-2510 |
| 3.875 | 5.250 | 0.500 | 53 | 21086-2510 |
| 3.875 | 5.250 | 0.562 | 53 | 21086-2511 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 3.875 | 5.375 | 0.500 | 23 | 25003-2513 |
| 3.875 | 5.375 | 0.500 | 26 | 24600-2513 |
| 3.875 | 5.375 | 0.500 | 53 | 21086-2513 |
| 3.875 | 5.500 | 0.500 | 53 | 21086-2516 |
| 3.875 | 5.500 | 0.500 | 94 | 27223-2516 |
| 3.875 | 5.500 | 0.625 | EQ | 24802-1961 |
| 3.876 | 4.313 | 0.690 | EQ | 24807-3752 |
| 3.897 | 4.876 | 0.500 | 23 | 25003-2259 |
| 3.900 | 4.900 | 0.625 | EQ | 24802-3104 |
| 3.900 | 5.200 | 0.500 | 23 | 25003-1317 |
| 3.906 | 5.000 | 0.500 | 23 | 25003-1610 |
| 3.907 | 5.118 | 0.500 | 23 | 25003-0503 |
| 3.916 | 5.234 | 0.500 | 23 | 25003-2294 |
| 3.922 | 4.922 | 0.500 | 23 | 25003-9487 |
| 3.925 | 4.925 | 0.750 | IG | 29502-5648 |
| 3.933 | 4.933 | 0.500 | 23 | 25003-4747 |
| 3.934 | 4.934 | 0.625 | EQ | 24802-3983 |
| 3.934 | 5.120 | 0.625 | EQ | 24802-4697 |
| 3.937 | 4.562 | 0.690 | EQ | 24807-3271 |
| 3.937 | 4.687 | 0.690 | EQ | 24807-3557 |
| 3.937 | 4.724 | 0.394 | 92 | 27063-0852 |
| 3.937 | 4.724 | 0.433 | 58 | 21003-4263 |
| 3.937 | 4.724 | 0.472 | 61 | 24063-2242 |
| 3.937 | 4.724 | 0.472 | 61 | 24064-2242 |
| 3.937 | 4.724 | 0.500 | 23 | 25003-9284 |
| 3.937 | 4.724 | 0.512 | 26R1 | 24620-9030 |
| 3.937 | 4.724 | 0.625 | EQ | 24802-1347 |
| 3.937 | 4.734 | 0.511 | 26 | 24600-4634 |
| 3.937 | 4.812 | 0.375 | 23 | 25003-7036 |
| 3.937 | 4.875 | 0.500 | 23 | 25003-5872 |
| 3.937 | 4.875 | 0.625 | EQ | 24801-3830 |
| 3.937 | 4.883 | 0.625 | EQ | 24802-2942 |
| 3.937 | 4.900 | 0.625 | EQ | 24802-2891 |
| 3.937 | 4.906 | 0.484 | 23 | 25003-8483 |
| 3.937 | 4.921 | 0.256 | 26 | 24600-1907 |
| 3.937 | 4.921 | 0.433 | 23 | 25003-5363 |
| 3.937 | 4.921 | 0.472 | 92 | 27063-0860 |
| 3.937 | 4.921 | 0.492 | 23 | 25003-1875 |
| 3.937 | 4.921 | 0.500 | 23 | 25003-3248 |
| 3.937 | 4.921 | 0.512 | 26R1 | 24620-5345 |
| 3.937 | 4.921 | 0.625 | EQ | 24801-2230 |
| 3.937 | 4.921 | 0.625 | EQ | 24802-2230 |
| 3.937 | 4.921 | 0.750 | IG | 29500-4649 |
| 3.937 | 4.921 | 0.750 | IG | 29502-4649 |
| 3.937 | 4.922 | 0.512 | 26 | 24600-5345 |
| 3.937 | 4.937 | 0.375 | 23 | 25003-6709 |
| 3.937 | 4.937 | 0.375 | 26R1 | 24620-6709 |
| 3.937 | 4.937 | 0.500 | 23 | 25003-4817 |
| 3.937 | 4.937 | 0.500 | 26 | 24600-4817 |
| 3.937 | 4.937 | 0.500 | 53 | 21086-4817 |
| 3.937 | 4.937 | 0.690 | EQ | 24807-3000 |
| 3.937 | 4.937 | 0.750 | IG | 29500-4292 |
| 3.937 | 4.955 | 1.252 | EQSPB | 24816-7048 |
| 3.937 | 4.960 | 0.750 | IG | 29502-5072 |
| 3.937 | 4.990 | 0.750 | IG | 29502-5397 |
| 3.937 | 4.999 | 0.500 | 23 | 25003-2519 |
| **3.937** | **4.999** | **0.500** | **53** | **21086-2519** |
| 3.937 | 4.999 | 0.500 | 62 | 21702-2519 |
| 3.937 | 4.999 | 0.562 | 53 | 21086-2520 |
| 3.937 | 4.999 | 0.625 | 53 | 21086-2521 |
| 3.937 | 4.999 | 0.750 | IG | 29500-4641 |
| 3.937 | 4.999 | 0.750 | IG | 29502-4641 |
| 3.937 | 4.999 | 0.906 | 53R1 | 22537-5049 |
| 3.937 | 5.000 | 0.469 | 23 | 25003-6129 |
| 3.937 | 5.000 | 0.500 | 23 | 25003-5913 |
| 3.937 | 5.000 | 0.625 | EQ | 24801-2962 |
| 3.937 | 5.062 | 0.375 | 23 | 25003-9646 |
| 3.937 | 5.062 | 0.375 | 26 | 24600-9646 |
| 3.937 | 5.062 | 0.500 | 23 | 25003-6111 |
| 3.937 | 5.118 | 0.472 | 23 | 25003-1979 |
| 3.937 | 5.118 | 0.472 | 53 | 21086-7842 |
| 3.937 | 5.118 | 0.472 | 92 | 27063-7842 |
| 3.937 | 5.118 | 0.500 | 23 | 25003-7979 |
| 3.937 | 5.118 | 0.500 | 53 | 21086-7979 |
| 3.937 | 5.118 | 0.512 | 61 | 24060-7979 |
| 3.937 | 5.118 | 0.625 | EQ | 24801-1346 |
| 3.937 | 5.118 | 0.625 | EQ | 24802-1346 |
| 3.937 | 5.118 | 0.750 | IG | 29502-4859 |
| 3.937 | 5.125 | 0.500 | 23 | 25003-2522 |
| **3.937** | **5.125** | **0.500** | **53** | **21086-2522** |
| 3.937 | 5.125 | 0.500 | 62 | 21702-2522 |
| 3.937 | 5.125 | 0.625 | 53 | 21086-2524 |
| 3.937 | 5.187 | 0.375 | 23 | 25003-5444 |
| 3.937 | 5.187 | 0.500 | 23 | 25003-4776 |
| 3.937 | 5.250 | 0.500 | 23 | 25003-2525 |
| 3.937 | 5.250 | 0.500 | 26 | 24600-2525 |
| **3.937** | **5.250** | **0.500** | **53** | **21086-2525** |
| 3.937 | 5.250 | 0.625 | 53 | 21086-2527 |
| 3.937 | 5.250 | 0.625 | EQ | 24801-3474 |
| 3.937 | 5.256 | 0.468 | 23 | 25003-1145 |
| 3.937 | 5.312 | 0.500 | 23 | 25003-6205 |
| 3.937 | 5.328 | 1.375 | EQSPB | 24816-7031 |
| 3.937 | 5.375 | 0.500 | 53 | 21086-2528 |
| 3.937 | 5.375 | 0.906 | 53R1 | 22537-8570 |
| 3.937 | 5.437 | 0.500 | 23 | 25003-7416 |
| 3.937 | 5.500 | 0.500 | 53 | 21086-2531 |
| 3.937 | 5.500 | 0.500 | 62 | 21702-2531 |
| **3.937** | **5.625** | **0.500** | **53** | **21086-2534** |
| 3.937 | 5.905 | 0.500 | 94 | 27223-6323 |
| 3.937 | 6.201 | 0.988 | IGSPB | 29516-7117 |
| 3.937 | 6.375 | 0.750 | IG | 29500-4640 |
| 3.937 | 6.693 | 0.394 | 26 | 24600-5924 |
| 3.938 | 4.724 | 0.750 | IG | 29502-4980 |
| 3.938 | 4.875 | 0.500 | 61 | 24060-5872 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 3.938 | 4.875 | 0.500 | EQ | 24801-2533 |
| 3.938 | 4.881 | 0.625 | 26R1 | 24620-2494 |
| 3.938 | 4.906 | 0.484 | 23 | 25003-1746 |
| 3.938 | 4.906 | 0.484 | 23 | 25003-1766 |
| 3.938 | 4.906 | 0.500 | 23 | 25003-8790 |
| 3.938 | 4.921 | 0.394 | 23 | 25003-0811 |
| 3.938 | 4.937 | 0.625 | EQ | 24802-1144 |
| 3.938 | 4.938 | 0.438 | 23 | 25003-2523 |
| 3.938 | 4.938 | 0.625 | EQ | 24801-1144 |
| 3.938 | 4.938 | 0.750 | IG | 29502-4292 |
| 3.938 | 4.950 | 0.500 | 23 | 25003-2622 |
| 3.938 | 4.957 | 1.375 | EQSPB | 24816-7026 |
| 3.938 | 4.960 | 1.062 | IGSPB | 29516-7098 |
| 3.938 | 4.986 | 1.375 | EQSPB | 24816-7018 |
| 3.938 | 4.999 | 0.438 | 23 | 25003-2493 |
| 3.938 | 5.000 | 0.400 | 23 | 25003-1448 |
| **3.938** | **5.000** | **0.500** | **26** | **24600-5913** |
| 3.938 | 5.040 | 0.400 | 23 | 25003-1000 |
| 3.938 | 5.085 | 1.050 | IGSPB | 29516-7133 |
| 3.938 | 5.085 | 1.375 | EQSPB | 24816-7057 |
| 3.938 | 5.118 | 0.375 | 23 | 25003-3229 |
| 3.938 | 5.125 | 0.468 | 23 | 25003-2548 |
| 3.938 | 5.188 | 0.750 | IG | 29500-4845 |
| 3.938 | 5.250 | 0.500 | 61 | 24060-2525 |
| 3.938 | 5.250 | 0.750 | IG | 29502-5128 |
| 3.938 | 5.251 | 0.625 | EQ | 24802-3474 |
| 3.938 | 5.315 | 0.625 | EQ | 24802-4091 |
| 3.938 | 5.501 | 0.625 | EQ | 24802-2046 |
| 3.938 | 5.643 | 1.125 | EQSPB | 24816-7047 |
| 3.938 | 5.807 | 0.828 | IGSPB | 29516-5113 |
| 3.938 | 6.250 | 0.500 | 61 | 24060-1640 |
| 3.948 | 4.948 | 0.625 | EQ | 24802-3018 |
| 3.950 | 4.950 | 0.500 | 23 | 25003-1239 |
| 3.976 | 5.551 | 0.630 | 26 | 24600-4225 |
| 4.000 | 4.500 | 0.250 | 71 | 26001-9016 |
| 4.000 | 4.500 | 0.250 | 92 | 27063-9016 |
| 4.000 | 4.500 | 0.625 | IG | 29507-5137 |
| 4.000 | 4.562 | 0.109 | 71 | 26001-6325 |
| 4.000 | 4.625 | 0.312 | 61 | 24060-9879 |
| 4.000 | 4.625 | 0.312 | 76 | 26193-9879 |
| 4.000 | 4.750 | 0.375 | 61 | 24060-1643 |
| 4.000 | 4.750 | 0.500 | 61 | 24060-1488 |
| 4.000 | 4.750 | 0.500 | 61 | 24061-1488 |
| 4.000 | 4.875 | 0.500 | 23 | 25003-2554 |
| 4.000 | 4.875 | 0.500 | 26R1 | 24620-2554 |
| 4.000 | 4.875 | 0.563 | 26 | 24600-2590 |
| 4.000 | 4.875 | 0.625 | 26 | 24600-2591 |
| 4.000 | 4.875 | 0.750 | IG | 29502-5203 |
| 4.000 | 4.897 | 0.500 | 23 | 25003-4738 |
| 4.000 | 4.937 | 0.375 | 23 | 25003-9851 |
| 4.000 | 4.937 | 0.500 | 23 | 25003-2557 |
| 4.000 | 4.999 | 0.375 | 3 | 28003-4010 |
| 4.000 | 4.999 | 0.500 | 23 | 25003-2537 |
| **4.000** | **4.999** | **0.500** | **53** | **21086-2537** |
| 4.000 | 4.999 | 0.500 | 62 | 21702-2537 |
| 4.000 | 4.999 | 0.500 | 66 | 21527-2537 |
| 4.000 | 4.999 | 0.625 | 53 | 21086-2539 |
| 4.000 | 4.999 | 0.718 | 53F1 | 22987-6990 |
| 4.000 | 4.999 | 0.906 | 53R2 | 22627-6799 |
| 4.000 | 5.000 | 0.375 | 21 | 25001-6360 |
| 4.000 | 5.000 | 0.375 | 23 | 25003-6360 |
| 4.000 | 5.000 | 0.375 | 25 | 25058-6360 |
| **4.000** | **5.000** | **0.375** | **26** | **24600-0978** |
| 4.000 | 5.000 | 0.437 | 23 | 25003-9662 |
| 4.000 | 5.000 | 0.437 | 26 | 24600-9662 |
| 4.000 | 5.000 | 0.468 | 26 | 24600-2592 |
| 4.000 | 5.000 | 0.500 | 21 | 25001-4651 |
| 4.000 | 5.000 | 0.500 | 23 | 25003-4651 |
| 4.000 | 5.000 | 0.500 | 25 | 25058-4651 |
| **4.000** | **5.000** | **0.500** | **26** | **24600-4651** |
| 4.000 | 5.000 | 0.500 | 61 | 24060-4651 |
| 4.000 | 5.000 | 0.500 | 61 | 24062-4651 |
| 4.000 | 5.000 | 0.500 | 62 | 21702-4651 |
| 4.000 | 5.000 | 0.500 | 88 | 26088-4651 |
| 4.000 | 5.000 | 0.500 | 88NS | 26188-4651 |
| 4.000 | 5.000 | 0.500 | EQ | 24801-4651 |
| 4.000 | 5.000 | 0.625 | 26 | 24600-2593 |
| 4.000 | 5.000 | 0.625 | EQ | 24801-2593 |
| 4.000 | 5.000 | 0.625 | EQ | 24802-2593 |
| 4.000 | 5.000 | 0.750 | IG | 29500-4160 |
| 4.000 | 5.000 | 0.750 | IG | 29502-4160 |
| 4.000 | 5.031 | 0.375 | 23 | 25003-9741 |
| 4.000 | 5.031 | 0.500 | 23 | 25003-9824 |
| 4.000 | 5.118 | 0.500 | 53 | 21086-7980 |
| 4.000 | 5.125 | 0.375 | 23 | 25003-8957 |
| 4.000 | 5.125 | 0.500 | 23 | 25003-2540 |
| **4.000** | **5.125** | **0.500** | **53** | **21086-2540** |
| 4.000 | 5.125 | 0.500 | 61 | 24060-2540 |
| 4.000 | 5.125 | 0.500 | 62 | 21702-2540 |
| 4.000 | 5.125 | 0.500 | 66 | 21527-2540 |
| 4.000 | 5.125 | 0.563 | 53 | 21086-2541 |
| 4.000 | 5.125 | 0.625 | 53 | 21086-2542 |
| 4.000 | 5.125 | 0.625 | 111 | 21011-2542 |
| 4.000 | 5.125 | 0.625 | EQ | 24802-2542 |
| 4.000 | 5.125 | 0.906 | 53R2 | 22627-7559 |
| 4.000 | 5.125 | 0.969 | 53TB | 22807-8731 |
| 4.000 | 5.131 | 0.375 | 23 | 25003-9648 |
| 4.000 | 5.248 | 0.500 | EQ | 24801-0930 |
| 4.000 | 5.250 | 0.312 | 26 | 24600-4645 |
| 4.000 | 5.250 | 0.375 | 24 | 25005-9926 |
| 4.000 | 5.250 | 0.438 | EQ | 24801-1056 |
| 4.000 | 5.250 | 0.468 | 26 | 24600-2595 |
| 4.000 | 5.250 | 0.500 | 23 | 25003-2543 |
| 4.000 | 5.250 | 0.500 | 25 | 25058-2543 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| **4.000** | **5.250** | **0.500** | **53** | **21086-2543** |
| 4.000 | 5.250 | 0.500 | 61 | 24060-2543 |
| 4.000 | 5.250 | 0.500 | 62 | 21702-2543 |
| 4.000 | 5.250 | 0.500 | 66 | 21527-2543 |
| 4.000 | 5.250 | 0.563 | 53 | 21086-2544 |
| 4.000 | 5.250 | 0.625 | 53 | 21086-2545 |
| 4.000 | 5.250 | 0.625 | 111 | 21011-2545 |
| 4.000 | 5.250 | 0.750 | IG | 29502-5480 |
| 4.000 | 5.250 | 0.906 | 53R1 | 22537-6434 |
| 4.000 | 5.265 | 0.500 | 23 | 25003-6409 |
| 4.000 | 5.375 | 0.500 | 23 | 25003-2546 |
| 4.000 | 5.375 | 0.500 | 26 | 24600-2546 |
| 4.000 | 5.375 | 0.500 | 53 | 21086-2546 |
| 4.000 | 5.375 | 0.500 | 66 | 21527-2546 |
| 4.000 | 5.375 | 0.750 | IG | 29502-4209 |
| 4.000 | 5.500 | 0.438 | 23 | 25003-2553 |
| 4.000 | 5.500 | 0.500 | 23 | 25003-2549 |
| 4.000 | 5.500 | 0.500 | 24 | 25005-2549 |
| 4.000 | 5.500 | 0.500 | 25 | 25058-2549 |
| 4.000 | 5.500 | 0.500 | 53 | 21086-2549 |
| 4.000 | 5.500 | 0.500 | 66 | 21527-2549 |
| 4.000 | 5.500 | 0.500 | EQ | 24801-2549 |
| 4.000 | 5.500 | 0.563 | 53 | 21086-2550 |
| 4.000 | 5.500 | 0.625 | 53 | 21086-2551 |
| 4.000 | 5.500 | 0.719 | 53F1 | 22987-7448 |
| 4.000 | 5.500 | 0.750 | 25 | 25058-9665 |
| 4.000 | 5.625 | 0.375 | 23 | 25003-2985 |
| 4.000 | 5.625 | 0.500 | 53 | 21086-2552 |
| 4.000 | 5.750 | 0.500 | 26 | 24600-2555 |
| 4.000 | 5.750 | 0.500 | 53 | 21086-2555 |
| 4.000 | 5.750 | 0.500 | 62 | 21702-2555 |
| 4.000 | 5.750 | 0.500 | 66 | 21527-2555 |
| 4.000 | 5.750 | 0.563 | 53 | 21086-2556 |
| 4.000 | 5.750 | 0.781 | 53F1 | 22987-5492 |
| 4.000 | 5.875 | 0.500 | 53 | 21086-2558 |
| **4.000** | **6.000** | **0.500** | **53** | **21086-2561** |
| 4.000 | 6.000 | 0.500 | 66 | 21527-2561 |
| 4.000 | 6.000 | 0.906 | 53R2 | 22627-8771 |
| 4.000 | 6.125 | 0.500 | 53 | 21086-2564 |
| 4.000 | 6.125 | 0.500 | 66 | 21527-2564 |
| 4.000 | 6.125 | 0.625 | 53 | 21086-2566 |
| **4.000** | **6.250** | **0.500** | **53** | **21086-2567** |
| 4.000 | 6.250 | 0.500 | 66 | 21527-2567 |
| 4.000 | 6.250 | 0.563 | 53 | 21086-2568 |
| 4.000 | 6.250 | 0.563 | 111 | 21011-2568 |
| 4.000 | 6.250 | 0.625 | 53 | 21086-2569 |
| 4.000 | 8.000 | 0.625 | 54 | 21140-6010 |
| 4.003 | 4.500 | 0.690 | EQ | 24807-4471 |
| 4.016 | 5.438 | 0.500 | 23 | 25003-2533 |
| 4.062 | 5.000 | 0.375 | 23 | 25003-1928 |
| 4.062 | 5.125 | 0.469 | 23 | 25003-6298 |
| 4.062 | 5.125 | 0.500 | 23 | 25003-2570 |
| 4.062 | 5.125 | 0.750 | IG | 29502-4572 |
| 4.062 | 5.250 | 0.500 | 23 | 25003-2573 |
| 4.062 | 5.256 | 0.469 | 23 | 25003-0202 |
| 4.062 | 5.500 | 0.500 | 23 | 25003-2579 |
| 4.062 | 6.000 | 0.906 | 53R2 | 22627-7651 |
| 4.063 | 5.062 | 0.500 | 23 | 25003-7123 |
| 4.063 | 5.063 | 0.750 | IG | 29502-4293 |
| **4.063** | **5.125** | **0.500** | **53** | **21086-2570** |
| 4.063 | 5.250 | 0.500 | 53 | 21086-2573 |
| 4.063 | 5.312 | 0.500 | 23 | 25003-6616 |
| 4.063 | 5.500 | 0.500 | 53 | 21086-2579 |
| 4.063 | 5.500 | 0.563 | 26 | 24600-2601 |
| 4.063 | 5.875 | 0.500 | 53 | 21086-2588 |
| 4.100 | 5.100 | 0.750 | IG | 29502-5719 |
| 4.120 | 5.000 | 0.750 | IG | 29502-5513 |
| 4.125 | 4.686 | 0.109 | 71 | 26001-7992 |
| 4.125 | 4.750 | 0.690 | EQ | 24807-2287 |
| 4.125 | 5.000 | 0.500 | 23 | 25003-6870 |
| 4.125 | 5.025 | 1.375 | EQSPB | 24816-7024 |
| 4.125 | 5.085 | 0.770 | IGSPB | 29516-5125 |
| 4.125 | 5.085 | 1.051 | IGSPB | 29516-5271 |
| 4.125 | 5.125 | 0.375 | 23 | 25003-6625 |
| 4.125 | 5.125 | 0.500 | 23 | 25003-2600 |
| 4.125 | 5.125 | 0.500 | 26 | 24600-2600 |
| **4.125** | **5.125** | **0.500** | **53** | **21086-2600** |
| 4.125 | 5.125 | 0.500 | 61 | 24060-2600 |
| 4.125 | 5.125 | 0.500 | 62 | 21702-2600 |
| 4.125 | 5.125 | 0.625 | EQ | 24801-2604 |
| 4.125 | 5.125 | 0.625 | EQ | 24802-2604 |
| 4.125 | 5.125 | 0.625 | IG | 29507-2604 |
| 4.125 | 5.125 | 0.719 | 53F1 | 22987-8683 |
| 4.125 | 5.125 | 0.750 | IG | 29502-4161 |
| 4.125 | 5.125 | 0.906 | 53R2 | 22627-9018 |
| 4.125 | 5.131 | 0.625 | EQ | 24801-2438 |
| 4.125 | 5.187 | 0.500 | 23 | 25003-6578 |
| 4.125 | 5.230 | 0.963 | IGSPB | 29516-7137 |
| 4.125 | 5.250 | 0.375 | 23 | 25003-9060 |
| 4.125 | 5.250 | 0.407 | 23 | 25003-9877 |
| 4.125 | 5.250 | 0.500 | 23 | 25003-2603 |
| 4.125 | 5.250 | 0.500 | 26 | 24600-2603 |
| **4.125** | **5.250** | **0.500** | **53** | **21086-2603** |
| 4.125 | 5.250 | 0.500 | 61 | 24060-2603 |
| 4.125 | 5.250 | 0.500 | 62 | 21702-2603 |
| 4.125 | 5.250 | 0.562 | 53 | 21086-2604 |
| 4.125 | 5.250 | 0.625 | 53 | 21086-2605 |
| **4.125** | **5.250** | **0.625** | **EQ** | **24802-2605** |
| 4.125 | 5.250 | 0.750 | IG | 29500-4116 |
| 4.125 | 5.250 | 0.750 | IG | 29502-4116 |
| 4.125 | 5.250 | 0.906 | 53R2 | 22627-6082 |
| 4.125 | 5.375 | 0.500 | 23 | 25003-2606 |
| **4.125** | **5.375** | **0.500** | **53** | **21086-2606** |
| 4.125 | 5.375 | 0.500 | 61 | 24060-2606 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 4.125 | 5.375 | 0.625 | 23 | 25003-2608 |
| 4.125 | 5.375 | 0.625 | 24 | 25005-2608 |
| 4.125 | 5.375 | 0.625 | 53 | 21086-2608 |
| 4.125 | 5.375 | 0.750 | IG | 29502-4884 |
| 4.125 | 5.375 | 0.906 | 53R2 | 22627-9320 |
| 4.125 | 5.500 | 0.438 | 23 | 25003-6142 |
| 4.125 | 5.500 | 0.500 | 23 | 25003-2609 |
| 4.125 | 5.500 | 0.500 | 53 | 21086-2609 |
| 4.125 | 5.500 | 0.500 | EQ | 24801-0932 |
| 4.125 | 5.500 | 0.563 | 53 | 21086-2610 |
| 4.125 | 5.500 | 0.969 | 53R2 | 22627-4752 |
| 4.125 | 5.500 | 0.969 | 53T2 | 22897-4752 |
| 4.125 | 5.625 | 0.500 | 23 | 25003-2612 |
| 4.125 | 5.625 | 0.500 | 24 | 25005-2612 |
| 4.125 | 5.625 | 0.500 | 26 | 24600-2612 |
| 4.125 | 5.625 | 0.500 | 53 | 21086-2612 |
| 4.125 | 5.750 | 0.625 | EQ | 24802-2616 |
| 4.125 | 5.875 | 0.500 | 53 | 21086-2618 |
| 4.125 | 6.000 | 0.500 | 23 | 25003-2621 |
| **4.125** | **6.000** | **0.500** | **53** | **21086-2621** |
| 4.125 | 6.250 | 0.500 | 53 | 21086-2627 |
| 4.130 | 4.505 | 0.625 | IG | 29507-5006 |
| 4.133 | 5.110 | 0.472 | 23 | 25003-4847 |
| 4.133 | 5.118 | 0.472 | 23 | 25003-8768 |
| 4.133 | 5.314 | 0.551 | 23 | 25003-5353 |
| 4.133 | 5.511 | 0.625 | EQ | 24801-5309 |
| 4.133 | 5.511 | 0.625 | EQ | 24802-5309 |
| 4.134 | 5.118 | 0.472 | 92 | 27063-8768 |
| 4.134 | 5.118 | 0.500 | 23 | 25003-2000 |
| 4.134 | 5.118 | 0.512 | 23 | 25003-6052 |
| 4.134 | 5.118 | 0.625 | EQ | 24801-2625 |
| 4.134 | 5.118 | 0.625 | EQ | 24802-2625 |
| 4.134 | 5.118 | 0.750 | IG | 29500-4981 |
| 4.134 | 5.118 | 0.750 | IG | 29502-4981 |
| 4.134 | 5.134 | 0.625 | EQ | 24802-2629 |
| 4.134 | 5.315 | 0.500 | 23 | 25003-5763 |
| 4.134 | 5.315 | 0.550 | 26 | 24600-5353 |
| 4.134 | 5.315 | 0.551 | 26R1 | 24620-1034 |
| 4.134 | 5.512 | 0.472 | 23 | 25003-0866 |
| 4.134 | 5.512 | 0.472 | 92 | 27063-0866 |
| 4.134 | 5.512 | 0.750 | IG | 29502-4982 |
| 4.156 | 5.406 | 0.500 | 23 | 25003-9950 |
| 4.166 | 5.500 | 0.750 | IG | 29500-4497 |
| 4.166 | 5.506 | 0.500 | 23 | 25003-4880 |
| 4.187 | 4.999 | 0.468 | 61 | 24060-2074 |
| 4.187 | 5.187 | 0.375 | 23 | 25003-4758 |
| 4.187 | 5.230 | 1.375 | EQSPB | 24816-7027 |
| 4.187 | 5.243 | 1.375 | EQSPB | 24816-7006 |
| 4.187 | 5.250 | 0.500 | 23 | 25003-2630 |
| **4.187** | **5.250** | **0.500** | **53** | **21086-2630** |
| 4.187 | 5.250 | 0.500 | 62 | 21702-2630 |
| 4.187 | 5.250 | 0.750 | IG | 29502-4366 |
| 4.187 | 5.250 | 0.969 | 53T2 | 22897-8811 |
| 4.187 | 5.312 | 0.500 | 23 | 25003-2355 |
| 4.187 | 5.375 | 0.470 | 23 | 25003-7129 |
| 4.187 | 5.375 | 0.500 | 23 | 25003-2633 |
| 4.187 | 5.375 | 0.500 | 53 | 21086-2633 |
| 4.187 | 5.375 | 0.625 | 53 | 21086-2635 |
| 4.187 | 5.437 | 0.500 | 23 | 25003-6783 |
| **4.187** | **5.500** | **0.500** | **53** | **21086-2636** |
| 4.187 | 5.500 | 0.500 | 62 | 21702-2636 |
| 4.187 | 5.500 | 0.562 | 53 | 21086-2637 |
| 4.187 | 5.500 | 0.625 | EQ | 24802-2106 |
| 4.187 | 5.625 | 0.500 | 53 | 21086-2639 |
| 4.187 | 5.687 | 0.375 | 23 | 25003-5190 |
| 4.187 | 5.750 | 0.500 | 23 | 25003-2642 |
| 4.187 | 5.750 | 0.500 | 53 | 21086-2642 |
| **4.187** | **5.875** | **0.500** | **53** | **21086-2645** |
| 4.187 | 5.875 | 0.625 | EQ | 24802-1960 |
| 4.187 | 6.000 | 0.500 | 53 | 21086-2648 |
| 4.187 | 6.000 | 0.906 | 53R2 | 22627-6871 |
| 4.187 | 6.125 | 0.500 | 53 | 21086-2651 |
| 4.187 | 6.250 | 0.500 | 53 | 21086-2654 |
| 4.188 | 4.999 | 0.438 | 61 | 24063-2403 |
| 4.188 | 5.004 | 0.625 | EQ | 24802-1768 |
| 4.188 | 5.188 | 0.500 | 23 | 25003-2641 |
| 4.188 | 5.188 | 0.625 | EQ | 24802-2747 |
| 4.188 | 5.188 | 0.750 | IG | 29502-4295 |
| 4.188 | 5.230 | 1.062 | IGSPB | 29516-7088 |
| 4.188 | 5.250 | 0.468 | 26 | 24600-2644 |
| 4.188 | 5.250 | 0.469 | 23 | 25003-2644 |
| 4.188 | 5.250 | 0.625 | 26 | 24600-2646 |
| 4.188 | 5.250 | 0.750 | IG | 29500-4366 |
| 4.188 | 5.256 | 0.625 | EQ | 24802-2623 |
| 4.188 | 5.500 | 0.500 | 23 | 25003-2636 |
| 4.213 | 5.827 | 0.750 | IG | 29500-4835 |
| 4.217 | 5.280 | 0.500 | 23 | 25003-5635 |
| 4.230 | 5.230 | 0.625 | EQ | 24802-3210 |
| 4.245 | 5.245 | 0.625 | EQ | 24802-3224 |
| 4.245 | 5.626 | 0.625 | EQ | 24802-3282 |
| 4.250 | 4.812 | 0.109 | 71 | 26001-7546 |
| 4.250 | 4.875 | 0.500 | 61 | 24060-1646 |
| 4.250 | 5.000 | 0.437 | 61 | 24060-1649 |
| 4.250 | 5.000 | 0.438 | 26 | 24600-2653 |
| 4.250 | 5.062 | 0.375 | 23 | 25003-2578 |
| 4.250 | 5.125 | 0.500 | 61 | 24060-1652 |
| 4.250 | 5.250 | 0.375 | 23 | 25003-7590 |
| 4.250 | 5.250 | 0.437 | 23 | 25003-9960 |
| 4.250 | 5.250 | 0.437 | 26 | 24600-9960 |
| 4.250 | 5.250 | 0.500 | 23 | 25003-2657 |
| 4.250 | 5.250 | 0.500 | 25 | 25058-2657 |
| 4.250 | 5.250 | 0.500 | 26 | 24600-2657 |
| **4.250** | **5.250** | **0.500** | **53** | **21086-2657** |
| 4.250 | 5.250 | 0.500 | 61 | 24060-2657 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 4.250 | 5.250 | 0.500 | 62 | 21702-2657 |
| 4.250 | 5.250 | 0.500 | 66 | 21527-2657 |
| 4.250 | 5.250 | 0.562 | 23 | 25003-2658 |
| 4.250 | 5.250 | 0.625 | 53 | 21086-2659 |
| 4.250 | 5.250 | 0.625 | EQ | 24801-2659 |
| 4.250 | 5.250 | 0.625 | EQ | 24802-2659 |
| 4.250 | 5.250 | 0.625 | IG | 29507-2659 |
| 4.250 | 5.250 | 0.719 | 53F1 | 22987-7880 |
| 4.250 | 5.250 | 0.750 | IG | 29500-4163 |
| 4.250 | 5.250 | 0.750 | IG | 29502-4163 |
| 4.250 | 5.250 | 0.906 | 53R2 | 22627-4904 |
| 4.250 | 5.251 | 0.375 | 3 | 28003-4255 |
| 4.250 | 5.375 | 0.406 | 23 | 25003-6361 |
| 4.250 | 5.375 | 0.500 | 23 | 25003-2660 |
| 4.250 | 5.375 | 0.500 | 26 | 24600-0933 |
| **4.250** | **5.375** | **0.500** | **53** | **21086-2660** |
| 4.250 | 5.375 | 0.500 | 66 | 21527-2660 |
| 4.250 | 5.375 | 0.625 | 53 | 21086-2662 |
| 4.250 | 5.375 | 0.625 | EQ | 24801-2874 |
| 4.250 | 5.375 | 0.625 | EQ | 24802-2874 |
| 4.250 | 5.375 | 0.906 | 53R1 | 22537-4837 |
| 4.250 | 5.376 | 0.750 | IG | 29500-5716 |
| 4.250 | 5.500 | 0.500 | 21 | 25001-2663 |
| 4.250 | 5.500 | 0.500 | 23 | 25003-2663 |
| **4.250** | **5.500** | **0.500** | **53** | **21086-2663** |
| 4.250 | 5.500 | 0.500 | 61 | 24060-2663 |
| 4.250 | 5.500 | 0.500 | 62 | 21702-2663 |
| 4.250 | 5.500 | 0.500 | 66 | 21527-2663 |
| 4.250 | 5.500 | 0.562 | 26 | 24600-2664 |
| 4.250 | 5.500 | 0.562 | 53 | 21086-2664 |
| 4.250 | 5.500 | 0.625 | 53 | 21086-2665 |
| 4.250 | 5.500 | 0.625 | EQ | 24801-0811 |
| 4.250 | 5.500 | 0.625 | EQ | 24802-0811 |
| 4.250 | 5.500 | 0.750 | IG | 29500-4480 |
| 4.250 | 5.500 | 0.750 | IG | 29502-4480 |
| 4.250 | 5.625 | 0.500 | 23 | 25003-2666 |
| 4.250 | 5.625 | 0.500 | 53 | 21086-2666 |
| 4.250 | 5.625 | 0.625 | EQ | 24802-4390 |
| 4.250 | 5.687 | 0.500 | 23 | 25003-5331 |
| 4.250 | 5.687 | 0.500 | 94 | 27223-5331 |
| 4.250 | 5.702 | 0.484 | 23 | 25003-9640 |
| 4.250 | 5.750 | 0.500 | 21 | 25001-6293 |
| 4.250 | 5.750 | 0.500 | 23 | 25003-2669 |
| 4.250 | 5.750 | 0.500 | 24 | 25005-2669 |
| **4.250** | **5.750** | **0.500** | **53** | **21086-2669** |
| 4.250 | 5.750 | 0.562 | 53 | 21086-2670 |
| 4.250 | 5.750 | 0.625 | 53 | 21086-2671 |
| 4.250 | 5.750 | 0.906 | 53R2 | 22627-6563 |
| 4.250 | 5.875 | 0.625 | EQ | 24801-2672 |
| 4.250 | 6.000 | 0.500 | 53 | 21086-2675 |
| 4.250 | 6.125 | 0.500 | 53 | 21086-2678 |
| 4.250 | 6.250 | 0.500 | 53 | 21086-2681 |
| 4.250 | 6.250 | 0.500 | 62 | 21702-2681 |
| 4.250 | 6.250 | 0.562 | 53 | 21086-2682 |
| 4.250 | 8.250 | 0.625 | 54 | 21140-7351 |
| 4.255 | 5.255 | 0.625 | EQ | 24802-3038 |
| 4.279 | 5.500 | 0.375 | 23 | 25003-0929 |
| 4.284 | 5.284 | 0.750 | IG | 29500-4464 |
| 4.291 | 5.394 | 0.500 | 23 | 25003-2949 |
| 4.295 | 5.295 | 0.375 | 23 | 25003-0992 |
| 4.298 | 5.298 | 0.750 | IG | 29502-4769 |
| 4.309 | 5.348 | 0.375 | 23 | 25003-3012 |
| 4.310 | 5.300 | 0.475 | 23 | 25003-5075 |
| 4.311 | 5.331 | 0.500 | 23 | 25003-7595 |
| 4.312 | 5.187 | 0.375 | 23 | 25003-6851 |
| 4.312 | 5.312 | 0.375 | 23 | 25003-9862 |
| 4.312 | 5.312 | 0.500 | 23 | 25003-9143 |
| 4.312 | 5.375 | 0.500 | 23 | 25003-2684 |
| **4.312** | **5.375** | **0.500** | **53** | **21086-2684** |
| 4.312 | 5.437 | 0.500 | 23 | 25003-0736 |
| **4.312** | **5.500** | **0.500** | **53** | **21086-2687** |
| 4.312 | 5.500 | 0.500 | 62 | 21702-2687 |
| 4.312 | 5.500 | 0.625 | 23 | 25003-2689 |
| 4.312 | 5.500 | 0.625 | 53 | 21086-2689 |
| 4.312 | 5.500 | 0.750 | IG | 29502-4115 |
| 4.312 | 5.500 | 0.969 | 53R2 | 22627-8635 |
| 4.312 | 5.625 | 0.500 | 23 | 25003-2690 |
| **4.312** | **5.625** | **0.500** | **53** | **21086-2690** |
| 4.312 | 5.750 | 0.500 | 23 | 25003-2693 |
| 4.312 | 5.750 | 0.500 | 53 | 21086-2693 |
| 4.312 | 5.750 | 0.562 | 53 | 21086-2694 |
| 4.312 | 5.794 | 0.500 | 23 | 25003-5606 |
| 4.312 | 6.000 | 0.500 | 53 | 21086-2699 |
| 4.312 | 6.250 | 0.500 | 53 | 21086-2705 |
| 4.312 | 6.375 | 0.781 | 53F1 | 22987-7232 |
| 4.313 | 5.313 | 0.438 | 23 | 25003-2696 |
| 4.313 | 5.313 | 0.625 | EQ | 24801-2042 |
| 4.313 | 5.313 | 0.750 | IG | 29502-4296 |
| 4.313 | 5.500 | 0.500 | 23 | 25003-2687 |
| **4.313** | **5.500** | **0.625** | **EQ** | **24802-2700** |
| 4.313 | 5.500 | 0.750 | IG | 29500-4115 |
| 4.313 | 5.501 | 0.438 | 23 | 25003-2691 |
| 4.313 | 5.687 | 0.750 | IG | 29502-5123 |
| 4.313 | 5.750 | 0.625 | EQ | 24802-2689 |
| 4.321 | 5.195 | 0.500 | 23 | 25003-9761 |
| 4.325 | 5.325 | 0.750 | IG | 29502-5735 |
| 4.328 | 5.203 | 0.375 | 23 | 25003-6957 |
| 4.330 | 5.127 | 0.511 | 26 | 24600-4635 |
| 4.330 | 5.250 | 0.625 | EQ | 24802-1817 |
| 4.330 | 5.393 | 0.500 | 23 | 25003-0587 |
| 4.331 | 4.961 | 0.625 | IG | 29507-5266 |
| 4.331 | 5.118 | 0.354 | 26 | 24600-3260 |
| 4.331 | 5.118 | 0.472 | 26R1 | 24620-2034 |
| 4.331 | 5.118 | 0.512 | 26 | 24600-2686 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 4.331 | 5.118 | 0.625 | EQ | 24802-3318 |
| 4.331 | 5.118 | 0.690 | EQ | 24807-3315 |
| 4.331 | 5.125 | 0.750 | IG | 29502-5767 |
| 4.331 | 5.250 | 0.375 | 23 | 25003-7482 |
| 4.331 | 5.315 | 0.433 | 23 | 25003-5364 |
| 4.331 | 5.315 | 0.500 | 23 | 25003-2626 |
| 4.331 | 5.331 | 0.500 | 23 | 25003-0977 |
| 4.331 | 5.331 | 0.625 | EQ | 24802-2974 |
| 4.331 | 5.331 | 0.750 | IG | 29500-5383 |
| 4.331 | 5.331 | 0.750 | IG | 29502-5383 |
| 4.331 | 5.500 | 0.437 | 23 | 25003-9144 |
| 4.331 | 5.500 | 0.719 | 53F1 | 22987-1874 |
| 4.331 | 5.500 | 0.875 | 53R1 | 22537-8454 |
| 4.331 | 5.511 | 0.472 | 26R1 | 24620-7396 |
| 4.331 | 5.511 | 0.511 | 26R1 | 24620-2731 |
| 4.331 | 5.511 | 0.625 | EQ | 24801-1082 |
| 4.331 | 5.512 | 0.472 | 23 | 25003-7396 |
| 4.331 | 5.512 | 0.472 | 53 | 21086-7396 |
| 4.331 | 5.512 | 0.472 | 61 | 24060-7396 |
| 4.331 | 5.512 | 0.472 | 61 | 24064-7396 |
| 4.331 | 5.512 | 0.500 | 23 | 25003-9567 |
| 4.331 | 5.512 | 0.512 | 26 | 24600-2731 |
| 4.331 | 5.512 | 0.512 | 61 | 24060-1502 |
| 4.331 | 5.512 | 0.512 | 61 | 24062-1502 |
| 4.331 | 5.512 | 0.512 | 61 | 24064-1502 |
| 4.331 | 5.512 | 0.551 | 23 | 25003-5346 |
| 4.331 | 5.512 | 0.551 | 26R1 | 24620-2703 |
| 4.331 | 5.512 | 0.551 | 58 | 21003-4264 |
| 4.331 | 5.512 | 0.551 | 59 | 24700-2703 |
| 4.331 | 5.512 | 0.625 | EQ | 24802-1082 |
| 4.331 | 5.512 | 0.750 | IG | 29500-4984 |
| 4.331 | 5.512 | 0.750 | IG | 29502-4984 |
| 4.331 | 5.541 | 0.500 | 23 | 25003-7449 |
| 4.331 | 5.562 | 0.750 | IG | 29502-5548 |
| 4.331 | 5.831 | 0.500 | 23 | 25003-6820 |
| 4.331 | 5.905 | 0.625 | 23 | 25003-6992 |
| 4.331 | 6.693 | 0.500 | 94 | 27223-4488 |
| 4.332 | 5.354 | 0.625 | IG | 29519-3125 |
| 4.335 | 5.335 | 0.625 | EQ | 24802-3094 |
| 4.343 | 5.342 | 0.375 | 23 | 25003-5716 |
| 4.362 | 5.362 | 0.750 | IG | 29502-5717 |
| 4.375 | 5.000 | 0.375 | 61 | 24060-6363 |
| 4.375 | 5.250 | 0.375 | 23 | 25003-3159 |
| 4.375 | 5.312 | 0.750 | IG | 29502-5821 |
| 4.375 | 5.375 | 0.375 | 23 | 25003-9204 |
| 4.375 | 5.375 | 0.500 | 23 | 25003-2708 |
| 4.375 | 5.375 | 0.500 | 25 | 25058-2708 |
| **4.375** | **5.375** | **0.500** | **53** | **21086-2708** |
| 4.375 | 5.375 | 0.500 | 62 | 21702-2708 |
| 4.375 | 5.375 | 0.625 | EQ | 24802-2050 |
| **4.375** | **5.375** | **0.687** | **26R1** | **24620-9708** |
| 4.375 | 5.375 | 0.718 | 53F1 | 22987-9708 |
| 4.375 | 5.375 | 0.750 | IG | 29502-4164 |
| 4.375 | 5.375 | 0.906 | 53R2 | 22627-8202 |
| 4.375 | 5.500 | 0.500 | 23 | 25003-2711 |
| **4.375** | **5.500** | **0.500** | **53** | **21086-2711** |
| 4.375 | 5.500 | 0.500 | 62 | 21702-2711 |
| 4.375 | 5.500 | 0.562 | 26 | 24600-2712 |
| 4.375 | 5.500 | 0.562 | 53 | 21086-2712 |
| 4.375 | 5.500 | 0.625 | EQ | 24801-5048 |
| 4.375 | 5.500 | 0.750 | IG | 29500-5699 |
| 4.375 | 5.500 | 0.969 | 53R2 | 22627-7803 |
| 4.375 | 5.500 | 0.969 | 53T2 | 22897-7803 |
| 4.375 | 5.563 | 0.500 | 53 | 21086-7473 |
| 4.375 | 5.625 | 0.500 | 23 | 25003-2714 |
| 4.375 | 5.625 | 0.500 | 53 | 21086-2714 |
| 4.375 | 5.750 | 0.500 | 23 | 25003-2717 |
| 4.375 | 5.750 | 0.500 | 53 | 21086-2717 |
| 4.375 | 5.812 | 0.500 | 23 | 25003-0995 |
| 4.375 | 5.827 | 0.484 | 23 | 25003-9785 |
| 4.375 | 5.875 | 0.375 | 23 | 25003-6919 |
| 4.375 | 5.875 | 0.375 | 25 | 25058-6919 |
| 4.375 | 5.875 | 0.500 | 23 | 25003-2720 |
| 4.375 | 5.875 | 0.500 | 53 | 21086-2720 |
| 4.375 | 6.000 | 0.500 | 53 | 21086-2723 |
| 4.375 | 6.000 | 0.500 | 62 | 21702-2723 |
| 4.375 | 6.000 | 0.562 | 23 | 25003-2724 |
| 4.375 | 6.000 | 0.750 | IG | 29502-5912 |
| 4.375 | 6.125 | 0.500 | 53 | 21086-2726 |
| 4.375 | 6.250 | 0.500 | 53 | 21086-2729 |
| 4.375 | 6.250 | 0.500 | 66 | 21527-2729 |
| 4.375 | 6.250 | 0.562 | 53 | 21086-2730 |
| 4.375 | 9.125 | 0.625 | 54 | 21140-6014 |
| 4.409 | 5.709 | 0.551 | 58 | 21003-2262 |
| 4.410 | 5.375 | 0.625 | 26R1 | 24620-2827 |
| 4.425 | 5.626 | 0.625 | EQ | 24802-3251 |
| 4.429 | 6.297 | 0.750 | IG | 29500-4842 |
| 4.435 | 5.594 | 0.500 | 23 | 25003-2984 |
| 4.437 | 5.250 | 0.375 | 23 | 25003-5449 |
| 4.437 | 5.437 | 0.375 | 23 | 25003-4705 |
| 4.437 | 5.437 | 0.500 | 23 | 25003-6362 |
| **4.437** | **5.500** | **0.500** | **53** | **21086-2732** |
| 4.437 | 5.500 | 0.500 | 62 | 21702-2732 |
| 4.437 | 5.500 | 0.562 | 53 | 21086-2733 |
| 4.437 | 5.500 | 0.562 | EQ | 24802-2733 |
| 4.437 | 5.500 | 0.625 | EQ | 24801-2885 |
| 4.437 | 5.500 | 0.625 | EQ | 24802-2885 |
| 4.437 | 5.500 | 0.750 | IG | 29500-4495 |
| 4.437 | 5.500 | 0.906 | 53R1 | 22537-7439 |
| 4.437 | 5.548 | 1.375 | EQSPB | 24816-7028 |
| 4.437 | 5.562 | 0.500 | 23 | 25003-4820 |
| 4.437 | 5.625 | 0.500 | 53 | 21086-2735 |
| 4.437 | 5.625 | 0.625 | 62 | 21702-2737 |
| 4.437 | 5.687 | 0.500 | 23 | 25003-6410 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 4.437 | 5.687 | 0.625 | 23 | 25003-8444 |
| 4.437 | 5.750 | 0.500 | 23 | 25003-2738 |
| **4.437** | **5.750** | **0.500** | **53** | **21086-2738** |
| 4.437 | 5.750 | 0.500 | 62 | 21702-2738 |
| 4.437 | 5.750 | 0.562 | 53 | 21086-2739 |
| 4.437 | 5.750 | 0.625 | 53 | 21086-2740 |
| 4.437 | 5.750 | 0.719 | 53F1 | 22987-6917 |
| 4.437 | 5.812 | 0.500 | 23 | 25003-7821 |
| 4.437 | 5.875 | 0.375 | 23 | 25003-8534 |
| 4.437 | 5.890 | 0.484 | 23 | 25003-8490 |
| 4.437 | 5.937 | 0.500 | 23 | 25003-9085 |
| 4.437 | 5.937 | 0.500 | 24 | 25005-9085 |
| 4.437 | 6.000 | 0.500 | 53 | 21086-2744 |
| 4.437 | 6.000 | 0.562 | 23 | 25003-2745 |
| 4.437 | 6.000 | 0.594 | 23 | 25003-9600 |
| 4.437 | 6.125 | 0.500 | 53 | 21086-2747 |
| 4.437 | 6.201 | 0.828 | IGSPB | 29516-7122 |
| 4.437 | 6.250 | 0.500 | 53 | 21086-2750 |
| 4.437 | 6.250 | 0.562 | 53 | 21086-2751 |
| 4.438 | 5.375 | 0.375 | 23 | 25003-4842 |
| 4.438 | 5.438 | 0.750 | IG | 29502-4297 |
| 4.438 | 5.500 | 0.500 | 23 | 25003-2732 |
| **4.438** | **5.500** | **0.500** | **26** | **24600-2732** |
| **4.438** | **5.543** | **1.062** | **IGSPB** | **29516-7099** |
| 4.438 | 5.562 | 0.750 | IG | 29502-5707 |
| 4.438 | 5.625 | 0.500 | 23 | 25003-2735 |
| 4.438 | 5.750 | 0.563 | 26 | 24600-1697 |
| 4.438 | 5.750 | 0.625 | EQ | 24802-2963 |
| 4.438 | 5.875 | 0.375 | 23 | 25003-8543 |
| 4.438 | 5.875 | 0.500 | 23 | 25003-2816 |
| 4.438 | 5.890 | 0.625 | EQ | 24802-4743 |
| 4.438 | 6.000 | 0.500 | 23 | 25003-2744 |
| 4.438 | 6.250 | 0.500 | 23 | 25003-2750 |
| 4.443 | 5.500 | 0.625 | EQ | 24802-1840 |
| 4.449 | 5.472 | 0.375 | 23 | 25003-0408 |
| 4.449 | 5.512 | 0.492 | 53 | 21086-2818 |
| 4.449 | 6.378 | 0.750 | IG | 29500-4841 |
| 4.450 | 5.325 | 0.625 | EQ | 24802-2740 |
| 4.450 | 5.437 | 0.750 | IG | 29502-5132 |
| 4.450 | 5.692 | 0.500 | 23 | 25003-9672 |
| 4.475 | 5.500 | 0.500 | 23 | 25003-5003 |
| 4.477 | 6.256 | 0.625 | 23 | 25003-1020 |
| 4.488 | 5.512 | 0.750 | IG | 29502-5813 |
| 4.494 | 5.925 | 0.500 | 23 | 25003-2790 |
| 4.500 | 5.250 | 0.375 | 26 | 24600-2763 |
| 4.500 | 5.250 | 0.500 | 61 | 24060-2756 |
| 4.500 | 5.250 | 0.750 | IG | 29502-4213 |
| 4.500 | 5.375 | 0.500 | 23 | 25003-6015 |
| 4.500 | 5.500 | 0.375 | 21 | 25001-6363 |
| 4.500 | 5.500 | 0.375 | 23 | 25003-6363 |
| 4.500 | 5.500 | 0.375 | 25 | 25058-6363 |
| 4.500 | 5.500 | 0.375 | 26 | 24600-4614 |
| 4.500 | 5.500 | 0.375 | 61 | 24062-6363 |
| 4.500 | 5.500 | 0.437 | 23 | 25003-4873 |
| 4.500 | 5.500 | 0.437 | 26 | 24600-4873 |
| 4.500 | 5.500 | 0.437 | 61 | 24060-4873 |
| 4.500 | 5.500 | 0.500 | 23 | 25003-2753 |
| 4.500 | 5.500 | 0.500 | 25 | 25058-2753 |
| 4.500 | 5.500 | 0.500 | 26 | 24600-2753 |
| **4.500** | **5.500** | **0.500** | **53** | **21086-2753** |
| 4.500 | 5.500 | 0.500 | 26R1 | 24620-2753 |
| 4.500 | 5.500 | 0.500 | 61 | 24060-2753 |
| 4.500 | 5.500 | 0.500 | 62 | 21702-2753 |
| 4.500 | 5.500 | 0.500 | 66 | 21527-2753 |
| 4.500 | 5.500 | 0.500 | 94 | 27223-2753 |
| 4.500 | 5.500 | 0.500 | EQ | 24801-2753 |
| 4.500 | 5.500 | 0.562 | 53 | 21086-2754 |
| 4.500 | 5.500 | 0.625 | 53 | 21086-2755 |
| 4.500 | 5.500 | 0.625 | EQ | 24801-2755 |
| 4.500 | 5.500 | 0.625 | EQ | 24802-2755 |
| 4.500 | 5.500 | 0.625 | IG | 29507-2755 |
| 4.500 | 5.500 | 0.690 | EQ | 24807-3782 |
| 4.500 | 5.500 | 0.719 | 53F1 | 22987-5892 |
| 4.500 | 5.500 | 0.750 | IG | 29502-4165 |
| **4.500** | **5.500** | **0.906** | **53T2** | **22897-7110** |
| 4.500 | 5.500 | 0.969 | 53R1 | 22537-6685 |
| 4.500 | 5.500 | 0.969 | 53R2 | 22627-6685 |
| 4.500 | 5.501 | 0.375 | 3 | 28003-4455 |
| 4.500 | 5.512 | 0.375 | 23 | 25003-6587 |
| 4.500 | 5.543 | 1.050 | IGSPB | 29516-7135 |
| 4.500 | 5.625 | 0.375 | 23 | 25003-7205 |
| 4.500 | 5.625 | 0.500 | 23 | 25003-2756 |
| **4.500** | **5.625** | **0.500** | **53** | **21086-2756** |
| 4.500 | 5.625 | 0.500 | 66 | 21527-2756 |
| 4.500 | 5.625 | 0.500 | 94 | 27223-2756 |
| 4.500 | 5.625 | 0.562 | 53 | 21086-2757 |
| 4.500 | 5.625 | 0.625 | 53 | 21086-2758 |
| 4.500 | 5.625 | 0.719 | 53F1 | 22987-8278 |
| 4.500 | 5.687 | 0.500 | 23 | 25003-1277 |
| 4.500 | 5.688 | 0.625 | 23 | 25003-1625 |
| 4.500 | 5.750 | 0.375 | 23 | 25003-2763 |
| 4.500 | 5.750 | 0.375 | 23 | 25003-4771 |
| 4.500 | 5.750 | 0.437 | 61 | 24062-1664 |
| 4.500 | 5.750 | 0.438 | 23 | 25003-1664 |
| 4.500 | 5.750 | 0.438 | 26 | 24600-4406 |
| 4.500 | 5.750 | 0.500 | 23 | 25003-2759 |
| 4.500 | 5.750 | 0.500 | 26 | 24600-2759 |
| **4.500** | **5.750** | **0.500** | **53** | **21086-2759** |
| 4.500 | 5.750 | 0.500 | 61 | 24060-2759 |
| 4.500 | 5.750 | 0.500 | 62 | 21702-2759 |
| 4.500 | 5.750 | 0.500 | EQ | 24801-2759 |
| 4.500 | 5.750 | 0.562 | 53 | 21086-2760 |
| 4.500 | 5.750 | 0.625 | 26 | 24600-2761 |
| **4.500** | **5.750** | **0.625** | **53** | **21086-2761** |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 4.500 | 5.750 | 0.625 | EQ | 24801-2761 |
| 4.500 | 5.750 | 0.750 | IG | 29500-4391 |
| 4.500 | 5.750 | 0.750 | IG | 29502-4391 |
| 4.500 | 5.750 | 0.969 | 53R2 | 22627-7258 |
| 4.500 | 5.750 | 0.969 | 53T2 | 22897-7258 |
| 4.500 | 5.875 | 0.500 | 23 | 25003-2762 |
| 4.500 | 5.875 | 0.500 | 24 | 25005-2762 |
| **4.500** | **5.875** | **0.500** | **53** | **21086-2762** |
| 4.500 | 5.875 | 0.500 | 66 | 21527-2762 |
| 4.500 | 5.937 | 0.500 | 23 | 25003-6801 |
| 4.500 | 6.000 | 0.375 | 23 | 25003-9132 |
| 4.500 | 6.000 | 0.375 | 24 | 25005-9132 |
| 4.500 | 6.000 | 0.500 | 23 | 25003-2765 |
| 4.500 | 6.000 | 0.500 | 24 | 25005-2765 |
| 4.500 | 6.000 | 0.500 | 25 | 25058-2765 |
| 4.500 | 6.000 | 0.500 | 26 | 24600-2765 |
| **4.500** | **6.000** | **0.500** | **53** | **21086-2765** |
| 4.500 | 6.000 | 0.500 | 61 | 24060-2765 |
| 4.500 | 6.000 | 0.500 | 62 | 21702-2765 |
| 4.500 | 6.000 | 0.562 | 53 | 21086-2766 |
| 4.500 | 6.000 | 0.625 | 53 | 21086-2767 |
| 4.500 | 6.000 | 0.750 | IG | 29500-4212 |
| 4.500 | 6.000 | 0.750 | IG | 29502-4212 |
| 4.500 | 6.000 | 0.906 | 53R1 | 22537-7560 |
| 4.500 | 6.125 | 0.500 | 53 | 21086-2768 |
| 4.500 | 6.250 | 0.500 | 53 | 21086-2771 |
| 4.500 | 6.250 | 0.500 | 62 | 21702-2771 |
| 4.500 | 6.250 | 0.500 | 66 | 21527-2771 |
| 4.500 | 6.250 | 0.625 | EQ | 24801-2291 |
| 4.500 | 6.250 | 0.969 | 53T2 | 22897-8697 |
| 4.500 | 6.375 | 0.500 | 23 | 25003-2774 |
| **4.500** | **6.375** | **0.500** | **53** | **21086-2774** |
| 4.500 | 6.375 | 0.500 | 62 | 21702-2774 |
| 4.500 | 6.375 | 0.625 | 53 | 21086-2776 |
| 4.500 | 6.500 | 0.500 | 21 | 25001-1380 |
| 4.500 | 6.988 | 0.807 | IGSPB | 29516-7148 |
| 4.500 | 7.000 | 0.531 | 26R1 | 24620-3542 |
| 4.500 | 7.000 | 0.531 | 94 | 27223-9543 |
| 4.515 | 5.515 | 0.750 | IG | 29502-5754 |
| 4.520 | 5.500 | 0.750 | IG | 29502-4604 |
| 4.527 | 5.511 | 0.433 | 23 | 25003-5365 |
| 4.527 | 5.512 | 0.625 | EQ | 24802-2780 |
| 4.527 | 5.708 | 0.551 | 23 | 25003-5347 |
| 4.527 | 5.708 | 0.551 | 26 | 24600-0841 |
| 4.527 | 5.709 | 0.787 | 26R1 | 24620-3419 |
| 4.528 | 5.512 | 0.472 | 23 | 25003-7271 |
| 4.528 | 5.512 | 0.472 | 53 | 21086-7271 |
| 4.528 | 5.512 | 0.472 | 26R1 | 24620-2279 |
| 4.528 | 5.512 | 0.625 | EQ | 24801-2780 |
| 4.528 | 5.709 | 0.472 | 92 | 27063-0869 |
| 4.531 | 5.531 | 0.500 | 23 | 25003-6748 |
| 4.540 | 6.150 | 0.625 | EQ | 24802-3105 |
| 4.560 | 6.125 | 0.625 | EQ | 24801-2948 |
| 4.562 | 5.437 | 0.375 | 23 | 25003-9842 |
| 4.562 | 5.562 | 0.375 | 23 | 25003-4939 |
| 4.562 | 5.625 | 0.500 | 23 | 25003-2777 |
| **4.562** | **5.625** | **0.500** | **53** | **21086-2777** |
| 4.562 | 5.687 | 0.500 | 23 | 25003-4796 |
| **4.562** | **5.750** | **0.500** | **53** | **21086-2780** |
| 4.562 | 5.750 | 0.500 | 62 | 21702-2780 |
| 4.562 | 5.750 | 0.562 | 26 | 24600-2788 |
| 4.562 | 5.750 | 0.625 | 53 | 21086-2782 |
| 4.562 | 5.812 | 0.500 | 23 | 25003-8455 |
| 4.562 | 5.875 | 0.500 | 53 | 21086-2783 |
| 4.562 | 6.000 | 0.500 | 23 | 25003-2786 |
| 4.562 | 6.000 | 0.500 | 53 | 21086-2786 |
| 4.562 | 6.062 | 0.500 | 23 | 25003-0688 |
| 4.562 | 6.125 | 0.500 | 53 | 21086-2789 |
| 4.562 | 6.250 | 0.500 | 23 | 25003-2792 |
| 4.562 | 6.250 | 0.500 | 53 | 21086-2792 |
| 4.562 | 6.375 | 0.500 | 53 | 21086-2795 |
| 4.563 | 5.437 | 0.500 | 23 | 25003-4459 |
| 4.563 | 5.543 | 1.062 | IGSPB | 29516-7090 |
| 4.563 | 5.563 | 0.625 | EQ | 24802-2051 |
| 4.563 | 5.563 | 0.750 | IG | 29502-2051 |
| 4.563 | 5.750 | 0.500 | 23 | 25003-2780 |
| 4.563 | 5.751 | 0.625 | EQ | 24801-2141 |
| 4.565 | 5.565 | 0.625 | EQ | 24802-3168 |
| 4.591 | 5.508 | 0.625 | EQ | 24801-5164 |
| 4.599 | 5.599 | 0.625 | EQ | 24802-2949 |
| 4.625 | 5.625 | 0.375 | 23 | 25003-6544 |
| 4.625 | 5.625 | 0.500 | 23 | 25003-2798 |
| 4.625 | 5.625 | 0.500 | 25 | 25058-2798 |
| 4.625 | 5.625 | 0.500 | 26 | 24600-2798 |
| **4.625** | **5.625** | **0.500** | **53** | **21086-2798** |
| 4.625 | 5.625 | 0.500 | 26R1 | 24620-2798 |
| 4.625 | 5.625 | 0.500 | 62 | 21702-2798 |
| 4.625 | 5.625 | 0.562 | 53 | 21086-2799 |
| 4.625 | 5.625 | 0.625 | EQ | 24801-2808 |
| 4.625 | 5.625 | 0.625 | EQ | 24802-2808 |
| 4.625 | 5.625 | 0.750 | IG | 29502-4166 |
| 4.625 | 5.750 | 0.500 | 23 | 25003-2801 |
| **4.625** | **5.750** | **0.500** | **53** | **21086-2801** |
| 4.625 | 5.750 | 0.500 | 62 | 21702-2801 |
| 4.625 | 5.750 | 0.562 | 26 | 24600-2802 |
| 4.625 | 5.750 | 0.562 | 53 | 21086-2802 |
| 4.625 | 5.750 | 0.906 | 53R2 | 22627-7245 |
| 4.625 | 5.875 | 0.500 | 23 | 25003-2804 |
| **4.625** | **5.875** | **0.500** | **53** | **21086-2804** |
| 4.625 | 6.000 | 0.500 | 23 | 25003-2807 |
| **4.625** | **6.000** | **0.500** | **53** | **21086-2807** |
| 4.625 | 6.000 | 0.500 | 62 | 21702-2807 |
| 4.625 | 6.000 | 0.625 | 53 | 21086-2809 |
| 4.625 | 6.000 | 0.625 | 26R1 | 24620-2809 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 4.625 | 6.000 | 0.719 | 53F1 | 22987-9347 |
| 4.625 | 6.000 | 0.969 | 53T2 | 22897-7689 |
| 4.625 | 6.077 | 0.484 | 23 | 25003-8614 |
| 4.625 | 6.095 | 0.500 | 23 | 25003-2719 |
| 4.625 | 6.125 | 0.500 | 23 | 25003-2810 |
| 4.625 | 6.125 | 0.500 | 24 | 25005-2810 |
| 4.625 | 6.125 | 0.500 | 53 | 21086-2810 |
| 4.625 | 6.250 | 0.500 | 21 | 25001-2813 |
| 4.625 | 6.250 | 0.500 | 23 | 25003-2813 |
| 4.625 | 6.250 | 0.500 | 53 | 21086-2813 |
| 4.640 | 5.640 | 0.750 | IG | 29502-5636 |
| 4.646 | 5.039 | 0.625 | IG | 29507-5326 |
| 4.646 | 5.906 | 0.625 | EQ | 24802-5510 |
| 4.656 | 6.031 | 0.500 | 23 | 25003-6084 |
| 4.664 | 5.875 | 0.500 | 23 | 25003-4447 |
| 4.680 | 6.000 | 0.625 | EQ | 24802-3062 |
| 4.687 | 5.625 | 0.500 | 23 | 25003-1160 |
| 4.687 | 5.687 | 0.500 | 23 | 25003-6525 |
| 4.687 | 5.687 | 0.500 | 25 | 25058-6525 |
| 4.687 | 5.750 | 0.500 | 23 | 25003-2819 |
| **4.687** | **5.750** | **0.500** | **53** | **21086-2819** |
| 4.687 | 5.750 | 0.562 | 53 | 21086-2820 |
| 4.687 | 5.750 | 0.906 | 53T2 | 22897-5043 |
| 4.687 | 5.812 | 0.500 | 23 | 25003-6364 |
| 4.687 | 5.875 | 0.500 | 23 | 25003-2822 |
| 4.687 | 5.875 | 0.500 | 53 | 21086-2822 |
| 4.687 | 5.937 | 0.500 | 23 | 25003-5058 |
| 4.687 | 6.000 | 0.500 | 53 | 21086-2825 |
| 4.687 | 6.000 | 0.906 | 53R2 | 22627-7348 |
| 4.687 | 6.250 | 0.500 | 53 | 21086-2831 |
| 4.687 | 6.250 | 0.969 | 53T2 | 22897-9045 |
| 4.687 | 6.375 | 0.500 | 53 | 21086-2834 |
| 4.688 | 5.688 | 0.750 | IG | 29502-4298 |
| 4.688 | 5.750 | 0.500 | 26 | 24600-2820 |
| 4.705 | 5.750 | 0.625 | EQ | 24801-4682 |
| 4.724 | 5.512 | 0.512 | 26 | 24600-1855 |
| 4.724 | 5.512 | 0.750 | IG | 29502-5550 |
| 4.724 | 5.708 | 0.433 | 23 | 25003-5366 |
| 4.724 | 5.708 | 0.433 | 26 | 24600-0994 |
| 4.724 | 5.708 | 0.500 | 23 | 25003-2634 |
| 4.724 | 5.724 | 0.750 | IG | 29500-5159 |
| 4.724 | 5.905 | 0.433 | 23 | 25003-8242 |
| 4.724 | 5.905 | 0.500 | 23 | 25003-5118 |
| 4.724 | 5.905 | 0.551 | 23 | 25003-5348 |
| 4.724 | 5.906 | 0.472 | 53 | 21086-7376 |
| **4.724** | **5.906** | **0.472** | **92** | **27063-7376** |
| 4.724 | 5.906 | 0.512 | 26R1 | 24620-2863 |
| 4.724 | 5.906 | 0.512 | 61 | 24060-1880 |
| 4.724 | 5.906 | 0.512 | 61 | 24064-1880 |
| 4.724 | 5.906 | 0.591 | 53 | 21086-7277 |
| 4.724 | 5.910 | 0.472 | 23 | 25003-7376 |
| 4.724 | 5.941 | 0.591 | 26R1 | 24620-7277 |
| 4.724 | 6.000 | 0.500 | 23 | 25003-1024 |
| 4.724 | 6.101 | 0.500 | 23 | 25003-1303 |
| 4.724 | 6.299 | 0.472 | 23 | 25003-7836 |
| 4.724 | 6.299 | 0.472 | 26 | 24600-7836 |
| 4.724 | 6.299 | 0.472 | 53 | 21086-7836 |
| 4.725 | 5.905 | 0.625 | EQ | 24802-3179 |
| 4.725 | 5.906 | 0.551 | 26 | 24600-5348 |
| 4.734 | 5.984 | 0.500 | 23 | 25003-7587 |
| 4.750 | 5.500 | 0.375 | 26 | 24600-2841 |
| 4.750 | 5.500 | 0.375 | 26R1 | 24620-2841 |
| 4.750 | 5.500 | 0.500 | 61 | 24060-1667 |
| 4.750 | 5.500 | 0.500 | 61 | 24064-1667 |
| 4.750 | 5.500 | 0.750 | IG | 29502-5410 |
| 4.750 | 5.625 | 0.437 | 26 | 24600-5439 |
| 4.750 | 5.625 | 0.500 | 23 | 25003-5443 |
| 4.750 | 5.625 | 0.625 | 23 | 25003-5495 |
| 4.750 | 5.625 | 0.625 | 26 | 24600-5495 |
| 4.750 | 5.750 | 0.375 | 23 | 25003-6213 |
| 4.750 | 5.750 | 0.500 | 23 | 25003-2837 |
| 4.750 | 5.750 | 0.500 | 26 | 24600-2837 |
| **4.750** | **5.750** | **0.500** | **53** | **21086-2837** |
| 4.750 | 5.750 | 0.500 | 61 | 24060-2837 |
| 4.750 | 5.750 | 0.500 | 61 | 24064-2837 |
| 4.750 | 5.750 | 0.500 | 62 | 21702-2837 |
| 4.750 | 5.750 | 0.562 | 53 | 21086-2838 |
| 4.750 | 5.750 | 0.625 | 53 | 21086-2839 |
| 4.750 | 5.750 | 0.625 | EQ | 24801-2931 |
| 4.750 | 5.750 | 0.625 | EQ | 24802-2931 |
| 4.750 | 5.750 | 0.750 | IG | 29502-4167 |
| 4.750 | 5.750 | 0.937 | 53R2 | 22627-5285 |
| 4.750 | 5.756 | 0.625 | EQ | 24801-2510 |
| 4.750 | 5.875 | 0.500 | 23 | 25003-2840 |
| 4.750 | 5.875 | 0.500 | 26 | 24600-2840 |
| **4.750** | **5.875** | **0.500** | **53** | **21086-2840** |
| 4.750 | 5.875 | 0.562 | 23 | 25003-6431 |
| 4.750 | 5.875 | 0.625 | 53 | 21086-2842 |
| 4.750 | 5.937 | 0.500 | 23 | 25003-9839 |
| 4.750 | 6.000 | 0.375 | 23 | 25003-7795 |
| 4.750 | 6.000 | 0.500 | 23 | 25003-2843 |
| **4.750** | **6.000** | **0.500** | **53** | **21086-2843** |
| 4.750 | 6.000 | 0.500 | 61 | 24060-2843 |
| 4.750 | 6.000 | 0.625 | 26 | 24600-2845 |
| 4.750 | 6.000 | 0.625 | 53 | 21086-2845 |
| 4.750 | 6.000 | 0.750 | IG | 29502-4218 |
| 4.750 | 6.000 | 0.906 | 53R1 | 22537-4836 |
| 4.750 | 6.000 | 0.906 | 53R2 | 22627-4836 |
| 4.750 | 6.000 | 0.906 | 53T2 | 22897-4836 |
| 4.750 | 6.125 | 0.500 | 23 | 25003-2846 |
| 4.750 | 6.125 | 0.500 | 53 | 21086-2846 |
| 4.750 | 6.250 | 0.500 | 23 | 25003-2849 |
| **4.750** | **6.250** | **0.500** | **53** | **21086-2849** |
| 4.750 | 6.250 | 0.500 | 62 | 21702-2849 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 4.750 | 6.250 | 0.625 | 26 | 24600-2851 |
| 4.750 | 6.250 | 0.625 | 53 | 21086-2851 |
| 4.750 | 6.250 | 0.625 | EQ | 24801-2851 |
| 4.750 | 6.250 | 0.750 | 23 | 25003-4934 |
| 4.750 | 6.250 | 0.906 | 53R2 | 22627-7877 |
| **4.750** | **6.375** | **0.500** | **53** | **21086-2852** |
| 4.750 | 6.500 | 0.625 | 26 | 24600-2853 |
| 4.750 | 9.250 | 0.625 | 54 | 21140-9986 |
| 4.788 | 6.000 | 0.625 | EQ | 24801-3165 |
| 4.803 | 5.906 | 0.500 | 23 | 25003-2496 |
| 4.810 | 6.000 | 0.625 | EQ | 24801-3164 |
| 4.812 | 5.750 | 0.500 | 23 | 25003-4759 |
| 4.812 | 5.812 | 0.375 | 23 | 25003-8402 |
| 4.812 | 5.812 | 0.500 | 23 | 25003-6491 |
| 4.812 | 5.812 | 0.750 | IG | 29502-4299 |
| 4.812 | 5.875 | 0.500 | 23 | 25003-2855 |
| **4.812** | **5.875** | **0.500** | **53** | **21086-2855** |
| 4.812 | 5.875 | 0.625 | 53 | 21086-2857 |
| 4.812 | 5.905 | 0.562 | 53 | 21086-9558 |
| 4.812 | 5.937 | 0.375 | 23 | 25003-7857 |
| 4.812 | 6.000 | 0.500 | 23 | 25003-2858 |
| 4.812 | 6.000 | 0.500 | 53 | 21086-2858 |
| 4.812 | 6.125 | 0.500 | 23 | 25003-2861 |
| 4.812 | 6.250 | 0.500 | 53 | 21086-2864 |
| 4.812 | 6.375 | 0.625 | 53 | 21086-2869 |
| 4.813 | 6.007 | 0.375 | 23 | 25003-1248 |
| 4.813 | 6.313 | 0.500 | 23 | 25003-4536 |
| 4.835 | 6.250 | 0.500 | 62 | 21702-8132 |
| 4.851 | 5.886 | 0.750 | IG | 29502-4837 |
| 4.866 | 5.875 | 0.500 | 23 | 25003-1007 |
| 4.875 | 5.875 | 0.375 | 23 | 25003-5166 |
| 4.875 | 5.875 | 0.500 | 23 | 25003-2870 |
| **4.875** | **5.875** | **0.500** | **53** | **21086-2870** |
| 4.875 | 5.875 | 0.500 | 26R1 | 24620-0664 |
| 4.875 | 5.875 | 0.500 | 62 | 21702-2870 |
| 4.875 | 5.875 | 0.625 | 53 | 21086-2872 |
| 4.875 | 5.875 | 0.625 | EQ | 24802-2048 |
| 4.875 | 5.875 | 0.750 | IG | 29502-4168 |
| 4.875 | 5.938 | 0.500 | 23 | 25003-5880 |
| 4.875 | 5.980 | 1.062 | IGSPB | 29516-7089 |
| 4.875 | 5.983 | 1.375 | EQSPB | 24816-7007 |
| 4.875 | 6.000 | 0.500 | 23 | 25003-2873 |
| **4.875** | **6.000** | **0.500** | **53** | **21086-2873** |
| 4.875 | 6.000 | 0.625 | 23 | 25003-2875 |
| 4.875 | 6.000 | 0.625 | 26 | 24600-2875 |
| **4.875** | **6.000** | **0.625** | **53** | **21086-2875** |
| 4.875 | 6.000 | 0.625 | EQ | 24801-2875 |
| 4.875 | 6.000 | 0.625 | EQ | 24802-2875 |
| **4.875** | **6.000** | **0.906** | **53R2** | **22627-8630** |
| 4.875 | 6.000 | 0.906 | 53T2 | 22897-8630 |
| 4.875 | 6.062 | 0.500 | 23 | 25003-3143 |
| 4.875 | 6.125 | 0.500 | 23 | 25003-2876 |
| 4.875 | 6.125 | 0.500 | 53 | 21086-2876 |
| 4.875 | 6.125 | 0.625 | 23 | 25003-2878 |
| 4.875 | 6.125 | 0.625 | 53 | 21086-2878 |
| 4.875 | 6.250 | 0.500 | 23 | 25003-2879 |
| 4.875 | 6.250 | 0.500 | 24 | 25005-2879 |
| 4.875 | 6.250 | 0.500 | 26 | 24600-2879 |
| 4.875 | 6.250 | 0.500 | 53 | 21086-2879 |
| 4.875 | 6.250 | 0.500 | 66 | 21527-2879 |
| 4.875 | 6.250 | 0.562 | 23 | 25003-2880 |
| 4.875 | 6.250 | 0.625 | 26 | 24600-2881 |
| 4.875 | 6.250 | 0.625 | 53 | 21086-2881 |
| 4.875 | 6.250 | 0.858 | 26 | 24600-2886 |
| 4.875 | 6.325 | 0.500 | 23 | 25003-1241 |
| 4.875 | 6.375 | 0.500 | 23 | 25003-2882 |
| 4.875 | 6.375 | 0.500 | 24 | 25005-2882 |
| 4.875 | 6.375 | 0.509 | 53 | 21086-2882 |
| **4.875** | **6.500** | **0.500** | **53** | **21086-2885** |
| 4.875 | 6.500 | 0.906 | 53R2 | 22627-6814 |
| **4.875** | **6.625** | **0.500** | **53** | **21086-2888** |
| 4.875 | 6.625 | 0.906 | 53T2 | 22897-6463 |
| 4.875 | 6.625 | 0.969 | 53T2 | 22897-4708 |
| **4.875** | **6.750** | **0.500** | **53** | **21086-2891** |
| 4.875 | 7.000 | 0.750 | IG | 29500-5119 |
| 4.882 | 6.299 | 0.413 | 23 | 25003-1707 |
| 4.910 | 5.910 | 0.500 | 23 | 25003-2024 |
| 4.920 | 6.125 | 0.437 | 23 | 25003-6638 |
| 4.921 | 5.906 | 0.472 | 23 | 25003-2887 |
| 4.921 | 5.906 | 0.472 | 58 | 21003-2887 |
| 4.921 | 5.906 | 0.472 | 92 | 27063-2887 |
| 4.921 | 5.906 | 0.500 | 61 | 24063-2811 |
| 4.921 | 5.906 | 0.591 | 23 | 25003-1259 |
| 4.921 | 6.102 | 0.551 | 23 | 25003-5354 |
| 4.921 | 6.102 | 0.551 | 26R1 | 24620-5354 |
| 4.921 | 6.102 | 0.625 | EQ | 24801-5089 |
| 4.921 | 6.299 | 0.472 | 92 | 27063-0873 |
| 4.921 | 6.299 | 0.512 | 23 | 25003-2293 |
| 4.921 | 6.299 | 0.590 | 26 | 24600-2889 |
| 4.921 | 6.299 | 0.709 | 23 | 25003-1397 |
| 4.921 | 6.692 | 0.472 | 26R1 | 24620-2890 |
| 4.921 | 6.890 | 0.625 | EQ | 24801-2930 |
| 4.922 | 5.922 | 0.500 | 23 | 25003-5459 |
| 4.922 | 6.063 | 0.487 | 23 | 25003-5377 |
| 4.928 | 6.250 | 0.500 | 26 | 24600-2900 |
| 4.935 | 6.000 | 0.625 | EQ | 24801-3790 |
| 4.937 | 5.937 | 0.375 | 23 | 25003-6754 |
| 4.937 | 5.937 | 0.500 | 23 | 25003-6561 |
| 4.937 | 5.982 | 1.375 | EQSPB | 24816-7029 |
| 4.937 | 6.000 | 0.375 | 23 | 25003-8629 |
| 4.937 | 6.000 | 0.500 | 23 | 25003-2894 |
| **4.937** | **6.000** | **0.500** | **53** | **21086-2894** |
| 4.937 | 6.000 | 0.500 | 62 | 21702-2894 |
| 4.937 | 6.000 | 0.500 | EQ | 24801-2894 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 4.937 | 6.000 | 0.625 | 23 | 25003-2896 |
| 4.937 | 6.000 | 0.625 | 53 | 21086-2896 |
| 4.937 | 6.000 | 0.625 | EQ | 24802-2896 |
| 4.937 | 6.062 | 0.500 | 23 | 25003-9791 |
| 4.937 | 6.125 | 0.500 | 53 | 21086-2897 |
| 4.937 | 6.187 | 0.500 | 23 | 25003-5138 |
| **4.937** | **6.250** | **0.500** | **53** | **21086-2900** |
| 4.937 | 6.250 | 0.562 | 53 | 21086-2901 |
| 4.937 | 6.375 | 0.500 | 53 | 21086-2903 |
| 4.937 | 6.375 | 0.562 | 23 | 25003-2904 |
| 4.937 | 6.437 | 0.500 | 23 | 25003-7867 |
| 4.937 | 6.437 | 0.500 | 24 | 25005-7867 |
| 4.937 | 6.437 | 0.562 | 23 | 25003-5052 |
| 4.937 | 6.437 | 0.750 | 23 | 25003-6178 |
| **4.937** | **6.500** | **0.500** | **53** | **21086-2906** |
| 4.937 | 6.500 | 0.625 | 53 | 21086-2908 |
| 4.937 | 6.500 | 0.719 | 53F1 | 22987-6902 |
| 4.937 | 6.500 | 0.906 | 53R2 | 22627-7315 |
| 4.937 | 6.750 | 0.500 | 53 | 21086-2912 |
| 4.938 | 5.500 | 0.625 | IG | 29507-5563 |
| 4.938 | 5.500 | 0.690 | EQ | 24807-4652 |
| 4.938 | 5.750 | 0.500 | 23 | 25003-2977 |
| 4.938 | 5.875 | 0.500 | 23 | 25003-2910 |
| 4.938 | 5.938 | 0.438 | 23 | 25003-2893 |
| 4.938 | 5.938 | 0.625 | EQ | 24802-2539 |
| 4.938 | 5.938 | 0.750 | IG | 29502-4300 |
| **4.938** | **5.980** | **1.062** | **IGSPB** | **29516-7100** |
| 4.938 | 6.000 | 0.750 | IG | 29500-4472 |
| 4.938 | 6.125 | 0.500 | 23 | 25003-2897 |
| 4.938 | 6.250 | 0.500 | 23 | 25003-2900 |
| 4.938 | 6.375 | 0.500 | 23 | 25003-2903 |
| 4.938 | 6.988 | 0.827 | IGSPB | 29516-7123 |
| 4.938 | 7.000 | 0.750 | IG | 29500-4647 |
| 4.938 | 7.382 | 0.918 | IGSPB | 29516-7134 |
| 4.960 | 5.885 | 0.500 | 23 | 25003-1025 |
| 4.969 | 6.375 | 0.500 | 23 | 25003-9372 |
| 4.969 | 6.375 | 0.500 | 94 | 27223-9372 |
| 4.984 | 6.234 | 0.500 | 23 | 25003-9268 |
| 4.987 | 6.000 | 0.500 | 23 | 25003-2518 |
| 4.987 | 6.000 | 0.500 | 26 | 24600-2913 |
| 4.999 | 5.905 | 0.512 | 58 | 21003-2710 |
| 5.000 | 5.625 | 0.375 | 61 | 24060-1670 |
| 5.000 | 5.750 | 0.437 | 26 | 24600-2932 |
| 5.000 | 5.750 | 0.500 | 61 | 24060-1966 |
| 5.000 | 5.750 | 0.500 | EQ | 24801-1051 |
| 5.000 | 5.875 | 0.375 | 23 | 25003-9702 |
| 5.000 | 5.875 | 0.500 | 23 | 25003-2974 |
| 5.000 | 5.980 | 1.062 | IGSPB | 29516-7102 |
| 5.000 | 5.982 | 1.375 | EQSPB | 24816-7030 |
| 5.000 | 6.000 | 0.375 | 23 | 25003-6365 |
| 5.000 | 6.000 | 0.437 | 23 | 25003-9389 |
| 5.000 | 6.000 | 0.500 | 21 | 25001-2915 |
| 5.000 | 6.000 | 0.500 | 23 | 25003-2915 |
| 5.000 | 6.000 | 0.500 | 25 | 25058-2915 |
| 5.000 | 6.000 | 0.500 | 26 | 24600-2915 |
| **5.000** | **6.000** | **0.500** | **53** | **21086-2915** |
| 5.000 | 6.000 | 0.500 | 26R1 | 24620-2915 |
| 5.000 | 6.000 | 0.500 | 61 | 24060-2915 |
| 5.000 | 6.000 | 0.500 | 61 | 24061-2915 |
| 5.000 | 6.000 | 0.500 | 61 | 24062-2915 |
| 5.000 | 6.000 | 0.500 | 61 | 24063-2915 |
| 5.000 | 6.000 | 0.500 | 62 | 21702-2915 |
| 5.000 | 6.000 | 0.562 | 53 | 21086-2916 |
| 5.000 | 6.000 | 0.625 | 53 | 21086-2917 |
| 5.000 | 6.000 | 0.625 | EQ | 24802-2917 |
| 5.000 | 6.000 | 0.687 | 23 | 25003-5585 |
| 5.000 | 6.000 | 0.719 | 53F1 | 22987-6603 |
| 5.000 | 6.000 | 0.750 | IG | 29502-4169 |
| 5.000 | 6.000 | 0.906 | 53R1 | 22537-6711 |
| 5.000 | 6.000 | 0.906 | 53R2 | 22627-6711 |
| 5.000 | 6.000 | 0.969 | 53F1 | 22987-6893 |
| 5.000 | 6.000 | 0.969 | 53R2 | 22627-6640 |
| **5.000** | **6.000** | **0.969** | **53T2** | **22897-6640** |
| 5.000 | 6.062 | 0.500 | 23 | 25003-5222 |
| 5.000 | 6.125 | 0.500 | 23 | 25003-2918 |
| 5.000 | 6.125 | 0.500 | 25 | 25058-2918 |
| **5.000** | **6.125** | **0.500** | **53** | **21086-2918** |
| 5.000 | 6.125 | 0.500 | 61 | 24062-2918 |
| 5.000 | 6.125 | 0.563 | 23 | 25003-2919 |
| 5.000 | 6.250 | 0.500 | 23 | 25003-2921 |
| 5.000 | 6.250 | 0.500 | 25 | 25058-2921 |
| 5.000 | 6.250 | 0.500 | 26 | 24600-2921 |
| **5.000** | **6.250** | **0.500** | **53** | **21086-2921** |
| 5.000 | 6.250 | 0.500 | 26R1 | 24620-2921 |
| 5.000 | 6.250 | 0.500 | 61 | 24060-2921 |
| 5.000 | 6.250 | 0.500 | 62 | 21702-2921 |
| 5.000 | 6.250 | 0.562 | 23 | 25003-2922 |
| 5.000 | 6.250 | 0.562 | 26 | 24600-2922 |
| **5.000** | **6.250** | **0.562** | **53** | **21086-2922** |
| 5.000 | 6.250 | 0.562 | 62 | 21702-2922 |
| 5.000 | 6.250 | 0.625 | 23 | 25003-2923 |
| 5.000 | 6.250 | 0.625 | 25 | 25058-2923 |
| 5.000 | 6.250 | 0.625 | 26 | 24600-2923 |
| 5.000 | 6.250 | 0.625 | 53 | 21086-2923 |
| 5.000 | 6.250 | 0.625 | 26R1 | 24620-2923 |
| 5.000 | 6.250 | 0.625 | EQ | 24801-2923 |
| 5.000 | 6.250 | 0.625 | EQ | 24802-2923 |
| 5.000 | 6.250 | 0.625 | IG | 29519-2923 |
| 5.000 | 6.250 | 0.750 | IG | 29502-4203 |
| 5.000 | 6.250 | 0.906 | 53R2 | 22627-4828 |
| 5.000 | 6.250 | 0.969 | 53T2 | 22897-6893 |
| 5.000 | 6.250 | 0.969 | 53TF | 22994-6893 |
| 5.000 | 6.256 | 0.625 | EQ | 24802-2924 |
| 5.000 | 6.375 | 0.500 | 23 | 25003-2924 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| **5.000** | **6.375** | **0.500** | **53** | **21086-2924** |
| 5.000 | 6.375 | 0.625 | 23 | 25003-2926 |
| 5.000 | 6.375 | 0.625 | 53 | 21086-2926 |
| 5.000 | 6.375 | 0.625 | EQ | 24801-3785 |
| 5.000 | 6.375 | 0.625 | EQ | 24802-3785 |
| 5.000 | 6.375 | 0.719 | 53F1 | 22987-6137 |
| 5.000 | 6.375 | 0.750 | 23 | 25003-9483 |
| 5.000 | 6.437 | 0.500 | 23 | 25003-2973 |
| 5.000 | 6.437 | 0.500 | 25 | 25058-2973 |
| 5.000 | 6.500 | 0.375 | 23 | 25003-6453 |
| 5.000 | 6.500 | 0.500 | 23 | 25003-2927 |
| **5.000** | **6.500** | **0.500** | **53** | **21086-2927** |
| 5.000 | 6.500 | 0.500 | 61 | 24060-2927 |
| 5.000 | 6.500 | 0.500 | 62 | 21702-2927 |
| 5.000 | 6.500 | 0.562 | 23 | 25003-2928 |
| 5.000 | 6.500 | 0.562 | 26 | 24600-2928 |
| 5.000 | 6.500 | 0.625 | 53 | 21086-2929 |
| 5.000 | 6.500 | 0.750 | 23 | 25003-6939 |
| 5.000 | 6.500 | 0.906 | 53R2 | 22627-4668 |
| 5.000 | 6.500 | 0.906 | 53T2 | 22897-4668 |
| 5.000 | 6.563 | 0.500 | 24 | 25005-9930 |
| 5.000 | 6.625 | 0.500 | 53 | 21086-2930 |
| **5.000** | **6.750** | **0.500** | **53** | **21086-2933** |
| 5.000 | 6.750 | 0.625 | 53 | 21086-2935 |
| 5.000 | 6.875 | 0.500 | 53 | 21086-2936 |
| 5.000 | 7.000 | 0.500 | 53 | 21086-2939 |
| 5.000 | 7.000 | 0.625 | 53 | 21086-2941 |
| 5.000 | 7.000 | 0.750 | IG | 29500-5645 |
| 5.000 | 7.125 | 0.500 | 53 | 21086-2942 |
| 5.000 | 7.250 | 0.500 | 53 | 21086-2945 |
| 5.000 | 7.375 | 0.500 | 53 | 21086-2948 |
| 5.000 | 7.500 | 0.500 | 53 | 21086-2951 |
| 5.000 | 9.750 | 0.625 | 54 | 21140-6018 |
| 5.060 | 5.934 | 0.375 | 23 | 25003-0419 |
| 5.062 | 6.062 | 0.500 | 23 | 25003-6485 |
| 5.062 | 6.125 | 0.500 | 23 | 25003-2954 |
| **5.062** | **6.125** | **0.500** | **53** | **21086-2954** |
| 5.062 | 6.125 | 0.500 | 62 | 21702-2954 |
| 5.062 | 6.250 | 0.500 | 53 | 21086-2957 |
| 5.062 | 6.250 | 0.625 | 94 | 27223-2959 |
| 5.062 | 6.375 | 0.562 | 23 | 25003-6147 |
| 5.062 | 6.375 | 0.562 | 25 | 25058-6147 |
| 5.062 | 7.875 | 0.500 | 94 | 27223-6329 |
| 5.063 | 6.063 | 0.750 | IG | 29502-4301 |
| 5.063 | 6.125 | 0.500 | 26 | 24600-3583 |
| 5.088 | 6.088 | 0.625 | EQ | 24802-2986 |
| 5.094 | 6.586 | 0.484 | 23 | 25003-1229 |
| 5.098 | 6.598 | 0.500 | 23 | 25003-0581 |
| 5.115 | 6.115 | 0.500 | 23 | 25003-5490 |
| 5.115 | 6.115 | 0.625 | EQ | 24802-3095 |
| 5.115 | 6.118 | 0.375 | 23 | 25003-0926 |
| 5.118 | 5.992 | 0.375 | 23 | 25003-5797 |
| 5.118 | 5.993 | 0.500 | 23 | 25003-0815 |
| 5.118 | 6.118 | 0.500 | 23 | 25003-5388 |
| 5.118 | 6.259 | 0.472 | 23 | 25003-5367 |
| 5.118 | 6.260 | 0.488 | 23 | 25003-1002 |
| 5.118 | 6.299 | 0.472 | 23 | 25003-4656 |
| 5.118 | 6.299 | 0.472 | 92 | 27063-4656 |
| 5.118 | 6.299 | 0.511 | 23 | 25003-7221 |
| 5.118 | 6.299 | 0.551 | 26R1 | 24620-2989 |
| 5.118 | 6.299 | 0.551 | 58 | 21003-2989 |
| 5.118 | 6.299 | 0.590 | 26 | 24600-2988 |
| 5.118 | 6.299 | 0.591 | 23 | 25003-2988 |
| 5.118 | 6.299 | 0.625 | EQ | 24802-3022 |
| 5.118 | 6.614 | 0.630 | 23 | 25003-0956 |
| 5.125 | 6.000 | 0.500 | 23 | 25003-2274 |
| 5.125 | 6.125 | 0.375 | 23 | 25003-5189 |
| 5.125 | 6.125 | 0.375 | 25 | 25058-5189 |
| 5.125 | 6.125 | 0.422 | 23 | 25003-6392 |
| 5.125 | 6.125 | 0.437 | 23 | 25003-6198 |
| 5.125 | 6.125 | 0.500 | 23 | 25003-2990 |
| 5.125 | 6.125 | 0.500 | 25 | 25058-2990 |
| 5.125 | 6.125 | 0.500 | 26 | 24600-2990 |
| **5.125** | **6.125** | **0.500** | **53** | **21086-2990** |
| 5.125 | 6.125 | 0.625 | 53 | 21086-2992 |
| 5.125 | 6.125 | 0.750 | IG | 29502-4170 |
| **5.125** | **6.125** | **0.843** | **53R1** | **22537-6432** |
| 5.125 | 6.125 | 0.843 | 53R2 | 22627-6432 |
| 5.125 | 6.125 | 0.906 | 53T2 | 22897-7347 |
| 5.125 | 6.125 | 0.969 | 53T2 | 22897-7365 |
| 5.125 | 6.250 | 0.500 | 23 | 25003-2993 |
| **5.125** | **6.250** | **0.500** | **53** | **21086-2993** |
| 5.125 | 6.250 | 0.500 | EQ | 24801-0951 |
| 5.125 | 6.250 | 0.562 | 23 | 25003-2994 |
| 5.125 | 6.250 | 0.562 | 53 | 21086-2994 |
| 5.125 | 6.250 | 0.906 | 53R2 | 22627-7361 |
| 5.125 | 6.375 | 0.500 | 23 | 25003-2996 |
| 5.125 | 6.375 | 0.500 | 53 | 21086-2996 |
| 5.125 | 6.375 | 0.500 | 62 | 21702-2996 |
| 5.125 | 6.375 | 0.562 | 23 | 25003-2997 |
| 5.125 | 6.375 | 0.562 | 53 | 21086-2997 |
| 5.125 | 6.375 | 0.625 | 23 | 25003-2998 |
| 5.125 | 6.375 | 0.625 | 26 | 24600-2998 |
| 5.125 | 6.375 | 0.625 | 53 | 21086-2998 |
| 5.125 | 6.375 | 0.625 | EQ | 24802-2998 |
| 5.125 | 6.500 | 0.500 | 23 | 25003-2999 |
| **5.125** | **6.500** | **0.500** | **53** | **21086-2999** |
| 5.125 | 6.500 | 0.625 | 23 | 25003-3001 |
| 5.125 | 6.500 | 0.625 | 53 | 21086-3001 |
| 5.125 | 6.500 | 0.906 | 53R2 | 22627-4982 |
| 5.125 | 6.625 | 0.484 | 23 | 25003-9541 |
| 5.125 | 6.625 | 0.500 | 53 | 21086-3002 |
| 5.125 | 6.625 | 0.750 | 23 | 25003-8137 |
| 5.125 | 6.750 | 0.500 | 53 | 21086-3005 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 5.125 | 7.000 | 0.500 | 53 | 21086-3011 |
| 5.125 | 7.000 | 0.625 | 53 | 21086-3013 |
| 5.125 | 7.000 | 0.719 | 53F1 | 22987-9429 |
| 5.125 | 7.250 | 0.500 | 53 | 21086-3017 |
| 5.125 | 7.500 | 0.500 | 21 | 25001-3023 |
| 5.125 | 7.500 | 0.500 | 53 | 21086-3023 |
| 5.125 | 7.500 | 0.625 | 53 | 21086-3025 |
| 5.161 | 6.475 | 0.500 | 23 | 25003-1779 |
| 5.181 | 6.118 | 0.625 | EQ | 24802-3727 |
| 5.187 | 6.187 | 0.500 | 23 | 25003-4660 |
| 5.187 | 6.250 | 0.500 | 23 | 25003-3026 |
| **5.187** | **6.250** | **0.500** | **53** | **21086-3026** |
| 5.187 | 6.250 | 0.500 | 26R1 | 24620-3026 |
| 5.187 | 6.375 | 0.500 | 53 | 21086-3029 |
| 5.187 | 6.437 | 0.500 | 23 | 25003-8215 |
| 5.187 | 6.437 | 0.625 | 23 | 25003-6136 |
| 5.187 | 6.500 | 0.500 | 23 | 25003-3032 |
| 5.187 | 6.500 | 0.500 | 53 | 21086-3032 |
| 5.187 | 6.500 | 0.625 | 53 | 21086-3034 |
| **5.187** | **6.625** | **0.500** | **53** | **21086-3035** |
| 5.187 | 6.750 | 0.500 | 53 | 21086-3038 |
| 5.187 | 7.000 | 0.500 | 53 | 21086-3044 |
| 5.187 | 7.000 | 0.750 | IG | 29502-5385 |
| 5.187 | 7.500 | 0.500 | 21 | 25001-3056 |
| 5.187 | 7.500 | 0.500 | 53 | 21086-3056 |
| 5.188 | 6.188 | 0.625 | EQ | 24801-2766 |
| 5.188 | 6.188 | 0.750 | IG | 29502-4302 |
| 5.188 | 6.250 | 0.500 | 26 | 24600-3026 |
| 5.188 | 6.375 | 0.500 | 23 | 25003-3029 |
| 5.188 | 6.375 | 1.116 | IGSPB | 29516-7121 |
| 5.196 | 6.299 | 0.500 | 23 | 25003-9275 |
| 5.203 | 6.312 | 0.500 | 23 | 25003-5516 |
| 5.225 | 6.225 | 0.500 | 23 | 25003-6579 |
| 5.225 | 6.513 | 0.625 | 23 | 25003-3163 |
| 5.250 | 6.000 | 0.375 | 26 | 24600-5457 |
| 5.250 | 6.000 | 0.500 | 61 | 24060-1674 |
| 5.250 | 6.000 | 0.625 | EQ | 24802-3057 |
| 5.250 | 6.000 | 0.750 | IG | 29502-5424 |
| 5.250 | 6.250 | 0.437 | 23 | 25003-5900 |
| 5.250 | 6.250 | 0.500 | 23 | 25003-3059 |
| 5.250 | 6.250 | 0.500 | 25 | 25058-3059 |
| 5.250 | 6.250 | 0.500 | 26 | 24600-3059 |
| **5.250** | **6.250** | **0.500** | **53** | **21086-3059** |
| 5.250 | 6.250 | 0.500 | 58 | 21003-3059 |
| 5.250 | 6.250 | 0.500 | 61 | 24060-3059 |
| 5.250 | 6.250 | 0.500 | 62 | 21702-3059 |
| 5.250 | 6.250 | 0.625 | EQ | 24801-5792 |
| 5.250 | 6.250 | 0.625 | EQ | 24802-2270 |
| 5.250 | 6.250 | 0.750 | 23 | 25003-8657 |
| 5.250 | 6.250 | 0.750 | IG | 29502-4171 |
| 5.250 | 6.256 | 0.625 | EQ | 24801-3063 |
| 5.250 | 6.313 | 0.500 | 23 | 25003-1635 |
| 5.250 | 6.375 | 0.500 | 23 | 25003-3062 |
| 5.250 | 6.375 | 0.500 | 53 | 21086-3062 |
| 5.250 | 6.437 | 0.375 | 23 | 25003-5697 |
| 5.250 | 6.437 | 0.500 | 23 | 25003-5696 |
| 5.250 | 6.500 | 0.500 | 23 | 25003-3065 |
| 5.250 | 6.500 | 0.500 | 25 | 25058-3065 |
| **5.250** | **6.500** | **0.500** | **53** | **21086-3065** |
| 5.250 | 6.500 | 0.500 | 26R1 | 24620-3065 |
| 5.250 | 6.500 | 0.500 | 61 | 24060-3065 |
| 5.250 | 6.500 | 0.500 | 62 | 21702-3065 |
| 5.250 | 6.500 | 0.625 | 23 | 25003-3067 |
| 5.250 | 6.500 | 0.625 | 26 | 24600-3067 |
| **5.250** | **6.500** | **0.625** | **53** | **21086-3067** |
| 5.250 | 6.500 | 0.625 | 62 | 21702-3067 |
| 5.250 | 6.500 | 0.625 | 88 | 26088-3067 |
| 5.250 | 6.500 | 0.625 | 88NS | 26188-3067 |
| 5.250 | 6.500 | 0.625 | EQ | 24802-3067 |
| 5.250 | 6.500 | 0.719 | 53F1 | 22987-5171 |
| 5.250 | 6.500 | 0.750 | IG | 29502-4208 |
| 5.250 | 6.500 | 0.969 | 53T2 | 22897-6750 |
| 5.250 | 6.500 | 1.344 | 53R2 | 22627-5621 |
| 5.250 | 6.562 | 0.750 | 23 | 25003-4733 |
| 5.250 | 6.625 | 0.500 | 23 | 25003-3068 |
| 5.250 | 6.625 | 0.500 | 53 | 21086-3068 |
| 5.250 | 6.625 | 0.625 | 53 | 21086-3070 |
| 5.250 | 6.750 | 0.500 | 23 | 25003-3071 |
| 5.250 | 6.750 | 0.500 | 24 | 25005-3071 |
| 5.250 | 6.750 | 0.500 | 53 | 21086-3071 |
| 5.250 | 6.750 | 0.500 | 61 | 24060-3071 |
| 5.250 | 6.750 | 0.500 | 62 | 21702-3071 |
| 5.250 | 6.750 | 0.625 | 23 | 25003-3073 |
| 5.250 | 6.750 | 0.625 | EQ | 24802-3073 |
| 5.250 | 6.750 | 0.687 | 23 | 25003-9642 |
| 5.250 | 6.750 | 0.750 | 23 | 25003-6366 |
| 5.250 | 6.750 | 0.750 | IG | 29502-2573 |
| 5.250 | 6.750 | 0.906 | 53R2 | 22627-7610 |
| 5.250 | 7.000 | 0.500 | 53 | 21086-3077 |
| 5.250 | 7.000 | 0.500 | 61 | 24060-3077 |
| 5.250 | 7.000 | 0.500 | 62 | 21702-3077 |
| 5.250 | 7.125 | 0.500 | 53 | 21086-3080 |
| 5.250 | 7.125 | 0.906 | 53R2 | 22627-9972 |
| 5.250 | 7.250 | 0.625 | 26 | 24600-1705 |
| 5.250 | 10.750 | 0.687 | 54 | 21140-6020 |
| 5.280 | 6.280 | 0.500 | 23 | 25003-5717 |
| 5.302 | 6.302 | 0.500 | 23 | 25003-3090 |
| 5.305 | 6.305 | 0.500 | 23 | 25003-2022 |
| 5.312 | 6.312 | 0.500 | 23 | 25003-7132 |
| **5.312** | **6.375** | **0.500** | **53** | **21086-3092** |
| 5.312 | 6.500 | 0.500 | 23 | 25003-3095 |
| **5.312** | **6.500** | **0.500** | **53** | **21086-3095** |
| 5.312 | 6.500 | 0.500 | 62 | 21702-3095 |
| 5.312 | 6.562 | 0.625 | 23 | 25003-5092 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 5.312 | 6.578 | 0.500 | 23 | 25003-4786 |
| 5.312 | 6.625 | 0.500 | 23 | 25003-3098 |
| 5.312 | 6.625 | 0.500 | 53 | 21086-3098 |
| 5.312 | 6.625 | 0.719 | 53F1 | 22987-7252 |
| 5.312 | 6.687 | 0.625 | 23 | 25003-4425 |
| 5.312 | 6.750 | 0.500 | 53 | 21086-3101 |
| 5.312 | 6.750 | 0.500 | 62 | 21702-3101 |
| 5.312 | 6.812 | 0.500 | 23 | 25003-5931 |
| 5.312 | 6.875 | 0.500 | 53 | 21086-3104 |
| 5.312 | 6.937 | 0.500 | 23 | 25003-9251 |
| 5.312 | 7.250 | 0.500 | 53 | 21086-3113 |
| 5.313 | 6.313 | 0.750 | IG | 29502-4303 |
| 5.313 | 6.375 | 0.500 | 23 | 25003-3092 |
| 5.313 | 6.375 | 1.062 | IGSPB | 29516-7091 |
| 5.313 | 6.375 | 1.187 | IGSPB | 29516-7072 |
| 5.314 | 6.496 | 0.551 | 23 | 25003-5355 |
| 5.314 | 6.692 | 0.512 | 26 | 24600-9175 |
| 5.314 | 6.692 | 0.590 | 26R1 | 24620-3118 |
| 5.314 | 6.814 | 0.500 | 24 | 25005-9206 |
| 5.315 | 6.299 | 0.500 | 23 | 25003-5511 |
| 5.315 | 6.456 | 0.487 | 23 | 25003-5378 |
| 5.315 | 6.496 | 0.315 | 61 | 24060-1884 |
| 5.315 | 6.496 | 0.625 | EQ | 24801-5088 |
| 5.315 | 6.614 | 0.709 | 26 | 24600-2047 |
| 5.315 | 6.693 | 0.472 | 23 | 25003-9175 |
| 5.315 | 6.693 | 0.500 | 23 | 25003-2572 |
| 5.315 | 6.693 | 0.591 | 23 | 25003-3118 |
| 5.315 | 6.693 | 0.625 | EQ | 24802-3162 |
| 5.344 | 6.312 | 0.500 | 23 | 25003-4575 |
| 5.375 | 6.125 | 0.500 | 61 | 24060-1676 |
| 5.375 | 6.125 | 0.750 | IG | 29502-5745 |
| 5.375 | 6.312 | 0.500 | 23 | 25003-4576 |
| 5.375 | 6.375 | 0.375 | 23 | 25003-6622 |
| 5.375 | 6.375 | 0.500 | 21 | 25001-3122 |
| 5.375 | 6.375 | 0.500 | 23 | 25003-3122 |
| 5.375 | 6.375 | 0.500 | 25 | 25058-3122 |
| 5.375 | 6.375 | 0.500 | 26 | 24600-3122 |
| 5.375 | 6.375 | 0.500 | 53 | 21086-3122 |
| 5.375 | 6.375 | 0.500 | 26R1 | 24620-3122 |
| 5.375 | 6.375 | 0.500 | 61 | 24060-3122 |
| 5.375 | 6.375 | 0.500 | 62 | 21702-3122 |
| 5.375 | 6.375 | 0.750 | EQ | 24801-1864 |
| 5.375 | 6.375 | 0.750 | IG | 29502-1864 |
| 5.375 | 6.500 | 0.500 | 23 | 25003-3125 |
| **5.375** | **6.500** | **0.500** | **53** | **21086-3125** |
| 5.375 | 6.500 | 0.500 | 66 | 21527-3125 |
| 5.375 | 6.500 | 0.562 | 23 | 25003-3126 |
| 5.375 | 6.500 | 0.562 | 53 | 21086-3126 |
| 5.375 | 6.500 | 0.625 | 23 | 25003-3127 |
| 5.375 | 6.500 | 0.625 | 53 | 21086-3127 |
| 5.375 | 6.500 | 0.750 | 23 | 25003-4451 |
| 5.375 | 6.625 | 0.500 | 23 | 25003-3128 |
| 5.375 | 6.625 | 0.500 | 53 | 21086-3128 |
| 5.375 | 6.625 | 0.500 | 66 | 21527-3128 |
| 5.375 | 6.625 | 0.562 | 23 | 25003-3129 |
| 5.375 | 6.625 | 0.562 | 53 | 21086-3129 |
| 5.375 | 6.625 | 0.563 | 62 | 21702-3129 |
| 5.375 | 6.625 | 0.625 | 23 | 25003-3130 |
| 5.375 | 6.625 | 0.625 | 53 | 21086-3130 |
| 5.375 | 6.687 | 0.562 | 111 | 21011-4559 |
| 5.375 | 6.750 | 0.500 | 23 | 25003-3131 |
| 5.375 | 6.750 | 0.500 | 53 | 21086-3131 |
| 5.375 | 6.750 | 0.625 | 26 | 24600-3124 |
| 5.375 | 6.875 | 0.500 | 23 | 25003-3134 |
| 5.375 | 6.875 | 0.500 | 53 | 21086-3134 |
| 5.375 | 6.875 | 0.500 | 66 | 21527-3134 |
| 5.375 | 6.875 | 0.625 | 53 | 21086-3136 |
| 5.375 | 6.875 | 0.750 | 23 | 25003-7124 |
| 5.375 | 7.000 | 0.625 | 53 | 21086-3139 |
| 5.375 | 7.125 | 0.625 | 53 | 21086-3142 |
| 5.375 | 7.500 | 0.625 | 21 | 25001-3151 |
| 5.375 | 7.500 | 0.625 | 53 | 21086-3151 |
| 5.415 | 6.815 | 0.500 | 23 | 25003-1089 |
| 5.420 | 6.625 | 0.500 | 23 | 25003-4841 |
| 5.433 | 7.008 | 0.630 | 26 | 24600-4226 |
| 5.437 | 6.375 | 0.500 | 23 | 25003-0627 |
| 5.437 | 6.437 | 0.500 | 23 | 25003-4750 |
| 5.437 | 6.500 | 0.500 | 23 | 25003-0738 |
| **5.437** | **6.625** | **0.500** | **53** | **21086-3152** |
| 5.437 | 6.656 | 0.463 | 23 | 25003-6532 |
| 5.437 | 6.687 | 0.625 | 23 | 25003-6367 |
| 5.437 | 6.750 | 0.500 | 23 | 25003-3155 |
| **5.437** | **6.750** | **0.500** | **53** | **21086-3155** |
| 5.437 | 6.750 | 0.562 | 53 | 21086-3156 |
| 5.437 | 6.750 | 0.625 | 23 | 25003-3157 |
| 5.437 | 6.875 | 0.500 | 53 | 21086-3158 |
| 5.437 | 6.875 | 0.969 | 53F1 | 22987-5027 |
| 5.437 | 6.937 | 0.625 | 23 | 25003-8575 |
| 5.437 | 6.937 | 0.750 | 25 | 25058-8782 |
| 5.437 | 7.000 | 0.500 | 53 | 21086-3161 |
| 5.437 | 7.125 | 0.500 | 53 | 21086-3164 |
| 5.437 | 7.250 | 0.500 | 53 | 21086-3167 |
| 5.437 | 7.500 | 0.500 | 21 | 25001-3174 |
| 5.438 | 6.438 | 0.750 | IG | 29502-4304 |
| 5.438 | 6.500 | 0.500 | 61 | 24060-0738 |
| 5.438 | 6.500 | 0.525 | 23 | 25003-4713 |
| 5.438 | 6.625 | 0.500 | 23 | 25003-3152 |
| 5.438 | 6.625 | 0.500 | 26 | 24600-3173 |
| 5.438 | 6.688 | 0.625 | EQ | 24802-2904 |
| 5.438 | 6.720 | 0.625 | 23 | 25003-1250 |
| 5.438 | 6.750 | 0.750 | 23 | 25003-1777 |
| 5.438 | 6.750 | 0.983 | IGSPB | 29516-7103 |
| 5.438 | 6.750 | 1.250 | EQSPB | 24816-7049 |
| 5.438 | 6.875 | 0.750 | 23 | 25003-3144 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 5.438 | 6.875 | 0.750 | IG | 29500-4504 |
| 5.500 | 6.250 | 0.312 | 76 | 26193-7534 |
| 5.500 | 6.250 | 0.437 | 61 | 24060-1679 |
| 5.500 | 6.250 | 0.438 | 26 | 24600-3177 |
| 5.500 | 6.375 | 0.437 | 23 | 25003-2624 |
| 5.500 | 6.375 | 0.500 | 23 | 25003-1682 |
| 5.500 | 6.375 | 0.500 | 61 | 24060-1682 |
| 5.500 | 6.375 | 0.563 | 26 | 24600-3019 |
| 5.500 | 6.500 | 0.250 | 61 | 24060-1683 |
| 5.500 | 6.500 | 0.500 | 23 | 25003-3176 |
| 5.500 | 6.500 | 0.500 | 25 | 25058-3176 |
| 5.500 | 6.500 | 0.500 | 26 | 24600-3176 |
| **5.500** | **6.500** | **0.500** | **53** | **21086-3176** |
| 5.500 | 6.500 | 0.500 | 58 | 21003-3176 |
| 5.500 | 6.500 | 0.500 | 61 | 24060-3176 |
| 5.500 | 6.500 | 0.500 | 62 | 21702-3176 |
| 5.500 | 6.500 | 0.625 | 53 | 21086-3178 |
| 5.500 | 6.500 | 0.719 | 53F1 | 22987-6741 |
| 5.500 | 6.500 | 0.750 | IG | 29502-4172 |
| 5.500 | 6.500 | 0.906 | 53R1 | 22537-4825 |
| 5.500 | 6.500 | 0.906 | 53R2 | 22627-4825 |
| 5.500 | 6.563 | 0.500 | 23 | 25003-0743 |
| 5.500 | 6.625 | 0.406 | 23 | 25003-3212 |
| 5.500 | 6.625 | 0.500 | 23 | 25003-3179 |
| **5.500** | **6.625** | **0.500** | **53** | **21086-3179** |
| 5.500 | 6.625 | 0.562 | 23 | 25003-3180 |
| 5.500 | 6.625 | 0.562 | 53 | 21086-3180 |
| 5.500 | 6.625 | 0.625 | 53 | 21086-3181 |
| 5.500 | 6.632 | 0.500 | 26R1 | 24620-3186 |
| 5.500 | 6.687 | 0.625 | 23 | 25003-4420 |
| 5.500 | 6.693 | 0.750 | IG | 29502-5279 |
| 5.500 | 6.750 | 0.437 | 3 | 28003-5680 |
| 5.500 | 6.750 | 0.500 | 23 | 25003-3182 |
| 5.500 | 6.750 | 0.500 | 26 | 24600-3182 |
| **5.500** | **6.750** | **0.500** | **53** | **21086-3182** |
| 5.500 | 6.750 | 0.500 | 61 | 24060-3182 |
| 5.500 | 6.750 | 0.562 | 26 | 24600-3183 |
| 5.500 | 6.750 | 0.562 | 53 | 21086-3183 |
| 5.500 | 6.750 | 0.575 | 23 | 25003-2409 |
| 5.500 | 6.750 | 0.625 | 23 | 25003-3184 |
| 5.500 | 6.750 | 0.625 | 26 | 24600-3184 |
| **5.500** | **6.750** | **0.625** | **53** | **21086-3184** |
| 5.500 | 6.750 | 0.625 | 62 | 21702-3184 |
| 5.500 | 6.750 | 0.625 | EQ | 24801-3184 |
| 5.500 | 6.750 | 0.625 | EQ | 24802-3184 |
| 5.500 | 6.750 | 0.687 | 23 | 25003-2159 |
| 5.500 | 6.750 | 0.719 | 53F1 | 22987-8306 |
| 5.500 | 6.750 | 0.750 | 23 | 25003-6574 |
| 5.500 | 6.750 | 0.750 | IG | 29502-6574 |
| 5.500 | 6.750 | 0.906 | 53R2 | 22627-7409 |
| 5.500 | 6.756 | 0.500 | 23 | 25003-4461 |
| 5.500 | 6.765 | 0.500 | 23 | 25003-6540 |
| 5.500 | 6.875 | 0.500 | 23 | 25003-3185 |
| 5.500 | 6.875 | 0.500 | 53 | 21086-3185 |
| 5.500 | 6.875 | 0.562 | 23 | 25003-1961 |
| 5.500 | 7.000 | 0.500 | 23 | 25003-3188 |
| 5.500 | 7.000 | 0.500 | 24 | 25005-3188 |
| 5.500 | 7.000 | 0.500 | 25 | 25058-3188 |
| **5.500** | **7.000** | **0.500** | **53** | **21086-3188** |
| 5.500 | 7.000 | 0.500 | 26R1 | 24620-0963 |
| 5.500 | 7.000 | 0.500 | 61 | 24060-3188 |
| 5.500 | 7.000 | 0.500 | 62 | 21702-3188 |
| 5.500 | 7.000 | 0.625 | 23 | 25003-3190 |
| 5.500 | 7.000 | 0.625 | 53 | 21086-3190 |
| 5.500 | 7.000 | 0.625 | 62 | 21702-3190 |
| 5.500 | 7.000 | 0.750 | 23 | 25003-5010 |
| 5.500 | 7.000 | 0.750 | 26 | 24600-3189 |
| 5.500 | 7.000 | 0.750 | 26R1 | 24620-5010 |
| 5.500 | 7.000 | 0.828 | 26R1 | 24620-3193 |
| 5.500 | 7.000 | 0.969 | 53T2 | 22897-5923 |
| 5.500 | 7.125 | 0.500 | 53 | 21086-3191 |
| 5.500 | 7.250 | 0.500 | 26 | 24600-3194 |
| 5.500 | 7.250 | 0.500 | 53 | 21086-3194 |
| **5.500** | **7.500** | **0.500** | **53** | **21086-3200** |
| 5.500 | 8.268 | 0.500 | 94 | 27223-8960 |
| 5.500 | 10.250 | 0.750 | IG | 29502-4735 |
| 5.511 | 6.299 | 0.511 | 26R1 | 24620-3201 |
| 5.511 | 6.511 | 0.500 | 23 | 25003-4831 |
| 5.511 | 6.692 | 0.590 | 26 | 24600-7267 |
| 5.511 | 6.692 | 0.625 | 23 | 25003-5861 |
| 5.511 | 6.693 | 0.472 | 23 | 25003-1718 |
| 5.511 | 6.693 | 0.591 | 53 | 21086-7267 |
| 5.511 | 6.811 | 0.547 | 23 | 25003-5368 |
| 5.511 | 7.011 | 0.500 | 24 | 25005-5526 |
| 5.512 | 6.387 | 0.375 | 23 | 25003-4489 |
| 5.512 | 6.496 | 0.394 | 61 | 24060-1898 |
| 5.512 | 6.496 | 0.492 | 23 | 25003-2019 |
| 5.512 | 6.496 | 0.625 | EQ | 24801-5140 |
| 5.512 | 6.512 | 0.625 | EQ | 24802-3728 |
| 5.512 | 6.692 | 0.500 | 23 | 25003-9158 |
| 5.512 | 6.693 | 0.295 | 26 | 24600-3203 |
| 5.512 | 6.693 | 0.472 | 92 | 27063-1718 |
| 5.512 | 6.693 | 0.551 | 23 | 25003-7383 |
| 5.512 | 6.693 | 0.551 | 53 | 21086-7383 |
| 5.512 | 6.693 | 0.551 | 26R1 | 24620-7383 |
| 5.512 | 6.693 | 0.551 | 61 | 24060-7383 |
| 5.512 | 6.693 | 0.591 | 23 | 25003-7267 |
| 5.512 | 6.693 | 0.630 | 59 | 24700-1134 |
| 5.512 | 6.693 | 0.750 | IG | 29500-4994 |
| 5.512 | 6.890 | 0.709 | 23 | 25003-3204 |
| 5.512 | 6.890 | 0.709 | 26 | 24600-3204 |
| 5.512 | 7.087 | 0.591 | 61 | 24060-2461 |
| 5.512 | 7.087 | 0.625 | 23 | 25003-3148 |
| 5.512 | 7.087 | 0.630 | 26 | 24600-2098 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 5.515 | 6.497 | 0.500 | 23 | 25003-0674 |
| 5.523 | 6.500 | 0.500 | 23 | 25003-0500 |
| 5.562 | 6.562 | 0.500 | 23 | 25003-9760 |
| 5.562 | 6.625 | 0.500 | 23 | 25003-3203 |
| 5.562 | 6.625 | 0.500 | 53 | 21086-3203 |
| 5.562 | 6.750 | 0.500 | 23 | 25003-6150 |
| 5.562 | 6.750 | 0.625 | 53 | 21086-3208 |
| 5.562 | 6.875 | 0.906 | 53R2 | 22627-7111 |
| 5.562 | 7.250 | 0.500 | 53 | 21086-3218 |
| 5.562 | 7.375 | 0.500 | 53 | 21086-3221 |
| 5.562 | 7.500 | 0.625 | 53 | 21086-3226 |
| 5.563 | 6.563 | 0.750 | IG | 29502-4305 |
| 5.591 | 6.378 | 0.750 | IG | 29502-5549 |
| 5.625 | 6.624 | 0.625 | EQ | 24801-1177 |
| 5.625 | 6.625 | 0.375 | 26R1 | 24620-3232 |
| 5.625 | 6.625 | 0.453 | 23 | 25003-5726 |
| 5.625 | 6.625 | 0.500 | 23 | 25003-3228 |
| **5.625** | **6.625** | **0.500** | **53** | **21086-3228** |
| 5.625 | 6.625 | 0.625 | 53 | 21086-3230 |
| 5.625 | 6.625 | 0.750 | IG | 29502-4173 |
| 5.625 | 6.750 | 0.500 | 23 | 25003-3231 |
| **5.625** | **6.750** | **0.500** | **53** | **21086-3231** |
| 5.625 | 6.750 | 0.500 | 62 | 21702-3231 |
| 5.625 | 6.750 | 0.625 | 23 | 25003-3233 |
| 5.625 | 6.750 | 0.906 | 53R1 | 22537-4711 |
| 5.625 | 6.875 | 0.219 | 61 | 24060-2296 |
| 5.625 | 6.875 | 0.281 | 61 | 24061-2316 |
| 5.625 | 6.875 | 0.500 | 23 | 25003-3234 |
| **5.625** | **6.875** | **0.500** | **53** | **21086-3234** |
| 5.625 | 6.875 | 0.562 | 53 | 21086-3235 |
| 5.625 | 6.875 | 0.625 | 23 | 25003-3236 |
| 5.625 | 6.875 | 0.625 | 26 | 24600-3236 |
| 5.625 | 6.875 | 0.625 | 53 | 21086-3236 |
| 5.625 | 6.875 | 0.625 | EQ | 24802-3236 |
| 5.625 | 6.875 | 0.719 | 53F1 | 22987-8471 |
| 5.625 | 6.875 | 0.750 | IG | 29500-4830 |
| 5.625 | 6.875 | 0.969 | 53R2 | 22627-5324 |
| **5.625** | **7.000** | **0.500** | **53** | **21086-3237** |
| 5.625 | 7.000 | 0.750 | 23 | 25003-4762 |
| 5.625 | 7.125 | 0.500 | 23 | 25003-3240 |
| 5.625 | 7.125 | 0.500 | 24 | 25005-3240 |
| 5.625 | 7.125 | 0.500 | 53 | 21086-3240 |
| 5.625 | 7.125 | 0.750 | 23 | 25003-6368 |
| 5.625 | 7.250 | 0.500 | 53 | 21086-3243 |
| 5.625 | 7.250 | 0.625 | 53 | 21086-3245 |
| 5.625 | 7.375 | 0.500 | 53 | 21086-3246 |
| 5.625 | 7.500 | 0.500 | 53 | 21086-3249 |
| 5.625 | 7.500 | 0.719 | 53F1 | 22987-7002 |
| 5.625 | 8.000 | 0.500 | 21 | 25001-6963 |
| 5.625 | 11.375 | 1.000 | 54 | 21140-6021 |
| 5.635 | 6.874 | 0.750 | IG | 29502-5774 |
| 5.687 | 6.750 | 0.500 | 23 | 25003-3253 |
| 5.687 | 6.750 | 0.500 | 53 | 21086-3253 |
| 5.687 | 6.875 | 0.625 | 53 | 21086-3258 |
| 5.687 | 6.937 | 0.500 | 23 | 25003-7362 |
| 5.687 | 6.937 | 0.625 | 23 | 25003-9914 |
| 5.687 | 7.000 | 0.500 | 53 | 21086-3259 |
| 5.687 | 7.000 | 0.625 | 23 | 25003-7444 |
| 5.687 | 7.187 | 0.500 | 23 | 25003-9663 |
| 5.687 | 7.187 | 0.500 | 24 | 25005-9663 |
| 5.687 | 7.375 | 0.500 | 53 | 21086-3268 |
| 5.687 | 7.375 | 0.625 | 53 | 21086-3270 |
| 5.687 | 7.500 | 0.500 | 53 | 21086-3271 |
| 5.687 | 7.500 | 0.906 | 53R2 | 22627-5090 |
| 5.688 | 6.688 | 0.750 | IG | 29502-4306 |
| 5.688 | 6.750 | 0.625 | 23 | 25003-3258 |
| 5.708 | 6.889 | 0.551 | 23 | 25003-5349 |
| 5.708 | 6.889 | 0.551 | 26R1 | 24620-5349 |
| 5.708 | 7.086 | 0.630 | 23 | 25003-3197 |
| 5.709 | 7.087 | 0.591 | 23 | 25003-4415 |
| 5.748 | 7.087 | 0.591 | 23 | 25003-0519 |
| 5.750 | 6.375 | 0.500 | 61 | 24060-1684 |
| 5.750 | 6.500 | 0.500 | 61 | 24060-1685 |
| 5.750 | 6.750 | 0.437 | 23 | 25003-7172 |
| 5.750 | 6.750 | 0.438 | 23 | 25003-3276 |
| 5.750 | 6.750 | 0.438 | 88 | 26088-7172 |
| 5.750 | 6.750 | 0.438 | 88NS | 26188-7172 |
| 5.750 | 6.750 | 0.500 | 23 | 25003-3275 |
| 5.750 | 6.750 | 0.500 | 25 | 25058-3275 |
| 5.750 | 6.750 | 0.500 | 26 | 24600-0672 |
| **5.750** | **6.750** | **0.500** | **53** | **21086-3275** |
| 5.750 | 6.750 | 0.500 | 66 | 21527-3275 |
| 5.750 | 6.750 | 0.562 | 53 | 21086-3276 |
| 5.750 | 6.750 | 0.625 | 26 | 24600-3277 |
| 5.750 | 6.750 | 0.625 | 62 | 21702-3277 |
| 5.750 | 6.750 | 0.625 | EQ | 24802-3277 |
| 5.750 | 6.750 | 0.750 | IG | 29500-4174 |
| 5.750 | 6.750 | 0.750 | IG | 29502-4174 |
| 5.750 | 6.875 | 0.500 | 23 | 25003-3278 |
| 5.750 | 6.875 | 0.500 | 25 | 25058-3278 |
| **5.750** | **6.875** | **0.500** | **53** | **21086-3278** |
| 5.750 | 6.875 | 0.500 | 62 | 21702-3278 |
| 5.750 | 6.875 | 0.500 | 66 | 21527-3278 |
| 5.750 | 6.875 | 0.562 | 23 | 25003-3279 |
| 5.750 | 6.875 | 0.562 | 62 | 21702-3279 |
| 5.750 | 6.875 | 0.625 | 23 | 25003-3280 |
| 5.750 | 6.875 | 0.625 | 62 | 21702-3280 |
| 5.750 | 6.937 | 0.500 | 23 | 25003-6728 |
| 5.750 | 6.938 | 1.116 | IGSPB | 29516-7126 |
| 5.750 | 6.938 | 1.250 | EQSPB | 24816-7055 |
| 5.750 | 6.950 | 0.305 | 26 | 24600-3287 |
| 5.750 | 6.968 | 0.500 | 23 | 25003-6474 |
| 5.750 | 7.000 | 0.375 | 23 | 25003-6924 |
| 5.750 | 7.000 | 0.500 | 23 | 25003-3281 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 5.750 | 7.000 | 0.500 | 26 | 24600-3281 |
| **5.750** | **7.000** | **0.500** | **53** | **21086-3281** |
| 5.750 | 7.000 | 0.500 | 59 | 24700-3281 |
| 5.750 | 7.000 | 0.500 | 62 | 21702-3281 |
| 5.750 | 7.000 | 0.500 | 66 | 21527-3281 |
| 5.750 | 7.000 | 0.562 | 23 | 25003-3282 |
| 5.750 | 7.000 | 0.562 | 53 | 21086-3282 |
| 5.750 | 7.000 | 0.562 | 62 | 21702-3282 |
| 5.750 | 7.000 | 0.625 | 23 | 25003-3283 |
| 5.750 | 7.000 | 0.625 | 26 | 24600-3283 |
| 5.750 | 7.000 | 0.625 | 53 | 21086-3283 |
| 5.750 | 7.000 | 0.625 | 62 | 21702-3283 |
| 5.750 | 7.000 | 0.844 | 53R2 | 22627-9854 |
| 5.750 | 7.000 | 0.906 | 53R2 | 22627-6166 |
| 5.750 | 7.000 | 0.969 | 53T2 | 22897-7128 |
| 5.750 | 7.000 | 0.969 | 66T2 | 23728-7128 |
| 5.750 | 7.000 | 1.031 | 53R2 | 22627-5710 |
| 5.750 | 7.125 | 0.500 | 23 | 25003-3284 |
| 5.750 | 7.125 | 0.500 | 53 | 21086-3284 |
| 5.750 | 7.125 | 0.562 | 62 | 21702-0752 |
| 5.750 | 7.202 | 0.734 | 23 | 25003-9440 |
| 5.750 | 7.250 | 0.500 | 23 | 25003-3287 |
| 5.750 | 7.250 | 0.500 | 24 | 25005-3287 |
| 5.750 | 7.250 | 0.500 | 53 | 21086-3287 |
| 5.750 | 7.250 | 0.625 | 53 | 21086-3289 |
| 5.750 | 7.250 | 0.750 | 23 | 25003-9017 |
| 5.750 | 7.250 | 0.906 | 53R1 | 22537-5420 |
| 5.750 | 7.250 | 1.032 | 53R2 | 22627-9422 |
| 5.750 | 7.250 | 1.344 | 53R1 | 22537-8818 |
| 5.750 | 7.375 | 0.500 | 53 | 21086-3290 |
| 5.750 | 7.375 | 0.625 | 53 | 21086-3292 |
| 5.750 | 7.500 | 0.500 | 23 | 25003-3293 |
| **5.750** | **7.500** | **0.500** | **53** | **21086-3293** |
| 5.750 | 7.500 | 0.500 | 66 | 21527-3293 |
| 5.750 | 7.500 | 0.562 | 21 | 25001-3288 |
| 5.750 | 7.500 | 0.562 | 23 | 25003-3288 |
| 5.750 | 7.500 | 0.750 | 53 | 21086-3296 |
| 5.750 | 8.858 | 0.750 | 94 | 27223-5672 |
| 5.780 | 7.030 | 0.625 | 23 | 25003-5636 |
| 5.800 | 6.800 | 0.500 | 23 | 25003-7507 |
| 5.812 | 6.812 | 0.500 | 23 | 25003-9197 |
| 5.812 | 6.812 | 0.750 | IG | 29502-4307 |
| **5.812** | **6.875** | **0.500** | **53** | **21086-3297** |
| 5.812 | 6.937 | 0.500 | 23 | 25003-7275 |
| 5.812 | 7.000 | 0.500 | 53 | 21086-3300 |
| 5.812 | 7.000 | 0.562 | 62 | 21702-3301 |
| 5.812 | 7.125 | 0.500 | 53 | 21086-3305 |
| 5.812 | 7.250 | 0.500 | 53 | 21086-3306 |
| 5.812 | 7.375 | 0.500 | 53 | 21086-3309 |
| 5.812 | 7.500 | 0.500 | 53 | 21086-3312 |
| 5.813 | 7.250 | 0.625 | 23 | 25003-3308 |
| 5.866 | 6.875 | 0.562 | 58 | 21003-2033 |
| 5.875 | 6.750 | 0.625 | 23 | 25003-3303 |
| 5.875 | 6.875 | 0.437 | 23 | 25003-6164 |
| 5.875 | 6.875 | 0.500 | 23 | 25003-3316 |
| 5.875 | 6.875 | 0.500 | 25 | 25058-3316 |
| 5.875 | 6.875 | 0.500 | 26 | 24600-0674 |
| **5.875** | **6.875** | **0.500** | **53** | **21086-3316** |
| 5.875 | 6.875 | 0.750 | IG | 29502-4175 |
| 5.875 | 6.938 | 1.116 | IGSPB | 29516-7125 |
| 5.875 | 6.938 | 1.523 | EQSPB | 24816-7118 |
| 5.875 | 7.000 | 0.500 | 23 | 25003-3319 |
| **5.875** | **7.000** | **0.500** | **53** | **21086-3319** |
| 5.875 | 7.000 | 0.500 | 66 | 21527-3319 |
| 5.875 | 7.125 | 0.455 | 23 | 25003-9880 |
| **5.875** | **7.125** | **0.500** | **53** | **21086-3322** |
| 5.875 | 7.125 | 0.562 | 53 | 21086-3323 |
| 5.875 | 7.125 | 0.625 | 23 | 25003-3324 |
| 5.875 | 7.125 | 0.625 | 53 | 21086-3324 |
| 5.875 | 7.125 | 0.750 | IG | 29502-4211 |
| 5.875 | 7.125 | 0.828 | 66TF | 23763-6914 |
| 5.875 | 7.140 | 0.562 | 23 | 25003-5597 |
| 5.875 | 7.250 | 0.500 | 23 | 25003-3325 |
| 5.875 | 7.250 | 0.500 | 53 | 21086-3325 |
| 5.875 | 7.250 | 0.906 | 53R1 | 22537-8480 |
| 5.875 | 7.375 | 0.500 | 23 | 25003-3328 |
| 5.875 | 7.375 | 0.500 | 53 | 21086-3328 |
| 5.875 | 7.375 | 0.563 | 23 | 25003-4585 |
| 5.875 | 7.375 | 0.625 | 23 | 25003-3330 |
| 5.875 | 7.375 | 0.625 | 26 | 24600-3330 |
| 5.875 | 7.375 | 0.750 | 23 | 25003-9142 |
| 5.875 | 7.500 | 0.500 | 53 | 21086-3331 |
| 5.875 | 7.500 | 0.563 | 23 | 25003-3332 |
| 5.875 | 7.500 | 0.750 | 21 | 25001-3334 |
| 5.897 | 7.147 | 0.625 | 23 | 25003-3171 |
| 5.905 | 7.086 | 0.551 | 26R1 | 24620-5335 |
| 5.905 | 7.087 | 0.512 | 23 | 25003-1111 |
| 5.905 | 7.087 | 0.625 | EQ | 24801-1349 |
| 5.905 | 7.087 | 0.630 | 23 | 25003-2341 |
| 5.905 | 7.480 | 0.590 | 26 | 24600-4395 |
| 5.906 | 6.906 | 0.500 | 23 | 25003-9751 |
| 5.906 | 6.906 | 0.750 | IG | 29500-4831 |
| 5.906 | 6.906 | 0.750 | IG | 29502-4831 |
| 5.906 | 7.086 | 0.551 | 23 | 25003-5335 |
| 5.906 | 7.087 | 0.472 | 92 | 27063-0875 |
| 5.906 | 7.087 | 0.551 | 26 | 24600-5335 |
| 5.906 | 7.087 | 0.551 | 59 | 24700-5335 |
| 5.906 | 7.087 | 0.591 | 23 | 25003-3327 |
| 5.906 | 7.087 | 0.591 | 58 | 21003-3327 |
| 5.906 | 7.087 | 0.625 | EQ | 24802-1349 |
| 5.906 | 7.204 | 0.547 | 23 | 25003-5369 |
| 5.906 | 7.283 | 0.708 | 23 | 25003-4862 |
| 5.906 | 7.405 | 0.500 | 24 | 25005-9952 |
| 5.906 | 7.410 | 0.625 | 23 | 25003-7117 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 5.906 | 7.480 | 0.591 | 23 | 25003-2233 |
| 5.906 | 7.590 | 0.539 | 23 | 25003-5379 |
| 5.906 | 7.906 | 0.500 | 23 | 25003-1374 |
| 5.935 | 6.963 | 0.517 | 26 | 24600-1259 |
| 5.937 | 6.875 | 0.500 | 23 | 25003-0741 |
| 5.937 | 6.937 | 0.500 | 23 | 25003-7298 |
| 5.937 | 7.000 | 0.500 | 23 | 25003-3335 |
| **5.937** | **7.000** | **0.500** | **53** | **21086-3335** |
| 5.937 | 7.000 | 0.500 | 62 | 21702-3335 |
| 5.937 | 7.000 | 0.625 | 53 | 21086-3337 |
| 5.937 | 7.125 | 0.500 | 53 | 21086-3338 |
| 5.937 | 7.187 | 0.500 | 23 | 25003-7647 |
| 5.937 | 7.187 | 0.625 | 23 | 25003-7481 |
| 5.937 | 7.250 | 0.500 | 53 | 21086-3341 |
| **5.937** | **7.250** | **0.625** | **53** | **21086-3343** |
| 5.937 | 7.375 | 0.500 | 53 | 21086-3344 |
| 5.937 | 7.437 | 0.750 | 23 | 25003-7214 |
| 5.937 | 7.500 | 0.500 | 53 | 21086-3347 |
| 5.937 | 7.500 | 0.906 | 53R1 | 22537-8708 |
| 5.937 | 7.625 | 0.500 | 53 | 21086-3351 |
| 5.937 | 7.625 | 0.500 | 62 | 21702-3351 |
| 5.937 | 7.687 | 0.625 | 23 | 25003-9031 |
| 5.938 | 6.938 | 0.750 | IG | 29502-4308 |
| 5.938 | 7.250 | 0.625 | 23 | 25003-3343 |
| 5.938 | 7.343 | 1.200 | IGSPB | 29516-7110 |
| 5.938 | 7.375 | 0.500 | 23 | 25003-3344 |
| 5.938 | 7.438 | 0.500 | 23 | 25003-2793 |
| 5.938 | 7.625 | 0.500 | 23 | 25003-3351 |
| 6.000 | 6.750 | 0.750 | IG | 29502-5285 |
| 6.000 | 7.000 | 0.375 | 23 | 25003-0530 |
| 6.000 | 7.000 | 0.437 | 23 | 25003-6165 |
| 6.000 | 7.000 | 0.437 | 26R1 | 24620-3354 |
| 6.000 | 7.000 | 0.438 | 26 | 24600-3354 |
| 6.000 | 7.000 | 0.500 | 21 | 25001-3355 |
| 6.000 | 7.000 | 0.500 | 23 | 25003-3355 |
| 6.000 | 7.000 | 0.500 | 25 | 25058-3355 |
| **6.000** | **7.000** | **0.500** | **53** | **21086-3355** |
| 6.000 | 7.000 | 0.500 | 59 | 24700-3355 |
| 6.000 | 7.000 | 0.500 | 61 | 24060-3355 |
| 6.000 | 7.000 | 0.500 | 62 | 21702-3355 |
| 6.000 | 7.000 | 0.500 | 113 | 21012-3355 |
| 6.000 | 7.000 | 0.562 | 53 | 21086-3356 |
| 6.000 | 7.000 | 0.625 | 23 | 25003-3357 |
| 6.000 | 7.000 | 0.625 | 53 | 21086-3357 |
| 6.000 | 7.000 | 0.625 | EQ | 24801-3357 |
| 6.000 | 7.000 | 0.625 | EQ | 24802-3357 |
| 6.000 | 7.000 | 0.750 | 26 | 24600-3362 |
| 6.000 | 7.000 | 0.750 | IG | 29502-3362 |
| **6.000** | **7.000** | **0.969** | **53R2** | **22627-6746** |
| 6.000 | 7.000 | 0.969 | 53T2 | 22897-6746 |
| 6.000 | 7.000 | 1.156 | 53R1 | 22537-8870 |
| 6.000 | 7.059 | 0.750 | IG | 29502-5555 |
| 6.000 | 7.085 | 0.438 | 23 | 25003-4789 |
| 6.000 | 7.125 | 0.437 | 23 | 25003-2680 |
| 6.000 | 7.125 | 0.500 | 53 | 21086-3358 |
| 6.000 | 7.125 | 0.562 | 23 | 25003-3359 |
| 6.000 | 7.125 | 0.562 | 53 | 21086-3359 |
| 6.000 | 7.125 | 0.625 | 23 | 25003-3360 |
| 6.000 | 7.125 | 0.625 | 26 | 24600-6042 |
| 6.000 | 7.125 | 0.625 | 53 | 21086-3360 |
| 6.000 | 7.125 | 0.719 | 23 | 25003-9023 |
| 6.000 | 7.187 | 0.750 | 23 | 25003-1689 |
| 6.000 | 7.203 | 0.750 | 23 | 25003-4726 |
| 6.000 | 7.250 | 0.500 | 23 | 25003-3361 |
| 6.000 | 7.250 | 0.500 | 26 | 24600-3361 |
| **6.000** | **7.250** | **0.500** | **53** | **21086-3361** |
| 6.000 | 7.250 | 0.625 | 23 | 25003-3363 |
| 6.000 | 7.250 | 0.625 | 25 | 25058-3363 |
| 6.000 | 7.250 | 0.625 | 53 | 21086-3363 |
| 6.000 | 7.250 | 0.625 | 62 | 21702-3363 |
| 6.000 | 7.250 | 1.343 | 53R2 | 22627-7202 |
| 6.000 | 7.340 | 1.375 | EQSPB | 24816-7040 |
| 6.000 | 7.343 | 0.983 | IGSPB | 29516-5504 |
| 6.000 | 7.343 | 1.375 | EQSPB | 24816-7068 |
| 6.000 | 7.375 | 0.500 | 23 | 25003-3364 |
| 6.000 | 7.375 | 0.500 | 53 | 21086-3364 |
| 6.000 | 7.375 | 0.750 | IG | 29500-5481 |
| 6.000 | 7.375 | 0.750 | IG | 29502-5481 |
| 6.000 | 7.406 | 0.588 | 23 | 25003-3196 |
| 6.000 | 7.452 | 0.734 | 23 | 25003-9458 |
| 6.000 | 7.500 | 0.375 | 23 | 25003-1172 |
| 6.000 | 7.500 | 0.375 | 26 | 24600-3379 |
| 6.000 | 7.500 | 0.500 | 23 | 25003-3367 |
| 6.000 | 7.500 | 0.500 | 24 | 25005-3367 |
| 6.000 | 7.500 | 0.500 | 25 | 25058-3367 |
| **6.000** | **7.500** | **0.500** | **53** | **21086-3367** |
| 6.000 | 7.500 | 0.500 | 59 | 24700-3367 |
| 6.000 | 7.500 | 0.500 | 62 | 21702-3367 |
| 6.000 | 7.500 | 0.625 | 23 | 25003-3369 |
| 6.000 | 7.500 | 0.625 | 25 | 25058-3369 |
| 6.000 | 7.500 | 0.625 | 26 | 24600-3389 |
| 6.000 | 7.500 | 0.625 | 53 | 21086-3369 |
| 6.000 | 7.500 | 0.625 | 59 | 24700-1024 |
| 6.000 | 7.500 | 0.625 | EQ | 24802-1024 |
| 6.000 | 7.500 | 0.719 | 53F1 | 22987-9304 |
| 6.000 | 7.500 | 0.750 | 21 | 25001-3370 |
| 6.000 | 7.500 | 0.750 | 23 | 25003-3370 |
| 6.000 | 7.500 | 0.750 | 25 | 25058-3370 |
| **6.000** | **7.500** | **0.750** | **53** | **21086-3370** |
| 6.000 | 7.500 | 0.750 | IG | 29500-3370 |
| 6.000 | 7.500 | 0.750 | IG | 29502-3370 |
| 6.000 | 7.500 | 0.906 | 53F1 | 22987-7433 |
| 6.000 | 7.500 | 0.906 | 53R1 | 22537-7433 |
| 6.000 | 7.500 | 0.906 | 53R2 | 22627-7433 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 6.000 | 7.500 | 0.906 | 53T2 | 22897-7433 |
| 6.000 | 7.500 | 1.344 | 53R2 | 22627-4784 |
| 6.000 | 7.531 | 0.588 | 23 | 25003-5284 |
| 6.000 | 7.625 | 0.500 | 53 | 21086-3371 |
| 6.000 | 7.625 | 0.500 | 62 | 21702-3371 |
| 6.000 | 7.625 | 0.562 | 53 | 21086-3372 |
| 6.000 | 7.625 | 0.625 | 26 | 24600-3373 |
| 6.000 | 7.625 | 0.750 | 53 | 21086-3374 |
| 6.000 | 8.250 | 0.750 | 21 | 25001-4780 |
| 6.002 | 7.002 | 0.500 | 23 | 25003-0803 |
| 6.030 | 7.324 | 0.615 | 23 | 25003-1300 |
| 6.032 | 7.312 | 0.500 | 23 | 25003-9245 |
| 6.062 | 7.062 | 0.375 | 23 | 25003-2560 |
| 6.062 | 7.125 | 0.500 | 23 | 25003-5057 |
| 6.062 | 7.312 | 0.625 | 23 | 25003-9099 |
| 6.062 | 7.349 | 1.375 | EQSPB | 24816-7014 |
| 6.062 | 7.375 | 0.500 | 23 | 25003-5661 |
| **6.062** | **7.500** | **0.500** | **53** | **21086-4490** |
| 6.062 | 7.500 | 0.750 | 23 | 25003-1393 |
| 6.062 | 7.562 | 0.750 | 23 | 25003-5119 |
| 6.062 | 7.687 | 0.500 | 23 | 25003-9703 |
| 6.063 | 7.062 | 0.500 | 23 | 25003-7726 |
| 6.063 | 7.063 | 0.390 | 23 | 25003-2890 |
| 6.063 | 7.063 | 0.438 | 23 | 25003-3376 |
| 6.063 | 7.063 | 0.750 | IG | 29502-4309 |
| 6.063 | 7.087 | 0.413 | 23 | 25003-1706 |
| 6.063 | 7.343 | 1.187 | IGSPB | 29516-7074 |
| 6.063 | 7.500 | 0.500 | 23 | 25003-4490 |
| 6.063 | 7.500 | 0.750 | IG | 29502-5712 |
| 6.100 | 6.875 | 0.625 | 61 | 24063-2281 |
| 6.102 | 6.850 | 0.472 | 26 | 24600-3326 |
| 6.102 | 7.086 | 0.590 | 26R1 | 24620-3352 |
| 6.102 | 7.087 | 0.500 | 23 | 25003-1269 |
| 6.102 | 7.087 | 0.591 | 59 | 24700-3352 |
| 6.102 | 7.102 | 0.500 | 23 | 25003-6982 |
| 6.109 | 7.094 | 0.492 | 23 | 25003-7634 |
| 6.125 | 7.000 | 0.500 | 23 | 25003-9232 |
| 6.125 | 7.125 | 0.500 | 23 | 25003-3375 |
| 6.125 | 7.125 | 0.500 | 25 | 25058-3375 |
| **6.125** | **7.125** | **0.500** | **53** | **21086-3375** |
| 6.125 | 7.125 | 0.500 | 62 | 21702-3375 |
| 6.125 | 7.125 | 0.625 | 26 | 24600-3377 |
| 6.125 | 7.125 | 0.625 | 53 | 21086-3377 |
| 6.125 | 7.125 | 0.625 | 26R1 | 24620-3377 |
| 6.125 | 7.125 | 0.750 | IG | 29500-4310 |
| 6.125 | 7.125 | 0.750 | IG | 29502-4310 |
| 6.125 | 7.187 | 0.500 | 23 | 25003-4424 |
| 6.125 | 7.250 | 0.500 | 23 | 25003-3378 |
| **6.125** | **7.250** | **0.500** | **53** | **21086-3378** |
| 6.125 | 7.250 | 0.625 | 23 | 25003-3380 |
| 6.125 | 7.250 | 0.625 | 25 | 25058-3380 |
| 6.125 | 7.250 | 0.625 | 53 | 21086-3380 |
| 6.125 | 7.375 | 0.500 | 23 | 25003-3381 |
| 6.125 | 7.375 | 0.500 | 53 | 21086-3381 |
| 6.125 | 7.375 | 0.625 | 23 | 25003-3383 |
| 6.125 | 7.375 | 0.625 | 53 | 21086-3383 |
| **6.125** | **7.500** | **0.500** | **53** | **21086-3384** |
| 6.125 | 7.500 | 0.500 | 62 | 21702-3384 |
| 6.125 | 7.500 | 0.750 | 23 | 25003-3387 |
| 6.125 | 7.500 | 0.750 | 53 | 21086-3387 |
| 6.125 | 7.500 | 0.906 | 53R1 | 22537-6146 |
| 6.125 | 7.500 | 0.906 | 53R2 | 22627-6146 |
| 6.125 | 7.500 | 0.969 | 53F1 | 22987-5884 |
| 6.125 | 7.500 | 0.969 | 53TF | 22994-5884 |
| 6.125 | 7.625 | 0.500 | 24 | 25005-8169 |
| 6.125 | 7.625 | 0.500 | 62 | 21702-8169 |
| 6.125 | 7.625 | 0.625 | 23 | 25003-6602 |
| 6.125 | 7.625 | 0.625 | 26 | 24600-3418 |
| 6.125 | 7.625 | 0.625 | 53 | 21086-6602 |
| 6.125 | 7.625 | 0.687 | 64 | 21238-1299 |
| 6.125 | 7.625 | 0.750 | 23 | 25003-4729 |
| 6.125 | 7.625 | 0.750 | 25 | 25058-4729 |
| 6.125 | 7.625 | 0.750 | 53 | 21086-4729 |
| 6.125 | 7.625 | 0.750 | IG | 29502-5583 |
| 6.125 | 9.000 | 1.438 | 26 | 24600-3422 |
| 6.187 | 7.187 | 0.500 | 23 | 25003-7789 |
| 6.187 | 7.250 | 0.500 | 23 | 25003-5563 |
| 6.187 | 7.437 | 0.500 | 23 | 25003-7719 |
| 6.187 | 7.437 | 0.625 | 23 | 25003-8654 |
| 6.187 | 7.500 | 0.625 | 76 | 26193-7472 |
| 6.187 | 7.508 | 0.250 | 26 | 24600-4388 |
| 6.188 | 7.188 | 0.750 | IG | 29502-4311 |
| 6.188 | 7.500 | 0.625 | 23 | 25003-7472 |
| 6.188 | 7.688 | 0.750 | 26 | 24600-3390 |
| 6.218 | 8.062 | 0.750 | IG | 29502-5524 |
| 6.221 | 7.250 | 0.500 | 23 | 25003-1004 |
| 6.229 | 7.480 | 0.511 | 23 | 25003-7816 |
| 6.229 | 7.549 | 0.625 | 26 | 24600-6867 |
| 6.247 | 7.188 | 0.375 | 23 | 25003-1286 |
| 6.250 | 7.125 | 0.625 | EQ | 24802-1764 |
| 6.250 | 7.185 | 0.500 | 23 | 25003-4551 |
| 6.250 | 7.250 | 0.375 | 23 | 25003-0527 |
| 6.250 | 7.250 | 0.437 | 23 | 25003-6450 |
| 6.250 | 7.250 | 0.437 | 61 | 24060-6450 |
| 6.250 | 7.250 | 0.438 | 26 | 24600-6450 |
| 6.250 | 7.250 | 0.500 | 23 | 25003-3388 |
| **6.250** | **7.250** | **0.500** | **53** | **21086-3388** |
| 6.250 | 7.250 | 0.500 | 26R1 | 24620-0678 |
| 6.250 | 7.250 | 0.625 | 23 | 25003-3390 |
| 6.250 | 7.250 | 0.750 | IG | 29500-4312 |
| 6.250 | 7.250 | 0.750 | IG | 29502-4312 |
| 6.250 | 7.250 | 0.906 | 53R1 | 22537-7330 |
| 6.250 | 7.250 | 0.969 | 53T2 | 22897-7864 |
| 6.250 | 7.343 | 1.187 | IGSPB | 29516-7073 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 6.250 | 7.375 | 0.500 | 23 | 25003-3391 |
| 6.250 | 7.375 | 0.500 | 53 | 21086-3391 |
| 6.250 | 7.375 | 0.562 | 23 | 25003-1609 |
| 6.250 | 7.375 | 0.625 | 23 | 25003-1457 |
| 6.250 | 7.500 | 0.500 | 23 | 25003-3394 |
| **6.250** | **7.500** | **0.500** | **53** | **21086-3394** |
| 6.250 | 7.500 | 0.500 | 62 | 21702-3394 |
| 6.250 | 7.500 | 0.562 | 23 | 25003-3395 |
| 6.250 | 7.500 | 0.562 | 53 | 21086-3395 |
| 6.250 | 7.500 | 0.625 | 23 | 25003-3396 |
| 6.250 | 7.500 | 0.625 | 53 | 21086-3396 |
| 6.250 | 7.500 | 0.750 | 53 | 21086-3397 |
| 6.250 | 7.500 | 0.750 | IG | 29500-4865 |
| 6.250 | 7.500 | 1.344 | 53R1 | 22537-4991 |
| 6.250 | 7.625 | 0.500 | 23 | 25003-3398 |
| 6.250 | 7.625 | 0.500 | 53 | 21086-3398 |
| 6.250 | 7.687 | 0.625 | 23 | 25003-7264 |
| 6.250 | 7.750 | 0.500 | 23 | 25003-3402 |
| **6.250** | **7.750** | **0.500** | **53** | **21086-3402** |
| 6.250 | 7.750 | 0.625 | 23 | 25003-3404 |
| 6.250 | 7.750 | 0.719 | 53F1 | 22987-5212 |
| 6.250 | 7.750 | 0.750 | 23 | 25003-3405 |
| 6.250 | 7.750 | 0.750 | 25 | 25058-3405 |
| 6.250 | 7.750 | 0.750 | 53 | 21086-3405 |
| 6.250 | 7.750 | 0.750 | 62 | 21702-3405 |
| 6.250 | 7.750 | 0.750 | IG | 29502-3405 |
| **6.250** | **7.750** | **0.906** | **53R2** | **22627-7247** |
| 6.250 | 7.750 | 1.344 | 53R2 | 22627-7629 |
| 6.281 | 7.281 | 0.375 | 23 | 25003-6922 |
| 6.281 | 7.299 | 0.375 | 23 | 25003-9630 |
| 6.281 | 7.530 | 0.625 | 23 | 25003-5637 |
| 6.298 | 7.500 | 0.375 | 23 | 25003-1391 |
| 6.299 | 7.244 | 0.551 | 23 | 25003-1394 |
| 6.299 | 7.274 | 0.750 | 23 | 25003-3269 |
| 6.299 | 7.283 | 0.394 | 92 | 27063-0876 |
| 6.299 | 7.299 | 0.500 | 23 | 25003-9789 |
| 6.299 | 7.480 | 0.500 | 23 | 25003-4634 |
| 6.299 | 7.480 | 0.591 | 23 | 25003-7276 |
| 6.299 | 7.480 | 0.591 | 26 | 24600-7276 |
| 6.299 | 7.480 | 0.591 | 53 | 21086-7276 |
| 6.299 | 7.480 | 0.591 | 26R1 | 24620-7276 |
| 6.299 | 7.480 | 0.625 | EQ | 24801-3913 |
| 6.299 | 7.480 | 0.629 | 23 | 25003-3913 |
| 6.299 | 7.480 | 0.630 | 26 | 24600-3913 |
| 6.299 | 7.549 | 0.625 | 23 | 25003-6867 |
| 6.299 | 7.677 | 0.709 | 53 | 21086-8619 |
| 6.299 | 7.677 | 0.709 | 26R1 | 24620-1035 |
| 6.299 | 7.874 | 0.472 | 23 | 25003-1717 |
| 6.299 | 7.874 | 0.551 | 59 | 24700-4038 |
| 6.299 | 7.874 | 0.630 | 21 | 25001-4633 |
| 6.300 | 7.480 | 0.295 | 26 | 24600-3404 |
| 6.300 | 7.781 | 0.500 | 23 | 25003-5628 |
| 6.312 | 7.312 | 0.500 | 23 | 25003-8194 |
| 6.312 | 7.312 | 0.625 | 23 | 25003-7597 |
| 6.313 | 7.313 | 0.750 | IG | 29502-4313 |
| 6.375 | 7.250 | 0.500 | 23 | 25003-2269 |
| 6.375 | 7.375 | 0.375 | 23 | 25003-9939 |
| 6.375 | 7.375 | 0.500 | 23 | 25003-3406 |
| **6.375** | **7.375** | **0.500** | **53** | **21086-3406** |
| 6.375 | 7.375 | 0.750 | IG | 29502-4314 |
| 6.375 | 7.498 | 0.750 | IG | 29500-4542 |
| 6.375 | 7.498 | 0.750 | IG | 29502-4542 |
| 6.375 | 7.500 | 0.500 | 23 | 25003-3409 |
| **6.375** | **7.500** | **0.500** | **53** | **21086-3409** |
| 6.375 | 7.500 | 0.500 | 94 | 27223-3409 |
| 6.375 | 7.500 | 0.625 | 23 | 25003-3419 |
| 6.375 | 7.500 | 0.969 | 53T2 | 22897-7609 |
| 6.375 | 7.625 | 0.500 | 23 | 25003-3413 |
| **6.375** | **7.625** | **0.500** | **53** | **21086-3413** |
| 6.375 | 7.625 | 0.625 | 23 | 25003-3415 |
| 6.375 | 7.625 | 0.625 | 53 | 21086-3415 |
| 6.375 | 7.687 | 0.625 | 23 | 25003-5195 |
| 6.375 | 7.750 | 0.472 | 24 | 25005-9933 |
| 6.375 | 7.750 | 0.500 | 23 | 25003-3417 |
| 6.375 | 7.750 | 0.500 | 53 | 21086-3417 |
| 6.375 | 7.750 | 0.625 | 23 | 25003-4694 |
| 6.375 | 7.875 | 0.500 | 23 | 25003-3421 |
| **6.375** | **7.875** | **0.500** | **53** | **21086-3421** |
| 6.375 | 7.875 | 0.625 | 23 | 25003-3423 |
| 6.375 | 7.875 | 0.625 | 26 | 24600-3423 |
| 6.375 | 7.875 | 0.625 | 53 | 21086-3423 |
| 6.375 | 7.875 | 0.750 | 23 | 25003-3424 |
| 6.375 | 7.875 | 0.750 | 53 | 21086-3424 |
| 6.430 | 7.500 | 0.625 | IG | 29519-5741 |
| 6.430 | 7.500 | 0.750 | IG | 29502-5702 |
| 6.437 | 7.375 | 0.500 | 23 | 25003-9185 |
| 6.437 | 7.437 | 0.500 | 23 | 25003-7321 |
| **6.437** | **7.500** | **0.500** | **53** | **21086-3917** |
| 6.437 | 7.500 | 0.500 | 62 | 21702-3917 |
| 6.437 | 7.687 | 0.625 | 23 | 25003-7924 |
| 6.437 | 7.687 | 0.625 | 26 | 24600-3424 |
| 6.437 | 7.687 | 0.625 | 59 | 24700-3424 |
| 6.437 | 7.687 | 0.625 | EQ | 24802-3424 |
| 6.437 | 7.750 | 0.750 | 53 | 21086-3425 |
| 6.437 | 7.780 | 1.375 | EQSPB | 24816-7043 |
| 6.437 | 7.937 | 0.625 | 23 | 25003-9823 |
| 6.437 | 7.937 | 0.750 | 23 | 25003-9021 |
| 6.438 | 7.438 | 0.750 | IG | 29502-4315 |
| 6.438 | 7.500 | 0.500 | 23 | 25003-3917 |
| 6.438 | 7.500 | 0.625 | 23 | 25003-4595 |
| 6.438 | 7.687 | 0.750 | IG | 29502-5094 |
| 6.438 | 7.708 | 0.625 | 23 | 25003-4445 |
| 6.438 | 7.750 | 0.750 | 23 | 25003-3425 |
| 6.438 | 7.780 | 1.187 | IGSPB | 29516-7104 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 6.440 | 7.969 | 0.750 | 23 | 25003-1702 |
| 6.494 | 7.525 | 0.517 | 26 | 24600-1060 |
| 6.442 | 7.500 | 0.625 | IG | 29519-5655 |
| 6.495 | 7.525 | 0.500 | 23 | 25003-0795 |
| 6.496 | 7.480 | 0.512 | 58 | 21003-0584 |
| 6.496 | 7.874 | 0.591 | 23 | 25003-1970 |
| 6.498 | 9.125 | 0.750 | IG | 29502-5810 |
| 6.500 | 7.250 | 0.500 | 61 | 24060-1686 |
| 6.500 | 7.375 | 0.500 | 23 | 25003-3168 |
| 6.500 | 7.500 | 0.250 | 61 | 24060-1687 |
| 6.500 | 7.500 | 0.375 | 23 | 25003-1832 |
| 6.500 | 7.500 | 0.437 | 23 | 25003-9374 |
| 6.500 | 7.500 | 0.500 | 23 | 25003-4560 |
| 6.500 | 7.500 | 0.500 | 25 | 25058-4560 |
| 6.500 | 7.500 | 0.500 | 62 | 21702-4560 |
| **6.500** | **7.500** | **0.500** | **113** | **21012-4560** |
| 6.500 | 7.500 | 0.500 | EQ | 24801-0682 |
| 6.500 | 7.500 | 0.562 | 23 | 25003-9780 |
| **6.500** | **7.500** | **0.562** | **26** | **24600-9780** |
| 6.500 | 7.500 | 0.562 | 53 | 21086-9780 |
| 6.500 | 7.500 | 0.625 | 23 | 25003-3426 |
| **6.500** | **7.500** | **0.625** | **53** | **21086-3426** |
| 6.500 | 7.500 | 0.625 | 59 | 24700-3426 |
| 6.500 | 7.500 | 0.625 | 62 | 21702-3426 |
| 6.500 | 7.500 | 0.625 | IG | 29519-3426 |
| 6.500 | 7.500 | 0.750 | IG | 29502-4316 |
| 6.500 | 7.500 | 0.781 | 53F1 | 22987-8149 |
| 6.500 | 7.500 | 0.844 | 53F1 | 22987-6920 |
| 6.500 | 7.500 | 0.906 | 53R2 | 22627-5531 |
| 6.500 | 7.500 | 0.906 | 53T2 | 22897-5531 |
| 6.500 | 7.500 | 1.031 | 53T2 | 22897-7174 |
| 6.500 | 7.500 | 1.218 | 53T2 | 22897-5286 |
| 6.500 | 7.625 | 0.625 | 23 | 25003-3428 |
| **6.500** | **7.625** | **0.625** | **53** | **21086-3428** |
| 6.500 | 7.687 | 0.625 | 23 | 25003-7771 |
| 6.500 | 7.750 | 0.500 | 23 | 25003-6817 |
| 6.500 | 7.750 | 0.500 | 53 | 21086-6817 |
| 6.500 | 7.750 | 0.625 | 23 | 25003-3430 |
| 6.500 | 7.750 | 0.625 | 25 | 25058-3430 |
| 6.500 | 7.750 | 0.625 | 26 | 24600-3430 |
| **6.500** | **7.750** | **0.625** | **53** | **21086-3430** |
| 6.500 | 7.750 | 0.625 | EQ | 24801-3430 |
| 6.500 | 7.750 | 0.750 | 23 | 25003-3431 |
| 6.500 | 7.874 | 0.472 | 23 | 25003-8171 |
| 6.500 | 7.874 | 0.472 | 24 | 25005-8171 |
| 6.500 | 7.875 | 0.625 | 23 | 25003-3432 |
| 6.500 | 7.875 | 0.625 | 53 | 21086-3432 |
| 6.500 | 7.875 | 0.750 | 23 | 25003-9217 |
| 6.500 | 7.937 | 0.625 | 23 | 25003-5792 |
| 6.500 | 8.000 | 0.500 | 23 | 25003-6370 |
| 6.500 | 8.000 | 0.500 | 24 | 25005-6370 |
| 6.500 | 8.000 | 0.500 | 26R1 | 24620-6370 |
| 6.500 | 8.000 | 0.563 | 26R1 | 24620-3348 |
| 6.500 | 8.000 | 0.625 | 23 | 25003-3434 |
| **6.500** | **8.000** | **0.625** | **53** | **21086-3434** |
| 6.500 | 8.000 | 0.625 | 26R1 | 24620-3434 |
| 6.500 | 8.000 | 0.625 | 62 | 21702-3434 |
| 6.500 | 8.000 | 0.750 | 23 | 25003-3435 |
| 6.500 | 8.000 | 0.750 | 26 | 24600-3435 |
| 6.500 | 8.000 | 0.750 | 53 | 21086-3435 |
| 6.500 | 8.000 | 0.844 | 53F1 | 22987-5211 |
| 6.500 | 8.000 | 1.000 | EQ | 24802-1185 |
| 6.500 | 8.125 | 0.625 | 53 | 21086-6501 |
| 6.500 | 8.500 | 0.585 | 21 | 25001-5410 |
| 6.562 | 7.562 | 0.500 | 23 | 25003-6371 |
| 6.625 | 7.625 | 0.500 | 23 | 25003-6897 |
| 6.625 | 7.625 | 0.625 | 23 | 25003-3436 |
| **6.625** | **7.625** | **0.625** | **53** | **21086-3436** |
| 6.625 | 7.625 | 0.750 | IG | 29500-5522 |
| 6.625 | 7.718 | 1.116 | IGSPB | 29516-7127 |
| 6.625 | 7.718 | 1.250 | EQSPB | 24816-7054 |
| 6.625 | 7.725 | 0.305 | 26 | 24600-3438 |
| 6.625 | 7.750 | 0.625 | 23 | 25003-3438 |
| 6.625 | 7.750 | 0.625 | 25 | 25058-3438 |
| 6.625 | 7.750 | 0.625 | 53 | 21086-3438 |
| 6.625 | 7.875 | 0.500 | 53 | 21086-5677 |
| 6.625 | 7.875 | 0.625 | 23 | 25003-3440 |
| **6.625** | **7.875** | **0.625** | **53** | **21086-3440** |
| 6.625 | 7.875 | 0.625 | 62 | 21702-3440 |
| 6.625 | 8.000 | 0.500 | 23 | 25003-8567 |
| 6.625 | 8.000 | 0.625 | 23 | 25003-3442 |
| **6.625** | **8.000** | **0.625** | **53** | **21086-3442** |
| 6.625 | 8.000 | 0.844 | 53F1 | 22987-6051 |
| 6.625 | 8.125 | 0.500 | 23 | 25003-5139 |
| 6.625 | 8.125 | 0.500 | 24 | 25005-5139 |
| 6.625 | 8.125 | 0.625 | 23 | 25003-3444 |
| **6.625** | **8.125** | **0.625** | **53** | **21086-3444** |
| 6.625 | 8.125 | 0.687 | 23 | 25003-6172 |
| 6.625 | 8.125 | 0.750 | 23 | 25003-3445 |
| 6.625 | 8.125 | 0.750 | 53 | 21086-3445 |
| 6.625 | 8.125 | 0.969 | 53R2 | 22627-8775 |
| 6.625 | 8.250 | 0.625 | 53 | 21086-3446 |
| 6.625 | 8.250 | 0.750 | 53 | 21086-3447 |
| 6.625 | 8.375 | 0.500 | 23 | 25003-5691 |
| 6.625 | 8.375 | 0.625 | 53 | 21086-3448 |
| 6.625 | 8.390 | 1.375 | EQSPB | 24816-7039 |
| 6.625 | 8.500 | 0.625 | 53 | 21086-3450 |
| 6.625 | 8.750 | 0.500 | 26 | 24600-3135 |
| 6.625 | 8.750 | 0.625 | 53 | 21086-3454 |
| 6.625 | 12.500 | 0.625 | 54 | 21140-6023 |
| 6.670 | 7.750 | 0.500 | 23 | 25003-9958 |
| 6.679 | 7.405 | 0.250 | 26 | 24600-2940 |
| 6.687 | 7.687 | 0.500 | 23 | 25003-6229 |
| 6.687 | 7.750 | 0.625 | 53 | 21086-3918 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 6.687 | 7.937 | 0.500 | 23 | 25003-5032 |
| 6.687 | 8.007 | 0.625 | 23 | 25003-9828 |
| 6.688 | 7.937 | 0.625 | 23 | 25003-7882 |
| 6.690 | 7.940 | 0.625 | 23 | 25003-6818 |
| 6.692 | 8.192 | 0.750 | 23 | 25003-8445 |
| 6.693 | 7.638 | 0.551 | 23 | 25003-1395 |
| 6.693 | 7.677 | 0.492 | 23 | 25003-0637 |
| 6.693 | 7.874 | 0.295 | 26 | 24600-3451 |
| 6.693 | 7.874 | 0.472 | 23 | 25003-2826 |
| 6.693 | 7.874 | 0.492 | 23 | 25003-5356 |
| **6.693** | **7.874** | **0.590** | **26R1** | **24620-3919** |
| 6.693 | 7.874 | 0.591 | 23 | 25003-7268 |
| 6.693 | 7.874 | 0.591 | 53 | 21086-7268 |
| 6.693 | 7.874 | 0.625 | EQ | 24802-3180 |
| 6.693 | 7.874 | 0.630 | 26 | 24600-3919 |
| 6.693 | 7.874 | 0.630 | 59 | 24700-3919 |
| 6.693 | 7.875 | 0.590 | 59 | 24700-7268 |
| 6.693 | 7.943 | 0.625 | 23 | 25003-8699 |
| 6.693 | 7.992 | 0.547 | 23 | 25003-5370 |
| 6.693 | 8.193 | 0.500 | 24 | 25005-9951 |
| 6.693 | 8.268 | 0.630 | 26 | 24600-3329 |
| 6.750 | 7.750 | 0.438 | 23 | 25003-3455 |
| 6.750 | 7.750 | 0.500 | 21 | 25001-6372 |
| 6.750 | 7.750 | 0.500 | 23 | 25003-6372 |
| 6.750 | 7.750 | 0.500 | 25 | 25058-6372 |
| 6.750 | 7.750 | 0.500 | 26 | 24600-6372 |
| 6.750 | 7.750 | 0.625 | 23 | 25003-3456 |
| **6.750** | **7.750** | **0.625** | **53** | **21086-3456** |
| 6.750 | 7.750 | 0.625 | 62 | 21702-3456 |
| 6.750 | 7.750 | 0.750 | 59 | 24700-5287 |
| 6.750 | 7.750 | 0.750 | IG | 29502-5287 |
| 6.750 | 7.875 | 0.375 | 23 | 25003-3459 |
| 6.750 | 7.875 | 0.500 | 23 | 25003-6890 |
| 6.750 | 7.875 | 0.625 | 23 | 25003-3458 |
| 6.750 | 7.875 | 0.625 | 53 | 21086-3458 |
| 6.750 | 7.875 | 0.625 | 62 | 21702-3458 |
| 6.750 | 8.000 | 0.375 | 23 | 25003-2983 |
| 6.750 | 8.000 | 0.625 | 23 | 25003-3460 |
| 6.750 | 8.000 | 0.625 | 26 | 24600-3460 |
| **6.750** | **8.000** | **0.625** | **53** | **21086-3460** |
| 6.750 | 8.000 | 0.719 | 53F1 | 22987-7436 |
| 6.750 | 8.000 | 0.750 | IG | 29500-3467 |
| 6.750 | 8.000 | 0.750 | IG | 29502-3467 |
| 6.750 | 8.000 | 0.844 | 53F1 | 22987-8216 |
| 6.750 | 8.125 | 0.625 | 23 | 25003-3462 |
| 6.750 | 8.125 | 0.625 | 53 | 21086-3462 |
| 6.750 | 8.125 | 0.625 | IG | 29519-3462 |
| 6.750 | 8.125 | 0.750 | IG | 29500-3462 |
| 6.750 | 8.250 | 0.500 | 23 | 25003-9404 |
| 6.750 | 8.250 | 0.562 | 59 | 24700-0844 |
| 6.750 | 8.250 | 0.625 | 23 | 25003-3464 |
| 6.750 | 8.250 | 0.625 | 25 | 25058-3464 |
| **6.750** | **8.250** | **0.625** | **53** | **21086-3464** |
| 6.750 | 8.250 | 0.625 | 59 | 24700-3464 |
| 6.750 | 8.250 | 0.625 | EQ | 24801-3464 |
| 6.750 | 8.250 | 0.750 | 23 | 25003-3465 |
| 6.750 | 8.250 | 0.750 | 53 | 21086-3465 |
| 6.750 | 8.250 | 0.750 | IG | 29500-3465 |
| 6.750 | 8.250 | 0.750 | IG | 29502-3465 |
| 6.750 | 8.250 | 0.781 | 53F1 | 22987-7572 |
| 6.750 | 8.250 | 1.031 | 53R2 | 22627-6945 |
| 6.750 | 8.250 | 1.032 | 53R1 | 22537-6945 |
| 6.750 | 8.250 | 1.156 | 53R1 | 22537-9664 |
| 6.750 | 8.375 | 0.625 | 53 | 21086-3466 |
| 6.750 | 8.500 | 0.500 | 23 | 25003-3241 |
| 6.750 | 8.500 | 0.625 | 21 | 25001-3468 |
| **6.750** | **8.500** | **0.625** | **53** | **21086-3468** |
| 6.750 | 8.500 | 1.219 | 53T2 | 22897-9168 |
| 6.750 | 8.625 | 0.625 | 53 | 21086-3470 |
| **6.750** | **8.750** | **0.625** | **53** | **21086-3472** |
| 6.750 | 8.750 | 0.875 | EQ | 24802-4607 |
| 6.750 | 9.062 | 0.750 | 21 | 25001-7622 |
| 6.781 | 8.031 | 0.625 | 23 | 25003-7063 |
| 6.812 | 8.312 | 0.750 | 23 | 25003-4900 |
| 6.875 | 7.875 | 0.375 | 23 | 25003-1127 |
| 6.875 | 7.875 | 0.438 | 23 | 25003-3477 |
| 6.875 | 7.875 | 0.500 | 23 | 25003-8433 |
| **6.875** | **7.875** | **0.625** | **53** | **21086-3474** |
| 6.875 | 7.875 | 0.625 | 58 | 21003-3474 |
| 6.875 | 7.875 | 0.625 | 62 | 21702-3474 |
| 6.875 | 7.875 | 0.750 | IG | 29502-5565 |
| 6.875 | 7.875 | 0.969 | 53F1 | 22987-4853 |
| 6.875 | 8.000 | 0.437 | 23 | 25003-6199 |
| 6.875 | 8.000 | 0.500 | 23 | 25003-6951 |
| 6.875 | 8.000 | 0.625 | 23 | 25003-3476 |
| **6.875** | **8.000** | **0.625** | **53** | **21086-3476** |
| 6.875 | 8.000 | 1.219 | 53T2 | 22897-7777 |
| 6.875 | 8.062 | 0.563 | 23 | 25003-3216 |
| 6.875 | 8.125 | 0.500 | 23 | 25003-7274 |
| 6.875 | 8.125 | 0.562 | 23 | 25003-8134 |
| 6.875 | 8.125 | 0.625 | 23 | 25003-3478 |
| **6.875** | **8.125** | **0.625** | **53** | **21086-3478** |
| 6.875 | 8.125 | 1.406 | 53R2 | 22627-8685 |
| 6.875 | 8.125 | 1.406 | 53T2 | 22897-8685 |
| 6.875 | 8.250 | 0.625 | 23 | 25003-3480 |
| 6.875 | 8.250 | 0.625 | 25 | 25058-3480 |
| **6.875** | **8.250** | **0.625** | **53** | **21086-3480** |
| 6.875 | 8.250 | 0.625 | 62 | 21702-3480 |
| 6.875 | 8.250 | 0.750 | 23 | 25003-3481 |
| 6.875 | 8.250 | 1.406 | 53T2 | 22897-6526 |
| 6.875 | 8.375 | 0.625 | 23 | 25003-3482 |
| **6.875** | **8.375** | **0.625** | **53** | **21086-3482** |
| 6.875 | 8.375 | 0.750 | 23 | 25003-3483 |
| 6.875 | 8.375 | 0.750 | 53 | 21086-3483 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 6.875 | 8.375 | 1.156 | 53R1 | 22537-7796 |
| 6.875 | 8.384 | 0.625 | 26 | 24600-3486 |
| **6.875** | **8.500** | **0.625** | **53** | **21086-3484** |
| 6.875 | 8.500 | 0.750 | 25 | 25058-3485 |
| 6.875 | 8.500 | 0.750 | 53 | 21086-3485 |
| 6.875 | 8.750 | 0.625 | 53 | 21086-3488 |
| 6.889 | 7.874 | 0.472 | 23 | 25003-1709 |
| 6.889 | 7.874 | 0.500 | 23 | 25003-3251 |
| 6.889 | 7.874 | 0.591 | 23 | 25003-4624 |
| 6.889 | 7.889 | 0.500 | 23 | 25003-1869 |
| 6.889 | 8.465 | 0.629 | 53 | 21086-7495 |
| 6.890 | 8.071 | 0.591 | 23 | 25003-2457 |
| 6.890 | 8.465 | 0.625 | 23 | 25003-1388 |
| 6.906 | 8.156 | 0.625 | 23 | 25003-6597 |
| 6.937 | 7.937 | 0.500 | 23 | 25003-6373 |
| 6.937 | 8.000 | 0.625 | 23 | 25003-5731 |
| 6.937 | 8.062 | 0.500 | 23 | 25003-6258 |
| **6.937** | **8.125** | **0.625** | **53** | **21086-4477** |
| 6.937 | 8.125 | 0.750 | 23 | 25003-3490 |
| 6.937 | 8.375 | 0.625 | 53 | 21086-4478 |
| 6.937 | 8.437 | 0.500 | 23 | 25003-7378 |
| 6.937 | 8.500 | 0.625 | 23 | 25003-4479 |
| 6.937 | 8.500 | 0.625 | 53 | 21086-4479 |
| 6.937 | 9.000 | 0.500 | 94 | 27223-9047 |
| 6.938 | 8.000 | 0.625 | 26 | 24600-3511 |
| 6.938 | 8.125 | 0.625 | 23 | 25003-4477 |
| 6.938 | 8.375 | 0.625 | 23 | 25003-4478 |
| 6.938 | 8.383 | 1.249 | IGSPB | 29516-7107 |
| 6.938 | 8.383 | 1.312 | IGSPB | 29516-7109 |
| 6.950 | 8.125 | 0.750 | 23 | 25003-4730 |
| 7.000 | 7.875 | 0.375 | 23 | 25003-1017 |
| 7.000 | 8.000 | 0.375 | 23 | 25003-3257 |
| 7.000 | 8.000 | 0.437 | 26 | 24600-3452 |
| 7.000 | 8.000 | 0.438 | 23 | 25003-3502 |
| 7.000 | 8.000 | 0.500 | 23 | 25003-6374 |
| 7.000 | 8.000 | 0.500 | 25 | 25058-6374 |
| 7.000 | 8.000 | 0.500 | 26R1 | 24620-6374 |
| 7.000 | 8.000 | 0.500 | 61 | 24060-6374 |
| 7.000 | 8.000 | 0.500 | 61 | 24064-6374 |
| 7.000 | 8.000 | 0.625 | 23 | 25003-3492 |
| 7.000 | 8.000 | 0.625 | 26 | 24600-3492 |
| **7.000** | **8.000** | **0.625** | **53** | **21086-3492** |
| 7.000 | 8.000 | 0.625 | 59 | 24700-3492 |
| 7.000 | 8.000 | 0.625 | 62 | 21702-3492 |
| 7.000 | 8.000 | 0.750 | IG | 29502-3453 |
| 7.000 | 8.000 | 0.844 | 53F1 | 22987-6433 |
| 7.000 | 8.000 | 0.844 | 53R1 | 22537-6433 |
| 7.000 | 8.125 | 0.625 | 23 | 25003-3494 |
| 7.000 | 8.125 | 0.625 | 26 | 24600-3494 |
| **7.000** | **8.125** | **0.625** | **53** | **21086-3494** |
| 7.000 | 8.125 | 0.750 | 23 | 25003-3495 |
| 7.000 | 8.125 | 0.750 | 53 | 21086-3495 |
| 7.000 | 8.187 | 0.625 | 23 | 25003-3094 |
| 7.000 | 8.250 | 0.500 | 23 | 25003-4924 |
| 7.000 | 8.250 | 0.625 | 23 | 25003-3496 |
| 7.000 | 8.250 | 0.625 | 25 | 25058-3496 |
| **7.000** | **8.250** | **0.625** | **53** | **21086-3496** |
| 7.000 | 8.250 | 0.750 | 23 | 25003-3497 |
| 7.000 | 8.250 | 0.750 | 25 | 25058-3497 |
| 7.000 | 8.250 | 0.750 | IG | 29502-3497 |
| 7.000 | 8.375 | 0.500 | 23 | 25003-6163 |
| 7.000 | 8.375 | 0.625 | 23 | 25003-3498 |
| 7.000 | 8.375 | 0.625 | 53 | 21086-3498 |
| 7.000 | 8.375 | 0.688 | 23 | 25003-4774 |
| 7.000 | 8.375 | 0.750 | 23 | 25003-3499 |
| 7.000 | 8.375 | 0.750 | 58 | 21003-3499 |
| 7.000 | 8.375 | 1.375 | EQSPB | 24816-7015 |
| 7.000 | 8.383 | 1.062 | IGSPB | 29516-7075 |
| 7.000 | 8.406 | 0.588 | 23 | 25003-8434 |
| 7.000 | 8.450 | 0.562 | 23 | 25003-0983 |
| 7.000 | 8.500 | 0.500 | 23 | 25003-6375 |
| 7.000 | 8.500 | 0.500 | 24 | 25005-6375 |
| 7.000 | 8.500 | 0.500 | 25 | 25058-6375 |
| 7.000 | 8.500 | 0.625 | 23 | 25003-3500 |
| 7.000 | 8.500 | 0.625 | 25 | 25058-3500 |
| 7.000 | 8.500 | 0.625 | 26 | 24600-3500 |
| **7.000** | **8.500** | **0.625** | **53** | **21086-3500** |
| 7.000 | 8.500 | 0.625 | 59 | 24700-3500 |
| 7.000 | 8.500 | 0.750 | 23 | 25003-3501 |
| 7.000 | 8.500 | 0.750 | 25 | 25058-3501 |
| 7.000 | 8.500 | 0.750 | 53 | 21086-3501 |
| 7.000 | 8.500 | 0.750 | IG | 29500-3501 |
| 7.000 | 8.500 | 0.875 | 53R2 | 22627-7360 |
| 7.000 | 8.500 | 0.969 | 53F1 | 22987-6437 |
| 7.000 | 8.500 | 0.969 | 53R2 | 22627-6437 |
| **7.000** | **8.750** | **0.625** | **53** | **21086-3504** |
| 7.000 | 13.500 | 0.750 | 54 | 21140-6024 |
| 7.007 | 8.582 | 0.629 | 26 | 24600-4227 |
| 7.010 | 8.510 | 0.500 | 23 | 25003-2064 |
| 7.059 | 8.249 | 0.625 | 23 | 25003-3109 |
| 7.062 | 8.062 | 0.500 | 23 | 25003-7674 |
| 7.062 | 8.062 | 0.625 | 23 | 25003-9262 |
| 7.062 | 8.562 | 0.500 | 23 | 25003-9244 |
| 7.062 | 8.562 | 0.500 | 24 | 25005-9244 |
| 7.062 | 8.562 | 0.750 | 23 | 25003-9805 |
| 7.078 | 8.562 | 0.500 | 23 | 25003-5629 |
| 7.078 | 8.578 | 0.625 | 23 | 25003-6841 |
| 7.086 | 8.086 | 0.500 | 23 | 25003-4826 |
| 7.086 | 8.267 | 0.492 | 23 | 25003-5336 |
| **7.086** | **8.267** | **0.590** | **26R1** | **24620-3920** |
| 7.086 | 8.267 | 0.591 | 23 | 25003-7807 |
| 7.086 | 8.385 | 0.547 | 23 | 25003-5371 |
| 7.086 | 8.500 | 0.625 | 23 | 25003-4449 |
| 7.086 | 8.586 | 0.750 | 23 | 25003-9858 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 7.087 | 7.874 | 0.591 | 26 | 24600-5919 |
| 7.087 | 7.961 | 0.472 | 23 | 25003-1433 |
| 7.087 | 8.071 | 0.512 | 23 | 25003-1616 |
| 7.087 | 8.071 | 0.625 | IG | 29519-5783 |
| 7.087 | 8.267 | 0.591 | 53 | 21086-7807 |
| 7.087 | 8.268 | 0.472 | 23 | 25003-2828 |
| 7.087 | 8.268 | 0.591 | 61 | 24060-7807 |
| 7.087 | 8.268 | 0.591 | 61 | 24064-7807 |
| 7.087 | 8.268 | 0.630 | 23 | 25003-3920 |
| 7.087 | 8.268 | 0.630 | 26 | 24600-3920 |
| 7.087 | 8.465 | 0.625 | EQ | 24802-5625 |
| 7.087 | 8.661 | 0.625 | 23 | 25003-9994 |
| 7.090 | 8.334 | 0.500 | 23 | 25003-0856 |
| 7.125 | 8.000 | 0.375 | 61 | 24060-1724 |
| 7.125 | 8.125 | 0.500 | 23 | 25003-4561 |
| 7.125 | 8.125 | 0.500 | 53 | 21086-4561 |
| 7.125 | 8.125 | 0.500 | 113 | 21012-4561 |
| 7.125 | 8.125 | 0.625 | 23 | 25003-3506 |
| **7.125** | **8.125** | **0.625** | **53** | **21086-3506** |
| 7.125 | 8.250 | 0.469 | 23 | 25003-6402 |
| 7.125 | 8.250 | 0.500 | 23 | 25003-7740 |
| 7.125 | 8.250 | 0.625 | 23 | 25003-3508 |
| **7.125** | **8.250** | **0.625** | **53** | **21086-3508** |
| 7.125 | 8.250 | 0.969 | 53T2 | 22897-6691 |
| 7.125 | 8.375 | 0.500 | 61 | 24060-2404 |
| 7.125 | 8.375 | 0.625 | 23 | 25003-3510 |
| 7.125 | 8.375 | 0.625 | 53 | 21086-3510 |
| 7.125 | 8.500 | 0.500 | 61 | 24060-1731 |
| 7.125 | 8.500 | 0.625 | 23 | 25003-3512 |
| 7.125 | 8.500 | 0.625 | 26 | 24600-3512 |
| 7.125 | 8.500 | 0.625 | 53 | 21086-3512 |
| 7.125 | 8.500 | 0.625 | 59 | 24700-3512 |
| 7.125 | 8.500 | 1.094 | 53R2 | 22627-8667 |
| 7.125 | 8.625 | 0.437 | 23 | 25003-1464 |
| 7.125 | 8.625 | 0.500 | 24 | 25005-8173 |
| **7.125** | **8.625** | **0.625** | **53** | **21086-3514** |
| 7.125 | 8.625 | 0.750 | 23 | 25003-3515 |
| 7.125 | 8.625 | 0.750 | 25 | 25058-3515 |
| 7.125 | 8.625 | 0.750 | 53 | 21086-3515 |
| 7.125 | 8.625 | 0.750 | 26R1 | 24620-3515 |
| 7.125 | 8.625 | 0.750 | 58 | 21003-3515 |
| 7.125 | 8.625 | 1.094 | 53R1 | 22537-6089 |
| 7.125 | 8.750 | 0.625 | 53 | 21086-3516 |
| 7.125 | 8.750 | 0.750 | 25 | 25058-3526 |
| 7.187 | 8.187 | 0.500 | 23 | 25003-7812 |
| 7.187 | 8.437 | 0.500 | 23 | 25003-1734 |
| 7.187 | 8.562 | 0.625 | 23 | 25003-4886 |
| 7.187 | 8.639 | 0.625 | 23 | 25003-8580 |
| 7.187 | 8.686 | 0.625 | 23 | 25003-7811 |
| 7.188 | 8.437 | 0.625 | 23 | 25003-3521 |
| 7.188 | 8.438 | 0.500 | 61 | 24060-1734 |
| 7.188 | 8.570 | 0.980 | EQSPB | 24816-7132 |
| 7.188 | 8.640 | 0.625 | 26 | 24600-5273 |
| 7.207 | 8.225 | 0.500 | 23 | 25003-9956 |
| 7.250 | 7.625 | 0.625 | IG | 29507-5724 |
| 7.250 | 8.000 | 0.312 | 71 | 26001-9565 |
| 7.250 | 8.250 | 0.375 | 23 | 25003-6861 |
| 7.250 | 8.250 | 0.437 | 23 | 25003-6175 |
| 7.250 | 8.250 | 0.438 | 26 | 24600-6175 |
| 7.250 | 8.250 | 0.500 | 23 | 25003-6376 |
| 7.250 | 8.250 | 0.500 | 25 | 25058-6376 |
| 7.250 | 8.250 | 0.625 | 23 | 25003-3518 |
| **7.250** | **8.250** | **0.625** | **53** | **21086-3518** |
| 7.250 | 8.250 | 0.625 | 26R1 | 24620-3518 |
| 7.250 | 8.250 | 0.625 | 62 | 21702-3518 |
| 7.250 | 8.250 | 0.625 | EQ | 24801-3518 |
| 7.250 | 8.250 | 0.750 | 53 | 21086-3519 |
| 7.250 | 8.250 | 1.156 | 53R1 | 22537-9087 |
| 7.250 | 8.250 | 1.219 | 53T2 | 22897-7920 |
| 7.250 | 8.250 | 1.344 | 53R2 | 22627-5500 |
| 7.250 | 8.375 | 0.625 | 53 | 21086-3520 |
| 7.250 | 8.375 | 1.125 | 53R2 | 22627-7707 |
| 7.250 | 8.437 | 0.590 | 23 | 25003-6556 |
| 7.250 | 8.500 | 0.500 | 23 | 25003-6377 |
| 7.250 | 8.500 | 0.500 | 25 | 25058-6377 |
| 7.250 | 8.500 | 0.500 | 61 | 24060-6377 |
| 7.250 | 8.500 | 0.625 | 23 | 25003-3522 |
| 7.250 | 8.500 | 0.625 | 25 | 25058-3522 |
| 7.250 | 8.500 | 0.625 | 26 | 24600-3522 |
| **7.250** | **8.500** | **0.625** | **53** | **21086-3522** |
| 7.250 | 8.500 | 0.625 | 62 | 21702-3522 |
| 7.250 | 8.500 | 0.625 | 87 | 26080-3522 |
| 7.250 | 8.500 | 0.625 | 88 | 26088-3522 |
| 7.250 | 8.500 | 0.625 | 88NS | 26188-3522 |
| 7.250 | 8.500 | 0.750 | 21 | 25001-3523 |
| 7.250 | 8.500 | 0.750 | 23 | 25003-3523 |
| 7.250 | 8.500 | 0.750 | 53 | 21086-3523 |
| 7.250 | 8.500 | 1.094 | 53R2 | 22627-8546 |
| 7.250 | 8.625 | 0.625 | 23 | 25003-3524 |
| 7.250 | 8.625 | 0.625 | 53 | 21086-3524 |
| 7.250 | 8.625 | 0.750 | 23 | 25003-3525 |
| 7.250 | 8.702 | 0.609 | 23 | 25003-1868 |
| 7.250 | 8.750 | 0.500 | 23 | 25003-6251 |
| 7.250 | 8.750 | 0.625 | 23 | 25003-3526 |
| **7.250** | **8.750** | **0.625** | **53** | **21086-3526** |
| 7.250 | 8.750 | 0.625 | EQ | 24802-1239 |
| 7.250 | 8.750 | 0.750 | 23 | 25003-3527 |
| 7.250 | 8.750 | 0.750 | 53 | 21086-3527 |
| 7.250 | 8.750 | 0.750 | 59 | 24700-3527 |
| 7.250 | 8.750 | 0.875 | 58 | 21003-2692 |
| 7.250 | 9.000 | 0.500 | 61 | 24060-1739 |
| 7.256 | 8.756 | 0.500 | 23 | 25003-2065 |
| 7.283 | 8.268 | 0.500 | 23 | 25003-0801 |
| 7.283 | 8.283 | 0.500 | 23 | 25003-2081 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 7.283 | 8.464 | 0.590 | 23 | 25003-2643 |
| 7.283 | 8.850 | 0.625 | 59 | 24700-0001 |
| 7.312 | 8.375 | 0.625 | 53 | 21086-4492 |
| 7.312 | 8.375 | 0.625 | 62 | 21702-4492 |
| 7.312 | 8.437 | 0.562 | 53 | 21086-6888 |
| 7.313 | 8.438 | 0.563 | 26 | 24600-1714 |
| 7.375 | 8.250 | 0.438 | 23 | 25003-0953 |
| 7.375 | 8.375 | 0.437 | 23 | 25003-6182 |
| 7.375 | 8.375 | 0.437 | 26 | 24600-6182 |
| 7.375 | 8.375 | 0.500 | 23 | 25003-4921 |
| 7.375 | 8.375 | 0.500 | 25 | 25058-4921 |
| 7.375 | 8.375 | 0.625 | 23 | 25003-3528 |
| **7.375** | **8.375** | **0.625** | **53** | **21086-3528** |
| 7.375 | 8.375 | 0.637 | 88 | 26088-9126 |
| 7.375 | 8.375 | 0.637 | 88NS | 26188-9126 |
| 7.375 | 8.375 | 0.750 | 53 | 21086-3529 |
| 7.375 | 8.500 | 0.500 | 23 | 25003-1308 |
| 7.375 | 8.500 | 0.625 | 23 | 25003-3530 |
| **7.375** | **8.500** | **0.625** | **53** | **21086-3530** |
| 7.375 | 8.625 | 0.625 | 23 | 25003-3532 |
| 7.375 | 8.625 | 0.625 | 53 | 21086-3532 |
| 7.375 | 8.625 | 0.750 | 23 | 25003-3533 |
| 7.375 | 8.625 | 0.750 | IG | 29502-5746 |
| 7.375 | 8.750 | 0.625 | 53 | 21086-3534 |
| 7.375 | 8.875 | 0.625 | 23 | 25003-3536 |
| **7.375** | **8.875** | **0.625** | **53** | **21086-3536** |
| 7.375 | 8.875 | 0.625 | 62 | 21702-3536 |
| 7.375 | 8.875 | 0.750 | 23 | 25003-3537 |
| 7.375 | 9.000 | 0.625 | 23 | 25003-3538 |
| 7.375 | 9.000 | 0.625 | 53 | 21086-3538 |
| 7.375 | 9.125 | 0.625 | 53 | 21086-3540 |
| 7.375 | 9.250 | 0.625 | 53 | 21086-3542 |
| 7.402 | 8.583 | 0.591 | 26 | 24600-2145 |
| 7.437 | 8.437 | 0.500 | 23 | 25003-7847 |
| 7.437 | 8.500 | 0.625 | 23 | 25003-7443 |
| 7.437 | 8.687 | 0.625 | 23 | 25003-9846 |
| 7.437 | 8.937 | 0.750 | 23 | 25003-9792 |
| 7.437 | 8.945 | 1.115 | IGSPB | 29516-7146 |
| 7.437 | 8.945 | 1.375 | EQSPB | 24816-7111 |
| 7.437 | 8.945 | 1.540 | EQSPB | 24816-7120 |
| 7.438 | 8.500 | 0.500 | 23 | 25003-1965 |
| 7.440 | 8.858 | 0.629 | 26R1 | 24620-3923 |
| 7.441 | 9.875 | 0.512 | 26 | 24600-1716 |
| 7.468 | 8.468 | 0.688 | 59 | 24700-5324 |
| 7.480 | 8.425 | 0.472 | 23 | 25003-1290 |
| 7.480 | 8.464 | 0.629 | 26 | 24600-4997 |
| 7.480 | 8.465 | 0.500 | 23 | 25003-2581 |
| 7.480 | 8.480 | 0.500 | 23 | 25003-2679 |
| 7.480 | 8.661 | 0.472 | 23 | 25003-0504 |
| 7.480 | 8.661 | 0.492 | 23 | 25003-5333 |
| 7.480 | 8.661 | 0.591 | 23 | 25003-8049 |
| 7.480 | 8.661 | 0.591 | 53 | 21086-8049 |
| 7.480 | 8.661 | 0.591 | 59 | 24700-2043 |
| 7.480 | 8.661 | 0.591 | 61 | 24060-8049 |
| 7.480 | 8.661 | 0.630 | 23 | 25003-1379 |
| 7.480 | 8.661 | 0.750 | IG | 29500-4756 |
| 7.480 | 8.677 | 0.500 | 23 | 25003-2866 |
| 7.480 | 8.729 | 0.625 | 23 | 25003-1690 |
| 7.480 | 8.858 | 0.629 | 23 | 25003-3911 |
| 7.480 | 8.858 | 0.630 | 26R1 | 24620-1036 |
| 7.480 | 8.980 | 0.750 | 23 | 25003-1316 |
| 7.480 | 9.055 | 0.630 | 23 | 25003-1214 |
| 7.480 | 9.250 | 0.630 | 26 | 24600-3758 |
| 7.500 | 8.375 | 0.500 | 23 | 25003-8252 |
| 7.500 | 8.464 | 0.625 | 53 | 21086-5115 |
| 7.500 | 8.500 | 0.500 | 21 | 25001-6378 |
| 7.500 | 8.500 | 0.500 | 23 | 25003-6378 |
| 7.500 | 8.500 | 0.500 | 61 | 24060-6378 |
| 7.500 | 8.500 | 0.625 | 23 | 25003-3544 |
| 7.500 | 8.500 | 0.625 | 26 | 24600-3544 |
| **7.500** | **8.500** | **0.625** | **53** | **21086-3544** |
| 7.500 | 8.500 | 0.625 | 59 | 24700-3544 |
| 7.500 | 8.500 | 0.625 | 62 | 21702-3544 |
| 7.500 | 8.500 | 0.750 | 142 | 21432-3545 |
| 7.500 | 8.500 | 1.094 | 53R1 | 22537-8384 |
| 7.500 | 8.625 | 0.625 | 23 | 25003-3546 |
| **7.500** | **8.625** | **0.625** | **53** | **21086-3546** |
| 7.500 | 8.750 | 0.500 | 23 | 25003-7180 |
| 7.500 | 8.750 | 0.625 | 23 | 25003-3548 |
| **7.500** | **8.750** | **0.625** | **53** | **21086-3548** |
| 7.500 | 8.750 | 0.625 | 59 | 24700-3548 |
| 7.500 | 8.875 | 0.500 | 23 | 25003-4889 |
| 7.500 | 8.875 | 0.625 | 53 | 21086-3550 |
| 7.500 | 9.000 | 0.500 | 23 | 25003-6773 |
| 7.500 | 9.000 | 0.500 | 24 | 25005-6773 |
| 7.500 | 9.000 | 0.625 | 23 | 25003-3552 |
| 7.500 | 9.000 | 0.625 | 25 | 25058-3552 |
| 7.500 | 9.000 | 0.625 | 26 | 24600-3552 |
| **7.500** | **9.000** | **0.625** | **53** | **21086-3552** |
| 7.500 | 9.000 | 0.625 | 59 | 24700-3552 |
| 7.500 | 9.000 | 0.625 | 62 | 21702-3552 |
| 7.500 | 9.000 | 0.625 | EQ | 24802-3552 |
| 7.500 | 9.000 | 0.625 | IG | 29519-3552 |
| 7.500 | 9.000 | 0.718 | 53F1 | 22987-9584 |
| 7.500 | 9.000 | 0.750 | 23 | 25003-3553 |
| 7.500 | 9.000 | 0.750 | 26 | 24600-3553 |
| 7.500 | 9.000 | 0.750 | 53 | 21086-3553 |
| 7.500 | 9.000 | 0.750 | IG | 29500-3553 |
| 7.500 | 9.000 | 0.750 | IG | 29502-3553 |
| 7.500 | 9.000 | 0.844 | 53F1 | 22987-7233 |
| 7.500 | 9.000 | 1.343 | 53R1 | 22537-6564 |
| 7.500 | 9.125 | 0.625 | 23 | 25003-3554 |
| 7.500 | 9.125 | 0.625 | 53 | 21086-3554 |
| 7.500 | 9.125 | 0.750 | 21 | 25001-3555 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 7.500 | 9.125 | 0.750 | 53 | 21086-3555 |
| **7.500** | **9.250** | **0.625** | **53** | **21086-3556** |
| 7.500 | 9.250 | 0.750 | 21 | 25001-3557 |
| 7.500 | 9.250 | 0.937 | 53F1 | 22987-5234 |
| **7.500** | **9.250** | **1.218** | **53R2** | **22627-6596** |
| 7.500 | 9.250 | 1.344 | 53R2 | 22627-4942 |
| 7.519 | 9.019 | 0.750 | 23 | 25003-9065 |
| 7.530 | 8.780 | 0.625 | 23 | 25003-5638 |
| 7.562 | 9.062 | 0.750 | 23 | 25003-5241 |
| 7.562 | 9.065 | 0.750 | 23 | 25003-5578 |
| 7.600 | 8.894 | 0.750 | 23 | 25003-2688 |
| 7.620 | 9.120 | 0.750 | 23 | 25003-9895 |
| 7.625 | 8.500 | 0.500 | 23 | 25003-2106 |
| 7.625 | 8.625 | 0.500 | 23 | 25003-7367 |
| 7.625 | 8.625 | 0.625 | 23 | 25003-3558 |
| **7.625** | **8.625** | **0.625** | **53** | **21086-3558** |
| 7.625 | 8.625 | 0.625 | 62 | 21702-3558 |
| 7.625 | 8.750 | 0.625 | 53 | 21086-3560 |
| 7.625 | 8.750 | 0.625 | 59 | 24700-2992 |
| 7.625 | 8.875 | 0.625 | 23 | 25003-3562 |
| **7.625** | **8.875** | **0.625** | **53** | **21086-3562** |
| 7.625 | 9.000 | 0.625 | 23 | 25003-3564 |
| 7.625 | 9.000 | 0.625 | 53 | 21086-3564 |
| 7.625 | 9.000 | 0.750 | 53 | 21086-3565 |
| 7.625 | 9.125 | 0.500 | 24 | 25005-5630 |
| 7.625 | 9.125 | 0.625 | 23 | 25003-3566 |
| 7.625 | 9.125 | 0.625 | 25 | 25058-3566 |
| 7.625 | 9.125 | 0.625 | 26 | 24600-3566 |
| **7.625** | **9.125** | **0.625** | **53** | **21086-3566** |
| 7.625 | 9.125 | 0.625 | 87 | 26080-3566 |
| 7.625 | 9.125 | 0.750 | 23 | 25003-3567 |
| 7.625 | 9.125 | 0.750 | 53 | 21086-3567 |
| 7.625 | 9.188 | 0.625 | 23 | 25003-2614 |
| 7.625 | 9.250 | 0.625 | 53 | 21086-3568 |
| 7.667 | 9.055 | 0.591 | 23 | 25003-7320 |
| 7.677 | 9.055 | 0.591 | 59 | 24700-2183 |
| 7.687 | 9.187 | 0.750 | 23 | 25003-9340 |
| 7.716 | 8.661 | 0.472 | 23 | 25003-0980 |
| 7.725 | 9.375 | 0.750 | 21 | 25001-7912 |
| 7.750 | 8.750 | 0.437 | 23 | 25003-6185 |
| 7.750 | 8.750 | 0.437 | 26 | 24600-6185 |
| 7.750 | 8.750 | 0.438 | 88 | 26088-6185 |
| 7.750 | 8.750 | 0.438 | 88NS | 26188-6185 |
| 7.750 | 8.750 | 0.500 | 23 | 25003-6379 |
| 7.750 | 8.750 | 0.625 | 23 | 25003-3570 |
| **7.750** | **8.750** | **0.625** | **53** | **21086-3570** |
| 7.750 | 8.750 | 0.625 | 59 | 24700-1895 |
| 7.750 | 8.750 | 1.094 | 53R2 | 22627-8686 |
| 7.750 | 8.750 | 1.156 | 53R2 | 22627-6954 |
| 7.750 | 8.812 | 0.500 | 23 | 25003-3217 |
| 7.750 | 8.875 | 0.625 | 53 | 21086-3572 |
| 7.750 | 8.875 | 0.750 | 23 | 25003-3573 |
| 7.750 | 8.938 | 0.625 | 23 | 25003-7744 |
| 7.750 | 9.000 | 0.500 | 23 | 25003-6759 |
| 7.750 | 9.000 | 0.625 | 23 | 25003-3574 |
| **7.750** | **9.000** | **0.625** | **53** | **21086-3574** |
| 7.750 | 9.000 | 0.750 | 23 | 25003-2391 |
| 7.750 | 9.125 | 0.625 | 23 | 25003-3576 |
| 7.750 | 9.125 | 0.625 | 53 | 21086-3576 |
| 7.750 | 9.250 | 0.500 | 24 | 25005-9798 |
| 7.750 | 9.250 | 0.625 | 23 | 25003-3578 |
| 7.750 | 9.250 | 0.625 | 25 | 25058-3578 |
| 7.750 | 9.250 | 0.625 | 26 | 24600-3578 |
| **7.750** | **9.250** | **0.625** | **53** | **21086-3578** |
| 7.750 | 9.250 | 0.625 | 59 | 24700-3578 |
| 7.750 | 9.250 | 0.625 | 62 | 21702-3578 |
| 7.750 | 9.250 | 0.750 | 23 | 25003-3579 |
| 7.750 | 9.250 | 0.750 | 53 | 21086-3579 |
| 7.750 | 9.250 | 0.844 | 53F1 | 22987-7241 |
| 7.750 | 9.250 | 0.875 | 53R2 | 22627-7358 |
| 7.750 | 9.250 | 0.969 | 53T2 | 22897-4876 |
| 7.750 | 10.250 | 0.500 | 26 | 24600-3136 |
| 7.760 | 8.875 | 0.500 | 23 | 25003-4833 |
| 7.800 | 8.800 | 0.500 | 23 | 25003-1152 |
| 7.812 | 8.812 | 0.438 | 23 | 25003-3581 |
| 7.812 | 8.812 | 0.500 | 23 | 25003-8578 |
| 7.812 | 9.000 | 0.625 | 23 | 25003-1288 |
| 7.812 | 9.062 | 0.625 | 23 | 25003-9861 |
| 7.812 | 9.250 | 0.500 | 23 | 25003-2156 |
| 7.812 | 9.312 | 0.750 | 23 | 25003-6016 |
| 7.854 | 8.854 | 0.500 | 23 | 25003-4990 |
| 7.874 | 8.816 | 0.500 | 23 | 25003-4860 |
| 7.874 | 8.858 | 0.591 | 23 | 25003-1949 |
| 7.874 | 8.874 | 0.750 | IG | 29500-5158 |
| 7.874 | 9.055 | 0.492 | 23 | 25003-5337 |
| 7.874 | 9.055 | 0.500 | 53 | 21086-4834 |
| 7.874 | 9.055 | 0.551 | 23 | 25003-3914 |
| **7.874** | **9.055** | **0.551** | **26** | **24600-3914** |
| 7.874 | 9.055 | 0.551 | 26R1 | 24620-3914 |
| 7.874 | 9.055 | 0.590 | 26R1 | 24620-7388 |
| 7.874 | 9.055 | 0.591 | 23 | 25003-7388 |
| 7.874 | 9.055 | 0.591 | 53 | 21086-7388 |
| 7.874 | 9.055 | 0.591 | 58 | 21003-7388 |
| 7.874 | 9.055 | 0.591 | 59 | 24700-7388 |
| 7.874 | 9.055 | 0.591 | 61 | 24060-7388 |
| 7.874 | 9.055 | 0.591 | 61 | 24064-7388 |
| 7.874 | 9.055 | 0.630 | 59 | 24700-5317 |
| 7.874 | 9.252 | 0.625 | 26 | 24600-3908 |
| 7.874 | 9.374 | 0.752 | 23 | 25003-2500 |
| 7.874 | 9.448 | 0.618 | 23 | 25003-5372 |
| 7.874 | 9.448 | 0.629 | 23 | 25003-8420 |
| 7.874 | 9.448 | 0.787 | 26R1 | 24620-3916 |
| 7.874 | 9.449 | 0.787 | 26 | 24600-3916 |
| 7.874 | 9.875 | 0.625 | 21 | 25001-6973 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 7.874 | 9.875 | 0.625 | 23 | 25003-6973 |
| 7.875 | 8.875 | 0.375 | 23 | 25003-5605 |
| 7.875 | 8.875 | 0.500 | 23 | 25003-6492 |
| 7.875 | 8.875 | 0.625 | 23 | 25003-3580 |
| **7.875** | **8.875** | **0.625** | **53** | **21086-3580** |
| 7.875 | 8.875 | 0.625 | 66 | 21527-3580 |
| 7.875 | 8.937 | 0.500 | 23 | 25003-5789 |
| 7.875 | 9.000 | 0.438 | 26 | 24600-3811 |
| 7.875 | 9.000 | 0.500 | 23 | 25003-6844 |
| **7.875** | **9.000** | **0.625** | **53** | **21086-3582** |
| 7.875 | 9.000 | 0.625 | 66 | 21527-3582 |
| 7.875 | 9.056 | 0.375 | 23 | 25003-6000 |
| 7.875 | 9.125 | 0.375 | 23 | 25003-7108 |
| 7.875 | 9.125 | 0.500 | 23 | 25003-6647 |
| 7.875 | 9.125 | 0.625 | 23 | 25003-3584 |
| 7.875 | 9.125 | 0.625 | 25 | 25058-3584 |
| 7.875 | 9.125 | 0.625 | 53 | 21086-3584 |
| 7.875 | 9.125 | 0.625 | 66 | 21527-3584 |
| 7.875 | 9.250 | 0.625 | 23 | 25003-3586 |
| 7.875 | 9.250 | 0.625 | 53 | 21086-3586 |
| 7.875 | 9.250 | 0.625 | 66 | 21527-3586 |
| 7.875 | 9.250 | 0.750 | 23 | 25003-3587 |
| 7.875 | 9.281 | 0.750 | 23 | 25003-6926 |
| 7.875 | 9.375 | 0.500 | 24 | 25005-9934 |
| 7.875 | 9.375 | 0.625 | 23 | 25003-3588 |
| **7.875** | **9.375** | **0.625** | **53** | **21086-3588** |
| 7.875 | 9.375 | 0.625 | 59 | 24700-3588 |
| 7.875 | 9.375 | 0.625 | 66 | 21527-3588 |
| 7.875 | 9.375 | 0.625 | EQ | 24801-3588 |
| 7.875 | 9.375 | 0.687 | 64 | 21238-9176 |
| 7.875 | 9.375 | 0.750 | 23 | 25003-3589 |
| 7.875 | 9.375 | 0.750 | 26 | 24600-3589 |
| 7.875 | 9.375 | 0.750 | 53 | 21086-3589 |
| 7.875 | 9.375 | 0.750 | IG | 29500-3589 |
| 7.875 | 9.375 | 0.969 | 53R2 | 22627-5932 |
| 7.875 | 9.375 | 0.969 | 53T2 | 22897-5932 |
| 7.875 | 9.375 | 1.141 | 53T2 | 22897-9472 |
| 7.875 | 9.500 | 0.625 | 23 | 25003-1107 |
| 7.875 | 9.500 | 0.750 | 21 | 25001-9835 |
| 7.937 | 8.937 | 0.500 | 23 | 25003-7661 |
| 7.937 | 8.937 | 0.750 | 142 | 21432-4463 |
| 7.937 | 9.000 | 0.500 | 23 | 25003-1061 |
| 7.937 | 9.125 | 0.625 | 23 | 25003-3590 |
| **7.937** | **9.125** | **0.625** | **53** | **21086-3590** |
| 7.937 | 9.187 | 0.625 | 23 | 25003-9955 |
| 7.937 | 9.250 | 0.625 | 23 | 25003-2575 |
| 7.937 | 9.437 | 0.750 | 23 | 25003-7133 |
| 7.937 | 10.125 | 0.500 | 94 | 27223-9307 |
| 7.938 | 8.875 | 0.500 | 23 | 25003-4763 |
| 7.938 | 9.125 | 0.969 | 53F1 | 22987-4978 |
| 7.960 | 9.460 | 0.625 | 23 | 25003-5685 |
| 7.971 | 9.000 | 0.375 | 23 | 25003-3930 |
| 7.985 | 9.000 | 0.375 | 23 | 25003-3966 |
| 8.000 | 8.875 | 0.437 | 23 | 25003-9578 |
| 8.000 | 8.875 | 0.437 | 26 | 24600-1775 |
| 8.000 | 8.875 | 0.437 | 76 | 26193-9578 |
| 8.000 | 9.000 | 0.437 | 23 | 25003-4822 |
| 8.000 | 9.000 | 0.500 | 23 | 25003-6380 |
| 8.000 | 9.000 | 0.500 | 24 | 25005-6380 |
| 8.000 | 9.000 | 0.500 | 25 | 25058-6380 |
| 8.000 | 9.000 | 0.625 | 23 | 25003-3592 |
| 8.000 | 9.000 | 0.625 | 26 | 24600-3592 |
| **8.000** | **9.000** | **0.625** | **53** | **21086-3592** |
| 8.000 | 9.000 | 0.625 | 62 | 21702-3592 |
| 8.000 | 9.000 | 0.750 | 53 | 21086-3593 |
| 8.000 | 9.000 | 0.969 | 53R2 | 22627-9165 |
| 8.000 | 9.000 | 1.156 | 53R1 | 22537-8751 |
| 8.000 | 9.000 | 1.344 | 53R2 | 22627-5651 |
| 8.000 | 9.125 | 0.500 | 23 | 25003-7577 |
| 8.000 | 9.125 | 0.625 | 23 | 25003-3594 |
| 8.000 | 9.125 | 0.625 | 26 | 24600-3594 |
| 8.000 | 9.125 | 0.625 | 53 | 21086-3594 |
| 8.000 | 9.125 | 0.750 | 23 | 25003-3595 |
| 8.000 | 9.250 | 0.437 | 23 | 25003-3199 |
| 8.000 | 9.250 | 0.500 | 23 | 25003-6510 |
| 8.000 | 9.250 | 0.625 | 23 | 25003-3596 |
| 8.000 | 9.250 | 0.625 | 25 | 25058-3596 |
| **8.000** | **9.250** | **0.625** | **53** | **21086-3596** |
| 8.000 | 9.250 | 0.625 | 59 | 24700-3596 |
| 8.000 | 9.250 | 0.625 | 61 | 24060-3596 |
| 8.000 | 9.250 | 0.625 | EQ | 24801-3596 |
| 8.000 | 9.250 | 0.750 | 23 | 25003-3597 |
| 8.000 | 9.250 | 0.750 | 53 | 21086-3597 |
| 8.000 | 9.250 | 0.750 | IG | 29502-9354 |
| 8.000 | 9.250 | 0.844 | 53F1 | 22987-6661 |
| 8.000 | 9.250 | 1.000 | 53R2 | 22627-5883 |
| 8.000 | 9.250 | 1.000 | 53T2 | 22897-5883 |
| 8.000 | 9.375 | 0.625 | 23 | 25003-3598 |
| 8.000 | 9.375 | 0.625 | 26 | 24600-3598 |
| 8.000 | 9.375 | 0.625 | 53 | 21086-3598 |
| 8.000 | 9.375 | 0.625 | 62 | 21702-3598 |
| 8.000 | 9.438 | 0.500 | 23 | 25003-9184 |
| 8.000 | 9.450 | 0.625 | 23 | 25003-1770 |
| 8.000 | 9.500 | 0.500 | 23 | 25003-7758 |
| 8.000 | 9.500 | 0.500 | 24 | 25005-7758 |
| 8.000 | 9.500 | 0.625 | 23 | 25003-3600 |
| **8.000** | **9.500** | **0.625** | **53** | **21086-3600** |
| 8.000 | 9.500 | 0.625 | 62 | 21702-3600 |
| 8.000 | 9.500 | 0.687 | 23 | 25003-3921 |
| 8.000 | 9.500 | 0.687 | 59 | 24700-3768 |
| 8.000 | 9.500 | 0.687 | 62 | 21702-3921 |
| **8.000** | **9.500** | **0.687** | **64** | **21238-3921** |
| 8.000 | 9.500 | 0.750 | 23 | 25003-3601 |
| 8.000 | 9.500 | 0.750 | 53 | 21086-3601 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 8.000 | 9.500 | 0.750 | 62 | 21702-3601 |
| 8.000 | 9.500 | 0.750 | IG | 29502-3601 |
| 8.000 | 9.500 | 0.969 | 53F1 | 22987-5260 |
| 8.000 | 9.500 | 0.969 | 53R1 | 22537-5260 |
| 8.000 | 9.500 | 1.094 | 53R1 | 22537-9485 |
| 8.000 | 9.592 | 0.609 | 23 | 25003-9520 |
| 8.000 | 9.625 | 0.750 | 53 | 21086-6381 |
| 8.000 | 9.750 | 0.750 | 53 | 21086-3922 |
| 8.000 | 9.750 | 1.406 | 53T2 | 22897-7370 |
| 8.000 | 9.875 | 0.812 | 21 | 25001-9418 |
| 8.000 | 9.910 | 0.750 | 21 | 25001-9756 |
| 8.000 | 10.000 | 0.625 | 59 | 24700-0002 |
| 8.000 | 10.000 | 0.625 | 62 | 21702-3003 |
| **8.000** | **10.000** | **0.687** | **53** | **21086-3924** |
| 8.000 | 10.000 | 0.750 | 21 | 25001-3925 |
| 8.000 | 10.000 | 0.750 | 53 | 21086-3925 |
| 8.000 | 10.000 | 0.812 | 21 | 25001-3926 |
| 8.000 | 10.000 | 1.000 | 53 | 21086-3602 |
| 8.000 | 10.000 | 1.375 | 53R2 | 22627-9970 |
| 8.000 | 14.750 | 0.625 | 54 | 21140-9750 |
| 8.062 | 9.000 | 0.500 | 23 | 25003-1295 |
| 8.062 | 9.062 | 0.463 | 23 | 25003-8805 |
| 8.062 | 9.312 | 0.500 | 23 | 25003-4810 |
| 8.062 | 9.312 | 0.625 | 23 | 25003-9874 |
| 8.062 | 9.562 | 0.500 | 26 | 24600-5192 |
| 8.062 | 9.562 | 0.750 | 23 | 25003-5009 |
| 8.062 | 10.000 | 1.000 | 62 | 21702-3927 |
| 8.063 | 10.062 | 1.000 | 59 | 24700-0003 |
| 8.070 | 9.258 | 0.591 | 26 | 24600-4611 |
| 8.125 | 9.125 | 0.437 | 23 | 25003-5384 |
| 8.125 | 9.125 | 0.500 | 23 | 25003-8175 |
| 8.125 | 9.187 | 0.500 | 23 | 25003-7869 |
| 8.125 | 9.250 | 0.625 | 23 | 25003-3298 |
| 8.125 | 9.625 | 0.500 | 24 | 25005-7861 |
| 8.125 | 9.625 | 0.750 | 23 | 25003-3928 |
| 8.125 | 9.625 | 0.750 | 53 | 21086-3928 |
| 8.125 | 10.000 | 1.000 | 53 | 21086-3603 |
| 8.125 | 10.125 | 0.625 | 59 | 24700-0004 |
| 8.125 | 10.125 | 0.687 | 64 | 21238-9712 |
| 8.125 | 10.125 | 0.750 | 21 | 25001-3932 |
| 8.125 | 10.125 | 0.750 | 53 | 21086-3932 |
| 8.125 | 10.125 | 0.750 | 62 | 21702-3932 |
| 8.125 | 10.125 | 1.281 | 53T2 | 22897-7786 |
| 8.125 | 10.135 | 0.750 | 59 | 24700-3816 |
| 8.187 | 9.187 | 0.500 | 23 | 25003-8418 |
| 8.187 | 9.312 | 0.500 | 23 | 25003-8234 |
| 8.187 | 9.687 | 0.500 | 23 | 25003-9473 |
| 8.189 | 9.370 | 0.591 | 26 | 24600-2147 |
| 8.214 | 9.464 | 0.500 | 23 | 25003-2598 |
| 8.250 | 9.250 | 0.437 | 23 | 25003-6204 |
| 8.250 | 9.250 | 0.500 | 23 | 25003-6382 |
| 8.250 | 9.250 | 0.625 | 23 | 25003-3604 |
| 8.250 | 9.250 | 0.625 | 26 | 24600-3817 |
| **8.250** | **9.250** | **0.625** | **53** | **21086-3604** |
| 8.250 | 9.250 | 0.625 | 59 | 24700-3817 |
| 8.250 | 9.250 | 0.625 | 62 | 21702-3604 |
| 8.250 | 9.250 | 0.750 | 142 | 21432-4483 |
| 8.250 | 9.312 | 0.437 | 23 | 25003-2970 |
| 8.250 | 9.375 | 0.500 | 23 | 25003-4760 |
| 8.250 | 9.375 | 0.625 | 53 | 21086-3605 |
| 8.250 | 9.500 | 0.500 | 23 | 25003-8451 |
| 8.250 | 9.500 | 0.625 | 21 | 25001-3606 |
| 8.250 | 9.500 | 0.625 | 23 | 25003-3606 |
| 8.250 | 9.500 | 0.625 | 26 | 24600-3606 |
| **8.250** | **9.500** | **0.625** | **53** | **21086-3606** |
| 8.250 | 9.500 | 0.625 | 59 | 24700-3606 |
| 8.250 | 9.500 | 0.750 | 23 | 25003-3818 |
| 8.250 | 9.500 | 0.750 | 87 | 26080-3818 |
| 8.250 | 9.500 | 0.844 | 53F1 | 22987-8729 |
| 8.250 | 9.500 | 1.125 | 53T2 | 22897-4545 |
| 8.250 | 9.688 | 0.750 | 23 | 25003-2647 |
| 8.250 | 9.750 | 0.500 | 23 | 25003-6247 |
| 8.250 | 9.750 | 0.500 | 24 | 25005-6247 |
| 8.250 | 9.750 | 0.625 | 23 | 25003-6684 |
| 8.250 | 9.750 | 0.750 | 23 | 25003-7157 |
| 8.250 | 10.000 | 0.750 | 59 | 24700-3819 |
| 8.250 | 10.250 | 0.625 | 59 | 24700-0005 |
| 8.250 | 10.250 | 0.750 | 21 | 25001-8967 |
| 8.250 | 10.250 | 0.750 | 26 | 24600-1068 |
| 8.250 | 10.250 | 0.750 | 59 | 24700-1068 |
| **8.250** | **10.250** | **0.812** | **64** | **21238-4499** |
| **8.250** | **10.250** | **1.000** | **53** | **21086-3607** |
| 8.250 | 10.250 | 1.218 | 53T2 | 22897-5179 |
| 8.250 | 10.250 | 1.875 | 53T2 | 22897-4681 |
| 8.250 | 10.260 | 0.687 | 87 | 26080-2268 |
| 8.250 | 10.500 | 0.875 | 59 | 24700-0006 |
| 8.250 | 11.500 | 0.750 | 59 | 24700-0007 |
| 8.260 | 9.142 | 0.375 | 23 | 25003-8265 |
| 8.267 | 9.448 | 0.590 | 23 | 25003-5338 |
| 8.267 | 9.448 | 0.590 | 26 | 24600-5338 |
| 8.267 | 9.448 | 0.590 | 26R1 | 24620-5338 |
| 8.267 | 9.842 | 0.551 | 53 | 21086-7887 |
| 8.267 | 9.842 | 0.618 | 21 | 25001-5373 |
| 8.267 | 9.842 | 0.630 | 21 | 25001-9521 |
| 8.268 | 9.449 | 0.472 | 23 | 25003-2833 |
| 8.268 | 9.803 | 0.866 | 26 | 24600-5231 |
| 8.312 | 9.562 | 0.625 | 23 | 25003-9889 |
| 8.313 | 9.313 | 0.500 | 23 | 25003-5161 |
| 8.375 | 9.375 | 0.500 | 23 | 25003-9548 |
| 8.375 | 9.500 | 0.625 | 23 | 25003-7344 |
| 8.375 | 9.500 | 0.750 | 23 | 25003-1721 |
| 8.375 | 9.625 | 0.500 | 23 | 25003-8776 |
| 8.375 | 9.625 | 0.625 | 23 | 25003-4893 |
| 8.375 | 9.750 | 0.625 | 23 | 25003-3007 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 8.375 | 9.750 | 0.625 | 59 | 24700-0008 |
| 8.375 | 9.750 | 0.750 | 23 | 25003-3608 |
| **8.375** | **9.750** | **0.750** | **53** | **21086-3608** |
| 8.375 | 9.750 | 0.750 | 59 | 24700-3631 |
| 8.375 | 9.750 | 0.750 | 62 | 21702-3608 |
| 8.375 | 9.750 | 1.156 | 53R1 | 22537-9618 |
| 8.375 | 9.875 | 0.375 | 23 | 25003-2727 |
| 8.375 | 9.875 | 0.500 | 23 | 25003-8452 |
| 8.375 | 9.875 | 0.500 | 24 | 25005-8452 |
| 8.375 | 9.875 | 0.625 | 23 | 25003-4799 |
| 8.375 | 9.875 | 0.625 | 25 | 25058-4799 |
| 8.375 | 9.875 | 0.625 | 59 | 24700-0009 |
| 8.375 | 9.875 | 0.687 | 23 | 25003-3933 |
| 8.375 | 9.875 | 0.687 | 53 | 21086-3933 |
| **8.375** | **9.875** | **0.687** | **64** | **21238-3933** |
| 8.375 | 9.875 | 0.688 | 26 | 24600-3933 |
| 8.375 | 9.875 | 0.750 | 23 | 25003-3934 |
| 8.375 | 9.875 | 0.750 | 53 | 21086-3934 |
| 8.375 | 9.875 | 0.750 | 88 | 26088-3934 |
| 8.375 | 9.875 | 0.750 | 88NS | 26188-3934 |
| 8.375 | 9.875 | 1.156 | 53R2 | 22627-5918 |
| 8.375 | 10.000 | 0.500 | 24 | 25005-9935 |
| 8.375 | 10.375 | 0.750 | 21 | 25001-9267 |
| 8.375 | 10.375 | 0.750 | 23 | 25003-9267 |
| 8.375 | 10.375 | 0.750 | 59 | 24700-0010 |
| 8.375 | 10.375 | 0.812 | 64 | 21238-4500 |
| **8.375** | **10.375** | **1.000** | **53** | **21086-3609** |
| 8.375 | 10.375 | 1.250 | 53F1 | 22987-4782 |
| 8.375 | 10.500 | 0.875 | 59 | 24700-0011 |
| 8.376 | 9.565 | 0.750 | 23 | 25003-1699 |
| 8.394 | 9.394 | 0.500 | 23 | 25003-5308 |
| 8.406 | 9.406 | 0.500 | 23 | 25003-5163 |
| 8.437 | 9.687 | 0.625 | 23 | 25003-7834 |
| 8.437 | 9.937 | 0.500 | 23 | 25003-1463 |
| 8.437 | 9.937 | 0.750 | 23 | 25003-1592 |
| **8.437** | **10.000** | **0.625** | **53** | **21086-4501** |
| 8.437 | 10.000 | 1.000 | 53R2 | 22627-9532 |
| 8.438 | 9.563 | 0.500 | 23 | 25003-0999 |
| 8.438 | 10.000 | 0.625 | 59 | 24700-4501 |
| 8.464 | 9.339 | 0.437 | 23 | 25003-3112 |
| 8.464 | 9.448 | 0.500 | 23 | 25003-5402 |
| 8.464 | 9.645 | 0.590 | 23 | 25003-5358 |
| 8.464 | 9.646 | 0.492 | 23 | 25003-1953 |
| 8.465 | 9.764 | 0.590 | 23 | 25003-0961 |
| 8.465 | 9.845 | 0.645 | 23 | 25003-0746 |
| 8.469 | 9.968 | 0.500 | 23 | 25003-8623 |
| 8.469 | 9.968 | 0.500 | 24 | 25005-8623 |
| 8.469 | 9.968 | 0.750 | 23 | 25003-8189 |
| 8.470 | 9.500 | 0.500 | 23 | 25003-5461 |
| 8.471 | 9.850 | 0.630 | 23 | 25003-2976 |
| 8.500 | 9.375 | 0.500 | 23 | 25003-8583 |
| 8.500 | 9.500 | 0.500 | 21 | 25001-6383 |
| 8.500 | 9.500 | 0.500 | 23 | 25003-6383 |
| 8.500 | 9.500 | 0.500 | 61 | 24064-6383 |
| 8.500 | 9.500 | 0.500 | 88 | 26088-6383 |
| 8.500 | 9.500 | 0.500 | 88NS | 26188-6383 |
| 8.500 | 9.500 | 0.625 | 23 | 25003-3935 |
| 8.500 | 9.500 | 0.625 | 26 | 24600-3935 |
| **8.500** | **9.500** | **0.625** | **53** | **21086-3935** |
| 8.500 | 9.500 | 0.625 | 59 | 24700-3935 |
| 8.500 | 9.500 | 0.625 | 62 | 21702-3935 |
| 8.500 | 9.500 | 0.969 | 53R2 | 22627-6969 |
| 8.500 | 9.500 | 0.969 | 53T2 | 22897-6969 |
| 8.500 | 9.500 | 1.094 | 53R1 | 22537-9299 |
| 8.500 | 9.500 | 1.312 | 53R1 | 22537-6140 |
| 8.500 | 9.750 | 0.500 | 23 | 25003-4922 |
| 8.500 | 9.750 | 0.562 | 64 | 21238-1705 |
| 8.500 | 9.750 | 0.625 | 21 | 25001-6384 |
| 8.500 | 9.750 | 0.625 | 23 | 25003-6384 |
| 8.500 | 9.750 | 0.625 | 26 | 24600-6384 |
| 8.500 | 9.750 | 0.652 | 64 | 21238-6384 |
| 8.500 | 9.750 | 0.750 | 23 | 25003-9207 |
| 8.500 | 9.750 | 0.750 | 25 | 25058-9207 |
| 8.500 | 9.750 | 0.750 | 26 | 24600-1913 |
| 8.500 | 9.875 | 0.750 | 23 | 25003-8709 |
| 8.500 | 10.000 | 0.500 | 23 | 25003-8665 |
| 8.500 | 10.000 | 0.500 | 24 | 25005-8665 |
| 8.500 | 10.000 | 0.625 | 23 | 25003-4502 |
| 8.500 | 10.000 | 0.625 | 25 | 25058-4502 |
| **8.500** | **10.000** | **0.625** | **53** | **21086-4502** |
| 8.500 | 10.000 | 0.625 | 59 | 24700-0012 |
| 8.500 | 10.000 | 0.625 | 62 | 21702-4502 |
| 8.500 | 10.000 | 0.687 | 64 | 21238-8453 |
| 8.500 | 10.000 | 0.750 | 21 | 25001-3937 |
| 8.500 | 10.000 | 0.750 | 23 | 25003-3937 |
| 8.500 | 10.000 | 0.750 | 26 | 24600-3937 |
| 8.500 | 10.000 | 0.750 | 53 | 21086-3937 |
| 8.500 | 10.000 | 0.750 | 61 | 24063-3937 |
| 8.500 | 10.000 | 0.750 | 62 | 21702-3937 |
| 8.500 | 10.000 | 1.000 | 53F1 | 22987-6760 |
| 8.500 | 10.000 | 1.000 | 53R1 | 22537-6760 |
| 8.500 | 10.000 | 1.250 | 53F1 | 22987-5681 |
| 8.500 | 10.062 | 0.750 | 23 | 25003-3117 |
| 8.500 | 10.250 | 0.750 | 23 | 25003-4727 |
| 8.500 | 10.375 | 0.625 | 23 | 25003-8223 |
| 8.500 | 10.410 | 0.812 | 23 | 25003-9718 |
| 8.500 | 10.500 | 0.500 | 21 | 25001-8560 |
| 8.500 | 10.500 | 0.500 | 23 | 25003-8560 |
| 8.500 | 10.500 | 0.625 | 23 | 25003-5916 |
| 8.500 | 10.500 | 0.625 | 25 | 25058-5916 |
| 8.500 | 10.500 | 0.625 | 59 | 24700-0013 |
| 8.500 | 10.500 | 0.750 | 21 | 25001-7101 |
| 8.500 | 10.500 | 0.750 | 23 | 25003-7101 |
| 8.500 | 10.500 | 0.750 | 26 | 24600-7101 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 8.500 | 10.500 | 0.750 | 53 | 21086-7101 |
| 8.500 | 10.500 | 0.812 | 23 | 25003-3938 |
| 8.500 | 10.500 | 0.812 | 62 | 21702-3938 |
| **8.500** | **10.500** | **0.812** | **64** | **21238-3938** |
| **8.500** | **10.500** | **1.000** | **53** | **21086-3610** |
| 8.500 | 10.500 | 1.000 | 62 | 21702-3610 |
| 8.500 | 10.500 | 1.250 | 53R2 | 22627-9414 |
| 8.500 | 10.500 | 1.312 | 53R1 | 22537-6770 |
| 8.500 | 10.625 | 0.750 | 53 | 21086-4587 |
| 8.530 | 9.780 | 0.625 | 23 | 25003-5684 |
| 8.540 | 9.750 | 0.625 | 58 | 21003-2490 |
| 8.560 | 9.810 | 0.625 | 23 | 25003-0570 |
| 8.562 | 9.500 | 0.500 | 23 | 25003-1090 |
| 8.562 | 10.062 | 0.750 | 23 | 25003-9022 |
| 8.611 | 10.236 | 0.750 | 23 | 25003-0957 |
| 8.625 | 9.625 | 0.500 | 26 | 24600-3825 |
| 8.625 | 9.812 | 0.625 | 23 | 25003-1095 |
| 8.625 | 9.875 | 0.500 | 23 | 25003-9210 |
| 8.625 | 9.875 | 0.625 | 23 | 25003-6570 |
| 8.625 | 9.875 | 0.625 | 26 | 24600-6570 |
| 8.625 | 10.000 | 0.750 | 59 | 24700-0014 |
| 8.625 | 10.125 | 0.609 | 23 | 25003-4444 |
| 8.625 | 10.125 | 0.625 | 59 | 24700-0015 |
| 8.625 | 10.125 | 0.687 | 53 | 21086-3939 |
| **8.625** | **10.125** | **0.687** | **64** | **21238-3939** |
| 8.625 | 10.125 | 0.750 | 23 | 25003-3940 |
| 8.625 | 10.125 | 0.750 | 53 | 21086-3940 |
| 8.625 | 10.250 | 0.625 | 59 | 24700-0016 |
| 8.625 | 10.250 | 0.750 | 23 | 25003-3941 |
| **8.625** | **10.250** | **0.750** | **53** | **21086-3941** |
| 8.625 | 10.250 | 0.750 | IG | 29500-5808 |
| 8.625 | 10.260 | 0.687 | 64 | 21238-2736 |
| 8.625 | 10.500 | 0.500 | 26 | 24600-3828 |
| 8.625 | 10.500 | 0.750 | 21 | 25001-3943 |
| 8.625 | 10.500 | 0.750 | 53 | 21086-3943 |
| 8.625 | 10.500 | 0.750 | 59 | 24700-1741 |
| 8.625 | 10.500 | 1.000 | 53F1 | 22987-6520 |
| 8.625 | 10.625 | 0.625 | 59 | 24700-0017 |
| 8.625 | 10.625 | 0.750 | 23 | 25003-3611 |
| 8.625 | 10.625 | 0.750 | 26 | 24600-3611 |
| **8.625** | **10.625** | **0.750** | **53** | **21086-3611** |
| 8.625 | 10.625 | 0.812 | 23 | 25003-9203 |
| 8.625 | 10.625 | 1.000 | 53 | 21086-3945 |
| 8.625 | 10.750 | 0.812 | 64 | 21238-7718 |
| 8.625 | 10.750 | 0.875 | 59 | 24700-0018 |
| 8.625 | 10.750 | 1.000 | 53 | 21086-3612 |
| 8.661 | 9.370 | 0.748 | 23 | 25003-1014 |
| 8.661 | 9.661 | 0.500 | 23 | 25003-5598 |
| 8.661 | 9.842 | 0.512 | 23 | 25003-4757 |
| 8.661 | 9.842 | 0.590 | 23 | 25003-5357 |
| 8.661 | 9.842 | 0.590 | 53 | 21086-5357 |
| 8.661 | 9.842 | 0.590 | 26R1 | 24620-5357 |

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 8.661 | 9.842 | 0.594 | 59 | 24700-5357 |
| 8.661 | 9.842 | 0.630 | 23 | 25003-3942 |
| 8.661 | 9.843 | 0.472 | 23 | 25003-2829 |
| 8.661 | 9.843 | 0.591 | 62 | 21702-5357 |
| 8.661 | 9.843 | 0.630 | 26 | 24600-3942 |
| 8.661 | 9.911 | 0.500 | 23 | 25003-9242 |
| 8.661 | 9.911 | 0.625 | 23 | 25003-9243 |
| 8.661 | 9.912 | 0.625 | IG | 29519-5750 |
| 8.661 | 10.228 | 0.625 | 59 | 24700-0020 |
| 8.661 | 10.236 | 0.511 | 53 | 21086-7840 |
| 8.661 | 10.236 | 0.591 | 23 | 25003-0891 |
| 8.661 | 10.236 | 0.625 | 59 | 24700-0019 |
| 8.661 | 10.236 | 0.630 | 21 | 25001-8606 |
| 8.661 | 10.236 | 0.630 | 23 | 25003-8606 |
| 8.661 | 10.236 | 0.787 | 23 | 25003-1392 |
| 8.661 | 10.236 | 0.866 | 26 | 24600-3944 |
| 8.661 | 10.236 | 0.866 | 26R1 | 24620-3944 |
| 8.661 | 10.819 | 0.950 | 59 | 24700-0021 |
| 8.687 | 9.937 | 0.625 | 23 | 25003-7804 |
| 8.687 | 9.938 | 0.750 | 23 | 25003-6210 |
| 8.688 | 9.687 | 0.500 | 23 | 25003-9146 |
| 8.688 | 9.938 | 0.500 | 23 | 25003-4413 |
| 8.688 | 10.625 | 0.750 | 23 | 25003-4518 |
| 8.750 | 9.750 | 0.500 | 23 | 25003-6827 |
| 8.750 | 9.750 | 0.562 | 26 | 24600-3829 |
| 8.750 | 9.764 | 0.375 | 23 | 25003-1694 |
| 8.750 | 9.875 | 0.625 | 23 | 25003-5890 |
| 8.750 | 9.875 | 0.687 | 23 | 25003-9559 |
| 8.750 | 9.875 | 0.750 | 23 | 25003-5480 |
| 8.750 | 10.000 | 0.515 | 23 | 25003-4981 |
| 8.750 | 10.000 | 0.625 | 23 | 25003-6386 |
| 8.750 | 10.000 | 0.625 | 26 | 24600-6386 |
| 8.750 | 10.000 | 0.625 | 53 | 21086-6386 |
| 8.750 | 10.000 | 0.625 | 59 | 24700-6386 |
| 8.750 | 10.000 | 0.625 | 88 | 26088-6386 |
| 8.750 | 10.000 | 0.625 | 88NS | 26188-6386 |
| 8.750 | 10.000 | 1.000 | 53F1 | 22987-8182 |
| 8.750 | 10.250 | 0.500 | 23 | 25003-6845 |
| 8.750 | 10.250 | 0.500 | 24 | 25005-6845 |
| 8.750 | 10.250 | 0.625 | 23 | 25003-8142 |
| 8.750 | 10.250 | 0.625 | 59 | 24700-0022 |
| 8.750 | 10.250 | 0.687 | 53 | 21086-3946 |
| 8.750 | 10.250 | 0.687 | 62 | 21702-3946 |
| **8.750** | **10.250** | **0.687** | **64** | **21238-3946** |
| 8.750 | 10.250 | 0.750 | 23 | 25003-3947 |
| 8.750 | 10.250 | 0.750 | 53 | 21086-3947 |
| 8.750 | 10.312 | 0.625 | 23 | 25003-2615 |
| 8.750 | 10.375 | 0.750 | 23 | 25003-3948 |
| 8.750 | 10.375 | 0.750 | 53 | 21086-3948 |
| 8.750 | 10.500 | 0.687 | 64 | 21238-9911 |
| 8.750 | 10.500 | 0.750 | 23 | 25003-3949 |
| **8.750** | **10.500** | **0.750** | **53** | **21086-3949** |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 8.750 | 10.500 | 0.750 | 59 | 24700-0023 |
| 8.750 | 10.500 | 0.750 | 62 | 21702-3949 |
| 8.750 | 10.500 | 0.812 | 23 | 25003-1082 |
| 8.750 | 10.625 | 0.750 | 53 | 21086-3950 |
| 8.750 | 10.625 | 0.750 | 59 | 24700-0024 |
| 8.750 | 10.750 | 0.625 | 23 | 25003-0960 |
| 8.750 | 10.750 | 0.750 | 21 | 25001-3951 |
| 8.750 | 10.750 | 0.750 | 23 | 25003-3951 |
| 8.750 | 10.750 | 0.750 | 26 | 24600-3951 |
| 8.750 | 10.750 | 0.750 | 53 | 21086-3951 |
| 8.750 | 10.750 | 0.750 | 59 | 24700-3951 |
| 8.750 | 10.750 | 0.750 | 62 | 21702-3951 |
| 8.750 | 10.750 | 0.812 | 23 | 25003-3952 |
| 8.750 | 10.750 | 0.812 | 64 | 21238-3952 |
| 8.750 | 10.750 | 1.000 | 53 | 21086-3613 |
| 8.750 | 10.750 | 1.375 | 53R1 | 22537-8687 |
| 8.750 | 10.750 | 1.375 | 53R2 | 22627-8687 |
| 8.750 | 10.875 | 0.812 | 64 | 21238-2812 |
| 8.780 | 10.780 | 0.750 | 23 | 25003-5525 |
| 8.800 | 9.500 | 0.625 | 61 | 24060-3600 |
| 8.812 | 9.812 | 0.500 | 23 | 25003-6943 |
| 8.812 | 10.312 | 0.500 | 23 | 25003-6334 |
| 8.812 | 10.312 | 0.750 | 23 | 25003-7617 |
| 8.858 | 9.842 | 0.492 | 23 | 25003-8481 |
| 8.858 | 9.858 | 0.500 | 23 | 25003-4992 |
| 8.858 | 10.433 | 0.630 | 23 | 25003-2247 |
| 8.858 | 11.016 | 0.906 | 59 | 24700-0025 |
| 8.859 | 10.359 | 0.750 | 23 | 25003-5910 |
| 8.875 | 9.875 | 0.500 | 23 | 25003-6813 |
| 8.875 | 10.125 | 0.625 | 23 | 25003-3832 |
| 8.875 | 10.125 | 0.625 | 23 | 25003-5153 |
| 8.875 | 10.125 | 0.625 | 26 | 24600-3832 |
| 8.875 | 10.125 | 0.625 | 59 | 24700-3832 |
| 8.875 | 10.125 | 0.625 | 87 | 26080-3832 |
| 8.875 | 10.125 | 0.750 | 26 | 24600-1914 |
| 8.875 | 10.250 | 0.750 | 23 | 25003-2244 |
| 8.875 | 10.375 | 0.500 | 23 | 25003-8177 |
| 8.875 | 10.375 | 0.750 | 23 | 25003-7336 |
| 8.875 | 10.500 | 0.750 | 23 | 25003-5213 |
| 8.875 | 10.625 | 0.812 | 23 | 25003-5559 |
| 8.875 | 10.750 | 0.750 | 62 | 21702-9438 |
| 8.875 | 10.875 | 0.750 | 23 | 25003-6646 |
| 8.875 | 10.875 | 0.750 | 59 | 24700-6646 |
| 8.875 | 10.875 | 0.812 | 23 | 25003-3953 |
| **8.875** | **10.875** | **0.812** | **64** | **21238-3953** |
| 8.875 | 10.875 | 1.000 | 26 | 24600-3833 |
| 8.875 | 11.000 | 0.875 | 59 | 24700-0026 |
| 8.937 | 9.937 | 0.500 | 23 | 25003-9151 |
| 8.937 | 9.968 | 0.500 | 23 | 25003-6273 |
| 8.937 | 10.000 | 0.500 | 23 | 25003-6797 |
| 8.937 | 10.187 | 0.625 | 23 | 25003-6190 |
| 8.937 | 10.443 | 1.562 | EQSPB | 24816-7052 |
| 8.937 | 10.500 | 0.750 | 23 | 25003-1235 |
| 8.970 | 10.500 | 0.500 | 23 | 25003-2721 |
| 9.000 | 10.000 | 0.437 | 23 | 25003-9201 |
| **9.000** | **10.000** | **0.468** | **26** | **24600-3834** |
| 9.000 | 10.000 | 0.500 | 21 | 25001-6387 |
| 9.000 | 10.000 | 0.500 | 23 | 25003-6387 |
| 9.000 | 10.000 | 0.500 | 25 | 25058-6387 |
| 9.000 | 10.000 | 0.625 | 23 | 25003-4503 |
| **9.000** | **10.000** | **0.625** | **53** | **21086-4503** |
| 9.000 | 10.000 | 0.625 | 59 | 24700-4503 |
| 9.000 | 10.000 | 0.625 | 62 | 21702-4503 |
| 9.000 | 10.000 | 0.750 | 53 | 21086-3615 |
| 9.000 | 10.000 | 0.750 | 142 | 21432-3615 |
| 9.000 | 10.032 | 0.500 | 23 | 25003-0579 |
| 9.000 | 10.062 | 0.500 | 23 | 25003-1019 |
| 9.000 | 10.125 | 0.500 | 23 | 25003-0985 |
| 9.000 | 10.125 | 0.547 | 23 | 25003-6423 |
| 9.000 | 10.125 | 0.625 | 23 | 25003-4504 |
| 9.000 | 10.125 | 0.625 | 53 | 21086-4504 |
| 9.000 | 10.125 | 0.750 | 23 | 25003-3616 |
| 9.000 | 10.125 | 0.750 | 53 | 21086-3616 |
| 9.000 | 10.125 | 0.750 | 59 | 24700-0027 |
| 9.000 | 10.187 | 0.625 | 59 | 24700-0028 |
| 9.000 | 10.250 | 0.625 | 23 | 25003-4505 |
| 9.000 | 10.250 | 0.625 | 25 | 25058-4505 |
| **9.000** | **10.250** | **0.625** | **53** | **21086-4505** |
| 9.000 | 10.250 | 0.625 | 59 | 24700-4505 |
| 9.000 | 10.250 | 0.750 | 53 | 21086-3617 |
| 9.000 | 10.375 | 0.500 | 24 | 25005-9108 |
| 9.000 | 10.375 | 0.625 | 23 | 25003-4506 |
| 9.000 | 10.375 | 0.625 | 53 | 21086-4506 |
| 9.000 | 10.375 | 0.625 | 59 | 24700-0029 |
| 9.000 | 10.375 | 0.750 | 53 | 21086-3618 |
| 9.000 | 10.500 | 0.500 | 23 | 25003-5952 |
| 9.000 | 10.500 | 0.500 | 26 | 24600-0809 |
| 9.000 | 10.500 | 0.562 | 23 | 25003-1963 |
| 9.000 | 10.500 | 0.609 | 23 | 25003-8494 |
| 9.000 | 10.500 | 0.625 | 23 | 25003-4507 |
| **9.000** | **10.500** | **0.625** | **53** | **21086-4507** |
| 9.000 | 10.500 | 0.625 | 59 | 24700-0030 |
| 9.000 | 10.500 | 0.625 | 62 | 21702-4507 |
| 9.000 | 10.500 | 0.687 | 53 | 21086-3954 |
| 9.000 | 10.500 | 0.687 | 59 | 24700-3150 |
| 9.000 | 10.500 | 0.687 | 62 | 21702-3954 |
| **9.000** | **10.500** | **0.687** | **64** | **21238-3954** |
| 9.000 | 10.500 | 0.750 | 23 | 25003-3619 |
| 9.000 | 10.500 | 0.750 | 25 | 25058-3619 |
| 9.000 | 10.500 | 0.750 | 26 | 24600-3619 |
| **9.000** | **10.500** | **0.750** | **53** | **21086-3619** |
| 9.000 | 10.500 | 0.812 | 21 | 25001-4929 |
| 9.000 | 10.500 | 1.375 | 53R1 | 22537-6521 |
| 9.000 | 10.500 | 1.375 | 53R2 | 22627-6521 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 9.000 | 10.500 | 1.437 | 53R2 | 22627-8828 |
| 9.000 | 10.625 | 0.625 | 23 | 25003-4508 |
| 9.000 | 10.625 | 0.625 | 53 | 21086-4508 |
| 9.000 | 10.625 | 0.625 | 59 | 24700-0031 |
| 9.000 | 10.625 | 0.625 | 62 | 21702-4508 |
| 9.000 | 10.625 | 0.750 | 23 | 25003-3620 |
| 9.000 | 10.672 | 0.750 | 23 | 25003-3160 |
| 9.000 | 10.750 | 0.750 | 23 | 25003-3621 |
| 9.000 | 10.750 | 0.750 | 53 | 21086-3621 |
| 9.000 | 10.750 | 1.375 | 53R2 | 22627-4943 |
| 9.000 | 10.875 | 0.750 | 23 | 25003-3622 |
| 9.000 | 10.875 | 0.750 | 53 | 21086-3622 |
| 9.000 | 10.910 | 0.812 | 23 | 25003-1165 |
| 9.000 | 10.910 | 0.838 | 21 | 25001-8564 |
| 9.000 | 11.000 | 0.625 | 23 | 25003-9948 |
| 9.000 | 11.000 | 0.625 | 59 | 24700-0032 |
| 9.000 | 11.000 | 0.750 | 21 | 25001-3623 |
| 9.000 | 11.000 | 0.750 | 23 | 25003-3623 |
| 9.000 | 11.000 | 0.750 | 26 | 24600-3623 |
| **9.000** | **11.000** | **0.750** | **53** | **21086-3623** |
| 9.000 | 11.000 | 0.750 | 87 | 26080-3623 |
| 9.000 | 11.000 | 0.812 | 23 | 25003-3955 |
| 9.000 | 11.000 | 0.812 | 64 | 21238-3955 |
| **9.000** | **11.000** | **1.000** | **53** | **21086-3624** |
| 9.000 | 11.000 | 1.000 | 62 | 21702-3624 |
| 9.000 | 11.000 | 1.250 | 53T2 | 22897-8462 |
| 9.000 | 11.000 | 1.375 | 53R1 | 22537-5949 |
| 9.000 | 11.000 | 1.375 | 53R2 | 22627-5949 |
| 9.000 | 11.054 | 0.750 | 59 | 24700-0033 |
| 9.000 | 11.250 | 0.875 | 59 | 24700-0034 |
| 9.055 | 10.039 | 0.500 | 23 | 25003-5403 |
| 9.055 | 10.180 | 0.494 | 23 | 25003-2485 |
| 9.055 | 10.180 | 0.625 | 23 | 25003-1109 |
| 9.055 | 10.230 | 0.590 | 23 | 25003-5334 |
| 9.055 | 10.236 | 0.590 | 26 | 24600-3955 |
| 9.055 | 10.236 | 0.591 | 59 | 24700-3955 |
| 9.055 | 10.236 | 0.591 | 87 | 26080-5334 |
| 9.055 | 10.551 | 0.750 | 23 | 25003-5784 |
| 9.055 | 10.590 | 0.866 | 26R1 | 24620-3956 |
| 9.055 | 10.591 | 0.866 | 26 | 24600-3956 |
| 9.055 | 10.621 | 0.629 | 59 | 24700-0035 |
| 9.055 | 10.629 | 0.551 | 59 | 24700-4035 |
| 9.055 | 10.630 | 0.591 | 59 | 24700-5814 |
| 9.055 | 10.630 | 0.630 | 23 | 25003-4885 |
| 9.055 | 10.630 | 0.630 | 59 | 24700-4763 |
| 9.055 | 10.866 | 0.684 | 23 | 25003-5374 |
| 9.055 | 11.024 | 0.625 | 59 | 24700-0036 |
| 9.055 | 11.024 | 0.630 | 23 | 25003-4865 |
| 9.062 | 10.062 | 0.375 | 23 | 25003-5575 |
| 9.062 | 10.062 | 0.500 | 21 | 25001-7322 |
| 9.062 | 10.062 | 0.500 | 23 | 25003-7322 |
| 9.062 | 10.500 | 0.750 | 23 | 25003-8838 |
| 9.062 | 10.562 | 0.750 | 23 | 25003-9553 |
| 9.062 | 10.562 | 0.750 | 113 | 21012-9553 |
| 9.062 | 11.062 | 0.750 | 21 | 25001-6092 |
| 9.062 | 11.062 | 0.750 | 23 | 25003-6092 |
| 9.125 | 10.125 | 0.375 | 23 | 25003-3195 |
| 9.125 | 10.125 | 0.500 | 23 | 25003-6756 |
| 9.125 | 10.375 | 0.625 | 23 | 25003-4803 |
| 9.125 | 10.375 | 0.625 | 26 | 24600-4803 |
| 9.125 | 10.375 | 0.625 | 59 | 24700-4803 |
| 9.125 | 10.500 | 0.625 | 23 | 25003-1876 |
| 9.125 | 10.625 | 0.625 | 59 | 24700-0037 |
| 9.125 | 10.625 | 0.687 | 53 | 21086-3957 |
| **9.125** | **10.625** | **0.687** | **64** | **21238-3957** |
| 9.125 | 10.625 | 0.750 | 23 | 25003-3958 |
| 9.125 | 10.625 | 0.750 | 53 | 21086-3958 |
| 9.125 | 10.625 | 1.250 | 53T2 | 22897-7823 |
| 9.125 | 10.750 | 0.625 | 59 | 24700-0038 |
| 9.125 | 10.750 | 0.750 | 23 | 25003-3959 |
| 9.125 | 10.750 | 0.750 | 53 | 21086-3959 |
| 9.125 | 10.799 | 0.703 | 23 | 25003-0466 |
| 9.125 | 11.000 | 0.750 | 53 | 21086-3961 |
| 9.125 | 11.125 | 0.625 | 59 | 24700-0039 |
| 9.125 | 11.125 | 0.750 | 23 | 25003-5745 |
| **9.125** | **11.125** | **0.812** | **64** | **21238-3962** |
| 9.125 | 11.125 | 1.250 | 53F1 | 22987-6726 |
| 9.134 | 10.625 | 0.687 | 64 | 21238-8765 |
| 9.156 | 10.656 | 0.750 | 23 | 25003-5126 |
| 9.187 | 10.375 | 0.750 | 59 | 24700-0040 |
| 9.187 | 10.687 | 0.750 | 23 | 25003-9295 |
| 9.250 | 10.125 | 0.375 | 23 | 25003-7640 |
| 9.250 | 10.170 | 0.500 | 23 | 25003-1430 |
| 9.250 | 10.250 | 0.437 | 23 | 25003-5320 |
| 9.250 | 10.250 | 0.500 | 23 | 25003-6676 |
| 9.250 | 10.250 | 0.500 | 25 | 25058-6676 |
| 9.250 | 10.250 | 0.625 | 23 | 25003-4509 |
| **9.250** | **10.250** | **0.625** | **53** | **21086-4509** |
| 9.250 | 10.250 | 0.625 | 26R1 | 24620-2976 |
| 9.250 | 10.250 | 0.750 | 53 | 21086-3628 |
| 9.250 | 10.250 | 0.750 | 142 | 21432-3628 |
| 9.250 | 10.375 | 0.625 | 23 | 25003-3255 |
| **9.250** | **10.375** | **0.750** | **53** | **21086-3629** |
| 9.250 | 10.500 | 0.500 | 23 | 25003-4724 |
| 9.250 | 10.500 | 0.625 | 23 | 25003-4511 |
| 9.250 | 10.500 | 0.625 | 26 | 24600-0041 |
| **9.250** | **10.500** | **0.625** | **53** | **21086-4511** |
| 9.250 | 10.500 | 0.625 | 26R1 | 24620-0041 |
| 9.250 | 10.500 | 0.625 | 59 | 24700-0041 |
| 9.250 | 10.500 | 0.750 | 25 | 25058-3630 |
| 9.250 | 10.500 | 0.750 | 53 | 21086-3630 |
| 9.250 | 10.625 | 0.750 | 23 | 25003-7831 |
| 9.250 | 10.625 | 1.437 | 53T2 | 22897-9103 |
| 9.250 | 10.750 | 0.500 | 23 | 25003-8179 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 9.250 | 10.750 | 0.625 | 23 | 25003-6595 |
| 9.250 | 10.750 | 0.625 | 59 | 24700-0042 |
| 9.250 | 10.750 | 0.656 | 26 | 24600-3840 |
| 9.250 | 10.750 | 0.687 | 53 | 21086-3963 |
| **9.250** | **10.750** | **0.687** | **64** | **21238-3963** |
| 9.250 | 10.750 | 0.750 | 23 | 25003-3632 |
| 9.250 | 10.750 | 0.750 | 53 | 21086-3632 |
| 9.250 | 10.750 | 1.375 | 53R1 | 22537-5021 |
| 9.250 | 10.750 | 1.375 | 53R2 | 22627-5021 |
| 9.250 | 10.875 | 0.750 | 53 | 21086-3964 |
| 9.250 | 11.000 | 0.625 | 59 | 24700-0043 |
| 9.250 | 11.000 | 0.750 | 23 | 25003-3965 |
| 9.250 | 11.000 | 0.750 | 25 | 25058-3965 |
| 9.250 | 11.000 | 0.750 | 53 | 21086-3965 |
| 9.250 | 11.000 | 1.375 | 53R1 | 22537-6663 |
| 9.250 | 11.000 | 1.375 | 53R2 | 22627-6663 |
| 9.250 | 11.250 | 0.562 | 59 | 24700-4481 |
| 9.250 | 11.250 | 0.625 | 23 | 25003-9172 |
| 9.250 | 11.250 | 0.625 | 26R1 | 24620-9388 |
| 9.250 | 11.250 | 0.687 | 64 | 21238-9706 |
| 9.250 | 11.250 | 0.750 | 23 | 25003-3967 |
| 9.250 | 11.250 | 0.750 | 25 | 25058-3967 |
| 9.250 | 11.250 | 0.750 | 26 | 24600-0044 |
| 9.250 | 11.250 | 0.750 | 53 | 21086-3967 |
| 9.250 | 11.250 | 0.750 | 26R1 | 24620-0044 |
| 9.250 | 11.250 | 0.750 | 58 | 21003-3967 |
| 9.250 | 11.250 | 0.750 | 59 | 24700-0044 |
| 9.250 | 11.250 | 0.750 | 62 | 21702-3967 |
| 9.250 | 11.250 | 0.812 | 23 | 25003-9875 |
| 9.250 | 11.250 | 1.000 | 26 | 24600-3633 |
| 9.250 | 11.250 | 1.000 | 53 | 21086-3633 |
| 9.250 | 11.250 | 1.375 | 53R2 | 22627-7562 |
| 9.250 | 11.250 | 1.375 | 53T2 | 22897-7562 |
| 9.250 | 11.375 | 0.875 | 59 | 24700-0045 |
| 9.250 | 11.500 | 0.875 | 59 | 24700-0046 |
| 9.375 | 10.375 | 0.437 | 23 | 25003-5093 |
| 9.375 | 10.375 | 0.500 | 23 | 25003-0981 |
| 9.375 | 10.375 | 0.750 | 142 | 21432-8621 |
| 9.375 | 10.375 | 1.000 | 59 | 24700-0047 |
| 9.375 | 10.625 | 0.500 | 23 | 25003-9544 |
| 9.375 | 10.625 | 0.625 | 23 | 25003-6648 |
| 9.375 | 10.625 | 0.625 | 59 | 24700-0048 |
| 9.375 | 10.875 | 0.750 | 23 | 25003-3971 |
| 9.375 | 10.875 | 0.750 | 59 | 24700-0049 |
| 9.375 | 11.000 | 0.625 | 59 | 24700-1343 |
| 9.375 | 11.000 | 0.750 | 23 | 25003-3972 |
| 9.375 | 11.000 | 0.750 | 53 | 21086-3972 |
| 9.375 | 11.250 | 0.750 | 23 | 25003-2580 |
| 9.375 | 11.375 | 0.625 | 59 | 24700-0050 |
| 9.375 | 11.375 | 0.750 | 53 | 21086-3975 |
| 9.375 | 11.375 | 0.812 | 23 | 25003-4610 |
| 9.375 | 11.375 | 0.812 | 64 | 21238-4610 |
| 9.375 | 11.375 | 1.000 | 53 | 21086-3634 |
| 9.409 | 10.909 | 0.625 | 23 | 25003-0476 |
| 9.410 | 10.410 | 0.750 | 142 | 21432-8414 |
| 9.437 | 10.437 | 0.500 | 23 | 25003-8753 |
| 9.437 | 10.500 | 0.625 | 23 | 25003-3977 |
| 9.437 | 10.500 | 0.625 | 53 | 21086-3977 |
| 9.437 | 10.500 | 0.750 | 53 | 21086-3635 |
| 9.437 | 10.625 | 0.625 | 23 | 25003-7447 |
| 9.437 | 10.625 | 0.625 | 53 | 21086-7447 |
| 9.437 | 10.625 | 0.750 | 23 | 25003-3636 |
| 9.437 | 10.625 | 0.750 | 53 | 21086-3636 |
| 9.437 | 10.687 | 0.625 | 23 | 25003-8447 |
| 9.437 | 10.750 | 0.625 | 23 | 25003-0528 |
| 9.437 | 10.937 | 0.750 | 23 | 25003-9916 |
| 9.438 | 10.625 | 0.750 | 59 | 24700-0051 |
| 9.438 | 11.500 | 0.875 | 59 | 24700-0052 |
| 9.438 | 11.500 | 1.000 | 59 | 24700-5932 |
| 9.445 | 10.633 | 0.500 | 23 | 25003-9941 |
| 9.448 | 10.433 | 0.492 | 23 | 25003-7637 |
| 9.448 | 10.448 | 0.500 | 23 | 25003-6991 |
| 9.448 | 10.629 | 0.590 | 23 | 25003-5359 |
| 9.448 | 10.629 | 0.590 | 53 | 21086-5359 |
| 9.448 | 10.629 | 0.590 | 26R1 | 24620-5359 |
| 9.448 | 10.948 | 0.750 | 23 | 25003-5852 |
| 9.448 | 11.023 | 0.500 | 23 | 25003-1097 |
| 9.448 | 11.023 | 0.629 | 23 | 25003-7891 |
| 9.448 | 11.023 | 0.629 | 53 | 21086-7891 |
| 9.448 | 11.024 | 0.748 | 26R1 | 24620-3973 |
| 9.448 | 11.024 | 0.787 | 23 | 25003-9435 |
| 9.448 | 11.259 | 0.684 | 23 | 25003-5380 |
| 9.448 | 11.417 | 0.630 | 23 | 25003-3132 |
| 9.448 | 11.417 | 0.748 | 26R1 | 24620-3974 |
| 9.448 | 12.598 | 0.984 | 26 | 24600-0828 |
| 9.449 | 10.630 | 0.591 | 26 | 24600-5359 |
| 9.449 | 10.630 | 0.594 | 59 | 24700-5359 |
| 9.449 | 10.630 | 0.630 | 59 | 24700-0053 |
| 9.449 | 10.827 | 0.630 | 26 | 24600-3910 |
| 9.449 | 10.827 | 0.709 | 23 | 25003-1036 |
| 9.449 | 11.024 | 0.591 | 26 | 24600-2041 |
| 9.449 | 11.024 | 0.748 | 23 | 25003-3973 |
| 9.449 | 11.024 | 0.748 | 26 | 24600-3973 |
| 9.449 | 11.811 | 0.984 | 59 | 24700-0054 |
| 9.469 | 10.625 | 0.625 | 26 | 24600-2044 |
| 9.469 | 10.625 | 0.625 | 59 | 24700-2044 |
| 9.500 | 10.500 | 0.437 | 23 | 25003-6214 |
| 9.500 | 10.500 | 0.438 | 26 | 24600-3841 |
| 9.500 | 10.500 | 0.500 | 23 | 25003-6388 |
| 9.500 | 10.500 | 0.625 | 23 | 25003-3638 |
| **9.500** | **10.500** | **0.625** | **53** | **21086-3638** |
| 9.500 | 10.500 | 1.000 | 53F1 | 22987-8717 |
| 9.500 | 10.625 | 0.500 | 23 | 25003-6669 |
| 9.500 | 10.625 | 0.625 | 53 | 21086-3639 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 9.500 | 10.750 | 0.500 | 23 | 25003-8783 |
| 9.500 | 10.750 | 0.562 | 64 | 21238-3145 |
| 9.500 | 10.750 | 0.625 | 23 | 25003-3640 |
| 9.500 | 10.750 | 0.625 | 26 | 24600-3640 |
| **9.500** | **10.750** | **0.625** | **53** | **21086-3640** |
| 9.500 | 10.750 | 0.625 | 59 | 24700-3640 |
| 9.500 | 10.750 | 1.375 | 53R2 | 22627-6942 |
| 9.500 | 10.750 | 1.375 | 53T2 | 22897-6942 |
| 9.500 | 10.875 | 0.750 | 23 | 25003-3105 |
| 9.500 | 10.937 | 0.750 | 23 | 25003-2530 |
| 9.500 | 11.000 | 0.500 | 23 | 25003-8388 |
| 9.500 | 11.000 | 0.625 | 21 | 25001-3642 |
| 9.500 | 11.000 | 0.625 | 23 | 25003-3642 |
| **9.500** | **11.000** | **0.625** | **53** | **21086-3642** |
| 9.500 | 11.000 | 0.625 | 59 | 24700-0055 |
| 9.500 | 11.000 | 0.688 | 26 | 24600-3842 |
| 9.500 | 11.000 | 0.750 | 21 | 25001-3979 |
| 9.500 | 11.000 | 0.750 | 23 | 25003-3979 |
| 9.500 | 11.000 | 0.750 | 25 | 25058-3979 |
| 9.500 | 11.125 | 0.625 | 53 | 21086-3643 |
| 9.500 | 11.125 | 0.625 | 59 | 24700-0056 |
| 9.500 | 11.250 | 0.625 | 26 | 24600-3644 |
| 9.500 | 11.250 | 0.625 | 53 | 21086-3644 |
| 9.500 | 11.250 | 0.625 | 59 | 24700-3644 |
| 9.500 | 11.250 | 0.750 | 23 | 25003-3981 |
| 9.500 | 11.250 | 0.750 | 53 | 21086-3981 |
| 9.500 | 11.250 | 0.750 | 64 | 21238-3981 |
| 9.500 | 11.250 | 1.375 | 53R2 | 22627-8909 |
| 9.500 | 11.375 | 0.625 | 23 | 25003-3645 |
| 9.500 | 11.375 | 0.625 | 53 | 21086-3645 |
| 9.500 | 11.437 | 0.625 | 23 | 25003-5463 |
| 9.500 | 11.500 | 0.500 | 23 | 25003-1910 |
| 9.500 | 11.500 | 0.578 | 23 | 25003-9536 |
| 9.500 | 11.500 | 0.625 | 23 | 25003-3646 |
| 9.500 | 11.500 | 0.625 | 26 | 24600-0055 |
| **9.500** | **11.500** | **0.625** | **53** | **21086-3646** |
| 9.500 | 11.500 | 0.625 | 59 | 24700-0057 |
| 9.500 | 11.500 | 0.687 | 23 | 25003-5960 |
| 9.500 | 11.500 | 0.750 | 21 | 25001-3983 |
| 9.500 | 11.500 | 0.750 | 23 | 25003-3983 |
| 9.500 | 11.500 | 0.812 | 21 | 25001-3984 |
| 9.500 | 11.500 | 0.812 | 23 | 25003-3984 |
| 9.500 | 11.500 | 0.812 | 62 | 21702-3984 |
| **9.500** | **11.500** | **0.812** | **64** | **21238-3984** |
| **9.500** | **11.500** | **1.000** | **26** | **24600-3648** |
| **9.500** | **11.500** | **1.000** | **53** | **21086-3648** |
| 9.500 | 11.500 | 1.000 | 62 | 21702-3648 |
| 9.500 | 11.500 | 1.250 | 53F1 | 22987-7909 |
| 9.500 | 11.500 | 1.312 | 53R1 | 22537-4925 |
| 9.528 | 10.709 | 0.591 | 26 | 24600-2149 |
| 9.562 | 10.812 | 0.625 | 23 | 25003-9888 |
| 9.562 | 11.062 | 0.625 | 23 | 25003-8846 |
| 9.563 | 10.563 | 0.500 | 23 | 25003-4823 |
| 9.563 | 10.653 | 0.500 | 23 | 25003-4460 |
| 9.620 | 10.875 | 0.625 | 59 | 24700-0058 |
| 9.625 | 10.500 | 0.500 | 23 | 25003-7835 |
| 9.625 | 10.625 | 0.500 | 23 | 25003-7889 |
| 9.625 | 10.875 | 0.500 | 23 | 25003-6664 |
| 9.625 | 10.875 | 0.625 | 23 | 25003-8313 |
| 9.625 | 10.875 | 0.625 | 26 | 24600-8313 |
| 9.625 | 10.875 | 0.625 | 53 | 21086-8313 |
| 9.625 | 10.875 | 0.750 | 23 | 25003-4512 |
| 9.625 | 10.875 | 0.750 | 53 | 21086-4512 |
| 9.625 | 10.875 | 0.750 | 59 | 24700-0059 |
| 9.625 | 11.000 | 0.750 | 23 | 25003-2343 |
| 9.625 | 11.125 | 0.500 | 23 | 25003-6682 |
| 9.625 | 11.125 | 0.625 | 23 | 25003-9300 |
| 9.625 | 11.125 | 0.750 | 23 | 25003-9260 |
| 9.625 | 11.625 | 0.750 | 21 | 25001-6389 |
| 9.625 | 11.625 | 0.750 | 23 | 25003-6389 |
| 9.625 | 11.625 | 0.812 | 23 | 25003-9594 |
| **9.625** | **11.625** | **1.000** | **53** | **21086-3649** |
| 9.642 | 10.642 | 0.500 | 23 | 25003-7764 |
| 9.645 | 12.007 | 0.984 | 26R1 | 24620-1837 |
| 9.646 | 11.142 | 0.812 | 23 | 25003-2256 |
| 9.687 | 11.187 | 0.750 | 23 | 25003-9253 |
| 9.719 | 11.625 | 0.700 | 59 | 24700-0060 |
| 9.724 | 10.724 | 0.500 | 23 | 25003-4989 |
| 9.725 | 11.750 | 0.625 | 59 | 24700-2189 |
| 9.750 | 10.625 | 0.500 | 23 | 25003-1072 |
| 9.750 | 10.750 | 0.500 | 23 | 25003-6067 |
| 9.750 | 10.750 | 0.625 | 23 | 25003-4513 |
| **9.750** | **10.750** | **0.625** | **53** | **21086-4513** |
| 9.750 | 10.750 | 0.625 | 59 | 24700-2914 |
| 9.750 | 10.750 | 0.625 | 62 | 21702-4513 |
| 9.750 | 10.750 | 0.750 | 53 | 21086-3650 |
| 9.750 | 10.875 | 0.625 | 53 | 21086-4514 |
| 9.750 | 11.000 | 0.500 | 23 | 25003-6390 |
| 9.750 | 11.000 | 0.625 | 23 | 25003-4515 |
| 9.750 | 11.000 | 0.625 | 26 | 24600-4515 |
| **9.750** | **11.000** | **0.625** | **53** | **21086-4515** |
| 9.750 | 11.000 | 0.625 | 59 | 24700-4515 |
| 9.750 | 11.000 | 0.750 | 23 | 25003-3652 |
| 9.750 | 11.000 | 0.750 | 25 | 25058-3652 |
| 9.750 | 11.000 | 0.750 | 53 | 21086-3652 |
| 9.750 | 11.000 | 1.375 | 53R1 | 22537-9713 |
| 9.750 | 11.125 | 0.562 | 64 | 21238-1692 |
| 9.750 | 11.125 | 0.625 | 23 | 25003-4516 |
| 9.750 | 11.125 | 0.625 | 53 | 21086-4516 |
| 9.750 | 11.125 | 0.625 | 59 | 24700-0061 |
| 9.750 | 11.125 | 0.750 | 26 | 24600-1922 |
| 9.750 | 11.125 | 0.750 | 53 | 21086-3653 |
| 9.750 | 11.160 | 0.588 | 23 | 25003-6201 |
| 9.750 | 11.250 | 0.625 | 23 | 25003-4517 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 9.750 | 11.250 | 0.625 | 25 | 25058-4517 |
| 9.750 | 11.250 | 0.625 | 53 | 21086-4517 |
| 9.750 | 11.250 | 0.625 | 59 | 24700-0062 |
| **9.750** | **11.250** | **0.687** | **64** | **21238-3985** |
| 9.750 | 11.250 | 0.688 | 23 | 25003-3985 |
| 9.750 | 11.250 | 0.750 | 23 | 25003-3654 |
| 9.750 | 11.250 | 0.750 | 26 | 24600-3654 |
| 9.750 | 11.250 | 0.750 | 53 | 21086-3654 |
| 9.750 | 11.250 | 1.000 | 53F1 | 22987-5205 |
| 9.750 | 11.250 | 1.000 | EQ | 24802-1183 |
| 9.750 | 11.375 | 0.750 | 23 | 25003-1283 |
| 9.750 | 11.500 | 0.750 | 59 | 24700-0063 |
| 9.750 | 11.750 | 0.625 | 23 | 25003-9947 |
| 9.750 | 11.750 | 0.625 | 59 | 24700-0064 |
| 9.750 | 11.750 | 0.687 | 64 | 21238-9425 |
| 9.750 | 11.750 | 0.750 | 21 | 25001-3989 |
| 9.750 | 11.750 | 0.750 | 23 | 25003-3989 |
| 9.750 | 11.750 | 0.750 | 25 | 25058-3989 |
| **9.750** | **11.750** | **0.750** | **53** | **21086-3989** |
| 9.750 | 11.750 | 1.000 | 26 | 24600-3655 |
| 9.750 | 11.750 | 1.000 | 53 | 21086-3655 |
| 9.750 | 12.000 | 0.875 | 59 | 24700-0065 |
| 9.774 | 11.024 | 0.500 | 23 | 25003-9317 |
| 9.842 | 11.023 | 0.590 | 23 | 25003-5339 |
| 9.842 | 11.023 | 0.590 | 26R1 | 24620-5339 |
| 9.842 | 11.417 | 0.590 | 23 | 25003-4497 |
| 9.842 | 11.467 | 0.750 | 23 | 25003-5961 |
| 9.842 | 11.653 | 0.684 | 23 | 25003-5375 |
| 9.842 | 11.842 | 0.750 | 23 | 25003-1314 |
| 9.843 | 10.843 | 0.750 | 142 | 21432-8553 |
| 9.843 | 11.024 | 0.591 | 59 | 24700-5339 |
| 9.843 | 11.024 | 0.591 | 62 | 21702-5339 |
| 9.843 | 11.024 | 0.650 | 26 | 24600-4345 |
| 9.843 | 11.220 | 0.630 | 23 | 25003-1099 |
| 9.843 | 11.342 | 0.748 | 23 | 25003-1703 |
| 9.843 | 11.417 | 0.630 | 23 | 25003-8607 |
| 9.844 | 10.844 | 0.500 | 23 | 25003-9969 |
| 9.844 | 11.020 | 0.500 | 23 | 25003-9676 |
| 9.844 | 11.343 | 0.812 | 23 | 25003-6533 |
| 9.844 | 11.409 | 0.625 | 59 | 24700-0066 |
| 9.859 | 10.859 | 0.500 | 23 | 25003-4482 |
| 9.868 | 11.368 | 0.750 | 23 | 25003-9995 |
| 9.875 | 10.875 | 0.500 | 23 | 25003-7621 |
| 9.875 | 10.875 | 0.500 | 25 | 25058-7621 |
| 9.875 | 11.375 | 0.625 | 23 | 25003-1441 |
| 9.875 | 11.375 | 0.750 | 23 | 25003-3990 |
| 9.875 | 11.375 | 0.750 | 53 | 21086-3990 |
| 9.875 | 11.375 | 0.750 | 59 | 24700-0067 |
| 9.875 | 11.500 | 0.750 | 23 | 25003-3991 |
| 9.875 | 11.500 | 0.750 | 53 | 21086-3991 |
| 9.875 | 11.875 | 0.750 | 23 | 25003-5082 |
| 9.875 | 11.875 | 0.969 | 59 | 24700-3140 |
| 9.875 | 11.875 | 1.312 | 53R1 | 22537-8829 |
| 9.875 | 11.875 | 1.312 | 53T2 | 22897-8829 |
| 9.875 | 12.000 | 0.875 | 59 | 24700-0068 |
| 9.892 | 11.338 | 0.750 | 23 | 25003-4850 |
| 9.937 | 10.937 | 0.500 | 23 | 25003-5901 |
| 9.937 | 11.187 | 0.625 | 23 | 25003-9272 |
| 9.937 | 11.437 | 0.750 | 23 | 25003-9145 |
| 9.937 | 11.500 | 0.750 | 23 | 25003-9057 |
| 9.937 | 11.937 | 0.750 | 23 | 25003-5472 |
| 9.937 | 12.000 | 1.000 | 53 | 21086-3658 |
| 9.937 | 12.125 | 1.000 | 53 | 21086-3659 |
| 9.938 | 11.938 | 0.625 | 23 | 25003-4618 |
| 9.938 | 12.000 | 0.750 | 59 | 24700-0069 |
| 9.938 | 12.125 | 1.000 | 59 | 24700-0070 |
| 9.945 | 11.560 | 0.750 | 23 | 25003-3110 |
| 9.947 | 10.875 | 0.500 | 23 | 25003-1079 |
| 9.947 | 11.875 | 0.500 | 23 | 25003-1064 |
| 9.960 | 10.834 | 0.375 | 23 | 25003-8140 |
| 10.000 | 10.875 | 0.375 | 23 | 25003-1030 |
| 10.000 | 11.000 | 0.375 | 23 | 25003-2068 |
| 10.000 | 11.000 | 0.375 | 26 | 24600-4927 |
| 10.000 | 11.000 | 0.500 | 23 | 25003-6391 |
| 10.000 | 11.000 | 0.562 | 23 | 25003-3660 |
| **10.000** | **11.000** | **0.562** | **53** | **21086-3660** |
| 10.000 | 11.000 | 0.562 | 59 | 24700-3660 |
| 10.000 | 11.000 | 0.562 | 61 | 24060-3660 |
| 10.000 | 11.000 | 0.562 | 62 | 21702-3660 |
| 10.000 | 11.000 | 0.750 | 53 | 21086-3668 |
| 10.000 | 11.000 | 0.750 | 62 | 21702-3668 |
| 10.000 | 11.000 | 0.750 | 142 | 21432-3668 |
| 10.000 | 11.000 | 1.375 | 53R1 | 22537-8868 |
| 10.000 | 11.125 | 0.547 | 23 | 25003-7736 |
| 10.000 | 11.125 | 0.562 | 53 | 21086-3661 |
| 10.000 | 11.125 | 0.563 | 23 | 25003-3661 |
| 10.000 | 11.250 | 0.500 | 23 | 25003-4923 |
| 10.000 | 11.250 | 0.500 | 25 | 25058-4923 |
| 10.000 | 11.250 | 0.562 | 23 | 25003-3662 |
| **10.000** | **11.250** | **0.562** | **53** | **21086-3662** |
| 10.000 | 11.250 | 0.625 | 23 | 25003-6808 |
| 10.000 | 11.250 | 0.625 | 25 | 25058-6808 |
| 10.000 | 11.250 | 0.625 | 26 | 24600-6808 |
| 10.000 | 11.250 | 0.625 | 59 | 24700-6808 |
| 10.000 | 11.250 | 0.687 | 23 | 25003-3146 |
| 10.000 | 11.250 | 0.750 | 53 | 21086-3670 |
| 10.000 | 11.250 | 1.000 | 53F1 | 22987-6481 |
| 10.000 | 11.375 | 0.500 | 23 | 25003-2352 |
| 10.000 | 11.375 | 0.562 | 53 | 21086-3663 |
| 10.000 | 11.375 | 0.750 | 53 | 21086-3671 |
| 10.000 | 11.375 | 0.750 | 59 | 24700-0071 |
| 10.000 | 11.437 | 0.750 | 23 | 25003-8841 |
| 10.000 | 11.500 | 0.375 | 23 | 25003-9957 |
| **10.000** | **11.500** | **0.562** | **53** | **21086-3664** |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 10.000 | 11.500 | 0.625 | 23 | 25003-4950 |
| 10.000 | 11.500 | 0.625 | 59 | 24700-4950 |
| 10.000 | 11.500 | 0.625 | 87 | 26080-4950 |
| 10.000 | 11.500 | 0.687 | 53 | 21086-3992 |
| 10.000 | 11.500 | 0.687 | 59 | 24700-3992 |
| **10.000** | **11.500** | **0.687** | **64** | **21238-3992** |
| 10.000 | 11.500 | 0.688 | 23 | 25003-3992 |
| 10.000 | 11.500 | 0.750 | 21 | 25001-3672 |
| 10.000 | 11.500 | 0.750 | 23 | 25003-3672 |
| 10.000 | 11.500 | 0.750 | 25 | 25058-3672 |
| 10.000 | 11.500 | 0.750 | 53 | 21086-3672 |
| 10.000 | 11.500 | 0.750 | 62 | 21702-3672 |
| 10.000 | 11.625 | 0.750 | 23 | 25003-3993 |
| 10.000 | 11.625 | 0.750 | 53 | 21086-3993 |
| 10.000 | 11.625 | 0.750 | 59 | 24700-0072 |
| 10.000 | 11.640 | 0.750 | 23 | 25003-2344 |
| 10.000 | 11.750 | 0.562 | 23 | 25003-3666 |
| 10.000 | 11.750 | 0.562 | 53 | 21086-3666 |
| 10.000 | 11.750 | 0.625 | 59 | 24700-0073 |
| 10.000 | 11.750 | 0.750 | 23 | 25003-3994 |
| 10.000 | 11.750 | 0.750 | 26 | 24600-3994 |
| 10.000 | 11.750 | 0.750 | 53 | 21086-3994 |
| 10.000 | 11.750 | 0.750 | 64 | 21238-3994 |
| 10.000 | 11.875 | 0.562 | 53 | 21086-3667 |
| 10.000 | 11.875 | 0.812 | 23 | 25003-1881 |
| 10.000 | 11.910 | 0.812 | 23 | 25003-4684 |
| 10.000 | 11.910 | 0.838 | 21 | 25001-8742 |
| 10.000 | 12.000 | 0.625 | 23 | 25003-3995 |
| 10.000 | 12.000 | 0.625 | 59 | 24700-0074 |
| 10.000 | 12.000 | 0.687 | 21 | 25001-5906 |
| 10.000 | 12.000 | 0.687 | 23 | 25003-5906 |
| 10.000 | 12.000 | 0.687 | 53 | 21086-5906 |
| 10.000 | 12.000 | 0.750 | 23 | 25003-3996 |
| 10.000 | 12.000 | 0.750 | 24 | 25005-3996 |
| 10.000 | 12.000 | 0.750 | 53 | 21086-3996 |
| 10.000 | 12.000 | 0.812 | 23 | 25003-3997 |
| **10.000** | **12.000** | **0.812** | **64** | **21238-3997** |
| 10.000 | 12.000 | 0.875 | 53 | 21086-3998 |
| 10.000 | 12.000 | 0.875 | 64 | 21238-3998 |
| 10.000 | 12.000 | 1.000 | 25 | 25058-3673 |
| 10.000 | 12.000 | 1.000 | 26 | 24600-0800 |
| 10.000 | 12.000 | 1.000 | 53 | 21086-3673 |
| 10.000 | 12.000 | 1.000 | 62 | 21702-3673 |
| 10.000 | 12.000 | 1.250 | 53R1 | 22537-8756 |
| 10.000 | 12.000 | 1.312 | 53T2 | 22897-4800 |
| 10.000 | 12.000 | 1.375 | 53R2 | 22627-6842 |
| 10.000 | 12.000 | 1.812 | 53R1 | 22537-8662 |
| 10.000 | 12.250 | 0.813 | 64 | 21238-3669 |
| 10.000 | 12.250 | 0.875 | 59 | 24700-0075 |
| 10.039 | 11.417 | 0.630 | 59 | 24700-4767 |
| 10.063 | 11.688 | 0.750 | 23 | 25003-4764 |
| 10.125 | 11.375 | 0.625 | 23 | 25003-6219 |
| 10.125 | 11.500 | 0.625 | 23 | 25003-1908 |
| 10.125 | 11.500 | 0.750 | 23 | 25003-7147 |
| 10.125 | 11.625 | 0.500 | 23 | 25003-1461 |
| 10.125 | 11.625 | 0.687 | 53 | 21086-3999 |
| 10.125 | 11.625 | 0.687 | 64 | 21238-3999 |
| 10.125 | 11.625 | 0.688 | 59 | 24700-0076 |
| 10.125 | 11.625 | 0.750 | 23 | 25003-4000 |
| 10.125 | 11.625 | 0.750 | 53 | 21086-4000 |
| 10.125 | 11.750 | 0.687 | 64 | 21238-5989 |
| 10.125 | 11.750 | 0.688 | 59 | 24700-0077 |
| 10.125 | 12.000 | 0.750 | 23 | 25003-4003 |
| 10.125 | 12.000 | 0.750 | 26 | 24600-4003 |
| **10.125** | **12.000** | **0.750** | **53** | **21086-4003** |
| 10.125 | 12.000 | 0.750 | 59 | 24700-4003 |
| 10.125 | 12.000 | 1.000 | 53 | 21086-3674 |
| 10.158 | 11.417 | 0.630 | 23 | 25003-0695 |
| 10.187 | 11.188 | 0.500 | 23 | 25003-6216 |
| 10.187 | 11.437 | 0.625 | 23 | 25003-7588 |
| 10.187 | 12.250 | 1.000 | 53 | 21086-3675 |
| 10.188 | 12.250 | 1.000 | 59 | 24700-0078 |
| 10.229 | 11.729 | 0.750 | 23 | 25003-0821 |
| 10.236 | 11.417 | 0.590 | 23 | 25003-5351 |
| 10.236 | 11.417 | 0.590 | 26 | 24600-5351 |
| 10.236 | 11.417 | 0.630 | 26 | 24600-5111 |
| 10.236 | 11.418 | 0.630 | 59 | 24700-5111 |
| 10.236 | 11.486 | 0.625 | 23 | 25003-5957 |
| 10.236 | 11.732 | 0.750 | 23 | 25003-5665 |
| 10.236 | 11.736 | 0.750 | 23 | 25003-5186 |
| 10.236 | 11.811 | 0.511 | 53 | 21086-7892 |
| 10.236 | 11.811 | 0.630 | 23 | 25003-7010 |
| 10.236 | 11.811 | 0.787 | 26 | 24600-5429 |
| 10.236 | 11.812 | 0.787 | 59 | 24700-5429 |
| 10.236 | 11.968 | 0.787 | 23 | 25003-4805 |
| 10.236 | 11.969 | 0.787 | 87 | 26080-4805 |
| 10.236 | 12.000 | 0.812 | 23 | 25003-1026 |
| 10.236 | 12.047 | 0.684 | 23 | 25003-5381 |
| 10.236 | 12.125 | 0.787 | 23 | 25003-1292 |
| 10.236 | 12.205 | 0.630 | 23 | 25003-0872 |
| 10.236 | 12.244 | 0.748 | 23 | 25003-2314 |
| 10.236 | 12.402 | 0.945 | 59 | 24700-4891 |
| 10.236 | 12.590 | 0.984 | 59 | 24700-0079 |
| 10.236 | 12.598 | 0.984 | 59 | 24700-4999 |
| 10.250 | 11.250 | 0.500 | 23 | 25003-9476 |
| 10.250 | 11.250 | 0.500 | 59 | 24700-4049 |
| 10.250 | 11.250 | 0.625 | 23 | 25003-9384 |
| 10.250 | 11.250 | 0.750 | 142 | 21432-6931 |
| 10.250 | 11.500 | 0.500 | 23 | 25003-3198 |
| 10.250 | 11.500 | 0.625 | 23 | 25003-6698 |
| 10.250 | 11.500 | 0.625 | 59 | 24700-0080 |
| 10.250 | 11.687 | 0.625 | 23 | 25003-1070 |
| 10.250 | 11.750 | 0.625 | 23 | 25003-5523 |
| 10.250 | 11.750 | 0.625 | 59 | 24700-0081 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 10.250 | 11.750 | 0.687 | 53 | 21086-4004 |
| 10.250 | 11.750 | 0.687 | 64 | 21238-4004 |
| 10.250 | 11.750 | 0.750 | 23 | 25003-4005 |
| 10.250 | 11.750 | 0.750 | 26 | 24600-4005 |
| **10.250** | **11.750** | **0.750** | **53** | **21086-4005** |
| 10.250 | 12.000 | 0.625 | 59 | 24700-0082 |
| 10.250 | 12.000 | 0.750 | 23 | 25003-4007 |
| 10.250 | 12.000 | 0.750 | 53 | 21086-4007 |
| 10.250 | 12.250 | 0.625 | 26R1 | 24620-4008 |
| 10.250 | 12.250 | 0.625 | 59 | 24700-4008 |
| 10.250 | 12.250 | 0.750 | 23 | 25003-3676 |
| **10.250** | **12.250** | **0.750** | **53** | **21086-3676** |
| 10.250 | 12.250 | 0.812 | 23 | 25003-4009 |
| 10.250 | 12.250 | 0.812 | 64 | 21238-4009 |
| 10.250 | 12.250 | 1.000 | 26 | 24600-3677 |
| 10.250 | 12.250 | 1.000 | 53 | 21086-3677 |
| 10.250 | 12.250 | 1.000 | 53F1 | 22987-3677 |
| 10.250 | 12.500 | 0.750 | 59 | 24700-0083 |
| 10.250 | 12.500 | 0.813 | 64 | 21238-4015 |
| 10.250 | 13.750 | 0.750 | 26 | 24600-4380 |
| 10.300 | 11.550 | 0.625 | 23 | 25003-1037 |
| 10.313 | 11.938 | 0.813 | 23 | 25003-4778 |
| 10.357 | 11.500 | 0.625 | 23 | 25003-2458 |
| 10.375 | 11.625 | 0.625 | 23 | 25003-9133 |
| 10.375 | 11.625 | 0.625 | 59 | 24700-0084 |
| 10.375 | 11.633 | 0.812 | 23 | 25003-1146 |
| 10.375 | 11.875 | 0.500 | 23 | 25003-6882 |
| 10.375 | 11.875 | 0.750 | 59 | 24700-0085 |
| 10.375 | 12.000 | 0.750 | 23 | 25003-0641 |
| 10.375 | 12.197 | 1.000 | 53 | 21086-4010 |
| 10.375 | 12.197 | 1.000 | 59 | 24700-0086 |
| 10.375 | 12.250 | 0.750 | 23 | 25003-9997 |
| 10.375 | 12.500 | 0.875 | 59 | 24700-0087 |
| 10.433 | 11.417 | 0.625 | 23 | 25003-2613 |
| 10.433 | 11.683 | 0.625 | 23 | 25003-7288 |
| 10.433 | 11.683 | 0.625 | 26 | 24600-7288 |
| 10.437 | 11.937 | 0.750 | 23 | 25003-9776 |
| 10.437 | 12.437 | 0.750 | 24 | 25005-6758 |
| 10.437 | 12.500 | 1.000 | 53 | 21086-3678 |
| 10.438 | 11.688 | 0.812 | 23 | 25003-3150 |
| 10.438 | 12.000 | 0.625 | 23 | 25003-2655 |
| 10.438 | 12.000 | 0.750 | 23 | 25003-4812 |
| 10.438 | 12.438 | 0.875 | 59 | 24700-0088 |
| 10.438 | 12.500 | 1.000 | 59 | 24700-0089 |
| 10.441 | 11.441 | 0.375 | 23 | 25003-6568 |
| 10.500 | 11.500 | 0.375 | 23 | 25003-2376 |
| 10.500 | 11.500 | 0.500 | 23 | 25003-6781 |
| 10.500 | 11.500 | 0.625 | 59 | 24700-3427 |
| 10.500 | 11.500 | 0.750 | 142 | 21432-9922 |
| 10.500 | 11.625 | 0.547 | 23 | 25003-9679 |
| 10.500 | 11.750 | 0.500 | 23 | 25003-8334 |
| 10.500 | 11.750 | 0.625 | 21 | 25001-5934 |
| 10.500 | 11.750 | 0.625 | 23 | 25003-5934 |
| 10.500 | 11.750 | 0.625 | 25 | 25058-5934 |
| 10.500 | 11.750 | 0.625 | 26 | 24600-3665 |
| 10.500 | 11.750 | 0.625 | 26R1 | 24620-3665 |
| 10.500 | 11.750 | 0.625 | 59 | 24700-3665 |
| 10.500 | 11.750 | 0.750 | 23 | 25003-8565 |
| 10.500 | 11.750 | 0.875 | EQ | 24801-3679 |
| 10.500 | 11.906 | 0.766 | 23 | 25003-1980 |
| 10.500 | 12.000 | 0.500 | 23 | 25003-6683 |
| 10.500 | 12.000 | 0.625 | 23 | 25003-4495 |
| 10.500 | 12.000 | 0.625 | 25 | 25058-4495 |
| 10.500 | 12.000 | 0.625 | 59 | 24700-0090 |
| 10.500 | 12.000 | 0.625 | 113 | 21012-4495 |
| 10.500 | 12.000 | 0.687 | 53 | 21086-4011 |
| **10.500** | **12.000** | **0.687** | **64** | **21238-4011** |
| 10.500 | 12.000 | 0.688 | 23 | 25003-4011 |
| 10.500 | 12.000 | 0.750 | 21 | 25001-4012 |
| 10.500 | 12.000 | 0.750 | 23 | 25003-4012 |
| 10.500 | 12.000 | 0.750 | 25 | 25058-4012 |
| **10.500** | **12.000** | **0.750** | **53** | **21086-4012** |
| 10.500 | 12.000 | 0.750 | 62 | 21702-4012 |
| 10.500 | 12.125 | 0.625 | 59 | 24700-0091 |
| 10.500 | 12.125 | 0.750 | 23 | 25003-4013 |
| 10.500 | 12.125 | 0.750 | 53 | 21086-4013 |
| 10.500 | 12.125 | 0.750 | 62 | 21702-4013 |
| 10.500 | 12.250 | 0.750 | 23 | 25003-4014 |
| 10.500 | 12.250 | 0.750 | 53 | 21086-4014 |
| 10.500 | 12.250 | 0.750 | 59 | 24700-0092 |
| 10.500 | 12.500 | 0.500 | 23 | 25003-1971 |
| 10.500 | 12.500 | 0.625 | 26R1 | 24620-4006 |
| 10.500 | 12.500 | 0.625 | 59 | 24700-4006 |
| 10.500 | 12.500 | 0.750 | 23 | 25003-4016 |
| **10.500** | **12.500** | **0.750** | **53** | **21086-4016** |
| 10.500 | 12.500 | 0.750 | 62 | 21702-4016 |
| 10.500 | 12.500 | 0.812 | 23 | 25003-4017 |
| 10.500 | 12.500 | 0.812 | 62 | 21702-4017 |
| 10.500 | 12.500 | 0.812 | 64 | 21238-4017 |
| 10.500 | 12.500 | 1.000 | 26 | 24600-3680 |
| **10.500** | **12.500** | **1.000** | **53** | **21086-3680** |
| 10.500 | 12.500 | 1.375 | 53R1 | 22537-7774 |
| 10.500 | 12.500 | 1.375 | 53T2 | 22897-7774 |
| 10.500 | 12.500 | 1.812 | 53T2 | 22897-8680 |
| 10.500 | 12.625 | 1.000 | 53 | 21086-3681 |
| 10.500 | 12.625 | 1.000 | 59 | 24700-0093 |
| 10.530 | 12.030 | 0.625 | 23 | 25003-5639 |
| 10.562 | 12.562 | 0.750 | 23 | 25003-4963 |
| 10.562 | 12.562 | 0.750 | 24 | 25005-4963 |
| 10.625 | 11.625 | 0.415 | 23 | 25003-5294 |
| 10.625 | 11.625 | 0.625 | 23 | 25003-5067 |
| 10.625 | 11.812 | 0.625 | 59 | 24700-0094 |
| 10.625 | 11.875 | 0.625 | 23 | 25003-7432 |
| 10.625 | 11.875 | 0.625 | 25 | 25058-7432 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 10.625 | 12.000 | 0.750 | 23 | 25003-6935 |
| 10.625 | 12.125 | 0.750 | 23 | 25003-4018 |
| 10.625 | 12.125 | 0.750 | 53 | 21086-4018 |
| 10.625 | 12.125 | 0.750 | 59 | 24700-0095 |
| 10.625 | 12.250 | 0.750 | 23 | 25003-4019 |
| 10.625 | 12.250 | 0.750 | 53 | 21086-4019 |
| 10.625 | 12.375 | 0.750 | 23 | 25003-4020 |
| 10.625 | 12.375 | 0.750 | 53 | 21086-4020 |
| 10.625 | 12.375 | 0.750 | 59 | 24700-0096 |
| 10.625 | 12.375 | 1.437 | 53T2 | 22897-4653 |
| 10.625 | 12.500 | 0.750 | 53 | 21086-4021 |
| 10.625 | 12.500 | 0.750 | 59 | 24700-0097 |
| 10.625 | 12.500 | 0.969 | 53F1 | 22987-6447 |
| 10.625 | 12.500 | 1.000 | 53F1 | 22987-7585 |
| 10.625 | 12.625 | 0.750 | 23 | 25003-6704 |
| 10.625 | 12.625 | 0.812 | 23 | 25003-6428 |
| 10.625 | 13.000 | 0.750 | 59 | 24700-0098 |
| 10.629 | 11.629 | 0.409 | 23 | 25003-7709 |
| 10.629 | 11.811 | 0.590 | 23 | 25003-5350 |
| 10.629 | 11.811 | 0.630 | 26 | 24600-5445 |
| 10.629 | 12.119 | 0.750 | 23 | 25003-5881 |
| 10.629 | 12.251 | 0.625 | 23 | 25003-5862 |
| 10.630 | 12.126 | 0.687 | 64 | 21238-7769 |
| 10.630 | 12.205 | 0.630 | 23 | 25003-8655 |
| 10.630 | 12.205 | 0.630 | 59 | 24700-8655 |
| 10.630 | 12.205 | 0.787 | 26R1 | 24620-2965 |
| 10.630 | 12.362 | 0.787 | 23 | 25003-1027 |
| 10.630 | 13.189 | 0.708 | 59 | 24700-0099 |
| 10.687 | 12.687 | 0.750 | 23 | 25003-4854 |
| 10.688 | 11.742 | 0.625 | 23 | 25003-0205 |
| 10.688 | 12.250 | 0.625 | 23 | 25003-2791 |
| 10.688 | 12.500 | 0.625 | 59 | 24700-2620 |
| 10.710 | 12.511 | 0.625 | 23 | 25003-1049 |
| 10.728 | 11.728 | 0.500 | 23 | 25003-4994 |
| 10.750 | 11.750 | 0.500 | 23 | 25003-7598 |
| 10.750 | 11.750 | 0.562 | 23 | 25003-3682 |
| 10.750 | 11.750 | 0.562 | 26 | 24600-3682 |
| **10.750** | **11.750** | **0.562** | **53** | **21086-3682** |
| 10.750 | 11.750 | 0.562 | 59 | 24700-3682 |
| 10.750 | 11.875 | 0.562 | 53 | 21086-3683 |
| 10.750 | 11.875 | 0.625 | 53 | 21086-4519 |
| 10.750 | 11.875 | 1.375 | 53T2 | 22897-9611 |
| 10.750 | 12.000 | 0.562 | 53 | 21086-3684 |
| 10.750 | 12.000 | 0.625 | 23 | 25003-4520 |
| 10.750 | 12.000 | 0.625 | 53 | 21086-4520 |
| 10.750 | 12.000 | 0.625 | 59 | 24700-0100 |
| 10.750 | 12.250 | 0.562 | 23 | 25003-3685 |
| 10.750 | 12.250 | 0.562 | 26 | 24600-3685 |
| **10.750** | **12.250** | **0.562** | **53** | **21086-3685** |
| 10.750 | 12.250 | 0.562 | 59 | 24700-3685 |
| 10.750 | 12.250 | 0.625 | 23 | 25003-4522 |
| 10.750 | 12.250 | 0.625 | 53 | 21086-4522 |
| 10.750 | 12.250 | 0.625 | 59 | 24700-0101 |
| 10.750 | 12.250 | 0.687 | 64 | 21238-4023 |
| 10.750 | 12.250 | 0.750 | 23 | 25003-4024 |
| 10.750 | 12.250 | 0.750 | 53 | 21086-4024 |
| 10.750 | 12.375 | 0.562 | 53 | 21086-4025 |
| 10.750 | 12.500 | 0.562 | 23 | 25003-3686 |
| 10.750 | 12.500 | 0.562 | 26 | 24600-3686 |
| 10.750 | 12.500 | 0.562 | 53 | 21086-3686 |
| 10.750 | 12.500 | 0.625 | 53 | 21086-4524 |
| 10.750 | 12.500 | 0.625 | 59 | 24700-0102 |
| 10.750 | 12.625 | 0.750 | 53 | 21086-4029 |
| 10.750 | 12.687 | 0.578 | 23 | 25003-1623 |
| 10.750 | 12.750 | 0.562 | 23 | 25003-3687 |
| **10.750** | **12.750** | **0.562** | **26** | **24600-3687** |
| 10.750 | 12.750 | 0.562 | 53 | 21086-3687 |
| 10.750 | 12.750 | 0.625 | 26R1 | 24620-5465 |
| 10.750 | 12.750 | 0.625 | 59 | 24700-5465 |
| 10.750 | 12.750 | 0.750 | 23 | 25003-4030 |
| 10.750 | 12.750 | 0.750 | 53 | 21086-4030 |
| 10.750 | 12.750 | 0.750 | 87 | 26080-4030 |
| 10.750 | 12.750 | 0.812 | 23 | 25003-4031 |
| 10.750 | 12.750 | 0.812 | 62 | 21702-4031 |
| 10.750 | 12.750 | 0.812 | 64 | 21238-4031 |
| 10.750 | 12.750 | 0.875 | 53 | 21086-3688 |
| 10.750 | 12.750 | 1.000 | 25 | 25058-3689 |
| 10.750 | 12.750 | 1.000 | 53 | 21086-3689 |
| 10.750 | 13.000 | 0.813 | 64 | 21238-4022 |
| 10.750 | 13.000 | 0.875 | 59 | 24700-0103 |
| 10.750 | 13.250 | 0.813 | 64 | 21238-4026 |
| 10.787 | 11.969 | 0.591 | 26 | 24600-2148 |
| 10.787 | 12.250 | 0.688 | 26 | 24600-8830 |
| 10.826 | 12.008 | 0.591 | 26 | 24600-1040 |
| 10.827 | 11.827 | 0.590 | 23 | 25003-5808 |
| 10.827 | 12.205 | 0.591 | 23 | 25003-2350 |
| 10.827 | 12.205 | 0.591 | 26 | 24600-3722 |
| 10.875 | 12.375 | 0.687 | 64 | 21238-4027 |
| 10.875 | 12.375 | 0.750 | 23 | 25003-4032 |
| 10.875 | 12.375 | 0.750 | 25 | 25058-4032 |
| 10.875 | 12.375 | 0.750 | 59 | 24700-0104 |
| 10.875 | 12.500 | 0.687 | 64 | 21238-4028 |
| 10.875 | 12.500 | 1.000 | 59 | 24700-0105 |
| 10.875 | 12.625 | 0.750 | 23 | 25003-9542 |
| 10.875 | 12.875 | 0.500 | 23 | 25003-1982 |
| 10.875 | 12.875 | 0.578 | 23 | 25003-9535 |
| 10.875 | 12.875 | 0.812 | 23 | 25003-6416 |
| 10.937 | 12.187 | 0.625 | 23 | 25003-9932 |
| 10.937 | 12.437 | 0.625 | 23 | 25003-6087 |
| 10.937 | 12.500 | 0.625 | 23 | 25003-8874 |
| 10.937 | 12.500 | 0.625 | 23 | 25003-9974 |
| 10.937 | 12.937 | 0.750 | 23 | 25003-6504 |
| 10.984 | 12.165 | 0.591 | 23 | 25003-1246 |
| 10.992 | 12.402 | 0.787 | 59 | 24700-4858 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 11.000 | 12.000 | 0.375 | 23 | 25003-8761 |
| 11.000 | 12.000 | 0.500 | 23 | 25003-9693 |
| 11.000 | 12.000 | 0.625 | 23 | 25003-3691 |
| 11.000 | 12.000 | 0.625 | 26 | 24600-3691 |
| **11.000** | **12.000** | **0.625** | **53** | **21086-3691** |
| 11.000 | 12.000 | 0.625 | 59 | 24700-3691 |
| 11.000 | 12.125 | 0.547 | 23 | 25003-6393 |
| 11.000 | 12.125 | 0.625 | 53 | 21086-4034 |
| 11.000 | 12.250 | 0.562 | 64 | 21238-3135 |
| 11.000 | 12.250 | 0.609 | 26R1 | 24620-5018 |
| 11.000 | 12.250 | 0.625 | 23 | 25003-3692 |
| 11.000 | 12.250 | 0.625 | 25 | 25058-3692 |
| **11.000** | **12.250** | **0.625** | **53** | **21086-3692** |
| 11.000 | 12.250 | 0.625 | 59 | 24700-0106 |
| 11.000 | 12.250 | 0.687 | 64 | 21238-3720 |
| 11.000 | 12.250 | 0.688 | 26 | 24600-3720 |
| 11.000 | 12.375 | 0.750 | 23 | 25003-4450 |
| 11.000 | 12.500 | 0.375 | 23 | 25003-7606 |
| 11.000 | 12.500 | 0.500 | 23 | 25003-7716 |
| 11.000 | 12.500 | 0.625 | 23 | 25003-3693 |
| 11.000 | 12.500 | 0.625 | 25 | 25058-3693 |
| **11.000** | **12.500** | **0.625** | **53** | **21086-3693** |
| 11.000 | 12.500 | 0.625 | 26R1 | 24620-3693 |
| 11.000 | 12.500 | 0.625 | 59 | 24700-3693 |
| 11.000 | 12.500 | 0.687 | 64 | 21238-4611 |
| 11.000 | 12.500 | 0.750 | 23 | 25003-6394 |
| 11.000 | 12.500 | 1.375 | 53R2 | 22627-5927 |
| 11.000 | 12.625 | 0.625 | 23 | 25003-5006 |
| 11.000 | 12.625 | 0.750 | 23 | 25003-7204 |
| 11.000 | 12.750 | 0.750 | 23 | 25003-4867 |
| 11.000 | 12.812 | 0.625 | 23 | 25003-5462 |
| 11.000 | 12.875 | 0.812 | 23 | 25003-9149 |
| 11.000 | 13.000 | 0.500 | 23 | 25003-1905 |
| 11.000 | 13.000 | 0.625 | 59 | 24700-0107 |
| 11.000 | 13.000 | 0.687 | 64 | 21238-6034 |
| 11.000 | 13.000 | 0.750 | 23 | 25003-6395 |
| 11.000 | 13.000 | 0.750 | 24 | 25005-6395 |
| 11.000 | 13.000 | 0.750 | 26 | 24600-6395 |
| 11.000 | 13.000 | 0.812 | 23 | 25003-4036 |
| **11.000** | **13.000** | **0.812** | **64** | **21238-4036** |
| **11.000** | **13.000** | **1.000** | **53** | **21086-3694** |
| 11.000 | 13.000 | 1.000 | 53R1 | 22537-3694 |
| 11.000 | 13.000 | 1.000 | 53R2 | 22627-3694 |
| 11.000 | 13.250 | 1.000 | 53 | 21086-4037 |
| 11.023 | 12.023 | 0.500 | 23 | 25003-6964 |
| 11.023 | 12.023 | 0.625 | 23 | 25003-5958 |
| 11.024 | 12.197 | 0.625 | 53 | 21086-4038 |
| 11.024 | 12.197 | 0.629 | 59 | 24700-0108 |
| 11.024 | 12.205 | 0.630 | 23 | 25003-2582 |
| 11.024 | 12.205 | 0.630 | 59 | 24700-0982 |
| 11.024 | 12.205 | 0.787 | 23 | 25003-0890 |
| **11.024** | **12.441** | **0.709** | **26** | **24600-5233** |
| 11.024 | 12.520 | 0.709 | 23 | 25003-1962 |
| 11.024 | 12.598 | 0.630 | 53 | 21086-7848 |
| 11.024 | 12.598 | 0.709 | 59 | 24700-4028 |
| 11.024 | 12.598 | 0.787 | 23 | 25003-7391 |
| 11.024 | 12.598 | 0.787 | 26 | 24600-3695 |
| 11.024 | 12.598 | 0.787 | 59 | 24700-3695 |
| 11.024 | 12.598 | 0.787 | 64 | 21238-7391 |
| 11.024 | 12.992 | 0.610 | 23 | 25003-0897 |
| 11.024 | 13.386 | 0.813 | 64 | 21238-4039 |
| 11.024 | 13.386 | 0.984 | 59 | 24700-0109 |
| 11.027 | 12.500 | 0.625 | 23 | 25003-5303 |
| 11.029 | 12.029 | 0.375 | 23 | 25003-7878 |
| 11.031 | 12.031 | 0.500 | 23 | 25003-1465 |
| 11.031 | 12.031 | 0.625 | 23 | 25003-5724 |
| 11.062 | 12.250 | 0.750 | 23 | 25003-3695 |
| 11.062 | 12.250 | 0.750 | 53 | 21086-3695 |
| 11.062 | 12.500 | 0.750 | 53 | 21086-3696 |
| 11.062 | 12.750 | 0.750 | 53 | 21086-3697 |
| 11.062 | 13.000 | 0.750 | 53 | 21086-3698 |
| 11.063 | 12.250 | 0.750 | 59 | 24700-0110 |
| 11.063 | 12.313 | 0.625 | 23 | 25003-3261 |
| 11.063 | 12.500 | 0.750 | 23 | 25003-3696 |
| 11.063 | 12.500 | 0.750 | 59 | 24700-0111 |
| 11.063 | 13.000 | 0.750 | 59 | 24700-0112 |
| 11.100 | 12.150 | 0.625 | 23 | 25003-0858 |
| 11.125 | 12.500 | 0.750 | 23 | 25003-5395 |
| 11.125 | 12.750 | 1.000 | 59 | 24700-0113 |
| 11.125 | 13.000 | 0.687 | 64 | 21238-3699 |
| 11.125 | 13.000 | 0.750 | 23 | 25003-1124 |
| 11.125 | 13.000 | 1.000 | 59 | 24700-0114 |
| 11.125 | 13.125 | 0.812 | 23 | 25003-4049 |
| 11.125 | 13.250 | 0.813 | 64 | 21238-3700 |
| 11.125 | 13.250 | 0.875 | 59 | 24700-0115 |
| 11.150 | 12.375 | 0.625 | 23 | 25003-3154 |
| 11.150 | 12.526 | 0.500 | 23 | 25003-0678 |
| 11.181 | 12.992 | 0.622 | 23 | 25003-0740 |
| 11.187 | 12.188 | 0.500 | 23 | 25003-6238 |
| 11.188 | 13.000 | 0.750 | 23 | 25003-1782 |
| 11.219 | 12.953 | 0.787 | 23 | 25003-5712 |
| 11.220 | 12.402 | 0.787 | 23 | 25003-1262 |
| 11.250 | 12.250 | 0.625 | 23 | 25003-9829 |
| 11.250 | 12.250 | 0.750 | 142 | 21432-8297 |
| 11.250 | 12.500 | 0.625 | 23 | 25003-6672 |
| 11.250 | 12.500 | 0.625 | 25 | 25058-6672 |
| 11.250 | 12.500 | 0.625 | 59 | 24700-0116 |
| 11.250 | 12.530 | 0.625 | 23 | 25003-2968 |
| 11.250 | 12.750 | 0.625 | 23 | 25003-7832 |
| 11.250 | 12.750 | 0.625 | 26 | 24600-7832 |
| 11.250 | 12.750 | 0.625 | 59 | 24700-7832 |
| 11.250 | 12.750 | 0.687 | 23 | 25003-4527 |
| 11.250 | 12.750 | 0.687 | 53 | 21086-4527 |
| 11.250 | 12.750 | 0.687 | 64 | 21238-4527 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 11.250 | 12.750 | 0.750 | 23 | 25003-4046 |
| 11.250 | 12.750 | 0.750 | 25 | 25058-4046 |
| **11.250** | **12.750** | **0.750** | **53** | **21086-4046** |
| 11.250 | 12.750 | 0.750 | 59 | 24700-1904 |
| 11.250 | 13.250 | 0.625 | 23 | 25003-0420 |
| 11.250 | 13.250 | 0.625 | 59 | 24700-0117 |
| 11.250 | 13.250 | 0.687 | 64 | 21238-8778 |
| 11.250 | 13.250 | 0.812 | 21 | 25001-4047 |
| 11.250 | 13.250 | 0.812 | 23 | 25003-4047 |
| 11.250 | 13.250 | 0.812 | 59 | 24700-3613 |
| 11.250 | 13.250 | 0.812 | 64 | 21238-4047 |
| 11.250 | 13.250 | 1.000 | 53 | 21086-3703 |
| 11.250 | 13.500 | 0.875 | 59 | 24700-0118 |
| 11.250 | 13.500 | 1.000 | 53 | 21086-4048 |
| 11.335 | 12.520 | 0.500 | 23 | 25003-9942 |
| 11.344 | 12.593 | 0.625 | 23 | 25003-5014 |
| 11.365 | 12.625 | 0.625 | 23 | 25003-7437 |
| 11.375 | 12.375 | 0.500 | 23 | 25003-6549 |
| 11.375 | 12.625 | 0.625 | 23 | 25003-5397 |
| 11.375 | 12.875 | 0.750 | 23 | 25003-4050 |
| 11.375 | 12.875 | 0.750 | 25 | 25058-4050 |
| 11.375 | 12.875 | 0.750 | 53 | 21086-4050 |
| 11.375 | 12.875 | 0.750 | 59 | 24700-0119 |
| 11.375 | 13.000 | 0.625 | 59 | 24700-0120 |
| 11.375 | 13.000 | 0.687 | 23 | 25003-5261 |
| 11.375 | 13.000 | 0.750 | 23 | 25003-4051 |
| 11.375 | 13.000 | 0.750 | 53 | 21086-4051 |
| 11.375 | 13.000 | 0.750 | 59 | 24700-4051 |
| 11.375 | 13.000 | 1.375 | 53R2 | 22627-6063 |
| 11.375 | 13.375 | 0.812 | 64 | 21238-4052 |
| 11.375 | 13.375 | 0.813 | 59 | 24700-0121 |
| 11.375 | 13.500 | 1.000 | 53 | 21086-3704 |
| 11.375 | 13.500 | 1.000 | 59 | 24700-0122 |
| 11.375 | 13.500 | 1.250 | 53F1 | 22987-4995 |
| 11.417 | 12.992 | 0.787 | 23 | 25003-1031 |
| 11.417 | 12.992 | 0.787 | 26R1 | 24620-3886 |
| 11.417 | 13.142 | 0.750 | 59 | 24700-0123 |
| 11.417 | 13.417 | 0.750 | 23 | 25003-5882 |
| 11.417 | 13.417 | 0.812 | 23 | 25003-0932 |
| 11.417 | 13.780 | 0.984 | 59 | 24700-3100 |
| 11.418 | 12.992 | 0.709 | 23 | 25003-0416 |
| 11.422 | 12.921 | 0.750 | 23 | 25003-5719 |
| 11.437 | 13.750 | 0.625 | 59 | 24700-4573 |
| 11.438 | 13.000 | 0.688 | 59 | 24700-0124 |
| 11.471 | 13.471 | 0.750 | 23 | 25003-5851 |
| 11.500 | 12.375 | 0.375 | 23 | 25003-7639 |
| 11.500 | 12.500 | 0.375 | 23 | 25003-8962 |
| 11.500 | 12.500 | 0.500 | 23 | 25003-9094 |
| 11.500 | 12.500 | 0.500 | 26 | 24600-3850 |
| 11.500 | 12.625 | 0.625 | 23 | 25003-5642 |
| 11.500 | 12.750 | 0.500 | 23 | 25003-6621 |
| 11.500 | 12.750 | 0.625 | 23 | 25003-7263 |
| 11.500 | 12.750 | 0.625 | 26 | 24600-7263 |
| 11.500 | 12.750 | 0.625 | 59 | 24700-7263 |
| 11.500 | 12.875 | 0.688 | 59 | 24700-0125 |
| 11.500 | 12.875 | 0.750 | 23 | 25003-5012 |
| 11.500 | 13.000 | 0.500 | 23 | 25003-7219 |
| 11.500 | 13.000 | 0.625 | 23 | 25003-6687 |
| 11.500 | 13.000 | 0.625 | 26 | 24600-0126 |
| 11.500 | 13.000 | 0.625 | 59 | 24700-0126 |
| 11.500 | 13.000 | 0.687 | 53 | 21086-4057 |
| 11.500 | 13.000 | 0.687 | 59 | 24700-2569 |
| **11.500** | **13.000** | **0.687** | **64** | **21238-4057** |
| 11.500 | 13.000 | 0.688 | 23 | 25003-4057 |
| 11.500 | 13.000 | 0.750 | 21 | 25001-4058 |
| 11.500 | 13.000 | 0.750 | 23 | 25003-4058 |
| 11.500 | 13.000 | 0.750 | 25 | 25058-4058 |
| 11.500 | 13.000 | 0.750 | 53 | 21086-4058 |
| 11.500 | 13.000 | 0.750 | 59 | 24700-2906 |
| 11.500 | 13.000 | 0.812 | 62 | 21702-5773 |
| 11.500 | 13.000 | 1.250 | 53T2 | 22897-5584 |
| 11.500 | 13.125 | 0.812 | 23 | 25003-2646 |
| 11.500 | 13.250 | 0.750 | 23 | 25003-4060 |
| 11.500 | 13.250 | 0.750 | 53 | 21086-4060 |
| 11.500 | 13.250 | 0.750 | 59 | 24700-0127 |
| 11.500 | 13.250 | 0.812 | 23 | 25003-1035 |
| 11.500 | 13.375 | 0.750 | 23 | 25003-4061 |
| 11.500 | 13.375 | 0.750 | 53 | 21086-4061 |
| 11.500 | 13.375 | 0.750 | 59 | 24700-0128 |
| 11.500 | 13.500 | 0.625 | 59 | 24700-0129 |
| 11.500 | 13.500 | 0.750 | 23 | 25003-4062 |
| 11.500 | 13.500 | 0.750 | 53 | 21086-4062 |
| 11.500 | 13.500 | 0.750 | 62 | 21702-4062 |
| 11.500 | 13.500 | 0.812 | 23 | 25003-4063 |
| **11.500** | **13.500** | **0.812** | **64** | **21238-4063** |
| **11.500** | **13.500** | **1.000** | **53** | **21086-3705** |
| 11.500 | 13.500 | 1.250 | 53R2 | 22627-9036 |
| 11.562 | 13.062 | 0.750 | 23 | 25003-8559 |
| 11.575 | 12.575 | 0.500 | 23 | 25003-5307 |
| 11.614 | 13.114 | 0.750 | 23 | 25003-5878 |
| 11.625 | 12.625 | 0.500 | 23 | 25003-7053 |
| 11.625 | 13.000 | 0.750 | 59 | 24700-1875 |
| 11.625 | 13.125 | 0.750 | 23 | 25003-8287 |
| 11.625 | 13.191 | 0.750 | 59 | 24700-0130 |
| 11.625 | 13.625 | 0.812 | 23 | 25003-5298 |
| 11.687 | 13.187 | 0.625 | 23 | 25003-5776 |
| 11.687 | 13.250 | 0.625 | 23 | 25003-6840 |
| 11.688 | 13.000 | 0.750 | 59 | 24700-5802 |
| 11.688 | 13.750 | 0.750 | 23 | 25003-5176 |
| 11.732 | 12.606 | 0.375 | 23 | 25003-7874 |
| 11.750 | 13.000 | 0.813 | 23 | 25003-3239 |
| 11.750 | 13.250 | 0.625 | 23 | 25003-9980 |
| 11.750 | 13.250 | 0.625 | 26 | 24600-0131 |
| 11.750 | 13.250 | 0.625 | 59 | 24700-0131 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 11.750 | 13.250 | 0.687 | 53 | 21086-4064 |
| **11.750** | **13.250** | **0.687** | **64** | **21238-4064** |
| 11.750 | 13.250 | 0.688 | 23 | 25003-4064 |
| 11.750 | 13.250 | 0.750 | 23 | 25003-4065 |
| 11.750 | 13.250 | 0.750 | 53 | 21086-4065 |
| 11.750 | 13.250 | 0.750 | 62 | 21702-4065 |
| 11.750 | 13.500 | 0.750 | 23 | 25003-6826 |
| 11.750 | 13.500 | 0.812 | 23 | 25003-9976 |
| 11.750 | 13.562 | 0.500 | 23 | 25003-2704 |
| 11.750 | 13.750 | 0.625 | 23 | 25003-9721 |
| 11.750 | 13.750 | 0.625 | 23 | 25003-9726 |
| 11.750 | 13.750 | 0.625 | 59 | 24700-0132 |
| 11.750 | 13.750 | 0.625 | 61 | 24060-9721 |
| 11.750 | 13.750 | 0.750 | 23 | 25003-6836 |
| 11.750 | 13.750 | 0.812 | 23 | 25003-8315 |
| **11.750** | **13.750** | **1.000** | **53** | **21086-3706** |
| 11.750 | 14.000 | 1.000 | 53 | 21086-3707 |
| 11.750 | 14.000 | 1.000 | 59 | 24700-0133 |
| 11.808 | 13.308 | 0.750 | 23 | 25003-9793 |
| 11.811 | 12.811 | 0.500 | 23 | 25003-5835 |
| 11.811 | 12.992 | 0.590 | 23 | 25003-5352 |
| 11.811 | 13.071 | 0.630 | 59 | 24700-4009 |
| 11.811 | 13.189 | 0.709 | 23 | 25003-5446 |
| 11.811 | 13.311 | 0.750 | 23 | 25003-6932 |
| 11.811 | 13.385 | 0.812 | 23 | 25003-0947 |
| 11.811 | 13.386 | 0.630 | 23 | 25003-7893 |
| 11.811 | 13.386 | 0.630 | 53 | 21086-7893 |
| 11.811 | 13.386 | 0.709 | 59 | 24700-0134 |
| 11.811 | 13.386 | 0.787 | 23 | 25003-4655 |
| 11.811 | 13.543 | 0.787 | 23 | 25003-4602 |
| 11.811 | 13.543 | 0.787 | 59 | 24700-4056 |
| 11.811 | 13.543 | 0.807 | 23 | 25003-8525 |
| 11.811 | 13.543 | 0.807 | 88 | 26088-8525 |
| 11.811 | 13.543 | 0.807 | 88NS | 26188-8525 |
| 11.811 | 13.583 | 0.866 | 26R1 | 24620-1037 |
| 11.811 | 13.779 | 0.750 | 23 | 25003-4881 |
| 11.812 | 13.312 | 0.750 | 23 | 25003-9491 |
| 11.813 | 13.780 | 1.000 | 59 | 24700-0135 |
| 11.813 | 13.812 | 0.625 | 59 | 24700-0136 |
| 11.813 | 13.813 | 0.813 | 23 | 25003-0697 |
| 11.813 | 14.000 | 0.750 | 59 | 24700-0137 |
| 11.875 | 12.875 | 0.500 | 23 | 25003-6705 |
| 11.875 | 13.375 | 0.750 | 23 | 25003-6328 |
| 11.875 | 13.875 | 0.750 | 23 | 25003-9749 |
| 11.906 | 13.156 | 0.625 | 23 | 25003-6719 |
| 11.937 | 13.937 | 0.750 | 24 | 25005-7876 |
| 11.937 | 13.938 | 0.812 | 23 | 25003-7105 |
| 11.938 | 13.438 | 0.625 | 23 | 25003-4604 |
| 11.938 | 13.760 | 0.750 | 23 | 25003-4452 |
| 11.938 | 13.938 | 0.625 | 59 | 24700-0138 |
| 11.962 | 12.687 | 0.500 | 23 | 25003-4785 |
| 12.000 | 12.875 | 0.375 | 23 | 25003-1310 |
| 12.000 | 13.000 | 0.500 | 23 | 25003-8804 |
| 12.000 | 13.000 | 0.625 | 23 | 25003-1925 |
| 12.000 | 13.000 | 0.750 | 142 | 21432-8107 |
| 12.000 | 13.125 | 1.250 | 142 | 21432-9707 |
| 12.000 | 13.125 | 1.312 | 142 | 21432-2986 |
| 12.000 | 13.125 | 1.375 | 142 | 21432-7445 |
| 12.000 | 13.250 | 0.625 | 23 | 25003-7306 |
| 12.000 | 13.250 | 0.625 | 59 | 24700-0139 |
| 12.000 | 13.250 | 0.750 | 23 | 25003-0954 |
| 12.000 | 13.500 | 0.625 | 25 | 25058-4707 |
| 12.000 | 13.500 | 0.625 | 59 | 24700-0140 |
| **12.000** | **13.500** | **0.687** | **64** | **21238-4612** |
| 12.000 | 13.500 | 0.688 | 23 | 25003-4612 |
| 12.000 | 13.500 | 0.688 | 26 | 24600-4612 |
| 12.000 | 13.500 | 0.688 | 59 | 24700-4612 |
| 12.000 | 13.500 | 0.750 | 23 | 25003-4067 |
| 12.000 | 13.500 | 0.750 | 53 | 21086-4067 |
| 12.000 | 13.500 | 0.750 | 62 | 21702-4067 |
| 12.000 | 13.500 | 0.812 | 62 | 21702-5670 |
| 12.000 | 13.500 | 1.312 | 53R1 | 22537-5950 |
| 12.000 | 13.625 | 0.625 | 59 | 24700-0141 |
| 12.000 | 13.625 | 0.687 | 64 | 21238-8523 |
| 12.000 | 13.625 | 0.750 | 23 | 25003-4068 |
| 12.000 | 13.625 | 0.750 | 26 | 24600-4068 |
| 12.000 | 13.625 | 0.750 | 53 | 21086-4068 |
| 12.000 | 13.625 | 0.750 | 62 | 21702-4068 |
| 12.000 | 13.625 | 1.437 | 53R2 | 22627-7326 |
| 12.000 | 13.750 | 0.688 | 23 | 25003-3701 |
| 12.000 | 13.750 | 0.688 | 26 | 24600-0985 |
| 12.000 | 13.750 | 0.688 | 64 | 21238-3701 |
| 12.000 | 13.750 | 0.750 | 23 | 25003-4911 |
| 12.000 | 13.875 | 0.437 | 23 | 25003-0623 |
| 12.000 | 13.875 | 0.500 | 23 | 25003-0949 |
| 12.000 | 13.875 | 1.312 | 53R2 | 22627-4884 |
| 12.000 | 13.937 | 0.812 | 23 | 25003-9148 |
| 12.000 | 14.000 | 0.625 | 23 | 25003-3853 |
| 12.000 | 14.000 | 0.625 | 26 | 24600-3853 |
| 12.000 | 14.000 | 0.625 | 59 | 24700-3853 |
| 12.000 | 14.000 | 0.625 | 61 | 24060-3853 |
| 12.000 | 14.000 | 0.687 | 64 | 21238-5838 |
| 12.000 | 14.000 | 0.750 | 23 | 25003-4071 |
| 12.000 | 14.000 | 0.750 | 24 | 25005-4071 |
| 12.000 | 14.000 | 0.750 | 53 | 21086-4071 |
| 12.000 | 14.000 | 0.750 | 26R1 | 24620-4071 |
| 12.000 | 14.000 | 0.750 | 64 | 21238-4071 |
| 12.000 | 14.000 | 0.750 | 88 | 26088-4071 |
| 12.000 | 14.000 | 0.750 | 88NS | 26188-4071 |
| 12.000 | 14.000 | 0.812 | 21 | 25001-4072 |
| 12.000 | 14.000 | 0.812 | 23 | 25003-4072 |
| 12.000 | 14.000 | 0.812 | 25 | 25058-4072 |
| 12.000 | 14.000 | 0.812 | 59 | 24700-4072 |
| 12.000 | 14.000 | 0.812 | 62 | 21702-4072 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| **12.000** | **14.000** | **0.812** | **64** | **21238-4072** |
| 12.000 | 14.000 | 0.937 | 59 | 24700-2980 |
| 12.000 | 14.000 | 1.000 | 53 | 21086-3709 |
| 12.000 | 14.000 | 1.000 | 53F1 | 22987-3709 |
| 12.000 | 14.000 | 1.250 | 53F1 | 22987-7392 |
| 12.000 | 14.000 | 1.375 | 53R2 | 22627-7283 |
| 12.000 | 14.188 | 1.000 | 59 | 24700-0142 |
| 12.000 | 14.250 | 1.000 | 53 | 21086-3710 |
| 12.000 | 14.250 | 1.000 | 59 | 24700-3710 |
| 12.000 | 14.750 | 0.813 | 64 | 21238-3702 |
| 12.000 | 14.750 | 0.875 | 59 | 24700-0143 |
| 12.050 | 13.313 | 0.750 | 59 | 24700-0144 |
| 12.062 | 13.562 | 0.750 | 23 | 25003-7250 |
| 12.063 | 13.313 | 0.750 | 59 | 24700-0145 |
| 12.063 | 13.625 | 0.750 | 21 | 25001-4441 |
| 12.063 | 13.625 | 0.750 | 23 | 25003-4441 |
| 12.125 | 13.125 | 0.500 | 23 | 25003-1781 |
| 12.125 | 13.375 | 0.750 | 23 | 25003-2395 |
| 12.125 | 13.625 | 0.750 | 23 | 25003-7570 |
| 12.125 | 13.875 | 0.687 | 59 | 24700-5581 |
| 12.125 | 13.875 | 0.750 | 59 | 24700-0146 |
| 12.125 | 14.000 | 0.875 | 59 | 24700-0147 |
| 12.125 | 14.000 | 1.000 | 53 | 21086-4073 |
| 12.125 | 14.125 | 0.750 | 23 | 25003-6484 |
| 12.147 | 13.688 | 0.625 | 23 | 25003-0990 |
| 12.187 | 13.688 | 0.625 | 23 | 25003-6253 |
| 12.188 | 13.438 | 0.625 | 59 | 24700-0148 |
| 12.188 | 13.688 | 0.625 | 59 | 24700-0149 |
| 12.188 | 14.000 | 0.750 | 23 | 25003-0691 |
| 12.204 | 13.385 | 0.590 | 23 | 25003-5340 |
| 12.204 | 13.780 | 0.787 | 59 | 24700-0999 |
| 12.205 | 13.189 | 0.500 | 23 | 25003-5536 |
| 12.205 | 13.205 | 0.500 | 23 | 25003-7735 |
| 12.205 | 13.780 | 0.709 | 23 | 25003-3093 |
| 12.205 | 13.937 | 0.787 | 23 | 25003-2454 |
| 12.205 | 13.937 | 0.787 | 87 | 26080-2454 |
| 12.205 | 14.173 | 0.984 | 59 | 24700-5693 |
| 12.208 | 13.703 | 0.750 | 23 | 25003-6441 |
| 12.250 | 13.500 | 0.750 | 23 | 25003-0599 |
| 12.250 | 13.750 | 0.625 | 26 | 24600-4041 |
| 12.250 | 13.750 | 0.625 | 59 | 24700-4041 |
| **12.250** | **13.750** | **0.687** | **64** | **21238-4613** |
| 12.250 | 13.750 | 0.750 | 23 | 25003-4074 |
| 12.250 | 13.750 | 0.750 | 26 | 24600-4074 |
| 12.250 | 13.750 | 0.750 | 53 | 21086-4074 |
| 12.250 | 13.750 | 0.812 | 62 | 21702-7381 |
| 12.250 | 13.813 | 0.719 | 59 | 24700-0150 |
| 12.250 | 13.821 | 0.719 | 23 | 25003-0950 |
| 12.250 | 13.821 | 0.750 | 23 | 25003-4895 |
| 12.250 | 13.875 | 0.625 | 23 | 25003-3137 |
| 12.250 | 14.000 | 0.625 | 23 | 25003-2472 |
| 12.250 | 14.000 | 0.625 | 59 | 24700-0151 |
| 12.250 | 14.000 | 0.687 | 64 | 21238-4055 |
| 12.250 | 14.000 | 0.750 | 26 | 24600-4232 |
| 12.250 | 14.000 | 0.875 | 59 | 24700-1869 |
| 12.250 | 14.125 | 0.750 | 23 | 25003-1710 |
| 12.250 | 14.250 | 0.625 | 59 | 24700-0152 |
| 12.250 | 14.250 | 0.750 | 23 | 25003-6829 |
| 12.250 | 14.250 | 0.750 | 53 | 21086-6829 |
| **12.250** | **14.250** | **0.750** | **88** | **26088-6829** |
| 12.250 | 14.250 | 0.750 | 88NS | 26188-6829 |
| 12.250 | 14.250 | 0.812 | 23 | 25003-4075 |
| 12.250 | 14.250 | 0.812 | 59 | 24700-1868 |
| **12.250** | **14.250** | **0.812** | **64** | **21238-4075** |
| 12.250 | 14.250 | 1.000 | 53 | 21086-3713 |
| 12.250 | 14.250 | 1.250 | 87 | 26080-1040 |
| 12.283 | 13.750 | 0.688 | 26 | 24600-8814 |
| 12.312 | 13.937 | 0.750 | 23 | 25003-5558 |
| 12.318 | 13.694 | 0.500 | 23 | 25003-0677 |
| 12.366 | 14.500 | 0.750 | 59 | 24700-3454 |
| 12.375 | 13.375 | 0.500 | 26 | 24600-2007 |
| 12.375 | 13.500 | 1.250 | 142 | 21432-1715 |
| 12.375 | 13.705 | 0.375 | 23 | 25003-1973 |
| 12.375 | 13.875 | 0.625 | 23 | 25003-9301 |
| **12.375** | **13.875** | **0.687** | **64** | **21238-4076** |
| 12.375 | 13.875 | 0.688 | 59 | 24700-0153 |
| 12.375 | 13.875 | 0.750 | 23 | 25003-4077 |
| 12.375 | 13.875 | 0.750 | 53 | 21086-4077 |
| 12.375 | 13.875 | 1.437 | 53R2 | 22627-4751 |
| 12.375 | 14.000 | 0.687 | 64 | 21238-4056 |
| 12.375 | 14.000 | 0.750 | 59 | 24700-0154 |
| 12.375 | 14.375 | 0.687 | 64 | 21238-4097 |
| 12.375 | 14.375 | 1.000 | 59 | 24700-0155 |
| 12.375 | 14.500 | 0.813 | 64 | 21238-4106 |
| 12.375 | 14.500 | 0.875 | 59 | 24700-0156 |
| 12.380 | 14.380 | 0.812 | 23 | 25003-9928 |
| 12.401 | 14.173 | 0.787 | 23 | 25003-1108 |
| 12.402 | 13.976 | 0.709 | 59 | 24700-4029 |
| 12.406 | 13.906 | 0.750 | 23 | 25003-5953 |
| 12.437 | 14.000 | 0.750 | 23 | 25003-9396 |
| 12.438 | 14.375 | 0.812 | 23 | 25003-1173 |
| 12.438 | 14.438 | 0.812 | 23 | 25003-1176 |
| 12.500 | 13.375 | 0.500 | 23 | 25003-1984 |
| 12.500 | 13.500 | 0.500 | 23 | 25003-5114 |
| 12.500 | 13.500 | 0.500 | 26 | 24600-5114 |
| 12.500 | 13.500 | 0.625 | 23 | 25003-3712 |
| 12.500 | 13.750 | 0.625 | 23 | 25003-8229 |
| 12.500 | 13.750 | 0.625 | 59 | 24700-0157 |
| 12.500 | 13.875 | 0.437 | 23 | 25003-6449 |
| 12.500 | 13.906 | 0.750 | 23 | 25003-8998 |
| 12.500 | 14.000 | 0.625 | 23 | 25003-4496 |
| 12.500 | 14.000 | 0.625 | 26 | 24600-4496 |
| 12.500 | 14.000 | 0.625 | 59 | 24700-4496 |
| 12.500 | 14.000 | 0.625 | 113 | 21012-4496 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 12.500 | 14.000 | 0.687 | 53 | 21086-4079 |
| 12.500 | 14.000 | 0.687 | 59 | 24700-2936 |
| **12.500** | **14.000** | **0.687** | **64** | **21238-4079** |
| 12.500 | 14.000 | 0.687 | 88 | 26088-4079 |
| 12.500 | 14.000 | 0.687 | 88NS | 26188-4079 |
| 12.500 | 14.000 | 0.688 | 23 | 25003-4079 |
| 12.500 | 14.000 | 0.750 | 23 | 25003-4080 |
| 12.500 | 14.000 | 0.750 | 25 | 25058-4080 |
| 12.500 | 14.000 | 0.750 | 53 | 21086-4080 |
| 12.500 | 14.000 | 0.812 | 23 | 25003-4591 |
| 12.500 | 14.000 | 1.375 | 53R2 | 22627-8716 |
| 12.500 | 14.008 | 0.906 | 59 | 24700-4621 |
| 12.500 | 14.062 | 0.625 | 23 | 25003-1691 |
| 12.500 | 14.062 | 0.750 | 21 | 25001-8589 |
| 12.500 | 14.062 | 0.750 | 23 | 25003-8589 |
| 12.500 | 14.375 | 0.750 | 23 | 25003-1304 |
| 12.500 | 14.500 | 0.750 | 23 | 25003-4082 |
| 12.500 | 14.500 | 0.750 | 25 | 25058-4082 |
| 12.500 | 14.500 | 0.750 | 26 | 24600-4082 |
| 12.500 | 14.500 | 0.750 | 59 | 24700-4082 |
| 12.500 | 14.500 | 0.750 | 64 | 21238-4082 |
| 12.500 | 14.500 | 0.812 | 23 | 25003-4083 |
| 12.500 | 14.500 | 0.812 | 62 | 21702-4083 |
| **12.500** | **14.500** | **0.812** | **64** | **21238-4083** |
| 12.500 | 14.500 | 0.906 | 59 | 24700-1050 |
| 12.500 | 14.500 | 1.000 | 53 | 21086-3714 |
| 12.500 | 14.500 | 1.250 | 53R2 | 22627-9419 |
| 12.500 | 14.500 | 1.312 | 53T2 | 22897-6527 |
| 12.500 | 14.750 | 1.000 | 53 | 21086-4085 |
| 12.500 | 14.750 | 1.000 | 59 | 24700-0158 |
| 12.500 | 15.000 | 0.813 | 59 | 24700-0159 |
| 12.500 | 15.000 | 0.813 | 64 | 21238-4084 |
| 12.562 | 14.062 | 0.750 | 23 | 25003-6815 |
| 12.565 | 14.063 | 0.750 | 59 | 24700-0160 |
| 12.579 | 14.000 | 0.750 | 23 | 25003-1989 |
| 12.590 | 14.125 | 1.000 | 59 | 24700-0161 |
| 12.598 | 13.583 | 0.500 | 23 | 25003-5576 |
| 12.598 | 13.780 | 0.625 | 59 | 24700-0162 |
| 12.598 | 13.976 | 0.630 | 59 | 24700-0163 |
| 12.598 | 14.095 | 0.750 | 23 | 25003-5667 |
| 12.598 | 14.173 | 0.708 | 23 | 25003-1113 |
| 12.598 | 14.173 | 0.708 | 59 | 24700-1966 |
| 12.598 | 14.173 | 0.748 | 23 | 25003-1712 |
| 12.598 | 14.173 | 0.787 | 23 | 25003-1103 |
| 12.598 | 14.173 | 0.787 | 26 | 24600-4397 |
| 12.598 | 14.173 | 0.787 | 59 | 24700-4397 |
| 12.598 | 14.252 | 0.812 | 23 | 25003-1182 |
| 12.598 | 14.330 | 0.787 | 23 | 25003-2911 |
| 12.598 | 14.331 | 0.787 | 26 | 24600-3721 |
| 12.625 | 13.875 | 0.625 | 23 | 25003-7135 |
| 12.625 | 14.000 | 0.750 | 23 | 25003-4480 |
| 12.625 | 14.125 | 0.687 | 64 | 21238-4081 |
| 12.625 | 14.125 | 0.750 | 23 | 25003-4086 |
| 12.625 | 14.125 | 0.750 | 59 | 24700-4086 |
| 12.625 | 14.500 | 0.687 | 64 | 21238-3716 |
| 12.625 | 14.500 | 0.875 | 59 | 24700-0164 |
| 12.625 | 14.625 | 0.750 | 23 | 25003-7279 |
| 12.625 | 14.625 | 0.875 | 59 | 24700-0165 |
| 12.625 | 14.625 | 1.000 | 53 | 21086-3715 |
| 12.687 | 14.687 | 0.812 | 23 | 25003-5669 |
| 12.687 | 14.750 | 0.812 | 64 | 21238-9766 |
| 12.687 | 14.750 | 1.000 | 53 | 21086-3717 |
| 12.688 | 14.250 | 0.750 | 59 | 24700-0166 |
| 12.688 | 14.750 | 1.000 | 59 | 24700-0167 |
| 12.750 | 13.750 | 0.500 | 23 | 25003-7600 |
| 12.750 | 14.000 | 0.500 | 23 | 25003-3224 |
| 12.750 | 14.000 | 0.750 | 23 | 25003-4788 |
| 12.750 | 14.250 | 0.625 | 23 | 25003-4088 |
| 12.750 | 14.250 | 0.625 | 59 | 24700-0168 |
| **12.750** | **14.250** | **0.687** | **64** | **21238-4089** |
| 12.750 | 14.250 | 0.688 | 23 | 25003-4089 |
| 12.750 | 14.250 | 0.750 | 23 | 25003-5942 |
| 12.750 | 14.250 | 0.750 | 26 | 24600-5942 |
| 12.750 | 14.250 | 0.812 | 23 | 25003-2185 |
| 12.750 | 14.482 | 0.787 | 23 | 25003-2319 |
| 12.750 | 14.500 | 0.750 | 23 | 25003-5917 |
| 12.750 | 14.687 | 0.812 | 23 | 25003-0617 |
| 12.750 | 14.750 | 0.687 | 64 | 21238-7652 |
| 12.750 | 14.750 | 0.750 | 21 | 25001-6396 |
| 12.750 | 14.750 | 0.750 | 23 | 25003-6396 |
| 12.750 | 14.750 | 0.750 | 59 | 24700-0169 |
| 12.750 | 14.750 | 0.812 | 23 | 25003-2497 |
| 12.750 | 15.000 | 0.813 | 64 | 21238-4092 |
| 12.750 | 15.000 | 0.875 | 59 | 24700-0170 |
| 12.750 | 15.250 | 0.875 | 59 | 24700-0171 |
| 12.750 | 15.500 | 0.875 | 59 | 24700-0172 |
| 12.795 | 13.669 | 0.375 | 23 | 25003-8261 |
| 12.795 | 14.370 | 0.630 | 23 | 25003-3209 |
| 12.795 | 14.370 | 0.630 | 59 | 24700-4058 |
| 12.812 | 14.812 | 0.750 | 23 | 25003-1016 |
| 12.875 | 13.875 | 0.500 | 23 | 25003-1960 |
| 12.875 | 14.000 | 0.750 | 23 | 25003-1619 |
| 12.875 | 14.375 | 0.750 | 23 | 25003-5939 |
| 12.875 | 14.750 | 0.812 | 23 | 25003-6782 |
| 12.875 | 14.750 | 1.000 | 53 | 21086-3718 |
| 12.875 | 14.750 | 1.000 | 59 | 24700-3718 |
| 12.875 | 14.875 | 0.750 | 23 | 25003-8115 |
| 12.875 | 15.000 | 0.750 | 24 | 25005-9937 |
| 12.875 | 15.000 | 0.812 | 64 | 21238-5404 |
| 12.875 | 15.500 | 0.875 | 59 | 24700-0173 |
| 12.906 | 14.906 | 0.750 | 23 | 25003-8511 |
| 12.909 | 13.872 | 0.675 | 23 | 25003-4791 |
| 12.922 | 14.173 | 0.590 | 23 | 25003-5341 |
| 12.938 | 14.250 | 0.625 | 23 | 25003-0203 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 12.992 | 14.173 | 0.394 | 23 | 25003-0590 |
| 12.992 | 14.173 | 0.590 | 26 | 24600-5341 |
| 12.992 | 14.566 | 0.708 | 23 | 25003-9996 |
| 12.992 | 14.566 | 0.708 | 59 | 24700-0174 |
| 12.992 | 14.567 | 0.482 | 26R1 | 24620-3235 |
| 12.992 | 14.724 | 0.748 | 23 | 25003-3170 |
| 12.992 | 14.724 | 0.787 | 23 | 25003-4630 |
| 12.992 | 14.724 | 0.787 | 59 | 24700-5525 |
| 12.992 | 15.354 | 0.984 | 59 | 24700-1000 |
| 13.000 | 14.000 | 0.500 | 23 | 25003-8576 |
| 13.000 | 14.000 | 0.750 | 142 | 21432-8296 |
| 13.000 | 14.125 | 0.546 | 23 | 25003-4969 |
| 13.000 | 14.125 | 1.250 | 142 | 21432-7729 |
| 13.000 | 14.250 | 0.625 | 23 | 25003-4770 |
| 13.000 | 14.375 | 0.375 | 23 | 25003-1698 |
| 13.000 | 14.500 | 0.625 | 23 | 25003-7805 |
| 13.000 | 14.500 | 0.625 | 59 | 24700-7805 |
| 13.000 | 14.500 | 0.687 | 23 | 25003-4093 |
| 13.000 | 14.500 | 0.687 | 53 | 21086-4093 |
| 13.000 | 14.500 | 0.687 | 59 | 24700-4093 |
| **13.000** | **14.500** | **0.687** | **64** | **21238-4093** |
| 13.000 | 14.500 | 0.688 | 26 | 24600-4093 |
| 13.000 | 14.500 | 0.750 | 21 | 25001-4094 |
| 13.000 | 14.500 | 0.750 | 23 | 25003-4094 |
| 13.000 | 14.500 | 0.750 | 53 | 21086-4094 |
| 13.000 | 14.500 | 0.812 | 23 | 25003-0818 |
| 13.000 | 14.500 | 1.000 | 53F1 | 22987-3890 |
| 13.000 | 14.606 | 0.703 | 23 | 25003-1242 |
| 13.000 | 14.608 | 0.750 | 23 | 25003-1889 |
| 13.000 | 14.625 | 0.750 | 23 | 25003-4095 |
| 13.000 | 14.625 | 0.750 | 26 | 24600-4095 |
| 13.000 | 14.625 | 0.750 | 53 | 21086-4095 |
| 13.000 | 14.625 | 0.750 | 59 | 24700-4095 |
| 13.000 | 14.734 | 0.703 | 23 | 25003-9697 |
| 13.000 | 14.750 | 0.500 | 23 | 25003-9255 |
| 13.000 | 14.750 | 0.750 | 23 | 25003-7547 |
| 13.000 | 14.812 | 0.625 | 59 | 24700-0175 |
| 13.000 | 14.825 | 0.812 | 23 | 25003-6168 |
| 13.000 | 14.875 | 0.687 | 64 | 21238-4096 |
| 13.000 | 14.875 | 0.875 | 59 | 24700-0176 |
| 13.000 | 15.000 | 0.625 | 23 | 25003-9598 |
| 13.000 | 15.000 | 0.750 | 23 | 25003-4098 |
| 13.000 | 15.000 | 0.750 | 24 | 25005-4098 |
| 13.000 | 15.000 | 0.750 | 26 | 24600-4098 |
| 13.000 | 15.000 | 0.750 | 53 | 21086-4098 |
| 13.000 | 15.000 | 0.750 | 59 | 24700-4098 |
| 13.000 | 15.000 | 0.812 | 21 | 25001-4099 |
| 13.000 | 15.000 | 0.812 | 23 | 25003-4099 |
| 13.000 | 15.000 | 0.812 | 62 | 21702-4099 |
| **13.000** | **15.000** | **0.812** | **64** | **21238-4099** |
| 13.000 | 15.000 | 1.000 | 53 | 21086-3719 |
| 13.000 | 15.000 | 1.375 | 53R2 | 22627-6607 |
| 13.070 | 14.570 | 0.750 | 23 | 25003-0994 |
| 13.125 | 14.625 | 0.750 | 23 | 25003-9258 |
| 13.125 | 14.875 | 0.625 | 23 | 25003-9949 |
| 13.125 | 15.000 | 0.750 | 23 | 25003-1769 |
| 13.125 | 15.125 | 0.750 | 23 | 25003-7602 |
| 13.125 | 15.125 | 0.812 | 23 | 25003-5783 |
| 13.187 | 14.187 | 0.500 | 23 | 25003-8332 |
| 13.220 | 14.407 | 0.625 | 59 | 24700-0177 |
| 13.250 | 14.250 | 0.500 | 23 | 25003-0489 |
| 13.250 | 14.750 | 0.625 | 23 | 25003-6263 |
| **13.250** | **14.750** | **0.625** | **59** | **24700-0178** |
| 13.250 | 14.750 | 0.687 | 53 | 21086-4101 |
| **13.250** | **14.750** | **0.687** | **64** | **21238-4101** |
| 13.250 | 14.750 | 0.688 | 26 | 24600-2580 |
| 13.250 | 14.750 | 0.750 | 23 | 25003-4102 |
| 13.250 | 14.750 | 0.750 | 53 | 21086-4102 |
| 13.250 | 14.875 | 0.687 | 64 | 21238-7734 |
| 13.250 | 14.875 | 0.750 | 23 | 25003-4103 |
| 13.250 | 14.875 | 0.750 | 53 | 21086-4103 |
| 13.250 | 14.875 | 0.750 | 59 | 24700-0179 |
| 13.250 | 15.000 | 0.687 | 64 | 21238-7169 |
| 13.250 | 15.000 | 0.750 | 59 | 24700-0180 |
| 13.250 | 15.125 | 0.500 | 23 | 25003-4913 |
| 13.250 | 15.125 | 0.687 | 64 | 21238-4105 |
| 13.250 | 15.125 | 0.875 | 59 | 24700-0181 |
| 13.250 | 15.250 | 0.687 | 64 | 21238-6294 |
| 13.250 | 15.250 | 0.750 | 23 | 25003-6264 |
| 13.250 | 15.250 | 0.750 | 59 | 24700-0182 |
| 13.250 | 15.250 | 0.750 | 88 | 26088-6264 |
| 13.250 | 15.250 | 0.750 | 88NS | 26188-6264 |
| 13.250 | 15.250 | 0.812 | 21 | 25001-4779 |
| 13.250 | 15.250 | 0.812 | 23 | 25003-4779 |
| 13.250 | 15.250 | 0.812 | 64 | 21238-4779 |
| 13.250 | 15.250 | 1.000 | 53 | 21086-4107 |
| 13.250 | 15.250 | 1.000 | 59 | 24700-5740 |
| 13.250 | 15.375 | 1.000 | 53 | 21086-4109 |
| 13.250 | 15.375 | 1.000 | 59 | 24700-0183 |
| 13.250 | 15.500 | 1.000 | 53 | 21086-4113 |
| 13.250 | 16.000 | 0.875 | 59 | 24700-0184 |
| 13.312 | 15.312 | 0.812 | 23 | 25003-7969 |
| 13.375 | 14.375 | 0.500 | 23 | 25003-9331 |
| 13.375 | 14.625 | 0.500 | 23 | 25003-0944 |
| 13.375 | 14.875 | 0.625 | 53 | 21086-4116 |
| 13.375 | 14.875 | 0.750 | 23 | 25003-7323 |
| 13.375 | 14.875 | 0.750 | 59 | 24700-0185 |
| 13.375 | 15.000 | 0.750 | 59 | 24700-0186 |
| 13.375 | 15.375 | 0.812 | 23 | 25003-9256 |
| 13.375 | 15.375 | 0.875 | 59 | 24700-0187 |
| 13.383 | 14.883 | 0.750 | 23 | 25003-4596 |
| 13.386 | 14.645 | 0.630 | 59 | 24700-0188 |
| 13.386 | 14.882 | 0.750 | 23 | 25003-5664 |
| 13.386 | 14.886 | 0.750 | 23 | 25003-8701 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 13.386 | 14.960 | 0.688 | 59 | 24700-0189 |
| 13.386 | 14.961 | 0.630 | 53 | 21086-7896 |
| 13.386 | 14.961 | 0.708 | 23 | 25003-0893 |
| 13.386 | 14.961 | 0.709 | 26 | 24600-3882 |
| 13.386 | 14.961 | 0.709 | 59 | 24700-3882 |
| 13.386 | 14.961 | 0.787 | 59 | 24700-5170 |
| 13.386 | 15.118 | 0.787 | 23 | 25003-2245 |
| 13.386 | 15.157 | 0.787 | 23 | 25003-2286 |
| 13.469 | 14.468 | 0.500 | 23 | 25003-5984 |
| 13.469 | 14.680 | 0.500 | 23 | 25003-3114 |
| 13.500 | 14.500 | 0.500 | 23 | 25003-0986 |
| 13.500 | 14.919 | 0.700 | 23 | 25003-2383 |
| 13.500 | 15.000 | 0.625 | 23 | 25003-8620 |
| 13.500 | 15.000 | 0.625 | 59 | 24700-0190 |
| 13.500 | 15.000 | 0.653 | 26 | 24600-5456 |
| 13.500 | 15.000 | 0.653 | 26R1 | 24620-5456 |
| 13.500 | 15.000 | 0.687 | 23 | 25003-4121 |
| 13.500 | 15.000 | 0.687 | 53 | 21086-4121 |
| 13.500 | 15.000 | 0.687 | 59 | 24700-4251 |
| **13.500** | **15.000** | **0.687** | **64** | **21238-4121** |
| 13.500 | 15.000 | 0.688 | 88 | 26088-4121 |
| 13.500 | 15.000 | 0.688 | 88NS | 26188-4121 |
| 13.500 | 15.000 | 0.750 | 23 | 25003-4122 |
| 13.500 | 15.000 | 0.750 | 53 | 21086-4122 |
| 13.500 | 15.250 | 0.750 | 53 | 21086-4124 |
| 13.500 | 15.250 | 0.750 | 59 | 24700-0191 |
| 13.500 | 15.250 | 0.750 | 64 | 21238-4124 |
| 13.500 | 15.312 | 0.625 | 59 | 24700-0192 |
| 13.500 | 15.375 | 0.750 | 53 | 21086-4125 |
| 13.500 | 15.500 | 0.688 | 88 | 26088-2982 |
| 13.500 | 15.500 | 0.688 | 88NS | 26188-2982 |
| 13.500 | 15.500 | 0.750 | 23 | 25003-4127 |
| 13.500 | 15.500 | 0.750 | 26 | 24600-4127 |
| **13.500** | **15.500** | **0.750** | **53** | **21086-4127** |
| 13.500 | 15.500 | 0.750 | 59 | 24700-4127 |
| 13.500 | 15.500 | 0.812 | 21 | 25001-4128 |
| 13.500 | 15.500 | 0.812 | 23 | 25003-4128 |
| **13.500** | **15.500** | **0.812** | **64** | **21238-4128** |
| 13.500 | 15.500 | 0.875 | 53 | 21086-9964 |
| 13.500 | 15.500 | 1.000 | 53 | 21086-3721 |
| 13.500 | 15.500 | 1.375 | 53R1 | 22537-6154 |
| 13.500 | 15.500 | 1.375 | 53R2 | 22627-6154 |
| 13.500 | 15.500 | 1.437 | 53R1 | 22537-9039 |
| 13.500 | 15.750 | 0.813 | 64 | 21238-4123 |
| 13.500 | 15.750 | 0.875 | 59 | 24700-0193 |
| 13.500 | 15.752 | 1.000 | 59 | 24700-0194 |
| 13.500 | 17.300 | 1.000 | 59 | 24700-0195 |
| 13.504 | 15.504 | 0.812 | 23 | 25003-4666 |
| 13.562 | 15.062 | 0.750 | 23 | 25003-5659 |
| 13.580 | 14.580 | 0.500 | 23 | 25003-5640 |
| 13.580 | 15.030 | 0.750 | 23 | 25003-5683 |
| 13.622 | 15.122 | 0.750 | 23 | 25003-7019 |
| 13.625 | 14.625 | 0.500 | 23 | 25003-5383 |
| 13.625 | 14.875 | 0.687 | 59 | 24700-2018 |
| 13.625 | 14.875 | 0.750 | 23 | 25003-5825 |
| 13.625 | 14.875 | 0.750 | 25 | 25058-5825 |
| 13.625 | 15.031 | 0.750 | 23 | 25003-0726 |
| 13.625 | 15.500 | 1.000 | 59 | 24700-0196 |
| 13.625 | 15.625 | 0.812 | 23 | 25003-9921 |
| 13.625 | 16.125 | 1.250 | 59 | 24700-0197 |
| 13.750 | 14.750 | 0.500 | 21 | 25001-7175 |
| 13.750 | 14.750 | 0.500 | 23 | 25003-7175 |
| 13.750 | 14.750 | 0.750 | 142 | 21432-8106 |
| 13.750 | 15.000 | 0.750 | 23 | 25003-0453 |
| 13.750 | 15.000 | 0.750 | 59 | 24700-0198 |
| 13.750 | 15.250 | 0.500 | 23 | 25003-2980 |
| 13.750 | 15.250 | 0.625 | 59 | 24700-0199 |
| 13.750 | 15.250 | 0.687 | 53 | 21086-4529 |
| 13.750 | 15.250 | 0.687 | 64 | 21238-4529 |
| 13.750 | 15.250 | 0.750 | 23 | 25003-4530 |
| 13.750 | 15.250 | 0.750 | 26 | 24600-4530 |
| 13.750 | 15.250 | 0.750 | 53 | 21086-4530 |
| 13.750 | 15.375 | 0.750 | 23 | 25003-1445 |
| **13.750** | **15.500** | **0.750** | **53** | **21086-4531** |
| 13.750 | 15.500 | 0.750 | 59 | 24700-0200 |
| 13.750 | 15.500 | 0.750 | 64 | 21238-4531 |
| 13.750 | 15.508 | 0.750 | 59 | 24700-0201 |
| 13.750 | 15.750 | 0.625 | 59 | 24700-0202 |
| 13.750 | 15.750 | 0.750 | 23 | 25003-4532 |
| 13.750 | 15.750 | 0.750 | 53 | 21086-4532 |
| 13.750 | 15.750 | 0.812 | 23 | 25003-4129 |
| 13.750 | 15.750 | 0.812 | 62 | 21702-4129 |
| **13.750** | **15.750** | **0.812** | **64** | **21238-4129** |
| 13.750 | 15.750 | 0.969 | 53F1 | 22987-5831 |
| 13.750 | 15.750 | 1.000 | 53 | 21086-3722 |
| 13.750 | 15.750 | 1.000 | 59 | 24700-5711 |
| 13.750 | 15.750 | 1.437 | 53T2 | 22897-5304 |
| 13.750 | 16.000 | 0.813 | 64 | 21238-4119 |
| 13.750 | 16.000 | 0.875 | 59 | 24700-0203 |
| 13.779 | 15.276 | 0.500 | 23 | 25003-5477 |
| 13.779 | 15.279 | 0.750 | 23 | 25003-9316 |
| 13.779 | 15.354 | 0.630 | 23 | 25003-8656 |
| 13.779 | 15.354 | 0.709 | 59 | 24700-0204 |
| 13.779 | 15.709 | 0.787 | 23 | 25003-5874 |
| 13.779 | 15.748 | 0.669 | 59 | 24700-3490 |
| 13.780 | 14.961 | 0.394 | 23 | 25003-0591 |
| 13.780 | 14.961 | 0.630 | 59 | 24700-3212 |
| 13.780 | 14.961 | 0.787 | 59 | 24700-4755 |
| 13.780 | 15.512 | 0.500 | 23 | 25003-2109 |
| 13.780 | 15.512 | 0.748 | 59 | 24700-5107 |
| 13.780 | 15.512 | 0.787 | 26 | 24600-5102 |
| 13.780 | 15.512 | 0.787 | 59 | 24700-5102 |
| **13.780** | **15.748** | **0.984** | **59** | **24700-3091** |
| 13.780 | 16.142 | 0.787 | 59 | 24700-1902 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 13.780 | 16.142 | 0.984 | 59 | 24700-5477 |
| 13.813 | 16.000 | 0.812 | 64 | 21238-4108 |
| 13.813 | 16.000 | 1.000 | 59 | 24700-0205 |
| 13.850 | 15.500 | 0.750 | 23 | 25003-6515 |
| 13.875 | 15.375 | 0.750 | 23 | 25003-7379 |
| 13.875 | 15.500 | 0.600 | 23 | 25003-0690 |
| 13.875 | 15.875 | 0.812 | 23 | 25003-4137 |
| 13.875 | 16.000 | 0.812 | 64 | 21238-4110 |
| 13.875 | 16.000 | 1.000 | 59 | 24700-0206 |
| 13.895 | 15.750 | 0.750 | 23 | 25003-8999 |
| 13.937 | 15.437 | 0.687 | 21 | 25001-4130 |
| 13.937 | 15.437 | 0.687 | 64 | 21238-4130 |
| 13.937 | 15.437 | 0.750 | 23 | 25003-9783 |
| 13.938 | 15.438 | 0.625 | 59 | 24700-0207 |
| 13.938 | 15.500 | 0.687 | 64 | 21238-4111 |
| 13.938 | 15.500 | 0.750 | 59 | 24700-0208 |
| 13.938 | 15.744 | 1.000 | 59 | 24700-0210 |
| 13.938 | 16.000 | 0.687 | 64 | 21238-4112 |
| 13.938 | 16.000 | 0.875 | 59 | 24700-0211 |
| 13.976 | 15.551 | 0.787 | 59 | 24700-5441 |
| 13.980 | 15.500 | 0.750 | 23 | 25003-6518 |
| 14.000 | 15.000 | 0.500 | 23 | 25003-6560 |
| 14.000 | 15.125 | 1.375 | 142 | 21432-3099 |
| 14.000 | 15.250 | 0.750 | 23 | 25003-8850 |
| 14.000 | 15.375 | 0.531 | 23 | 25003-7704 |
| 14.000 | 15.500 | 0.625 | 23 | 25003-6303 |
| 14.000 | 15.500 | 0.625 | 26 | 24600-0212 |
| 14.000 | 15.500 | 0.625 | 59 | 24700-0212 |
| 14.000 | 15.500 | 0.687 | 23 | 25003-4131 |
| **14.000** | **15.500** | **0.687** | **64** | **21238-4131** |
| 14.000 | 15.500 | 0.750 | 21 | 25001-4132 |
| 14.000 | 15.500 | 0.750 | 23 | 25003-4132 |
| 14.000 | 15.500 | 0.750 | 25 | 25058-4132 |
| 14.000 | 15.500 | 0.750 | 53 | 21086-4132 |
| 14.000 | 15.500 | 0.750 | 62 | 21702-4132 |
| 14.000 | 15.500 | 1.000 | 26R1 | 24620-4129 |
| 14.000 | 15.562 | 0.750 | 53 | 21086-4133 |
| 14.000 | 15.562 | 0.750 | 59 | 24700-0213 |
| 14.000 | 15.563 | 0.750 | 23 | 25003-4133 |
| 14.000 | 15.625 | 0.625 | 59 | 24700-0214 |
| 14.000 | 15.625 | 0.812 | 23 | 25003-1913 |
| 14.000 | 15.750 | 0.500 | 23 | 25003-6324 |
| 14.000 | 15.750 | 0.687 | 62 | 21702-5991 |
| **14.000** | **15.750** | **0.687** | **64** | **21238-5991** |
| 14.000 | 15.750 | 0.688 | 59 | 24700-0215 |
| 14.000 | 15.750 | 0.750 | 23 | 25003-4134 |
| 14.000 | 15.750 | 0.750 | 53 | 21086-4134 |
| 14.000 | 15.750 | 0.750 | 64 | 21238-4134 |
| 14.000 | 15.750 | 0.875 | 87 | 26080-9927 |
| 14.000 | 15.752 | 0.813 | 59 | 24700-0216 |
| 14.000 | 16.000 | 0.625 | 23 | 25003-9763 |
| 14.000 | 16.000 | 0.750 | 23 | 25003-6877 |
| 14.000 | 16.000 | 0.750 | 59 | 24700-0217 |
| 14.000 | 16.000 | 0.812 | 21 | 25001-4135 |
| 14.000 | 16.000 | 0.812 | 23 | 25003-4135 |
| **14.000** | **16.000** | **0.812** | **64** | **21238-4135** |
| 14.000 | 16.000 | 1.000 | 53 | 21086-3725 |
| 14.000 | 16.000 | 1.375 | 53R1 | 22537-4888 |
| 14.000 | 16.000 | 1.375 | 53R2 | 22627-4888 |
| 14.000 | 16.250 | 0.812 | 62 | 21702-5382 |
| 14.000 | 16.250 | 0.812 | 64 | 21238-5382 |
| 14.000 | 16.250 | 1.000 | 26 | 24600-3726 |
| 14.000 | 16.250 | 1.000 | 53 | 21086-3726 |
| 14.000 | 16.250 | 1.000 | 59 | 24700-3726 |
| 14.000 | 16.500 | 0.812 | 64 | 21238-7535 |
| 14.000 | 16.500 | 0.813 | 59 | 24700-0218 |
| 14.000 | 16.500 | 1.000 | 53 | 21086-3727 |
| 14.000 | 16.625 | 0.625 | 59 | 24700-0219 |
| 14.013 | 15.513 | 0.750 | 23 | 25003-9287 |
| 14.016 | 15.000 | 0.688 | 26 | 24600-8815 |
| 14.028 | 15.428 | 0.750 | 23 | 25003-1883 |
| 14.041 | 15.541 | 0.625 | 23 | 25003-1865 |
| 14.063 | 16.062 | 0.812 | 23 | 25003-6778 |
| 14.094 | 15.500 | 0.750 | 23 | 25003-0480 |
| 14.100 | 15.600 | 0.750 | 23 | 25003-9512 |
| 14.125 | 15.625 | 0.750 | 23 | 25003-9687 |
| 14.125 | 15.625 | 0.750 | 59 | 24700-3003 |
| 14.125 | 16.745 | 0.875 | 59 | 24700-0220 |
| 14.140 | 15.640 | 0.625 | 23 | 25003-1287 |
| 14.166 | 15.750 | 0.625 | 23 | 25003-5815 |
| 14.172 | 16.734 | 0.844 | 59 | 24700-0221 |
| 14.173 | 15.354 | 0.709 | 23 | 25003-2066 |
| 14.173 | 15.354 | 0.709 | 26 | 24600-0992 |
| 14.173 | 15.354 | 0.709 | 59 | 24700-0992 |
| 14.173 | 15.590 | 0.630 | 23 | 25003-0963 |
| 14.173 | 15.673 | 0.750 | 23 | 25003-5846 |
| 14.173 | 15.748 | 0.630 | 53 | 21086-7849 |
| 14.173 | 15.748 | 0.709 | 26 | 24600-4394 |
| 14.173 | 15.748 | 0.709 | 59 | 24700-4394 |
| 14.173 | 15.748 | 0.748 | 23 | 25003-9182 |
| 14.173 | 15.748 | 0.787 | 59 | 24700-1892 |
| 14.173 | 15.906 | 0.788 | 87 | 26080-1202 |
| 14.177 | 15.500 | 0.750 | 23 | 25003-0241 |
| 14.187 | 16.187 | 0.812 | 21 | 25001-4614 |
| 14.187 | 16.732 | 0.812 | 64 | 21238-9280 |
| 14.188 | 15.500 | 0.625 | 53 | 21086-4114 |
| 14.188 | 15.500 | 0.688 | 59 | 24700-0222 |
| 14.188 | 15.750 | 0.625 | 53 | 21086-4117 |
| 14.188 | 15.750 | 0.750 | 59 | 24700-0223 |
| 14.188 | 16.000 | 0.875 | 59 | 24700-0224 |
| 14.188 | 16.188 | 0.813 | 59 | 24700-0225 |
| 14.188 | 16.750 | 0.875 | 59 | 24700-0226 |
| 14.190 | 15.690 | 0.625 | 23 | 25003-4138 |
| 14.214 | 16.214 | 0.812 | 23 | 25003-7898 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 14.250 | 15.750 | 0.687 | 64 | 21238-4118 |
| 14.250 | 15.750 | 0.750 | 21 | 25001-5062 |
| 14.250 | 15.750 | 0.750 | 23 | 25003-5062 |
| 14.250 | 15.750 | 0.750 | 59 | 24700-0227 |
| 14.250 | 16.000 | 0.812 | 23 | 25003-4691 |
| 14.250 | 16.000 | 0.875 | 21 | 25001-7573 |
| 14.250 | 16.000 | 0.875 | 59 | 24700-0228 |
| 14.250 | 16.250 | 0.625 | 26 | 24600-3891 |
| 14.250 | 16.250 | 0.625 | 87 | 26080-3891 |
| 14.250 | 16.250 | 0.750 | 23 | 25003-5117 |
| 14.250 | 16.250 | 0.812 | 21 | 25001-4140 |
| 14.250 | 16.250 | 0.812 | 23 | 25003-4140 |
| **14.250** | **16.250** | **0.812** | **64** | **21238-4140** |
| 14.250 | 16.250 | 0.813 | 59 | 24700-0229 |
| 14.250 | 16.500 | 0.812 | 64 | 21238-3855 |
| 14.250 | 16.500 | 0.875 | 59 | 24700-0230 |
| 14.344 | 16.000 | 0.687 | 88 | 26088-8664 |
| 14.344 | 16.000 | 0.687 | 88NS | 26188-8664 |
| 14.370 | 15.866 | 0.748 | 23 | 25003-3250 |
| 14.370 | 15.938 | 0.709 | 59 | 24700-0231 |
| 14.375 | 15.875 | 0.750 | 23 | 25003-5946 |
| 14.375 | 15.875 | 0.750 | 59 | 24700-0232 |
| 14.375 | 16.000 | 0.687 | 64 | 21238-5481 |
| 14.375 | 16.000 | 0.688 | 26 | 24600-0233 |
| 14.375 | 16.000 | 0.688 | 59 | 24700-0233 |
| 14.375 | 16.375 | 0.750 | 23 | 25003-5134 |
| 14.375 | 16.537 | 0.590 | 88 | 26088-1924 |
| 14.375 | 16.537 | 0.590 | 88NS | 26188-1924 |
| 14.394 | 15.394 | 0.500 | 23 | 25003-2700 |
| 14.438 | 15.938 | 0.625 | 23 | 25003-0785 |
| 14.484 | 15.369 | 0.500 | 23 | 25003-1632 |
| 14.484 | 16.312 | 0.562 | 23 | 25003-1631 |
| 14.488 | 16.496 | 0.811 | 87 | 26080-2134 |
| 14.500 | 15.500 | 0.500 | 23 | 25003-8741 |
| 14.500 | 15.750 | 0.625 | 23 | 25003-4699 |
| 14.500 | 15.750 | 0.750 | 23 | 25003-1018 |
| 14.500 | 16.000 | 0.562 | 88 | 26088-2676 |
| 14.500 | 16.000 | 0.562 | 88NS | 26188-2676 |
| 14.500 | 16.000 | 0.625 | 23 | 25003-7149 |
| 14.500 | 16.000 | 0.687 | 53 | 21086-4142 |
| **14.500** | **16.000** | **0.687** | **64** | **21238-4142** |
| 14.500 | 16.000 | 0.688 | 23 | 25003-4142 |
| 14.500 | 16.000 | 0.688 | 59 | 24700-4142 |
| 14.500 | 16.000 | 0.688 | 87 | 26080-4142 |
| 14.500 | 16.000 | 0.750 | 21 | 25001-4143 |
| 14.500 | 16.000 | 0.750 | 23 | 25003-4143 |
| 14.500 | 16.250 | 0.625 | 23 | 25003-5455 |
| 14.500 | 16.250 | 0.625 | 59 | 24700-3866 |
| 14.500 | 16.250 | 0.750 | 53 | 21086-4144 |
| 14.500 | 16.375 | 0.812 | 23 | 25003-9495 |
| 14.500 | 16.500 | 0.625 | 23 | 25003-9116 |
| 14.500 | 16.500 | 0.750 | 23 | 25003-3728 |
| 14.500 | 16.500 | 0.750 | 53 | 21086-3728 |
| 14.500 | 16.500 | 0.750 | 59 | 24700-0234 |
| 14.500 | 16.500 | 0.750 | 62 | 21702-3728 |
| 14.500 | 16.500 | 0.812 | 23 | 25003-4145 |
| 14.500 | 16.500 | 0.812 | 62 | 21702-4145 |
| **14.500** | **16.500** | **0.812** | **64** | **21238-4145** |
| 14.500 | 16.500 | 0.812 | 88 | 26088-4145 |
| 14.500 | 16.500 | 0.812 | 88NS | 26188-4145 |
| 14.562 | 16.000 | 0.625 | 26 | 24600-5987 |
| 14.562 | 16.000 | 0.625 | 53 | 21086-5987 |
| 14.563 | 16.000 | 0.625 | 59 | 24700-5987 |
| 14.566 | 16.141 | 0.787 | 26R1 | 24620-8196 |
| 14.566 | 16.181 | 0.629 | 23 | 25003-9993 |
| 14.567 | 15.551 | 0.500 | 23 | 25003-5845 |
| 14.567 | 16.299 | 0.787 | 59 | 24700-3880 |
| 14.567 | 16.339 | 0.787 | 59 | 24700-5694 |
| 14.567 | 16.535 | 0.787 | 23 | 25003-1968 |
| 14.580 | 16.200 | 0.625 | 23 | 25003-2026 |
| 14.625 | 16.000 | 0.625 | 59 | 24700-4555 |
| 14.625 | 16.125 | 0.750 | 23 | 25003-9732 |
| 14.625 | 16.125 | 0.750 | 59 | 24700-0235 |
| 14.625 | 16.250 | 0.687 | 64 | 21238-3856 |
| 14.625 | 16.250 | 0.750 | 23 | 25003-0756 |
| 14.625 | 16.250 | 0.750 | 59 | 24700-0236 |
| 14.625 | 16.750 | 0.812 | 64 | 21238-3857 |
| 14.625 | 16.750 | 1.000 | 59 | 24700-0237 |
| 14.687 | 16.187 | 0.625 | 23 | 25003-6283 |
| 14.687 | 16.187 | 0.750 | 23 | 25003-9494 |
| 14.687 | 16.687 | 0.812 | 23 | 25003-4756 |
| 14.688 | 16.188 | 0.625 | 59 | 24700-0238 |
| 14.750 | 16.125 | 0.687 | 21 | 25001-8888 |
| 14.750 | 16.125 | 0.687 | 23 | 25003-8888 |
| 14.750 | 16.125 | 0.750 | 23 | 25003-2067 |
| 14.750 | 16.250 | 0.375 | 23 | 25003-9959 |
| 14.750 | 16.250 | 0.625 | 23 | 25003-8119 |
| 14.750 | 16.250 | 0.625 | 59 | 24700-0239 |
| 14.750 | 16.250 | 0.668 | 21 | 25001-9696 |
| 14.750 | 16.250 | 0.687 | 21 | 25001-4147 |
| **14.750** | **16.250** | **0.687** | **64** | **21238-4147** |
| 14.750 | 16.250 | 0.688 | 23 | 25003-4147 |
| 14.750 | 16.250 | 0.688 | 59 | 24700-4147 |
| 14.750 | 16.250 | 0.750 | 23 | 25003-4148 |
| 14.750 | 16.500 | 0.687 | 23 | 25003-5990 |
| **14.750** | **16.500** | **0.687** | **64** | **21238-5990** |
| 14.750 | 16.500 | 0.688 | 59 | 24700-0240 |
| 14.750 | 16.500 | 0.750 | 23 | 25003-4149 |
| 14.750 | 16.500 | 0.750 | 62 | 21702-4149 |
| 14.750 | 16.500 | 0.812 | 23 | 25003-1617 |
| 14.750 | 16.500 | 0.875 | 88 | 26088-8794 |
| 14.750 | 16.500 | 0.875 | 88NS | 26188-8794 |
| 14.750 | 16.625 | 0.812 | 23 | 25003-3149 |
| 14.750 | 16.750 | 0.750 | 23 | 25003-9254 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 14.750 | 16.750 | 0.812 | 23 | 25003-9591 |
| 14.760 | 16.339 | 0.630 | 23 | 25003-6994 |
| 14.764 | 16.535 | 0.787 | 59 | 24700-4423 |
| 14.810 | 15.685 | 0.375 | 23 | 25003-3262 |
| 14.875 | 16.375 | 0.750 | 23 | 25003-8281 |
| 14.875 | 16.500 | 0.687 | 64 | 21238-3858 |
| 14.875 | 16.500 | 0.750 | 23 | 25003-4414 |
| 14.875 | 16.500 | 0.750 | 59 | 24700-0241 |
| 14.875 | 16.750 | 0.687 | 64 | 21238-3859 |
| 14.875 | 16.750 | 0.875 | 59 | 24700-0242 |
| 14.875 | 16.875 | 0.375 | 23 | 25003-1454 |
| 14.875 | 16.875 | 0.500 | 23 | 25003-9163 |
| 14.875 | 16.875 | 0.812 | 21 | 25001-8271 |
| 14.875 | 16.875 | 0.812 | 23 | 25003-8271 |
| 14.875 | 16.875 | 0.937 | 64 | 21238-2622 |
| 14.875 | 16.875 | 1.000 | 53 | 21086-4150 |
| 14.875 | 16.875 | 1.000 | 59 | 24700-0243 |
| 14.875 | 16.875 | 1.219 | 53F1 | 22987-6846 |
| 14.875 | 17.000 | 0.812 | 64 | 21238-3860 |
| 14.875 | 17.000 | 0.875 | 59 | 24700-0244 |
| 14.875 | 17.500 | 0.875 | 59 | 24700-0245 |
| 14.906 | 17.000 | 0.812 | 64 | 21238-3861 |
| 14.906 | 17.000 | 0.875 | 59 | 24700-0246 |
| 14.937 | 16.437 | 0.750 | 23 | 25003-9896 |
| 14.950 | 16.500 | 0.750 | 23 | 25003-5475 |
| 14.960 | 16.460 | 0.750 | 23 | 25003-5801 |
| 14.960 | 17.322 | 0.984 | 26R1 | 24620-5466 |
| 14.961 | 16.535 | 0.625 | 23 | 25003-2328 |
| 14.961 | 16.535 | 0.787 | 23 | 25003-0614 |
| 14.961 | 16.535 | 0.787 | 59 | 24700-0247 |
| 14.961 | 16.693 | 0.787 | 23 | 25003-4601 |
| 14.961 | 16.693 | 0.787 | 59 | 24700-4674 |
| 14.961 | 17.323 | 0.984 | 59 | 24700-5466 |
| 15.000 | 16.000 | 0.500 | 23 | 25003-5508 |
| 15.000 | 16.125 | 0.547 | 23 | 25003-4970 |
| 15.000 | 16.250 | 0.625 | 23 | 25003-1175 |
| 15.000 | 16.250 | 0.812 | 23 | 25003-0662 |
| 15.000 | 16.375 | 0.531 | 23 | 25003-3091 |
| 15.000 | 16.500 | 0.625 | 87 | 26080-3326 |
| 15.000 | 16.500 | 0.687 | 53 | 21086-4151 |
| **15.000** | **16.500** | **0.687** | **64** | **21238-4151** |
| 15.000 | 16.500 | 0.688 | 23 | 25003-4151 |
| 15.000 | 16.500 | 0.688 | 59 | 24700-0248 |
| 15.000 | 16.500 | 0.750 | 21 | 25001-4152 |
| 15.000 | 16.500 | 0.750 | 23 | 25003-4152 |
| 15.000 | 16.500 | 0.750 | 24 | 25005-4152 |
| 15.000 | 16.500 | 0.750 | 25 | 25058-4152 |
| 15.000 | 16.500 | 0.750 | 53 | 21086-4152 |
| 15.000 | 16.750 | 0.750 | 23 | 25003-4153 |
| **15.000** | **16.750** | **0.750** | **53** | **21086-4153** |
| 15.000 | 16.750 | 0.750 | 59 | 24700-0249 |
| 15.000 | 16.750 | 0.812 | 23 | 25003-8123 |
| 15.000 | 16.772 | 1.125 | 26R1 | 24620-5146 |
| 15.000 | 16.875 | 0.750 | 53 | 21086-4154 |
| 15.000 | 17.000 | 0.500 | 23 | 25003-4949 |
| 15.000 | 17.000 | 0.625 | 23 | 25003-9181 |
| 15.000 | 17.000 | 0.750 | 21 | 25001-4155 |
| 15.000 | 17.000 | 0.750 | 23 | 25003-4155 |
| 15.000 | 17.000 | 0.750 | 25 | 25058-4155 |
| 15.000 | 17.000 | 0.750 | 26 | 24600-4155 |
| 15.000 | 17.000 | 0.750 | 53 | 21086-4155 |
| 15.000 | 17.000 | 0.750 | 26R1 | 24620-4155 |
| 15.000 | 17.000 | 0.750 | 59 | 24700-4155 |
| 15.000 | 17.000 | 0.812 | 21 | 25001-4156 |
| 15.000 | 17.000 | 0.812 | 23 | 25003-4156 |
| **15.000** | **17.000** | **0.812** | **64** | **21238-4156** |
| 15.000 | 17.000 | 0.875 | 53 | 21086-3730 |
| 15.000 | 17.000 | 1.000 | 53 | 21086-3731 |
| 15.000 | 17.000 | 1.187 | 53F1 | 22987-8703 |
| 15.000 | 17.000 | 1.250 | 26R1 | 24620-6117 |
| 15.000 | 17.000 | 1.250 | 53R2 | 22627-6117 |
| 15.000 | 17.000 | 1.312 | 53R2 | 22627-4894 |
| 15.000 | 17.000 | 1.312 | 53T2 | 22897-4894 |
| 15.000 | 17.000 | 1.375 | 53R1 | 22537-6354 |
| 15.000 | 17.000 | 1.375 | 53R2 | 22627-6354 |
| 15.000 | 17.250 | 0.812 | 64 | 21238-8508 |
| 15.000 | 17.250 | 0.875 | 53 | 21086-5277 |
| 15.000 | 17.500 | 0.812 | 64 | 21238-9637 |
| 15.000 | 17.500 | 0.875 | 59 | 24700-0250 |
| 15.000 | 17.500 | 0.938 | 26 | 24600-3050 |
| 15.000 | 17.500 | 0.938 | 26R1 | 24620-3050 |
| 15.000 | 17.500 | 1.250 | 26 | 24600-1007 |
| 15.000 | 17.500 | 1.250 | 26R1 | 24620-1007 |
| 15.000 | 17.750 | 0.812 | 64 | 21238-3862 |
| 15.000 | 17.750 | 0.875 | 59 | 24700-0251 |
| 15.108 | 16.750 | 0.750 | 23 | 25003-3222 |
| 15.125 | 16.125 | 0.375 | 23 | 25003-9279 |
| 15.125 | 16.750 | 0.750 | 59 | 24700-0252 |
| 15.125 | 17.125 | 0.625 | 23 | 25003-6883 |
| 15.125 | 17.125 | 0.750 | 23 | 25003-9906 |
| 15.156 | 17.156 | 0.812 | 23 | 25003-6531 |
| 15.161 | 16.885 | 0.812 | 23 | 25003-1688 |
| 15.187 | 17.187 | 0.750 | 23 | 25003-7814 |
| 15.191 | 16.191 | 0.500 | 23 | 25003-0889 |
| 15.236 | 16.417 | 0.591 | 59 | 24700-5299 |
| 15.250 | 16.250 | 0.500 | 23 | 25003-1918 |
| 15.250 | 16.375 | 1.250 | 142 | 21432-2512 |
| 15.250 | 16.625 | 0.531 | 23 | 25003-8861 |
| 15.250 | 16.750 | 0.687 | 62 | 21702-4615 |
| **15.250** | **16.750** | **0.687** | **64** | **21238-4615** |
| 15.250 | 16.750 | 0.688 | 23 | 25003-4615 |
| **15.250** | **16.750** | **0.688** | **59** | **24700-0253** |
| 15.250 | 16.750 | 0.750 | 23 | 25003-7801 |
| 15.250 | 16.750 | 0.750 | 26 | 24600-7801 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 15.250 | 17.250 | 0.625 | 23 | 25003-6618 |
| 15.250 | 17.250 | 0.625 | 88 | 26088-6618 |
| 15.250 | 17.250 | 0.625 | 88NS | 26188-6618 |
| 15.250 | 17.250 | 0.750 | 21 | 25001-7539 |
| 15.250 | 17.250 | 0.750 | 23 | 25003-7539 |
| 15.250 | 17.250 | 0.750 | 59 | 24700-0254 |
| 15.250 | 17.250 | 0.750 | 88 | 26088-7539 |
| 15.250 | 17.250 | 0.750 | 88NS | 26188-7539 |
| 15.250 | 17.250 | 0.812 | 23 | 25003-4476 |
| **15.250** | **17.250** | **0.812** | **64** | **21238-4476** |
| 15.250 | 17.250 | 0.875 | 53 | 21086-3734 |
| 15.250 | 17.250 | 1.000 | 53 | 21086-4157 |
| 15.312 | 16.875 | 0.687 | 23 | 25003-4158 |
| 15.312 | 16.875 | 0.687 | 64 | 21238-4158 |
| 15.312 | 17.312 | 0.687 | 64 | 21238-5992 |
| 15.312 | 17.312 | 0.812 | 23 | 25003-7708 |
| 15.313 | 17.313 | 0.688 | 59 | 24700-0255 |
| 15.350 | 16.850 | 0.750 | 23 | 25003-9796 |
| 15.354 | 16.535 | 0.551 | 23 | 25003-1608 |
| 15.354 | 16.929 | 0.709 | 59 | 24700-5172 |
| 15.354 | 16.929 | 0.750 | 23 | 25003-5290 |
| 15.354 | 16.929 | 0.787 | 26 | 24600-4941 |
| 15.354 | 17.086 | 0.787 | 23 | 25003-1767 |
| 15.354 | 17.087 | 0.787 | 59 | 24700-5281 |
| 15.354 | 17.323 | 0.787 | 59 | 24700-3950 |
| 15.354 | 17.323 | 0.984 | 59 | 24700-4936 |
| **15.354** | **17.717** | **0.984** | **59** | **24700-2049** |
| 15.359 | 16.890 | 0.750 | 23 | 25003-5718 |
| 15.359 | 17.709 | 0.906 | 59 | 24700-0256 |
| 15.359 | 17.717 | 0.687 | 64 | 21238-4166 |
| 15.375 | 16.250 | 0.437 | 23 | 25003-1293 |
| 15.375 | 16.500 | 1.250 | 142 | 21432-4753 |
| 15.375 | 16.750 | 0.750 | 23 | 25003-0450 |
| 15.375 | 16.875 | 0.750 | 23 | 25003-7239 |
| 15.375 | 17.125 | 0.812 | 23 | 25003-1013 |
| 15.375 | 17.250 | 0.687 | 64 | 21238-4167 |
| 15.375 | 17.250 | 0.750 | 59 | 24700-0257 |
| 15.375 | 17.375 | 0.688 | 59 | 24700-0258 |
| 15.375 | 17.375 | 0.812 | 23 | 25003-4159 |
| 15.375 | 17.375 | 0.812 | 64 | 21238-4159 |
| 15.375 | 17.375 | 1.000 | 53 | 21086-4160 |
| 15.438 | 16.938 | 0.750 | 23 | 25003-1449 |
| 15.472 | 17.502 | 0.708 | 59 | 24700-0259 |
| 15.500 | 16.500 | 0.500 | 23 | 25003-4625 |
| 15.500 | 16.875 | 0.625 | 59 | 24700-0260 |
| 15.500 | 17.000 | 0.750 | 21 | 25001-4162 |
| 15.500 | 17.000 | 0.750 | 23 | 25003-4162 |
| 15.500 | 17.000 | 0.750 | 26 | 24600-4162 |
| 15.500 | 17.000 | 0.750 | 59 | 24700-4162 |
| 15.500 | 17.250 | 0.750 | 23 | 25003-6562 |
| 15.500 | 17.375 | 0.812 | 23 | 25003-0432 |
| 15.500 | 17.500 | 0.750 | 23 | 25003-7431 |
| 15.500 | 17.500 | 0.750 | 59 | 24700-0261 |
| 15.500 | 17.500 | 0.812 | 21 | 25001-4163 |
| 15.500 | 17.500 | 0.812 | 23 | 25003-4163 |
| 15.500 | 17.500 | 0.812 | 59 | 24700-5421 |
| **15.500** | **17.500** | **0.812** | **64** | **21238-4163** |
| 15.500 | 17.500 | 0.812 | 88 | 26088-4163 |
| 15.500 | 17.500 | 0.812 | 88NS | 26188-4163 |
| 15.500 | 17.750 | 0.812 | 64 | 21238-6771 |
| 15.500 | 17.750 | 1.000 | 59 | 24700-0262 |
| 15.500 | 18.000 | 0.812 | 64 | 21238-4168 |
| 15.500 | 18.000 | 1.000 | 59 | 24700-0263 |
| 15.512 | 16.535 | 0.500 | 23 | 25003-2206 |
| 15.551 | 17.283 | 0.741 | 26R1 | 24620-0979 |
| 15.551 | 17.283 | 0.886 | 26 | 24600-3867 |
| 15.565 | 16.565 | 0.500 | 23 | 25003-7592 |
| 15.604 | 16.974 | 0.625 | 59 | 24700-0264 |
| 15.625 | 17.125 | 0.750 | 23 | 25003-6455 |
| 15.625 | 17.125 | 0.750 | 59 | 24700-0265 |
| 15.625 | 17.250 | 0.750 | 23 | 25003-4494 |
| 15.625 | 17.625 | 0.812 | 23 | 25003-2619 |
| 15.625 | 17.625 | 0.875 | 59 | 24700-0266 |
| 15.740 | 17.250 | 0.688 | 59 | 24700-0267 |
| 15.748 | 17.244 | 0.750 | 23 | 25003-5666 |
| 15.748 | 17.322 | 0.787 | 26 | 24600-4396 |
| 15.748 | 17.322 | 0.787 | 59 | 24700-4396 |
| 15.748 | 17.323 | 0.630 | 59 | 24700-5064 |
| 15.748 | 17.480 | 0.662 | 23 | 25003-8702 |
| 15.748 | 17.480 | 0.787 | 23 | 25003-4629 |
| 15.748 | 17.480 | 0.787 | 26 | 24600-1332 |
| 15.748 | 17.480 | 0.787 | 59 | 24700-1332 |
| 15.748 | 17.480 | 0.787 | 87 | 26080-4629 |
| 15.748 | 17.716 | 0.687 | 64 | 21238-4169 |
| 15.748 | 17.716 | 0.689 | 59 | 24700-0268 |
| 15.748 | 17.716 | 0.709 | 23 | 25003-2389 |
| 15.748 | 17.716 | 0.748 | 59 | 24700-2726 |
| 15.748 | 17.716 | 0.761 | 59 | 24700-4429 |
| 15.748 | 17.717 | 0.787 | 23 | 25003-2069 |
| 15.748 | 17.717 | 0.812 | 23 | 25003-2275 |
| 15.748 | 17.748 | 0.750 | 23 | 25003-8713 |
| 15.748 | 18.110 | 0.984 | 26R1 | 24620-5467 |
| 15.750 | 16.750 | 0.500 | 23 | 25003-6873 |
| 15.750 | 16.875 | 0.625 | 23 | 25003-7091 |
| 15.750 | 16.875 | 1.250 | 142 | 21432-6430 |
| 15.750 | 16.948 | 0.750 | 23 | 25003-1992 |
| 15.750 | 17.000 | 0.625 | 59 | 24700-0269 |
| 15.750 | 17.250 | 0.562 | 23 | 25003-7858 |
| 15.750 | 17.250 | 0.578 | 23 | 25003-5530 |
| **15.750** | **17.250** | **0.687** | **64** | **21238-4170** |
| 15.750 | 17.250 | 0.687 | 87 | 26080-4170 |
| **15.750** | **17.250** | **0.687** | **88** | **26088-4170** |
| 15.750 | 17.250 | 0.687 | 88NS | 26188-4170 |
| 15.750 | 17.250 | 0.688 | 59 | 24700-0270 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 15.750 | 17.250 | 0.750 | 23 | 25003-9595 |
| 15.750 | 17.250 | 0.750 | 62 | 21702-9595 |
| 15.750 | 17.312 | 0.687 | 64 | 21238-9271 |
| 15.750 | 17.500 | 0.687 | 64 | 21238-4171 |
| 15.750 | 17.500 | 0.688 | 59 | 24700-0271 |
| 15.750 | 17.500 | 0.750 | 23 | 25003-7442 |
| 15.750 | 17.500 | 0.812 | 23 | 25003-5865 |
| 15.750 | 17.750 | 0.687 | 64 | 21238-6874 |
| 15.750 | 17.750 | 0.812 | 23 | 25003-6769 |
| 15.750 | 17.750 | 0.875 | 59 | 24700-0273 |
| 15.750 | 18.000 | 0.812 | 64 | 21238-4172 |
| 15.750 | 18.000 | 0.875 | 59 | 24700-0274 |
| 15.750 | 18.500 | 1.000 | 64 | 21238-4175 |
| 15.784 | 17.000 | 0.500 | 23 | 25003-0800 |
| 15.785 | 17.785 | 0.812 | 23 | 25003-6353 |
| 15.812 | 17.437 | 0.812 | 23 | 25003-8847 |
| 15.875 | 17.375 | 0.750 | 23 | 25003-4664 |
| 15.875 | 17.500 | 0.750 | 59 | 24700-2493 |
| 15.875 | 17.750 | 0.875 | 21 | 25001-4795 |
| 15.875 | 17.875 | 0.750 | 59 | 24700-0275 |
| 15.875 | 17.875 | 0.812 | 23 | 25003-4176 |
| 15.875 | 17.875 | 0.812 | 64 | 21238-4176 |
| 15.937 | 17.437 | 0.750 | 23 | 25003-1439 |
| 15.937 | 17.937 | 0.750 | 23 | 25003-7425 |
| 15.938 | 17.313 | 0.625 | 59 | 24700-0276 |
| 15.938 | 18.000 | 0.750 | 59 | 24700-2022 |
| 16.000 | 17.000 | 0.500 | 23 | 25003-9077 |
| 16.000 | 17.000 | 0.750 | 142 | 21432-7536 |
| 16.000 | 17.406 | 0.609 | 23 | 25003-7601 |
| 16.000 | 17.500 | 0.687 | 53 | 21086-4177 |
| **16.000** | **17.500** | **0.687** | **64** | **21238-4177** |
| 16.000 | 17.500 | 0.687 | 87 | 26080-4177 |
| 16.000 | 17.500 | 0.688 | 59 | 24700-0277 |
| 16.000 | 17.500 | 0.750 | 21 | 25001-4178 |
| 16.000 | 17.500 | 0.750 | 23 | 25003-4178 |
| 16.000 | 17.500 | 0.750 | 25 | 25058-4178 |
| 16.000 | 17.500 | 0.750 | 26 | 24600-4178 |
| 16.000 | 17.500 | 0.750 | 53 | 21086-4178 |
| 16.000 | 17.625 | 0.687 | 64 | 21238-4173 |
| 16.000 | 17.625 | 0.750 | 59 | 24700-0278 |
| 16.000 | 17.750 | 0.750 | 23 | 25003-6821 |
| 16.000 | 17.875 | 0.750 | 23 | 25003-1032 |
| 16.000 | 18.000 | 0.500 | 24 | 25005-6693 |
| 16.000 | 18.000 | 0.750 | 23 | 25003-5116 |
| 16.000 | 18.000 | 0.750 | 59 | 24700-0279 |
| **16.000** | **18.000** | **0.750** | **88** | **26088-5116** |
| 16.000 | 18.000 | 0.750 | 88NS | 26188-5116 |
| 16.000 | 18.000 | 0.812 | 21 | 25001-4180 |
| 16.000 | 18.000 | 0.812 | 23 | 25003-4180 |
| 16.000 | 18.000 | 0.812 | 26 | 24600-4180 |
| **16.000** | **18.000** | **0.812** | **59** | **24700-4180** |
| **16.000** | **18.000** | **0.812** | **64** | **21238-4180** |
| 16.000 | 18.000 | 0.875 | 26 | 24600-5077 |
| 16.000 | 18.000 | 0.875 | 64 | 21238-5077 |
| 16.000 | 18.000 | 0.875 | 87 | 26080-5077 |
| 16.000 | 18.000 | 1.000 | 53 | 21086-3736 |
| 16.000 | 18.500 | 0.812 | 64 | 21238-5995 |
| 16.000 | 18.500 | 0.813 | 59 | 24700-0281 |
| 16.062 | 17.062 | 0.500 | 23 | 25003-5599 |
| 16.094 | 17.500 | 0.750 | 23 | 25003-0479 |
| 16.110 | 18.110 | 0.787 | 23 | 25003-2808 |
| 16.125 | 17.125 | 0.500 | 23 | 25003-5867 |
| 16.125 | 18.125 | 0.750 | 23 | 25003-6878 |
| 16.125 | 18.125 | 0.812 | 23 | 25003-5819 |
| 16.141 | 18.141 | 0.812 | 23 | 25003-5803 |
| 16.142 | 17.142 | 0.750 | 142 | 21432-9816 |
| 16.142 | 17.717 | 0.787 | 59 | 24700-4512 |
| 16.142 | 18.110 | 0.866 | 26 | 24600-4015 |
| 16.187 | 17.437 | 0.750 | 23 | 25003-2491 |
| 16.187 | 18.187 | 0.812 | 23 | 25003-9484 |
| 16.225 | 17.725 | 0.750 | 23 | 25003-9286 |
| 16.250 | 17.250 | 0.500 | 23 | 25003-5039 |
| 16.250 | 17.250 | 0.750 | 142 | 21432-8556 |
| 16.250 | 17.750 | 0.625 | 59 | 24700-0282 |
| 16.250 | 17.750 | 0.680 | 26 | 24600-5120 |
| 16.250 | 17.750 | 0.687 | 23 | 25003-4181 |
| 16.250 | 17.750 | 0.687 | 53 | 21086-4181 |
| **16.250** | **17.750** | **0.687** | **59** | **24700-1020** |
| **16.250** | **17.750** | **0.687** | **64** | **21238-4181** |
| **16.250** | **17.750** | **0.687** | **88** | **26088-4181** |
| 16.250 | 17.750 | 0.687 | 88NS | 26188-4181 |
| 16.250 | 17.750 | 0.750 | 23 | 25003-4182 |
| 16.250 | 17.750 | 0.750 | 53 | 21086-4182 |
| 16.250 | 17.750 | 1.281 | 53R2 | 22627-4650 |
| 16.250 | 17.750 | 1.281 | 53T2 | 22897-4650 |
| 16.250 | 18.000 | 0.625 | 59 | 24700-0283 |
| 16.250 | 18.000 | 0.687 | 64 | 21238-8217 |
| 16.250 | 18.000 | 0.750 | 23 | 25003-4184 |
| 16.250 | 18.000 | 0.750 | 53 | 21086-4184 |
| 16.250 | 18.000 | 0.750 | 64 | 21238-4184 |
| 16.250 | 18.000 | 0.812 | 23 | 25003-9285 |
| 16.250 | 18.000 | 1.000 | 53 | 21086-3737 |
| 16.250 | 18.250 | 0.687 | 64 | 21238-9892 |
| 16.250 | 18.250 | 0.750 | 23 | 25003-6657 |
| 16.250 | 18.250 | 0.812 | 21 | 25001-6397 |
| 16.250 | 18.250 | 0.812 | 23 | 25003-6397 |
| 16.250 | 18.250 | 1.000 | 59 | 24700-0284 |
| 16.250 | 18.500 | 0.812 | 59 | 24700-3042 |
| 16.250 | 18.500 | 0.812 | 64 | 21238-4174 |
| 16.250 | 18.500 | 1.250 | 59 | 24700-0285 |
| 16.299 | 18.268 | 0.812 | 23 | 25003-1280 |
| 16.339 | 18.307 | 0.787 | 59 | 24700-4002 |
| 16.350 | 17.350 | 0.500 | 23 | 25003-9296 |
| 16.375 | 17.375 | 0.500 | 23 | 25003-6984 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 16.375 | 17.875 | 0.687 | 64 | 21238-4179 |
| 16.375 | 17.875 | 0.750 | 23 | 25003-5178 |
| 16.375 | 17.875 | 0.750 | 59 | 24700-0286 |
| 16.375 | 18.375 | 0.812 | 23 | 25003-9757 |
| 16.375 | 18.375 | 1.000 | 59 | 24700-0287 |
| 16.500 | 17.500 | 0.500 | 23 | 25003-5747 |
| 16.500 | 17.750 | 0.750 | 23 | 25003-3868 |
| 16.500 | 17.750 | 0.750 | 26 | 24600-3868 |
| 16.500 | 17.750 | 0.750 | 59 | 24700-3868 |
| 16.500 | 17.875 | 0.750 | 23 | 25003-2781 |
| 16.500 | 18.000 | 0.687 | 64 | 21238-9863 |
| 16.500 | 18.000 | 0.750 | 23 | 25003-4185 |
| **16.500** | **18.000** | **0.750** | **53** | **21086-4185** |
| 16.500 | 18.000 | 0.750 | 59 | 24700-0289 |
| 16.500 | 18.250 | 0.750 | 59 | 24700-0290 |
| 16.500 | 18.500 | 0.750 | 23 | 25003-6697 |
| 16.500 | 18.500 | 0.750 | 25 | 25058-6697 |
| 16.500 | 18.500 | 0.750 | 53 | 21086-6697 |
| **16.500** | **18.500** | **0.750** | **59** | **24700-0291** |
| 16.500 | 18.500 | 0.812 | 23 | 25003-4186 |
| 16.500 | 18.500 | 0.812 | 59 | 24700-2565 |
| 16.500 | 18.500 | 0.812 | 62 | 21702-4186 |
| **16.500** | **18.500** | **0.812** | **64** | **21238-4186** |
| 16.500 | 18.500 | 0.812 | 88 | 26088-4186 |
| 16.500 | 18.500 | 0.812 | 88NS | 26188-4186 |
| 16.500 | 18.500 | 0.875 | 21 | 25001-5038 |
| 16.500 | 18.500 | 1.000 | 53 | 21086-3738 |
| 16.500 | 19.000 | 0.812 | 64 | 21238-4183 |
| 16.500 | 19.000 | 0.875 | 59 | 24700-0293 |
| 16.530 | 17.854 | 0.500 | 23 | 25003-2640 |
| 16.531 | 18.031 | 0.750 | 23 | 25003-5725 |
| 16.531 | 18.504 | 0.866 | 59 | 24700-1331 |
| 16.535 | 17.913 | 0.787 | 23 | 25003-2625 |
| 16.535 | 18.035 | 0.750 | 23 | 25003-7127 |
| 16.535 | 18.102 | 0.787 | 59 | 24700-0294 |
| 16.535 | 18.110 | 0.787 | 23 | 25003-8504 |
| 16.535 | 18.110 | 0.787 | 59 | 24700-0295 |
| 16.535 | 18.504 | 0.741 | 23 | 25003-8705 |
| 16.535 | 18.504 | 0.750 | 23 | 25003-4521 |
| 16.535 | 18.504 | 0.875 | 64 | 21238-1929 |
| 16.535 | 18.897 | 0.984 | 26R1 | 24620-5468 |
| 16.535 | 18.898 | 1.102 | 26R1 | 24620-1038 |
| 16.625 | 17.625 | 0.500 | 23 | 25003-5827 |
| 16.625 | 18.125 | 0.750 | 23 | 25003-8981 |
| 16.625 | 18.500 | 0.750 | 23 | 25003-2944 |
| 16.625 | 18.625 | 0.812 | 23 | 25003-6601 |
| 16.687 | 18.031 | 0.750 | 26 | 24600-3635 |
| 16.733 | 18.700 | 0.788 | 23 | 25003-9529 |
| 16.750 | 17.875 | 1.312 | 142 | 21432-7886 |
| 16.750 | 18.000 | 0.750 | 23 | 25003-3223 |
| 16.750 | 18.250 | 0.687 | 59 | 24700-0296 |
| 16.750 | 18.250 | 0.687 | 64 | 21238-3744 |
| 16.750 | 18.250 | 0.750 | 23 | 25003-8295 |
| 16.750 | 18.500 | 0.687 | 59 | 24700-4534 |
| 16.750 | 18.500 | 0.875 | 59 | 24700-0297 |
| 16.750 | 18.750 | 0.750 | 21 | 25001-6398 |
| 16.750 | 18.750 | 0.750 | 23 | 25003-6398 |
| 16.750 | 18.750 | 0.812 | 23 | 25003-9752 |
| 16.750 | 19.000 | 0.812 | 64 | 21238-3748 |
| 16.750 | 19.000 | 0.875 | 59 | 24700-0298 |
| 16.875 | 18.875 | 0.812 | 23 | 25003-9303 |
| 16.929 | 17.929 | 0.500 | 23 | 25003-6933 |
| 16.929 | 18.429 | 0.750 | 23 | 25003-5850 |
| 16.929 | 18.504 | 0.787 | 23 | 25003-4510 |
| 16.929 | 18.504 | 0.787 | 59 | 24700-4252 |
| 16.929 | 18.897 | 0.787 | 23 | 25003-5029 |
| 16.929 | 18.898 | 0.866 | 59 | 24700-3740 |
| 16.929 | 18.903 | 0.969 | 59 | 24700-0299 |
| 16.937 | 19.291 | 0.812 | 64 | 21238-9695 |
| 17.000 | 17.906 | 0.500 | 23 | 25003-1126 |
| 17.000 | 18.000 | 0.500 | 23 | 25003-1976 |
| 17.000 | 18.125 | 0.547 | 21 | 25001-4971 |
| 17.000 | 18.125 | 0.547 | 23 | 25003-4971 |
| 17.000 | 18.125 | 0.562 | 23 | 25003-9114 |
| 17.000 | 18.250 | 0.500 | 23 | 25003-3247 |
| 17.000 | 18.250 | 0.562 | 21 | 25001-8423 |
| 17.000 | 18.250 | 0.625 | 23 | 25003-8780 |
| 17.000 | 18.250 | 0.625 | 26 | 24600-3793 |
| 17.000 | 18.250 | 0.625 | 59 | 24700-3793 |
| 17.000 | 18.250 | 0.750 | 23 | 25003-1923 |
| 17.000 | 18.500 | 0.625 | 23 | 25003-2683 |
| **17.000** | **18.500** | **0.625** | **59** | **24700-0300** |
| 17.000 | 18.500 | 0.687 | 23 | 25003-4188 |
| 17.000 | 18.500 | 0.687 | 59 | 24700-4188 |
| **17.000** | **18.500** | **0.687** | **64** | **21238-4188** |
| 17.000 | 18.500 | 0.687 | 88 | 26088-4188 |
| **17.000** | **18.500** | **0.687** | **88NS** | **26188-4188** |
| 17.000 | 18.500 | 0.720 | 23 | 25003-1459 |
| 17.000 | 18.500 | 0.750 | 21 | 25001-4189 |
| 17.000 | 18.500 | 0.750 | 23 | 25003-4189 |
| 17.000 | 18.500 | 0.750 | 25 | 25058-4189 |
| 17.000 | 18.750 | 0.750 | 59 | 24700-3741 |
| 17.000 | 19.000 | 0.625 | 26 | 24600-4977 |
| 17.000 | 19.000 | 0.750 | 23 | 25003-5168 |
| 17.000 | 19.000 | 0.750 | 59 | 24700-0301 |
| 17.000 | 19.000 | 0.750 | 87 | 26080-5168 |
| 17.000 | 19.000 | 0.812 | 23 | 25003-4190 |
| 17.000 | 19.000 | 0.812 | 59 | 24700-1867 |
| 17.000 | 19.000 | 0.812 | 62 | 21702-4190 |
| **17.000** | **19.000** | **0.812** | **64** | **21238-4190** |
| 17.000 | 19.000 | 0.875 | 21 | 25001-4712 |
| 17.000 | 19.000 | 1.000 | 59 | 24700-0782 |
| 17.000 | 19.250 | 0.812 | 64 | 21238-4191 |
| 17.000 | 19.250 | 1.000 | 59 | 24700-0302 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 17.000 | 19.500 | 0.812 | 64 | 21238-3750 |
| 17.000 | 19.500 | 0.875 | 59 | 24700-0304 |
| 17.125 | 18.125 | 0.500 | 23 | 25003-9273 |
| 17.125 | 18.625 | 0.750 | 23 | 25003-6626 |
| 17.125 | 19.125 | 0.812 | 23 | 25003-5983 |
| 17.126 | 19.094 | 0.787 | 87 | 26080-1387 |
| 17.190 | 19.190 | 0.812 | 23 | 25003-4588 |
| 17.250 | 18.500 | 0.625 | 23 | 25003-1125 |
| 17.250 | 18.750 | 0.625 | 23 | 25003-4663 |
| 17.250 | 18.750 | 0.687 | 64 | 21238-3751 |
| 17.250 | 18.750 | 0.750 | 23 | 25003-6967 |
| 17.250 | 18.750 | 0.750 | 59 | 24700-0305 |
| 17.250 | 18.750 | 0.750 | 64 | 21238-6967 |
| 17.250 | 19.250 | 0.750 | 23 | 25003-5877 |
| 17.250 | 19.250 | 0.812 | 23 | 25003-8191 |
| 17.250 | 19.250 | 0.875 | 26 | 24600-3055 |
| 17.250 | 19.250 | 0.937 | 53 | 21086-4192 |
| 17.250 | 19.250 | 0.938 | 59 | 24700-0306 |
| 17.313 | 18.313 | 0.500 | 23 | 25003-4374 |
| 17.322 | 18.822 | 0.750 | 23 | 25003-6812 |
| 17.322 | 18.897 | 0.787 | 26 | 24600-4393 |
| 17.323 | 18.898 | 0.787 | 23 | 25003-4393 |
| 17.323 | 18.898 | 0.787 | 59 | 24700-4393 |
| 17.323 | 19.291 | 0.866 | 59 | 24700-4673 |
| 17.323 | 19.323 | 0.750 | 23 | 25003-0620 |
| 17.332 | 18.832 | 0.750 | 23 | 25003-9315 |
| 17.360 | 19.360 | 0.812 | 23 | 25003-4351 |
| 17.375 | 18.875 | 0.750 | 23 | 25003-9338 |
| 17.400 | 19.400 | 0.812 | 23 | 25003-2499 |
| 17.406 | 18.406 | 0.500 | 23 | 25003-7043 |
| 17.500 | 18.500 | 0.500 | 23 | 25003-9261 |
| 17.500 | 18.625 | 1.250 | 142 | 21432-4716 |
| 17.500 | 18.650 | 0.531 | 23 | 25003-4376 |
| 17.500 | 18.750 | 0.500 | 23 | 25003-2021 |
| 17.500 | 18.906 | 0.766 | 23 | 25003-2018 |
| 17.500 | 19.000 | 0.625 | 23 | 25003-4403 |
| 17.500 | 19.000 | 0.625 | 59 | 24700-0307 |
| 17.500 | 19.000 | 0.687 | 53 | 21086-4194 |
| **17.500** | **19.000** | **0.687** | **64** | **21238-4194** |
| 17.500 | 19.000 | 0.750 | 23 | 25003-4195 |
| 17.500 | 19.000 | 0.750 | 53 | 21086-4195 |
| 17.500 | 19.000 | 0.750 | 62 | 21702-4195 |
| 17.500 | 19.000 | 0.812 | 23 | 25003-4589 |
| 17.500 | 19.250 | 0.625 | 23 | 25003-8476 |
| 17.500 | 19.250 | 0.687 | 64 | 21238-5054 |
| **17.500** | **19.250** | **0.688** | **59** | **24700-5054** |
| 17.500 | 19.250 | 0.750 | 23 | 25003-4196 |
| 17.500 | 19.250 | 0.750 | 53 | 21086-4196 |
| 17.500 | 19.500 | 0.687 | 59 | 24700-4198 |
| **17.500** | **19.500** | **0.687** | **64** | **21238-4198** |
| 17.500 | 19.500 | 0.688 | 23 | 25003-4198 |
| 17.500 | 19.500 | 0.688 | 59 | 24700-0309 |
| 17.500 | 19.500 | 0.750 | 23 | 25003-7625 |
| 17.500 | 19.500 | 0.812 | 23 | 25003-9601 |
| 17.500 | 19.750 | 0.750 | 59 | 24700-0310 |
| 17.500 | 19.750 | 0.812 | 64 | 21238-4197 |
| 17.500 | 20.522 | 1.500 | 59 | 24700-0311 |
| 17.525 | 18.525 | 0.500 | 23 | 25003-7589 |
| 17.559 | 19.135 | 0.630 | 88 | 26088-4704 |
| 17.559 | 19.135 | 0.630 | 88NS | 26188-4704 |
| 17.562 | 19.062 | 0.750 | 23 | 25003-5534 |
| 17.625 | 18.500 | 0.375 | 23 | 25003-5172 |
| 17.625 | 19.125 | 0.750 | 59 | 24700-0312 |
| 17.625 | 19.250 | 0.687 | 64 | 21238-4199 |
| 17.625 | 19.250 | 0.688 | 59 | 24700-0313 |
| 17.625 | 19.375 | 0.750 | 23 | 25003-1158 |
| 17.625 | 19.375 | 0.750 | 59 | 24700-0314 |
| 17.625 | 19.625 | 0.687 | 64 | 21238-6850 |
| 17.625 | 19.625 | 0.688 | 59 | 24700-0315 |
| 17.625 | 19.625 | 0.812 | 23 | 25003-9421 |
| 17.687 | 19.187 | 1.000 | 142 | 21432-2015 |
| 17.716 | 19.291 | 0.787 | 59 | 24700-3943 |
| 17.716 | 19.685 | 0.812 | 23 | 25003-1179 |
| 17.716 | 19.716 | 0.812 | 23 | 25003-9479 |
| 17.717 | 18.898 | 0.500 | 23 | 25003-0510 |
| 17.717 | 19.409 | 0.787 | 23 | 25003-9925 |
| 17.717 | 19.685 | 0.811 | 21 | 25001-3111 |
| 17.717 | 20.079 | 0.984 | 59 | 24700-5464 |
| 17.719 | 18.901 | 0.578 | 23 | 25003-5964 |
| 17.719 | 19.219 | 0.750 | 23 | 25003-5594 |
| 17.750 | 18.750 | 0.500 | 23 | 25003-9581 |
| 17.750 | 19.000 | 0.750 | 23 | 25003-4523 |
| 17.750 | 19.250 | 0.750 | 23 | 25003-6615 |
| 17.750 | 19.373 | 0.750 | 23 | 25003-0477 |
| 17.750 | 19.750 | 0.750 | 59 | 24700-0316 |
| 17.750 | 19.750 | 0.812 | 23 | 25003-4200 |
| 17.750 | 19.750 | 0.812 | 64 | 21238-4200 |
| 17.750 | 19.750 | 1.000 | 25 | 25058-4201 |
| 17.750 | 19.750 | 1.000 | 53 | 21086-4201 |
| 17.750 | 20.078 | 0.875 | 64 | 21238-9084 |
| 17.750 | 20.089 | 1.000 | 53 | 21086-4202 |
| 17.750 | 20.089 | 1.000 | 59 | 24700-0317 |
| 17.795 | 19.795 | 0.812 | 23 | 25003-4667 |
| 17.818 | 19.750 | 0.750 | 59 | 24700-0318 |
| 17.818 | 20.500 | 1.000 | 59 | 24700-0319 |
| 17.874 | 19.874 | 0.843 | 59 | 24700-4600 |
| 17.875 | 18.875 | 0.500 | 23 | 25003-4815 |
| 17.875 | 19.500 | 0.625 | 59 | 24700-0320 |
| 17.875 | 19.875 | 0.750 | 59 | 24700-0321 |
| 17.875 | 19.875 | 0.812 | 23 | 25003-4204 |
| 17.875 | 19.875 | 0.812 | 64 | 21238-4204 |
| 17.900 | 19.400 | 0.750 | 23 | 25003-5613 |
| 17.938 | 19.313 | 0.812 | 23 | 25003-0716 |
| 17.992 | 20.000 | 0.748 | 26R1 | 24620-2135 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 18.000 | 19.000 | 0.500 | 23 | 25003-7487 |
| 18.000 | 19.125 | 1.250 | 142 | 21432-5147 |
| 18.000 | 19.438 | 0.500 | 23 | 25003-2193 |
| 18.000 | 19.500 | 0.687 | 53 | 21086-4206 |
| **18.000** | **19.500** | **0.687** | **64** | **21238-4206** |
| 18.000 | 19.500 | 0.688 | 23 | 25003-4206 |
| 18.000 | 19.500 | 0.688 | 59 | 24700-0322 |
| 18.000 | 19.500 | 0.750 | 23 | 25003-2741 |
| 18.000 | 19.500 | 0.750 | 23 | 25003-3741 |
| 18.000 | 19.500 | 0.750 | 25 | 25058-3741 |
| 18.000 | 19.500 | 0.750 | 53 | 21086-3741 |
| 18.000 | 19.500 | 0.750 | 59 | 24700-2691 |
| 18.000 | 19.500 | 0.750 | 62 | 21702-3741 |
| 18.000 | 19.500 | 0.812 | 23 | 25003-8691 |
| 18.000 | 19.500 | 1.000 | 142 | 21432-7615 |
| 18.000 | 19.500 | 1.250 | 53R2 | 22627-7404 |
| 18.000 | 19.625 | 0.812 | 21 | 25001-6938 |
| 18.000 | 19.750 | 0.687 | 64 | 21238-5728 |
| 18.000 | 19.750 | 0.750 | 21 | 25001-4207 |
| 18.000 | 19.750 | 0.750 | 59 | 24700-0323 |
| 18.000 | 19.750 | 0.812 | 21 | 25001-7413 |
| 18.000 | 19.750 | 0.812 | 23 | 25003-7413 |
| 18.000 | 19.875 | 0.687 | 64 | 21238-4203 |
| 18.000 | 19.875 | 0.750 | 59 | 24700-0324 |
| 18.000 | 20.000 | 0.625 | 26 | 24600-0983 |
| 18.000 | 20.000 | 0.750 | 23 | 25003-4209 |
| 18.000 | 20.000 | 0.750 | 59 | 24700-0325 |
| 18.000 | 20.000 | 0.750 | 64 | 21238-4209 |
| 18.000 | 20.000 | 0.812 | 21 | 25001-6399 |
| 18.000 | 20.000 | 0.812 | 23 | 25003-6399 |
| **18.000** | **20.000** | **0.875** | **64** | **21238-4210** |
| 18.000 | 20.000 | 0.875 | 88 | 26088-4210 |
| 18.000 | 20.000 | 0.875 | 88NS | 26188-4210 |
| 18.000 | 20.000 | 1.000 | 26 | 24600-3742 |
| 18.000 | 20.000 | 1.000 | 53 | 21086-3742 |
| 18.000 | 20.000 | 1.750 | 53R2 | 22627-9423 |
| 18.000 | 20.000 | 1.812 | 53T2 | 22897-6793 |
| 18.000 | 20.250 | 0.812 | 21 | 25001-9083 |
| 18.000 | 20.250 | 1.000 | 53 | 21086-7664 |
| 18.000 | 20.500 | 0.812 | 25 | 25058-6974 |
| 18.000 | 20.500 | 0.875 | 64 | 21238-3752 |
| 18.000 | 20.500 | 1.250 | 59 | 24700-0326 |
| 18.000 | 21.000 | 0.688 | 59 | 24700-0327 |
| 18.000 | 21.000 | 0.875 | 64 | 21238-3753 |
| 18.031 | 20.031 | 0.812 | 23 | 25003-5432 |
| 18.062 | 20.062 | 0.812 | 23 | 25003-5769 |
| 18.110 | 19.685 | 0.787 | 59 | 24700-4508 |
| 18.110 | 19.843 | 0.787 | 23 | 25003-0518 |
| 18.110 | 20.078 | 0.787 | 23 | 25003-1237 |
| 18.110 | 20.078 | 0.866 | 59 | 24700-4486 |
| 18.110 | 20.079 | 0.866 | 26 | 24600-4486 |
| 18.110 | 20.110 | 0.812 | 23 | 25003-5431 |
| 18.120 | 20.500 | 0.875 | 64 | 21238-3754 |
| 18.120 | 20.500 | 1.000 | 59 | 24700-0328 |
| 18.125 | 19.625 | 0.750 | 23 | 25003-5680 |
| 18.125 | 19.750 | 0.750 | 23 | 25003-1115 |
| 18.125 | 20.500 | 0.875 | 64 | 21238-3756 |
| 18.125 | 20.500 | 1.000 | 59 | 24700-0329 |
| 18.250 | 19.375 | 1.250 | 142 | 21432-8440 |
| 18.250 | 19.750 | 0.687 | 64 | 21238-3757 |
| 18.250 | 19.750 | 0.750 | 21 | 25001-4211 |
| 18.250 | 19.750 | 0.750 | 23 | 25003-4211 |
| 18.250 | 19.750 | 0.750 | 59 | 24700-0330 |
| 18.250 | 19.867 | 1.000 | 59 | 24700-0331 |
| 18.250 | 19.875 | 0.687 | 64 | 21238-3765 |
| 18.250 | 19.875 | 0.750 | 21 | 25001-4212 |
| 18.250 | 19.875 | 0.750 | 23 | 25003-4212 |
| 18.250 | 19.875 | 1.000 | 59 | 24700-0332 |
| 18.250 | 20.250 | 0.812 | 23 | 25003-7618 |
| 18.250 | 20.250 | 0.812 | 26 | 24600-7618 |
| 18.375 | 19.875 | 0.687 | 23 | 25003-4213 |
| **18.375** | **19.875** | **0.687** | **64** | **21238-4213** |
| 18.375 | 19.875 | 0.688 | 59 | 24700-0333 |
| 18.375 | 19.875 | 0.750 | 23 | 25003-6132 |
| 18.375 | 19.937 | 0.687 | 64 | 21238-7103 |
| 18.375 | 19.938 | 0.625 | 59 | 24700-0334 |
| 18.375 | 20.000 | 0.750 | 59 | 24700-0335 |
| 18.375 | 20.000 | 0.750 | 64 | 21238-4215 |
| 18.375 | 20.375 | 0.812 | 23 | 25003-6740 |
| 18.375 | 20.375 | 0.812 | 64 | 21238-6740 |
| 18.375 | 20.375 | 0.875 | 59 | 24700-0336 |
| 18.375 | 20.500 | 0.750 | 64 | 21238-3767 |
| 18.375 | 20.500 | 0.875 | 59 | 24700-0337 |
| 18.437 | 20.500 | 0.812 | 21 | 25001-2087 |
| 18.449 | 19.449 | 0.500 | 23 | 25003-2697 |
| 18.500 | 19.500 | 0.500 | 23 | 25003-5820 |
| 18.500 | 19.625 | 1.250 | 142 | 21432-6737 |
| 18.500 | 19.875 | 0.750 | 23 | 25003-7700 |
| 18.500 | 20.000 | 0.687 | 64 | 21238-3768 |
| 18.500 | 20.000 | 0.750 | 23 | 25003-9881 |
| 18.500 | 20.000 | 0.750 | 59 | 24700-0338 |
| 18.500 | 20.250 | 0.687 | 64 | 21238-3772 |
| 18.500 | 20.250 | 0.750 | 59 | 24700-0339 |
| 18.500 | 20.500 | 0.750 | 23 | 25003-7059 |
| 18.500 | 20.500 | 0.750 | 26 | 24600-7059 |
| 18.500 | 20.500 | 0.750 | 26R1 | 24620-7059 |
| 18.500 | 20.500 | 0.750 | 59 | 24700-7059 |
| 18.500 | 20.500 | 0.812 | 23 | 25003-6408 |
| 18.500 | 20.500 | 0.812 | 25 | 25058-6408 |
| 18.500 | 20.500 | 0.875 | 59 | 24700-4216 |
| 18.500 | 20.500 | 0.875 | 62 | 21702-4216 |
| **18.500** | **20.500** | **0.875** | **64** | **21238-4216** |
| 18.500 | 20.500 | 1.000 | 25 | 25058-3745 |
| 18.504 | 20.472 | 0.741 | 23 | 25003-8695 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 18.504 | 20.866 | 0.984 | 59 | 24700-4255 |
| 18.562 | 19.562 | 0.500 | 23 | 25003-5506 |
| 18.625 | 19.875 | 0.750 | 23 | 25003-6305 |
| 18.625 | 20.625 | 0.812 | 23 | 25003-5130 |
| 18.750 | 19.750 | 0.500 | 23 | 25003-9979 |
| 18.750 | 20.250 | 0.500 | 23 | 25003-2337 |
| 18.750 | 20.250 | 0.750 | 23 | 25003-4217 |
| 18.750 | 20.250 | 0.750 | 59 | 24700-0340 |
| 18.750 | 20.250 | 0.812 | 21 | 25001-9477 |
| 18.750 | 20.250 | 0.812 | 23 | 25003-9477 |
| 18.750 | 20.250 | 1.000 | 142 | 21432-7607 |
| 18.750 | 20.500 | 0.750 | 59 | 24700-0341 |
| 18.750 | 20.750 | 0.750 | 59 | 24700-0343 |
| 18.750 | 20.750 | 0.750 | 142 | 21432-9561 |
| 18.750 | 20.750 | 0.812 | 23 | 25003-9940 |
| 18.750 | 20.750 | 0.875 | 62 | 21702-7225 |
| 18.818 | 20.818 | 0.812 | 23 | 25003-9492 |
| 18.875 | 20.875 | 0.812 | 23 | 25003-9742 |
| 18.897 | 20.464 | 0.787 | 59 | 24700-0344 |
| 18.898 | 20.472 | 0.787 | 23 | 25003-7281 |
| 18.897 | 20.472 | 0.787 | 64 | 21238-7281 |
| 18.898 | 20.472 | 0.787 | 26 | 24600-7281 |
| 18.898 | 20.866 | 0.787 | 23 | 25003-8299 |
| 18.898 | 20.866 | 0.787 | 59 | 24700-1247 |
| 18.898 | 20.867 | 0.812 | 23 | 25003-0639 |
| 18.937 | 20.937 | 0.812 | 23 | 25003-5099 |
| 19.000 | 20.000 | 0.500 | 23 | 25003-5158 |
| 19.000 | 20.125 | 0.547 | 23 | 25003-4673 |
| 19.000 | 20.204 | 0.531 | 23 | 25003-9644 |
| 19.000 | 20.500 | 0.750 | 23 | 25003-4218 |
| 19.000 | 20.500 | 0.750 | 59 | 24700-0345 |
| **19.000** | **20.500** | **0.750** | **64** | **21238-4218** |
| 19.000 | 20.500 | 0.750 | 87 | 26080-4218 |
| **19.000** | **20.500** | **0.750** | **88** | **26088-4218** |
| 19.000 | 20.500 | 0.750 | 88NS | 26188-4218 |
| 19.000 | 21.000 | 0.500 | 23 | 25003-4741 |
| 19.000 | 21.000 | 0.750 | 23 | 25003-9115 |
| 19.000 | 21.000 | 0.812 | 21 | 25001-6508 |
| 19.000 | 21.000 | 0.812 | 23 | 25003-6508 |
| 19.000 | 21.000 | 0.812 | 25 | 25058-6508 |
| 19.000 | 21.000 | 0.812 | 59 | 24700-6508 |
| 19.000 | 21.000 | 0.875 | 59 | 24700-0346 |
| 19.000 | 21.000 | 0.875 | 62 | 21702-4219 |
| **19.000** | **21.000** | **0.875** | **64** | **21238-4219** |
| 19.000 | 21.500 | 0.750 | 59 | 24700-0347 |
| 19.000 | 21.500 | 0.875 | 23 | 25003-3773 |
| 19.000 | 21.500 | 0.875 | 64 | 21238-3773 |
| 19.125 | 20.125 | 0.500 | 23 | 25003-5271 |
| 19.125 | 21.125 | 0.812 | 23 | 25003-8719 |
| 19.125 | 21.125 | 0.812 | 59 | 24700-4879 |
| 19.187 | 21.187 | 0.812 | 23 | 25003-9349 |
| 19.188 | 20.938 | 0.625 | 23 | 25003-4493 |
| 19.188 | 20.938 | 0.625 | 23 | 25003-9943 |
| 19.250 | 20.250 | 0.500 | 23 | 25003-2728 |
| 19.250 | 20.750 | 0.750 | 23 | 25003-4617 |
| 19.250 | 20.750 | 0.750 | 59 | 24700-0348 |
| 19.250 | 20.750 | 0.750 | 64 | 21238-4617 |
| 19.250 | 21.000 | 0.750 | 59 | 24700-0349 |
| 19.250 | 21.000 | 0.750 | 64 | 21238-3777 |
| 19.250 | 21.000 | 0.812 | 23 | 25003-4225 |
| 19.250 | 21.250 | 0.750 | 59 | 24700-0350 |
| 19.250 | 21.250 | 0.750 | 64 | 21238-5485 |
| 19.250 | 21.250 | 0.812 | 23 | 25003-6079 |
| 19.291 | 20.866 | 0.787 | 59 | 24700-3133 |
| 19.291 | 21.260 | 0.787 | 23 | 25003-1298 |
| 19.291 | 21.260 | 0.866 | 26 | 24600-4856 |
| 19.375 | 20.375 | 0.500 | 23 | 25003-4535 |
| 19.375 | 21.000 | 0.750 | 59 | 24700-5079 |
| 19.375 | 21.000 | 0.813 | 59 | 24700-0352 |
| 19.375 | 21.375 | 0.812 | 23 | 25003-9734 |
| 19.500 | 20.500 | 0.500 | 23 | 25003-5262 |
| 19.500 | 21.000 | 0.750 | 23 | 25003-3779 |
| 19.500 | 21.000 | 0.750 | 59 | 24700-0354 |
| 19.500 | 21.000 | 0.750 | 64 | 21238-3779 |
| 19.500 | 21.250 | 0.813 | 23 | 25003-5699 |
| 19.500 | 21.500 | 0.500 | 23 | 25003-4739 |
| 19.500 | 21.500 | 0.625 | 23 | 25003-1376 |
| 19.500 | 21.500 | 0.750 | 59 | 24700-0355 |
| 19.500 | 21.500 | 0.750 | 87 | 26080-6980 |
| **19.500** | **21.500** | **0.750** | **88** | **26088-6980** |
| 19.500 | 21.500 | 0.750 | 88NS | 26188-6980 |
| 19.500 | 21.500 | 0.812 | 21 | 25001-8446 |
| 19.500 | 21.500 | 0.812 | 23 | 25003-8446 |
| 19.500 | 21.500 | 0.875 | 26 | 24600-4221 |
| **19.500** | **21.500** | **0.875** | **64** | **21238-4221** |
| 19.500 | 21.688 | 0.750 | 59 | 24700-0356 |
| 19.500 | 21.688 | 0.875 | 64 | 21238-3783 |
| 19.500 | 21.750 | 0.875 | 59 | 24700-4646 |
| 19.606 | 21.575 | 0.812 | 23 | 25003-6791 |
| 19.625 | 21.079 | 0.531 | 23 | 25003-0753 |
| 19.625 | 21.080 | 0.500 | 23 | 25003-2620 |
| 19.625 | 21.125 | 0.500 | 23 | 25003-1780 |
| 19.625 | 21.375 | 0.750 | 23 | 25003-1773 |
| 19.625 | 21.625 | 0.812 | 23 | 25003-4678 |
| 19.625 | 21.625 | 0.812 | 59 | 24700-2654 |
| 19.674 | 21.674 | 0.812 | 23 | 25003-1991 |
| 19.685 | 20.866 | 0.590 | 26 | 24600-2504 |
| 19.685 | 21.260 | 0.787 | 59 | 24700-4047 |
| 19.685 | 21.457 | 0.787 | 23 | 25003-2484 |
| 19.685 | 21.654 | 0.787 | 87 | 26080-1383 |
| 19.685 | 21.654 | 0.866 | 59 | 24700-1246 |
| 19.685 | 21.685 | 0.812 | 23 | 25003-8634 |
| 19.687 | 21.187 | 0.750 | 23 | 25003-5904 |
| 19.687 | 21.673 | 0.812 | 23 | 25003-1866 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 19.688 | 21.688 | 0.812 | 23 | 25003-2439 |
| 19.750 | 20.750 | 0.500 | 23 | 25003-4525 |
| 19.750 | 21.250 | 0.750 | 23 | 25003-1038 |
| 19.750 | 21.750 | 0.812 | 21 | 25001-6426 |
| 19.750 | 21.750 | 0.812 | 23 | 25003-6426 |
| 19.750 | 21.750 | 0.875 | 59 | 24700-0357 |
| **19.750** | **21.750** | **0.875** | **64** | **21238-4228** |
| 19.750 | 22.125 | 0.875 | 64 | 21238-7400 |
| 19.750 | 22.250 | 0.875 | 59 | 24700-0358 |
| 19.750 | 22.250 | 0.875 | 64 | 21238-3785 |
| 19.875 | 21.875 | 0.812 | 23 | 25003-5291 |
| 19.875 | 22.000 | 0.875 | 59 | 24700-0359 |
| 19.875 | 22.000 | 0.875 | 64 | 21238-3788 |
| 19.881 | 21.881 | 0.812 | 23 | 25003-5849 |
| 19.937 | 21.187 | 0.625 | 23 | 25003-8848 |
| 19.937 | 21.687 | 0.625 | 64 | 21238-4233 |
| 19.938 | 21.500 | 0.750 | 59 | 24700-0360 |
| 19.938 | 21.500 | 0.750 | 64 | 21238-3789 |
| 19.938 | 21.688 | 0.625 | 59 | 24700-3220 |
| 19.938 | 21.688 | 0.750 | 59 | 24700-1989 |
| 19.983 | 21.125 | 0.625 | 26 | 24600-2511 |
| 20.000 | 20.938 | 0.500 | 23 | 25003-2322 |
| 20.000 | 21.000 | 0.500 | 23 | 25003-8421 |
| 20.000 | 21.125 | 1.250 | 142 | 21432-7706 |
| 20.000 | 21.250 | 0.625 | 23 | 25003-2505 |
| 20.000 | 21.250 | 0.625 | 59 | 24700-3539 |
| 20.000 | 21.500 | 0.625 | 23 | 25003-3057 |
| 20.000 | 21.500 | 0.625 | 59 | 24700-0362 |
| 20.000 | 21.500 | 0.687 | 59 | 24700-2229 |
| 20.000 | 21.500 | 0.750 | 23 | 25003-4235 |
| 20.000 | 21.500 | 0.750 | 59 | 24700-1013 |
| **20.000** | **21.500** | **0.750** | **64** | **21238-4235** |
| 20.000 | 21.500 | 0.875 | 59 | 24700-2126 |
| 20.000 | 21.750 | 0.750 | 59 | 24700-0363 |
| 20.000 | 21.750 | 0.750 | 64 | 21238-4236 |
| 20.000 | 21.750 | 0.812 | 23 | 25003-4230 |
| 20.000 | 22.000 | 0.625 | 59 | 24700-4231 |
| 20.000 | 22.000 | 0.625 | 87 | 26080-4231 |
| 20.000 | 22.000 | 0.750 | 23 | 25003-7212 |
| 20.000 | 22.000 | 0.750 | 59 | 24700-1977 |
| 20.000 | 22.000 | 0.812 | 23 | 25003-6400 |
| 20.000 | 22.000 | 0.875 | 59 | 24700-9477 |
| **20.000** | **22.000** | **0.875** | **64** | **21238-4237** |
| 20.000 | 22.000 | 1.000 | 53 | 21086-3749 |
| 20.000 | 22.000 | 1.000 | 59 | 24700-2981 |
| 20.000 | 22.000 | 1.812 | 53T2 | 22897-8597 |
| 20.000 | 22.125 | 1.000 | 53 | 21086-4238 |
| 20.000 | 22.125 | 1.000 | 59 | 24700-0364 |
| 20.000 | 22.500 | 0.875 | 59 | 24700-0365 |
| 20.000 | 22.500 | 0.875 | 64 | 21238-3790 |
| 20.032 | 21.654 | 0.812 | 23 | 25003-7446 |
| 20.062 | 22.062 | 0.812 | 23 | 25003-9801 |

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 20.078 | 22.078 | 0.812 | 23 | 25003-5802 |
| 20.079 | 21.260 | 0.433 | 26 | 24600-5714 |
| 20.111 | 22.111 | 0.812 | 23 | 25003-1181 |
| 20.125 | 22.125 | 0.750 | 23 | 25003-6718 |
| 20.125 | 22.125 | 0.812 | 23 | 25003-6710 |
| 20.143 | 22.250 | 0.875 | 64 | 21238-3792 |
| 20.187 | 22.187 | 0.812 | 23 | 25003-7195 |
| 20.236 | 22.236 | 0.812 | 23 | 25003-7822 |
| 20.250 | 21.250 | 0.500 | 23 | 25003-9478 |
| 20.250 | 21.750 | 0.750 | 23 | 25003-4239 |
| 20.250 | 21.750 | 0.750 | 59 | 24700-0366 |
| 20.250 | 21.750 | 0.750 | 64 | 21238-4239 |
| 20.250 | 21.750 | 0.750 | 88 | 26088-4239 |
| 20.250 | 21.750 | 0.750 | 88NS | 26188-4239 |
| 20.250 | 22.245 | 0.875 | 64 | 21238-8231 |
| 20.250 | 22.250 | 0.812 | 23 | 25003-4926 |
| 20.250 | 22.250 | 0.875 | 59 | 24700-0367 |
| **20.250** | **22.250** | **0.875** | **64** | **21238-4240** |
| 20.250 | 22.375 | 0.750 | 64 | 21238-4241 |
| 20.250 | 22.375 | 1.000 | 59 | 24700-0368 |
| **20.250** | **22.500** | **0.875** | **59** | **24700-0369** |
| 20.250 | 22.500 | 0.875 | 64 | 21238-8770 |
| 20.276 | 21.850 | 0.787 | 26 | 24600-5493 |
| 20.375 | 22.188 | 0.812 | 23 | 25003-2652 |
| 20.437 | 22.062 | 0.812 | 23 | 25003-7243 |
| 20.438 | 22.500 | 0.750 | 59 | 24700-0370 |
| 20.438 | 22.500 | 0.812 | 64 | 21238-4242 |
| 20.458 | 21.458 | 0.375 | 23 | 25003-9987 |
| 20.469 | 21.969 | 0.750 | 23 | 25003-5654 |
| 20.470 | 22.470 | 0.812 | 23 | 25003-0935 |
| 20.472 | 21.972 | 0.750 | 23 | 25003-6830 |
| 20.472 | 22.205 | 0.787 | 59 | 24700-4764 |
| 20.472 | 22.205 | 0.866 | 59 | 24700-4525 |
| 20.472 | 22.244 | 0.812 | 23 | 25003-7196 |
| 20.477 | 21.477 | 0.375 | 23 | 25003-9985 |
| 20.495 | 21.495 | 0.375 | 23 | 25003-9983 |
| 20.500 | 21.500 | 0.469 | 23 | 25003-9859 |
| 20.500 | 21.500 | 0.469 | 26 | 24600-2822 |
| 20.500 | 21.500 | 0.500 | 23 | 25003-8869 |
| 20.500 | 22.000 | 0.625 | 23 | 25003-2653 |
| 20.500 | 22.000 | 0.750 | 23 | 25003-4619 |
| 20.500 | 22.000 | 0.750 | 59 | 24700-0371 |
| **20.500** | **22.000** | **0.750** | **64** | **21238-4619** |
| 20.500 | 22.250 | 0.812 | 64 | 21238-4245 |
| 20.500 | 22.500 | 0.625 | 59 | 24700-0372 |
| 20.500 | 22.500 | 0.750 | 59 | 24700-1990 |
| 20.500 | 22.500 | 0.812 | 21 | 25001-5055 |
| 20.500 | 22.500 | 0.812 | 23 | 25003-5055 |
| 20.500 | 22.500 | 0.875 | 59 | 24700-4246 |
| **20.500** | **22.500** | **0.875** | **64** | **21238-4246** |
| 20.500 | 22.500 | 0.875 | 88 | 26088-4246 |
| 20.500 | 22.500 | 0.875 | 88NS | 26188-4246 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 20.500 | 22.750 | 0.875 | 64 | 21238-6287 |
| 20.516 | 22.516 | 0.812 | 23 | 25003-5708 |
| 20.625 | 22.625 | 0.812 | 21 | 25001-9893 |
| 20.625 | 22.625 | 0.812 | 23 | 25003-9893 |
| 20.625 | 22.625 | 0.812 | 64 | 21238-9893 |
| 20.750 | 22.250 | 0.750 | 23 | 25003-0839 |
| 20.750 | 22.750 | 0.750 | 59 | 24700-0373 |
| 20.750 | 22.750 | 0.812 | 23 | 25003-7148 |
| 20.750 | 22.750 | 0.875 | 59 | 24700-3773 |
| 20.750 | 22.750 | 0.875 | 64 | 21238-4248 |
| 20.750 | 22.750 | 0.875 | 88 | 26088-4248 |
| 20.750 | 22.750 | 0.875 | 88NS | 26188-4248 |
| 20.750 | 22.750 | 1.000 | 53 | 21086-4249 |
| 20.750 | 22.750 | 1.750 | 53R2 | 22627-4491 |
| 20.750 | 23.000 | 0.812 | 64 | 21238-4243 |
| 20.750 | 23.000 | 0.875 | 59 | 24700-0374 |
| 20.827 | 22.827 | 0.812 | 23 | 25003-9392 |
| 20.866 | 22.441 | 0.787 | 59 | 24700-5438 |
| 20.866 | 22.441 | 0.787 | 87 | 26080-2388 |
| 20.866 | 22.637 | 0.812 | 23 | 25003-5761 |
| 20.866 | 22.835 | 0.787 | 23 | 25003-1911 |
| 20.866 | 22.835 | 0.866 | 26 | 24600-3667 |
| 20.866 | 22.835 | 0.866 | 59 | 24700-3667 |
| 20.866 | 22.836 | 0.787 | 59 | 24700-0375 |
| 20.866 | 22.836 | 0.812 | 64 | 21238-4244 |
| 20.866 | 22.866 | 0.812 | 23 | 25003-9744 |
| 20.866 | 23.228 | 0.984 | 59 | 24700-3535 |
| 20.875 | 22.875 | 0.750 | 59 | 24700-0377 |
| 20.875 | 22.875 | 0.812 | 23 | 25003-9276 |
| 20.875 | 22.875 | 0.875 | 64 | 21238-4250 |
| 20.875 | 23.228 | 0.875 | 64 | 21238-6417 |
| 20.939 | 22.939 | 0.812 | 23 | 25003-3088 |
| 20.945 | 22.520 | 0.787 | 59 | 24700-5440 |
| 21.000 | 22.000 | 0.500 | 21 | 25001-4940 |
| 21.000 | 22.000 | 0.500 | 23 | 25003-4940 |
| 21.000 | 22.500 | 0.750 | 23 | 25003-5259 |
| 21.000 | 22.500 | 0.750 | 59 | 24700-0380 |
| 21.000 | 22.500 | 0.750 | 64 | 21238-5259 |
| 21.000 | 22.750 | 0.750 | 21 | 25001-5312 |
| 21.000 | 22.750 | 0.750 | 23 | 25003-5312 |
| 21.000 | 22.750 | 0.750 | 59 | 24700-0381 |
| 21.000 | 22.750 | 0.750 | 64 | 21238-5312 |
| 21.000 | 22.760 | 0.750 | 23 | 25003-2775 |
| **21.000** | **23.000** | **0.625** | **59** | **24700-0382** |
| 21.000 | 23.000 | 0.750 | 23 | 25003-5619 |
| 21.000 | 23.000 | 0.750 | 59 | 24700-1991 |
| **21.000** | **23.000** | **0.750** | **88** | **26088-5619** |
| 21.000 | 23.000 | 0.750 | 88NS | 26188-5619 |
| 21.000 | 23.000 | 0.812 | 23 | 25003-6535 |
| 21.000 | 23.000 | 0.812 | 64 | 21238-6535 |
| **21.000** | **23.000** | **0.875** | **64** | **21238-4253** |
| 21.000 | 23.250 | 0.812 | 64 | 21238-4251 |
| 21.000 | 23.250 | 0.875 | 59 | 24700-0384 |
| 21.000 | 23.500 | 0.875 | 59 | 24700-0385 |
| 21.000 | 23.500 | 0.875 | 64 | 21238-9772 |
| 21.063 | 22.638 | 0.787 | 59 | 24700-5452 |
| 21.125 | 22.125 | 0.500 | 23 | 25003-3760 |
| 21.250 | 22.250 | 0.500 | 23 | 25003-8946 |
| 21.250 | 22.637 | 0.590 | 23 | 25003-0483 |
| 21.250 | 22.750 | 0.750 | 23 | 25003-5795 |
| 21.250 | 23.000 | 0.750 | 59 | 24700-0386 |
| 21.250 | 23.250 | 0.625 | 59 | 24700-0387 |
| 21.250 | 23.250 | 0.750 | 23 | 25003-2058 |
| 21.250 | 23.250 | 0.750 | 59 | 24700-1992 |
| 21.250 | 23.250 | 0.812 | 23 | 25003-9391 |
| 21.250 | 23.250 | 0.875 | 59 | 24700-4254 |
| **21.250** | **23.250** | **0.875** | **64** | **21238-4254** |
| 21.250 | 23.250 | 0.875 | 88 | 26088-4254 |
| 21.250 | 23.250 | 0.875 | 88NS | 26188-4254 |
| 21.259 | 22.759 | 0.687 | 23 | 25003-5740 |
| 21.260 | 23.228 | 0.812 | 23 | 25003-9639 |
| 21.260 | 23.228 | 0.866 | 59 | 24700-4598 |
| 21.260 | 23.228 | 0.984 | 64 | 21238-7393 |
| 21.260 | 23.260 | 0.812 | 23 | 25003-9312 |
| 21.375 | 23.375 | 0.812 | 23 | 25003-5302 |
| 21.437 | 23.437 | 0.812 | 23 | 25003-6542 |
| 21.438 | 23.188 | 0.750 | 59 | 24700-0824 |
| 21.456 | 23.456 | 0.812 | 23 | 25003-5668 |
| 21.500 | 22.625 | 1.250 | 142 | 21432-9698 |
| 21.500 | 22.688 | 0.750 | 59 | 24700-1993 |
| 21.500 | 22.750 | 0.750 | 23 | 25003-6807 |
| 21.500 | 23.000 | 0.625 | 23 | 25003-6853 |
| 21.500 | 23.000 | 0.750 | 23 | 25003-5768 |
| 21.500 | 23.000 | 1.000 | 142 | 21432-9873 |
| 21.500 | 23.250 | 0.750 | 59 | 24700-0390 |
| 21.500 | 23.250 | 0.750 | 64 | 21238-4257 |
| 21.500 | 23.250 | 0.812 | 23 | 25003-5550 |
| 21.500 | 23.500 | 0.500 | 24 | 25005-9035 |
| 21.500 | 23.500 | 0.750 | 23 | 25003-9907 |
| 21.500 | 23.500 | 0.750 | 59 | 24700-0391 |
| 21.500 | 23.500 | 0.812 | 21 | 25001-7407 |
| 21.500 | 23.500 | 0.812 | 23 | 25003-7407 |
| 21.500 | 23.500 | 0.812 | 64 | 21238-7407 |
| **21.500** | **23.500** | **0.875** | **64** | **21238-4259** |
| 21.500 | 23.625 | 0.875 | 64 | 21238-6493 |
| 21.500 | 23.750 | 0.875 | 64 | 21238-0569 |
| 21.500 | 24.000 | 0.875 | 59 | 24700-0392 |
| 21.500 | 24.000 | 0.875 | 64 | 21238-6779 |
| 21.625 | 23.375 | 0.750 | 59 | 24700-0394 |
| 21.625 | 23.375 | 0.750 | 64 | 21238-4261 |
| 21.625 | 23.625 | 0.812 | 23 | 25003-5936 |
| 21.625 | 23.625 | 0.875 | 59 | 24700-0395 |
| 21.625 | 23.625 | 0.875 | 64 | 21238-4263 |
| 21.625 | 23.625 | 1.000 | 53 | 21086-4264 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 21.653 | 23.153 | 0.750 | 23 | 25003-5258 |
| 21.654 | 23.622 | 0.866 | 59 | 24700-2724 |
| 21.654 | 23.622 | 0.925 | 26 | 24600-5492 |
| 21.654 | 24.016 | 0.984 | 59 | 24700-4514 |
| 21.687 | 23.187 | 0.750 | 23 | 25003-5428 |
| 21.691 | 23.691 | 0.812 | 23 | 25003-9864 |
| 21.750 | 23.250 | 0.750 | 23 | 25003-4621 |
| 21.750 | 23.250 | 0.750 | 59 | 24700-1994 |
| 21.750 | 23.250 | 0.750 | 64 | 21238-4621 |
| 21.750 | 23.250 | 1.000 | 142 | 21432-4859 |
| 21.750 | 23.750 | 0.750 | 59 | 24700-0397 |
| 21.750 | 23.750 | 0.812 | 23 | 25003-6972 |
| 21.750 | 23.750 | 0.875 | 64 | 21238-4265 |
| 21.750 | 23.750 | 0.875 | 88 | 26088-4265 |
| 21.750 | 23.750 | 0.875 | 88NS | 26188-4265 |
| 21.750 | 24.000 | 0.875 | 59 | 24700-0398 |
| 21.750 | 24.000 | 0.875 | 64 | 21238-5276 |
| 21.750 | 24.250 | 0.875 | 59 | 24700-0399 |
| 21.750 | 24.250 | 0.875 | 64 | 21238-8675 |
| 21.750 | 24.500 | 0.875 | 64 | 21238-4260 |
| 21.750 | 24.750 | 0.875 | 64 | 21238-4262 |
| 21.750 | 24.750 | 1.000 | 59 | 24700-0400 |
| 21.811 | 23.386 | 0.787 | 23 | 25003-0429 |
| 21.875 | 23.875 | 0.812 | 23 | 25003-8658 |
| 21.882 | 23.732 | 0.866 | 26 | 24600-5491 |
| 21.890 | 23.858 | 0.812 | 23 | 25003-0606 |
| 21.937 | 22.937 | 0.500 | 21 | 25001-8381 |
| 22.000 | 23.000 | 0.500 | 23 | 25003-7131 |
| 22.000 | 23.125 | 0.500 | 23 | 25003-0676 |
| 22.000 | 23.125 | 0.547 | 21 | 25001-8208 |
| 22.000 | 23.125 | 1.250 | 142 | 21432-9872 |
| 22.000 | 23.500 | 0.500 | 21 | 25001-6296 |
| 22.000 | 23.500 | 0.750 | 26 | 24600-4269 |
| 22.000 | 23.500 | 0.750 | 26R1 | 24620-4269 |
| 22.000 | 23.500 | 0.750 | 59 | 24700-4269 |
| **22.000** | **23.500** | **0.750** | **64** | **21238-4269** |
| 22.000 | 23.500 | 1.000 | 142 | 21432-6796 |
| 22.000 | 23.750 | 0.812 | 23 | 25003-6291 |
| 22.000 | 23.750 | 0.875 | 59 | 24700-3256 |
| 22.000 | 24.000 | 0.750 | 59 | 24700-0401 |
| 22.000 | 24.000 | 0.812 | 21 | 25001-6401 |
| 22.000 | 24.000 | 0.812 | 23 | 25003-6401 |
| 22.000 | 24.000 | 0.875 | 59 | 24700-1135 |
| **22.000** | **24.000** | **0.875** | **64** | **21238-4270** |
| 22.000 | 24.000 | 0.875 | 88 | 26088-4270 |
| 22.000 | 24.000 | 0.875 | 88NS | 26188-4270 |
| 22.000 | 24.250 | 0.812 | 64 | 21238-9082 |
| 22.000 | 24.250 | 0.875 | 64 | 21238-3763 |
| 22.000 | 24.250 | 1.000 | 59 | 24700-0402 |
| 22.000 | 24.500 | 0.875 | 59 | 24700-0403 |
| 22.000 | 24.500 | 0.875 | 64 | 21238-6295 |
| 22.047 | 23.780 | 0.709 | 87 | 26080-1382 |
| 22.047 | 23.780 | 0.787 | 59 | 24700-4066 |
| 22.047 | 24.016 | 0.787 | 26 | 24600-3461 |
| 22.047 | 24.016 | 0.787 | 59 | 24700-3461 |
| 22.047 | 24.016 | 0.787 | 64 | 21238-7266 |
| 22.047 | 24.016 | 0.866 | 26 | 24600-4019 |
| 22.047 | 24.016 | 0.866 | 59 | 24700-4019 |
| 22.047 | 24.016 | 0.875 | 64 | 21238-2394 |
| 22.047 | 24.409 | 0.984 | 59 | 24700-4243 |
| 22.062 | 24.062 | 0.812 | 23 | 25003-6191 |
| 22.125 | 23.875 | 0.750 | 53 | 21086-4609 |
| 22.125 | 24.125 | 0.812 | 23 | 25003-5254 |
| 22.250 | 24.250 | 0.812 | 23 | 25003-8512 |
| **22.250** | **24.250** | **0.875** | **59** | **24700-0404** |
| **22.250** | **24.250** | **0.875** | **64** | **21238-3764** |
| 22.250 | 24.250 | 0.875 | 88 | 26088-3764 |
| 22.250 | 24.250 | 0.875 | 88NS | 26188-3764 |
| 22.320 | 24.320 | 0.812 | 23 | 25003-4863 |
| 22.375 | 24.250 | 0.750 | 59 | 24700-0405 |
| 22.375 | 24.250 | 0.750 | 64 | 21238-4268 |
| 22.375 | 24.368 | 0.875 | 59 | 24700-0406 |
| 22.375 | 24.375 | 0.875 | 59 | 24700-0407 |
| 22.375 | 24.375 | 0.875 | 64 | 21238-2576 |
| 22.375 | 25.250 | 0.875 | 59 | 24700-3369 |
| 22.375 | 25.250 | 1.125 | 59 | 24700-5377 |
| 22.437 | 24.000 | 0.750 | 64 | 21238-4275 |
| 22.437 | 24.250 | 0.750 | 64 | 21238-4276 |
| 22.437 | 24.437 | 0.750 | 64 | 21238-6480 |
| 22.437 | 24.437 | 0.875 | 64 | 21238-1915 |
| 22.437 | 24.500 | 0.750 | 64 | 21238-9840 |
| 22.438 | 24.250 | 0.750 | 59 | 24700-0408 |
| 22.438 | 24.438 | 0.875 | 59 | 24700-0409 |
| 22.441 | 24.016 | 0.787 | 59 | 24700-3769 |
| 22.441 | 24.409 | 0.866 | 59 | 24700-4245 |
| 22.441 | 24.409 | 0.984 | 59 | 24700-4241 |
| 22.500 | 23.375 | 0.375 | 23 | 25003-1305 |
| 22.500 | 23.500 | 0.500 | 23 | 25003-1224 |
| 22.500 | 23.688 | 0.750 | 59 | 24700-1995 |
| 22.500 | 24.000 | 0.750 | 64 | 21238-4271 |
| 22.500 | 24.250 | 0.750 | 59 | 24700-0411 |
| 22.500 | 24.250 | 0.750 | 64 | 21238-4272 |
| 22.500 | 24.495 | 0.875 | 59 | 24700-0412 |
| 22.500 | 24.500 | 0.750 | 59 | 24700-0413 |
| 22.500 | 24.500 | 0.812 | 21 | 25001-7489 |
| 22.500 | 24.500 | 0.812 | 23 | 25003-7489 |
| 22.500 | 24.500 | 0.875 | 23 | 25003-4279 |
| **22.500** | **24.500** | **0.875** | **64** | **21238-4279** |
| 22.500 | 24.750 | 0.875 | 59 | 24700-0414 |
| 22.500 | 24.750 | 0.875 | 64 | 21238-4273 |
| 22.500 | 25.000 | 0.875 | 64 | 21238-4274 |
| 22.598 | 23.779 | 0.590 | 26 | 24600-2501 |
| 22.625 | 24.125 | 0.500 | 23 | 25003-0506 |
| 22.625 | 24.625 | 0.812 | 23 | 25003-7356 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 22.673 | 24.173 | 0.750 | 23 | 25003-5532 |
| 22.687 | 24.562 | 0.750 | 23 | 25003-6736 |
| 22.750 | 23.875 | 1.375 | 142 | 21432-7885 |
| 22.750 | 24.500 | 0.750 | 59 | 24700-0415 |
| 22.750 | 24.750 | 0.812 | 23 | 25003-8526 |
| 22.750 | 24.750 | 0.875 | 53 | 21086-4281 |
| 22.750 | 24.750 | 0.875 | 59 | 24700-0416 |
| **22.750** | **24.750** | **0.875** | **64** | **21238-4281** |
| 22.750 | 24.750 | 0.875 | 87 | 26080-4281 |
| 22.750 | 25.000 | 0.875 | 59 | 24700-0417 |
| 22.750 | 25.000 | 0.875 | 64 | 21238-6843 |
| 22.750 | 25.500 | 0.875 | 59 | 24700-1931 |
| 22.750 | 25.500 | 0.875 | 87 | 26080-1083 |
| 22.812 | 24.312 | 0.750 | 23 | 25003-7098 |
| 22.812 | 24.812 | 0.812 | 23 | 25003-6809 |
| 22.834 | 24.334 | 0.750 | 23 | 25003-7284 |
| 22.834 | 24.834 | 0.812 | 23 | 25003-9480 |
| 22.835 | 25.197 | 0.984 | 59 | 24700-4256 |
| 22.875 | 23.750 | 0.375 | 23 | 25003-1311 |
| 22.875 | 24.000 | 1.312 | 142 | 21432-9552 |
| 22.875 | 24.875 | 0.812 | 23 | 25003-9847 |
| 22.937 | 24.937 | 0.812 | 23 | 25003-9173 |
| 22.958 | 24.958 | 0.812 | 23 | 25003-3220 |
| 23.000 | 24.000 | 0.500 | 23 | 25003-6202 |
| 23.000 | 24.250 | 0.750 | 23 | 25003-7593 |
| 23.000 | 24.500 | 0.750 | 59 | 24700-0418 |
| **23.000** | **24.500** | **0.750** | **64** | **21238-4283** |
| 23.000 | 24.750 | 0.750 | 59 | 24700-0419 |
| 23.000 | 24.750 | 0.750 | 64 | 21238-5421 |
| 23.000 | 25.000 | 0.812 | 21 | 25001-7838 |
| 23.000 | 25.000 | 0.812 | 23 | 25003-7838 |
| 23.000 | 25.000 | 0.875 | 59 | 24700-0420 |
| **23.000** | **25.000** | **0.875** | **64** | **21238-4284** |
| 23.000 | 25.000 | 1.687 | 53R2 | 22627-9474 |
| 23.000 | 25.375 | 0.875 | 59 | 24700-0421 |
| 23.000 | 25.375 | 0.875 | 64 | 21238-4277 |
| 23.000 | 25.500 | 0.875 | 59 | 24700-0422 |
| 23.000 | 25.500 | 0.875 | 64 | 21238-4285 |
| 23.000 | 25.500 | 0.875 | 87 | 26080-4285 |
| 23.000 | 25.500 | 1.000 | 87 | 26080-2547 |
| 23.067 | 24.954 | 0.812 | 23 | 25003-9334 |
| 23.074 | 24.954 | 0.812 | 23 | 25003-4980 |
| 23.110 | 24.610 | 0.750 | 23 | 25003-7714 |
| 23.125 | 24.625 | 0.618 | 23 | 25003-8285 |
| 23.187 | 25.187 | 0.812 | 23 | 25003-8468 |
| 23.228 | 24.803 | 0.787 | 59 | 24700-3134 |
| 23.228 | 25.197 | 0.787 | 23 | 25003-2674 |
| 23.250 | 24.750 | 0.750 | 23 | 25003-7162 |
| 23.250 | 25.000 | 0.750 | 59 | 24700-0423 |
| 23.250 | 25.250 | 0.750 | 23 | 25003-9371 |
| 23.250 | 25.250 | 0.750 | 59 | 24700-0424 |
| 23.250 | 25.250 | 0.812 | 23 | 25003-6910 |

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 23.250 | 25.250 | 0.812 | 64 | 21238-6910 |
| 23.300 | 24.300 | 0.500 | 23 | 25003-5595 |
| 23.375 | 24.875 | 0.750 | 23 | 25003-7414 |
| 23.375 | 25.375 | 0.812 | 23 | 25003-7139 |
| 23.375 | 25.375 | 0.812 | 59 | 24700-0986 |
| 23.375 | 25.375 | 0.875 | 64 | 21238-4287 |
| 23.375 | 25.375 | 1.000 | 59 | 24700-0425 |
| 23.428 | 24.928 | 0.750 | 23 | 25003-0582 |
| 23.500 | 24.500 | 0.500 | 23 | 25003-5756 |
| 23.500 | 24.625 | 1.375 | 142 | 21432-9909 |
| 23.500 | 25.250 | 0.750 | 59 | 24700-0426 |
| 23.500 | 25.250 | 0.750 | 64 | 21238-5547 |
| 23.500 | 25.500 | 0.750 | 23 | 25003-6772 |
| 23.500 | 25.500 | 0.812 | 23 | 25003-6879 |
| 23.500 | 25.500 | 0.875 | 59 | 24700-0427 |
| **23.500** | **25.500** | **0.875** | **64** | **21238-4288** |
| 23.500 | 25.500 | 1.000 | 53 | 21086-4289 |
| 23.512 | 25.512 | 0.812 | 23 | 25003-0464 |
| 23.562 | 25.250 | 0.750 | 59 | 24700-0428 |
| 23.562 | 25.250 | 0.750 | 64 | 21238-4290 |
| 23.562 | 25.375 | 0.750 | 64 | 21238-4291 |
| 23.563 | 25.375 | 0.750 | 59 | 24700-0429 |
| 23.570 | 25.070 | 0.750 | 23 | 25003-5614 |
| 23.595 | 25.095 | 0.750 | 23 | 25003-5615 |
| 23.622 | 24.803 | 0.433 | 26 | 24600-5715 |
| 23.622 | 25.197 | 0.787 | 59 | 24700-5280 |
| 23.622 | 25.197 | 0.787 | 64 | 21238-8624 |
| 23.622 | 25.590 | 0.866 | 59 | 24700-4519 |
| 23.622 | 25.591 | 0.984 | 59 | 24700-5559 |
| 23.622 | 25.984 | 0.984 | 59 | 24700-4518 |
| 23.625 | 25.125 | 0.750 | 23 | 25003-5903 |
| 23.625 | 25.625 | 0.812 | 23 | 25003-6337 |
| 23.625 | 25.750 | 0.875 | 59 | 24700-0430 |
| 23.625 | 26.000 | 0.875 | 59 | 24700-0431 |
| 23.625 | 26.000 | 0.875 | 64 | 21238-4292 |
| 23.750 | 24.875 | 1.250 | 142 | 21432-9685 |
| 23.750 | 25.250 | 0.750 | 23 | 25003-7594 |
| 23.750 | 25.250 | 0.875 | 59 | 24700-3428 |
| 23.750 | 25.250 | 1.000 | 64 | 21238-6239 |
| 23.750 | 25.750 | 0.812 | 23 | 25003-5553 |
| 23.750 | 26.750 | 1.500 | 59 | 24700-0432 |
| 23.812 | 24.937 | 1.250 | 142 | 21432-7724 |
| 23.875 | 24.875 | 0.500 | 23 | 25003-8108 |
| 23.875 | 26.000 | 0.875 | 59 | 24700-0433 |
| 23.875 | 26.000 | 0.875 | 64 | 21238-4293 |
| 23.900 | 25.100 | 0.750 | 23 | 25003-1294 |
| 24.000 | 25.000 | 0.500 | 21 | 25001-3254 |
| 24.000 | 25.000 | 0.750 | 142 | 21432-9336 |
| 24.000 | 25.125 | 0.500 | 21 | 25001-5552 |
| 24.000 | 25.125 | 0.500 | 23 | 25003-5552 |
| 24.000 | 25.125 | 1.250 | 142 | 21432-5870 |
| 24.000 | 25.500 | 0.700 | 23 | 25003-4874 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 24.000 | 25.500 | 0.750 | 23 | 25003-4623 |
| 24.000 | 25.500 | 0.750 | 59 | 24700-0434 |
| 24.000 | 25.500 | 0.750 | 64 | 21238-4623 |
| 24.000 | 25.500 | 1.000 | 142 | 21432-5440 |
| 24.000 | 25.625 | 0.812 | 21 | 25001-8502 |
| 24.000 | 26.000 | 0.750 | 59 | 24700-0435 |
| 24.000 | 26.000 | 0.812 | 21 | 25001-5919 |
| 24.000 | 26.000 | 0.812 | 23 | 25003-5919 |
| 24.000 | 26.000 | 0.875 | 26 | 24600-4294 |
| 24.000 | 26.000 | 0.875 | 59 | 24700-4294 |
| **24.000** | **26.000** | **0.875** | **64** | **21238-4294** |
| **24.000** | **26.250** | **0.875** | **64** | **21238-6293** |
| 24.000 | 26.250 | 1.000 | 59 | 24700-0436 |
| 24.000 | 26.500 | 0.875 | 64 | 21238-4297 |
| 24.000 | 26.500 | 1.000 | 59 | 24700-0437 |
| 24.000 | 27.000 | 0.875 | 64 | 21238-5644 |
| 24.015 | 25.748 | 0.787 | 23 | 25003-1112 |
| 24.015 | 25.984 | 0.812 | 23 | 25003-7119 |
| 24.093 | 26.093 | 0.812 | 23 | 25003-5707 |
| 24.125 | 25.125 | 0.500 | 23 | 25003-6766 |
| 24.125 | 26.000 | 0.812 | 23 | 25003-5513 |
| 24.213 | 25.213 | 0.750 | 142 | 21432-7422 |
| 24.250 | 25.250 | 0.500 | 23 | 25003-8139 |
| 24.250 | 25.250 | 0.750 | 142 | 21432-4543 |
| 24.250 | 25.375 | 1.250 | 142 | 21432-9498 |
| 24.250 | 25.750 | 0.750 | 123 | 21016-6880 |
| 24.250 | 25.750 | 1.000 | 142 | 21432-6458 |
| 24.250 | 26.000 | 1.000 | 59 | 24700-4494 |
| 24.250 | 26.250 | 0.812 | 23 | 25003-7352 |
| 24.250 | 26.250 | 0.875 | 59 | 24700-0438 |
| **24.250** | **26.250** | **0.875** | **64** | **21238-4301** |
| 24.250 | 26.250 | 1.000 | 53 | 21086-3770 |
| 24.250 | 26.250 | 1.000 | 64 | 21238-3770 |
| 24.375 | 25.625 | 0.625 | 23 | 25003-1977 |
| 24.375 | 26.375 | 0.750 | 59 | 24700-0439 |
| 24.409 | 26.378 | 0.812 | 23 | 25003-0864 |
| 24.409 | 26.378 | 0.866 | 26 | 24600-3678 |
| 24.437 | 26.000 | 0.750 | 64 | 21238-4302 |
| 24.437 | 26.437 | 0.750 | 23 | 25003-4304 |
| 24.437 | 26.437 | 0.750 | 64 | 21238-4304 |
| 24.437 | 26.437 | 0.812 | 23 | 25003-6335 |
| 24.438 | 26.000 | 0.750 | 59 | 24700-0440 |
| 24.438 | 26.438 | 0.750 | 59 | 24700-0441 |
| 24.500 | 25.375 | 0.375 | 23 | 25003-0822 |
| 24.500 | 25.500 | 0.500 | 23 | 25003-5818 |
| 24.500 | 25.625 | 0.500 | 21 | 25001-4675 |
| 24.500 | 25.625 | 0.500 | 23 | 25003-4675 |
| 24.500 | 25.625 | 0.625 | 23 | 25003-7469 |
| 24.500 | 26.000 | 0.750 | 23 | 25003-9282 |
| 24.500 | 26.250 | 0.812 | 23 | 25003-6987 |
| 24.500 | 26.500 | 0.812 | 23 | 25003-8689 |
| 24.500 | 26.500 | 0.875 | 59 | 24700-0442 |
| 24.500 | 26.500 | 0.875 | 64 | 21238-4305 |
| 24.567 | 25.748 | 0.590 | 26 | 24600-2505 |
| 24.610 | 26.110 | 1.000 | 142 | 21432-8648 |
| 24.625 | 25.500 | 0.375 | 23 | 25003-0626 |
| 24.625 | 25.875 | 0.562 | 23 | 25003-6965 |
| 24.640 | 25.640 | 0.500 | 23 | 25003-2196 |
| 24.750 | 25.750 | 0.500 | 23 | 25003-9313 |
| 24.750 | 26.750 | 0.812 | 23 | 25003-7200 |
| 24.803 | 26.181 | 0.563 | 87 | 26080-2884 |
| 24.803 | 26.303 | 0.750 | 23 | 25003-5720 |
| 24.803 | 26.378 | 0.750 | 64 | 21238-1451 |
| 24.803 | 26.750 | 0.875 | 59 | 24700-1070 |
| 24.812 | 26.812 | 0.812 | 23 | 25003-9383 |
| 24.875 | 26.375 | 1.000 | 142 | 21432-9393 |
| 24.875 | 26.875 | 0.812 | 23 | 25003-4839 |
| 25.000 | 26.000 | 0.500 | 23 | 25003-5798 |
| 25.000 | 26.125 | 1.375 | 142 | 21432-8566 |
| 25.000 | 26.250 | 0.625 | 23 | 25003-1098 |
| 25.000 | 26.500 | 0.750 | 23 | 25003-4308 |
| 25.000 | 26.500 | 0.750 | 59 | 24700-0443 |
| **25.000** | **26.500** | **0.750** | **64** | **21238-4308** |
| 25.000 | 26.500 | 0.750 | 88 | 26088-4308 |
| 25.000 | 26.500 | 0.750 | 88NS | 26188-4308 |
| 25.000 | 26.500 | 1.000 | 142 | 21432-9699 |
| 25.000 | 26.875 | 0.750 | 23 | 25003-2509 |
| 25.000 | 27.000 | 0.750 | 23 | 25003-9154 |
| 25.000 | 27.000 | 0.812 | 23 | 25003-6419 |
| 25.000 | 27.000 | 0.875 | 59 | 24700-0444 |
| **25.000** | **27.000** | **0.875** | **64** | **21238-3774** |
| 25.000 | 27.000 | 0.906 | 87 | 26080-2207 |
| 25.000 | 27.000 | 1.000 | 64 | 21238-4309 |
| 25.000 | 27.250 | 0.875 | 64 | 21238-6421 |
| 25.000 | 27.375 | 0.875 | 59 | 24700-0445 |
| 25.000 | 27.500 | 0.875 | 59 | 24700-0446 |
| 25.000 | 27.500 | 0.875 | 64 | 21238-5997 |
| 25.000 | 27.500 | 0.875 | 88 | 26088-5997 |
| 25.000 | 27.500 | 0.875 | 88NS | 26188-5997 |
| 25.000 | 27.500 | 1.000 | 59 | 24700-0821 |
| 25.006 | 26.006 | 0.375 | 23 | 25003-9982 |
| 25.125 | 26.125 | 0.500 | 23 | 25003-5729 |
| 25.125 | 26.250 | 1.250 | 142 | 21432-7681 |
| 25.125 | 26.250 | 1.375 | 142 | 21432-8390 |
| 25.125 | 26.750 | 0.750 | 59 | 24700-0447 |
| 25.187 | 26.875 | 0.750 | 64 | 21238-4311 |
| 25.187 | 26.937 | 0.750 | 64 | 21238-5994 |
| 25.187 | 27.187 | 0.812 | 23 | 25003-5828 |
| 25.188 | 26.875 | 0.750 | 59 | 24700-0448 |
| 25.196 | 26.696 | 0.750 | 23 | 25003-6823 |
| 25.196 | 27.196 | 0.812 | 23 | 25003-7679 |
| 25.197 | 27.165 | 0.807 | 23 | 25003-1719 |
| 25.203 | 27.171 | 0.812 | 23 | 25003-2769 |
| 25.219 | 27.219 | 0.812 | 23 | 25003-5748 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 25.250 | 26.750 | 0.500 | 23 | 25003-5141 |
| 25.250 | 26.750 | 0.750 | 23 | 25003-7163 |
| 25.250 | 27.250 | 0.750 | 64 | 21238-4299 |
| 25.250 | 27.250 | 0.812 | 23 | 25003-7859 |
| 25.250 | 27.250 | 0.875 | 59 | 24700-0450 |
| 25.250 | 28.000 | 0.875 | 59 | 24700-0451 |
| 25.375 | 26.875 | 0.562 | 23 | 25003-2709 |
| 25.375 | 28.500 | 1.500 | 59 | 24700-0452 |
| 25.437 | 27.187 | 0.750 | 23 | 25003-7646 |
| 25.437 | 27.187 | 0.750 | 59 | 24700-4360 |
| 25.500 | 26.500 | 0.500 | 23 | 25003-9988 |
| 25.500 | 27.000 | 0.750 | 23 | 25003-4317 |
| 25.500 | 27.000 | 0.750 | 59 | 24700-0453 |
| 25.500 | 27.000 | 0.875 | 64 | 21238-4300 |
| 25.500 | 27.000 | 1.000 | 142 | 21432-8547 |
| 25.500 | 27.500 | 0.750 | 23 | 25003-6918 |
| 25.500 | 27.500 | 0.750 | 59 | 24700-0454 |
| 25.500 | 27.500 | 0.812 | 23 | 25003-9090 |
| 25.500 | 27.500 | 0.875 | 53 | 21086-4318 |
| 25.500 | 27.500 | 0.875 | 59 | 24700-5162 |
| **25.500** | **27.500** | **0.875** | **64** | **21238-4318** |
| 25.500 | 27.500 | 0.875 | 87 | 26080-4318 |
| 25.500 | 27.500 | 0.875 | 88 | 26088-4318 |
| 25.500 | 27.500 | 0.875 | 88NS | 26188-4318 |
| 25.530 | 27.030 | 0.750 | 23 | 25003-5743 |
| 25.590 | 26.590 | 0.500 | 23 | 25003-5779 |
| 25.590 | 27.090 | 0.750 | 23 | 25003-9325 |
| 25.590 | 27.165 | 0.787 | 59 | 24700-1044 |
| 25.590 | 27.756 | 0.787 | 59 | 24700-4244 |
| 25.590 | 27.953 | 0.984 | 59 | 24700-4517 |
| 25.625 | 26.625 | 0.500 | 23 | 25003-9382 |
| 25.625 | 26.750 | 0.500 | 21 | 25001-8773 |
| 25.625 | 26.750 | 0.500 | 23 | 25003-8773 |
| 25.625 | 26.875 | 0.625 | 23 | 25003-1997 |
| 25.625 | 27.625 | 0.812 | 23 | 25003-0663 |
| 25.625 | 27.750 | 1.000 | 59 | 24700-0455 |
| 25.750 | 26.875 | 0.500 | 21 | 25001-4676 |
| 25.750 | 26.875 | 0.500 | 23 | 25003-4676 |
| 25.750 | 26.875 | 0.547 | 23 | 25003-7899 |
| 25.750 | 26.875 | 0.562 | 23 | 25003-9025 |
| 25.750 | 26.875 | 0.625 | 23 | 25003-6321 |
| 25.750 | 26.875 | 0.750 | 23 | 25003-9305 |
| 25.750 | 27.000 | 0.500 | 23 | 25003-6539 |
| 25.750 | 27.000 | 0.625 | 23 | 25003-5894 |
| 25.750 | 27.250 | 0.750 | 23 | 25003-6998 |
| 25.750 | 27.250 | 0.750 | 59 | 24700-0456 |
| 25.750 | 27.250 | 0.750 | 64 | 21238-6998 |
| 25.750 | 27.750 | 0.812 | 23 | 25003-9569 |
| 25.750 | 28.125 | 0.750 | 23 | 25003-0671 |
| 25.750 | 28.755 | 1.500 | 59 | 24700-0457 |
| 25.875 | 26.750 | 0.375 | 23 | 25003-0696 |
| 25.875 | 26.875 | 0.500 | 23 | 25003-4698 |
| 25.875 | 27.875 | 0.812 | 23 | 25003-9266 |
| 25.875 | 28.000 | 0.875 | 59 | 24700-0458 |
| 25.875 | 28.000 | 0.875 | 64 | 21238-4303 |
| 25.875 | 28.000 | 1.000 | 53 | 21086-3776 |
| 25.988 | 27.625 | 0.750 | 59 | 24700-0459 |
| 25.988 | 27.625 | 0.750 | 64 | 21238-4306 |
| 26.000 | 27.000 | 0.500 | 23 | 25003-4714 |
| 26.000 | 27.125 | 0.500 | 23 | 25003-6940 |
| 26.000 | 27.125 | 0.562 | 23 | 25003-1919 |
| 26.000 | 27.125 | 1.375 | 142 | 21432-9318 |
| 26.000 | 27.250 | 0.625 | 23 | 25003-0959 |
| 26.000 | 27.500 | 0.750 | 23 | 25003-0455 |
| 26.000 | 27.500 | 1.000 | 142 | 21432-9183 |
| 26.000 | 27.625 | 0.750 | 59 | 24700-0460 |
| 26.000 | 27.625 | 0.750 | 64 | 21238-5921 |
| 26.000 | 27.625 | 0.750 | 88 | 26088-5921 |
| 26.000 | 27.625 | 0.750 | 88NS | 26188-5921 |
| 26.000 | 28.000 | 0.750 | 21 | 25001-7710 |
| 26.000 | 28.000 | 0.750 | 23 | 25003-7710 |
| 26.000 | 28.000 | 0.750 | 59 | 24700-0461 |
| 26.000 | 28.000 | 0.812 | 23 | 25003-6483 |
| **26.000** | **28.000** | **0.875** | **64** | **21238-4325** |
| 26.000 | 28.125 | 0.875 | 64 | 21238-9402 |
| 26.000 | 28.500 | 0.875 | 59 | 24700-0462 |
| 26.000 | 28.500 | 0.875 | 64 | 21238-4794 |
| 26.125 | 28.125 | 0.812 | 23 | 25003-7699 |
| 26.125 | 28.125 | 0.813 | 59 | 24700-0463 |
| **26.125** | **28.125** | **0.875** | **64** | **21238-4330** |
| 26.125 | 28.125 | 0.875 | 88 | 26088-4330 |
| 26.125 | 28.125 | 0.875 | 88NS | 26188-4330 |
| 26.220 | 27.220 | 0.500 | 23 | 25003-3141 |
| 26.250 | 28.250 | 0.812 | 23 | 25003-9759 |
| 26.299 | 27.795 | 1.000 | 142 | 21432-7685 |
| 26.375 | 28.188 | 0.750 | 59 | 24700-0464 |
| 26.375 | 28.188 | 0.875 | 59 | 24700-4097 |
| 26.375 | 28.188 | 0.875 | 64 | 21238-4307 |
| 26.375 | 28.250 | 0.875 | 59 | 24700-0465 |
| 26.375 | 28.250 | 0.875 | 64 | 21238-4312 |
| 26.375 | 28.375 | 0.812 | 23 | 25003-5017 |
| 26.375 | 28.375 | 1.000 | 59 | 24700-0466 |
| 26.378 | 27.874 | 0.748 | 23 | 25003-2248 |
| 26.378 | 27.953 | 0.787 | 59 | 24700-3945 |
| 26.378 | 28.898 | 0.984 | 59 | 24700-4672 |
| 26.437 | 28.437 | 0.812 | 23 | 25003-6886 |
| 26.500 | 28.000 | 0.750 | 23 | 25003-4533 |
| 26.500 | 28.000 | 0.750 | 59 | 24700-0467 |
| **26.500** | **28.000** | **0.750** | **64** | **21238-4533** |
| 26.500 | 28.000 | 0.875 | 59 | 24700-3279 |
| 26.500 | 28.500 | 0.812 | 23 | 25003-6332 |
| 26.500 | 28.500 | 0.875 | 59 | 24700-0468 |
| 26.500 | 28.500 | 0.875 | 64 | 21238-4313 |
| 26.500 | 29.500 | 1.500 | 59 | 24700-0469 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 26.625 | 28.125 | 0.750 | 23 | 25003-2707 |
| 26.687 | 28.687 | 0.812 | 23 | 25003-9626 |
| 26.750 | 28.562 | 0.812 | 23 | 25003-2628 |
| 26.750 | 28.750 | 0.812 | 23 | 25003-9647 |
| 26.771 | 27.771 | 0.500 | 23 | 25003-5799 |
| 26.781 | 28.781 | 0.812 | 23 | 25003-5278 |
| 26.815 | 28.815 | 0.812 | 23 | 25003-6819 |
| 26.875 | 27.750 | 0.375 | 23 | 25003-1312 |
| 26.875 | 28.125 | 0.500 | 23 | 25003-0755 |
| 26.875 | 28.875 | 0.812 | 23 | 25003-5102 |
| 26.968 | 27.953 | 0.500 | 23 | 25003-1169 |
| 27.000 | 28.000 | 0.500 | 23 | 25003-8043 |
| 27.000 | 28.125 | 1.375 | 142 | 21432-8277 |
| 27.000 | 28.500 | 0.625 | 23 | 25003-5050 |
| 27.000 | 28.500 | 0.750 | 26 | 24600-1952 |
| 27.000 | 29.000 | 0.750 | 59 | 24700-0470 |
| 27.000 | 29.000 | 0.812 | 23 | 25003-7340 |
| **27.000** | **29.000** | **0.875** | **64** | **21238-4333** |
| 27.000 | 29.000 | 0.875 | 88 | 26088-4333 |
| 27.000 | 29.000 | 0.875 | 88NS | 26188-4333 |
| 27.000 | 29.000 | 1.000 | 59 | 24700-1971 |
| 27.000 | 29.500 | 0.875 | 64 | 21238-8031 |
| 27.000 | 29.500 | 1.000 | 59 | 24700-0471 |
| 27.000 | 30.000 | 0.875 | 59 | 24700-0472 |
| 27.000 | 30.000 | 0.875 | 64 | 21238-9984 |
| 27.125 | 29.625 | 0.750 | 23 | 25003-5879 |
| 27.165 | 28.740 | 0.787 | 59 | 24700-3489 |
| 27.250 | 28.375 | 1.375 | 142 | 21432-9319 |
| 27.250 | 29.250 | 0.812 | 23 | 25003-8103 |
| 27.250 | 29.250 | 0.813 | 59 | 24700-0473 |
| 27.250 | 29.250 | 0.875 | 59 | 24700-4626 |
| 27.250 | 29.250 | 0.875 | 64 | 21238-4626 |
| 27.375 | 29.375 | 0.812 | 23 | 25003-9375 |
| 27.500 | 29.000 | 0.750 | 23 | 25003-4315 |
| 27.500 | 29.000 | 0.750 | 59 | 24700-0474 |
| 27.500 | 29.000 | 0.750 | 64 | 21238-4315 |
| 27.500 | 29.500 | 0.750 | 23 | 25003-2313 |
| 27.500 | 29.500 | 0.812 | 23 | 25003-7251 |
| 27.500 | 29.500 | 0.875 | 59 | 24700-0475 |
| **27.500** | **29.500** | **0.875** | **64** | **21238-4339** |
| 27.500 | 29.500 | 1.000 | 88 | 26088-3784 |
| 27.500 | 29.500 | 1.000 | 88NS | 26188-3784 |
| 27.559 | 29.055 | 0.748 | 23 | 25003-4481 |
| 27.559 | 30.079 | 0.984 | 26 | 24600-5067 |
| 27.562 | 29.562 | 0.812 | 23 | 25003-7881 |
| 27.625 | 29.125 | 0.750 | 59 | 24700-0476 |
| 27.625 | 29.625 | 0.750 | 59 | 24700-0477 |
| 27.625 | 29.625 | 0.750 | 64 | 21238-5001 |
| 27.750 | 28.875 | 0.562 | 23 | 25003-9420 |
| 27.750 | 29.750 | 0.812 | 23 | 25003-8190 |
| 27.875 | 29.812 | 0.875 | 59 | 24700-0478 |
| 27.875 | 29.812 | 0.875 | 64 | 21238-4341 |
| 27.875 | 29.815 | 0.875 | 59 | 24700-0479 |
| 27.875 | 29.875 | 0.812 | 23 | 25003-9690 |
| 27.952 | 29.952 | 0.812 | 23 | 25003-5860 |
| 27.969 | 29.969 | 0.812 | 23 | 25003-5895 |
| 27.992 | 29.119 | 0.500 | 23 | 25003-9890 |
| 28.000 | 29.125 | 0.500 | 23 | 25003-5504 |
| 28.000 | 29.125 | 1.250 | 142 | 21432-9832 |
| 28.000 | 29.125 | 1.375 | 142 | 21432-8561 |
| 28.000 | 29.500 | 0.750 | 23 | 25003-4343 |
| 28.000 | 29.500 | 0.750 | 59 | 24700-0480 |
| 28.000 | 29.500 | 0.750 | 64 | 21238-4343 |
| 28.000 | 29.500 | 1.000 | 142 | 21432-9730 |
| 28.000 | 29.625 | 0.750 | 59 | 24700-0481 |
| 28.000 | 29.625 | 0.750 | 64 | 21238-7828 |
| 28.000 | 29.625 | 0.750 | 88 | 26088-7828 |
| 28.000 | 29.625 | 0.750 | 88NS | 26188-7828 |
| 28.000 | 29.813 | 0.750 | 59 | 24700-0482 |
| 28.000 | 29.813 | 0.750 | 64 | 21238-4316 |
| 28.000 | 30.000 | 0.812 | 23 | 25003-6786 |
| 28.000 | 30.000 | 0.822 | 23 | 25003-9603 |
| 28.000 | 30.000 | 0.875 | 59 | 24700-0483 |
| 28.000 | 30.000 | 0.875 | 64 | 21238-4344 |
| 28.000 | 30.000 | 1.500 | 142 | 21432-8214 |
| 28.000 | 30.250 | 0.812 | 64 | 21238-4320 |
| 28.000 | 30.250 | 1.250 | 59 | 24700-0484 |
| 28.000 | 30.500 | 0.875 | 59 | 24700-0485 |
| 28.000 | 30.500 | 0.875 | 64 | 21238-3878 |
| 28.000 | 30.500 | 0.875 | 87 | 26080-3878 |
| 28.000 | 30.500 | 0.875 | 88 | 26088-3878 |
| 28.000 | 30.500 | 0.875 | 88NS | 26188-3878 |
| 28.000 | 30.500 | 1.000 | 59 | 24700-0820 |
| 28.000 | 30.535 | 0.875 | 59 | 24700-0486 |
| 28.000 | 31.000 | 0.875 | 59 | 24700-0487 |
| 28.000 | 31.000 | 0.875 | 64 | 21238-5998 |
| 28.000 | 32.000 | 0.875 | 59 | 24700-0488 |
| 28.125 | 29.250 | 0.500 | 23 | 25003-6068 |
| 28.125 | 29.250 | 0.562 | 23 | 25003-9482 |
| 28.125 | 29.250 | 0.750 | 59 | 24700-1996 |
| 28.250 | 29.500 | 0.625 | 23 | 25003-0896 |
| 28.250 | 29.750 | 1.000 | 142 | 21432-5272 |
| 28.250 | 30.250 | 0.812 | 23 | 25003-9575 |
| 28.346 | 30.315 | 0.984 | 23 | 25003-0786 |
| 28.375 | 29.500 | 0.500 | 23 | 25003-7900 |
| 28.486 | 29.860 | 0.687 | 23 | 25003-0458 |
| 28.500 | 29.500 | 0.500 | 23 | 25003-5266 |
| 28.500 | 30.500 | 0.625 | 59 | 24700-0490 |
| 28.500 | 30.500 | 0.750 | 59 | 24700-1997 |
| 28.500 | 30.500 | 0.812 | 23 | 25003-7655 |
| 28.500 | 30.500 | 0.875 | 23 | 25003-4346 |
| 28.500 | 30.500 | 0.875 | 59 | 24700-4454 |
| **28.500** | **30.500** | **0.875** | **64** | **21238-4346** |
| 28.500 | 30.500 | 0.875 | 88 | 26088-4346 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 28.500 | 30.500 | 0.875 | 88NS | 26188-4346 |
| 28.500 | 31.000 | 0.875 | 53 | 21086-4534 |
| 28.500 | 31.000 | 0.875 | 59 | 24700-0491 |
| 28.500 | 31.000 | 0.875 | 64 | 21238-4534 |
| 28.625 | 30.625 | 0.812 | 23 | 25003-2158 |
| 28.740 | 31.102 | 0.984 | 59 | 24700-4516 |
| 28.740 | 31.259 | 1.007 | 59 | 24700-4487 |
| 28.740 | 31.260 | 0.748 | 23 | 25003-2796 |
| 28.740 | 31.260 | 0.984 | 59 | 24700-2543 |
| 28.750 | 29.750 | 0.500 | 23 | 25003-5863 |
| 28.750 | 30.750 | 0.812 | 23 | 25003-6803 |
| 28.750 | 30.750 | 0.875 | 59 | 24700-0492 |
| 28.750 | 30.750 | 0.875 | 64 | 21238-4628 |
| 28.875 | 29.750 | 0.500 | 21 | 25001-5612 |
| 28.875 | 29.750 | 0.500 | 23 | 25003-5612 |
| 28.875 | 30.875 | 0.812 | 23 | 25003-9797 |
| 28.938 | 30.512 | 0.787 | 59 | 24700-5442 |
| 29.000 | 30.125 | 0.500 | 23 | 25003-9852 |
| 29.000 | 30.500 | 0.750 | 23 | 25003-4347 |
| 29.000 | 30.500 | 0.750 | 59 | 24700-0493 |
| 29.000 | 30.500 | 0.750 | 64 | 21238-4347 |
| 29.000 | 30.500 | 0.750 | 113 | 21012-4347 |
| 29.000 | 31.000 | 0.812 | 23 | 25003-7331 |
| **29.000** | **31.000** | **0.875** | **59** | **24700-0494** |
| **29.000** | **31.000** | **0.875** | **64** | **21238-4348** |
| 29.000 | 31.000 | 0.875 | 87 | 26080-4348 |
| **29.000** | **31.000** | **0.875** | **88** | **26088-4348** |
| 29.000 | 31.000 | 0.875 | 88NS | 26188-4348 |
| 29.000 | 31.000 | 1.000 | 23 | 25003-2764 |
| 29.000 | 31.500 | 1.000 | 64 | 21238-8793 |
| 29.000 | 32.000 | 0.875 | 59 | 24700-0495 |
| 29.000 | 32.000 | 0.875 | 64 | 21238-4537 |
| 29.125 | 32.000 | 1.500 | 59 | 24700-0496 |
| 29.133 | 31.133 | 0.812 | 21 | 25001-7107 |
| 29.134 | 30.709 | 0.750 | 59 | 24700-1998 |
| 29.134 | 31.134 | 0.812 | 23 | 25003-7107 |
| 29.250 | 30.250 | 0.500 | 23 | 25003-5263 |
| 29.250 | 30.250 | 0.750 | 142 | 21432-4696 |
| 29.250 | 30.750 | 1.000 | 142 | 21432-5871 |
| 29.250 | 31.250 | 0.812 | 23 | 25003-6577 |
| 29.375 | 31.375 | 0.812 | 23 | 25003-7039 |
| 29.500 | 30.500 | 0.500 | 23 | 25003-4526 |
| 29.500 | 31.000 | 1.000 | 142 | 21432-4918 |
| 29.500 | 31.500 | 0.750 | 59 | 24700-0498 |
| 29.500 | 31.500 | 0.812 | 23 | 25003-6403 |
| **29.500** | **31.500** | **0.875** | **64** | **21238-4352** |
| 29.500 | 31.500 | 1.000 | 64 | 21238-3791 |
| 29.500 | 32.000 | 0.750 | 88 | 26088-7788 |
| 29.500 | 32.000 | 0.750 | 88NS | 26188-7788 |
| 29.500 | 32.000 | 0.875 | 59 | 24700-0499 |
| **29.500** | **32.000** | **0.875** | **64** | **21238-4538** |
| 29.500 | 32.250 | 0.875 | 64 | 21238-4322 |
| 29.500 | 32.250 | 1.000 | 59 | 24700-0500 |
| 29.500 | 32.500 | 0.875 | 64 | 21238-4539 |
| 29.500 | 32.500 | 0.938 | 59 | 24700-0501 |
| 29.527 | 30.527 | 0.500 | 23 | 25003-5780 |
| 29.527 | 31.125 | 0.750 | 23 | 25003-9225 |
| 29.527 | 31.496 | 0.787 | 23 | 25003-3165 |
| 29.527 | 31.496 | 0.905 | 23 | 25003-3169 |
| 29.528 | 32.047 | 0.750 | 23 | 25003-2079 |
| 29.562 | 31.562 | 0.812 | 23 | 25003-6583 |
| 29.625 | 31.625 | 0.812 | 23 | 25003-5281 |
| 29.687 | 31.687 | 0.812 | 23 | 25003-5821 |
| 29.750 | 31.750 | 0.875 | 23 | 25003-2907 |
| 29.875 | 31.000 | 1.250 | 142 | 21432-9814 |
| 29.875 | 31.875 | 0.812 | 23 | 25003-4857 |
| 29.906 | 30.906 | 0.500 | 23 | 25003-7325 |
| 29.906 | 31.906 | 0.812 | 23 | 25003-6907 |
| 29.918 | 31.418 | 0.750 | 23 | 25003-4897 |
| 29.921 | 31.496 | 0.787 | 59 | 24700-4917 |
| 29.921 | 31.890 | 0.984 | 59 | 24700-3132 |
| 29.921 | 32.008 | 0.866 | 59 | 24700-3837 |
| 29.950 | 30.950 | 0.750 | 142 | 21432-4928 |
| 29.968 | 31.968 | 0.812 | 23 | 25003-1974 |
| 29.973 | 31.973 | 0.687 | 23 | 25003-7768 |
| 30.000 | 31.000 | 0.500 | 23 | 25003-9339 |
| 30.000 | 31.000 | 0.750 | 142 | 21432-9570 |
| 30.000 | 31.125 | 0.500 | 23 | 25003-6404 |
| 30.000 | 31.125 | 0.562 | 23 | 25003-8588 |
| 30.000 | 31.250 | 0.500 | 23 | 25003-8980 |
| 30.000 | 31.500 | 0.750 | 23 | 25003-4356 |
| 30.000 | 31.500 | 0.750 | 64 | 21238-4356 |
| 30.000 | 31.600 | 0.770 | 88 | 26088-8487 |
| 30.000 | 31.600 | 0.770 | 88NS | 26188-8487 |
| 30.000 | 31.616 | 0.750 | 59 | 24700-0502 |
| 30.000 | 31.616 | 0.750 | 64 | 21238-5000 |
| 30.000 | 31.625 | 0.625 | 59 | 24700-0503 |
| 30.000 | 31.625 | 0.750 | 59 | 24700-1999 |
| 30.000 | 31.625 | 0.750 | 64 | 21238-7870 |
| 30.000 | 31.625 | 0.750 | 88 | 26088-7870 |
| 30.000 | 31.625 | 0.750 | 88NS | 26188-7870 |
| 30.000 | 32.000 | 0.750 | 59 | 24700-0504 |
| 30.000 | 32.000 | 0.812 | 23 | 25003-6849 |
| 30.000 | 32.000 | 0.875 | 59 | 24700-1006 |
| **30.000** | **32.000** | **0.875** | **64** | **21238-4357** |
| 30.000 | 32.000 | 0.875 | 87 | 26080-4357 |
| 30.000 | 32.000 | 1.000 | 23 | 25003-3796 |
| 30.000 | 32.000 | 1.000 | 53 | 21086-3796 |
| 30.000 | 32.000 | 1.250 | 142 | 21432-7265 |
| 30.000 | 32.250 | 0.875 | 64 | 21238-4323 |
| 30.000 | 32.250 | 1.156 | 59 | 24700-0505 |
| 30.000 | 32.500 | 0.875 | 59 | 24700-0506 |
| 30.000 | 32.500 | 0.875 | 64 | 21238-4358 |
| 30.000 | 32.500 | 1.000 | 64 | 21238-3797 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 30.000 | 32.750 | 0.875 | 64 | 21238-4359 |
| 30.000 | 33.000 | 0.875 | 64 | 21238-4360 |
| 30.065 | 31.065 | 0.500 | 23 | 25003-0779 |
| 30.125 | 31.125 | 0.500 | 23 | 25003-5514 |
| 30.250 | 32.250 | 0.812 | 23 | 25003-7773 |
| 30.250 | 32.500 | 0.875 | 59 | 24700-0507 |
| 30.250 | 32.500 | 0.875 | 64 | 21238-4906 |
| 30.312 | 32.375 | 0.875 | 64 | 21238-4361 |
| 30.313 | 31.813 | 0.750 | 23 | 25003-1985 |
| 30.315 | 33.268 | 1.063 | 59 | 24700-4875 |
| 30.375 | 32.375 | 0.812 | 23 | 25003-6297 |
| 30.500 | 32.500 | 0.750 | 23 | 25003-7161 |
| 30.500 | 32.500 | 0.750 | 59 | 24700-0508 |
| 30.500 | 32.500 | 0.812 | 23 | 25003-8934 |
| 30.500 | 32.500 | 0.875 | 59 | 24700-3876 |
| **30.500** | **32.500** | **0.875** | **64** | **21238-4365** |
| 30.500 | 32.500 | 0.875 | 88 | 26088-4365 |
| 30.500 | 32.500 | 0.875 | 88NS | 26188-4365 |
| 30.500 | 32.500 | 1.000 | 23 | 25003-0501 |
| 30.500 | 33.000 | 0.750 | 59 | 24700-0509 |
| **30.500** | **33.000** | **0.875** | **64** | **21238-8577** |
| 30.500 | 33.000 | 1.000 | 59 | 24700-4376 |
| 30.500 | 33.000 | 1.000 | 87 | 26080-2027 |
| 30.500 | 33.500 | 0.875 | 59 | 24700-0510 |
| 30.500 | 33.500 | 0.875 | 64 | 21238-8230 |
| 30.562 | 32.562 | 0.812 | 23 | 25003-5647 |
| 30.615 | 33.268 | 1.094 | 59 | 24700-4578 |
| 30.688 | 31.750 | 0.500 | 23 | 25003-0208 |
| 30.709 | 33.228 | 0.984 | 59 | 24700-1933 |
| 30.750 | 31.750 | 0.500 | 23 | 25003-6677 |
| 30.750 | 32.750 | 1.250 | 142 | 21432-5275 |
| 30.800 | 31.800 | 0.500 | 23 | 25003-7866 |
| 31.000 | 32.000 | 0.500 | 23 | 25003-5611 |
| 31.000 | 32.125 | 0.500 | 23 | 25003-9853 |
| 31.000 | 32.500 | 0.562 | 23 | 25003-9288 |
| 31.000 | 32.500 | 0.750 | 21 | 25001-5739 |
| 31.000 | 32.500 | 0.750 | 23 | 25003-5739 |
| 31.000 | 32.500 | 0.750 | 64 | 21238-5739 |
| 31.000 | 32.500 | 1.000 | 59 | 24700-0511 |
| 31.000 | 33.000 | 0.812 | 21 | 25001-7412 |
| 31.000 | 33.000 | 0.812 | 23 | 25003-7412 |
| 31.000 | 33.000 | 0.875 | 59 | 24700-0512 |
| **31.000** | **33.000** | **0.875** | **64** | **21238-4367** |
| 31.000 | 33.000 | 1.250 | 142 | 21432-5588 |
| 31.000 | 33.500 | 0.875 | 64 | 21238-4540 |
| 31.000 | 34.000 | 0.875 | 59 | 24700-0513 |
| 31.000 | 34.000 | 0.875 | 64 | 21238-4541 |
| 31.250 | 32.750 | 0.750 | 64 | 21238-4631 |
| 31.250 | 33.250 | 0.750 | 23 | 25003-5033 |
| **31.250** | **33.250** | **0.750** | **59** | **24700-0514** |
| 31.250 | 33.250 | 0.750 | 64 | 21238-5033 |
| 31.406 | 32.992 | 0.750 | 23 | 25003-7658 |
| 31.496 | 34.015 | 0.984 | 59 | 24700-5560 |
| 31.500 | 32.500 | 0.500 | 23 | 25003-9493 |
| 31.500 | 33.000 | 0.750 | 23 | 25003-9736 |
| 31.500 | 33.000 | 0.750 | 123 | 21016-9736 |
| 31.500 | 33.500 | 0.812 | 23 | 25003-7644 |
| 31.500 | 33.500 | 1.250 | 142 | 21432-9550 |
| 31.750 | 32.750 | 0.500 | 23 | 25003-7206 |
| 31.750 | 33.250 | 1.000 | 142 | 21432-5566 |
| 31.750 | 33.750 | 0.750 | 21 | 25001-9156 |
| 31.750 | 33.750 | 0.750 | 23 | 25003-9156 |
| 31.750 | 33.750 | 0.812 | 23 | 25003-7355 |
| 31.750 | 33.750 | 0.875 | 59 | 24700-0515 |
| 31.750 | 33.750 | 0.875 | 64 | 21238-5016 |
| 31.750 | 33.750 | 1.250 | 142 | 21432-9220 |
| 31.750 | 33.750 | 1.500 | 142 | 21432-8651 |
| 31.750 | 35.750 | 1.500 | 59 | 24700-0521 |
| 31.890 | 33.890 | 0.812 | 23 | 25003-5847 |
| 31.890 | 34.409 | 0.984 | 59 | 24700-4671 |
| 32.000 | 33.000 | 0.500 | 23 | 25003-0884 |
| 32.000 | 33.125 | 0.500 | 23 | 25003-6609 |
| 32.000 | 34.000 | 0.812 | 23 | 25003-7441 |
| 32.000 | 34.000 | 0.875 | 59 | 24700-0516 |
| **32.000** | **34.000** | **0.875** | **64** | **21238-4632** |
| 32.000 | 34.000 | 1.250 | 142 | 21432-8113 |
| 32.000 | 34.500 | 0.875 | 59 | 24700-0517 |
| 32.000 | 34.500 | 0.875 | 64 | 21238-8407 |
| 32.125 | 33.625 | 0.625 | 23 | 25003-8549 |
| 32.125 | 34.125 | 0.812 | 23 | 25003-5435 |
| 32.125 | 34.125 | 0.875 | 59 | 24700-0518 |
| 32.125 | 34.125 | 0.875 | 64 | 21238-4371 |
| 32.125 | 34.625 | 0.875 | 64 | 21238-7537 |
| 32.125 | 34.687 | 0.750 | 23 | 25003-0375 |
| 32.156 | 34.250 | 0.750 | 23 | 25003-2794 |
| 32.187 | 34.187 | 0.812 | 23 | 25003-9348 |
| 32.205 | 34.205 | 1.250 | 142 | 21432-8754 |
| 32.250 | 33.625 | 0.625 | 23 | 25003-8550 |
| 32.250 | 34.250 | 0.812 | 23 | 25003-9205 |
| 32.312 | 34.500 | 0.875 | 59 | 24700-0519 |
| 32.312 | 34.500 | 0.875 | 64 | 21238-4373 |
| 32.375 | 33.625 | 0.500 | 23 | 25003-9212 |
| 32.375 | 33.625 | 0.625 | 23 | 25003-5361 |
| 32.375 | 34.375 | 1.000 | 23 | 25003-9968 |
| 32.500 | 33.625 | 0.500 | 23 | 25003-6405 |
| 32.500 | 33.625 | 0.562 | 23 | 25003-4743 |
| 32.500 | 34.500 | 0.812 | 23 | 25003-7387 |
| **32.500** | **34.500** | **0.875** | **59** | **24700-0520** |
| **32.500** | **34.500** | **0.875** | **64** | **21238-4377** |
| 32.500 | 34.500 | 0.875 | 88 | 26088-4377 |
| 32.500 | 34.500 | 0.875 | 88NS | 26188-4377 |
| 32.500 | 34.500 | 1.000 | 23 | 25003-3813 |
| 32.500 | 34.500 | 1.250 | 142 | 21432-5218 |
| 32.500 | 34.500 | 1.500 | 142 | 21432-4547 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 32.687 | 33.937 | 0.500 | 23 | 25003-1695 |
| 32.687 | 34.687 | 0.812 | 23 | 25003-8122 |
| 32.750 | 34.250 | 0.750 | 64 | 21238-4542 |
| 32.750 | 34.500 | 0.875 | 59 | 24700-3250 |
| 32.750 | 34.750 | 0.812 | 23 | 25003-6805 |
| 32.750 | 35.000 | 0.875 | 64 | 21238-8289 |
| 32.835 | 33.937 | 0.500 | 23 | 25003-1701 |
| 32.969 | 34.625 | 0.750 | 26 | 24600-5454 |
| 32.986 | 33.986 | 0.500 | 23 | 25003-6863 |
| 33.000 | 34.000 | 0.500 | 23 | 25003-5159 |
| 33.000 | 34.125 | 0.500 | 23 | 25003-6947 |
| 33.000 | 34.500 | 0.625 | 23 | 25003-5698 |
| 33.000 | 34.500 | 0.750 | 23 | 25003-4381 |
| 33.000 | 34.500 | 0.750 | 59 | 24700-0522 |
| 33.000 | 34.500 | 0.750 | 64 | 21238-4381 |
| 33.000 | 34.609 | 0.750 | 59 | 24700-0523 |
| 33.000 | 34.613 | 0.750 | 59 | 24700-0524 |
| 33.000 | 34.625 | 0.750 | 59 | 24700-0525 |
| 33.000 | 34.625 | 0.750 | 64 | 21238-6787 |
| 33.000 | 34.625 | 0.750 | 87 | 26080-6787 |
| 33.000 | 34.630 | 0.750 | 59 | 24700-0526 |
| 33.000 | 34.687 | 0.750 | 64 | 21238-6152 |
| 33.000 | 34.688 | 0.750 | 59 | 24700-0527 |
| 33.000 | 34.937 | 0.812 | 23 | 25003-6958 |
| 33.000 | 35.000 | 0.750 | 23 | 25003-3083 |
| **33.000** | **35.000** | **0.750** | **59** | **24700-0528** |
| 33.000 | 35.000 | 0.812 | 23 | 25003-7244 |
| 33.000 | 35.000 | 0.875 | 64 | 21238-4382 |
| 33.000 | 35.000 | 0.875 | 88 | 26088-4382 |
| 33.000 | 35.000 | 0.875 | 88NS | 26188-4382 |
| 33.000 | 35.250 | 0.875 | 59 | 24700-0529 |
| 33.000 | 35.250 | 0.875 | 64 | 21238-4326 |
| 33.000 | 35.500 | 0.750 | 59 | 24700-0530 |
| 33.000 | 35.500 | 0.750 | 88 | 26088-7790 |
| 33.000 | 35.500 | 0.750 | 88NS | 26188-7790 |
| **33.000** | **35.500** | **0.875** | **64** | **21238-4544** |
| 33.250 | 35.250 | 0.750 | 21 | 25001-7154 |
| 33.250 | 35.250 | 0.812 | 23 | 25003-6944 |
| 33.464 | 35.236 | 0.787 | 23 | 25003-6894 |
| 33.500 | 35.000 | 0.875 | 64 | 21238-9504 |
| 33.500 | 35.500 | 0.812 | 23 | 25003-6107 |
| 33.500 | 35.500 | 0.875 | 59 | 24700-0531 |
| **33.500** | **35.500** | **0.875** | **64** | **21238-4389** |
| **33.500** | **35.500** | **0.875** | **88** | **26088-4389** |
| 33.500 | 35.500 | 0.875 | 88NS | 26188-4389 |
| 33.500 | 35.625 | 0.875 | 64 | 21238-4548 |
| 33.500 | 35.750 | 0.875 | 64 | 21238-4549 |
| 33.500 | 36.000 | 0.875 | 26 | 24600-0532 |
| 33.500 | 36.000 | 0.875 | 59 | 24700-0532 |
| 33.500 | 36.000 | 0.875 | 64 | 21238-4550 |
| 33.500 | 36.000 | 0.875 | 88 | 26088-4550 |
| 33.500 | 36.000 | 0.875 | 88NS | 26188-4550 |
| 33.500 | 36.002 | 0.938 | 59 | 24700-0533 |
| 33.500 | 36.250 | 0.875 | 59 | 24700-0534 |
| 33.500 | 36.250 | 0.875 | 64 | 21238-4327 |
| 33.500 | 36.417 | 0.875 | 64 | 21238-4552 |
| 33.625 | 35.593 | 0.937 | 23 | 25003-1289 |
| 33.625 | 35.625 | 0.875 | 59 | 24700-0535 |
| 33.625 | 35.625 | 0.875 | 64 | 21238-4328 |
| 33.750 | 35.750 | 0.812 | 23 | 25003-6143 |
| 33.858 | 35.433 | 0.787 | 59 | 24700-1043 |
| 33.858 | 35.858 | 0.813 | 23 | 25003-2773 |
| 33.875 | 35.000 | 1.250 | 142 | 21432-9813 |
| 33.937 | 35.468 | 0.812 | 23 | 25003-9248 |
| 34.000 | 35.000 | 0.500 | 23 | 25003-5730 |
| 34.000 | 35.500 | 0.750 | 23 | 25003-5602 |
| 34.000 | 36.000 | 0.812 | 21 | 25001-7138 |
| 34.000 | 36.000 | 0.812 | 23 | 25003-7138 |
| 34.000 | 36.000 | 0.875 | 59 | 24700-0536 |
| 34.000 | 36.000 | 0.875 | 64 | 21238-4399 |
| 34.000 | 36.250 | 1.250 | 59 | 24700-0537 |
| 34.000 | 36.500 | 0.750 | 23 | 25003-1730 |
| 34.000 | 36.500 | 0.875 | 59 | 24700-0538 |
| 34.000 | 37.000 | 0.875 | 59 | 24700-4583 |
| 34.000 | 37.000 | 1.000 | 59 | 24700-0539 |
| 34.250 | 36.250 | 0.875 | 59 | 24700-0540 |
| 34.250 | 36.250 | 0.875 | 64 | 21238-4401 |
| 34.250 | 36.750 | 0.875 | 59 | 24700-0541 |
| 34.250 | 36.750 | 0.875 | 64 | 21238-4335 |
| 34.252 | 36.252 | 0.812 | 23 | 25003-5830 |
| 34.500 | 36.000 | 0.750 | 23 | 25003-6908 |
| 34.500 | 36.000 | 0.750 | 59 | 24700-0542 |
| 34.500 | 36.000 | 0.750 | 64 | 21238-6908 |
| 34.500 | 36.500 | 0.812 | 23 | 25003-6420 |
| 34.500 | 36.500 | 0.875 | 26 | 24600-4405 |
| 34.500 | 36.500 | 0.875 | 59 | 24700-4405 |
| **34.500** | **36.500** | **0.875** | **64** | **21238-4405** |
| 34.500 | 36.500 | 1.000 | 23 | 25003-3830 |
| 34.500 | 36.500 | 1.000 | 53 | 21086-3830 |
| 34.500 | 36.500 | 1.250 | 142 | 21432-8406 |
| 34.500 | 37.500 | 0.875 | 64 | 21238-4338 |
| 34.750 | 36.625 | 0.750 | 59 | 24700-0543 |
| 34.750 | 36.750 | 0.875 | 59 | 24700-0544 |
| 34.750 | 36.750 | 0.875 | 64 | 21238-3831 |
| 34.750 | 36.750 | 0.875 | 87 | 26080-3831 |
| 34.804 | 35.804 | 0.750 | 142 | 21432-7579 |
| 34.812 | 35.812 | 0.750 | 142 | 21432-7584 |
| 35.000 | 36.000 | 0.500 | 23 | 25003-5519 |
| 35.000 | 36.500 | 0.625 | 23 | 25003-5765 |
| 35.000 | 36.500 | 0.750 | 23 | 25003-5425 |
| 35.000 | 37.000 | 0.812 | 23 | 25003-5935 |
| 35.000 | 37.000 | 0.813 | 59 | 24700-0545 |
| 35.000 | 37.000 | 0.875 | 64 | 21238-3835 |
| 35.000 | 37.000 | 0.875 | 123 | 21016-3835 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 35.000 | 37.500 | 0.875 | 59 | 24700-0546 |
| 35.000 | 37.500 | 0.875 | 64 | 21238-3836 |
| 35.000 | 38.000 | 0.875 | 64 | 21238-3837 |
| 35.250 | 37.250 | 0.875 | 64 | 21238-4416 |
| 35.250 | 38.250 | 0.750 | 59 | 24700-0547 |
| 35.250 | 38.250 | 0.812 | 64 | 21238-4647 |
| 35.375 | 37.375 | 0.812 | 23 | 25003-9335 |
| 35.375 | 37.375 | 0.875 | 64 | 21238-4417 |
| 35.375 | 37.375 | 1.000 | 53 | 21086-3838 |
| 35.375 | 37.375 | 1.000 | 59 | 24700-0548 |
| 35.433 | 36.933 | 0.750 | 23 | 25003-5824 |
| 35.433 | 37.402 | 0.787 | 23 | 25003-4872 |
| 35.433 | 38.583 | 0.906 | 59 | 24700-5620 |
| 35.437 | 37.437 | 0.812 | 23 | 25003-8200 |
| 35.500 | 37.500 | 0.812 | 23 | 25003-9645 |
| 35.500 | 37.500 | 0.875 | 26 | 24600-0549 |
| 35.500 | 37.500 | 0.875 | 59 | 24700-0549 |
| 35.500 | 37.500 | 0.875 | 64 | 21238-4553 |
| 35.500 | 37.500 | 1.000 | 23 | 25003-7695 |
| 35.500 | 37.500 | 1.500 | 142 | 21432-7819 |
| 35.500 | 38.000 | 1.000 | 59 | 24700-5595 |
| 35.750 | 37.750 | 0.812 | 23 | 25003-5658 |
| 35.795 | 37.795 | 1.500 | 142 | 21432-7918 |
| 36.000 | 36.125 | 1.250 | 142 | 21432-9337 |
| 36.000 | 37.000 | 0.500 | 23 | 25003-5885 |
| 36.000 | 37.500 | 0.750 | 23 | 25003-5714 |
| 36.000 | 37.998 | 0.875 | 59 | 24700-0550 |
| 36.000 | 38.000 | 0.750 | 23 | 25003-5662 |
| 36.000 | 38.000 | 0.812 | 23 | 25003-6406 |
| 36.000 | 38.000 | 0.875 | 59 | 24700-0551 |
| **36.000** | **38.000** | **0.875** | **64** | **21238-4421** |
| 36.000 | 38.000 | 0.875 | 87 | 26080-4421 |
| 36.000 | 38.000 | 1.000 | 53 | 21086-3843 |
| 36.000 | 38.000 | 1.250 | 142 | 21432-6722 |
| 36.000 | 38.000 | 1.500 | 142 | 21432-4829 |
| 36.000 | 38.500 | 0.875 | 59 | 24700-0552 |
| 36.000 | 38.500 | 1.000 | 53 | 21086-3844 |
| 36.000 | 39.500 | 1.500 | 59 | 24700-0553 |
| 36.031 | 38.031 | 0.812 | 23 | 25003-5013 |
| 36.220 | 37.717 | 0.750 | 64 | 21238-7770 |
| 36.460 | 38.460 | 0.812 | 23 | 25003-8172 |
| 36.500 | 38.000 | 0.750 | 64 | 21238-4429 |
| 36.500 | 38.250 | 0.812 | 23 | 25003-8684 |
| 36.500 | 38.438 | 0.812 | 23 | 25003-7875 |
| 36.500 | 38.438 | 1.000 | 23 | 25003-0880 |
| 36.500 | 38.500 | 0.812 | 23 | 25003-7813 |
| 36.500 | 38.500 | 0.875 | 59 | 24700-0554 |
| 36.500 | 38.500 | 0.875 | 64 | 21238-4430 |
| 36.500 | 39.000 | 0.750 | 23 | 25003-1728 |
| 36.500 | 39.000 | 0.750 | 59 | 24700-2000 |
| 36.535 | 38.535 | 1.375 | 142 | 21432-7222 |
| 36.625 | 38.625 | 0.812 | 23 | 25003-9219 |
| 36.750 | 38.750 | 0.812 | 23 | 25003-6822 |
| 36.750 | 38.750 | 0.875 | 64 | 21238-4432 |
| 36.750 | 38.750 | 1.000 | 59 | 24700-0557 |
| 36.750 | 39.250 | 0.875 | 59 | 24700-0558 |
| 36.750 | 39.250 | 0.875 | 64 | 21238-7328 |
| 36.750 | 39.250 | 0.875 | 64 | 21238-7428 |
| 37.000 | 38.000 | 0.500 | 23 | 25003-9314 |
| 37.000 | 38.500 | 1.000 | 142 | 21432-5583 |
| 37.000 | 39.000 | 0.812 | 23 | 25003-9324 |
| 37.000 | 39.000 | 0.875 | 59 | 24700-0559 |
| 37.000 | 39.000 | 0.875 | 64 | 21238-4434 |
| 37.000 | 39.000 | 1.000 | 23 | 25003-4435 |
| 37.000 | 39.000 | 1.250 | 142 | 21432-5515 |
| 37.000 | 39.250 | 0.875 | 26 | 24600-0831 |
| 37.125 | 39.125 | 1.250 | 142 | 21432-6996 |
| 37.250 | 38.375 | 1.250 | 142 | 21432-9683 |
| 37.250 | 39.250 | 0.812 | 23 | 25003-5202 |
| 37.250 | 39.250 | 0.875 | 59 | 24700-0560 |
| 37.250 | 39.250 | 0.875 | 64 | 21238-4436 |
| 37.375 | 38.625 | 0.500 | 76 | 26193-8961 |
| 37.375 | 39.375 | 0.812 | 23 | 25003-5709 |
| 37.402 | 38.902 | 0.750 | 23 | 25003-7641 |
| 37.402 | 39.921 | 0.984 | 59 | 24700-4824 |
| 37.437 | 39.500 | 0.875 | 64 | 21238-3847 |
| 37.438 | 39.500 | 0.875 | 59 | 24700-0561 |
| 37.500 | 39.000 | 0.750 | 64 | 21238-9411 |
| 37.500 | 39.000 | 0.875 | 59 | 24700-0562 |
| 37.500 | 39.500 | 0.750 | 59 | 24700-0563 |
| 37.500 | 39.500 | 0.750 | 88 | 26088-7810 |
| 37.500 | 39.500 | 0.750 | 88NS | 26188-7810 |
| 37.500 | 39.500 | 0.812 | 21 | 25001-9554 |
| 37.500 | 39.500 | 0.812 | 23 | 25003-9554 |
| 37.500 | 39.500 | 0.875 | 23 | 25003-4438 |
| 37.500 | 39.500 | 0.875 | 53 | 21086-4438 |
| 37.500 | 39.500 | 0.875 | 59 | 24700-3699 |
| **37.500** | **39.500** | **0.875** | **64** | **21238-4438** |
| 37.500 | 40.250 | 1.000 | 59 | 24700-0564 |
| 37.795 | 40.157 | 0.875 | 59 | 24700-2991 |
| 37.795 | 40.945 | 0.906 | 59 | 24700-0565 |
| 37.812 | 39.812 | 0.812 | 23 | 25003-5622 |
| 37.812 | 40.945 | 0.875 | 88 | 26088-4685 |
| 37.812 | 40.945 | 0.875 | 88NS | 26188-4685 |
| 37.875 | 39.875 | 1.250 | 142 | 21432-4896 |
| 38.000 | 39.000 | 0.500 | 23 | 25003-7751 |
| 38.000 | 39.500 | 0.750 | 23 | 25003-7548 |
| 38.000 | 40.000 | 0.625 | 59 | 24700-4584 |
| 38.000 | 40.000 | 0.812 | 23 | 25003-7863 |
| 38.000 | 40.000 | 0.875 | 59 | 24700-0568 |
| **38.000** | **40.000** | **0.875** | **64** | **21238-4448** |
| 38.000 | 40.000 | 1.000 | 23 | 25003-1877 |
| 38.000 | 40.000 | 1.250 | 142 | 21432-4453 |
| 38.000 | 41.000 | 0.875 | 64 | 21238-4340 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 38.250 | 40.250 | 0.812 | 23 | 25003-5601 |
| 38.250 | 40.250 | 0.875 | 59 | 24700-0569 |
| 38.250 | 40.250 | 0.875 | 64 | 21238-4454 |
| 38.250 | 40.750 | 0.750 | 59 | 24700-0570 |
| 38.250 | 40.750 | 0.875 | 64 | 21238-4567 |
| 38.250 | 40.750 | 0.875 | 88 | 26088-4567 |
| 38.250 | 40.750 | 0.875 | 88NS | 26188-4567 |
| 38.250 | 41.250 | 0.875 | 64 | 21238-4569 |
| 38.258 | 40.750 | 0.875 | 59 | 24700-0571 |
| 38.358 | 40.750 | 0.875 | 64 | 21238-4342 |
| 38.500 | 40.500 | 0.812 | 21 | 25001-6473 |
| 38.500 | 40.500 | 0.812 | 23 | 25003-6473 |
| 38.500 | 40.750 | 0.750 | 23 | 25003-9904 |
| 38.500 | 41.000 | 0.875 | 64 | 21238-4349 |
| 38.500 | 41.000 | 1.000 | 59 | 24700-0577 |
| 38.750 | 40.687 | 0.812 | 21 | 25001-5376 |
| 38.750 | 40.687 | 0.812 | 23 | 25003-5376 |
| 38.750 | 40.750 | 0.812 | 23 | 25003-9641 |
| 38.750 | 40.750 | 0.875 | 59 | 24700-0578 |
| 38.750 | 40.750 | 0.875 | 64 | 21238-4456 |
| 38.750 | 41.000 | 0.875 | 64 | 21238-4570 |
| 38.937 | 41.000 | 0.875 | 64 | 21238-4462 |
| 38.976 | 40.945 | 0.866 | 59 | 24700-4100 |
| 39.000 | 40.000 | 0.500 | 23 | 25003-9602 |
| 39.000 | 40.747 | 0.787 | 23 | 25003-6891 |
| 39.000 | 40.938 | 1.000 | 23 | 25003-0881 |
| 39.000 | 41.000 | 0.750 | 59 | 24700-0579 |
| 39.000 | 41.000 | 0.812 | 23 | 25003-6237 |
| **39.000** | **41.000** | **0.875** | **64** | **21238-4465** |
| 39.000 | 41.000 | 1.250 | 142 | 21432-5762 |
| 39.000 | 41.500 | 0.750 | 23 | 25003-1957 |
| 39.000 | 41.500 | 0.875 | 59 | 24700-0580 |
| 39.000 | 41.500 | 0.875 | 64 | 21238-4350 |
| 39.000 | 42.250 | 0.875 | 64 | 21238-4577 |
| 39.250 | 40.750 | 0.750 | 23 | 25003-5326 |
| 39.250 | 41.250 | 0.812 | 23 | 25003-9200 |
| 39.370 | 41.338 | 0.875 | 59 | 24700-3080 |
| 39.370 | 41.338 | 0.875 | 64 | 21238-1073 |
| 39.370 | 41.339 | 0.906 | 59 | 24700-2873 |
| 39.500 | 40.500 | 0.500 | 23 | 25003-7470 |
| 39.500 | 41.500 | 0.812 | 23 | 25003-5204 |
| 39.500 | 41.500 | 1.250 | 142 | 21432-9638 |
| 39.750 | 41.750 | 0.812 | 23 | 25003-8509 |
| 39.750 | 42.250 | 0.875 | 59 | 24700-0581 |
| 39.750 | 42.250 | 0.875 | 64 | 21238-7538 |
| 39.979 | 41.500 | 1.000 | 59 | 24700-0582 |
| 40.000 | 41.500 | 0.750 | 23 | 25003-5625 |
| 40.000 | 42.000 | 0.812 | 23 | 25003-6059 |
| 40.000 | 42.000 | 0.875 | 59 | 24700-0583 |
| **40.000** | **42.000** | **0.875** | **64** | **21238-4467** |
| 40.000 | 42.000 | 1.000 | 87 | 26080-4498 |
| 40.000 | 42.000 | 1.000 | 111 | 21011-4498 |
| 40.000 | 42.500 | 0.875 | 64 | 21238-8791 |
| 40.000 | 42.500 | 1.000 | 64 | 21238-8599 |
| 40.125 | 42.125 | 1.500 | 142 | 21432-4964 |
| 40.157 | 41.339 | 0.750 | 23 | 25003-4386 |
| 40.250 | 41.250 | 0.500 | 23 | 25003-7752 |
| 40.250 | 41.750 | 0.750 | 23 | 25003-7550 |
| 40.265 | 41.765 | 0.750 | 23 | 25003-2265 |
| 40.500 | 41.500 | 0.500 | 23 | 25003-9735 |
| 40.500 | 42.000 | 0.750 | 23 | 25003-5174 |
| 40.500 | 42.500 | 0.812 | 23 | 25003-5219 |
| 40.500 | 42.500 | 0.875 | 59 | 24700-0584 |
| **40.500** | **42.500** | **0.875** | **64** | **21238-4468** |
| 40.500 | 42.500 | 1.000 | 53 | 21086-4469 |
| 40.500 | 42.500 | 1.500 | 142 | 21432-7605 |
| 40.500 | 43.000 | 0.875 | 59 | 24700-0585 |
| 40.500 | 43.000 | 0.875 | 64 | 21238-7300 |
| 40.500 | 43.020 | 0.875 | 64 | 21238-1964 |
| 40.533 | 42.283 | 0.875 | 23 | 25003-1622 |
| 40.750 | 42.000 | 0.687 | 23 | 25003-9913 |
| 40.750 | 42.000 | 0.750 | 23 | 25003-9900 |
| 41.000 | 42.500 | 0.750 | 23 | 25003-5873 |
| 41.000 | 43.000 | 0.812 | 23 | 25003-9568 |
| 41.000 | 43.000 | 1.250 | 142 | 21432-9745 |
| 41.000 | 43.000 | 1.500 | 142 | 21432-6514 |
| 41.125 | 43.125 | 1.000 | 23 | 25003-1983 |
| 41.250 | 42.750 | 0.750 | 23 | 25003-4471 |
| 41.250 | 43.250 | 0.750 | 23 | 25003-9777 |
| 41.432 | 43.307 | 0.787 | 59 | 24700-4137 |
| 41.500 | 43.000 | 1.000 | 142 | 21432-9650 |
| 41.500 | 43.500 | 0.875 | 59 | 24700-0586 |
| 41.500 | 43.500 | 0.875 | 64 | 21238-4635 |
| 41.500 | 43.500 | 0.875 | 87 | 26080-4635 |
| 41.500 | 43.500 | 1.250 | 142 | 21432-6997 |
| 41.500 | 43.500 | 1.500 | 142 | 21432-7479 |
| 41.625 | 43.625 | 0.812 | 23 | 25003-9549 |
| 41.625 | 44.000 | 0.875 | 59 | 24700-2521 |
| 41.812 | 45.000 | 1.000 | 59 | 24700-0587 |
| 41.875 | 43.500 | 1.000 | 64 | 21238-8628 |
| 41.929 | 43.929 | 0.813 | 23 | 25003-5267 |
| 41.938 | 43.750 | 0.875 | 59 | 24700-0588 |
| 42.000 | 43.500 | 1.000 | 142 | 21432-9946 |
| 42.000 | 44.000 | 0.812 | 21 | 25001-6407 |
| 42.000 | 44.000 | 0.812 | 23 | 25003-6407 |
| 42.062 | 44.062 | 0.812 | 23 | 25003-9878 |
| 42.250 | 44.250 | 0.812 | 23 | 25003-5804 |
| 42.250 | 44.250 | 1.000 | 59 | 24700-0589 |
| 42.375 | 44.375 | 0.750 | 23 | 25003-9238 |
| 42.500 | 43.500 | 0.500 | 23 | 25003-6268 |
| 42.500 | 44.250 | 0.875 | 64 | 21238-5555 |
| 42.500 | 44.500 | 0.750 | 23 | 25003-7199 |
| 42.500 | 44.500 | 0.812 | 23 | 25003-9686 |
| 42.500 | 45.000 | 0.750 | 59 | 24700-3171 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| **42.500** | **45.000** | **0.875** | **64** | **21238-4473** |
| 42.500 | 45.000 | 0.875 | 87 | 26080-4473 |
| 42.500 | 45.500 | 0.875 | 64 | 21238-6269 |
| 42.520 | 45.039 | 0.984 | 59 | 24700-3949 |
| 42.750 | 43.750 | 0.375 | 23 | 25003-9625 |
| 42.750 | 43.750 | 0.500 | 23 | 25003-5081 |
| 42.750 | 44.250 | 0.750 | 23 | 25003-4556 |
| 42.913 | 44.913 | 0.812 | 23 | 25003-5829 |
| 42.992 | 44.492 | 0.750 | 23 | 25003-1634 |
| 43.000 | 45.000 | 0.812 | 23 | 25003-7827 |
| 43.000 | 45.000 | 0.875 | 59 | 24700-0590 |
| 43.000 | 45.500 | 0.875 | 64 | 21238-7189 |
| 43.125 | 44.625 | 0.750 | 23 | 25003-9188 |
| 43.500 | 45.000 | 0.750 | 23 | 25003-6885 |
| 43.500 | 45.500 | 0.750 | 59 | 24700-0591 |
| **43.500** | **45.500** | **0.875** | **59** | **24700-1959** |
| **43.500** | **45.500** | **0.875** | **64** | **21238-4637** |
| 43.500 | 45.500 | 0.875 | 88 | 26088-4637 |
| 43.500 | 45.500 | 0.875 | 88NS | 26188-4637 |
| 43.500 | 45.500 | 1.500 | 142 | 21432-8395 |
| 43.504 | 45.669 | 0.984 | 64 | 21238-0586 |
| 43.543 | 45.543 | 0.812 | 23 | 25003-5287 |
| 43.562 | 45.562 | 1.000 | 23 | 25003-7820 |
| 43.750 | 45.750 | 0.875 | 59 | 24700-0592 |
| 43.750 | 45.750 | 0.875 | 64 | 21238-4638 |
| 44.000 | 45.500 | 0.750 | 23 | 25003-5766 |
| 44.000 | 46.000 | 0.812 | 23 | 25003-5386 |
| 44.000 | 46.000 | 0.875 | 59 | 24700-0593 |
| 44.000 | 46.000 | 0.875 | 64 | 21238-7087 |
| 44.000 | 46.000 | 1.250 | 142 | 21432-9865 |
| 44.000 | 46.000 | 1.375 | 142 | 21432-7552 |
| 44.000 | 46.000 | 1.500 | 142 | 21432-6617 |
| 44.000 | 46.500 | 0.875 | 59 | 24700-0594 |
| **44.000** | **46.500** | **0.875** | **64** | **21238-4475** |
| 44.000 | 47.000 | 0.875 | 59 | 24700-3470 |
| 44.000 | 47.000 | 1.250 | 59 | 24700-0595 |
| 44.094 | 46.063 | 0.812 | 23 | 25003-2477 |
| 44.185 | 46.188 | 0.812 | 23 | 25003-0460 |
| 44.290 | 45.790 | 0.750 | 23 | 25003-9908 |
| 44.337 | 45.837 | 0.750 | 23 | 25003-9918 |
| 44.500 | 46.000 | 0.750 | 64 | 21238-4563 |
| 44.500 | 46.000 | 0.875 | 59 | 24700-0596 |
| 44.500 | 46.500 | 0.812 | 23 | 25003-5727 |
| 45.000 | 46.500 | 0.750 | 23 | 25003-5579 |
| 45.000 | 46.625 | 1.000 | 64 | 21238-8903 |
| 45.000 | 46.750 | 0.875 | 23 | 25003-1275 |
| 45.000 | 46.750 | 0.875 | 59 | 24700-0597 |
| 45.000 | 47.000 | 0.812 | 23 | 25003-6348 |
| 45.000 | 47.000 | 0.875 | 59 | 24700-0598 |
| 45.125 | 47.125 | 0.812 | 23 | 25003-6512 |
| 45.250 | 47.125 | 0.812 | 23 | 25003-8210 |
| 45.500 | 47.500 | 1.500 | 142 | 21432-5113 |
| 45.747 | 47.516 | 0.787 | 23 | 25003-6889 |
| 45.750 | 47.750 | 0.750 | 23 | 25003-5409 |
| 45.750 | 47.768 | 0.875 | 59 | 24700-0599 |
| 46.000 | 48.000 | 0.812 | 23 | 25003-5107 |
| 46.000 | 48.000 | 0.875 | 59 | 24700-0600 |
| 46.250 | 47.750 | 0.750 | 23 | 25003-4572 |
| 46.250 | 48.250 | 0.812 | 23 | 25003-5823 |
| 46.500 | 48.500 | 0.875 | 59 | 24700-0601 |
| 46.500 | 48.500 | 0.875 | 64 | 21238-4578 |
| 46.500 | 48.500 | 1.250 | 142 | 21432-9886 |
| 46.850 | 48.819 | 0.875 | 64 | 21238-8317 |
| 47.000 | 49.000 | 0.812 | 23 | 25003-5744 |
| 47.000 | 49.000 | 0.875 | 59 | 24700-0602 |
| 47.000 | 49.000 | 1.500 | 142 | 21432-9794 |
| 47.250 | 49.250 | 0.812 | 23 | 25003-5905 |
| 47.375 | 48.875 | 0.750 | 23 | 25003-7543 |
| 47.500 | 49.500 | 0.875 | 59 | 24700-5447 |
| 47.500 | 49.500 | 1.250 | 142 | 21432-9579 |
| 47.500 | 49.500 | 1.375 | 142 | 21432-5924 |
| 47.500 | 49.500 | 1.500 | 142 | 21432-9343 |
| 47.625 | 49.625 | 1.500 | 142 | 21432-5521 |
| 47.750 | 49.750 | 0.812 | 23 | 25003-8228 |
| 47.750 | 49.750 | 1.500 | 142 | 21432-7993 |
| 47.750 | 50.500 | 1.125 | 59 | 24700-0603 |
| 47.875 | 49.875 | 0.812 | 23 | 25003-9894 |
| 48.000 | 49.500 | 0.750 | 23 | 25003-9403 |
| 48.000 | 50.000 | 0.750 | 23 | 25003-1118 |
| 48.000 | 50.000 | 0.812 | 23 | 25003-6671 |
| 48.000 | 50.000 | 0.875 | 64 | 21238-8579 |
| 48.000 | 50.000 | 1.000 | 23 | 25003-4608 |
| 48.000 | 50.000 | 1.000 | 59 | 24700-3172 |
| 48.000 | 50.000 | 1.250 | 142 | 21432-8568 |
| 48.250 | 50.250 | 0.875 | 59 | 24700-0604 |
| **48.250** | **50.250** | **0.875** | **64** | **21238-4639** |
| 48.865 | 50.865 | 1.500 | 142 | 21432-9850 |
| 48.875 | 50.875 | 0.812 | 23 | 25003-7018 |
| 49.000 | 50.500 | 0.562 | 23 | 25003-6315 |
| 49.000 | 50.500 | 1.000 | 142 | 21432-5243 |
| 49.000 | 50.750 | 1.000 | 59 | 24700-0605 |
| 49.000 | 51.000 | 0.812 | 23 | 25003-9848 |
| 49.000 | 51.000 | 1.250 | 142 | 21432-9229 |
| 49.213 | 51.732 | 0.984 | 59 | 24700-4599 |
| 49.250 | 50.750 | 0.750 | 23 | 25003-9545 |
| 49.250 | 51.125 | 0.812 | 23 | 25003-7825 |
| 49.250 | 51.250 | 0.812 | 23 | 25003-7102 |
| 49.498 | 51.375 | 0.812 | 23 | 25003-5061 |
| 49.500 | 50.750 | 0.750 | 23 | 25003-0948 |
| 49.500 | 51.250 | 0.812 | 23 | 25003-7830 |
| 49.500 | 51.325 | 0.850 | 23 | 25003-1907 |
| 49.500 | 51.500 | 0.812 | 23 | 25003-6565 |
| 49.500 | 52.250 | 1.000 | 59 | 24700-0606 |
| 49.625 | 50.875 | 0.562 | 23 | 25003-7817 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 50.000 | 51.000 | 0.500 | 23 | 25003-7227 |
| 50.000 | 51.500 | 0.750 | 23 | 25003-5618 |
| 50.000 | 52.000 | 0.812 | 23 | 25003-9820 |
| 50.000 | 52.000 | 0.875 | 23 | 25003-8198 |
| 50.000 | 52.000 | 0.875 | 59 | 24700-0607 |
| 50.000 | 52.000 | 0.875 | 64 | 21238-8198 |
| 50.000 | 52.250 | 0.750 | 23 | 25003-2703 |
| 50.500 | 52.500 | 0.812 | 23 | 25003-7755 |
| 50.984 | 52.165 | 0.787 | 87 | 26080-2886 |
| 51.000 | 52.000 | 0.500 | 23 | 25003-5245 |
| 51.000 | 52.875 | 0.812 | 23 | 25003-5577 |
| 51.000 | 53.000 | 0.750 | 23 | 25003-1121 |
| 51.000 | 53.000 | 0.812 | 23 | 25003-6775 |
| 51.250 | 53.250 | 0.875 | 64 | 21238-6747 |
| 51.250 | 53.300 | 0.875 | 64 | 21238-1914 |
| 51.500 | 53.500 | 1.250 | 142 | 21432-9235 |
| 51.500 | 53.500 | 1.500 | 142 | 21432-8672 |
| 51.575 | 53.575 | 0.812 | 23 | 25003-9938 |
| 52.000 | 53.000 | 0.500 | 23 | 25003-5273 |
| 52.000 | 54.000 | 0.750 | 23 | 25003-9779 |
| 52.000 | 54.000 | 0.812 | 23 | 25003-4761 |
| 52.000 | 54.000 | 1.500 | 142 | 21432-9233 |
| 52.186 | 54.186 | 0.812 | 23 | 25003-0459 |
| 52.250 | 54.125 | 0.812 | 23 | 25003-9202 |
| 52.500 | 54.500 | 0.812 | 23 | 25003-5433 |
| 52.500 | 55.000 | 0.750 | 23 | 25003-0417 |
| 52.500 | 55.000 | 0.875 | 59 | 24700-0608 |
| 52.875 | 53.875 | 0.500 | 23 | 25003-9899 |
| 53.000 | 54.875 | 0.812 | 23 | 25003-6582 |
| 53.000 | 54.875 | 0.813 | 59 | 24700-0610 |
| 53.000 | 54.882 | 0.881 | 23 | 25003-3140 |
| 53.000 | 55.000 | 0.812 | 23 | 25003-8058 |
| 53.150 | 55.669 | 0.866 | 64 | 21238-7065 |
| 53.185 | 54.190 | 0.812 | 23 | 25003-2308 |
| 53.250 | 54.250 | 0.500 | 23 | 25003-5596 |
| 53.500 | 55.000 | 0.750 | 23 | 25003-9395 |
| 53.543 | 55.543 | 0.812 | 23 | 25003-7106 |
| 53.625 | 54.625 | 0.500 | 23 | 25003-5634 |
| 54.000 | 56.000 | 0.812 | 23 | 25003-9912 |
| 54.000 | 56.000 | 1.000 | 59 | 24700-0611 |
| 54.000 | 56.000 | 1.250 | 142 | 21432-8659 |
| 54.331 | 56.299 | 0.984 | 23 | 25003-9919 |
| 54.331 | 56.693 | 0.984 | 64 | 21238-8594 |
| 54.500 | 56.500 | 0.812 | 23 | 25003-5510 |
| 54.750 | 56.375 | 0.875 | 59 | 24700-0612 |
| 55.000 | 56.000 | 0.500 | 23 | 25003-5274 |
| 55.000 | 56.500 | 0.750 | 23 | 25003-9394 |
| 55.000 | 57.000 | 0.812 | 23 | 25003-9427 |
| 55.000 | 57.000 | 1.250 | 142 | 21432-9923 |
| 55.125 | 58.000 | 0.750 | 23 | 25003-1453 |
| 55.250 | 56.500 | 0.750 | 23 | 25003-1227 |
| 55.500 | 57.500 | 0.750 | 59 | 24700-0613 |
| 55.500 | 57.500 | 0.812 | 23 | 25003-5385 |
| 55.750 | 56.750 | 0.750 | 142 | 21432-5471 |
| 55.750 | 57.750 | 1.250 | 142 | 21432-5648 |
| 55.906 | 57.874 | 0.812 | 23 | 25003-2623 |
| 56.102 | 58.346 | 0.750 | 23 | 25003-9917 |
| 56.250 | 58.125 | 0.812 | 23 | 25003-7785 |
| 57.000 | 59.000 | 0.812 | 23 | 25003-1872 |
| 57.000 | 59.000 | 0.827 | 23 | 25003-1733 |
| 57.086 | 59.086 | 0.812 | 23 | 25003-5264 |
| 57.375 | 58.875 | 0.750 | 23 | 25003-9327 |
| 57.500 | 59.500 | 0.812 | 23 | 25003-4440 |
| 57.875 | 58.875 | 0.500 | 23 | 25003-5735 |
| 57.875 | 60.000 | 0.938 | 59 | 24700-0614 |
| 58.000 | 60.000 | 0.750 | 23 | 25003-6989 |
| 58.000 | 60.000 | 0.812 | 23 | 25003-9781 |
| 58.500 | 60.500 | 0.812 | 23 | 25003-5902 |
| 58.550 | 60.550 | 1.250 | 142 | 21432-9605 |
| 59.000 | 61.000 | 0.875 | 59 | 24700-0615 |
| 59.000 | 61.000 | 0.875 | 64 | 21238-5482 |
| 59.250 | 61.250 | 0.812 | 23 | 25003-9843 |
| 59.500 | 61.500 | 1.250 | 142 | 21432-9332 |
| 59.750 | 60.750 | 0.500 | 23 | 25003-6653 |
| 60.000 | 61.500 | 0.750 | 23 | 25003-7544 |
| 60.000 | 62.000 | 0.750 | 23 | 25003-9236 |
| 60.000 | 62.000 | 0.812 | 23 | 25003-7911 |
| 61.000 | 63.000 | 0.812 | 23 | 25003-5689 |
| 61.024 | 63.386 | 0.984 | 64 | 21238-8622 |
| 61.250 | 62.250 | 0.500 | 23 | 25003-9310 |
| 61.250 | 63.250 | 1.000 | 59 | 24700-0616 |
| 61.417 | 63.417 | 0.812 | 23 | 25003-2475 |
| 61.810 | 63.810 | 0.812 | 23 | 25003-5587 |
| 62.000 | 64.000 | 0.812 | 23 | 25003-4856 |
| 62.500 | 64.000 | 0.875 | 59 | 24700-0617 |
| 62.500 | 64.500 | 0.875 | 59 | 24700-0618 |
| 63.000 | 65.000 | 0.812 | 23 | 25003-9599 |
| 63.327 | 65.748 | 0.787 | 64 | 21238-8557 |
| 63.500 | 65.500 | 0.812 | 23 | 25003-7015 |
| 63.500 | 65.500 | 1.250 | 142 | 21432-9292 |
| 63.650 | 65.650 | 1.250 | 142 | 21432-9627 |
| 63.780 | 65.551 | 0.787 | 59 | 24700-3961 |
| 64.000 | 65.375 | 0.875 | 59 | 24700-3903 |
| 64.000 | 66.000 | 0.812 | 23 | 25003-8324 |
| 64.409 | 66.929 | 0.866 | 64 | 21238-4979 |
| 64.488 | 66.488 | 0.812 | 23 | 25003-5586 |
| 64.500 | 66.500 | 0.812 | 23 | 25003-9289 |
| 65.000 | 67.000 | 0.812 | 23 | 25003-6915 |
| 65.250 | 67.250 | 0.812 | 23 | 25003-9344 |
| 65.354 | 67.354 | 0.812 | 23 | 25003-9806 |
| 66.000 | 68.000 | 0.812 | 23 | 25003-8563 |
| 66.500 | 68.000 | 0.750 | 23 | 25003-5811 |
| 66.500 | 68.500 | 0.812 | 23 | 25003-8618 |
| 66.500 | 69.000 | 0.812 | 23 | 25003-8872 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 66.875 | 68.000 | 0.562 | 23 | 25003-1091 |
| 67.000 | 68.500 | 0.750 | 23 | 25003-7424 |
| 67.000 | 69.000 | 0.812 | 23 | 25003-8750 |
| 67.750 | 69.750 | 1.250 | 142 | 21432-5422 |
| 68.000 | 70.000 | 0.750 | 23 | 25003-9290 |
| 68.000 | 70.000 | 0.812 | 23 | 25003-8748 |
| 68.000 | 70.000 | 1.000 | 23 | 25003-2205 |
| 68.500 | 70.500 | 0.812 | 23 | 25003-9800 |
| 68.968 | 70.957 | 0.787 | 23 | 25003-9897 |
| 69.000 | 71.000 | 0.812 | 23 | 25003-7643 |
| 69.125 | 71.125 | 0.812 | 23 | 25003-3138 |
| 69.375 | 71.375 | 0.812 | 23 | 25003-5533 |
| 70.000 | 71.000 | 0.500 | 23 | 25003-9920 |
| 70.000 | 72.000 | 0.812 | 23 | 25003-6424 |
| 70.000 | 72.000 | 0.875 | 59 | 24700-3573 |
| 70.500 | 72.500 | 0.812 | 23 | 25003-5760 |
| 70.688 | 72.688 | 0.875 | 23 | 25003-4658 |
| 71.000 | 73.000 | 0.812 | 23 | 25003-9945 |
| 71.000 | 73.000 | 1.250 | 142 | 21432-9291 |
| 71.250 | 73.250 | 0.812 | 23 | 25003-7756 |
| 72.500 | 74.000 | 0.750 | 23 | 25003-2144 |
| 73.000 | 75.000 | 0.812 | 23 | 25003-6276 |
| 74.000 | 76.000 | 0.812 | 23 | 25003-8865 |
| 74.409 | 76.929 | 0.984 | 64 | 21238-9010 |
| 74.500 | 76.000 | 0.750 | 23 | 25003-5624 |
| 74.500 | 76.500 | 0.812 | 23 | 25003-0952 |
| 75.000 | 76.000 | 0.375 | 23 | 25003-4702 |
| 75.000 | 76.500 | 0.750 | 23 | 25003-1697 |
| 75.000 | 77.000 | 0.812 | 23 | 25003-9869 |
| 75.000 | 77.000 | 1.000 | 23 | 25003-3147 |
| 75.188 | 77.188 | 0.812 | 23 | 25003-0720 |
| 75.750 | 77.750 | 1.250 | 142 | 21432-5529 |
| 76.000 | 78.000 | 0.812 | 23 | 25003-7583 |
| 76.250 | 78.250 | 0.812 | 23 | 25003-8279 |
| 76.500 | 78.500 | 0.812 | 23 | 25003-6130 |
| 77.500 | 79.500 | 0.812 | 23 | 25003-5236 |
| 79.500 | 81.500 | 0.812 | 23 | 25003-5796 |
| 80.000 | 82.000 | 0.812 | 23 | 25003-6905 |
| 80.500 | 82.437 | 0.812 | 23 | 25003-5806 |
| 80.500 | 82.500 | 0.812 | 23 | 25003-5757 |
| 81.000 | 83.000 | 0.812 | 23 | 25003-7871 |
| 82.283 | 84.252 | 0.812 | 23 | 25003-4912 |
| 82.677 | 84.645 | 0.812 | 23 | 25003-8802 |
| 84.000 | 85.000 | 0.500 | 23 | 25003-5663 |
| 84.000 | 86.000 | 0.812 | 23 | 25003-5279 |
| 85.000 | 87.000 | 0.812 | 23 | 25003-5297 |
| 86.000 | 88.000 | 0.812 | 23 | 25003-5816 |
| 86.417 | 88.417 | 0.812 | 23 | 25003-7696 |
| 87.000 | 89.000 | 0.812 | 23 | 25003-7624 |
| 88.031 | 90.031 | 0.812 | 23 | 25003-4919 |
| 88.100 | 89.600 | 1.000 | 142 | 21432-9513 |
| 88.583 | 90.583 | 0.812 | 23 | 25003-9953 |
| 89.000 | 91.000 | 0.812 | 23 | 25003-9322 |
| 91.340 | 92.840 | 0.750 | 23 | 25003-9710 |
| 93.000 | 95.000 | 0.812 | 23 | 25003-9269 |
| 93.600 | 95.100 | 1.000 | 142 | 21432-9514 |
| 94.000 | 96.000 | 0.812 | 23 | 25003-7291 |
| 95.875 | 97.875 | 0.812 | 23 | 25003-5787 |
| 96.620 | 98.620 | 0.812 | 23 | 25003-7137 |
| 98.000 | 99.500 | 0.750 | 23 | 25003-5805 |
| 98.750 | 100.750 | 0.812 | 23 | 25003-7334 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 8 | 18 | 5.0 | 61 | 24060-1748 |
| 10 | 19 | 7.0 | 92 | 27063-0004 |
| 10 | 25 | 7.0 | 92 | 27063-0012 |
| 11 | 26 | 7.0 | 71 | 26001-7008 |
| 11 | 30 | 8.0 | 63 | 21158-8101 |
| 11 | 32 | 8.0 | 63 | 21158-8011 |
| 11 | 35 | 8.0 | 63 | 21158-8337 |
| 12 | 22 | 7.0 | 92 | 27063-0020 |
| 12 | 25 | 7.0 | 92 | 27063-0022 |
| 12 | 28 | 7.0 | 61 | 24060-0024 |
| 12 | 28 | 7.0 | 92 | 27063-0024 |
| 12 | 30 | 8.0 | 63 | 21158-8012 |
| 12 | 32 | 8.0 | 63 | 21158-6623 |
| 12 | 35 | 8.0 | 63 | 21158-8338 |
| 14 | 24 | 7.0 | 92 | 27063-0026 |
| 15 | 24 | 7.0 | 92 | 27063-0028 |
| 15 | 26 | 7.0 | 92 | 27063-0030 |
| 15 | 30 | 8.0 | 63 | 21158-8020 |
| 15 | 30 | 8.0 | 61 | 24060-8020 |
| 15 | 32 | 7.0 | 92 | 27063-0032 |
| 15 | 32 | 8.0 | 63 | 21158-8021 |
| 15 | 35 | 7.0 | 92 | 27063-0033 |
| 15 | 35 | 8.0 | 63 | 21158-8109 |
| 15 | 40 | 8.0 | 63 | 21158-0085 |
| 15 | 40 | 8.0 | 62 | 21702-0085 |
| 16 | 27 | 5.0 | 71 | 26001-7022 |
| 16 | 30 | 7.0 | 92 | 27063-0048 |
| 16 | 30 | 8.0 | 63 | 21158-8023 |
| 16 | 30 | 8.0 | 61 | 24060-2280 |
| 16 | 32 | 8.0 | 63 | 21158-4680 |
| 16 | 35 | 8.0 | 63 | 21158-8342 |
| 16 | 40 | 8.0 | 63 | 21158-0095 |
| 16 | 40 | 10.0 | 63 | 21158-0096 |
| 16 | 40 | 10.0 | 94 | 27223-0096 |
| 17 | 28 | 7.0 | 76 | 26193-9856 |
| 17 | 28 | 7.0 | 92 | 27063-9856 |
| 17 | 28 | 8.0 | 61 | 24060-1754 |
| 17 | 30 | 7.0 | 92 | 27063-0064 |
| 17 | 35 | 8.0 | 61 | 24060-1755 |
| 17 | 40 | 7.0 | 92 | 27063-0066 |
| 17 | 40 | 14.0 | 63T2 | 23550-7405 |
| 17 | 40 | 16.0 | EQ | 24801-5416 |
| 18 | 30 | 7.0 | 92 | 27063-0074 |
| 19 | 27 | 3.0 | 71 | 26001-7029 |
| 19 | 27 | 5.0 | 71 | 26001-7028 |
| 19 | 32 | 7.0 | 92 | 27063-0118 |
| 19 | 32 | 8.0 | 63 | 21158-8033 |
| 19 | 32 | 8.0 | 66 | 21527-8033 |
| 19 | 32 | 11.0 | 63 | 21158-3870 |
| 19 | 35 | 8.0 | 63 | 21158-8344 |
| 19 | 38 | 16.0 | EQ | 24801-5223 |
| 19 | 40 | 7.0 | 92 | 27063-6289 |
| 19 | 40 | 8.0 | 63 | 21158-0145 |
| 19 | 40 | 8.0 | 66 | 21527-0145 |
| 19 | 40 | 10.0 | 63 | 21158-0146 |
| 19 | 40 | 15.0 | 63T2 | 23550-5214 |
| 19 | 42 | 8.0 | 63 | 21158-8035 |
| 19 | 47 | 8.0 | 63 | 21158-4935 |
| 19 | 47 | 10.0 | 63 | 21158-6120 |
| 19 | 47 | 10.0 | 94 | 27223-6120 |
| 20 | 30 | 7.0 | 92 | 27063-0120 |
| 20 | 32 | 7.0 | 92 | 27063-0154 |
| 20 | 32 | 17.5 | EQ | 24801-1905 |
| 20 | 35 | 7.0 | 92 | 27063-0164 |
| 20 | 35 | 8.0 | 61 | 24060-1760 |
| 20 | 35 | 16.0 | IG | 29500-4868 |
| 20 | 40 | 7.0 | 92 | 27063-0184 |
| 20 | 40 | 16.0 | EQ | 24801-4596 |
| 20 | 40 | 19.0 | IG | 29500-4448 |
| 20 | 42 | 7.0 | 92 | 27063-0188 |
| 20 | 42 | 16.0 | EQ | 24801-5325 |
| 20 | 47 | 7.0 | 61 | 24060-0194 |
| 20 | 47 | 7.0 | 92 | 27063-0194 |
| 20 | 52 | 10.0 | 92 | 27063-0196 |
| 22 | 32 | 7.0 | 76 | 26193-9855 |
| 22 | 35 | 7.0 | 61 | 24060-1232 |
| 22 | 35 | 7.0 | 26R1 | 24620-0209 |
| 22 | 40 | 7.0 | 92 | 27063-0198 |
| 22 | 40 | 8.0 | 61 | 24060-1470 |
| 22 | 47 | 7.0 | 92 | 27063-0206 |
| 22 | 50 | 16.0 | EQ | 24801-3088 |
| 22 | 50 | 19.0 | IG | 29502-5794 |
| 23 | 40 | 8.0 | 63 | 21158-0235 |
| 23 | 40 | 8.0 | 62 | 21702-0235 |
| 23 | 40 | 10.0 | 63 | 21158-0236 |
| 23 | 42 | 8.0 | 63 | 21158-8050 |
| 23 | 47 | 10.0 | 63 | 21158-8051 |
| 23 | 52 | 10.0 | 63 | 21158-8052 |
| 24 | 35 | 7.0 | 92 | 27063-0209 |
| 24 | 40 | 7.0 | 92 | 27063-0210 |
| 24 | 44 | 16.0 | EQ | 24801-3263 |
| 24 | 49 | 12.0 | 26R1 | 24620-3712 |
| 25 | 35 | 7.0 | 61 | 24060-0212 |
| 25 | 35 | 7.0 | 92 | 27063-0212 |
| 25 | 35 | 8.0 | 61 | 24060-1478 |
| 25 | 37 | 7.0 | 92 | 27063-0230 |
| 25 | 38 | 7.0 | 26R1 | 24620-0280 |
| 25 | 42 | 7.0 | 92 | 27063-0232 |
| 25 | 42 | 8.0 | 61 | 24060-1761 |
| 25 | 45 | 15.9 | IG | 29519-5736 |
| 25 | 47 | 7.0 | 92 | 27063-0250 |
| 25 | 47 | 10.0 | 63 | 21158-6859 |
| 25 | 47 | 10.0 | 61 | 24060-6859 |
| 25 | 47 | 16.0 | EQ | 24801-4563 |

*All dimensions are in mm. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 25 | 47 | 16.0 | IG | 29500-4563 |
| 25 | 48 | 19.0 | IG | 29500-5534 |
| 25 | 50 | 16.0 | EQ | 24801-5593 |
| 25 | 50 | 18.0 | EQ | 24801-1978 |
| 25 | 52 | 7.0 | 92 | 27063-0254 |
| 25 | 52 | 10.0 | 63 | 21158-4687 |
| 25 | 52 | 10.0 | 62 | 21702-4687 |
| 25 | 52 | 12.5 | EQ | 24801-0773 |
| 26 | 42 | 7.0 | 92 | 27063-0262 |
| 26 | 47 | 7.0 | 92 | 27063-0272 |
| 27 | 40 | 8.0 | 63 | 21158-0321 |
| 27 | 40 | 8.0 | 66 | 21527-0321 |
| 27 | 40 | 10.0 | 63 | 21158-0322 |
| 27 | 42 | 8.0 | 63 | 21158-8062 |
| 27 | 47 | 10.0 | 63 | 21158-8063 |
| 27 | 52 | 10.0 | 63 | 21158-8064 |
| 28 | 38 | 7.0 | 92 | 27063-0280 |
| 28 | 40 | 7.0 | 92 | 27063-0284 |
| 28 | 40 | 10.0 | 61 | 24060-2715 |
| 28 | 47 | 10.0 | 63 | 21158-5562 |
| 28 | 47 | 10.0 | 61 | 24060-1233 |
| 28 | 47 | 10.0 | 61 | 24060-5562 |
| 28 | 47 | 17.5 | EQ | 24801-2842 |
| 30 | 40 | 7.0 | 61 | 24060-0312 |
| 30 | 40 | 7.0 | 92 | 27063-0312 |
| 30 | 42 | 7.0 | 92 | 27063-0316 |
| 30 | 42 | 8.0 | 61 | 24060-1763 |
| 30 | 42 | 16.0 | IG | 29500-4920 |
| 30 | 45 | 8.0 | 92 | 27063-0318 |
| 30 | 45 | 16.0 | IG | 29500-5204 |
| 30 | 47 | 7.0 | 61 | 24060-0320 |
| 30 | 47 | 7.0 | 92 | 27063-0320 |
| 30 | 47 | 10.0 | 63 | 21158-9342 |
| 30 | 47 | 10.0 | 61 | 24060-9342 |
| 30 | 47 | 17.5 | EQ | 24801-3638 |
| 30 | 48 | 8.0 | 92 | 27063-0332 |
| 30 | 50 | 7.0 | 26 | 24600-0378 |
| 30 | 50 | 11.0 | 26R1 | 24620-0379 |
| 30 | 50 | 19.0 | IG | 29500-5599 |
| 30 | 52 | 7.0 | 92 | 27063-0341 |
| 30 | 52 | 10.0 | 61 | 24060-2803 |
| 30 | 52 | 10.0 | 62 | 21702-3877 |
| 30 | 52 | 10.0 | 63 | 21158-3877 |
| 30 | 52 | 10.0 | 66 | 21527-3877 |
| 30 | 54 | 10.0 | 63 | 21158-0394 |
| 30 | 54 | 10.0 | 66 | 21527-0394 |
| 30 | 54 | 11.0 | 63 | 21158-0395 |
| 30 | 60 | 12.5 | EQ | 24801-1122 |
| 30 | 62 | 6.0 | 71 | 26001-7060 |
| 30 | 62 | 7.0 | 92 | 27063-0342 |
| 30 | 62 | 10.0 | 63 | 21158-4600 |
| 30 | 62 | 10.0 | 94 | 27223-4600 |
| 30 | 62 | 19.0 | IG | 29500-5584 |
| 30 | 72 | 8.0 | 92 | 27063-0348 |
| 30 | 72 | 10.0 | 63 | 21158-4597 |
| 30 | 72 | 10.0 | 94 | 27223-4697 |
| 30 | 72 | 19.0 | IG | 29500-4422 |
| 31 | 52 | 5.0 | 76 | 26193-7515 |
| 31 | 52 | 10.0 | 63 | 21158-8068 |
| 31 | 54 | 11.0 | 63 | 21158-0413 |
| 32 | 43 | 10.0 | 26 | 24600-0449 |
| 32 | 45 | 8.0 | 61 | 24060-2224 |
| 32 | 47 | 7.0 | 92 | 27063-0350 |
| 32 | 47 | 8.0 | 61 | 24060-1776 |
| 32 | 47 | 16.0 | IG | 29500-4922 |
| 32 | 52 | 7.0 | 92 | 27063-0364 |
| 32 | 52 | 9.0 | 61 | 24060-2212 |
| 32 | 54 | 10.0 | 61 | 24060-2784 |
| 33 | 45 | 8.0 | 61 | 24060-1784 |
| 33 | 47 | 8.0 | 61 | 24060-1785 |
| 34 | 54 | 10.0 | 63 | 21158-0514 |
| 34 | 54 | 11.0 | 63 | 21158-0515 |
| 34 | 55 | 8.0 | 26R1 | 24620-0574 |
| 34 | 62 | 10.0 | 63 | 21158-8072 |
| 35 | 47 | 7.0 | 92 | 27063-0366 |
| 35 | 47 | 8.0 | 61 | 24060-1787 |
| 35 | 47 | 10.0 | 61 | 24060-1788 |
| 35 | 47 | 10.0 | 61 | 24060-1788 |
| 35 | 47 | 16.0 | IG | 29500-4924 |
| 35 | 50 | 7.0 | 61 | 24060-2119 |
| 35 | 50 | 7.0 | 92 | 27063-0368 |
| 35 | 50 | 8.0 | 26R1 | 24620-0572 |
| 35 | 50 | 10.0 | 61 | 24060-1789 |
| 35 | 50 | 16.0 | IG | 29500-4925 |
| 35 | 52 | 7.0 | 26 | 24600-1139 |
| 35 | 52 | 10.0 | 63 | 21158-6655 |
| 35 | 52 | 10.0 | 62 | 21702-6655 |
| 35 | 52 | 16.0 | IG | 29500-4926 |
| 35 | 54 | 10.0 | 66 | 21527-0541 |
| 35 | 54 | 10.0 | 67 | 21528-0541 |
| 35 | 54 | 10.0 | 62 | 21702-0541 |
| 35 | 54 | 10.0 | 68 | 21823-0541 |
| 35 | 54 | 10.0 | 26 | 24600-1829 |
| 35 | 54 | 10.0 | 76 | 26193-0541 |
| 35 | 54 | 11.0 | 63 | 21158-0542 |
| 35 | 54 | 11.0 | 62 | 21702-0542 |
| 35 | 54 | 13.0 | 63 | 21158-0543 |
| 35 | 54 | 13.0 | 62 | 21702-0543 |
| 35 | 54 | 15.0 | 63F1 | 23078-7567 |
| 35 | 54 | 16.0 | 63F1 | 23078-9833 |
| 35 | 54 | 17.0 | 63R1 | 23547-6479 |
| 35 | 54 | 17.0 | 63R2 | 23548-6479 |
| 35 | 54 | 17.0 | 63T2 | 23550-6479 |
| 35 | 55 | 8.0 | 92 | 27063-0371 |

*All dimensions are in mm. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 35 | 55 | 11.0 | 26R1 | 24620-0573 |
| 35 | 55 | 16.0 | EQ | 24801-2260 |
| 35 | 55 | 19.0 | IG | 29500-4529 |
| 35 | 57 | 10.0 | 26 | 24600-0575 |
| 35 | 60 | 16.0 | EQ | 24801-1752 |
| 35 | 62 | 7.0 | 92 | 27063-0376 |
| 35 | 62 | 8.0 | 94 | 27223-5091 |
| 35 | 62 | 10.0 | 63 | 21158-6658 |
| 35 | 62 | 10.0 | 66 | 21527-6658 |
| 35 | 62 | 13.0 | 26 | 24600-0708 |
| 35 | 72 | 8.0 | 94 | 27223-6639 |
| 35 | 72 | 10.0 | 63 | 21158-4584 |
| 35 | 72 | 10.0 | 67 | 21528-4584 |
| 35 | 72 | 10.0 | 68 | 21823-4584 |
| 35 | 73 | 10.0 | 63 | 21158-9612 |
| 35 | 80 | 10.0 | 94 | 27223-6557 |
| 35 | 80 | 16.0 | EQ | 24801-3087 |
| 35 | 88 | 12.5 | EQ | 24801-0913 |
| 35 | 88 | 13.0 | 26 | 24600-0913 |
| 36 | 47 | 7.0 | 92 | 27063-0378 |
| 36 | 52 | 10.0 | 63 | 21158-7748 |
| 36 | 54 | 7.0 | 92 | 27063-0379 |
| 37 | 50 | 8.0 | 92 | 27063-9965 |
| 37 | 52 | 8.0 | 92 | 27063-6218 |
| 38 | 54 | 7.0 | 61 | 24060-1791 |
| 38 | 54 | 8.0 | 61 | 24060-1790 |
| 38 | 54 | 10.0 | 61 | 24060-1794 |
| 38 | 55 | 7.0 | 92 | 27063-0381 |
| 38 | 55 | 10.0 | 61 | 24060-1484 |
| 38 | 55 | 16.0 | IG | 29500-4934 |
| 38 | 55 | 17.5 | EQ | 24801-2839 |
| 38 | 62 | 7.0 | 92 | 27063-0382 |
| 39 | 62 | 10.0 | 63 | 21158-8076 |
| 39 | 70 | 10.0 | 63 | 21158-0694 |
| 40 | 52 | 7.0 | 26 | 24600-5918 |
| 40 | 52 | 7.0 | 92 | 27063-0391 |
| 40 | 52 | 16.0 | IG | 29500-4718 |
| 40 | 52 | 17.5 | EQ | 24801-1359 |
| 40 | 55 | 7.0 | 92 | 27063-0392 |
| 40 | 55 | 8.0 | 61 | 24060-2055 |
| 40 | 55 | 10.0 | 61 | 24060-1931 |
| 40 | 56 | 7.0 | 92 | 27063-0393 |
| 40 | 58 | 8.0 | 92 | 27063-0406 |
| 40 | 58 | 10.0 | 61 | 24060-2136 |
| 40 | 58 | 16.0 | IG | 29500-5068 |
| 40 | 60 | 9.0 | 26 | 24600-0733 |
| 40 | 60 | 10.0 | 61 | 24060-1912 |
| 40 | 60 | 19.0 | IG | 29500-5539 |
| 40 | 62 | 7.0 | 92 | 27063-0423 |
| 40 | 62 | 8.0 | 61 | 24060-0132 |
| 40 | 62 | 9.5 | 61 | 24060-8610 |
| 40 | 62 | 10.0 | 63 | 21158-7884 |
| 40 | 62 | 10.0 | 63 | 21158-8610 |
| 40 | 62 | 11.0 | 26R1 | 24620-0729 |
| 40 | 62 | 19.0 | IG | 29500-4808 |
| 40 | 65 | 7.0 | 26 | 24600-1228 |
| 40 | 65 | 10.0 | 61 | 24060-1912 |
| 40 | 65 | 12.0 | 26R1 | 24620-1030 |
| 40 | 72 | 7.0 | 92 | 27063-0435 |
| 40 | 78 | 19.0 | IG | 29500-4441 |
| 40 | 80 | 10.0 | 92 | 27063-0449 |
| 40 | 80 | 16.0 | EQ | 24801-2631 |
| 40 | 87 | 16.0 | EQ | 24801-3915 |
| 40 | 100 | 16.0 | EQ | 24801-3498 |
| 41 | 61 | 19.0 | IG | 29500-4825 |
| 42 | 55 | 9.0 | 26 | 24600-0759 |
| 42 | 55 | 10.0 | 26 | 24600-0791 |
| 42 | 55 | 16.0 | IG | 29500-4938 |
| 42 | 60 | 7.0 | 92 | 27063-0452 |
| 42 | 60 | 10.0 | 61 | 24060-1792 |
| 42 | 62 | 8.0 | 26 | 24600-1096 |
| 42 | 62 | 10.0 | 63 | 21158-8082 |
| 42 | 62 | 10.0 | 61 | 24060-1793 |
| 42 | 62 | 16.0 | EQ | 24801-2918 |
| 42 | 62 | 19.0 | IG | 29500-5540 |
| 42 | 65 | 16.0 | EQ | 24801-2611 |
| 42 | 66 | 16.0 | EQ | 24801-2127 |
| 42 | 72 | 10.0 | 63 | 21158-8083 |
| 42 | 73 | 10.0 | 63 | 21158-0817 |
| 43 | 54 | 5.0 | 76 | 26193-7527 |
| 43 | 54 | 5.0 | 92 | 27063-7527 |
| 43 | 62 | 10.0 | 63 | 21158-7456 |
| 43 | 70 | 8.0 | 61 | 24060-2532 |
| 43 | 70 | 10.0 | 63 | 21158-0847 |
| 43 | 70 | 10.0 | 66 | 21527-0847 |
| 43 | 70 | 11.0 | 63 | 21158-0848 |
| 43 | 70 | 13.0 | 63 | 21158-0849 |
| 43 | 72 | 10.0 | 63 | 21158-7126 |
| 43 | 73 | 10.0 | 63 | 21158-0853 |
| 43 | 73 | 10.0 | 66 | 21527-0853 |
| 43 | 73 | 11.0 | 63 | 21158-0854 |
| 43 | 73 | 13.0 | 63 | 21158-0855 |
| 43 | 73 | 15.0 | 63F1 | 23078-9667 |
| 44 | 60 | 9.0 | 26R1 | 24620-0895 |
| 44 | 72 | 10.0 | 63 | 21158-7865 |
| 45 | 55 | 16.0 | IG | 29500-4554 |
| 45 | 60 | 7.0 | 92 | 27063-0488 |
| 45 | 60 | 8.0 | 61 | 24060-1796 |
| 45 | 60 | 17.5 | EQ | 24801-3149 |
| 45 | 62 | 8.0 | 26R1 | 24620-0935 |
| 45 | 62 | 10.0 | 58 | 21003-1797 |
| 45 | 62 | 10.0 | 61 | 24060-1797 |
| 45 | 62 | 10.0 | 26 | 24600-1097 |
| 45 | 62 | 17.5 | EQ | 24801-1923 |

*All dimensions are in mm. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 45 | 65 | 7.0 | 61 | 24060-1798 |
| 45 | 65 | 8.0 | 61 | 24060-1799 |
| 45 | 65 | 10.0 | 63 | 21158-9223 |
| 45 | 65 | 10.0 | 61 | 24060-9223 |
| 45 | 65 | 10.0 | 26 | 24600-4044 |
| 45 | 65 | 19.0 | IG | 29500-5541 |
| 45 | 67 | 12.5 | EQ | 24801-1374 |
| 45 | 70 | 19.0 | IG | 29500-4490 |
| 45 | 72 | 8.0 | 92 | 27063-0512 |
| 45 | 72 | 9.0 | 26 | 24600-9538 |
| 45 | 72 | 10.0 | 61 | 24060-1800 |
| 45 | 72 | 19.0 | IG | 29502-5930 |
| 45 | 75 | 8.0 | 94 | 27223-8004 |
| 45 | 75 | 19.0 | IG | 29500-4581 |
| 45 | 80 | 10.0 | 92 | 27063-0516 |
| 45 | 85 | 10.0 | 92 | 27063-0520 |
| 45 | 85 | 19.0 | IG | 29502-5819 |
| 45 | 90 | 19.0 | IG | 29502-5807 |
| 45 | 100 | 19.0 | IG | 29500-4678 |
| 46 | 70 | 13.0 | 63 | 21158-0987 |
| 46 | 72 | 10.0 | 63 | 21158-8088 |
| 46 | 73 | 10.0 | 63 | 21158-0991 |
| 46 | 73 | 15.0 | 63F1 | 23078-6592 |
| 46 | 80 | 10.0 | 63 | 21158-8089 |
| 46 | 90 | 13.0 | 26 | 24600-1002 |
| 47 | 65 | 10.0 | 92 | 27063-0522 |
| 48 | 62 | 8.0 | 92 | 27063-0533 |
| 48 | 65 | 10.0 | 61 | 24060-0534 |
| 48 | 65 | 10.0 | 92 | 27063-0534 |
| 48 | 65 | 17.5 | EQ | 24801-2681 |
| 48 | 70 | 16.0 | EQ | 24801-1935 |
| 48 | 70 | 19.0 | IG | 29500-4189 |
| 48 | 72 | 8.0 | 92 | 27063-0558 |
| 48 | 72 | 16.0 | EQ | 24801-4943 |
| 48 | 73 | 16.0 | IG | 29500-5270 |
| 50 | 62 | 7.0 | 26R1 | 24620-1106 |
| 50 | 65 | 8.0 | 61 | 24060-0563 |
| 50 | 65 | 8.0 | 92 | 27063-0563 |
| 50 | 65 | 9.0 | 26R1 | 24620-7654 |
| 50 | 65 | 10.0 | 61 | 24060-1814 |
| 50 | 65 | 10.0 | 61 | 24061-1814 |
| 50 | 65 | 17.5 | EQ | 24801-3431 |
| 50 | 67 | 17.5 | EQ | 24801-2155 |
| 50 | 68 | 8.0 | 92 | 27063-0567 |
| 50 | 68 | 9.0 | 26R1 | 24620-1108 |
| 50 | 68 | 16.0 | IG | 29500-4945 |
| 50 | 68 | 17.5 | EQ | 24801-1846 |
| 50 | 69 | 19.0 | IG | 29500-4880 |
| 50 | 70 | 10.0 | 63 | 21158-1156 |
| 50 | 70 | 10.0 | 66 | 21527-1156 |
| 50 | 70 | 10.0 | 61 | 24060-1156 |
| 50 | 70 | 10.0 | 26 | 24600-1104 |
| 50 | 70 | 16.0 | EQ | 24801-3225 |
| 50 | 70 | 17.5 | EQ | 24801-3229 |
| 50 | 70 | 19.0 | IG | 29500-4819 |
| 50 | 72 | 8.0 | 61 | 24060-0571 |
| 50 | 72 | 10.0 | 58 | 21003-2902 |
| 50 | 72 | 10.0 | 63 | 21158-6656 |
| 50 | 72 | 10.0 | 66 | 21527-6656 |
| 50 | 72 | 10.0 | 61 | 24060-6656 |
| 50 | 72 | 12.0 | 26R1 | 24620-1107 |
| 50 | 72 | 16.0 | EQ | 24801-4947 |
| 50 | 73 | 10.0 | 63 | 21158-1162 |
| 50 | 73 | 10.0 | 66 | 21527-1162 |
| 50 | 73 | 10.0 | 62 | 21702-1162 |
| 50 | 73 | 13.0 | 63 | 21158-1164 |
| 50 | 73 | 17.0 | 63F1 | 23078-5215 |
| 50 | 75 | 8.0 | 61 | 24060-2422 |
| 50 | 75 | 12.5 | EQ | 24801-1127 |
| 50 | 75 | 16.0 | EQ | 24801-1197 |
| 50 | 75 | 19.0 | IG | 29500-4700 |
| 50 | 76 | 19.0 | IG | 29502-5632 |
| 50 | 80 | 8.0 | 26 | 24600-1103 |
| 50 | 80 | 9.5 | 61 | 24060-7415 |
| 50 | 80 | 10.0 | 63 | 21158-7415 |
| 50 | 80 | 16.0 | EQ | 24801-1975 |
| 50 | 81 | 10.0 | 63 | 21158-1180 |
| 50 | 81 | 10.0 | 66 | 21527-1180 |
| 50 | 81 | 12.0 | 26 | 24600-1155 |
| 50 | 81 | 16.0 | EQ | 24801-2969 |
| 50 | 90 | 10.0 | 26R1 | 24620-1953 |
| 50 | 90 | 10.0 | 76 | 26193-0373 |
| 50 | 90 | 16.0 | EQ | 24801-3600 |
| 50 | 90 | 19.0 | IG | 29500-4553 |
| 50 | 110 | 9.0 | 26R1 | 24620-2621 |
| 50 | 110 | 9.5 | 26 | 24600-2621 |
| 50 | 110 | 10.0 | 94 | 27223-8005 |
| 52 | 68 | 8.0 | 92 | 27063-0572 |
| 52 | 68 | 15.9 | IG | 29507-4948 |
| 52 | 72 | 8.0 | 92 | 27063-0573 |
| 52 | 75 | 16.0 | EQ | 24801-4660 |
| 52 | 80 | 19.0 | IG | 29500-5533 |
| 54 | 72 | 10.0 | 63 | 21158-8112 |
| 54 | 73 | 10.0 | 63 | 21158-1321 |
| 54 | 73 | 10.0 | 66 | 21527-1321 |
| 54 | 73 | 10.0 | 67 | 21528-1321 |
| 54 | 73 | 10.0 | 62 | 21702-1321 |
| 54 | 73 | 10.0 | 68 | 21823-1321 |
| 54 | 73 | 10.0 | 26 | 24600-1321 |
| 54 | 73 | 10.0 | 25 | 25058-1321 |
| 54 | 73 | 11.0 | 63 | 21158-1322 |
| 54 | 73 | 11.0 | 26 | 24600-1320 |
| 54 | 73 | 12.0 | 63 | 21158-5688 |
| 54 | 73 | 13.0 | 63 | 21158-1323 |

*All dimensions are in mm. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 54 | 73 | 13.0 | 62 | 21702-1323 |
| 54 | 73 | 15.0 | 63F1 | 23078-4916 |
| 54 | 73 | 17.0 | 63F1 | 23078-4592 |
| 54 | 73 | 17.0 | 63R2 | 23548-4592 |
| 54 | 73 | 17.0 | 63T2 | 23550-4592 |
| 54 | 80 | 10.0 | 63 | 21158-8353 |
| 54 | 81 | 10.0 | 63 | 21158-1339 |
| 54 | 81 | 10.0 | 66 | 21527-1339 |
| 54 | 81 | 11.0 | 62 | 21702-1340 |
| 54 | 81 | 13.0 | 63 | 21158-1341 |
| 54 | 81 | 19.0 | 63F1 | 23078-7787 |
| 54 | 85 | 10.0 | 63 | 21158-8354 |
| 54 | 90 | 11.0 | 26 | 24600-1355 |
| 54 | 90 | 11.0 | 26R1 | 24620-1355 |
| 54 | 92 | 10.0 | 94 | 27223-9670 |
| 54 | 92 | 11.0 | 63 | 21158-3902 |
| 55 | 60 | 8.0 | 61 | 24060-1833 |
| 55 | 70 | 8.0 | 61 | 24060-0574 |
| 55 | 70 | 8.0 | 92 | 27063-0574 |
| 55 | 70 | 17.5 | EQ | 24801-2675 |
| 55 | 72 | 8.0 | 61 | 24060-0882 |
| 55 | 72 | 8.0 | 26R1 | 24620-1369 |
| 55 | 72 | 9.0 | 26 | 24600-4260 |
| 55 | 72 | 10.0 | 61 | 24060-1835 |
| 55 | 72 | 16.0 | IG | 29500-4952 |
| 55 | 73 | 17.5 | EQ | 24801-2485 |
| 55 | 75 | 10.0 | 92 | 27063-0575 |
| 55 | 75 | 17.5 | EQ | 24801-3505 |
| 55 | 75 | 19.0 | IG | 29500-4492 |
| 55 | 78 | 9.0 | 26R1 | 24620-1371 |
| 55 | 78 | 12.0 | 26R1 | 24620-1370 |
| 55 | 78 | 19.0 | IG | 29500-5542 |
| 55 | 80 | 8.0 | 92 | 27063-0576 |
| 55 | 80 | 10.0 | 26 | 24600-3587 |
| 55 | 80 | 12.0 | 76 | 26193-0345 |
| 55 | 80 | 16.0 | EQ | 24801-2005 |
| 55 | 81 | 16.0 | EQ | 24801-1805 |
| 55 | 85 | 8.0 | 92 | 27063-0585 |
| 55 | 90 | 10.0 | 94 | 27223-8006 |
| 55 | 90 | 16.0 | EQ | 24801-1906 |
| 55 | 90 | 19.0 | IG | 29500-4744 |
| 55 | 100 | 10.0 | 26 | 24600-7209 |
| 55 | 100 | 10.0 | 94 | 27223-7209 |
| 55 | 100 | 16.0 | EQ | 24801-4447 |
| 56 | 70 | 8.0 | 92 | 27063-0588 |
| 56 | 72 | 8.0 | 92 | 27063-0606 |
| 56 | 80 | 8.0 | 92 | 27063-0629 |
| 56 | 80 | 16.0 | EQ | 24801-4201 |
| 56 | 80 | 19.0 | IG | 29500-5545 |
| 56 | 85 | 8.0 | 92 | 27063-0633 |
| 57 | 83 | 16.0 | EQ | 24801-1981 |
| 58 | 72 | 8.0 | 92 | 27063-0745 |
| 58 | 72 | 17.5 | EQ | 24801-3657 |
| 58 | 80 | 8.0 | 92 | 27063-0635 |
| 58 | 80 | 10.0 | 63 | 21158-8363 |
| 58 | 80 | 12.5 | EQ | 24801-1985 |
| 58 | 85 | 10.0 | 63 | 21158-8364 |
| 58 | 85 | 10.0 | 92 | 27063-0642 |
| 58 | 90 | 10.0 | 63 | 21158-1543 |
| 58 | 90 | 16.0 | EQ | 24801-3025 |
| 58 | 92 | 10.0 | 63 | 21158-1546 |
| 58 | 92 | 13.0 | 63 | 21158-1548 |
| 58 | 112 | 19.0 | IG | 29502-5931 |
| 59 | 80 | 8.0 | 61 | 24060-1838 |
| 60 | 75 | 8.0 | 58 | 21003-1490 |
| 60 | 75 | 8.0 | 61 | 24060-1490 |
| 60 | 75 | 8.0 | 26R1 | 24620-1605 |
| 60 | 75 | 16.0 | IG | 29500-4458 |
| 60 | 78 | 9.0 | 26 | 24600-4258 |
| 60 | 78 | 10.0 | 26 | 24600-1565 |
| 60 | 80 | 8.0 | 92 | 27063-0653 |
| 60 | 80 | 9.5 | 61 | 24060-0653 |
| 60 | 80 | 10.0 | 26 | 24600-5115 |
| 60 | 80 | 10.0 | 61 | 24060-1839 |
| 60 | 80 | 16.0 | EQ | 24801-1348 |
| 60 | 80 | 16.0 | EQ | 24801-5431 |
| 60 | 80 | 16.0 | IG | 29500-1348 |
| 60 | 80 | 17.5 | EQ | 24801-3639 |
| 60 | 80 | 19.0 | IG | 29500-5543 |
| 60 | 80 | 19.0 | IG | 29500-6231 |
| 60 | 82 | 12.0 | 26R1 | 24620-1606 |
| 60 | 84 | 16.0 | IG | 29500-5126 |
| 60 | 85 | 8.0 | 92 | 27063-0672 |
| 60 | 90 | 8.0 | 92 | 27063-0683 |
| 60 | 90 | 14.0 | 26R1 | 24620-1031 |
| 60 | 90 | 16.0 | EQ | 24801-2488 |
| 60 | 110 | 11.1 | 61 | 24060-2584 |
| 60 | 110 | 13.0 | 58 | 21003-2488 |
| 61 | 80 | 10.0 | 63 | 21158-8371 |
| 61 | 85 | 10.0 | 63 | 21158-8372 |
| 61 | 90 | 10.0 | 63 | 21158-1708 |
| 61 | 92 | 10.0 | 63 | 21158-1711 |
| 61 | 92 | 10.0 | 62 | 21702-1711 |
| 61 | 100 | 10.0 | 63 | 21158-7926 |
| 62 | 55 | 19.0 | IG | 29500-4860 |
| 62 | 76 | 16.0 | IG | 29500-5139 |
| 62 | 80 | 10.0 | 63 | 21158-8373 |
| 62 | 80 | 10.0 | 61 | 24060-8373 |
| 62 | 81 | 10.0 | 63 | 21158-1729 |
| 62 | 81 | 17.0 | 63R2 | 23548-7136 |
| 62 | 85 | 10.0 | 63 | 21158-8374 |
| 62 | 85 | 10.0 | 23 | 25003-0793 |
| 62 | 85 | 10.0 | 92 | 27063-0793 |
| 62 | 85 | 16.0 | EQ | 24801-5488 |

*All dimensions are in mm. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 62 | 90 | 10.0 | 63 | 21158-1750 |
| 62 | 90 | 10.0 | 62 | 21702-1750 |
| 62 | 90 | 10.0 | 92 | 27063-0684 |
| 62 | 90 | 11.0 | 63 | 21158-1751 |
| 62 | 90 | 13.0 | 63 | 21158-1752 |
| 62 | 90 | 13.0 | 62 | 21702-1752 |
| 62 | 92 | 10.0 | 63 | 21158-1753 |
| 62 | 100 | 10.0 | 63 | 21158-7927 |
| 63 | 85 | 10.0 | 61 | 24060-1843 |
| 63 | 85 | 12.0 | 61 | 24060-1845 |
| 63 | 90 | 16.0 | EQ | 24801-3568 |
| 64 | 80 | 8.0 | 92 | 27063-0698 |
| 64 | 88 | 12.0 | 26 | 24600-0829 |
| 64 | 95 | 19.0 | IG | 29500-4747 |
| 65 | 80 | 10.0 | 61 | 24060-1847 |
| 65 | 82 | 16.0 | IG | 29500-5544 |
| 65 | 85 | 10.0 | 63 | 21158-8378 |
| 65 | 85 | 10.0 | 61 | 24060-0710 |
| 65 | 85 | 10.0 | 23 | 25003-0710 |
| 65 | 85 | 10.0 | 92 | 27063-0710 |
| 65 | 85 | 16.0 | EQ | 24801-2816 |
| 65 | 85 | 19.0 | IG | 29500-4532 |
| 65 | 88 | 12.0 | 26R1 | 24620-1859 |
| 65 | 88 | 16.0 | EQ | 24801-1858 |
| 65 | 90 | 8.0 | 63 | 21158-1861 |
| 65 | 90 | 10.0 | 63 | 21158-1888 |
| 65 | 90 | 10.0 | 61 | 24060-0729 |
| 65 | 90 | 10.0 | 61 | 24060-0729 |
| 65 | 90 | 10.0 | 23 | 25003-9162 |
| 65 | 90 | 10.0 | 92 | 27063-0729 |
| 65 | 90 | 13.0 | 63 | 21158-1890 |
| 65 | 90 | 16.0 | EQ | 24801-1883 |
| 65 | 90 | 19.0 | IG | 29500-4721 |
| 65 | 92 | 10.0 | 63 | 21158-1891 |
| 65 | 92 | 11.0 | 63 | 21158-1892 |
| 65 | 92 | 11.0 | 62 | 21702-1892 |
| 65 | 92 | 13.0 | 63 | 21158-1893 |
| 65 | 95 | 10.0 | 92 | 27063-0733 |
| 65 | 100 | 10.0 | 63 | 21158-6300 |
| 65 | 100 | 10.0 | 94 | 27223-6300 |
| 65 | 105 | 19.0 | IG | 29502-5646 |
| 65 | 100 | 19.0 | IG | 29502-4966 |
| 65 | 110 | 19.0 | IG | 29500-5367 |
| 65 | 120 | 10.0 | 94 | 27223-6301 |
| 65 | 140 | 10.0 | 94 | 27223-6302 |
| 66 | 86 | 12.5 | EQ | 24801-1747 |
| 68 | 87 | 9.5 | 23 | 25003-1722 |
| 68 | 90 | 10.0 | 92 | 27063-0735 |
| 68 | 90 | 12.5 | EQ | 24801-1984 |
| 68 | 90 | 16.0 | EQ | 24801-3023 |
| 68 | 100 | 10.0 | 92 | 27063-0749 |
| 69 | 90 | 10.0 | 63 | 21158-2017 |
| 69 | 92 | 10.0 | 63 | 21158-2020 |
| 69 | 92 | 10.0 | 66 | 21527-2020 |
| 69 | 100 | 10.0 | 63 | 21158-7933 |
| 70 | 85 | 8.0 | 26R1 | 24620-2026 |
| 70 | 90 | 6.0 | 26 | 24600-2071 |
| 70 | 90 | 9.5 | 23 | 25003-4765 |
| 70 | 90 | 10.0 | 63 | 21158-2038 |
| 70 | 90 | 10.0 | 66 | 21527-2038 |
| 70 | 90 | 10.0 | 67 | 21528-2038 |
| 70 | 90 | 10.0 | 62 | 21702-2038 |
| 70 | 90 | 10.0 | 68 | 21823-2038 |
| 70 | 90 | 10.0 | 61 | 24060-2038 |
| 70 | 90 | 10.0 | 26 | 24600-2070 |
| 70 | 90 | 11.0 | 63 | 21158-2039 |
| 70 | 90 | 11.0 | 26 | 24600-2039 |
| 70 | 90 | 12.0 | 26R1 | 24620-1032 |
| 70 | 90 | 12.0 | 61 | 24060-2814 |
| 70 | 90 | 12.5 | EQ | 24801-2067 |
| 70 | 90 | 13.0 | 63 | 21158-2040 |
| 70 | 90 | 16.0 | EQ | 24801-2059 |
| 70 | 90 | 16.0 | EQ | 24801-2919 |
| 70 | 90 | 19.0 | IG | 29500-4969 |
| 70 | 92 | 10.0 | 63 | 21158-2041 |
| 70 | 92 | 10.0 | 66 | 21527-2041 |
| 70 | 92 | 10.0 | 67 | 21528-2041 |
| 70 | 92 | 10.0 | 68 | 21823-2041 |
| 70 | 92 | 11.0 | 63 | 21158-2042 |
| 70 | 92 | 12.0 | 26R1 | 24620-2027 |
| 70 | 92 | 12.5 | EQ | 24801-2078 |
| 70 | 92 | 13.0 | 63 | 21158-2043 |
| 70 | 92 | 16.0 | EQ | 24801-5095 |
| 70 | 95 | 15.9 | IG | 29507-3107 |
| 70 | 95 | 16.0 | EQ | 24801-3107 |
| 70 | 95 | 19.0 | IG | 29500-4192 |
| 70 | 100 | 10.0 | 63 | 21158-7934 |
| 70 | 100 | 10.0 | 92 | 27063-0759 |
| 70 | 100 | 12.5 | EQ | 24801-2087 |
| 70 | 100 | 16.0 | EQ | 24801-2250 |
| 70 | 102 | 12.7 | 26 | 24600-5598 |
| 70 | 110 | 16.0 | EQ | 24801-3989 |
| 71 | 88 | 12.0 | 26 | 24600-2077 |
| 72 | 90 | 10.0 | 92 | 27063-0770 |
| 72 | 95 | 10.0 | 23 | 25003-1039 |
| 72 | 95 | 10.0 | 92 | 27063-0776 |
| 72 | 100 | 10.0 | 92 | 27063-0791 |
| 73 | 92 | 10.0 | 63 | 21158-2115 |
| 73 | 92 | 10.0 | 62 | 21702-2115 |
| 73 | 92 | 11.0 | 63 | 21158-2116 |
| 73 | 92 | 13.0 | 63 | 21158-2117 |
| 73 | 100 | 10.0 | 63 | 21158-7938 |
| 75 | 90 | 10.0 | 61 | 24060-2377 |
| 75 | 95 | 10.0 | 92 | 27063-0797 |

*All dimensions are in mm. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 75 | 95 | 13.0 | 61 | 24060-1848 |
| 75 | 95 | 13.0 | 26 | 24600-3663 |
| 75 | 95 | 15.9 | IG | 29507-3316 |
| 75 | 95 | 16.0 | EQ | 24801-3316 |
| 75 | 95 | 17.5 | EQ | 24801-3312 |
| 75 | 95 | 19.0 | IG | 29500-4822 |
| 75 | 100 | 9.5 | 61 | 24060-2966 |
| 75 | 100 | 9.5 | 23 | 25003-2966 |
| 75 | 100 | 10.0 | 61 | 24060-0809 |
| 75 | 100 | 10.0 | 92 | 27063-0809 |
| 75 | 100 | 12.5 | EQ | 24801-1078 |
| 75 | 100 | 13.0 | 58 | 21003-1921 |
| 75 | 100 | 13.0 | 26 | 24600-0827 |
| 75 | 100 | 16.0 | EQ | 24801-2166 |
| 75 | 100 | 19.0 | IG | 29500-4749 |
| 75 | 107 | 12.5 | 23 | 25003-2105 |
| 75 | 107 | 12.7 | 23 | 25003-2331 |
| 75 | 107 | 13.0 | 26 | 24600-2105 |
| 75 | 110 | 12.0 | 92 | 27063-0819 |
| 75 | 110 | 19.0 | IG | 29502-5739 |
| 75 | 115 | 10.0 | 94 | 27223-5074 |
| 75 | 115 | 12.0 | 26R1 | 24620-2908 |
| 75 | 120 | 12.0 | 92 | 27063-0824 |
| 78 | 100 | 11.0 | 23 | 25003-4769 |
| 78 | 100 | 16.0 | EQ | 24801-3024 |
| 79 | 110 | 19.0 | IG | 29502-5763 |
| 80 | 100 | 10.0 | 61 | 24060-1033 |
| 80 | 100 | 10.0 | 26R1 | 24620-1033 |
| 80 | 100 | 10.0 | 23 | 25003-1033 |
| 80 | 100 | 13.0 | 26 | 24600-2238 |
| 80 | 100 | 16.0 | EQ | 24801-2240 |
| 80 | 100 | 17.5 | EQ | 24801-3674 |
| 80 | 100 | 19.0 | IG | 29500-4798 |
| 80 | 105 | 10.0 | 61 | 24060-2411 |
| 80 | 105 | 13.0 | 26 | 24600-2215 |
| 80 | 105 | 13.0 | 26R1 | 24620-2215 |
| 80 | 105 | 16.0 | EQ | 24801-2272 |
| 80 | 105 | 19.0 | IG | 29500-4728 |
| 80 | 110 | 6.0 | 26 | 24600-2243 |
| 80 | 110 | 10.0 | 92 | 27063-0831 |
| 80 | 110 | 12.0 | 53 | 21086-7426 |
| 80 | 110 | 12.0 | 23 | 25003-7426 |
| 80 | 110 | 12.7 | 23 | 25003-1998 |
| 80 | 110 | 16.0 | EQ | 24801-3593 |
| 80 | 115 | 12.5 | EQ | 24801-2239 |
| 80 | 120 | 19.0 | IG | 29500-5293 |
| 80 | 130 | 16.0 | EQ | 24801-5269 |
| 81 | 110 | 13.0 | 53 | 21086-7950 |
| 81 | 120 | 13.0 | 53 | 21086-8121 |
| 81 | 127 | 13.0 | 53 | 21086-2267 |
| 81 | 127 | 13.0 | 66 | 21527-2267 |
| 81 | 127 | 25.0 | 53T2 | 22897-8608 |
| 82 | 101 | 10.0 | 26 | 24600-2111 |
| 82 | 113 | 16.0 | EQ | 24801-3109 |
| 82 | 114 | 13.0 | 23 | 25003-1590 |
| 84 | 110 | 10.0 | 61 | 24060-1850 |
| 84 | 110 | 14.0 | 26 | 24600-2562 |
| 84 | 110 | 16.0 | EQ | 24801-1988 |
| 85 | 100 | 10.0 | 61 | 24060-1851 |
| 85 | 100 | 17.5 | EQ | 24801-5104 |
| 85 | 105 | 10.0 | 61 | 24060-1853 |
| 85 | 105 | 13.0 | 26 | 24600-2310 |
| 85 | 105 | 16.0 | EQ | 24801-2523 |
| 85 | 110 | 10.0 | 61 | 24060-1854 |
| 85 | 110 | 12.0 | 26 | 24600-2214 |
| 85 | 110 | 12.0 | 23 | 25003-2214 |
| 85 | 110 | 12.0 | 57 | 26056-2214 |
| 85 | 110 | 12.5 | 23 | 25003-2137 |
| 85 | 110 | 12.7 | 23 | 25003-5650 |
| 85 | 110 | 13.0 | 26 | 24600-5343 |
| 85 | 110 | 16.0 | EQ | 24801-3161 |
| 85 | 110 | 19.0 | IG | 29500-4193 |
| 85 | 115 | 13.0 | 92 | 27063-0833 |
| 85 | 115 | 14.0 | EQ | 24801-3584 |
| 85 | 115 | 16.0 | EQ | 24801-2311 |
| 85 | 120 | 12.0 | 53 | 21086-7394 |
| 85 | 120 | 12.0 | 26R1 | 24620-7394 |
| 85 | 120 | 12.0 | 23 | 25003-7394 |
| 85 | 120 | 16.0 | EQ | 24801-5521 |
| 85 | 125 | 12.0 | 53 | 21086-7399 |
| 85 | 125 | 19.0 | IG | 29500-4816 |
| 85 | 130 | 13.0 | 94 | 27223-6314 |
| 85 | 130 | 16.0 | EQ | 24801-5110 |
| 86 | 130 | 19.0 | IG | 29500-4748 |
| 86 | 135 | 19.0 | IG | 29500-4750 |
| 87 | 119 | 12.0 | 26 | 24600-4224 |
| 88 | 110 | 12.0 | 92 | 27063-0834 |
| 88 | 110 | 12.7 | 23 | 25003-1772 |
| 88 | 110 | 15.0 | 26R1 | 24620-0846 |
| 89 | 120 | 13.0 | 53 | 21086-7963 |
| 89 | 125 | 14.0 | 53 | 21086-8877 |
| 89 | 127 | 13.0 | 53 | 21086-2378 |
| 89 | 127 | 13.0 | 53 | 21086-7253 |
| 89 | 127 | 13.0 | 66 | 21527-2378 |
| 89 | 127 | 16.0 | 53 | 21086-2380 |
| 89 | 127 | 18.0 | 53F1 | 22987-7332 |
| 89 | 127 | 23.0 | 53R2 | 22627-7324 |
| 89 | 130 | 13.0 | 53 | 21086-7965 |
| 90 | 110 | 10.0 | 61 | 24060-1856 |
| 90 | 110 | 12.0 | 26R1 | 24620-2437 |
| 90 | 110 | 13.0 | 26 | 24600-5002 |
| 90 | 110 | 16.0 | EQ | 24801-3265 |
| 90 | 115 | 12.0 | 23 | 25003-9963 |
| 90 | 115 | 12.0 | 61 | 24060-9963 |

*All dimensions are in mm. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 90 | 115 | 12.5 | 23 | 25003-8803 |
| 90 | 115 | 12.7 | 23 | 25003-4846 |
| 90 | 115 | 13.0 | 26 | 24600-5344 |
| 90 | 115 | 13.0 | 26R1 | 24620-5344 |
| 90 | 120 | 12.0 | 53 | 21086-7839 |
| 90 | 120 | 12.0 | 23 | 25003-7839 |
| 90 | 120 | 12.0 | 61 | 24060-7839 |
| 90 | 120 | 12.0 | 92 | 27063-7839 |
| 90 | 120 | 13.0 | 53 | 21086-8429 |
| 90 | 120 | 13.0 | 26 | 24600-2457 |
| 90 | 120 | 13.0 | 23 | 25003-8429 |
| 90 | 120 | 16.0 | EQ | 24801-2902 |
| 90 | 120 | 19.0 | IG | 29500-4758 |
| 90 | 126 | 19.0 | IG | 29500-4844 |
| 92 | 120 | 13.0 | 53 | 21086-7968 |
| 92 | 127 | 13.0 | 53 | 21086-2426 |
| 92 | 127 | 14.0 | 53 | 21086-5582 |
| 92 | 127 | 16.0 | 53 | 21086-2428 |
| 92 | 127 | 18.0 | 53F1 | 22987-5646 |
| 92 | 130 | 13.0 | 53 | 21086-7970 |
| 95 | 115 | 12.0 | 92 | 27063-0850 |
| 95 | 120 | 10.0 | 61 | 24060-1859 |
| 95 | 120 | 12.0 | 26R1 | 24620-9190 |
| 95 | 120 | 12.0 | 23 | 25003-9190 |
| 95 | 120 | 12.0 | 92 | 27063-9190 |
| 95 | 120 | 13.0 | 26R1 | 24620-6061 |
| 95 | 120 | 13.0 | 23 | 25003-6061 |
| 95 | 120 | 13.0 | 57 | 26057-6061 |
| 95 | 120 | 16.0 | EQ | 24801-3021 |
| 95 | 125 | 12.0 | 23 | 25003-1010 |
| 95 | 125 | 12.0 | 92 | 27063-1010 |
| 95 | 125 | 19.0 | IG | 29500-4979 |
| 95 | 130 | 12.0 | 92 | 27063-0851 |
| 95 | 130 | 16.0 | EQ | 24801-2972 |
| 95 | 140 | 19.0 | IG | 29500-4751 |
| 100 | 120 | 10.0 | 92 | 27063-0852 |
| 100 | 120 | 11.0 | 58 | 21003-4263 |
| 100 | 120 | 12.0 | 61 | 24060-2242 |
| 100 | 120 | 12.7 | 23 | 25003-9284 |
| 100 | 120 | 13.0 | 26R1 | 24620-9030 |
| 100 | 120 | 16.0 | EQ | 24801-1347 |
| 100 | 120 | 19.0 | IG | 29500-4980 |
| 100 | 125 | 6.5 | 26 | 24600-1907 |
| 100 | 125 | 10.0 | 23 | 25003-0811 |
| 100 | 125 | 11.0 | 23 | 25003-5363 |
| 100 | 125 | 12.0 | 92 | 27063-0860 |
| 100 | 125 | 12.5 | 23 | 25003-1875 |
| 100 | 125 | 12.7 | 23 | 25003-3248 |
| 100 | 125 | 13.0 | 26 | 24600-5345 |
| 100 | 125 | 13.0 | 26R1 | 24620-5345 |
| 100 | 125 | 16.0 | EQ | 24801-2230 |
| 100 | 125 | 19.0 | IG | 29500-4649 |
| 100 | 126 | 19.0 | IG | 29500-5072 |
| 100 | 127 | 12.0 | 23 | 25003-6129 |
| 100 | 127 | 13.0 | 53 | 21086-2519 |
| 100 | 127 | 13.0 | 62 | 21702-2519 |
| 100 | 127 | 13.0 | 26 | 24600-5913 |
| 100 | 127 | 14.0 | 53 | 21086-2520 |
| 100 | 127 | 16.0 | 53 | 21086-2521 |
| 100 | 127 | 23.0 | 53R1 | 22537-5049 |
| 100 | 128 | 10.0 | 23 | 25003-1000 |
| 100 | 130 | 9.5 | 23 | 25003-3229 |
| 100 | 130 | 12.0 | 53 | 21086-7842 |
| 100 | 130 | 12.0 | 92 | 27063-7842 |
| 100 | 130 | 12.7 | 23 | 25003-7979 |
| 100 | 130 | 13.0 | 53 | 21086-7979 |
| 100 | 130 | 13.0 | 61 | 24060-7979 |
| 100 | 130 | 16.0 | EQ | 24801-1346 |
| 100 | 130 | 19.0 | IG | 29500-4859 |
| 100 | 135 | 16.0 | EQ | 24801-4091 |
| 100 | 170 | 10.0 | 26 | 24600-5924 |
| 101 | 141 | 16.0 | 26 | 24600-4225 |
| 105 | 130 | 12.0 | 23 | 25003-8768 |
| 105 | 130 | 12.0 | 92 | 27063-8768 |
| 105 | 130 | 12.0 | 57 | 26058-8768 |
| 105 | 130 | 12.7 | 23 | 25003-2000 |
| 105 | 130 | 13.0 | 23 | 25003-6052 |
| 105 | 130 | 16.0 | EQ | 24801-2625 |
| 105 | 130 | 19.0 | IG | 29500-4981 |
| 105 | 135 | 12.7 | 23 | 25003-5763 |
| 105 | 135 | 14.0 | 26 | 24600-5353 |
| 105 | 135 | 14.0 | 26R1 | 24620-1034 |
| 105 | 135 | 14.0 | 23 | 25003-5353 |
| 105 | 140 | 12.0 | 23 | 25003-0866 |
| 105 | 140 | 12.0 | 92 | 27063-0866 |
| 105 | 140 | 16.0 | EQ | 24801-5309 |
| 105 | 140 | 19.0 | IG | 29500-4982 |
| 107 | 148 | 19.0 | IG | 29500-4835 |
| 108 | 127 | 11.0 | 26 | 24600-2653 |
| 110 | 126 | 16.0 | IG | 29500-5266 |
| 110 | 130 | 9.0 | 26 | 24600-3260 |
| 110 | 130 | 12.0 | 26R1 | 24620-2034 |
| 110 | 130 | 13.0 | 26 | 24600-2686 |
| 110 | 130 | 16.0 | EQ | 24801-3318 |
| 110 | 130 | 17.5 | EQ | 24801-3315 |
| 110 | 135 | 11.0 | 23 | 25003-5364 |
| 110 | 135 | 12.7 | 23 | 25003-2626 |
| 110 | 137 | 12.7 | 23 | 25003-0587 |
| 110 | 140 | 12.0 | 53 | 21086-7396 |
| 110 | 140 | 12.0 | 61 | 24060-7396 |
| 110 | 140 | 12.0 | 26R1 | 24620-7396 |
| 110 | 140 | 12.0 | 23 | 25003-7396 |
| 110 | 140 | 12.7 | 23 | 25003-9567 |
| 110 | 140 | 13.0 | 61 | 24060-1502 |

*All dimensions are in mm. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 110 | 140 | 13.0 | 26 | 24600-2731 |
| 110 | 140 | 13.0 | 26R1 | 24620-2731 |
| 110 | 140 | 14.0 | 58 | 21003-4264 |
| 110 | 140 | 14.0 | 26R1 | 24620-2703 |
| 110 | 140 | 14.0 | 59 | 24700-2703 |
| 110 | 140 | 14.0 | 23 | 25003-5346 |
| 110 | 140 | 16.0 | EQ | 24801-1082 |
| 110 | 140 | 19.0 | IG | 29500-4984 |
| 110 | 140 | 19.0 | IG | 29502-4984 |
| 110 | 150 | 16.0 | 23 | 25003-6992 |
| 110 | 170 | 13.0 | 94 | 27223-4488 |
| 112 | 145 | 14.0 | 58 | 21003-2262 |
| 113 | 140 | 12.5 | 53 | 21086-2818 |
| 113 | 162 | 19.0 | IG | 29500-4841 |
| 115 | 140 | 11.0 | 23 | 25003-5365 |
| 115 | 140 | 12.0 | 53 | 21086-7271 |
| 115 | 140 | 12.0 | 26R1 | 24620-2279 |
| 115 | 140 | 12.0 | 23 | 25003-7271 |
| 115 | 140 | 12.0 | 57 | 26059-2779 |
| 115 | 140 | 16.0 | EQ | 24801-2780 |
| 115 | 145 | 12.0 | 92 | 27063-0869 |
| 115 | 145 | 14.0 | 26 | 24600-0841 |
| 115 | 145 | 14.0 | 23 | 25003-5347 |
| 115 | 145 | 20.0 | 26R1 | 24620-3419 |
| 118 | 128 | 16.0 | IG | 29500-5326 |
| 118 | 142 | 16.0 | EQ | 24801-5510 |
| 120 | 140 | 13.0 | 61 | 24060-1862 |
| 120 | 140 | 13.0 | 26 | 24600-1855 |
| 120 | 140 | 19.0 | IG | 29500-5550 |
| 120 | 145 | 11.0 | 26 | 24600-0994 |
| 120 | 145 | 11.0 | 23 | 25003-5366 |
| 120 | 145 | 12.7 | 23 | 25003-2634 |
| 120 | 150 | 11.0 | 23 | 25003-8242 |
| 120 | 150 | 12.0 | 53 | 21086-7376 |
| 120 | 150 | 12.0 | 23 | 25003-7376 |
| 120 | 150 | 12.0 | 92 | 27063-7376 |
| 120 | 150 | 12.7 | 23 | 25003-5118 |
| 120 | 150 | 13.0 | 61 | 24060-1880 |
| 120 | 150 | 13.0 | 26R1 | 24620-2863 |
| 120 | 150 | 14.0 | 26 | 24600-5348 |
| 120 | 150 | 14.0 | 23 | 25003-5348 |
| 120 | 150 | 15.0 | 53 | 21086-7277 |
| 120 | 150 | 15.0 | 26R1 | 24620-7277 |
| 120 | 150 | 16.0 | EQ | 24801-3179 |
| 120 | 155 | 13.0 | 23 | 25003-1303 |
| 120 | 160 | 12.0 | 53 | 21086-7836 |
| 120 | 160 | 12.0 | 26 | 24600-7836 |
| 120 | 160 | 12.0 | 23 | 25003-7836 |
| 124 | 160 | 10.5 | 23 | 25003-1707 |
| 125 | 150 | 12.0 | 58 | 21003-2887 |
| 125 | 150 | 12.0 | 23 | 25003-2887 |
| 125 | 150 | 12.0 | 92 | 27063-2887 |
| 125 | 150 | 15.0 | 23 | 25003-1259 |
| 125 | 154 | 12.4 | 23 | 25003-5377 |
| 125 | 155 | 14.0 | 26R1 | 24620-5354 |
| 125 | 155 | 14.0 | 23 | 25003-5354 |
| 125 | 155 | 16.0 | EQ | 24801-5089 |
| 125 | 160 | 12.0 | 92 | 27063-0873 |
| 125 | 160 | 13.0 | 23 | 25003-2293 |
| 125 | 160 | 15.0 | 26 | 24600-2889 |
| 125 | 160 | 18.0 | 23 | 25003-1397 |
| 125 | 170 | 12.0 | 26R1 | 24620-2890 |
| 125 | 175 | 16.0 | EQ | 24801-2930 |
| 127 | 152 | 27.0 | IGSPB | 29506-7102 |
| 127 | 159 | 19.0 | IG | 29500-4203 |
| 127 | 181 | 13.0 | 53 | 21086-2942 |
| 130 | 159 | 12.0 | 23 | 25003-5367 |
| 130 | 160 | 12.0 | 23 | 25003-4656 |
| 130 | 160 | 12.0 | 92 | 27063-4656 |
| 130 | 160 | 12.0 | 57 | 26059-4656 |
| 130 | 160 | 13.0 | 23 | 25003-7221 |
| 130 | 160 | 14.0 | 58 | 21003-2989 |
| 130 | 160 | 14.0 | 26R1 | 24620-2989 |
| 130 | 160 | 15.0 | 26 | 24600-2988 |
| 130 | 160 | 15.0 | 23 | 25003-2988 |
| 130 | 160 | 16.0 | EQ | 24801-3022 |
| 130 | 168 | 16.0 | 23 | 25003-0956 |
| 132 | 160 | 12.7 | 23 | 25003-9275 |
| 135 | 164 | 12.4 | 23 | 25003-5378 |
| 135 | 165 | 8.0 | 61 | 24060-1884 |
| 135 | 165 | 14.0 | 23 | 25003-5355 |
| 135 | 165 | 16.0 | EQ | 24801-5088 |
| 135 | 168 | 18.0 | 26 | 24600-2047 |
| 135 | 170 | 12.0 | 23 | 25003-9175 |
| 135 | 170 | 13.0 | 26 | 24600-9175 |
| 135 | 170 | 15.0 | 26R1 | 24620-3118 |
| 135 | 170 | 15.0 | 23 | 25003-3118 |
| 135 | 170 | 16.0 | EQ | 24801-3162 |
| 138 | 178 | 16.0 | 26 | 24600-4226 |
| 138 | 181 | 13.0 | 53 | 21086-3164 |
| 140 | 160 | 13.0 | 26R1 | 24620-3201 |
| 140 | 165 | 10.0 | 61 | 24060-1898 |
| 140 | 165 | 12.5 | 23 | 25003-2019 |
| 140 | 165 | 12.7 | 23 | 25003-0674 |
| 140 | 165 | 16.0 | EQ | 24801-5140 |
| 140 | 170 | 8.0 | 26 | 24600-3203 |
| 140 | 170 | 12.0 | 23 | 25003-1718 |
| 140 | 170 | 12.0 | 92 | 27063-1718 |
| 140 | 170 | 13.0 | 23 | 25003-9158 |
| 140 | 170 | 14.0 | 53 | 21086-7383 |
| 140 | 170 | 14.0 | 61 | 24060-7383 |
| 140 | 170 | 14.0 | 26R1 | 24620-7383 |
| 140 | 170 | 15.0 | 53 | 21086-7267 |
| 140 | 170 | 15.0 | 26 | 24600-7267 |

*All dimensions are in mm. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

# Oil Seals by Shaft Size (Metric)



| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 140 | 170 | 15.0 | 23 | 25003-7267 |
| 140 | 170 | 15.0 | 57 | 26059-7267 |
| 140 | 170 | 16.0 | 59 | 24700-1134 |
| 140 | 170 | 16.0 | 23 | 25003-5861 |
| 140 | 173 | 14.0 | 23 | 25003-5368 |
| 140 | 175 | 18.0 | 26 | 24600-3204 |
| 140 | 175 | 18.0 | 23 | 25003-3204 |
| 140 | 180 | 15.0 | 61 | 24060-2461 |
| 140 | 180 | 16.0 | 26 | 24600-2098 |
| 140 | 180 | 16.0 | 23 | 25003-3148 |
| 142 | 162 | 19.0 | IG | 29500-5549 |
| 143 | 181 | 13.0 | 53 | 21086-3240 |
| 143 | 181 | 19.0 | 23 | 25003-6368 |
| 145 | 175 | 14.0 | 26R1 | 24620-5349 |
| 145 | 175 | 14.0 | 23 | 25003-5349 |
| 145 | 175 | 15.0 | 57 | 26057-0958 |
| 145 | 180 | 15.0 | 23 | 25003-4415 |
| 145 | 180 | 16.0 | 23 | 25003-3197 |
| 146 | 180 | 15.0 | 23 | 25003-0519 |
| 146 | 181 | 13.0 | 53 | 21086-3284 |
| 150 | 180 | 12.0 | 92 | 27063-0875 |
| 150 | 180 | 13.0 | 23 | 25003-1111 |
| 150 | 180 | 14.0 | 26 | 24600-5335 |
| 150 | 180 | 14.0 | 26R1 | 24620-5335 |
| 150 | 180 | 14.0 | 59 | 24700-5335 |
| 150 | 180 | 14.0 | 23 | 25003-5335 |
| 150 | 180 | 14.0 | 57 | 26056-5335 |
| 150 | 180 | 15.0 | 58 | 21003-3327 |
| 150 | 180 | 15.0 | 23 | 25003-3327 |
| 150 | 180 | 16.0 | EQ | 24801-1349 |
| 150 | 180 | 16.0 | 23 | 25003-2341 |
| 150 | 180 | 18.0 | 23 | 25003-4862 |
| 150 | 190 | 15.0 | 26 | 24600-4395 |
| 150 | 190 | 15.0 | 23 | 25003-2233 |
| 154 | 179 | 19.0 | IG | 29500-4309 |
| 155 | 174 | 12.0 | 26 | 24600-3326 |
| 155 | 180 | 13.0 | 23 | 25003-1269 |
| 155 | 180 | 15.0 | 26R1 | 24620-3352 |
| 155 | 180 | 15.0 | 59 | 24700-3352 |
| 160 | 184 | 14.0 | 23 | 25003-1394 |
| 160 | 185 | 10.0 | 92 | 27063-0876 |
| 160 | 190 | 8.0 | 26 | 24600-3404 |
| 160 | 190 | 12.7 | 23 | 25003-4634 |
| 160 | 190 | 13.0 | 23 | 25003-7816 |
| 160 | 190 | 13.0 | 57 | 26057-7816 |
| 160 | 190 | 14.0 | 53 | 21086-7286 |
| 160 | 190 | 15.0 | 53 | 21086-7276 |
| 160 | 190 | 15.0 | 26 | 24600-7276 |
| 160 | 190 | 15.0 | 26R1 | 24620-7276 |
| 160 | 190 | 15.0 | 23 | 25003-7276 |
| 160 | 190 | 15.0 | 57 | 26059-7276 |
| 160 | 190 | 16.0 | 26 | 24600-3913 |
| 160 | 190 | 16.0 | EQ | 24801-3913 |
| 160 | 190 | 16.0 | 23 | 25003-3913 |
| 160 | 195 | 18.0 | 26R1 | 24620-1035 |
| 160 | 200 | 12.0 | 23 | 25003-1717 |
| 160 | 200 | 14.0 | 59 | 24700-4038 |
| 160 | 200 | 16.0 | 21 | 25001-4633 |
| 162 | 200 | 13.0 | 53 | 21086-3421 |
| 162 | 200 | 16.0 | 53 | 21086-3423 |
| 162 | 200 | 16.0 | 26 | 24600-3423 |
| 162 | 200 | 19.0 | 53 | 21086-3424 |
| 162 | 200 | 19.0 | 23 | 25003-3424 |
| 165 | 190 | 13.0 | 58 | 21003-0584 |
| 165 | 200 | 12.0 | 24 | 25005-8171 |
| 165 | 200 | 16.0 | 53 | 21086-3432 |
| 165 | 200 | 19.0 | 23 | 25003-9217 |
| 170 | 194 | 14.0 | 23 | 25003-1395 |
| 170 | 195 | 12.5 | 23 | 25003-0637 |
| 170 | 200 | 8.0 | 26 | 24600-3451 |
| 170 | 200 | 12.0 | 23 | 25003-2826 |
| 170 | 200 | 12.5 | 23 | 25003-5356 |
| 170 | 200 | 13.0 | 57 | 26057-0783 |
| 170 | 200 | 15.0 | 53 | 21086-7268 |
| 170 | 200 | 15.0 | 26R1 | 24620-3919 |
| 170 | 200 | 15.0 | 59 | 24700-7268 |
| 170 | 200 | 15.0 | 23 | 25003-7268 |
| 170 | 200 | 15.0 | 57 | 26059-7268 |
| 170 | 200 | 16.0 | 26 | 24600-3919 |
| 170 | 200 | 16.0 | 59 | 24700-3919 |
| 170 | 200 | 16.0 | EQ | 24801-3180 |
| 170 | 203 | 14.0 | 23 | 25003-5370 |
| 170 | 210 | 16.0 | 26 | 24600-3329 |
| 175 | 200 | 12.0 | 23 | 25003-1709 |
| 175 | 200 | 12.7 | 23 | 25003-3251 |
| 175 | 200 | 15.0 | 23 | 25003-4624 |
| 175 | 205 | 15.0 | 23 | 25003-2457 |
| 175 | 215 | 16.0 | 53 | 21086-7495 |
| 175 | 215 | 16.0 | 23 | 25003-1388 |
| 178 | 218 | 16.0 | 26 | 24600-4227 |
| 180 | 200 | 15.0 | 26 | 24600-5919 |
| 180 | 205 | 13.0 | 23 | 25003-1616 |
| 180 | 210 | 12.0 | 23 | 25003-2828 |
| 180 | 210 | 12.5 | 23 | 25003-5336 |
| 180 | 210 | 15.0 | 53 | 21086-7807 |
| 180 | 210 | 15.0 | 61 | 24060-7807 |
| 180 | 210 | 15.0 | 26R1 | 24620-3920 |
| 180 | 210 | 15.0 | 23 | 25003-7807 |
| 180 | 210 | 16.0 | 26 | 24600-3920 |
| 180 | 210 | 16.0 | 57 | 26056-3920 |
| 180 | 213 | 14.0 | 23 | 25003-5371 |
| 180 | 215 | 15.9 | EQ | 24802-5625 |
| 180 | 220 | 15.9 | 23 | 25003-9994 |
| 180 | 220 | 16.0 | 59 | 24700-4039 |

*All dimensions are in mm. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 185 | 210 | 12.7 | 23 | 25003-0801 |
| 185 | 215 | 15.0 | 23 | 25003-2643 |
| 185 | 225 | 16.0 | 23 | 25003-7006 |
| 189 | 225 | 16.0 | 26R1 | 24620-3923 |
| 189 | 227 | 19.0 | 23 | 25003-9792 |
| 190 | 214 | 12.0 | 23 | 25003-1290 |
| 190 | 215 | 12.7 | 23 | 25003-2581 |
| 190 | 215 | 16.0 | 26 | 24600-4997 |
| 190 | 220 | 12.0 | 23 | 25003-0504 |
| 190 | 220 | 12.5 | 23 | 25003-5333 |
| 190 | 220 | 15.0 | 61 | 24060-8049 |
| 190 | 220 | 15.0 | 59 | 24700-2043 |
| 190 | 220 | 15.0 | 23 | 25003-8049 |
| 190 | 220 | 16.0 | 23 | 25003-1379 |
| 190 | 220 | 19.0 | IG | 29500-4756 |
| 190 | 225 | 16.0 | 26R1 | 24620-1036 |
| 190 | 225 | 16.0 | 23 | 25003-3911 |
| 190 | 225 | 16.0 | 57 | 26057-3911 |
| 190 | 230 | 16.0 | 23 | 25003-1214 |
| 190 | 235 | 16.0 | 26 | 24600-3758 |
| 195 | 230 | 15.0 | 59 | 24700-2183 |
| 195 | 230 | 15.0 | 23 | 25003-7320 |
| 196 | 220 | 12.0 | 23 | 25003-0980 |
| 200 | 224 | 12.7 | 23 | 25003-4860 |
| 200 | 225 | 15.0 | 23 | 25003-1949 |
| 200 | 230 | 13.0 | 53 | 21086-4834 |
| 200 | 230 | 14.0 | 26 | 24600-3914 |
| 200 | 230 | 14.0 | 26R1 | 24620-3914 |
| 200 | 230 | 14.0 | 23 | 25003-3914 |
| 200 | 230 | 15.0 | 58 | 21003-7388 |
| 200 | 230 | 15.0 | 53 | 21086-7388 |
| 200 | 230 | 15.0 | 61 | 24060-7388 |
| 200 | 230 | 15.0 | 26R1 | 24620-7388 |
| 200 | 230 | 15.0 | 59 | 24700-7388 |
| 200 | 230 | 15.0 | 23 | 25003-7388 |
| 200 | 230 | 16.0 | 59 | 24700-5317 |
| 200 | 230 | 19.0 | 59 | 24700-3301 |
| 200 | 235 | 15.0 | 57 | 26056-1727 |
| 200 | 235 | 16.0 | 26 | 24600-3908 |
| 200 | 236 | 19.0 | 23 | 25003-6926 |
| 200 | 238 | 19.0 | 23 | 25003-1014 |
| 200 | 240 | 15.5 | 23 | 25003-5372 |
| 200 | 240 | 16.0 | 23 | 25003-8420 |
| 200 | 240 | 20.0 | 26 | 24600-3916 |
| 200 | 240 | 20.0 | 26R1 | 24620-3916 |
| 208 | 238 | 15.0 | 26 | 24600-2147 |
| 210 | 240 | 12.0 | 23 | 25003-2833 |
| 210 | 240 | 15.0 | 26 | 24600-5338 |
| 210 | 240 | 15.0 | 26R1 | 24620-5338 |
| 210 | 240 | 15.0 | 23 | 25003-5338 |
| 210 | 249 | 22.0 | 26 | 24600-5231 |
| 210 | 250 | 14.0 | 53 | 21086-7887 |
| 210 | 250 | 16.0 | 21 | 25001-9521 |
| 215 | 240 | 12.7 | 23 | 25003-5402 |
| 215 | 245 | 12.5 | 23 | 25003-1953 |
| 215 | 245 | 15.0 | 23 | 25003-5358 |
| 215 | 248 | 15.0 | 23 | 25003-0961 |
| 215 | 250 | 16.4 | 23 | 25003-0746 |
| 216 | 254 | 16.0 | 53 | 21086-4602 |
| 216 | 254 | 16.0 | 59 | 24700-0012 |
| 216 | 254 | 18.0 | 64 | 21238-8453 |
| 216 | 254 | 19.0 | 53 | 21086-3937 |
| 216 | 254 | 19.0 | 62 | 21702-3937 |
| 216 | 254 | 19.0 | 21 | 25001-3937 |
| 216 | 254 | 19.0 | 23 | 25003-3937 |
| 216 | 254 | 26.0 | 53F1 | 22987-6760 |
| 216 | 254 | 32.0 | 53F1 | 22987-5681 |
| 219 | 254 | 19.0 | 59 | 24700-0014 |
| 220 | 250 | 12.0 | 23 | 25003-2829 |
| 220 | 250 | 13.0 | 23 | 25003-4757 |
| 220 | 250 | 15.0 | 53 | 21086-5357 |
| 220 | 250 | 15.0 | 62 | 21702-5357 |
| 220 | 250 | 15.0 | 26R1 | 24620-5357 |
| 220 | 250 | 15.0 | 59 | 24700-5357 |
| 220 | 250 | 15.0 | 23 | 25003-5357 |
| 220 | 250 | 16.0 | 26 | 24600-3942 |
| 220 | 250 | 16.0 | 23 | 25003-3942 |
| 220 | 260 | 13.0 | 53 | 21086-7840 |
| 220 | 260 | 15.0 | 23 | 25003-0891 |
| 220 | 260 | 16.0 | 59 | 24700-0019 |
| 220 | 260 | 16.0 | 23 | 25003-8606 |
| 220 | 260 | 19.0 | 23 | 25003-0957 |
| 220 | 260 | 20.0 | 23 | 25003-1392 |
| 220 | 260 | 22.0 | 26 | 24600-3944 |
| 220 | 260 | 22.0 | 26R1 | 24620-3944 |
| 225 | 250 | 12.5 | 23 | 25003-8481 |
| 225 | 265 | 16.0 | 23 | 25003-2247 |
| 230 | 255 | 12.7 | 23 | 25003-5403 |
| 230 | 260 | 15.0 | 26 | 24600-3955 |
| 230 | 260 | 15.0 | 59 | 24700-3955 |
| 230 | 260 | 15.0 | 23 | 25003-5334 |
| 230 | 260 | 15.0 | 87 | 26080-5334 |
| 230 | 268 | 19.0 | 23 | 25003-5784 |
| 230 | 269 | 22.0 | 26 | 24600-3956 |
| 230 | 269 | 22.0 | 26R1 | 24620-3956 |
| 230 | 270 | 14.0 | 53 | 21086-7890 |
| 230 | 270 | 14.0 | 59 | 24700-4035 |
| 230 | 270 | 15.0 | 59 | 24700-5814 |
| 230 | 270 | 16.0 | 59 | 24700-4763 |
| 230 | 270 | 16.0 | 23 | 25003-4885 |
| 230 | 276 | 17.5 | 23 | 25003-5374 |
| 230 | 280 | 16.0 | 59 | 24700-0036 |
| 230 | 280 | 16.0 | 23 | 25003-4865 |
| 235 | 275 | 0.0 | 61 | 24060-1909 |

*All dimensions are in mm. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 240 | 270 | 15.0 | 53 | 21086-5359 |
| 240 | 270 | 15.0 | 26 | 24600-5359 |
| 240 | 270 | 15.0 | 26R1 | 24620-5359 |
| 240 | 270 | 15.0 | 59 | 24700-5359 |
| 240 | 270 | 15.0 | 23 | 25003-5359 |
| 240 | 270 | 16.0 | 59 | 24700-0053 |
| 240 | 275 | 16.0 | 26 | 24600-3910 |
| 240 | 275 | 16.0 | 57 | 26057-3910 |
| 240 | 275 | 18.0 | 23 | 25003-1036 |
| 240 | 280 | 13.0 | 23 | 25003-1097 |
| 240 | 280 | 15.0 | 26 | 24600-2041 |
| 240 | 280 | 16.0 | 53 | 21086-7891 |
| 240 | 280 | 16.0 | 23 | 25003-7891 |
| 240 | 280 | 19.0 | 26 | 24600-3973 |
| 240 | 280 | 19.0 | 26R1 | 24620-3973 |
| 240 | 280 | 19.0 | 23 | 25003-3973 |
| 240 | 280 | 20.0 | 23 | 25003-9435 |
| 240 | 286 | 17.5 | 23 | 25003-5380 |
| 240 | 290 | 16.0 | 23 | 25003-3132 |
| 240 | 290 | 19.0 | 26R1 | 24620-3974 |
| 240 | 300 | 25.0 | 59 | 24700-0054 |
| 240 | 320 | 25.0 | 26 | 24600-0828 |
| 242 | 272 | 15.0 | 26 | 24600-2149 |
| 245 | 283 | 20.6 | 23 | 25003-2256 |
| 245 | 305 | 25.0 | 26R1 | 24620-1837 |
| 250 | 280 | 12.7 | 23 | 25003-9676 |
| 250 | 280 | 15.0 | 53 | 21086-5339 |
| 250 | 280 | 15.0 | 62 | 21702-5339 |
| 250 | 280 | 15.0 | 26R1 | 24620-5339 |
| 250 | 280 | 15.0 | 59 | 24700-5339 |
| 250 | 280 | 15.0 | 23 | 25003-5339 |
| 250 | 280 | 16.0 | 26 | 24600-4345 |
| 250 | 285 | 16.0 | 23 | 25003-1099 |
| 250 | 290 | 15.0 | 23 | 25003-4497 |
| 250 | 290 | 16.0 | 23 | 25003-8607 |
| 250 | 296 | 17.5 | 23 | 25003-5375 |
| 255 | 290 | 16.0 | 59 | 24700-4767 |
| 258 | 290 | 16.0 | 23 | 25003-0695 |
| 260 | 290 | 15.0 | 26 | 24600-5351 |
| 260 | 290 | 15.0 | 23 | 25003-5351 |
| 260 | 290 | 16.0 | 26 | 24600-5111 |
| 260 | 290 | 16.0 | 59 | 24700-5111 |
| 260 | 298 | 19.0 | 23 | 25003-5665 |
| 260 | 300 | 13.0 | 53 | 21086-7892 |
| 260 | 300 | 16.0 | 23 | 25003-7010 |
| 260 | 300 | 20.0 | 26 | 24600-5429 |
| 260 | 300 | 20.0 | 59 | 24700-5429 |
| 260 | 304 | 20.0 | 23 | 25003-4805 |
| 260 | 304 | 20.0 | 87 | 26080-4805 |
| 260 | 306 | 17.5 | 23 | 25003-5381 |
| 260 | 308 | 20.0 | 23 | 25003-1292 |
| 260 | 310 | 16.0 | 23 | 25003-0872 |
| 260 | 311 | 19.0 | 23 | 25003-2314 |
| 260 | 315 | 24.0 | 59 | 24700-4891 |
| 260 | 320 | 25.0 | 59 | 24700-4999 |
| 265 | 290 | 15.9 | 23 | 25003-2613 |
| 270 | 300 | 15.0 | 23 | 25003-5350 |
| 270 | 300 | 16.0 | 26 | 24600-5445 |
| 270 | 300 | 16.0 | 59 | 24700-0094 |
| 270 | 308 | 18.0 | 64 | 21238-7769 |
| 270 | 308 | 19.0 | 53 | 21086-4018 |
| 270 | 308 | 19.0 | 59 | 24700-0095 |
| 270 | 308 | 19.0 | 23 | 25003-4018 |
| 270 | 310 | 16.0 | 59 | 24700-8655 |
| 270 | 310 | 16.0 | 23 | 25003-8655 |
| 270 | 310 | 20.0 | 26R1 | 24620-2965 |
| 270 | 314 | 20.0 | 23 | 25003-1027 |
| 270 | 335 | 18.0 | 59 | 24700-0099 |
| 274 | 304 | 15.0 | 26 | 24600-2148 |
| 275 | 305 | 15.0 | 26 | 24600-1040 |
| 275 | 310 | 15.0 | 26 | 24600-3722 |
| 275 | 310 | 15.0 | 23 | 25003-2350 |
| 279 | 309 | 15.0 | 23 | 25003-1246 |
| 280 | 310 | 16.0 | 59 | 24700-0982 |
| 280 | 310 | 16.0 | 23 | 25003-2582 |
| 280 | 310 | 20.0 | 23 | 25003-0890 |
| 280 | 316 | 18.0 | 26 | 24600-5233 |
| 280 | 318 | 18.0 | 23 | 25003-1962 |
| 280 | 320 | 16.0 | 53 | 21086-7848 |
| 280 | 320 | 18.0 | 59 | 24700-4028 |
| 280 | 320 | 20.0 | 64 | 21238-7391 |
| 280 | 320 | 20.0 | 26 | 24600-3695 |
| 280 | 320 | 20.0 | 59 | 24700-3695 |
| 280 | 320 | 20.0 | 23 | 25003-7391 |
| 280 | 320 | 20.0 | 88 | 26088-7391 |
| 280 | 330 | 15.5 | 23 | 25003-0897 |
| 280 | 340 | 21.0 | 64 | 21238-4039 |
| 280 | 340 | 25.0 | 59 | 24700-0109 |
| 284 | 330 | 15.8 | 23 | 25003-0740 |
| 285 | 315 | 20.0 | 23 | 25003-1262 |
| 285 | 329 | 20.0 | 23 | 25003-5712 |
| 289 | 327 | 19.0 | 53 | 21086-4050 |
| 289 | 327 | 19.0 | 59 | 24700-0119 |
| 289 | 327 | 19.0 | 23 | 25003-4050 |
| 290 | 330 | 16.0 | 59 | 24700-4042 |
| 290 | 330 | 18.0 | 23 | 25003-0416 |
| 290 | 330 | 20.0 | 26R1 | 24620-3886 |
| 290 | 330 | 20.0 | 23 | 25003-1031 |
| 290 | 350 | 25.0 | 59 | 24700-3100 |
| 292 | 327 | 18.0 | 59 | 24700-0125 |
| 300 | 330 | 15.0 | 23 | 25003-5352 |
| 300 | 330 | 16.0 | 23 | 25003-0740 |
| 300 | 332 | 16.0 | 59 | 24700-4009 |
| 300 | 335 | 18.0 | 23 | 25003-5446 |

*All dimensions are in mm. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 300 | 338 | 19.0 | 23 | 25003-9793 |
| 300 | 340 | 16.0 | 53 | 21086-7893 |
| 300 | 340 | 18.0 | 59 | 24700-0134 |
| 300 | 340 | 20.0 | 23 | 25003-4655 |
| 300 | 340 | 20.6 | 23 | 25003-0947 |
| 300 | 344 | 20.0 | 59 | 24700-4056 |
| 300 | 344 | 20.0 | 23 | 25003-4602 |
| 300 | 344 | 20.5 | 23 | 25003-8525 |
| 300 | 344 | 21.0 | 88 | 26088-8525 |
| 300 | 345 | 22.0 | 26R1 | 24620-1037 |
| 300 | 350 | 19.0 | 23 | 25003-4881 |
| 300 | 350 | 26.0 | 59 | 24700-0135 |
| 310 | 335 | 12.7 | 23 | 25003-5536 |
| 310 | 340 | 15.0 | 23 | 25003-5340 |
| 310 | 350 | 20.0 | 59 | 24700-0999 |
| 310 | 354 | 20.0 | 23 | 25003-2454 |
| 310 | 354 | 20.0 | 87 | 26080-2454 |
| 315 | 355 | 18.0 | 59 | 24700-4029 |
| 315 | 360 | 20.0 | 23 | 25003-1108 |
| 310 | 360 | 25.0 | 59 | 24700-5693 |
| 320 | 350 | 16.0 | 59 | 24700-0162 |
| 320 | 355 | 16.0 | 59 | 24700-0163 |
| 320 | 358 | 19.0 | 23 | 25003-5667 |
| 320 | 360 | 18.0 | 23 | 25003-1113 |
| 320 | 360 | 18.0 | 59 | 24700-1966 |
| 320 | 360 | 19.0 | 23 | 25003-1712 |
| 320 | 360 | 20.0 | 26 | 24600-4397 |
| 320 | 360 | 20.0 | 59 | 24700-4397 |
| 320 | 360 | 20.0 | 23 | 25003-1103 |
| 320 | 362 | 20.7 | 23 | 25003-1182 |
| 320 | 364 | 20.0 | 26 | 24600-3721 |
| 320 | 364 | 20.0 | 23 | 25003-2911 |
| 324 | 362 | 16.0 | 59 | 24700-0168 |
| 324 | 362 | 18.0 | 64 | 21238-4089 |
| 324 | 362 | 19.0 | 26 | 24600-5942 |
| 324 | 362 | 19.0 | 23 | 25003-5942 |
| 324 | 381 | 21.0 | 64 | 21238-4092 |
| 324 | 381 | 22.0 | 59 | 24700-0170 |
| 325 | 365 | 16.0 | 59 | 24700-4058 |
| 325 | 365 | 16.0 | 23 | 25003-3209 |
| 327 | 381 | 21.0 | 64 | 21238-5404 |
| 330 | 360 | 10.0 | 23 | 25003-0590 |
| 330 | 360 | 15.0 | 26 | 24600-5341 |
| 330 | 360 | 15.0 | 23 | 25003-5341 |
| 330 | 370 | 18.0 | 59 | 24700-0174 |
| 330 | 370 | 18.0 | 23 | 25003-9996 |
| 330 | 374 | 19.0 | 23 | 25003-3170 |
| 330 | 374 | 20.0 | 59 | 24700-5525 |
| 330 | 374 | 20.0 | 23 | 25003-4630 |
| 330 | 390 | 25.0 | 59 | 24700-1000 |
| 332 | 370 | 19.0 | 23 | 25003-0994 |
| 340 | 372 | 16.0 | 59 | 24700-0188 |
| 340 | 378 | 19.0 | 23 | 25003-5664 |
| 340 | 380 | 16.0 | 53 | 21086-7896 |
| 340 | 380 | 17.5 | 59 | 24700-0189 |
| 340 | 380 | 18.0 | 26 | 24600-3882 |
| 340 | 380 | 18.0 | 59 | 24700-3882 |
| 340 | 380 | 18.0 | 23 | 25003-0893 |
| 340 | 380 | 20.0 | 59 | 24700-5170 |
| 340 | 384 | 20.0 | 23 | 25003-2245 |
| 340 | 385 | 20.0 | 23 | 25003-2286 |
| 343 | 381 | 16.0 | 59 | 24700-0190 |
| 343 | 381 | 17.0 | 26 | 24600-5456 |
| 343 | 381 | 17.0 | 26R1 | 24620-5456 |
| 343 | 381 | 18.0 | 53 | 21086-4121 |
| 343 | 381 | 18.0 | 64 | 21238-4121 |
| 343 | 381 | 19.0 | 53 | 21086-4122 |
| 343 | 381 | 19.0 | 23 | 25003-4122 |
| 350 | 380 | 10.0 | 23 | 25003-0591 |
| 350 | 380 | 16.0 | 59 | 24700-3212 |
| 350 | 380 | 20.0 | 59 | 24700-4755 |
| 350 | 388 | 12.7 | 23 | 25003-5477 |
| 350 | 388 | 19.0 | 23 | 25003-9316 |
| 350 | 390 | 16.0 | 23 | 25003-8656 |
| 350 | 390 | 18.0 | 59 | 24700-0204 |
| 350 | 394 | 12.7 | 23 | 25003-2109 |
| 350 | 394 | 19.0 | 59 | 24700-5107 |
| 350 | 394 | 20.0 | 26 | 24600-5102 |
| 350 | 394 | 20.0 | 59 | 24700-5102 |
| 350 | 394 | 20.0 | 23 | 25003-4603 |
| 350 | 399 | 20.0 | 23 | 25003-5874 |
| 350 | 400 | 17.0 | 59 | 24700-3490 |
| 350 | 400 | 25.0 | 59 | 24700-3091 |
| 350 | 410 | 20.0 | 59 | 24700-1902 |
| 350 | 410 | 25.0 | 59 | 24700-5477 |
| 355 | 395 | 20.0 | 59 | 24700-5441 |
| 355 | 420 | 15.0 | 88 | 26088-1924 |
| 356 | 381 | 18.0 | 26 | 24600-8815 |
| 356 | 394 | 19.0 | 23 | 25003-9287 |
| 360 | 390 | 18.0 | 26 | 24600-0992 |
| 360 | 390 | 18.0 | 59 | 24700-0992 |
| 360 | 390 | 18.0 | 23 | 25003-2066 |
| 360 | 396 | 16.0 | 23 | 25003-0963 |
| 360 | 400 | 16.0 | 53 | 21086-7849 |
| 360 | 400 | 18.0 | 26 | 24600-4394 |
| 360 | 400 | 18.0 | 59 | 24700-4394 |
| 360 | 400 | 20.0 | 59 | 24700-1892 |
| 360 | 400 | 20.0 | 23 | 25003-9182 |
| 360 | 404 | 20.0 | 87 | 26080-1202 |
| 360 | 425 | 22.0 | 59 | 24700-0221 |
| 365 | 403 | 19.0 | 23 | 25003-3250 |
| 368 | 419 | 20.6 | 87 | 26080-2134 |
| 370 | 395 | 12.7 | 23 | 25003-5845 |
| 370 | 410 | 20.0 | 26R1 | 24620-8196 |

*All dimensions are in mm. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 370 | 411 | 16.0 | 23 | 25003-9993 |
| 370 | 414 | 20.0 | 59 | 24700-3880 |
| 370 | 415 | 20.0 | 59 | 24700-5694 |
| 370 | 420 | 20.0 | 23 | 25003-1968 |
| 375 | 415 | 16.0 | 23 | 25003-6994 |
| 375 | 420 | 20.0 | 59 | 24700-4423 |
| 380 | 420 | 15.9 | 23 | 25003-2328 |
| 380 | 420 | 20.0 | 59 | 24700-0247 |
| 380 | 420 | 20.0 | 23 | 25003-0614 |
| 380 | 424 | 20.0 | 59 | 24700-4674 |
| 380 | 424 | 20.0 | 23 | 25003-4601 |
| 380 | 440 | 25.0 | 26R1 | 24620-5466 |
| 380 | 440 | 25.0 | 59 | 24700-5466 |
| 381 | 426 | 29.0 | 26R1 | 24620-5146 |
| 385 | 425 | 20.0 | 23 | 25003-8464 |
| 387 | 417 | 15.0 | 59 | 24700-5299 |
| 390 | 420 | 14.0 | 23 | 25003-1608 |
| 390 | 428 | 19.0 | 23 | 25003-9796 |
| 390 | 430 | 18.0 | 59 | 24700-5172 |
| 390 | 430 | 19.0 | 23 | 25003-5290 |
| 390 | 430 | 20.0 | 26 | 24600-4941 |
| 390 | 434 | 20.0 | 59 | 24700-5281 |
| 390 | 434 | 20.0 | 23 | 25003-1767 |
| 390 | 440 | 20.0 | 59 | 24700-3950 |
| 390 | 440 | 25.0 | 59 | 24700-4936 |
| 390 | 450 | 17.0 | 64 | 21238-4166 |
| 390 | 450 | 25.0 | 59 | 24700-2049 |
| 394 | 420 | 12.7 | 23 | 25003-2206 |
| 395 | 439 | 19.0 | 26R1 | 24620-0979 |
| 395 | 439 | 23.0 | 26 | 24600-3867 |
| 397 | 435 | 19.0 | 59 | 24700-0265 |
| 397 | 435 | 19.0 | 23 | 25003-6455 |
| 400 | 438 | 19.0 | 23 | 25003-5666 |
| 400 | 440 | 16.0 | 59 | 24700-5064 |
| 400 | 440 | 20.0 | 26 | 24600-4396 |
| 400 | 440 | 20.0 | 59 | 24700-4396 |
| 400 | 444 | 17.0 | 23 | 25003-8702 |
| 400 | 444 | 20.0 | 23 | 25003-4629 |
| 400 | 444 | 20.0 | 26 | 24600-1332 |
| 400 | 444 | 20.0 | 59 | 24700-1332 |
| 400 | 444 | 20.0 | 87 | 26080-4629 |
| 400 | 450 | 18.0 | 64 | 21238-4169 |
| 400 | 450 | 18.0 | 59 | 24700-0268 |
| 400 | 450 | 18.0 | 23 | 25003-2389 |
| 400 | 450 | 19.0 | 59 | 24700-2726 |
| 400 | 450 | 20.0 | 23 | 25003-2069 |
| 400 | 450 | 20.6 | 23 | 25003-2275 |
| 400 | 460 | 25.0 | 26R1 | 24620-5467 |
| 410 | 450 | 20.0 | 59 | 24700-4512 |
| 410 | 460 | 22.0 | 26 | 24600-4015 |
| 414 | 464 | 20.6 | 23 | 25003-1280 |
| 415 | 465 | 20.0 | 59 | 24700-4002 |

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 416 | 454 | 18.0 | 64 | 21238-4179 |
| 416 | 454 | 19.0 | 59 | 24700-0286 |
| 416 | 454 | 19.0 | 23 | 25003-5178 |
| 420 | 455 | 20.0 | 23 | 25003-2625 |
| 420 | 458 | 19.0 | 23 | 25003-5725 |
| 420 | 460 | 20.0 | 64 | 21238-8504 |
| 420 | 460 | 20.0 | 59 | 24700-0295 |
| 420 | 460 | 20.0 | 23 | 25003-8504 |
| 420 | 470 | 18.0 | 64 | 21238-8792 |
| 420 | 470 | 18.8 | 23 | 25003-8705 |
| 420 | 470 | 19.0 | 23 | 25003-4521 |
| 420 | 470 | 22.0 | 64 | 21238-1929 |
| 420 | 470 | 22.0 | 26 | 24600-1331 |
| 420 | 470 | 22.0 | 59 | 24700-1331 |
| 420 | 480 | 25.0 | 26R1 | 24620-5468 |
| 420 | 480 | 28.0 | 26R1 | 24620-1038 |
| 425 | 475 | 20.0 | 23 | 25003-9529 |
| 430 | 470 | 20.0 | 59 | 24700-4252 |
| 430 | 470 | 20.0 | 23 | 25003-4510 |
| 430 | 480 | 20.0 | 23 | 25003-5029 |
| 430 | 480 | 22.0 | 59 | 24700-3740 |
| 430 | 480 | 25.0 | 59 | 24700-4253 |
| 430 | 490 | 20.0 | 64 | 21238-9695 |
| 435 | 485 | 20.0 | 87 | 26080-1387 |
| 440 | 480 | 20.0 | 26 | 24600-4393 |
| 440 | 480 | 20.0 | 59 | 24700-4393 |
| 440 | 480 | 20.0 | 23 | 25003-4393 |
| 440 | 490 | 22.0 | 59 | 24700-4673 |
| 446 | 486 | 16.0 | 88 | 26088-4704 |
| 450 | 480 | 12.7 | 23 | 25003-0510 |
| 450 | 490 | 20.0 | 59 | 24700-3943 |
| 450 | 493 | 20.0 | 23 | 25003-9925 |
| 450 | 500 | 20.6 | 21 | 25001-3111 |
| 450 | 500 | 20.6 | 23 | 25003-1179 |
| 450 | 510 | 25.0 | 59 | 24700-5464 |
| 460 | 500 | 20.0 | 59 | 24700-4508 |
| 460 | 504 | 20.0 | 23 | 25003-0518 |
| 460 | 510 | 20.0 | 23 | 25003-1237 |
| 460 | 510 | 22.0 | 26 | 24600-4486 |
| 460 | 510 | 22.0 | 59 | 24700-4486 |
| 470 | 508 | 18.0 | 64 | 21238-3768 |
| 470 | 508 | 19.0 | 59 | 24700-0338 |
| 470 | 508 | 19.0 | 23 | 25003-9881 |
| 470 | 520 | 18.8 | 23 | 25003-8695 |
| 470 | 530 | 25.0 | 59 | 24700-4255 |
| 480 | 520 | 20.0 | 23 | 25003-7281 |
| 480 | 520 | 20.0 | 26 | 24600-7281 |
| 480 | 520 | 20.0 | 64 | 21238-7281 |
| 480 | 530 | 20.0 | 59 | 24700-1247 |
| 480 | 530 | 20.0 | 23 | 25003-8299 |
| 480 | 530 | 20.6 | 23 | 25003-0639 |
| 490 | 530 | 20.0 | 59 | 24700-3133 |

*All dimensions are in mm. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 490 | 540 | 20.0 | 23 | 25003-1298 |
| 490 | 540 | 22.0 | 26 | 24600-4856 |
| 500 | 530 | 15.0 | 26 | 24600-2504 |
| 500 | 540 | 20.0 | 59 | 24700-4047 |
| 500 | 545 | 20.0 | 23 | 25003-2484 |
| 500 | 550 | 20.0 | 87 | 26080-1383 |
| 500 | 550 | 22.0 | 59 | 24700-1246 |
| 508 | 562 | 26.0 | 53 | 21086-4238 |
| 508 | 562 | 26.0 | 59 | 24700-0364 |
| 510 | 540 | 11.0 | 26 | 24600-5714 |
| 515 | 555 | 20.0 | 26 | 24600-5493 |
| 520 | 558 | 19.0 | 23 | 25003-5654 |
| 520 | 564 | 20.0 | 59 | 24700-4764 |
| 520 | 564 | 22.0 | 59 | 24700-4525 |
| 524 | 580 | 21.0 | 64 | 21238-4244 |
| 530 | 570 | 20.0 | 59 | 24700-5438 |
| 530 | 570 | 20.0 | 87 | 26080-2388 |
| 530 | 575 | 20.6 | 23 | 25003-5761 |
| 530 | 580 | 20.0 | 59 | 24700-0375 |
| 530 | 580 | 20.0 | 23 | 25003-1911 |
| 530 | 580 | 21.0 | 64 | 21238-4244 |
| 530 | 580 | 22.0 | 26 | 24600-3667 |
| 530 | 580 | 22.0 | 59 | 24700-3667 |
| 530 | 590 | 25.0 | 59 | 24700-3535 |
| 532 | 572 | 20.0 | 59 | 24700-5440 |
| 535 | 575 | 20.0 | 59 | 24700-5452 |
| 540 | 590 | 20.6 | 23 | 25003-9639 |
| 540 | 590 | 22.0 | 59 | 24700-4598 |
| 540 | 590 | 25.0 | 64 | 21238-7393 |
| 550 | 600 | 22.0 | 59 | 24700-2724 |
| 550 | 600 | 23.5 | 26 | 24600-5492 |
| 550 | 610 | 25.0 | 59 | 24700-4514 |
| 551 | 589 | 19.0 | 23 | 25003-5428 |
| 554 | 594 | 20.0 | 23 | 25003-0429 |
| 556 | 606 | 20.6 | 23 | 25003-0606 |
| 560 | 604 | 18.0 | 87 | 26080-1382 |
| 560 | 604 | 20.0 | 59 | 24700-4066 |
| 560 | 610 | 20.0 | 64 | 21238-7266 |
| 560 | 610 | 20.0 | 26 | 24600-3461 |
| 560 | 610 | 20.0 | 59 | 24700-3461 |
| 560 | 610 | 22.0 | 64 | 21238-2394 |
| 560 | 610 | 22.0 | 26 | 24600-4019 |
| 560 | 610 | 22.0 | 59 | 24700-4019 |
| 560 | 620 | 25.0 | 59 | 24700-4243 |
| 570 | 610 | 20.0 | 59 | 24700-3769 |
| 570 | 616 | 19.0 | 64 | 21238-4276 |
| 570 | 616 | 19.0 | 59 | 24700-0408 |
| 570 | 620 | 22.0 | 59 | 24700-4245 |
| 570 | 620 | 25.0 | 59 | 24700-4241 |
| 574 | 604 | 15.0 | 26 | 24600-2501 |
| 576 | 614 | 19.0 | 23 | 25003-5532 |
| 578 | 635 | 23.0 | 64 | 21238-6843 |
| 578 | 635 | 23.0 | 59 | 24700-0417 |
| 580 | 640 | 25.0 | 59 | 24700-4256 |
| 590 | 630 | 20.0 | 59 | 24700-3134 |
| 590 | 640 | 20.0 | 23 | 25003-2674 |
| 600 | 630 | 11.0 | 26 | 24600-5715 |
| 600 | 640 | 20.0 | 64 | 21238-8624 |
| 600 | 640 | 20.0 | 59 | 24700-5280 |
| 600 | 650 | 22.0 | 59 | 24700-4519 |
| 600 | 650 | 25.0 | 59 | 24700-5559 |
| 600 | 660 | 25.0 | 59 | 24700-4518 |
| 610 | 654 | 20.0 | 23 | 25003-1112 |
| 610 | 660 | 20.6 | 23 | 25003-7119 |
| 620 | 670 | 20.6 | 23 | 25003-0864 |
| 620 | 670 | 22.0 | 26 | 24600-3678 |
| 620 | 670 | 22.0 | 59 | 24700-3678 |
| 624 | 654 | 15.0 | 26 | 24600-2505 |
| 630 | 665 | 14.3 | 87 | 26080-2884 |
| 630 | 670 | 19.0 | 64 | 21238-1451 |
| 640 | 690 | 20.5 | 23 | 25003-1719 |
| 650 | 690 | 20.0 | 59 | 24700-1044 |
| 650 | 705 | 20.0 | 59 | 24700-4244 |
| 650 | 710 | 25.0 | 59 | 24700-4517 |
| 665 | 729 | 22.0 | 59 | 24700-3163 |
| 670 | 708 | 19.0 | 23 | 25003-2248 |
| 670 | 710 | 20.0 | 59 | 24700-3945 |
| 670 | 716 | 19.0 | 59 | 24700-0464 |
| 670 | 716 | 23.0 | 64 | 21238-4307 |
| 670 | 734 | 25.0 | 59 | 24700-4672 |
| 685 | 710 | 12.7 | 23 | 25003-1169 |
| 690 | 730 | 20.0 | 59 | 24700-3489 |
| 700 | 738 | 19.0 | 23 | 25003-4481 |
| 700 | 764 | 25.0 | 26 | 24600-5067 |
| 710 | 773 | 22.0 | 59 | 24700-4239 |
| 720 | 770 | 25.0 | 23 | 25003-0786 |
| 730 | 790 | 25.0 | 59 | 24700-4516 |
| 730 | 794 | 19.0 | 23 | 25003-2796 |
| 730 | 794 | 25.0 | 59 | 24700-2543 |
| 730 | 794 | 25.5 | 59 | 24700-4487 |
| 735 | 775 | 20.0 | 59 | 24700-5442 |
| 740 | 780 | 17.0 | 59 | 24700-0497 |
| 740 | 790 | 25.0 | 59 | 24700-5609 |
| 750 | 800 | 20.0 | 23 | 25003-3165 |
| 750 | 800 | 23.0 | 23 | 25003-3169 |
| 750 | 814 | 19.0 | 23 | 25003-2079 |
| 760 | 800 | 20.0 | 59 | 24700-4917 |
| 760 | 810 | 25.0 | 59 | 24700-3132 |
| 760 | 813 | 22.0 | 59 | 24700-3837 |
| 770 | 845 | 27.0 | 59 | 24700-4875 |
| 770 | 845 | 28.0 | 59 | 24700-4578 |
| 780 | 820 | 18.0 | 23 | 25003-1959 |
| 780 | 844 | 25.0 | 59 | 24700-1933 |
| 800 | 864 | 25.0 | 59 | 24700-5560 |

*All dimensions are in mm. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|
| 810 | 874 | 25.0 | 59 | 24700-4671 |
| 850 | 895 | 20.0 | 23 | 25003-6894 |
| 851 | 889 | 23.0 | 64 | 21238-9504 |
| 851 | 925 | 23.0 | 64 | 21238-4552 |
| 860 | 900 | 20.0 | 59 | 24700-1043 |
| 900 | 950 | 20.0 | 23 | 25003-4872 |
| 900 | 980 | 23.0 | 59 | 24700-5620 |
| 920 | 958 | 19.0 | 64 | 21238-7770 |
| 950 | 1014 | 25.0 | 59 | 24700-4824 |
| 960 | 1020 | 22.0 | 59 | 24700-2991 |
| 960 | 1040 | 23.0 | 59 | 24700-0565 |
| 970 | 1034 | 22.0 | 59 | 24700-4455 |
| 970 | 1040 | 25.0 | 59 | 24700-4240 |
| 990 | 1040 | 22.0 | 59 | 24700-4100 |
| 990 | 1040 | 25.0 | 59 | 24700-4240 |
| 1000 | 1050 | 22.0 | 64 | 21238-1073 |
| 1000 | 1050 | 22.0 | 59 | 24700-3080 |
| 1000 | 1050 | 23.0 | 59 | 24700-2873 |
| 1020 | 1050 | 19.0 | 23 | 25003-4386 |
| 1060 | 1100 | 20.0 | 59 | 24700-4137 |
| 1080 | 1144 | 25.0 | 59 | 24700-3949 |
| 1105 | 1160 | 25.0 | 64 | 21238-0586 |
| 1162 | 1207 | 20.0 | 23 | 25003-6889 |
| 1250 | 1314 | 25.0 | 59 | 24700-4599 |
| 1295 | 1325 | 20.0 | 87 | 26080-2886 |
| 1350 | 1414 | 22.0 | 64 | 21238-7065 |
| 1380 | 1430 | 25.0 | 23 | 25003-9919 |
| 1380 | 1440 | 25.0 | 64 | 21238-8594 |
| 1425 | 1482 | 19.0 | 23 | 25003-9917 |
| 1550 | 1610 | 25.0 | 64 | 21238-8622 |
| 1620 | 1665 | 20.0 | 59 | 24700-3961 |
| 1636 | 1700 | 22.0 | 64 | 21238-4979 |
| 1820 | 1870 | 20.6 | 23 | 25003-4816 |
| 1890 | 1954 | 25.0 | 64 | 21238-9010 |
| 2100 | 2150 | 20.6 | 23 | 25003-8802 |

| SHAFT | BORE | WIDTH | MODEL NO. | PART NO. |
|---|---|---|---|---|

*All dimensions are in mm. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

# Model 79 Rod Scrapers (Inches)

| PART NO. | ROD DIA. | BORE DIA. | BORE DEPTH |
|---|---|---|---|
| 18231-0087 | 0.625 | 1.125 | 0.313 |
| 18231-0139 | 0.750 | 1.250 | 0.313 |
| 18231-0213 | 0.875 | 1.375 | 0.313 |
| 18231-0287 | 1.000 | 1.500 | 0.313 |
| 18231-0321 | 1.063 | 1.575 | 0.313 |
| 18231-0351 | 1.125 | 1.625 | 0.313 |
| 18231-6279 | 1.188 | 1.625 | 0.250 |
| 18231-7760 | 1.250 | 1.625 | 0.125 |
| 18231-9437 | 1.250 | 1.750 | 0.313 |
| 18231-7118 | 1.250 | 1.752 | 0.313 |
| 18231-5571 | 1.250 | 1.752 | 0.250 |
| 18231-0430 | 1.250 | 2.062 | 0.375 |
| 18231-6208 | 1.375 | 1.875 | 0.313 |
| 18231-7903 | 1.500 | 1.875 | 0.250 |
| 18231-6222 | 1.500 | 1.875 | 0.125 |
| 18231-7762 | 1.500 | 1.969 | 0.125 |
| 18231-9439 | 1.500 | 2.000 | 0.313 |
| 18231-7517 | 1.500 | 2.000 | 0.250 |
| 18231-5793 | 1.500 | 2.125 | 0.313 |
| 18231-0643 | 1.500 | 2.250 | 0.375 |
| 18231-6644 | 1.625 | 2.125 | 0.313 |
| 18231-8486 | 1.690 | 2.250 | 0.313 |
| 18231-6241 | 1.750 | 2.125 | 0.125 |
| 18231-9675 | 1.750 | 2.250 | 0.313 |
| 18231-7080 | 1.750 | 2.250 | 0.250 |
| 18231-7112 | 1.750 | 2.250 | 0.188 |
| 18231-7738 | 1.750 | 2.250 | 0.125 |
| 18231-8019 | 1.750 | 2.257 | 0.250 |
| 18231-0898 | 1.750 | 2.438 | 0.375 |
| 18231-5794 | 1.750 | 2.506 | 0.375 |
| 18231-9442 | 1.875 | 2.375 | 0.313 |
| 18231-1049 | 1.875 | 2.563 | 0.375 |
| 18231-8162 | 1.969 | 2.362 | 0.197 |
| 18231-7086 | 2.000 | 2.375 | 0.250 |
| 18231-9443 | 2.000 | 2.500 | 0.312 |
| 18231-9013 | 2.000 | 2.500 | 0.250 |
| 18231-7854 | 2.000 | 2.500 | 0.188 |
| 18231-6094 | 2.000 | 2.502 | 0.313 |
| 18231-1186 | 2.000 | 2.686 | 0.375 |
| 18231-1189 | 2.000 | 2.750 | 0.375 |
| 18231-7923 | 2.000 | 2.750 | 0.250 |
| 18231-7860 | 2.125 | 2.500 | 0.125 |
| 18231-7522 | 2.125 | 2.625 | 0.250 |
| 18231-1321 | 2.125 | 2.875 | 0.375 |
| 18231-9446 | 2.250 | 2.750 | 0.313 |
| 18231-7531 | 2.250 | 2.750 | 0.250 |
| 18231-7853 | 2.250 | 2.750 | 0.188 |
| 18231-1471 | 2.250 | 2.997 | 0.375 |
| 18231-7668 | 2.250 | 3.000 | 0.250 |
| 18231-9447 | 2.375 | 2.875 | 0.313 |
| 18231-1642 | 2.375 | 3.125 | 0.375 |
| 18231-4737 | 2.500 | 2.875 | 0.125 |
| 18231-9448 | 2.500 | 3.000 | 0.313 |
| 18231-5853 | 2.500 | 3.000 | 0.188 |
| 18231-7089 | 2.500 | 3.125 | 0.250 |
| 18231-8471 | 2.500 | 3.245 | 0.375 |
| 18231-1807 | 2.500 | 3.250 | 0.375 |
| 18231-7090 | 2.500 | 3.250 | 0.250 |
| 18231-8557 | 2.500 | 3.500 | 0.250 |
| 18231-5856 | 2.625 | 3.125 | 0.250 |
| 18231-5407 | 2.625 | 3.375 | 0.375 |
| 18231-9450 | 2.750 | 3.250 | 0.313 |
| 18231-7236 | 2.750 | 3.250 | 0.188 |
| 18231-2035 | 2.750 | 3.500 | 0.375 |
| 18231-6471 | 2.750 | 3.750 | 0.500 |
| 18231-8544 | 2.875 | 3.250 | 0.125 |
| 18231-9452 | 3.000 | 3.500 | 0.313 |
| 18231-7754 | 3.000 | 3.500 | 0.125 |
| 18231-2168 | 3.000 | 3.751 | 0.375 |
| 18231-4557 | 3.000 | 4.000 | 0.500 |
| 18231-7680 | 3.125 | 3.625 | 0.188 |
| 18231-7856 | 3.125 | 3.750 | 0.375 |
| 18231-5751 | 3.250 | 3.750 | 0.313 |
| 18231-9454 | 3.250 | 3.875 | 0.313 |
| 18231-7374 | 3.250 | 4.250 | 0.500 |
| 18231-5752 | 3.375 | 4.000 | 0.313 |
| 18231-5857 | 3.500 | 4.000 | 0.313 |
| 18231-9456 | 3.500 | 4.125 | 0.313 |
| 18231-5858 | 3.500 | 4.250 | 0.313 |
| 18231-2366 | 3.500 | 4.500 | 0.500 |
| 18231-7097 | 3.750 | 4.375 | 0.312 |
| 18231-7509 | 3.750 | 4.500 | 0.313 |
| 18231-2462 | 3.750 | 4.750 | 0.500 |
| 18231-8518 | 3.875 | 4.750 | 0.250 |
| 18231-8417 | 3.938 | 4.625 | 0.313 |
| 18231-8555 | 4.000 | 4.500 | 0.313 |
| 18231-9879 | 4.000 | 4.625 | 0.313 |
| 18231-5753 | 4.000 | 4.750 | 0.313 |
| 18231-4651 | 4.000 | 5.000 | 0.500 |
| 18231-8243 | 4.063 | 5.250 | 0.250 |
| 18231-9461 | 4.125 | 4.750 | 0.313 |
| 18231-9060 | 4.125 | 5.250 | 0.375 |
| 18231-7723 | 4.250 | 4.750 | 0.313 |
| 18231-7151 | 4.250 | 4.750 | 0.188 |
| 18231-2657 | 4.250 | 5.250 | 0.500 |
| 18231-9463 | 4.375 | 5.000 | 0.313 |
| 18231-8538 | 4.500 | 5.000 | 0.313 |
| 18231-9464 | 4.500 | 5.125 | 0.313 |
| 18231-5859 | 4.500 | 5.250 | 0.313 |
| 18231-2753 | 4.500 | 5.500 | 0.500 |
| 18231-7511 | 4.500 | 550D | 0.313 |
| 18231-9465 | 4.750 | 5.375 | 0.313 |
| 18231-2837 | 4.750 | 5.750 | 0.500 |
| 18231-8153 | 4.875 | 5.619 | 0.313 |

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

# Model 79 Rod Scrapers (Inches)



| PART NO. | ROD DIA. | BORE DIA. | BORE DEPTH |
|---|---|---|---|
| 18231-9466 | 5.000 | 5.625 | 0.313 |
| 18231-5750 | 5.000 | 5.750 | 0.313 |
| 18231-2915 | 5.000 | 6.000 | 0.500 |
| 18231-7528 | 5.250 | 6.000 | 0.312 |
| 18231-9468 | 5.500 | 6.125 | 0.375 |
| 18231-7534 | 5.500 | 6.250 | 0.313 |
| 18231-3228 | 5.625 | 6.625 | 0.500 |
| 18231-9469 | 5.750 | 6.375 | 0.375 |
| 18231-3275 | 5.750 | 6.750 | 0.500 |
| 18231-9470 | 6.000 | 6.625 | 0.375 |
| 18231-7541 | 6.000 | 6.750 | 0.375 |
| 18231-3355 | 6.000 | 7.000 | 0.500 |
| 18231-8556 | 6.375 | 7.125 | 0.500 |
| 18231-7477 | 6.500 | 7.248 | 0.312 |
| 18231-3426 | 6.500 | 7.500 | 0.625 |
| 18231-6721 | 6.750 | 7.375 | 0.375 |
| 18231-6372 | 6.750 | 7.750 | 0.500 |
| 18231-7574 | 7.000 | 7.750 | 0.313 |
| 18231-9565 | 7.250 | 8.000 | 0.313 |
| 18231-8545 | 7.250 | 8.250 | 0.421 |
| 18231-8547 | 7.250 | 8.500 | 0.421 |
| 18231-5484 | 7.500 | 8.250 | 0.375 |
| 18231-7897 | 7.766 | 8.750 | 0.375 |
| 18231-7224 | 8.000 | 8.750 | 0.375 |
| 18231-6811 | 9.000 | 9.875 | 0.313 |
| 18231-6067 | 9.750 | 10.750 | 0.500 |
| 18231-6391 | 10.000 | 11.000 | 0.500 |
| 18231-9693 | 11.000 | 12.000 | 0.500 |
| 18231-7263 | 11.500 | 12.750 | 0.625 |
| 18231-7684 | 13.375 | 14.625 | 0.625 |
| 18231-9732 | 14.625 | 16.125 | 0.750 |

| PART NO. | ROD DIA. | BORE DIA. | BORE DEPTH |
|---|---|---|---|

*All dimensions are in inches. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

| PART NO. | ROD DIA. | BORE DIA. | BORE DEPTH |
|---|---|---|---|
| 18231-8460 | 6 | 14 | 5 |
| 18231-8461 | 8 | 16 | 5 |
| 18231-8462 | 10 | 18 | 5 |
| 18231-8463 | 12 | 22 | 7 |
| 18231-8464 | 14 | 24 | 7 |
| 18231-8430 | 16 | 26 | 7 |
| 18231-8431 | 18 | 28 | 7 |
| 18231-8432 | 20 | 30 | 7 |
| 18231-8433 | 22 | 32 | 7 |
| 18231-8434 | 25 | 35 | 7 |
| 18231-8157 | 25 | 35 | 5 |
| 18231-8435 | 28 | 38 | 7 |
| 18231-8436 | 30 | 40 | 7 |
| 18231-8437 | 32 | 42 | 7 |
| 18231-8470 | 35 | 50 | 9 |
| 18231-8438 | 36 | 46 | 7 |
| 18231-8439 | 40 | 50 | 7 |
| 18231-8158 | 40 | 50 | 5 |
| 18231-7666 | 40 | 50 | 3.18 |
| 18231-7793 | 40 | 55 | 9 |
| 18231-8440 | 45 | 55 | 7 |
| 18231-8161 | 45 | 55 | 5 |
| 18231-7799 | 45 | 55 | 3.18 |
| 18231-7653 | 45 | 60 | 9 |
| 18231-8475 | 45 | 60 | 7 |
| 18231-8441 | 50 | 60 | 7 |
| 18231-8162 | 50 | 60 | 5 |
| 18231-7663 | 50 | 60 | 3.18 |
| 18231-7654 | 50 | 65 | 9 |
| 18231-8488 | 50 | 65 | 7 |
| 18231-8442 | 55 | 65 | 7 |
| 18231-8163 | 55 | 65 | 5 |
| 18231-7809 | 55 | 65 | 3.18 |
| 18231-8474 | 55 | 70 | 7 |
| 18231-8412 | 55 | 70 | 5 |
| 18231-8443 | 56 | 66 | 7 |
| 18231-7780 | 56 | 71 | 9 |
| 18231-8444 | 60 | 70 | 7 |
| 18231-8419 | 60 | 70 | 5 |
| 18231-8520 | 60 | 75 | 7 |
| 18231-8445 | 63 | 73 | 7 |
| 18231-7665 | 63 | 73 | 3.18 |
| 18231-7657 | 63 | 78 | 9 |
| 18231-8446 | 65 | 75 | 7 |
| 18231-8221 | 65 | 75 | 5 |
| 18231-7922 | 65 | 75 | 3.18 |
| 18231-8522 | 65 | 80 | 7 |
| 18231-8146 | 70 | 80 | 9 |
| 18231-8447 | 70 | 80 | 7 |
| 18231-8165 | 70 | 80 | 5 |
| 18231-7732 | 70 | 80 | 3.18 |
| 18231-8524 | 70 | 83.5 | 6 |
| 18231-8472 | 70 | 85 | 7 |
| 18231-8521 | 70 | 90 | 7 |
| 18231-8167 | 75 | 85 | 5 |
| 18231-7977 | 75 | 85 | 3.18 |
| 18231-8473 | 75 | 90 | 7 |
| 18231-8280 | 76 | 100 | 10 |
| 18231-8327 | 80 | 90 | 7 |
| 18231-7733 | 80 | 90 | 3.18 |
| 18231-8534 | 80 | 93.5 | 6 |
| 18231-8468 | 80 | 100 | 7 |
| 18231-8448 | 90 | 100 | 7 |
| 18231-8399 | 90 | 100 | 3.18 |
| 18231-8519 | 90 | 105 | 7 |
| 18231-8533 | 90 | 106 | 8 |
| 18231-8328 | 90 | 110 | 7 |
| 18231-8449 | 100 | 115 | 9 |
| 18231-8525 | 100 | 116 | 8 |
| 18231-8450 | 110 | 125 | 9 |
| 18231-8526 | 110 | 130 | 8 |
| 18231-8527 | 120 | 140 | 8 |
| 18231-8546 | 124.5 | 145 | 9 |
| 18231-8451 | 125 | 140 | 9 |
| 18231-8552 | 125 | 150 | 9 |
| 18231-8550 | 130 | 150 | 9 |
| 18231-8528 | 130 | 154 | 8 |
| 18231-8452 | 140 | 155 | 9 |
| 18231-8529 | 140 | 164 | 8 |
| 18231-8543 | 150 | 165 | 9 |
| 18231-8453 | 160 | 175 | 9 |
| 18231-8454 | 180 | 195 | 9 |
| 18231-8465 | 200 | 215 | 9 |
| 18231-8466 | 220 | 240 | 12 |
| 18231-8467 | 250 | 270 | 12 |

*All dimensions are in mm. Preferred sizes are indicated with **bold** type face.*
*Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.*

*Model 79 scrapers and pin seals continue to set new standards of efficiency in excluding dirt, mud and metal chips in demanding equipment applications.*

## Durability

- Four times the tensile strength/tear resistance of nitrile materials
- High modulus for optimum scraping action
- Exceptional abrasion resistance
- Outstanding endurance under difficult operating conditions

## Flexibility

- Exhibits excellent elasticity
- Exhibits excellent resilience
- Withstands high degree of deformation

## Applications

- Hydraulic cylinders
- Track adjusters
- Available as pin seals with a special formulation of polyurethane for oscillating linkage pin assemblies

| *Features* | *Advantages* |
|---|---|
| Press fit design | • Easy retrofit in existing counterbore |
| Exclusive urethane lip configuration | • Non-scoring<br>• Accepts greater side-loading/rod eccentricity |
| Superior bond of element to steel case | • Provides greater concentricity and rebound characteristics |
| Extensive line of tooling | • Available in a wide range of inch and metric sizes |

## Benefits

- Saves time on installation
- Eliminates costly damage to equipment from contaminants
- Extended life
- Reduced vendor base




*Typical Installation*

## Recommended Tolerances and Finishes

- **Rod**

| | |
|---|---|
| Chamfer | |
| Up to 2" | 30° x 3/32" axially |
| 2" to 6" | 30° x 5/32" axially |
| 6" & up | 30° x 1/4" axially |
| Hardness | 30 Rockwell C (minimum) |
| Tolerance | ± 0.003" |
| Finish | 20 rms (maximum) |
| Speed | 50 fpm (typical) |

- **Counterbore**

| | |
|---|---|
| Tolerance | |
| Up to 3" | ± 0.001" |
| 3" to 6" | ± 0.0015" |
| 6" to 10" | ± 0.002" |
| 10" to 20" | + 0.002", -0.004" |
| Finish | 60 rms (maximum) |
| Depth tolerance | |
| Up to 6" diameter | +1/64", - 0" |
| 6" & up diameter | +1/32", - 0" |
| Chamfer | None required |

# Relationship Between RPM, FPM and Shaft Diameters



## How to Order

Worldwide Garlock KLOZURE® Oil Seal and Bearing Isolator distributors can offer you fast delivery on trouble-free, high-quality oil and grease seals and bearing protectors.

To help maintain maximum sealing effectiveness, we need as much information as possible concerning your operating conditions. The following check list will help you give us the data needed to recommend the proper oil seals for your standard and special sealing requirements.

- Customer name and address
- Customer's part name and number shown on drawing
- Description or application of parts

1. **Quantity requirements:** Parts per day, per month, per year; quantity purchased at one time. Will this be a repeat order?
2. **Packaging requirements (bulk, box, bag, pallet, etc.):** Can customer handle pallets? If not, what is largest carton gross weight customer can handle?
3. **Material requirements:** Must we meet customer specs? Are they attached? If not, where are they? Element requirement: material, dual lip; case requirement: material, thickness, cover washer.
4. **Is functional test required?** If yes, describe.
5. **Suggested design:** By whom, model number, element, case, spring.
6. **Fixed dimensions:** Shaft, housing bore, recess/width. If still open, indicate.
7. **Motion: Rotating:** RPM, FPM (MPS), maximum and minimum; reciprocating: stroke, strokes/min.
8. **Shaft:** Material; finish: microinches AA (RMS), finish method; hardness: Brinell, Rockwell C; position: vertical, horizontal.
9. **Housing:** Material, finish, chamfer, shoulder.
10. **Eccentricity:** Bore misalignment, dynamic runout/TIR.
11. **Temperature:** Normal operating, maximum, minimum.
12. **Medium to be sealed:** Inside, pressure, outside, pressure.
13. **Medium level with respect to seal:** Inside, outside.
14. **Assembly**: With or against lip; tool used; splines, keyways, shoulders or other conditions.
15. **Type of bearing:** Location of seal with respect to bearing.
16. **How to specify:** When ordering seals, use model number or computer number. Any special combination should be specified.
17. **Where to order or inquire:** Garlock has established a worldwide network of authorized distributors. Look in the Yellow Pages for the name and the distributor nearest you, or contact:

    Garlock Sealing Technologies
    1666 Division Street
    Palmyra, New York 14522
    Telephone: 315-597-4811, 1-800-448-6688

    For Canadian requirements, address your inquiries and orders to:

    Garlock of Canada, Ltd.
    2860 Plymouth Drive
    Oakville, Ontario, Canada L6H 5S8
    Telephone: 905-829-3200

## AUTHORIZED DISTRIBUTOR

ISO 9002-94
Cert. #001762

**WARNING:**
Properties/applications shown throughout this brochure are typical. Your specific application should not be undertaken without independent study and evaluation for suitability. For specific application recommendations consult Garlock. Failure to select the proper sealing products could result in property damage and/or serious personal injury.

Performance data published in this brochure has been developed from field testing, customer field reports and/or in-house testing.

While the utmost care has been used in compiling this brochure, we assume no responsibility for errors. Specifications subject to change without notice. This edition cancels all previous issues. Subject to change without notice.

GARLOCK is a registered trademark for packings, seals, gaskets, and other products of Garlock.

© Garlock Inc 2001. All rights reserved worldwide.

GOODRICH

Garlock
Sealing Technologies®

**Garlock Sealing Technologies**
**1666 Division Street**
**Palmyra, New York 14522 USA**
**1-315-597-4811**
**1-800-448-6688**
**Fax: 1-800-543-0598**
**1-315-597-3216**

Visit the Garlock network:
**www.garlock.net**

Other Garlock facilities are located in:

| | | |
|---|---|---|
| **Paragould, AR, USA** | 1-870-239-4051 | Fax: 1-870-239-4054 |
| **Columbia, SC, USA** | 1-803-783-1880 | Fax: 1-803-783-4279 |
| **Houston, TX, USA** | 1-281-459-7200 | Fax: 1-281-458-0502 |
| **Sydney, Australia** | 61-2-9793-2511 | Fax: 61-2-9793-2544 |
| **São Paulo, Brazil** | 55-11-884-9680 | Fax: 55-11-884-9680 |
| **Oakville, Canada** | 1-905-829-3200 | Fax: 1-905-829-3333 |
| **Berkshire, England** | 44-1635-38509 | Fax: 44-1635-569573 |
| **Saint-Étienne, France** | 33-4-7743-5100 | Fax: 33-4-7743-5151 |
| **Neuss, Germany** | 49-2131-3490 | Fax: 49-2131-349-222 |
| **Seoul, Korea** | 822-554-6341 | Fax: 822-554-6343 |
| **Mexico City, Mexico** | 52-5-567-7011 | Fax: 52-5-368-0418 |
| **Singapore** | 65-254-7372 | Fax: 65-254-6708 |

PRINTED IN U.S.A. KLZ 2:21 DPI-1/01-5M-F